



C								
Slice	Area (m2)	Self weight of the slice (kN/m3)	Apha angle (°)	Force parallel to the sliding surface (Tn)	Forces normal to the sliding surface	Length (L)	Cohesion along the sliding surface	Friction from the self weight and friction angle
	[m ²]	Wi[kN/m]	[o]	T _i [kN/m]	N _i [kN/m]	ΔL _i [m]	C _i [kN/m]	Fi[kN/m]
1	1.236	22.25	-14	-5.38	21.59	1.31	14.56	8.5
2	3.557	64.03	-6	-6.69	63.68	1.28	14.22	25.08
3	5.661	101.9	0	0	101.9	1.28	14.22	40.13
4	7.552	135.94	9	21.27	134.26	1.29	14.33	52.88
5	9.221	165.98	17	48.53	158.73	1.33	14.78	62.52
6	10.525	189.45	25	80.07	171.7	1.4	15.56	67.63
7	10.063	181.13	33	98.65	151.91	1.52	16.89	59.83
8	8.797	158.35	43	107.99	115.81	1.73	19.22	45.61
9	6.969	125.44	54	101.48	73.73	2.17	24.11	29.04
10	3.77	67.86	74	65.23	18.7	4.69	52.11	7.37
Sum	67.351	1212.33		511.15	1012.01	18	200	398.59
			Fs=1.144					