

# Replacement Part Cross Reference

When selecting replacement parts for your HP products, you may notice that many manuals list only an HP part number for the part, even though it appears that this part is manufactured by one of the large semiconductor manufacturers. Service personnel often ask why only HP part numbers are listed.

It is recommended that HP replacement parts be used to ensure that original performance of the product will be retained. While some parts used in HP instruments are identical to those that can be purchased at a local electronics distributor, many times parts will be selected for certain

characteristics, such as gain, bandwidth, capacitance, etc. There may also be slight mechanical differences, such as the shaping or length of leads. In some cases special quality checks are used to ensure that high reliability parts are used at the factory and at HP field offices. Therefore, we suggest obtaining replacement parts from HP to maintain the quality that you have paid for in your instrument.

There may be situations however, where HP replacement parts are not in stock and substituting parts will allow you to return the product to service immediately. In these cases it may be worthwhile to see if a substiti-

tute part will work in the circuit. Perhaps an HP part could be ordered and installed at some later date.

To help you in these situations, here is a cross-reference of HP part numbers to JEDEC numbers for transistors and diodes.

## NOTE

This is not a comprehensive list. Many semiconductors are made exclusively for Hewlett-Packard and there are no substitutes. If the part number you are looking for is not listed here, it does not have a JEDEC number and must be replaced with the same HP part number. □

## Manufacturers Code Number Cross Reference

### No. Manufacturer

00039 NEC ELECTRONICS INC  
00046 UNITRODE CORP  
00746 ROHM CORP  
01250 GTE SYLVANIA ELEK COMPONENTS GROUP  
01352 GERMANIUM POWER DEVICES CORP  
01590 PLESSEY SEMICONDUCTORS  
01691 TRW INC SEMICONDUCTOR DIV  
01698 TEXAS INSTRUMENTS INC  
01921 RCA CORP  
01973 GE CO SEMICONDUCTOR PROD DEPT  
01979 LANSDALE TRANSISTOR & ELEK INC  
01991 TRANSITRON ELECTRONIC CORP  
02037 MOTOROLA INC  
02062 HP DIV 05 MSD  
02086 WESTINGHOUSE ELEC CORP SEMICON  
02158 EDAL INDUSTRIES INC  
02180 PRECISION MONOLITHICS INC  
02237 FAIRCHILD SEMICONDUCTOR CORP  
02526 SEMICON INC  
02537 DIODES INC  
02569 CRYSTALONICS, DIV TELEDYNE  
02619 SOLITRON DEVICES INC (DIODES)  
02634 SPRAGUE ELECTRIC SEMICON DIV  
02664 SEMTECH CORP  
02682 ITT SEMICONDUCTORS DIV  
02688 MICROSEMI CORP  
02713 GENERAL INSTRUMENT CORP (DIODE)  
02763 TELEDYNE INDUSTRIES INC  
02783 INTL DIODE CORP  
02788 M/A-COM INC  
02803 CODI SEMICONDUCTOR  
02865 ALPHA INDUSTRIES INC  
02883 SILICONIX INC  
02910 SIGNETICS CORP  
03038 INTL RECTIFIER CORP  
03171 SOLITRON DEVICES INC  
03191 SOLITRON DEVICES INC (FETS, DIODES)  
03285 ANALOG DEVICES INC  
03287 GENERAL SEMICONDUCTOR IND INC  
03291 AVANTEK INC  
03334 NV PHILIPS ELCOMA  
03406 NATIONAL SEMICONDUCTOR CORP  
03447 HUGHES AIRCRAFT CO NEWP BEACH DIV  
03571 LANSDALE XSTR ELEK CO ADVANCE LINE  
03627 SOLID STATE DEVICES INC  
03714 INTERSIL INC  
03776 KERTRON INC  
03793 SILICON GENERAL INC

MTN VIEW  
LEXINGTON  
IRVINE  
WALTHAM  
ANDOVER  
SANTA ANA  
LAWDALE  
DALLAS  
NEW YORK  
AUBURN  
PHOENIX  
WAKEFIELD  
ROSELLE  
SAN JOSE  
DEPT YOUNGWOOD  
EAST HAVEN  
SANTA CLARA  
CUPERTINO  
BURLINGTON  
CHATSWORTH  
CAMBRIDGE  
TAPPAN  
CONCORD  
NEWBURY PARK  
TUSTIN  
SCOTSDALE  
HICKSVILLE  
LOS ANGELES  
JERSEY CITY  
BURLINGTON  
LINDEN  
WOBURN  
SANTA CLARA  
SUNNYVALE  
LOS ANGELES  
PALM BEACH  
SAN DIEGO  
NORWOOD  
TEMPE  
SANTA CLARA  
EINDHOVEN  
SANTA CLARA  
NEWPORT BEACH  
COLMAR  
LA MIRADA  
CUPERTINO  
RIVIERA BEACH  
SAN JOSE

CA US 9404380545  
MA US 021739N171  
CA US 927132M627  
MA 0215494151  
MA 0181053399  
CA 9270552648  
CA 9026001281  
TX US 7526501295  
NY US 101123L585  
NY US 1320103508  
AZ 850197E372  
MA 0188024046  
IL US 6019504713  
CA US 9430428480  
PA 1569705277  
CT 0651206288  
CA US 9505406665  
CA US 9501407263  
MA 0180311961  
CA 9131112060  
MA 0214012498  
NY 1098313327  
NH 0330113606  
CA 9132014099  
CA US 9268014433  
AZ US 8525214552  
NY US 1180214936  
CA US 9006715818  
NJ 0730416068  
MA US 0180316179  
NJ 0741016352  
MA 0180117540  
CA US 9505417856  
CA US 9408618324  
CA US 900699M011  
FL US 3340434677  
CA 9212322229  
MA US 0206224355  
AZ US 8528124444  
CA US 9505424539  
NE 0287625403  
CA US 9505227014  
CA 9266327832  
PA 1891532113  
CA 9063830043  
CA CA 9501432293  
FL 3340433904  
CA US 9513434333

### No. Manufacturer

03799 HARRIS CORP  
03811 INTEL CORP  
04078 SGS-THOMSON MICROELECTRONICS INC  
04200 SPRAGUE ELECTRIC CO  
04486 ITT CORP  
04504 GENERAL INSTRUMENT CORP  
04507 TRW INC  
04550 GENERAL ELECTRIC CO  
04583 BRADLEY SEMICONDUCTOR CORP  
05027 LUCAS LEDEX INC  
05088 VARO INC  
05131 ELECTRONIC DEVICES INC  
05176 AMERICAN SHIZUKI CORP  
05695 M/A-COM DBA MICROWAVE ASSOC. INC  
05840 DELCO ELEK DIV OF GENL MOTORS CORP  
05942 PHILIPS ELECTRONIK INDUSTRIE GMBH  
05946 VALVO GMBH  
06002 R T C DIVISION COGECO  
06023 MULLARD LTD  
06078 INTL RECTIFIER LTD  
06121 SIEMENS AG  
06338 SGS ATEs  
06344 FUJITSU MICROELECTRONICS INC  
06354 TOSHIBA CORP  
06418 HUGHES INTERNATIONAL LTD  
06563 SIEMENS CORP COMPONENTS GROUP  
06592 SGS-ATES (14)  
06632 SEMICONDUCTOR TECHNOLOGY INC  
07050 MICRO POWER SYSTEMS  
07221 SUPRETEX INC  
07766 LA RADIOTECHNIQUE COMPELEC  
08709 PANASONIC INDUSTRIAL CO  
08852 METELICS CORP  
09283 TOPAZ SEMICONDUCTOR  
09914 UNITRODE CORP  
10646 SANKEN ELECTRIC CO LTD  
10674 DIODE TRANSISTOR CO  
10743 HP DIV 57 SRTC  
10818 H-IBRAPE ELECTRONICA  
10881 THOMSON-CSF  
11021 SEMI DICE, INC  
11699 CENTRAL SEMICONDUCTOR CORP  
11708 THOMSON SEMICONDUCTORS  
11981 POWEREX  
12010 FUJITSU LTD  
12810 RECTRON  
12928 MICRO QUALITY SEMICONDUCTOR INC  
13127 LINEAR INTEGRATED SYSTEMS INC

MELBOURNE  
SANTA CLARA  
PHOENIX  
LEXINGTON  
NEW YORK  
CLIFTON  
CLEVELAND  
FAIRFIELD  
NEW HAVEN  
VANDALIA  
GARLAND  
YONKERS  
CANOGA PARK  
BURLINGTON  
KOKOMO  
HAMBURG  
HAMBURG  
PARIS  
  
MUNICH  
MILAN  
SANTA CLARA  
TOKYO  
GLENROTHES FIFE  
SCOTSDALE  
MILAN  
STUART  
SANTA CLARA  
SUNNYVALE  
VILLEVRANNE  
SECAUCUS  
SUNNYVALE  
SAN JOSE  
LEXINGTON  
TOKYO  
UNION  
SANTA ROSA  
  
COURBEVOIE  
SANTA CLARA  
HAUPPAUGE  
VELIZY VILLACOU  
YOUNGWOOD  
TOKYO  
TAIPEI  
GARLAND  
FREMONT

FL US 3290134371  
CA US 9505434649  
AZ US 8502250088  
IA US 0217356289  
NY US 1002271468  
NJ US 0701271744  
OH US 4412471785  
CT US 0643072799  
CT 0650673506  
OH US 4537781840  
TX US 7504618546  
NY 1071083701  
CA US 9130484411  
MA 0180396341  
IN 5315499974  
GM 3500D2332  
GM 2000D2540  
FR  
EG K0004  
IR  
OM 8000  
IT A3500  
CA US 9505450167  
JP S0562  
SC K3444  
AZ 8525212954  
IT A3500  
FL 1135650891  
CA 9505054186  
CA 94086  
FR  
NJ US 07094  
CA  
CA US 95132  
MA  
JP  
NJ US  
CA  
BR  
FR  
CA  
NY US 11788  
FR 78140  
PA US 15697  
JP 100  
TN  
TX US 75042  
CA US 94539



# Transistor/Diode Cross Reference – HP P/N to JEDEC No.

| HP P/N    | Mfr.  | Desc.             | HP P/N    | Mfr.  | Desc.             | HP P/N    | Mfr.  | Desc.             | HP P/N    | Mfr.  | Desc.          |
|-----------|-------|-------------------|-----------|-------|-------------------|-----------|-------|-------------------|-----------|-------|----------------|
| 1820-0225 | 03406 | LM103-2.4         | 1853-0328 | 01921 | 2N6211            | 1853-0527 | 03334 | BFQ-32            | 1853-0684 | 02037 | MMBT456        |
| 1820-0240 | 01921 | CA3026            | 1853-0332 | 02037 | MJE1091           | 1853-0529 | 02037 | MD1130            | 1853-0685 | 02037 | 2N4126         |
| 1820-0352 | 01921 | CA3018            | 1853-0334 | 02037 | MJE1090           | 1853-0536 | 02037 | MPS6534           | 1853-0686 | 02037 | 2N4261         |
| 1820-1804 | 02037 | MPQ6842           | 1853-0336 | 02037 | MPSA92            | 1853-0537 | 03406 | TIP32C            | 1853-0687 | 03334 | BST16          |
| 1821-0001 | 01921 | CA3046            | 1853-0340 | 02037 | 2N5884            | 1853-0539 | 02037 | MDS60             | 1853-0688 | 03334 | BSR33          |
| 1821-0002 | 01921 | CA3045            | 1853-0341 | 02037 | MJE172            | 1853-0540 | 02037 | 2N5771            | 1853-0689 | 02037 | MRP5211        |
| 1821-0006 | 02237 | SH6501PC          | 1853-0342 | 01921 | 40831             | 1853-0542 | 02037 | 2N6491            | 1853-0690 | 03334 | BD140          |
| 1850-0062 | 06632 | 2N4044            | 1853-0344 | 02037 | 2N5876            | 1853-0543 | 01698 | TIP647            | 1853-0691 | 03334 | BCX53AH        |
| 1850-0064 | 01921 | 2N1183            | 1853-0347 | 02037 | MJE700            | 1853-0544 | 03334 | BFQ51             | 1853-0692 | 02037 | BC636          |
| 1850-0075 | 01979 | 2N779A            | 1853-0348 | 02037 | MJ4645            | 1853-0545 | 10881 | BCX18             | 1853-0694 | 02037 | TIP147         |
| 1850-0076 | 01698 | 2N2556            | 1853-0349 | 01698 | 2N5333            | 1853-0547 | 02037 | MJE2901T          | 1853-0697 | 02037 | MJD127         |
| 1850-0093 | 03571 | 2N1499A           | 1853-0350 | 01698 | TIP-34            | 1853-0548 | 02037 | 2N6420            | 1853-0698 | 06121 | BF793          |
| 1850-0099 | 06632 | 2N964             | 1853-0351 | 02037 | 2N6053            | 1853-0550 | 00746 | 2SB737            | 1853-0699 | 03334 | PXT4403        |
| 1850-0126 | 01921 | 2N2869            | 1853-0353 | 02037 | MPS-U55           | 1853-0551 | 03406 | TN4030            | 1853-0701 | 02037 | MJD350         |
| 1850-0137 | 01979 | 2N976             | 1853-0356 | 01698 | TIP42             | 1853-0552 | 02037 | MPSW56            | 1853-0703 | 06121 | BC415C         |
| 1850-0150 | 05840 | 2N1358            | 1853-0360 | 02037 | 2N3799            | 1853-0553 | 03334 | A440              | 1853-0704 | 02037 | MJD42C         |
| 1850-0151 | 01698 | 2N1309            | 1853-0363 | 04550 | X45H281           | 1853-0557 | 02037 | BD416             | 1853-0705 | 02037 | MMBR536        |
| 1850-0154 | 01979 | 2N508A            | 1853-0364 | 02037 | MJE701            | 1853-0558 | 02037 | 2N6554            | 1853-0706 | 02037 | MMBT3640       |
| 1850-0156 | 01979 | SA617             | 1853-0365 | 02037 | 2N6489            | 1853-0559 | 02037 | MPSW55            | 1853-0707 | 02037 | 2N3906-STYLE D |
| 1850-0170 | 01698 | 2N1377            | 1853-0366 | 02237 | BC321C-18         | 1853-0563 | 02037 | 2N3906(SEL)       | 1853-0708 | 03406 | 2N4917-J25Z    |
| 1850-0172 | 01698 | 2N2996            | 1853-0367 | 02037 | MJE233            | 1853-0565 | 02037 | 2N4403            | 1853-0709 | 02037 | TIP36C         |
| 1850-0173 | 01698 | 2N1307            | 1853-0369 | 02037 | MJE371K           | 1853-0566 | 02037 | MMBT455           | 1853-0710 | 10646 | 2SA1186        |
| 1850-0181 | 01698 | 2N2552            | 1853-0371 | 01921 | 2N6107            | 1853-0567 | 02037 | MMBT3906          | 1853-0711 | 02037 | MJD45H11-1     |
| 1850-0194 | 05840 | 2N1523            | 1853-0372 | 02037 | MJE5195           | 1853-0568 | 02037 | MMBT5087          | 1853-0712 | 03334 | BSR60          |
| 1850-0406 | 02783 | 2N1760            | 1853-0377 | 01698 | TIP 115           | 1853-0571 | 02037 | 2N2907A(SELECTED) | 1853-0713 | 02037 | MJ6503         |
| 1850-0441 | 06632 | 2N779A            | 1853-0378 | 02037 | 2N5986(SELECTED)  | 1853-0572 | 02037 | MPSA76            | 1853-0716 | 02037 | MPSA64-5       |
| 1851-0024 | 01698 | 2N388A            | 1853-0381 | 01698 | 2N6331            | 1853-0573 | 10881 | 2N6709            | 1853-0717 | 03334 | BF792R         |
| 1851-0025 | 01698 | 2N1306            | 1853-0383 | 02037 | 2N6296            | 1853-0574 | 02037 | 2N3468            | 1853-0718 | 02037 | MRP5583        |
| 1851-0037 | 01698 | 2N1308            | 1853-0387 | 02037 | MJ2500            | 1853-0576 | 02037 | 2N5416(SEL)       | 1853-0005 | 02237 | 2N708          |
| 1851-0041 | 03334 | 2N2430            | 1853-0391 | 02037 | 2N6051            | 1853-0578 | 00039 | NE90115           | 1854-0009 | 02037 | 2N709          |
| 1853-0006 | 02037 | 2N3134            | 1853-0392 | 02037 | 2N3741            | 1853-0580 | 02037 | MMBT4403          | 1854-0010 | 02037 | 2N834          |
| 1853-0007 | 02037 | 2N3251            | 1853-0394 | 02037 | MJE 2370          | 1853-0581 | 02037 | MMRT5401          | 1854-0011 | 02037 | 2N835          |
| 1853-0008 | 02037 | 2N3250            | 1853-0395 | 02037 | MPS-A70           | 1853-0583 | 04507 | LT5239            | 1854-0013 | 02037 | 2N2218A        |
| 1853-0012 | 02037 | 2N2904A           | 1853-0398 | 02037 | MJE 210           | 1853-0584 | 02037 | MJE5850           | 1854-0014 | 02037 | 2N2223         |
| 1853-0013 | 01698 | 2N2904            | 1853-0399 | 03406 | 2N3467            | 1853-0585 | 02037 | 2N5679            | 1854-0021 | 02237 | 2N918          |
| 1853-0014 | 02237 | 2N3304            | 1853-0404 | 01698 | A574260           | 1853-0587 | 02037 | MPS4250A          | 1854-0022 | 02237 | S17843         |
| 1853-0019 | 01698 | 2N1131            | 1853-0405 | 02037 | 2N4209            | 1853-0588 | 00039 | 2SA1226           | 1854-0026 | 01973 | 2N335          |
| 1853-0023 | 01698 | 2N3703            | 1853-0406 | 01921 | 2N6476            | 1853-0589 | 02037 | MD4260            | 1854-0030 | 02237 | 2N2369         |
| 1853-0028 | 02037 | 2N3634            | 1853-0407 | 02037 | 2N5880            | 1853-0590 | 02037 | 2N4036            | 1854-0032 | 02037 | 2N2221         |
| 1853-0031 | 02037 | 2N3789            | 1853-0412 | 02037 | MPSA65            | 1853-0594 | 02037 | 2N3808            | 1854-0033 | 01973 | 2N3391         |
| 1853-0036 | 02037 | 2N3906(SEL)       | 1853-0413 | 02037 | 2N6049            | 1853-0595 | 02037 | D41D4             | 1854-0039 | 01921 | 2N3053S        |
| 1853-0043 | 02037 | MPS 6523          | 1853-0414 | 02037 | 2N6423            | 1853-0597 | 02237 | 2N4917            | 1854-0048 | 01921 | 2N2857         |
| 1853-0045 | 01921 | 2N4036            | 1853-0416 | 02037 | MPS-A64           | 1853-0599 | 03334 | BCF70             | 1854-0053 | 02037 | 2N2218         |
| 1853-0051 | 01921 | 2N4037            | 1853-0417 | 02037 | MJE 253           | 1853-0608 | 02037 | MPSA55            | 1854-0057 | 01973 | 2N3855A        |
| 1853-0052 | 02037 | 2N3740            | 1853-0418 | 02037 | 2N6317            | 1853-0609 | 02037 | MXT2907A          | 1854-0062 | 01921 | 2N1701         |
| 1853-0053 | 02037 | 2N5880            | 1853-0419 | 02037 | 2N4403            | 1853-0610 | 02037 | MXR5583           | 1854-0063 | 01921 | 2N3055         |
| 1853-0057 | 02634 | 3N91              | 1853-0421 | 02037 | 2N4398            | 1853-0611 | 03334 | BF569             | 1854-0066 | 01973 | 2N2925         |
| 1853-0058 | 02237 | S32248            | 1853-0422 | 01698 | 2N4033            | 1853-0612 | 03334 | BF793             | 1854-0067 | 01921 | 2N2102         |
| 1853-0059 | 02037 | 2N3791            | 1853-0423 | 02037 | MPS U-60          | 1853-0613 | 02037 | MXT3906           | 1854-0071 | 00746 | CP4071         |
| 1853-0071 | 02037 | 2N3494            | 1853-0424 | 01698 | TIP-126           | 1853-0614 | 02037 | 2C3906            | 1854-0072 | 01921 | 2N3054         |
| 1853-0072 | 02237 | 2N4034            | 1853-0425 | 02037 | 2N5883            | 1853-0616 | 03334 | BF792             | 1854-0079 | 01921 | 2N3439         |
| 1853-0081 | 02237 | 2N4258            | 1853-0428 | 02037 | 2N5684            | 1853-0617 | 02037 | 2N6298            | 1854-0084 | 02037 | 2N3232         |
| 1853-0083 | 02037 | SD4753 (SELECTED) | 1853-0429 | 02037 | 2N3762            | 1853-0620 | 02037 | MMBR4957          | 1854-0086 | 05840 | DT5413         |
| 1853-0084 | 02037 | 2N4918            | 1853-0430 | 02037 | 2N4959            | 1853-0621 | 06354 | 2SA1302           | 1854-0090 | 03334 | 2N3053LV 2449  |
| 1853-0086 | 03406 | 2N5087            | 1853-0431 | 02037 | TIP42C            | 1853-0622 | 00039 | 2SA1227A          | 1854-0092 | 03406 | PN3563-5       |
| 1853-0087 | 01921 | 40394             | 1853-0436 | 02037 | MJE170            | 1853-0624 | 00039 | 2SA1151           | 1854-0093 | 04550 | 2N3415         |
| 1853-0089 | 02237 | 2N4917            | 1853-0437 | 02037 | 2N6520            | 1853-0625 | 02037 | MRP545            | 1854-0094 | 02037 | MPS3646        |
| 1853-0204 | 02037 | 2N4920            | 1853-0439 | 01921 | 2N6248            | 1853-0626 | 02037 | MPS2907A          | 1854-0095 | 01921 | 40346          |
| 1853-0205 | 02037 | 2N2907            | 1853-0440 | 02037 | MM4018            | 1853-0629 | 00039 | 2SA1220           | 1854-0098 | 04550 | 2N3392         |
| 1853-0206 | 02237 | 2N4028            | 1853-0442 | 02037 | 2N3867            | 1853-0630 | 00039 | 2SD1288           | 1854-0210 | 02037 | 2N2222         |
| 1853-0212 | 02037 | 2N5194            | 1853-0447 | 02037 | MJE253            | 1853-0631 | 00039 | 2SB965            | 1854-0211 | 02037 | 2N2501         |
| 1853-0213 | 02037 | 2N4236            | 1853-0448 | 02037 | MPSH81            | 1853-0632 | 00039 | 2SA1227           | 1854-0213 | 01698 | 2N2538         |
| 1853-0217 | 02037 | MPS-404A          | 1853-0449 | 02037 | MPS-U95           | 1853-0633 | 00039 | 2SA985            | 1854-0214 | 01921 | 2N1482         |
| 1853-0218 | 03406 | NS65098           | 1853-0450 | 02037 | MJE371K(SELECTED) | 1853-0634 | 02037 | MJE371K           | 1854-0215 | 02037 | 2N3904         |
| 1853-0221 | 01921 | 2N5416            | 1853-0451 | 01698 | 2N3799            | 1853-0635 | 03714 | IT130-TOT1        | 1854-0216 | 01921 | 2N3441         |
| 1853-0222 | 02037 | 2N4919            | 1853-0453 | 01698 | TIP36A            | 1853-0636 | 03334 | 2SA812            | 1854-0217 | 01921 | 2N3442         |
| 1853-0223 | 02037 | 2N4902            | 1853-0454 | 01698 | TIP106            | 1853-0637 | 02037 | MMBT4260          | 1854-0218 | 01973 | 2N3393         |
| 1853-0224 | 01921 | 2N5415            | 1853-0456 | 03406 | PN4888-5          | 1853-0638 | 02037 | 2N3638            | 1854-0219 | 01973 | 2N3663         |
| 1853-0234 | 01698 | TIP42A            | 1853-0457 | 02037 | 2N5400            | 1853-0639 | 02037 | MPSH81            | 1854-0220 | 02037 | 2N3959         |
| 1853-0236 | 02037 | 2N5193            | 1853-0458 | 02037 | MJE251            | 1853-0640 | 02237 | 2N4917            | 1854-0222 | 02037 | MD2252         |
| 1853-0244 | 02037 | MPS3640           | 1853-0462 | 02037 | 2N3635            | 1853-0641 | 02237 | PN4250-18         | 1854-0224 | 01921 | 40250          |
| 1853-0258 | 02237 | 2N4035            | 1853-0463 | 02037 | TIP105            | 1853-0642 | 06338 | SGS126            | 1854-0226 | 02634 | 2N4384         |
| 1853-0264 | 02037 | 2N5401            | 1853-0464 | 01698 | TIS-149           | 1853-0643 | 02037 | MJD117            | 1854-0233 | 01921 | 2N3866         |
| 1853-0269 | 02037 | 2N3809            | 1853-0468 | 02037 | TIP-127           | 1853-0645 | 02037 | MMBT4126          | 1854-0234 | 01921 | 2N3440         |
| 1853-0271 | 02037 | 2N4403            | 1853-0469 | 02037 | 2N6109            | 1853-0650 | 02037 | 2N4405            | 1854-0238 | 03406 | 2N3933         |
| 1853-0276 | 02037 | MM3906            | 1853-0472 | 04550 | D45H2             | 1853-0652 | 02037 | MJE15031          | 1854-0242 | 01921 | 2N3262         |
| 1853-0277 | 01921 | 2N5954            | 1853-0476 | 02037 | MPS-U52           | 1853-0654 | 01698 | TIP32F            | 1854-0246 | 02037 | SPS 233        |
| 1853-0281 | 02682 | 2N2907A           | 1853-0477 | 02037 | JANTXV2N3251A     | 1853-0655 | 02037 | MJD45H11          | 1854-0248 | 03191 | 2N4044         |
| 1853-0287 | 02037 | 2N3250            | 1853-0478 | 02037 | 2N6490            | 1853-0657 | 02037 | MJE5852           | 1854-0252 | 02037 | 2N3713         |
| 1853-0290 | 02037 | JTX2907A          | 1853-0479 | 04550 | 72006             | 1853-0659 | 02037 | 2N3906(SEL)       | 1854-0259 | 02037 | 2N3766         |
| 1853-0292 | 02037 | 2N3905            | 1853-0487 | 02037 | 2N6609            | 1853-0660 | 02037 | MPSW51            | 1854-0260 | 02037 | 2N3227         |
| 1853-0293 | 02037 | 2N5583            | 1853-0488 | 02237 | MPS4356           | 1853-0661 | 02037 | 2N6124            | 1854-0263 | 02037 | 2N3019         |
| 1853-0303 | 02037 | 2N5956            | 1853-0489 | 02037 | MM4032            | 1853-0662 | 02037 | MPSH54            | 1854-0264 | 02037 | 2N3715         |
| 1853-0305 | 02037 | 2N5875            | 1853-0490 | 02037 | TIP107            | 1853-0663 | 02037 | MD6002            | 1854-0267 | 06338 | 2N3013         |
| 1853-0308 | 02037 | MM4645            | 1853-0493 | 03334 | 2N5415            | 1853-0664 | 02237 | PN4250            | 1854-0270 | 02037 | SPS 3627       |
| 1853-0310 | 02037 |                   |           |       |                   |           |       |                   |           |       |                |



# Transistor/Diode Cross Reference – HP P/N to JEDEC No.

| HP P/N    | Mfr.  | Desc.             | HP P/N    | Mfr.  | Desc.        | HP P/N    | Mfr.  | Desc.              | HP P/N    | Mfr.  | Desc.            |
|-----------|-------|-------------------|-----------|-------|--------------|-----------|-------|--------------------|-----------|-------|------------------|
| 1854-0311 | 01921 | 2N4240            | 1854-0648 | 02037 | 2N6300       | 1854-0839 | 02037 | 2N6497             | 1854-1032 | 02037 | MRF581           |
| 1854-0313 | 01921 | 2N3771            | 1854-0653 | 02037 | MJE521K      | 1854-0840 | 02037 | TIP100             | 1854-1033 | 02062 | HXTR-3675        |
| 1854-0315 | 01991 | 2N3633            | 1854-0654 | 02037 | MJE5192      | 1854-0842 | 02037 | 2N3014             | 1854-1035 | 02037 | MD1132           |
| 1854-0323 | 01921 | 2N2857            | 1854-0659 | 02037 | MJE180       | 1854-0845 | 02037 | MJ11012            | 1854-1036 | 03334 | BFR94            |
| 1854-0324 | 02037 | 2N3739            | 1854-0662 | 02037 | 2N6296       | 1854-0847 | 02037 | MJE12007           | 1854-1037 | 02037 | MMBT3904         |
| 1854-0325 | 01921 | 2N3478            | 1854-0663 | 01698 | T1P140       | 1854-0848 | 01691 | 2N6584             | 1854-1039 | 02037 | 2N4401           |
| 1854-0345 | 02037 | 2N5179            | 1854-0665 | 06023 | BUS11        | 1854-0849 | 02037 | MRF5515            | 1854-1040 | 03406 | 2N5088           |
| 1854-0347 | 02037 | 2N4923            | 1854-0667 | 01921 | 2N3053       | 1854-0851 | 02037 | 2N4428             | 1854-1041 | 06354 | 2SC2878          |
| 1854-0349 | 02037 | 2N2913            | 1854-0669 | 02037 | 2N6057       | 1854-0860 | 00039 | 2SC2334            | 1854-1042 | 02037 | MRF571 (SEL)     |
| 1854-0352 | 01921 | 2N2405            | 1854-0670 | 01698 | TIP110       | 1854-0861 | 02062 | QXTR-6999          | 1854-1043 | 02037 | 2N5179 (SEL)     |
| 1854-0357 | 02037 | SD2608 (SELECTED) | 1854-0671 | 02037 | 2N6282       | 1854-0862 | 02062 | HXTR-5002          | 1854-1044 | 00039 | NE21935          |
| 1854-0361 | 02037 | 2N4239            | 1854-0679 | 02037 | 2N5885       | 1854-0863 | 02062 | HXTR-2101          | 1854-1045 | 03334 | BFR92 (SELECTED) |
| 1854-0363 | 01921 | 2N5262            | 1854-0682 | 02037 | MJE5191      | 1854-0864 | 02062 | HXTR-6105          | 1854-1046 | 07050 | MP312-78-69      |
| 1854-0365 | 02037 | 2N4410            | 1854-0687 | 01698 | 2N3725A      | 1854-0866 | 02037 | MPS834             | 1854-1047 | 02037 | MRF587           |
| 1854-0368 | 02037 | 2N5191            | 1854-0690 | 06632 | ST3011       | 1854-0868 | 06592 | BFR 36             | 1854-1048 | 02037 | 2N3904RLRA2      |
| 1854-0370 | 01921 | 2N5294            | 1854-0691 | 02037 | MPS A18      | 1854-0869 | 03287 | GX55220A           | 1854-1049 | 02037 | BFR96            |
| 1854-0378 | 01921 | 2N5109            | 1854-0692 | 02037 | MJE223       | 1854-0871 | 01921 | 2N6678             | 1854-1050 | 03334 | BFR91A           |
| 1854-0382 | 01921 | 2N4348            | 1854-0697 | 02037 | 2N5886       | 1854-0872 | 04550 | D44H11             | 1854-1051 | 02037 | 2N3772 (SEL)     |
| 1854-0383 | 01921 | 40313             | 1854-0698 | 02037 | 2N6294       | 1854-0873 | 03799 | X44VH570           | 1854-1052 | 02037 | MMBT5550         |
| 1854-0386 | 01921 | 2N5070            | 1854-0700 | 01698 | TIP140       | 1854-0877 | 02037 | MPS-U07            | 1854-1053 | 02037 | MMBT2222A        |
| 1854-0388 | 02237 | SE5055            | 1854-0701 | 02037 | MJE2100      | 1854-0878 | 02062 | HXTR-5104          | 1854-1054 | 03334 | BFR91            |
| 1854-0389 | 02037 | 2N4922            | 1854-0705 | 10674 | DTS-802      | 1854-0879 | 02037 | MJE6043            | 1854-1055 | 03334 | BFR93            |
| 1854-0392 | 02037 | 2N5088            | 1854-0707 | 02037 | MJ4035       | 1854-0880 | 02037 | TIP140             | 1854-1056 | 02037 | MJ14000          |
| 1854-0397 | 01698 | 2N4966            | 1854-0708 | 01921 | 2N5578       | 1854-0881 | 11981 | 2N6290             | 1854-1060 | 02037 | MJ13091          |
| 1854-0398 | 02037 | 2N5301            | 1854-0712 | 02180 | MAT-01GH     | 1854-0883 | 02037 | MM3904             | 1854-1061 | 02037 | 2N3904           |
| 1854-0399 | 02037 | 2N4912            | 1854-0715 | 01921 | 2N6354       | 1854-0884 | 01921 | 2N6488             | 1854-1062 | 02037 | 2N5681           |
| 1854-0409 | 02037 | 2N5210            | 1854-0716 | 11021 | BFR90        | 1854-0886 | 02037 | MJE3302            | 1854-1063 | 02037 | BFR90            |
| 1854-0411 | 02037 | 2N2972            | 1854-0721 | 03334 | BFR95        | 1854-0887 | 02037 | MJ11016            | 1854-1064 | 02037 | MPSW01           |
| 1854-0418 | 02237 | 2N3563            | 1854-0723 | 03334 | BFR99        | 1854-0889 | 02037 | 2N6499             | 1854-1066 | 00039 | NE73416D         |
| 1854-0431 | 01921 | 2N5179            | 1854-0727 | 01921 | 2N6474       | 1854-0890 | 02037 | MRF904             | 1854-1067 | 03291 | AT-41435-5       |
| 1854-0432 | 02237 | 2N3646            | 1854-0730 | 02037 | MPS6531      | 1854-0891 | 06023 | BUX82              | 1854-1069 | 02037 | TIP50            |
| 1854-0435 | 03334 | A211              | 1854-0733 | 01921 | 2N3773       | 1854-0906 | 02037 | MJ12010            | 1854-1071 | 02037 | MJ16018          |
| 1854-0453 | 02037 | 2N5192            | 1854-0735 | 02037 | MJE220       | 1854-0917 | 01921 | 2N6292             | 1854-1083 | 02037 | MMBT5179         |
| 1854-0456 | 01698 | TIP14A            | 1854-0736 | 02037 | MJE5657      | 1854-0920 | 02037 | MJE15030           | 1854-1084 | 02037 | 2N3904           |
| 1854-0467 | 02037 | 2N4401            | 1854-0737 | 01921 | 2N6477       | 1854-0929 | 02037 | MMBT918            | 1854-1085 | 01921 | 2N5239           |
| 1854-0472 | 02037 | MPS-A14           | 1854-0738 | 01921 | 2N6261       | 1854-0940 | 06344 | 2SC2429 (SEL)      | 1854-1086 | 02037 | D40D4            |
| 1854-0474 | 02037 | 2N5551            | 1854-0739 | 02037 | MJE200       | 1854-0941 | 02037 | MJ12003            | 1854-1089 | 00039 | NE85633          |
| 1854-0476 | 01921 | 2N3879            | 1854-0741 | 02037 | 2N6338       | 1854-0942 | 03334 | BFR93              | 1854-1091 | 00039 | NE02133L         |
| 1854-0477 | 02682 | 2N2222A           | 1854-0743 | 02037 | 2N5878       | 1854-0944 | 02062 | HXTR-3101          | 1854-1092 | 02037 | MRF962           |
| 1854-0478 | 02237 | 2N4046            | 1854-0746 | 02037 | 2N6339       | 1854-0946 | 00039 | NE02135            | 1854-1093 | 02062 | HXTR-3102        |
| 1854-0492 | 02037 | MPS3643           | 1854-0747 | 05176 | HP-4         | 1854-0948 | 02037 | MJ10006            | 1854-1094 | 02037 | HXT2222A         |
| 1854-0514 | 02037 | MPS-U02           | 1854-0748 | 02037 | 2N2896       | 1854-0957 | 03174 | IT120A-TOT1        | 1854-1095 | 02037 | MMBT2369         |
| 1854-0518 | 02037 | 2N5877            | 1854-0749 | 02037 | MJE2361-T    | 1854-0960 | 01698 | TIP1753A           | 1854-1100 | 02037 | MKR5943          |
| 1854-0519 | 01921 | 2N3772            | 1854-0751 | 02237 | 2N5840       | 1854-0964 | 02037 | MJ12004            | 1854-1101 | 02037 | MKT3904          |
| 1854-0527 | 02037 | 2N2895            | 1854-0752 | 02037 | MMCS2369     | 1854-0965 | 02037 | MJ5505             | 1854-1102 | 02037 | MMBT24           |
| 1854-0529 | 11699 | CEN672            | 1854-0753 | 07050 | MP318-52-62  | 1854-0967 | 02037 | TIP41C (SELECTED)  | 1854-1107 | 02037 | MRF965           |
| 1854-0540 | 02037 | MM8006            | 1854-0754 | 02037 | MJE244       | 1854-0968 | 02037 | SJ7076             | 1854-1108 | 02037 | MMBR901          |
| 1854-0547 | 01698 | 2N3725            | 1854-0755 | 01921 | 2N6254       | 1854-0969 | 02037 | MJ12005            | 1854-1109 | 02180 | MAT-02FH         |
| 1854-0548 | 02237 | 2N5963            | 1854-0756 | 02037 | 2N6315       | 1854-0970 | 01698 | TIP101             | 1854-1110 | 03406 | 2N3904           |
| 1854-0556 | 02037 | 2N4237            | 1854-0758 | 02037 | 2N5427       | 1854-0971 | 02062 | 2N6741             | 1854-1111 | 00039 | NE68135          |
| 1854-0557 | 01698 | 2N2432A           | 1854-0761 | 02037 | 2N2060       | 1854-0972 | 02037 | BFR90              | 1854-1112 | 00039 | 2SC2718          |
| 1854-0560 | 02037 | MPS A12           | 1854-0762 | 01921 | 2N5039       | 1854-0973 | 02037 | MPS8098            | 1854-1113 | 00039 | 2SC2987A         |
| 1854-0566 | 01921 | 2N3771            | 1854-0763 | 01698 | TIP 141      | 1854-0977 | 02037 | MPS-A14            | 1854-1114 | 02037 | MRF544           |
| 1854-0570 | 01921 | 2N5189            | 1854-0764 | 02037 | MPS U-10     | 1854-0978 | 04550 | GES3416            | 1854-1115 | 00039 | 2SC2690          |
| 1854-0575 | 02037 | MPS-A42           | 1854-0765 | 01921 | 2N6292       | 1854-0979 | 02037 | MPS2369            | 1854-1117 | 06354 | 2SC3281          |
| 1854-0576 | 01921 | 2N6258            | 1854-0766 | 02037 | 2N5428       | 1854-0980 | 02037 | MFR961             | 1854-1118 | 00039 | 2SC2987          |
| 1854-0577 | 01921 | 2N6259            | 1854-0767 | 01921 | 2N6306       | 1854-0981 | 02037 | MPS5179            | 1854-1119 | 00039 | 2SC2275          |
| 1854-0580 | 02037 | MM8001            | 1854-0768 | 02037 | MJE1601      | 1854-0982 | 01698 | TIP642             | 1854-1120 | 03334 | A400 (SEL)       |
| 1854-0581 | 02037 | MJE800            | 1854-0769 | 02062 | 35821E       | 1854-0983 | 02037 | MJ12005 (SELECTED) | 1854-1121 | 02037 | BD435            |
| 1854-0583 | 02037 | MPS-A18           | 1854-0770 | 02037 | 2N3904 CHIP  | 1854-0984 | 02037 | MJ16002 (SELECTED) | 1854-1122 | 02037 | 2N6837           |
| 1854-0585 | 02037 | MJE182            | 1854-0771 | 03406 | 2N4384 CHIP  | 1854-0985 | 02037 | TIP142             | 1854-1123 | 02062 | HXTR-5102        |
| 1854-0586 | 02037 | 2N5429            | 1854-0774 | 01921 | 2N6056       | 1854-0986 | 10881 | BFR92              | 1854-1124 | 01921 | 2N3771           |
| 1854-0587 | 02037 | MMT3960A          | 1854-0780 | 03334 | BUS-12A      | 1854-0987 | 10881 | BCX20              | 1854-1125 | 02037 | MRF5711L         |
| 1854-0589 | 02037 | MJ3772            | 1854-0784 | 02037 | 2N3866A      | 1854-0988 | 02037 | 2N3737             | 1854-1126 | 02037 | 2N4401           |
| 1854-0590 | 01921 | 2N3054            | 1854-0785 | 02037 | 2N6305       | 1854-0989 | 02037 | MJ15003            | 1854-1127 | 02037 | MJE521K          |
| 1854-0591 | 03334 | BFR90             | 1854-0786 | 02037 | 2N2540       | 1854-0990 | 02037 | MRF630             | 1854-1128 | 02037 | TIP122           |
| 1854-0593 | 01698 | TIP-35A           | 1854-0787 | 02037 | 2N6545       | 1854-0991 | 00746 | 2SD786             | 1854-1129 | 02037 | 2N5836           |
| 1854-0594 | 01698 | TIP-33            | 1854-0792 | 02237 | 2N2920       | 1854-0992 | 03714 | ITS1015 (SEL)      | 1854-1132 | 03334 | 2SC1623          |
| 1854-0596 | 02037 | 2N5428            | 1854-0794 | 02037 | MJE243       | 1854-0993 | 02037 | MPSH10             | 1854-1133 | 02037 | 2N6259           |
| 1854-0597 | 02037 | 2N5943            | 1854-0795 | 02037 | MPSH10       | 1854-0994 | 02037 | 2N5179 (SEL)       | 1854-1134 | 02037 | MJE13005         |
| 1854-0600 | 02037 | 2N4233A           | 1854-0798 | 02037 | MPS-U45      | 1854-0996 | 02037 | MJE13003           | 1854-1136 | 00746 | 2SD786           |
| 1854-0611 | 02037 | 2N6055            | 1854-0799 | 02037 | TIP41C       | 1854-0997 | 02037 | MPSW06             | 1854-1137 | 02037 | MMBT5088T1       |
| 1854-0613 | 01921 | 2N1701            | 1854-0802 | 02037 | MM5262       | 1854-0998 | 04550 | D42C11N            | 1854-1138 | 02037 | MMBT1424T1       |
| 1854-0617 | 01921 | 40852             | 1854-0803 | 01698 | TIP758       | 1854-0999 | 01921 | 2N5320             | 1854-1139 | 02037 | MPSH10           |
| 1854-0618 | 02037 | MJ3000            | 1854-0804 | 03038 | IR5062       | 1854-1002 | 00039 | NE64535            | 1854-1140 | 02037 | MPS6543          |
| 1854-0619 | 03285 | AD814             | 1854-0805 | 02037 | BD139        | 1854-1003 | 06354 | 2SC2876            | 1854-1141 | 02037 | MPS3646          |
| 1854-0621 | 01698 | BFR258            | 1854-0806 | 01698 | TIP51        | 1854-1004 | 02037 | BD415              | 1854-1142 | 02037 | MPS571           |
| 1854-0623 | 02037 | 2N6306            | 1854-0808 | 02037 | MJE241       | 1854-1005 | 02037 | BU508A             | 1854-1143 | 02037 | MRF580A          |
| 1854-0624 | 02037 | 2N6308            | 1854-0809 | 02037 | 2N2369A      | 1854-1006 | 02037 | BU406              | 1854-1144 | 03291 | AT-41400         |
| 1854-0625 | 01698 | TIP-41            | 1854-0810 | 04200 | CT-1058      | 1854-1007 | 02037 | 2N5943 (SEL)       | 1854-1145 | 02037 | 2N6340           |
| 1854-0626 | 02037 | MJE802            | 1854-0813 | 02037 | 2N3501 (SEL) | 1854-1008 | 00039 | NE-41635           | 1854-1147 | 03171 | 2N3441           |
| 1854-0628 | 02037 | MPS-H17           | 1854-0817 | 02037 | MPS-U05      | 1854-1009 | 00039 | NE21935            | 1854-1148 | 02037 | MMBT10           |
| 1854-0632 | 03334 | BFR91             | 1854-0819 | 02037 | MJE2801T     | 1854-1010 | 02037 | MD918A             | 1854-1149 | 02037 | MRF870           |
| 1854-0633 | 02037 | MJE800            | 1854-0825 | 02062 | HXTR-5002    | 1854-1014 | 02037 | MMBT6429           | 1854-1150 | 02037 | BCW65C           |
| 1854-0634 | 02037 | MPS-U01           | 1854-0826 | 03406 | LM-394EH     | 1854-1015 | 02037 | MJ16012            | 1854-1157 | 02037 | BU426            |
| 1854-0635 | 04550 | D44H5             | 1854-0827 | 02037 | MJE-13       |           |       |                    |           |       |                  |



# Transistor/Diode Cross Reference – HP P/N to JEDEC No.

| HPP/N     | Mfr.  | Desc.              | HPP/N     | Mfr.  | Desc.             | HPP/N     | Mfr.  | Desc.             | HPP/N     | Mfr.  | Desc.          |
|-----------|-------|--------------------|-----------|-------|-------------------|-----------|-------|-------------------|-----------|-------|----------------|
| 1854-1170 | 00039 | NEL2301-53         | 1855-0272 | 02037 | MFE3004           | 1855-0527 | 02037 | MIM2P50           | 1855-0675 | 02037 | MPP6660        |
| 1854-1172 | 02037 | MJD47              | 1855-0274 | 02883 | E232              | 1855-0529 | 03406 | PF5101 (SELECTED) | 1855-0676 | 01921 | RFP10N15       |
| 1854-1173 | 02037 | MJD44H11           | 1855-0275 | 02883 | VN66AFD           | 1855-0530 | 02883 | U310              | 1855-0677 | 01921 | RFP12N08       |
| 1854-1175 | 02037 | MRF586             | 1855-0276 | 02037 | 2N4416A           | 1855-0531 | 03038 | IRF120            | 1855-0678 | 01921 | RFP2N08L       |
| 1854-1177 | 02037 | 2N3904 (SEL)       | 1855-0277 | 02037 | 2N5268            | 1855-0534 | 01921 | 40673             | 1855-0679 | 03334 | BUR456-800A    |
| 1854-1178 | 02037 | MRF911             | 1855-0278 | 03714 | 2N5116            | 1855-0535 | 03714 | IT1750            | 1855-0680 | 02037 | MMBF4391       |
| 1854-1179 | 02037 | MPSA18RLRA1        | 1855-0279 | 03714 | 3N190             | 1855-0536 | 03038 | IRF440            | 1855-0681 | 02037 | MMBFU310       |
| 1854-1180 | 04200 | 2N3417             | 1855-0280 | 02883 | E107              | 1855-0539 | 06121 | BUZ24             | 1855-0682 | 03038 | IRFP450        |
| 1854-1181 | 02180 | MAT-02EH           | 1855-0283 | 02763 | 2N5396            | 1855-0540 | 03406 | 2N5115 (SEL)      | 1855-0683 | 03038 | IRF222         |
| 1854-1182 | 03334 | BUS12              | 1855-0285 | 01698 | 2N5246            | 1855-0542 | 02037 | MTF12N06          | 1855-0684 | 02883 | VN0610L        |
| 1854-1183 | 03334 | BUS11A             | 1855-0286 | 02883 | 2N3966            | 1855-0545 | 02883 | VN10KE            | 1855-0686 | 02883 | VP0300L (SEL)  |
| 1854-1184 | 02037 | MRF581 (MOD)       | 1855-0288 | 02883 | 2N5556            | 1855-0546 | 07221 | VN0104N3          | 1855-0687 | 02037 | SPP938         |
| 1854-1186 | 02037 | 2N4264             | 1855-0289 | 02883 | J177              | 1855-0548 | 06121 | BUZ71A            | 1855-0688 | 02037 | 2N5245         |
| 1854-1187 | 00746 | 2SD1378            | 1855-0292 | 03038 | 2N5432            | 1855-0549 | 03038 | IRF512            | 1855-0689 | 02037 | 2N5461         |
| 1854-1188 | 03406 | MMBT4401           | 1855-0293 | 02883 | 2N6658            | 1855-0550 | 02883 | VP0300L (SEL)     | 1855-0690 | 02037 | 2N5245 (SEL)   |
| 1854-1189 | 02062 | QXTR-7037          | 1855-0297 | 03406 | 2N2608            | 1855-0551 | 03038 | IRFD420           | 1855-0691 | 04550 | IRFP250        |
| 1854-1190 | 02037 | MJD112             | 1855-0298 | 02883 | J2472             | 1855-0553 | 06121 | BUZ10             | 1855-0693 | 03406 | F54011A        |
| 1854-1196 | 01590 | SL360G             | 1855-0301 | 02883 | 2N5198            | 1855-0554 | 03406 | J304 (SEL)        | 1855-0694 | 03038 | IRFZ40         |
| 1854-1199 | 03406 | LM394BN            | 1855-0305 | 02883 | 2N4117A           | 1855-0555 | 02883 | VN0300L           | 1855-0695 | 02037 | MMBF4393 (SEL) |
| 1854-1200 | 02037 | MMBTA06            | 1855-0306 | 01921 | 3N128             | 1855-0556 | 02883 | VN2222L           | 1855-0696 | 02037 | BS170          |
| 1854-1201 | 02037 | MMBR5031           | 1855-0309 | 02037 | 2N4352            | 1855-0557 | 09283 | SD306 (SEL)       | 1855-0697 | 02037 | MIM60N06       |
| 1854-1202 | 02037 | MPSA27             | 1855-0314 | 04550 | 2N6027            | 1855-0560 | 02883 | VN10LE            | 1855-0705 | 02037 | MTM3N35        |
| 1854-1203 | 03334 | BST39              | 1855-0322 | 03334 | 2N5105            | 1855-0561 | 03038 | IRF510            | 1855-0708 | 01921 | RFP4N06L       |
| 1854-1204 | 02037 | MJE5740            | 1855-0323 | 03714 | 3N172             | 1855-0562 | 03038 | IRF250            | 1855-0709 | 02883 | IRFD120        |
| 1854-1206 | 03334 | BSR43              | 1855-0327 | 01698 | 2N4416            | 1855-0563 | 02037 | MTF12N20          | 1855-0711 | 03038 | IRFD9210       |
| 1854-1207 | 02037 | 2N5088             | 1855-0332 | 01921 | 3N138             | 1855-0565 | 01921 | RFP10N12          | 1855-0712 | 03038 | IRFD210        |
| 1854-1208 | 03334 | BCK568H            | 1855-0341 | 02883 | 2N4338            | 1855-0567 | 03038 | IRFD9123          | 1855-0714 | 03799 | HMF-0620       |
| 1854-1209 | 03291 | AT-60586           | 1855-0346 | 04550 | 2N6028            | 1855-0568 | 06121 | BUZ71A            | 1855-0715 | 02037 | MMBF4393       |
| 1854-1215 | 02037 | MJD122             | 1855-0371 | 02037 | 2N4092            | 1855-0569 | 00039 | NE71000           | 1855-0719 | 03799 | HMF-0310-100   |
| 1854-1217 | 06121 | BFR93A             | 1855-0379 | 02037 | 2N5474            | 1855-0570 | 00039 | 2SK523            | 1855-0720 | 03291 | AT-8160        |
| 1854-1218 | 03334 | PXT4401            | 1855-0380 | 02037 | 2N4351            | 1855-0571 | 00039 | 2SK533            | 1855-0721 | 02037 | 2N5266         |
| 1854-1219 | 02037 | MJH16010A          | 1855-0386 | 02037 | 2N4392            | 1855-0572 | 03038 | IRF523            | 1855-0722 | 02883 | VP1008B        |
| 1854-1221 | 02037 | MRF0211            | 1855-0387 | 02037 | 2N3993            | 1855-0573 | 02883 | U440              | 1855-0723 | 02883 | SD21NDE        |
| 1854-1222 | 02037 | MJH16012           | 1855-0390 | 03714 | 2N3382            | 1855-0574 | 02883 | J175              | 1855-0724 | 02883 | VN66AD         |
| 1854-1223 | 02037 | MJE8501            | 1855-0393 | 01698 | 2N3330            | 1855-0575 | 02883 | 2N6660            | 1855-0725 | 02037 | MTF3055E       |
| 1854-1225 | 02037 | MRF581A            | 1855-0395 | 02883 | FN2645            | 1855-0580 | 02883 | IRFF123           | 1855-0726 | 03038 | IRFP920        |
| 1854-1226 | 02037 | MRF9411            | 1855-0396 | 03714 | 3N190             | 1855-0581 | 03038 | IRF521            | 1855-0727 | 02037 | 2N7000         |
| 1854-1227 | 02037 | MPS2222            | 1855-0398 | 02883 | 2N5519            | 1855-0582 | 02883 | VN0300M           | 1855-0729 | 02883 | IRFD123        |
| 1854-1228 | 02037 | MRF839             | 1855-0400 | 02883 | 2N5905            | 1855-0585 | 02883 | VQ1001P           | 1855-0731 | 03406 | MMBFJ175       |
| 1854-1231 | 02037 | MMBR920            | 1855-0402 | 02883 | 2N5115            | 1855-0586 | 03038 | IRF523            | 1855-0732 | 03038 | IRFR110        |
| 1854-1232 | 02037 | 2N3904-STYLE D     | 1855-0406 | 03714 | IT110             | 1855-0587 | 03038 | IRF9521           | 1855-0733 | 02883 | SST177         |
| 1854-1233 | 02037 | TIP35C             | 1855-0413 | 03406 | 2N5116            | 1855-0588 | 03038 | IRF9513           | 1855-0734 | 02883 | 2N7002         |
| 1854-1234 | 03334 | BFQ65              | 1855-0414 | 02883 | 2N4393            | 1855-0589 | 03038 | IRF513            | 1855-0735 | 03038 | IRN530         |
| 1854-1236 | 02037 | MJD44H11-1         | 1855-0420 | 02883 | 2N4391            | 1855-0590 | 02037 | IRF540 (SEL)      | 1855-0739 | 02883 | MS911          |
| 1854-1237 | 03406 | D40N1              | 1855-0421 | 02883 | 2N5114            | 1855-0591 | 02883 | VQ1000J           | 1855-0744 | 05946 | BS282          |
| 1854-1238 | 02062 | HXTX-3001          | 1855-0423 | 02883 | VN10KM            | 1855-0592 | 03038 | IRF533            | 1855-0746 | 03406 | MMBFJ176       |
| 1854-1243 | 03334 | BFR93R             | 1855-0424 | 03406 | J108              | 1855-0593 | 02037 | MTM12N06          | 1855-0747 | 02037 | SPP819-2       |
| 1854-1245 | 02037 | 2N2221A            | 1855-0425 | 03406 | J304              | 1855-0594 | 02037 | MFP960            | 1855-0748 | 03038 | IRFR920        |
| 1854-1246 | 02037 | MMBR571            | 1855-0427 | 02883 | M100              | 1855-0595 | 01921 | RFL1N08L          | 1855-0749 | 03038 | IRFR210        |
| 1854-1247 | 03334 | BFR92R             | 1855-0430 | 03714 | 2N3685            | 1855-0598 | 02883 | VN2222LL          | 1855-0750 | 06121 | BSS123         |
| 1854-1248 | 02037 | MMBT5551L          | 1855-0431 | 03714 | IVN5001ANF        | 1855-0606 | 02037 | MTP5N40           | 1855-0751 | 02883 | VN0808M        |
| 1854-1251 | 02180 | SSM-2210S          | 1855-0432 | 02883 | 3N163             | 1855-0607 | 02037 | MTP4N50           | 1855-0752 | 03406 | MMBF4392       |
| 1854-1252 | 02037 | MPS3866            | 1855-0434 | 03714 | IT500             | 1855-0608 | 02037 | MTP3N60           | 1855-0753 | 03406 | MMBF5459       |
| 1854-1253 | 02037 | MRF5943            | 1855-0436 | 03406 | U1897E            | 1855-0614 | 02883 | 2N6659            | 1855-0754 | 02037 | MFE930         |
| 1854-1254 | 03334 | BU505              | 1855-0437 | 03406 | J270              | 1855-0617 | 01921 | RFP8P08           | 1855-0755 | 03038 | IRFP140        |
| 1854-1255 | 02037 | MM3007             | 1855-0440 | 09283 | SD213             | 1855-0618 | 02037 | IRF140            | 1855-0756 | 03038 | IRFP9140       |
| 1855-0001 | 01973 | 2N1671A            | 1855-0442 | 01973 | ITS4066           | 1855-0619 | 01921 | RFL1N08L          | 1855-0758 | 03038 | IRFR9120       |
| 1855-0005 | 02763 | 2N3436             | 1855-0445 | 02883 | J107              | 1855-0620 | 02883 | VQ1006P           | 1855-0759 | 03038 | IRFR120        |
| 1855-0010 | 04550 | 2N2646             | 1855-0446 | 02883 | J112              | 1855-0621 | 01921 | RFP6P08           | 1855-0760 | 07221 | VN1204N2       |
| 1855-0020 | 02037 | SFE793             | 1855-0454 | 03038 | IRF431            | 1855-0622 | 03038 | IRF521            | 1855-0761 | 06121 | BSS87          |
| 1855-0021 | 01973 | 2N1671B            | 1855-0461 | 03038 | IRF520            | 1855-0623 | 01921 | RFP5P12           | 1855-0763 | 02037 | MTF12P05       |
| 1855-0027 | 04550 | 2N2647             | 1855-0463 | 03406 | 2N4119A           | 1855-0625 | 03714 | IT110             | 1855-0764 | 02037 | MMBFJ310T1     |
| 1855-0038 | 02763 | 2N3922             | 1855-0478 | 02037 | MTM15N50          | 1855-0629 | 01921 | RFP15N05L         | 1855-0766 | 06121 | BU290          |
| 1855-0052 | 02237 | 2N4360             | 1855-0480 | 02037 | MMBF4416L         | 1855-0630 | 02883 | 2N4391            | 1855-0767 | 02037 | MTM8N60        |
| 1855-0053 | 03406 | NSID5292SF52064    | 1855-0484 | 03038 | IRF9130           | 1855-0631 | 03038 | IRF740            | 1855-0768 | 06121 | BSS84          |
| 1855-0056 | 02237 | 2N4342             | 1855-0488 | 03038 | IRF610            | 1855-0632 | 02037 | 2N4860            | 1855-0769 | 00039 | NET2084        |
| 1855-0065 | 01698 | 2N4891             | 1855-0489 | 03714 | IVN5201TNF        | 1855-0635 | 02883 | U401              | 1855-0770 | 00039 | NET1084-08     |
| 1855-0071 | 02569 | 2N5544             | 1855-0490 | 02037 | MIM10N10 SELECTED | 1855-0636 | 00039 | NE71084-06        | 1855-0773 | 03038 | IRFR010        |
| 1855-0077 | 01973 | 2N1671C            | 1855-0492 | 03038 | IRF530            | 1855-0637 | 00039 | NE800199          | 1855-0774 | 03038 | IRFR9210       |
| 1855-0096 | 02037 | 2N5485 (SEL)       | 1855-0493 | 03038 | IRF9530           | 1855-0639 | 02883 | U443              | 1855-0775 | 03038 | IRF045         |
| 1855-0098 | 03714 | IT1700             | 1855-0494 | 03038 | IRF130            | 1855-0640 | 03334 | BFT46             | 1855-0776 | 02037 | MTD5N05-1      |
| 1855-0099 | 02037 | 2N4853             | 1855-0495 | 02037 | MIM10N15          | 1855-0641 | 03038 | IRF612            | 1855-0777 | 03038 | IRFBE20        |
| 1855-0205 | 02883 | VCR3P              | 1855-0497 | 02037 | MTP2N90           | 1855-0645 | 03334 | BUZ11             | 1855-0778 | 02037 | MTD4P05-1      |
| 1855-0206 | 02883 | E111               | 1855-0498 | 03406 | 2N5397            | 1855-0646 | 03038 | IRFF131           | 1855-0779 | 06121 | BSS88          |
| 1855-0207 | 03406 | 2N3955             | 1855-0499 | 03038 | IRF9531           | 1855-0647 | 02883 | SD210DE           | 1855-0781 | 03038 | IRFBE20-003    |
| 1855-0208 | 02883 | 2N4117             | 1855-0500 | 03038 | IRFD9120          | 1855-0649 | 07221 | VP1204N2          | 1855-0782 | 02037 | MTD1GN05E-1    |
| 1855-0213 | 03406 | 2N5912             | 1855-0502 | 03038 | IRFD110           | 1855-0650 | 02883 | VQ2001P           | 1855-0783 | 02037 | MTF10N15L      |
| 1855-0215 | 09283 | SD211DE (SELECTED) | 1855-0504 | 03038 | IRF630            | 1855-0651 | 02037 | MFG960C           | 1855-0784 | 02037 | MTD4P06-1      |
| 1855-0224 | 01698 | 2N3824             | 1855-0507 | 03285 | 2N5912            | 1855-0653 | 02883 | 2N4391 (CHIP)     | 1855-0785 | 02883 | SST5461        |
| 1855-0232 | 02883 | 2N5565             | 1855-0508 | 03038 | IRF150            | 1855-0659 | 02883 | DN2094            | 1855-0786 | 03038 | IRFBC42-003    |
| 1855-0235 | 02037 | U310 (SELECTED)    | 1855-0509 | 03038 | IRF9520           | 1855-0660 | 02037 | MTF15N05E         | 1855-0787 | 02037 | MTM13N50       |
| 1855-0241 | 02910 | SD215              | 1855-0510 | 03038 | IRF830            | 1855-0661 | 03714 | 2N5911/D          | 1855-0788 | 02883 | U431           |
| 1855-0244 | 03406 | 2N4857             | 1855-0512 | 01921 | RCA9212A          | 1855-0663 | 10743 | 1GG2-4032         | 1855-0789 | 02037 | 2N3994         |
| 1855-0250 | 01698 | 3N215              | 1855-0515 | 07050 | MP833-1004        | 1855-0664 | 02037 | MTP1N100          | 1855-0792 | 03038 | IRFP150        |
| 1855-0251 | 02037 | 2N6659             | 1855-0517 | 03038 | IRF9532           | 1855-0665 | 01921 | RFP2N12L          | 1855-0793 | 02883 | J2976 TR-6     |
| 1855-0255 | 0203  |                    |           |       |                   |           |       |                   |           |       |                |



# Transistor/Diode Cross Reference – HP P/N to JEDEC No.

| HP P/N    | Mfr.  | Desc.           | HP P/N    | Mfr.  | Desc.                  | HP P/N    | Mfr.  | Desc.              | HP P/N    | Mfr.  | Desc.         |
|-----------|-------|-----------------|-----------|-------|------------------------|-----------|-------|--------------------|-----------|-------|---------------|
| 1855-0806 | 00039 | 2SK680-T1       | 1858-0125 | 00039 | UFA104G                | 1900-0216 | 02062 | HSMS2824           | 1901-0411 | 02037 | MR1033A       |
| 1855-0807 | 03334 | RF511           | 1858-0126 | 00039 | UFA102G                | 1900-0217 | 02062 | HSMS-2822          | 1901-0412 | 02037 | 1N4722        |
| 1855-0808 | 03291 | ATF-20135       | 1858-0127 | 04200 | TPQA56                 | 1900-0220 | 02062 | HSMS-2813          | 1901-0413 | 02037 | MR1035A       |
| 1855-0810 | 03038 | IRFR0010        | 1858-0128 | 04200 | TPQ5551                | 1900-0221 | 02062 | HSMS-2818-#8       | 1901-0414 | 02037 | 1N4723        |
| 1855-0811 | 03038 | IRFR020         | 1858-0129 | 02037 | MMPQ6001               | 1900-0223 | 08852 | M2X1282            | 1901-0421 | 02037 | 1N3208        |
| 1855-0812 | 03038 | IRF9Z30         | 1858-0130 | 02883 | VQ3001J                | 1900-0224 | 02062 | HSMS-2823          | 1901-0423 | 02037 | 1N3212        |
| 1855-0814 | 02037 | MTM2N50         | 1858-0131 | 02037 | MC3346D                | 1900-0226 | 08852 | M4X1055            | 1901-0424 | 02037 | 1N3492        |
| 1855-0815 | 03038 | IRLZ34          | 1858-0133 | 04550 | CA3227E                | 1900-0227 | 08852 | MSS50-248-B20      | 1901-0426 | 02037 | 1N3494        |
| 1855-0818 | 02037 | MTF20P06        | 1858-0135 | 04550 | CA3127M                | 1900-0228 | 02062 | 5082-3141          | 1901-0431 | 02037 | 1N3662        |
| 1855-0821 | 03799 | RFP2N08L-6261   | 1858-0136 | 00039 | UFA103G                | 1900-0231 | 02062 | 5082-2279          | 1901-0457 | 02062 | QSRD-4652     |
| 1855-0822 | 03038 | CPY203E         | 1858-0138 | 02180 | MAT04EY                | 1900-0232 | 08852 | M2X1527            | 1901-0460 | 01973 | ST8523-A      |
| 1855-0823 | 02883 | SST5912         | 1858-0139 | 02037 | MMPQ6700               | 1900-0233 | 04078 | 1N5711             | 1901-0461 | 00046 | 1N4148        |
| 1855-0825 | 02883 | SST215          | 1858-0140 | 04550 | CA3246E                | 1900-0234 | 08852 | M2X1569            | 1901-0463 | 01973 | 1N4156        |
| 1855-0828 | 02037 | MMBF5460L       | 1858-0142 | 04550 | CA3083E                | 1900-0235 | 02062 | QSCN-5362          | 1901-0478 | 01973 | 1N3958        |
| 1855-0829 | 02037 | 2N4392          | 1858-0143 | 02037 | MMPQ2369               | 1900-0236 | 08852 | M2X1577            | 1901-0490 | 02713 | GI250-3       |
| 1855-0831 | 02037 | MTF3055EL       | 1858-0144 | 03799 | CA3227E                | 1900-0239 | 02062 | HSMS-2814 #T31     | 1901-0492 | 02037 | 1N5002        |
| 1855-0832 | 03038 | IRFD9020        | 1858-0145 | 03406 | LM3146M                | 1900-0240 | 02062 | HSMS-0003          | 1901-0493 | 02037 | 1N4725        |
| 1855-0833 | 03038 | IRFPF40         | 1858-0146 | 03799 | CA3246M                | 1900-0241 | 08852 | M2X1625            | 1901-0494 | 02037 | 1N5003        |
| 1855-1260 | 02037 | MTD10N05E       | 1858-0147 | 04200 | ULN2003L               | 1900-0245 | 02062 | HSMS-2805          | 1901-0495 | 02037 | MR1120        |
| 1858-0004 | 01921 | CA3049          | 1900-0001 | 02788 | 1N21B                  | 1900-0246 | 02865 | CSB7002-05-150-801 | 1901-0496 | 02037 | MR1121        |
| 1858-0008 | 02037 | SPQ526K         | 1900-0004 | 02865 | 1N76                   | 1900-0247 | 08852 | M5X1365            | 1901-0497 | 02037 | MR1122        |
| 1858-0009 | 02037 | MHQ2221         | 1900-0006 | 02788 | 1N416B                 | 1900-0249 | 02062 | HPND-4028          | 1901-0498 | 02037 | MR1123        |
| 1858-0010 | 02037 | MPQ2906         | 1900-0007 | 02788 | 1N26SP                 | 1900-0250 | 02037 | MBD201             | 1901-0499 | 02037 | MR1124        |
| 1858-0021 | 01921 | CA3083          | 1900-0010 | 01250 | 1N21BMR                | 1900-0251 | 02062 | HSCH-9101          | 1901-0500 | 02037 | MR1125        |
| 1858-0022 | 03793 | SG3821N         | 1900-0011 | 02788 | 1N4168M                | 1901-0001 | 03171 | H13-0302-5         | 1901-0511 | 06563 | 1N3889R       |
| 1858-0023 | 01921 | CA3081E         | 1900-0012 | 01250 | 1N23B                  | 1901-0002 | 01921 | 1N1200A            | 1901-0517 | 02062 | 5082-5414     |
| 1858-0032 | 01921 | CA3146E         | 1900-0015 | 02788 | 1N415C                 | 1901-0004 | 03038 | 1N1084             | 1901-0518 | 02062 | 5082-5509     |
| 1858-0034 | 02037 | MPQ3725         | 1900-0016 | 02865 | 1N4603                 | 1901-0010 | 04550 | 1N540              | 1901-0519 | 00046 | 1N3070        |
| 1858-0036 | 03285 | AD821 (SPEC)    | 1900-0017 | 02865 | 1N21E                  | 1901-0013 | 01991 | 1N253              | 1901-0525 | 04504 | K8FC2500SP-11 |
| 1858-0037 | 04200 | ULN2082A        | 1900-0018 | 02788 | 1N23C                  | 1901-0019 | 02086 | 1N1344             | 1901-0526 | 02664 | SCA11         |
| 1858-0040 | 01921 | CA3127E         | 1900-0019 | 02788 | 1N831                  | 1901-0022 | 03334 | BA220              | 1901-0531 | 04507 | A2S097        |
| 1858-0045 | 03406 | LM3018AH        | 1900-0020 | 01250 | 1N76A                  | 1901-0025 | 00046 | 1N645              | 1901-0532 | 01973 | A14P          |
| 1858-0046 | 01921 | CA3097E         | 1900-0025 | 02062 | 5082-0049              | 1901-0032 | 02037 | 1N3209             | 1901-0536 | 02688 | D1561CE       |
| 1858-0047 | 04200 | ULN-2003A       | 1900-0030 | 02865 | DME6569                | 1901-0033 | 00046 | 1N645              | 1901-0537 | 00046 | 1N645         |
| 1858-0048 | 01921 | CA3082E         | 1900-0031 | 02865 | DMJ4705 SELECTED       | 1901-0038 | 02237 | 1N3064             | 1901-0538 | 02037 | MSD6150       |
| 1858-0052 | 02037 | SPQ1678         | 1900-0032 | 02865 | DSG 6474-44            | 1901-0039 | 04486 | 1N4150             | 1901-0545 | 02062 | 5082-2805     |
| 1858-0055 | 02037 | MPQ2369         | 1900-0034 | 04507 | A4X665                 | 1901-0040 | 00046 | 1N4148             | 1901-0551 | 02037 | MR1126        |
| 1858-0057 | 01921 | CA3082F         | 1900-0035 | 02062 | HSCH-5510              | 1901-0041 | 00046 | 1N4607             | 1901-0552 | 02037 | MR1128        |
| 1858-0058 | 02037 | MPQ3906         | 1900-0036 | 04507 | A5S092 SELECTED        | 1901-0044 | 00046 | 1N4148             | 1901-0557 | 01921 | CA3019        |
| 1858-0061 | 04200 | ULN-2004A       | 1900-0037 | 02037 | MMBD101L               | 1901-0048 | 02037 | 1N3210             | 1901-0591 | 05131 | ED6240        |
| 1858-0062 | 02037 | MPQ3762         | 1900-0039 | 02037 | MMBD352                | 1901-0050 | 00046 | 1N4150             | 1901-0592 | 02037 | MR1121R       |
| 1858-0063 | 01921 | CA3102E         | 1900-0040 | 02788 | MA-4E402L              | 1901-0053 | 00046 | 1N5395             | 1901-0620 | 00046 | 1N4607        |
| 1858-0064 | 01921 | CA3045H         | 1900-0041 | 02788 | MA-40035               | 1901-0057 | 02037 | 1N2525             | 1901-0630 | 02037 | MR1123R       |
| 1858-0065 | 04200 | ULN-2815A-2     | 1900-0042 | 04507 | A5X1046                | 1901-0058 | 19991 | 1N628              | 1901-0638 | 02037 | MDA970A2      |
| 1858-0066 | 03714 | IH401A          | 1900-0043 | 04507 | A2X2118                | 1901-0060 | 02037 | 1N1116             | 1901-0639 | 02062 | 5082-3080     |
| 1858-0067 | 04200 | ULN-2033A       | 1900-0045 | 02788 | MA4P485                | 1901-0071 | 02763 | 1N625              | 1901-0646 | 02664 | S2F           |
| 1858-0069 | 04200 | ULN-2803A       | 1900-0046 | 02865 | CLA3132-86             | 1901-0081 | 00046 | 1N4148             | 1901-0655 | 02688 | D583CG        |
| 1858-0071 | 02037 | MPQ3798         | 1900-0047 | 05695 | MA-4P203-287           | 1901-0096 | 02237 | FDH-400            | 1901-0660 | 02688 | D471AR        |
| 1858-0072 | 04200 | ULN-2813A       | 1900-0048 | 08852 | MX1735                 | 1901-0126 | 01921 | 1N1763             | 1901-0661 | 02037 | MBDS550A      |
| 1858-0073 | 04200 | ULN-2805A       | 1900-0050 | 08852 | MMD830-E20             | 1901-0129 | 01698 | 1N647              | 1901-0662 | 02037 | MR751         |
| 1858-0074 | 02037 | MPQ6100         | 1900-0053 | 02865 | DDC4565D               | 1901-0131 | 04550 | 1N1764             | 1901-0663 | 02619 | NS3000        |
| 1858-0075 | 02037 | MPQ3546         | 1900-0054 | 08852 | MSS-40,155-E20         | 1901-0132 | 01698 | 1N660              | 1901-0669 | 02664 | S4F           |
| 1858-0076 | 02037 | MPQ2907P        | 1900-0056 | 02865 | DDC4582D               | 1901-0138 | 19991 | 1N1581             | 1901-0671 | 02037 | 1N3900        |
| 1858-0077 | 02037 | MPQ2222P        | 1900-0057 | 02062 | 5082-0001 SELECTED     | 1901-0144 | 03447 | 1N662              | 1901-0672 | 02037 | 1N3890        |
| 1858-0081 | 03811 | C7254           | 1900-0059 | 02865 | DMJ4768                | 1901-0151 | 05131 | 1N2242             | 1901-0673 | 01973 | A15A          |
| 1858-0082 | 04200 | ULN-2804A       | 1900-0060 | 02062 | 5082-0009              | 1901-0164 | 02037 | 1N4721             | 1901-0674 | 02664 | 3SF1          |
| 1858-0083 | 04200 | TPQ6002         | 1900-0061 | 02865 | DMP5835A               | 1901-0169 | 02062 | 5082-0007          | 1901-0678 | 02037 | 1N3899R       |
| 1858-0084 | 04200 | ULN-2804A       | 1900-0062 | 02865 | DME6553                | 1901-0179 | 02237 | FD777              | 1901-0684 | 02037 | 1N3890R       |
| 1858-0085 | 04200 | UDN2580A        | 1900-0065 | 02062 | HSCH-6332              | 1901-0189 | 02062 | QSRD-4653          | 1901-0685 | 02037 | MR822RL       |
| 1858-0086 | 02037 | MPQ6700         | 1900-0066 | 02062 | 5082-0030              | 1901-0305 | 01973 | 1N2158             | 1901-0686 | 02688 | D505AC        |
| 1858-0087 | 02037 | MPQ3904         | 1900-0068 | 02865 | CSB7201-01             | 1901-0306 | 01973 | 1N2158R            | 1901-0690 | 01973 | A114A         |
| 1858-0088 | 02037 | MPQ7091         | 1900-0069 | 02062 | 5082-2826 SELECTED     | 1901-0307 | 01973 | 1N3289             | 1901-0691 | 01973 | A115A         |
| 1858-0089 | 02037 | MC1411          | 1900-0070 | 02062 | HSCH-5512              | 1901-0308 | 01973 | 1N3289R            | 1901-0692 | 02037 | MR852         |
| 1858-0090 | 02037 | MPQ6002         | 1900-0071 | 02062 | HSCH-5312              | 1901-0309 | 01973 | 1N1347A            | 1901-0693 | 02037 | 1N4934        |
| 1858-0091 | 02037 | MPQ2484         | 1900-0072 | 02062 | HSMS2820               | 1901-0310 | 01973 | 1N250C             | 1901-0696 | 04550 | A114D         |
| 1858-0092 | 02037 | MPQ3799         | 1900-0074 | 02062 | HSMS2810               | 1901-0311 | 01973 | 1N3260R            | 1901-0699 | 02664 | 3LO5          |
| 1858-0094 | 02037 | MHQ918          | 1900-0075 | 08852 | MSS-30,254-B20         | 1901-0312 | 01973 | 1N3262             | 1901-0701 | 00046 | ST8567        |
| 1858-0095 | 00046 | PIC900C         | 1900-0076 | 02062 | HSCH-5336 (SELECTED)   | 1901-0313 | 01973 | 1N3262R            | 1901-0703 | 04486 | ITF600        |
| 1858-0096 | 01921 | CA3183E         | 1900-0077 | 02062 | QSCN-5872              | 1901-0314 | 01921 | 1N1206A            | 1901-0704 | 02086 | 1N4002        |
| 1858-0097 | 04200 | ULN-2023A       | 1900-0078 | 02062 | HSMS-2800              | 1901-0315 | 06121 | 1N1183A            | 1901-0710 | 01698 | 1N914         |
| 1858-0099 | 04200 | ULN-2003A (SEL) | 1900-0079 | 02062 | 5082-2830              | 1901-0316 | 02086 | 1N1183AR           | 1901-0717 | 02037 | 1N3891        |
| 1858-0100 | 02037 | MPQ2369         | 1900-0080 | 08852 | MMD830-E20 SELECTED    | 1901-0317 | 02086 | 1N1184A            | 1901-0719 | 02037 | MR854         |
| 1858-0101 | 01590 | SL2364C         | 1900-0082 | 08852 | MX-2844                | 1901-0318 | 02086 | 1N1184AR           | 1901-0726 | 02037 | 1N5823        |
| 1858-0102 | 02037 | MPQ6426         | 1900-0083 | 02062 | 5082-2831              | 1901-0319 | 02086 | 1N1186AR           | 1901-0729 | 02688 | R3710         |
| 1858-0104 | 02910 | ULN2003D        | 1900-0084 | 08852 | MX-2860                | 1901-0320 | 02086 | 1N1187A            | 1901-0730 | 02688 | S3710         |
| 1858-0105 | 07221 | VN0106N6        | 1900-0085 | 08852 | MSS40,141-B10 SELECTED | 1901-0321 | 02086 | 1N1187AR           | 1901-0731 | 04486 | 1N4004G       |
| 1858-0106 | 02037 | MPQ7051         | 1900-0087 | 02062 | 5082-2831              | 1901-0325 | 02688 | R3270              | 1901-0732 | 02237 | 1N4007        |
| 1858-0107 | 02037 | MPQ7041         | 1900-0088 | 02062 | 5082-2794              | 1901-0327 | 01973 | A148               | 1901-0734 | 02037 | 1N5818        |
| 1858-0108 | 04200 | ULQ2804A        | 1900-0089 | 02062 | 5082-2800 SELECTED     | 1901-0328 | 01973 | A14D               | 1901-0738 | 02158 | 50L200        |
| 1858-0109 | 12010 | FT5755M         | 1900-0091 | 02062 | HSMS-2812              | 1901-0329 | 04550 | A14M               | 1901-0739 | 02158 | G6R110H       |
| 1858-0110 | 02180 | MAT04FP         | 1900-0092 | 04507 | A2S832                 | 1901-0330 | 01973 | A14N               | 1901-0742 | 01921 | 1N3563        |
| 1858-0111 | 02037 | MPQ3799-2       | 1900-0093 | 02062 | 5082-0001              | 1901-0343 | 02037 | 1N3491R            | 1901-0743 | 01698 | 1N4004        |
| 1858-0112 | 02037 | MMPQ2222A       | 1900-0095 | 08852 | MX3141                 | 1901-0346 | 02037 | 1N3209R            | 1901-0747 | 02062 | 5082-5232     |
| 1858-0113 | 02037 | MMPQ2907A       | 1900-0096 | 02062 | HSMP-3830-T30          |           |       |                    |           |       |               |



# Transistor/Diode Cross Reference – HP P/N to JEDEC No.

| HPP/N     | Mfr.  | Desc.       | HPP/N     | Mfr.  | Desc.           | HPP/N     | Mfr.  | Desc.           | HPP/N     | Mfr.  | Desc.        |
|-----------|-------|-------------|-----------|-------|-----------------|-----------|-------|-----------------|-----------|-------|--------------|
| 1901-0768 | 05088 | H617        | 1901-1015 | 01698 | 1N4531          | 1901-1200 | 02237 | 1N4448          | 1901-1326 | 05027 | FP1047A      |
| 1901-0774 | 02037 | 1N3891R     | 1901-1034 | 01973 | MPD400          | 1901-1203 | 02037 | 1N4003          | 1901-1327 | 02037 | P6KE18A      |
| 1901-0775 | 02037 | 1N5000      | 1901-1035 | 02037 | MR881R          | 1901-1204 | 02037 | MBRL030-T1      | 1901-1328 | 02037 | SA15A        |
| 1901-0776 | 02062 | QFND-4711   | 1901-1052 | 04550 | 1N4154          | 1901-1205 | 03287 | 1.5KE39         | 1901-1329 | 02158 | 10L200       |
| 1901-0777 | 02062 | QFND-4965   | 1901-1065 | 02713 | 1N4936          | 1901-1206 | 03287 | 1.5KE39C        | 1901-1330 | 02037 | 1N6291AC     |
| 1901-0781 | 02037 | MR754       | 1901-1067 | 02237 | FDH444          | 1901-1207 | 03287 | 1.5KE120C       | 1901-1331 | 02037 | 1N6280AC     |
| 1901-0782 | 02037 | 1N5821      | 1901-1068 | 02062 | 5082-5541       | 1901-1208 | 03287 | MPTE-15         | 1901-1332 | 02037 | MBRS140T3    |
| 1901-0786 | 02664 | 1N6074      | 1901-1078 | 02037 | MBD5300         | 1901-1209 | 03287 | MPTE-15C        | 1901-1333 | 02037 | 1N3911       |
| 1901-0787 | 02037 | MR756       | 1901-1080 | 02037 | 1N5817(RELAXED) | 1901-1210 | 03287 | LCET.0          | 1901-1334 | 03287 | SMCJ15A      |
| 1901-0788 | 02037 | MR752       | 1901-1081 | 02037 | MR501           | 1901-1211 | 03287 | 5KP5.0A         | 1901-1335 | 02037 | MURS140T3    |
| 1901-0789 | 02037 | MR850       | 1901-1085 | 02062 | 5082-2835       | 1901-1213 | 02037 | MBD501          | 1901-1336 | 03038 | 11DQ10       |
| 1901-0790 | 00046 | 1N5418      | 1901-1086 | 02037 | MR820           | 1901-1214 | 02037 | MUR160          | 1901-1337 | 03287 | SA5.0A       |
| 1901-0791 | 02037 | 1N3889      | 1901-1087 | 02037 | MR856           | 1901-1215 | 12928 | VHE550          | 1901-1338 | 03287 | SA12         |
| 1901-0792 | 02688 | SD41        | 1901-1091 | 04550 | A115F           | 1901-1216 | 02037 | MUR415          | 1901-1339 | 03287 | SMCJ12.0     |
| 1901-0802 | 02062 | QSRD-4728   | 1901-1092 | 04550 | A114A           | 1901-1218 | 00046 | USD840          | 1901-1340 | 03406 | 1N9148       |
| 1901-0824 | 02037 | MR2004SR    | 1901-1095 | 02037 | MBR1540         | 1901-1220 | 05088 | VSK530          | 1901-1341 | 03287 | SMBJ22A      |
| 1901-0825 | 02037 | MR2004S     | 1901-1097 | 02062 | 5082-5580       | 1901-1223 | 03334 | BYV36C          | 1901-1343 | 02037 | MMBS501      |
| 1901-0826 | 02062 | QFND-4746   | 1901-1098 | 02763 | 1N4150          | 1901-1224 | 03334 | BAV74 SELECTED  | 1901-1344 | 03334 | BAS45        |
| 1901-0831 | 02037 | 1N4937      | 1901-1100 | 01691 | SD-41           | 1901-1227 | 02237 | BAS16           | 1901-1345 | 06121 | BAW78B       |
| 1901-0833 | 01691 | 1N6096      | 1901-1101 | 02237 | JANTXV 1N4148-1 | 1901-1228 | 02037 | MMBD914XT1      | 1901-1346 | 03287 | SMCJ13CA     |
| 1901-0834 | 02037 | 1N5827      | 1901-1102 | 02062 | HSCH-5316       | 1901-1230 | 03334 | BYV26C SELECTED | 1902-0003 | 02037 | 1N754        |
| 1901-0835 | 01698 | BY205-400   | 1901-1103 | 02664 | 1N5623          | 1901-1232 | 02062 | 5082-1006       | 1902-0018 | 02037 | 1N941        |
| 1901-0837 | 01698 | BY 205-100  | 1901-1105 | 05088 | VB10X           | 1901-1233 | 02037 | MUR4100         | 1902-0021 | 02037 | 1N2992RB     |
| 1901-0838 | 01921 | 1N5393      | 1901-1106 | 09914 | UES-1106        | 1901-1237 | 02713 | RGP15-15        | 1902-0028 | 02037 | 1N2999A      |
| 1901-0839 | 02037 | MR510       | 1901-1107 | 04507 | A2X1501         | 1901-1239 | 02037 | MUR410          | 1902-0030 | 02037 | 1N3028B      |
| 1901-0841 | 02062 | HSCH-1001   | 1901-1108 | 09914 | UES1305         | 1901-1244 | 02037 | MUR140          | 1902-0033 | 01991 | 1N823        |
| 1901-0842 | 02883 | PAD5        | 1901-1109 | 09914 | UES1306         | 1901-1246 | 03334 | BYD33M          | 1902-0035 | 02037 | 1N3008B      |
| 1901-0843 | 02037 | 1N5002R     | 1901-1110 | 09914 | UES1105         | 1901-1247 | 02062 | HSMS-0002       | 1902-0039 | 06563 | 1N1597A      |
| 1901-0844 | 02037 | MPN3401     | 1901-1111 | 09914 | UES1303         | 1901-1248 | 02037 | 1N4937 SELECTED | 1902-0041 | 02237 | 1N751A       |
| 1901-0845 | 05088 | VG-2X       | 1901-1112 | 03334 | BYV27-150       | 1901-1249 | 03334 | BYV36E          | 1902-0082 | 02037 | 1N1596A      |
| 1901-0846 | 02037 | 1N5284      | 1901-1113 | 01921 | RUR810          | 1901-1251 | 05088 | H1601-1.5       | 1902-0085 | 02037 | 1N4750A      |
| 1901-0847 | 02713 | RGP-10M     | 1901-1114 | 10881 | BAL 74          | 1901-1252 | 04200 | TMPD4150        | 1902-0086 | 02688 | 1N1513       |
| 1901-0848 | 05088 | V334X       | 1901-1115 | 04507 | DSR3800X        | 1901-1253 | 03334 | BA482           | 1902-0088 | 02037 | 1N3003B      |
| 1901-0849 | 02713 | 1N4007      | 1901-1116 | 04507 | DSR3700X        | 1901-1254 | 11708 | BAR42           | 1902-0089 | 02037 | 1N3004B      |
| 1901-0858 | 03334 | BYW29-50    | 1901-1117 | 00746 | 1SS135          | 1901-1255 | 04550 | DE131           | 1902-0095 | 02037 | 1N746        |
| 1901-0859 | 03038 | 40HQ030     | 1901-1118 | 06002 | BYV27-100       | 1901-1256 | 02037 | MR826           | 1902-0121 | 02763 | CD36191      |
| 1901-0860 | 02037 | MBR-3535    | 1901-1119 | 02062 | 5082-3042       | 1901-1257 | 02037 | MBRD320         | 1902-0156 | 02037 | 1N2986B      |
| 1901-0866 | 01973 | MPD200      | 1901-1121 | 02037 | MR2406          | 1901-1260 | 04504 | GP10Y           | 1902-0173 | 02037 | SZ30016-0176 |
| 1901-0868 | 02037 | 1N5817      | 1901-1122 | 02037 | MR862R          | 1901-1261 | 02237 | FD501501        | 1902-0178 | 02037 | 1N3004RA     |
| 1901-0869 | 02037 | 1N5297      | 1901-1123 | 02713 | 1N5408          | 1901-1263 | 03287 | SAB 10          | 1902-0245 | 02037 | 1N4099       |
| 1901-0870 | 02037 | MR502       | 1901-1126 | 10881 | BYW80-100       | 1901-1264 | 06121 | BAS 40-05       | 1902-0517 | 02037 | SZ11213-48   |
| 1901-0875 | 02062 | 5082-3900   | 1901-1127 | 00046 | UES803          | 1901-1265 | 03287 | SMCJ15C         | 1902-0522 | 02037 | 1N5340B      |
| 1901-0877 | 02037 | MBR340P     | 1901-1128 | 02037 | 1N5819RL        | 1901-1266 | 02883 | SSTPAD200       | 1902-0526 | 02037 | 1N5305       |
| 1901-0878 | 02664 | SMFR30K     | 1901-1129 | 02037 | MUR105          | 1901-1267 | 03038 | 50SQ080         | 1902-0528 | 02037 | 1N5524D      |
| 1901-0879 | 01973 | A115M       | 1901-1130 | 02037 | MUR860          | 1901-1268 | 02037 | MBRD330         | 1902-0549 | 02037 | 1N5365A      |
| 1901-0881 | 02062 | 5082-0001   | 1901-1131 | 02062 | 5082-2810       | 1901-1269 | 03334 | BAV23S          | 1902-0570 | 02688 | DZ70302N     |
| 1901-0882 | 05088 | V336X       | 1901-1132 | 02865 | AHS021 SELECTED | 1901-1272 | 02037 | BYW29-200AC     | 1902-0584 | 02037 | SZQ305090    |
| 1901-0883 | 02062 | HSCH-3486   | 1901-1133 | 04550 | 1N5626          | 1901-1273 | 04504 | FE6B            | 1902-0625 | 02037 | 1N829        |
| 1901-0885 | 02037 | MR1-1400    | 1901-1134 | 03334 | BA483           | 1901-1274 | 04504 | UF5406          | 1902-0627 | 02037 | 1N5312       |
| 1901-0887 | 03334 | BYP59-300   | 1901-1135 | 02713 | GP30B           | 1901-1275 | 03287 | SMBJ13CA        | 1902-0631 | 02037 | 1N5351B      |
| 1901-0888 | 00046 | 1N3912      | 1901-1136 | 03038 | 10TQ045         | 1901-1276 | 03287 | SMBJ5.0A        | 1902-0632 | 02037 | 1N5354B      |
| 1901-0889 | 02037 | MR508       | 1901-1137 | 02037 | MR2406F         | 1901-1277 | 11699 | CEN611          | 1902-0640 | 02037 | 1N5847A      |
| 1901-0890 | 02037 | 1N3893      | 1901-1138 | 07766 | BYV95C          | 1901-1278 | 03334 | BZV861V4        | 1902-0643 | 02037 | 1N2979B      |
| 1901-0892 | 03038 | 20FQ040     | 1901-1140 | 02713 | FES8GT          | 1901-1279 | 03334 | BAT83           | 1902-0645 | 02037 | 1N2997RB     |
| 1901-0893 | 04507 | DSR5500X    | 1901-1141 | 03334 | BYV27-200       | 1901-1280 | 02037 | 1N4006          | 1902-0680 | 02037 | 1N827        |
| 1901-0894 | 01973 | 1N4608      | 1901-1142 | 02037 | MMBD6050        | 1901-1281 | 04504 | RGL41D          | 1902-0686 | 02037 | 1N825        |
| 1901-0895 | 02062 | QSCH1186    | 1901-1143 | 02713 | FE16F           | 1901-1282 | 02037 | SA13C           | 1902-0692 | 02688 | DT790107A    |
| 1901-0896 | 05131 | RC60        | 1901-1144 | 02037 | BAV70           | 1901-1283 | 02037 | MBRD350         | 1902-0697 | 02237 | JANTX1N750A  |
| 1901-0904 | 00046 | UES804      | 1901-1145 | 02037 | MBWA56          | 1901-1284 | 03287 | 5KP75A          | 1902-0761 | 02037 | 1N821        |
| 1901-0905 | 04550 | DE111       | 1901-1147 | 02713 | EGP30B          | 1901-1285 | 02037 | IC914           | 1902-0772 | 02037 | 1N935        |
| 1901-0912 | 02037 | MBR3545     | 1901-1148 | 02037 | MR818           | 1901-1287 | 11699 | CEN662          | 1902-0777 | 02037 | 1N825        |
| 1901-0917 | 03287 | 1.5KE15A    | 1901-1149 | 02713 | UF4004          | 1901-1288 | 03287 | SA13A           | 1902-0785 | 02037 | 1N936        |
| 1901-0920 | 02062 | 5082-2755   | 1901-1150 | 03334 | BAS19           | 1901-1289 | 02062 | 5082-1001       | 1902-0786 | 02037 | 1N937        |
| 1901-0921 | 03038 | 80SQ030     | 1901-1151 | 03334 | BAT17           | 1901-1292 | 02037 | 1N6267A         | 1902-0787 | 02037 | 1N938        |
| 1901-0947 | 02062 | QFND-4414   | 1901-1152 | 02037 | MBR1645         | 1901-1293 | 03334 | BYW29-150       | 1902-0788 | 02037 | 1N3154       |
| 1901-0952 | 00046 | 1N5802      | 1901-1153 | 03038 | 16MQ60(SEL)     | 1901-1294 | 02037 | MR240           | 1902-0791 | 02037 | 1N942        |
| 1901-0953 | 00046 | UES601R     | 1901-1154 | 02526 | S10925          | 1901-1295 | 03287 | SMCJ5.0         | 1902-0793 | 02037 | 1N944        |
| 1901-0954 | 02037 | 1N5285      | 1901-1156 | 00046 | USD945          | 1901-1296 | 00746 | 1N4606          | 1902-0795 | 02037 | 1N992B       |
| 1901-0960 | 05088 | VSK71       | 1901-1157 | 05088 | VHE1404         | 1901-1297 | 02037 | MBR030          | 1902-0796 | 02037 | 1N989B       |
| 1901-0961 | 00046 | UES803R     | 1901-1160 | 03334 | BZX75-C2V1      | 1901-1298 | 02037 | MPN3404 RLRA    | 1902-0903 | 02688 | CH4106-25-1% |
| 1901-0968 | 11981 | A15BX107    | 1901-1161 | 02037 | MLL4003T1       | 1901-1299 | 05027 | 126911-001      | 1902-0905 | 04507 | LVA56A       |
| 1901-0970 | 02037 | MUR115      | 1901-1162 | 04486 | LL4148          | 1901-1300 | 02037 | MUR880E         | 1902-0906 | 04507 | LVA43A       |
| 1901-0974 | 05088 | H2745-9     | 1901-1163 | 02713 | SB560           | 1901-1302 | 02037 | MUR1560         | 1902-0907 | 04507 | LVA68A       |
| 1901-0975 | 02037 | MPN3500     | 1901-1164 | 03334 | BAV10 SELECTED  | 1901-1303 | 02037 | MBR340          | 1902-0909 | 02037 | 1N2972A      |
| 1901-0976 | 05088 | VSK540      | 1901-1165 | 02713 | SB160           | 1901-1304 | 02037 | P6KE7.5CA       | 1902-0910 | 02037 | 1N2984RB     |
| 1901-0977 | 08852 | MX1098      | 1901-1166 | 00039 | 1SS153          | 1901-1305 | 06121 | BAS40           | 1902-0916 | 02037 | SZ25556      |
| 1901-0978 | 02037 | MR2400      | 1901-1169 | 02037 | MURC115         | 1901-1306 | 02037 | MUR120RL        | 1902-0918 | 02037 | 5M17ZS2      |
| 1901-0979 | 00046 | T1D778      | 1901-1172 | 04550 | 1N5061          | 1901-1307 | 02037 | 1.5KE160A       | 1902-0919 | 02037 | 5M18ZS2      |
| 1901-0981 | 02526 | 1N5653A     | 1901-1173 | 02037 | MBR745          | 1901-1308 | 03334 | BY505           | 1902-0920 | 02037 | 1N5345B      |
| 1901-0982 | 02526 | 1N5651A     | 1901-1176 | 02062 | QFND-4313       | 1901-1309 | 05131 | RHC10-12        | 1902-0924 | 02037 | 1N5927       |
| 1901-0983 | 02526 | 1N5641A     | 1901-1180 | 02037 | MMBV3401        | 1901-1311 | 04504 | RPR4-D-10       | 1902-0925 | 02037 | 1NC470A      |
| 1901-0984 | 00046 | VX30        | 1901-1181 | 02883 | JPAD20          | 1901-1312 | 03287 | SMBG6.5C        | 1902-0927 | 02037 | 1N5349       |
| 1901-0985 | 02865 | DDC 4565-96 | 1901-1183 | 03334 | BAT85           | 1901-1313 | 04504 | UF4007          | 1902-0931 | 02037 | 1M120ZS5     |
| 1901-0986 | 02037 | MBR1060     | 1901-1188 | 02037 | MR758           | 1901-1314 | 03799 | RUR810          | 1902-0933 | 02037 | 1N5370B      |
| 1901-0987 | 01921 | RUR810      | 1901-1189 | 02037 | MUR1510         | 1901-1315 | 03287 | DA15CN          | 1902-0934 |       |              |



# Transistor/Diode Cross Reference – HP P/N to JEDEC No.

| HP P/N    | Mfr.  | Desc.             | HP P/N    | Mfr.  | Desc.            | HP P/N    | Mfr.  | Desc.       | HP P/N    | Mfr.  | Desc.                    |
|-----------|-------|-------------------|-----------|-------|------------------|-----------|-------|-------------|-----------|-------|--------------------------|
| 1902-0981 | 02037 | 5M232S2           | 1902-1459 | 02037 | MLL5243          | 1902-1594 | 02037 | 1N751D      | 1906-0284 | 02713 | DF01                     |
| 1902-0982 | 02037 | 5M282S2           | 1902-1460 | 02037 | MLL5245          | 1902-1595 | 03334 | BZX84-C68   | 1906-0285 | 02788 | MA4E202L                 |
| 1902-0983 | 01691 | 1N4621            | 1902-1461 | 02037 | MLL5246          | 1902-3129 | 10818 | BZX84V75    | 1906-0286 | 02037 | MBR2035CT                |
| 1902-0986 | 02037 | 1N6270A           | 1902-1462 | 02037 | LL5248           | 1906-0006 | 05088 | VE48        | 1906-0289 | 05088 | VM28X                    |
| 1902-0987 | 02037 | 1N2991            | 1902-1463 | 02037 | MLL5250          | 1906-0007 | 02037 | MDA2502     | 1906-0290 | 05088 | MBAW56                   |
| 1902-0990 | 02037 | MZC5.6B2          | 1902-1464 | 02037 | MLL5251          | 1906-0008 | 02037 | MDA2500     | 1906-0291 | 02037 | MBAV99                   |
| 1902-0991 | 02803 | 1N4577            | 1902-1465 | 02037 | MLL5252          | 1906-0016 | 02037 | MDA2506     | 1906-0292 | 02037 | MBR2545CT                |
| 1902-0993 | 03287 | 1.5KE7.5C         | 1902-1466 | 02037 | MLL5254          | 1906-0017 | 02037 | MDA 990-3   | 1906-0293 | 00746 | DAN601                   |
| 1902-0994 | 02037 | .4M8.221          | 1902-1467 | 02037 | MLL5256          | 1906-0026 | 02037 | MMD7000     | 1906-0294 | 02865 | DMF5848                  |
| 1902-0995 | 02037 | 1N5373B           | 1902-1468 | 02037 | MLL5257          | 1906-0027 | 02037 | MDA922-6    | 1906-0295 | 02713 | FEP16GT-3                |
| 1902-0996 | 02037 | 1N5336B           | 1902-1469 | 02037 | MLL5258          | 1906-0028 | 02037 | MDA922-3    | 1906-0296 | 03334 | BYV32-150                |
| 1902-0998 | 02037 | 1N3001B           | 1902-1470 | 02037 | MLL5259          | 1906-0032 | 02037 | MDA980-3    | 1906-0298 | 02037 | MMBD7000                 |
| 1902-1000 | 02037 | 1N5366B           | 1902-1471 | 02037 | MLL5260          | 1906-0035 | 00046 | 673-2       | 1906-0299 | 03038 | 1KAB60                   |
| 1902-1172 | 02037 | 1N4103            | 1902-1472 | 02037 | MLL5261          | 1906-0039 | 02664 | SCPA2       | 1906-0300 | 02713 | SB1660                   |
| 1902-1199 | 06563 | 1N1604A           | 1902-1473 | 02037 | MLL5262          | 1906-0040 | 02664 | SCDA2       | 1906-0301 | 05088 | VHE2404                  |
| 1902-1205 | 02037 | 1N2979RB          | 1902-1474 | 02037 | MLL5263          | 1906-0042 | 02037 | MSD 6150    | 1906-0303 | 03334 | BAV99                    |
| 1902-1217 | 02037 | 1N3998RA          | 1902-1475 | 02037 | MLL5265          | 1906-0043 | 04504 | KBPC1202P-1 | 1906-0304 | 00046 | UES2603                  |
| 1902-1226 | 02037 | 1N3996A           | 1902-1476 | 02037 | MLL5266          | 1906-0049 | 02037 | MDA980-6    | 1906-0305 | 02713 | KBPC-W35-06              |
| 1902-1232 | 02037 | 1N3997RA          | 1902-1477 | 02037 | MLL5267          | 1906-0051 | 11699 | CBR1F-010   | 1906-0306 | 02713 | DP06M                    |
| 1902-1259 | 02037 | 1N5357B           | 1902-1478 | 02037 | MLL5268          | 1906-0052 | 05088 | VH148       | 1906-0307 | 02037 | MBR20045CT               |
| 1902-1260 | 02037 | 1N5525C           | 1902-1479 | 02037 | MLL5270          | 1906-0055 | 02664 | SCAJ4       | 1906-0308 | 02713 | FEN16CT7                 |
| 1902-1278 | 02037 | 1N5348B           | 1902-1480 | 02037 | MZC4.TA10        | 1906-0058 | 02037 | MDA990-2    | 1906-0309 | 05088 | VJ848                    |
| 1902-1286 | 02037 | 1N5342B           | 1902-1481 | 02713 | 1N5953B          | 1906-0067 | 05088 | R754        | 1906-0312 | 02037 | MAD130P                  |
| 1902-1288 | 02037 | 1N5358B           | 1902-1482 | 02713 | 1N5954B          | 1906-0069 | 04504 | DF04M       | 1906-0315 | 02237 | FSA3237P                 |
| 1902-1291 | 02037 | 1N5338B           | 1902-1486 | 02037 | 1N5388B          | 1906-0071 | 02664 | SCPA05F     | 1906-0320 | 06121 | BAS 40-04                |
| 1902-1292 | 02037 | 1N5372B           | 1902-1487 | 03334 | BZX84-C12        | 1906-0072 | 02664 | SCBA2F      | 1906-0321 | 02037 | MUR1620CT                |
| 1902-1295 | 02883 | CL4720            | 1902-1488 | 04486 | LL4747A          | 1906-0074 | 02237 | FSA3157P    | 1906-0324 | 02237 | MUR1625P                 |
| 1902-1297 | 02037 | 1N4561A           | 1902-1489 | 04486 | LL4744A          | 1906-0076 | 04504 | RW04M       | 1906-0325 | 02883 | DPAD10                   |
| 1902-1322 | 02688 | CH4627-25-1X      | 1902-1490 | 04486 | LL4740A          | 1906-0077 | 12928 | VH-448X     | 1906-0329 | 02037 | MUR3020PT                |
| 1902-1323 | 04200 | 1N5857B           | 1902-1491 | 04486 | LL4733A          | 1906-0078 | 12928 | VJ448X      | 1906-0331 | 06121 | BASTO-04                 |
| 1902-1332 | 02634 | 1N5851B           | 1902-1492 | 04486 | LL4742A          | 1906-0079 | 05088 | VJ148X      | 1906-0332 | 06121 | BAS10-06                 |
| 1902-1338 | 02037 | 1N4557A           | 1902-1493 | 02037 | 1N5949B          | 1906-0082 | 02062 | 5082-2826   | 1906-0334 | 02237 | FDS01503                 |
| 1902-1340 | 02037 | 1N5355B           | 1902-1495 | 02688 | 1N5987D          | 1906-0085 | 05088 | VJ848TT     | 1906-0335 | 02037 | MBAV74                   |
| 1902-1342 | 02037 | 1N4742A           | 1902-1498 | 02037 | 1N5362B          | 1906-0088 | 05088 | R712E       | 1906-0336 | 02037 | MBAV70                   |
| 1902-1345 | 02037 | 1N5365B           | 1902-1501 | 02037 | MMBZ5231         | 1906-0090 | 00046 | 698-1       | 1906-0337 | 03334 | BAS55E                   |
| 1902-1346 | 02037 | 1N5355B           | 1902-1505 | 02037 | MZT4554B         | 1906-0092 | 04200 | ND946       | 1906-0338 | 02037 | MUR1620CT OPTION TO220-C |
| 1902-1352 | 04507 | LVA 456A          | 1902-1506 | 02037 | 1N5993B          | 1906-0093 | 02037 | MDA3501     | 1906-0339 | 02237 | FSA2509P                 |
| 1902-1356 | 02037 | 1N4753ARL         | 1902-1507 | 02037 | 1N6021B          | 1906-0094 | 02037 | MDA-104     | 1906-0343 | 04504 | KBUR8                    |
| 1902-1374 | 02037 | BZX83A5V1         | 1902-1509 | 02037 | 1N5333BRL        | 1906-0096 | 02037 | MDA202G     | 1906-0344 | 02037 | MAD1108P                 |
| 1902-1380 | 11708 | 1N5341B           | 1902-1510 | 02037 | 1N5367B          | 1906-0100 | 02883 | DPAD 100    | 1906-0348 | 04504 | KBPC35-02                |
| 1902-1384 | 02037 | 1N5525C           | 1902-1512 | 02037 | BZX84CV75        | 1906-0201 | 02713 | KBUC4C      | 1906-0349 | 04504 | KBPC602                  |
| 1902-1385 | 02664 | SK43              | 1902-1515 | 02037 | 1N5334BRL        | 1906-0202 | 01698 | TID130      | 1906-0351 | 02037 | MDA202G                  |
| 1902-1387 | 02037 | 1N5524C           | 1902-1516 | 02037 | 1N6377           | 1906-0203 | 05131 | PK10        | 1906-0352 | 02037 | MUR610CT                 |
| 1902-1388 | 02037 | 1N4697            | 1902-1518 | 02037 | 1N5334B          | 1906-0204 | 02062 | 5082-2804   | 1906-0355 | 02062 | QSC-8809                 |
| 1902-1391 | 02037 | 1N4683            | 1902-1519 | 03334 | BZX84-C3V9       | 1906-0205 | 05088 | VK248       | 1906-0356 | 04504 | KBPC108                  |
| 1902-1392 | 02037 | 1N5256 (SELECTED) | 1902-1522 | 03287 | SA100CA          | 1906-0210 | 02062 | 5082-2830   | 1906-0357 | 04504 | FEP16BT                  |
| 1902-1394 | 02037 | 1N5378B           | 1902-1523 | 11708 | BZW50-56B        | 1906-0212 | 02037 | MDA3504     | 1906-0358 | 02237 | FDS01203                 |
| 1902-1396 | 02037 | 1N5335B           | 1902-1524 | 02037 | MMBZ5230         | 1906-0213 | 01698 | TIR101B     | 1906-0359 | 02237 | FDS01505                 |
| 1902-1397 | 02037 | 1N6273A           | 1902-1529 | 11708 | 1.5KE250CA       | 1906-0214 | 01698 | TIR201B     | 1906-0360 | 02037 | MBR3045PT                |
| 1902-1398 | 02037 | 1N821D            | 1902-1534 | 03287 | SA11A            | 1906-0216 | 05088 | VL447       | 1906-0362 | 04504 | RDF06M                   |
| 1902-1399 | 02037 | 1N5248 SELECTED   | 1902-1535 | 02037 | MMBZ5257B        | 1906-0217 | 02037 | MDA3506     | 1906-0363 | 03038 | JTDF110                  |
| 1902-1400 | 02037 | 1N5244 SELECTED   | 1902-1536 | 02037 | 1N5368B          | 1906-0219 | 02037 | MDA208      | 1906-0364 | 04078 | L6210                    |
| 1902-1401 | 02037 | 1N2835A           | 1902-1537 | 03287 | 1.5KE91C         | 1906-0221 | 02037 | MDA3500     | 1906-0365 | 03334 | BAS31                    |
| 1902-1402 | 02037 | 1N5373A           | 1902-1541 | 03334 | BZX84C3V3        | 1906-0222 | 02037 | MDA2504     | 1906-0366 | 04504 | KB108                    |
| 1902-1404 | 10881 | 1.5KE18CA         | 1902-1542 | 03334 | BZX84C6V2        | 1906-0224 | 02037 | MDA2506     | 1906-0367 | 02037 | MMBRD50CT                |
| 1902-1405 | 02037 | 1N751A (SELECTED) | 1902-1543 | 03334 | BZX84C3V6        | 1906-0225 | 03038 | 250JB4L     | 1906-0368 | 11699 | CBR10F-010P              |
| 1902-1406 | 03406 | LM103-3.0         | 1902-1544 | 03334 | BZX84C10         | 1906-0227 | 02537 | NSR8142     | 1906-0369 | 02537 | MB106                    |
| 1902-1407 | 04507 | 1N4626            | 1902-1547 | 02037 | MZC10A5          | 1906-0229 | 02037 | MC1107P     | 1906-0372 | 05131 | PD60                     |
| 1902-1408 | 02037 | 1N5243 (SELECTED) | 1902-1548 | 03334 | BZX84-B13        | 1906-0231 | 05088 | R712        | 1906-0373 | 02037 | MUR1640CT                |
| 1902-1409 | 02037 | 1N2989B           | 1902-1549 | 03334 | BZX84-B18        | 1906-0233 | 02713 | KBFO6       | 1906-0374 | 03038 | 60CDQ045                 |
| 1902-1410 | 02037 | 1N6283A           | 1902-1550 | 03334 | BZX84-B20        | 1906-0234 | 02062 | 5082-2370   | 1906-0375 | 02037 | MMAD1107                 |
| 1902-1411 | 02037 | 1N4574A           | 1902-1554 | 02037 | 1N9648B SELECTED | 1906-0236 | 05088 | R712A       | 1906-0377 | 12810 | BR102                    |
| 1902-1423 | 02037 | 1N5338A           | 1902-1555 | 02037 | MMBZ5232B        | 1906-0238 | 05088 | VSK3040T    | 1906-0378 | 02037 | MMAD130                  |
| 1902-1424 | 10881 | BZX84C5V6         | 1902-1556 | 03334 | BAS17            | 1906-0239 | 01691 | SD-241      | 1906-0381 | 04200 | TND907                   |
| 1902-1425 | 02037 | 1N5359B           | 1902-1558 | 05942 | BZX84C11         | 1906-0242 | 05088 | R711XE      | 1906-0382 | 02037 | MMAD1108                 |
| 1902-1426 | 02037 | 1N5230 (SELECTED) | 1902-1559 | 02037 | MMBZ5237BT1      | 1906-0244 | 02865 | D5848       | 1906-0383 | 04504 | RKBP35-04                |
| 1902-1427 | 02037 | 1N2805A           | 1902-1562 | 03334 | BZX84-B4V3       | 1906-0250 | 03038 | 95-4492     | 1906-0384 | 01698 | SN74S1050D               |
| 1902-1430 | 02037 | .4M6.22Z10        | 1902-1563 | 03334 | BZX84-B2V7       | 1906-0252 | 02062 | 5082-2272   | 1906-0385 | 01698 | SN74S1053D               |
| 1902-1431 | 02037 | 1N4690            | 1902-1564 | 03334 | BZX84-C24        | 1906-0254 | 00046 | UES2602R    | 1906-0386 | 00046 | USD4545C                 |
| 1902-1432 | 02037 | 1N5381B           | 1902-1565 | 03334 | BZX84-C4V7       | 1906-0255 | 02713 | KBPC606     | 1906-0387 | 03406 | FDS01703                 |
| 1902-1434 | 02037 | 1N3998RA          | 1902-1566 | 02037 | 1N5228 (SEL)     | 1906-0256 | 02713 | W02M        | 1906-0388 | 02037 | MSD6101                  |
| 1902-1436 | 02037 | MMBZ5232B         | 1902-1567 | 02037 | MMBZ5234B        | 1906-0257 | 02237 | FSA2619P    | 1906-0389 | 04504 | KBPC3506                 |
| 1902-1437 | 02037 | MMBZ5241B         | 1902-1568 | 03334 | BZV49-C12        | 1906-0258 | 02037 | MDA970A2    | 1906-0390 | 03038 | 35MB60A                  |
| 1902-1438 | 02037 | 1N5944B           | 1902-1570 | 03334 | BZX84-C2V4       | 1906-0259 | 00046 | SES5603CR   | 1906-0391 | 12810 | MB351                    |
| 1902-1439 | 02037 | 1N2835RA          | 1902-1571 | 02037 | 1N4551A          | 1906-0262 | 00046 | UES 2402    | 1910-0002 | 02682 | 1N38B                    |
| 1902-1440 | 02037 | 1N5274A           | 1902-1572 | 03334 | BZX84-C15        | 1906-0263 | 05088 | VSK12       | 1910-0003 | 02682 | 1N55A                    |
| 1902-1441 | 02037 | MLL5221           | 1902-1574 | 03334 | BZX84C6V8        | 1906-0264 | 05088 | VKP 248     | 1910-0004 | 06418 | 1N90                     |
| 1902-1442 | 02037 | MLL5223           | 1902-1575 | 02037 | 1N5348BRL        | 1906-0265 | 00046 | USD 745C    | 1910-0014 | 02682 | 1N277                    |
| 1902-1443 | 02037 | MLL5225           | 1902-1576 | 02037 | 1N5263B          | 1906-0266 | 02037 | MDA3502     | 1910-0023 | 02682 | 1N270                    |
| 1902-1444 | 02037 | MLL5226           | 1902-1577 | 02037 | 1N4761A          | 1906-0267 | 02037 | MBR3035CT   | 1910-0024 | 02682 | 1N191                    |
| 1902-1445 | 02037 | MLL5227           | 1902-1578 | 02037 | 1N3337A          | 1906-0268 | 03714 | ID101       | 1910-0025 | 02682 | 1N995                    |
| 1902-1446 | 02037 | MLL5228           | 1902-1579 | 02037 | 1N5253B          | 1906-0269 | 03038 | 12CTQ040    | 1910-0031 | 02682 | 1N34A                    |
| 1902-1447 | 02037 | MLL5229           | 1902-1580 | 03334 | BZX84C75         | 1906-0270 | 05088 | VHE2402A    | 1910-0033 | 02682 | 1N279                    |
| 1902-1448 | 02037 | MLL5230           | 1902-1581 | 02037 | MZC6.2A5         | 1906-0271 | 05088 | R712X       | 1910-0041 | 01921 | 1N232                    |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC        | Mfr.  | HPP/N     | JEDEC           | Mfr.  | HPP/N     | JEDEC             | Mfr.  | HPP/N     |
|--------------|-------|-----------|-----------------|-------|-----------|-------------------|-------|-----------|
| MMEFJ310T1   | 02037 | 1855-0764 | 1N3289          | 01973 | 1901-0307 | 1N5230 (SELECTED) | 02037 | 1902-1426 |
| .4M6.22Z10   | 02037 | 1902-1430 | 1N3289R         | 01973 | 1901-0308 | 1N5243 (SELECTED) | 02037 | 1902-1408 |
| .4M8.221     | 02037 | 1902-0994 | 1N3337A         | 02037 | 1902-1578 | 1N5244 SELECTED   | 02037 | 1902-1400 |
| 1.5KE120C    | 03287 | 1901-1207 | 1N3491          | 02037 | 1901-0406 | 1N5248 SELECTED   | 02037 | 1902-1399 |
| 1.5KE15A     | 03287 | 1901-0917 | 1N3491R         | 02037 | 1901-0343 | 1N5253B           | 02037 | 1902-1579 |
| 1.5KE160A    | 02037 | 1901-1307 | 1N3492          | 02037 | 1901-0424 | 1N5256 (SELECTED) | 02037 | 1902-1392 |
| 1.5KE18CA    | 10881 | 1902-1404 | 1N3494          | 02037 | 1901-0426 | 1N5263B           | 02037 | 1902-1576 |
| 1.5KE250CA   | 11708 | 1902-1529 | 1N34A           | 02682 | 1910-0031 | 1N5274A           | 02037 | 1902-1440 |
| 1.5KE39      | 03287 | 1901-1205 | 1N3563          | 01921 | 1901-0742 | 1N5283            | 02037 | 1901-0758 |
| 1.5KE39C     | 03287 | 1901-1206 | 1N3595          | 00046 | 1901-0376 | 1N5284            | 02037 | 1901-0846 |
| 1.5KE7.5C    | 03287 | 1902-0993 | 1N3595          | 00046 | 1901-1195 | 1N5285            | 02037 | 1901-0954 |
| 1.5KE91C     | 03287 | 1902-1537 | 1N3644          | 02664 | 1901-0752 | 1N5297            | 02037 | 1901-0869 |
| 1.5SE18C     | 02526 | 1902-0976 | 1N3662          | 02037 | 1901-0431 | 1N5305            | 02037 | 1902-0526 |
| 100JB4L      | 03038 | 1906-0274 | 1N3712          | 01973 | 1912-0009 | 1N5312            | 02037 | 1902-0627 |
| 10JTF10      | 03038 | 1906-0363 | 1N3714          | 01973 | 1912-0007 | 1N5333BRL         | 02037 | 1902-1509 |
| 10L200       | 02158 | 1901-1329 | 1N3716          | 01973 | 1912-0002 | 1N5334BRL         | 02037 | 1902-1515 |
| 10TQ045      | 03038 | 1901-1136 | 1N3718          | 01973 | 1912-0006 | 1N5334D           | 02037 | 1902-1518 |
| 11DQ10       | 03038 | 1901-1336 | 1N3720          | 01973 | 1912-0014 | 1N5335B           | 02037 | 1902-1396 |
| 126911-001   | 05027 | 1901-1299 | 1N3881          | 02037 | 1901-0756 | 1N5336B           | 02037 | 1902-0996 |
| 12CTQ040     | 03038 | 1906-0269 | 1N3889          | 02037 | 1901-0791 | 1N5338A           | 02037 | 1902-1423 |
| 16MQ40 (SEL) | 06078 | 1901-0990 | 1N3889R         | 06563 | 1901-0511 | 1N5338B           | 02037 | 1902-1291 |
| 16MQ60 (SEL) | 03038 | 1901-1153 | 1N3890          | 02037 | 1901-0672 | 1N5340B           | 02037 | 1902-0522 |
| 1GG2-4032    | 10743 | 1855-0663 | 1N3890R         | 02037 | 1901-0684 | 1N5341B           | 11708 | 1902-1380 |
| 1KAB60       | 03038 | 1906-0299 | 1N3891          | 02037 | 1901-0717 | 1N5342B           | 02037 | 1902-1286 |
| 1M120ZS5     | 02037 | 1902-0931 | 1N3891R         | 02037 | 1901-0774 | 1N5345B           | 02037 | 1902-0920 |
| 1N1084       | 03038 | 1901-0004 | 1N3893          | 02037 | 1901-0890 | 1N5348B           | 02037 | 1902-1278 |
| 1N1116       | 02037 | 1901-0060 | 1N3899R         | 02037 | 1901-0678 | 1N5348BRL         | 02037 | 1902-1575 |
| 1N1183A      | 06121 | 1901-0315 | 1N38B           | 02682 | 1910-0002 | 1N5349            | 02037 | 1902-0927 |
| 1N1183AR     | 02086 | 1901-0316 | 1N3900          | 02037 | 1901-0671 | 1N5351B           | 02037 | 1902-0631 |
| 1N1184A      | 02086 | 1901-0317 | 1N3911          | 02037 | 1901-1333 | 1N5352            | 02037 | 1902-0977 |
| 1N1184AR     | 02086 | 1901-0318 | 1N3912          | 00046 | 1901-0888 | 1N5354B           | 02037 | 1902-0632 |
| 1N1186AR     | 02086 | 1901-0319 | 1N3958          | 01973 | 1901-0478 | 1N5355B           | 02037 | 1902-1340 |
| 1N1187A      | 02086 | 1901-0320 | 1N3996A         | 02037 | 1902-1226 | 1N5355B           | 02037 | 1902-1346 |
| 1N1187AR     | 02086 | 1901-0321 | 1N3997RA        | 02037 | 1902-1232 | 1N5357B           | 02037 | 1902-1259 |
| 1N1200A      | 01921 | 1901-0002 | 1N3998RA        | 02037 | 1902-1217 | 1N5358B           | 02037 | 1902-1288 |
| 1N1206A      | 01921 | 1901-0314 | 1N3998RA        | 02037 | 1902-1434 | 1N5359B           | 02037 | 1902-1425 |
| 1N1344       | 02086 | 1901-0019 | 1N4002          | 02086 | 1901-0704 | 1N5362B           | 02037 | 1902-1498 |
| 1N1347A      | 01973 | 1901-0309 | 1N4003          | 02037 | 1901-1203 | 1N5365A           | 02037 | 1902-0549 |
| 1N1513       | 02688 | 1902-0086 | 1N4004          | 01698 | 1901-0743 | 1N5366B           | 02037 | 1902-1000 |
| 1N1581       | 01991 | 1901-0138 | 1N4004C         | 04486 | 1901-0731 | 1N5367B           | 02037 | 1902-1510 |
| 1N1596A      | 02037 | 1902-0082 | 1N4006          | 02037 | 1901-1280 | 1N5368B           | 02037 | 1902-1536 |
| 1N1597A      | 06563 | 1902-0039 | 1N4007          | 02237 | 1901-0732 | 1N5370B           | 02037 | 1902-0933 |
| 1N1604A      | 06563 | 1902-1199 | 1N4007          | 02713 | 1901-0849 | 1N5372B           | 02037 | 1902-1292 |
| 1N1763       | 01921 | 1901-0126 | 1N4099          | 02037 | 1902-0245 | 1N5373A           | 02037 | 1902-1402 |
| 1N1764       | 04550 | 1901-0131 | 1N4103          | 02037 | 1902-1172 | 1N5373B           | 02037 | 1902-0995 |
| 1N191        | 02682 | 1910-0024 | 1N4148          | 00046 | 1901-0040 | 1N5378B           | 02037 | 1902-1394 |
| 1N2148       | 04583 | 1901-0398 | 1N4148          | 00046 | 1901-0044 | 1N5380B           | 02037 | 1902-0934 |
| 1N2158       | 01973 | 1901-0305 | 1N4148          | 00046 | 1901-0081 | 1N5381B           | 02037 | 1902-1432 |
| 1N2158R      | 01973 | 1901-0306 | 1N4148          | 00046 | 1901-0461 | 1N5388B           | 02037 | 1902-1486 |
| 1N21B        | 02788 | 1900-0001 | 1N4150          | 04486 | 1901-0039 | 1N5393            | 01921 | 1901-0838 |
| 1N21BMR      | 01250 | 1900-0010 | 1N4150          | 00046 | 1901-0050 | 1N5395            | 00046 | 1901-0053 |
| 1N21E        | 02865 | 1900-0017 | 1N4150          | 02763 | 1901-1098 | 1N540             | 04550 | 1901-0010 |
| 1N2242       | 05131 | 1901-0151 | 1N4154          | 04550 | 1901-1052 | 1N5406            | 02713 | 1901-0759 |
| 1N2326       | 01921 | 1910-0041 | 1N4156          | 01973 | 1901-0463 | 1N5408            | 02713 | 1901-1123 |
| 1N23B        | 01250 | 1900-0012 | 1N415C          | 02788 | 1900-0015 | 1N5418            | 00046 | 1901-0790 |
| 1N23C        | 02788 | 1900-0018 | 1N416B          | 02788 | 1900-0006 | 1N5524C           | 02037 | 1902-1387 |
| 1N250C       | 01973 | 1901-0310 | 1N416BM         | 02788 | 1900-0011 | 1N5524D           | 02037 | 1902-0528 |
| 1N2525       | 02037 | 1901-0057 | 1N4448          | 02237 | 1901-1200 | 1N5525C           | 02037 | 1902-1260 |
| 1N253        | 01991 | 1901-0013 | 1N4530          | 01973 | 1901-0370 | 1N5525C           | 02037 | 1902-1384 |
| 1N2565       | 04583 | 1901-0383 | 1N4531          | 01698 | 1901-1015 | 1N5553            | 02664 | 1901-0750 |
| 1N26SP       | 02788 | 1900-0007 | 1N4551A         | 02037 | 1902-1571 | 1N5554            | 02664 | 1901-0751 |
| 1N270        | 02682 | 1910-0023 | 1N4557A         | 02037 | 1902-1338 | 1N55A             | 02682 | 1910-0003 |
| 1N277        | 02682 | 1910-0014 | 1N4561A         | 02037 | 1902-1297 | 1N5623            | 02664 | 1901-1103 |
| 1N279        | 02682 | 1910-0033 | 1N4574A         | 02037 | 1902-1411 | 1N5626            | 04550 | 1901-1133 |
| 1N2805A      | 02037 | 1902-1427 | 1N4577          | 02803 | 1902-0991 | 1N5641A           | 02526 | 1901-0983 |
| 1N2835A      | 02037 | 1902-1401 | 1N4603          | 02865 | 1900-0016 | 1N5651A           | 02526 | 1901-0982 |
| 1N2835RA     | 02037 | 1902-1439 | 1N4606          | 00746 | 1901-1296 | 1N5653A           | 02526 | 1901-0981 |
| 1N2972A      | 02037 | 1902-0909 | 1N4607          | 00046 | 1901-0041 | 1N5711            | 04078 | 1900-0233 |
| 1N2979B      | 02037 | 1902-0643 | 1N4607          | 00046 | 1901-0620 | 1N5802            | 00046 | 1901-0952 |
| 1N2979RB     | 02037 | 1902-1205 | 1N4608          | 01973 | 1901-0894 | 1N5812            | 03627 | 1901-0765 |
| 1N2984RB     | 02037 | 1902-0910 | 1N4621          | 01691 | 1902-0983 | 1N5817            | 02037 | 1901-0868 |
| 1N2986B      | 02037 | 1902-0156 | 1N4626          | 04507 | 1902-1407 | 1N5817 (RELAXED)  | 02037 | 1901-1080 |
| 1N2989B      | 02037 | 1902-1409 | 1N4683          | 02037 | 1902-1391 | 1N5818            | 02037 | 1901-0734 |
| 1N2991       | 02037 | 1902-0987 | 1N4697          | 02037 | 1902-1388 | 1N5819RL          | 02037 | 1901-1128 |
| 1N2992RB     | 02037 | 1902-0021 | 1N4719          | 02037 | 1901-0409 | 1N5821            | 02037 | 1901-0782 |
| 1N2997RB     | 02037 | 1902-0645 | 1N4720          | 02037 | 1901-0410 | 1N5823            | 02037 | 1901-0726 |
| 1N2999A      | 02037 | 1902-0028 | 1N4721          | 02037 | 1901-0164 | 1N5827            | 02037 | 1901-0834 |
| 1N3001B      | 02037 | 1902-0998 | 1N4722          | 02037 | 1901-0412 | 1N5847A           | 02037 | 1902-0640 |
| 1N3003B      | 02037 | 1902-0088 | 1N4723          | 02037 | 1901-0414 | 1N5851B           | 02634 | 1902-1332 |
| 1N3004B      | 02037 | 1902-0089 | 1N4725          | 02037 | 1901-0493 | 1N5857B           | 04200 | 1902-1323 |
| 1N3004RA     | 02037 | 1902-0178 | 1N4742A         | 02037 | 1902-1342 | 1N5908            | 02526 | 1902-0939 |
| 1N3008B      | 02037 | 1902-0035 | 1N4750A         | 02037 | 1902-0085 | 1N5927            | 02037 | 1902-0924 |
| 1N3028B      | 02037 | 1902-0030 | 1N4753ARL       | 02037 | 1902-1356 | 1N5944B           | 02037 | 1902-1438 |
| 1N3064       | 02237 | 1901-0038 | 1N4761A         | 02037 | 1902-1577 | 1N5949B           | 02037 | 1902-1493 |
| 1N3070       | 00046 | 1901-0519 | 1N4934          | 02037 | 1901-0693 | 1N5953B           | 02713 | 1902-1481 |
| 1N3154       | 02037 | 1902-0788 | 1N4936          | 02713 | 1901-1065 | 1N5954B           | 02713 | 1902-1482 |
| 1N3208       | 02037 | 1901-0421 | 1N4937          | 02037 | 1901-0831 | 1N5987D           | 02688 | 1902-1495 |
| 1N3209       | 02037 | 1901-0032 | 1N4937 SELECTED | 02037 | 1901-1248 | 1N5993B           | 02037 | 1902-1506 |
| 1N3209R      | 02037 | 1901-0346 | 1N5000          | 02037 | 1901-0775 | 1N6021B           | 02037 | 1902-1507 |
| 1N3210       | 02037 | 1901-0048 | 1N5002          | 02037 | 1901-0492 | 1N6074            | 02664 | 1901-0786 |
| 1N3212       | 02037 | 1901-0423 | 1N5002R         | 02037 | 1901-0843 | 1N6096            | 01691 | 1901-0833 |
| 1N3260R      | 01973 | 1901-0311 | 1N5003          | 02037 | 1901-0494 | 1N625             | 02763 | 1901-0071 |
| 1N3262       | 01973 | 1901-0312 | 1N5061          | 04550 | 1901-1172 | 1N6267A           | 02037 | 1901-1292 |
| 1N3262R      | 01973 | 1901-0313 | 1N5228 (SEL)    | 02037 | 1902-1566 | 1N6270A           | 02037 | 1902-0986 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC            | Mfr.  | HP P/N    | JEDEC             | Mfr.  | HP P/N    | JEDEC          | Mfr.  | HP P/N    |
|------------------|-------|-----------|-------------------|-------|-----------|----------------|-------|-----------|
| 1N6273A          | 02037 | 1902-1397 | 2N2647            | 04550 | 1855-0027 | 2N3824         | 01698 | 1855-0224 |
| 1N6278A          | 02037 | 1901-1319 | 2N2857            | 01921 | 1854-0048 | 2N3855A        | 01973 | 1854-0057 |
| 1N628            | 01991 | 1901-0058 | 2N2857            | 01921 | 1854-0323 | 2N3866         | 01921 | 1854-0233 |
| 1N6280AC         | 02037 | 1901-1331 | 2N2869            | 01921 | 1850-0126 | 2N3866A        | 02037 | 1854-0784 |
| 1N6283A          | 02037 | 1902-1410 | 2N2895            | 02037 | 1854-0527 | 2N3867         | 02037 | 1853-0442 |
| 1N6291AC         | 02037 | 1901-1330 | 2N2896            | 02037 | 1854-0748 | 2N3879         | 01921 | 1854-0476 |
| 1N6377           | 02037 | 1902-1516 | 2N2904            | 01698 | 1853-0013 | 2N388A         | 01698 | 1851-0024 |
| 1N645            | 00046 | 1901-0025 | 2N2904A           | 02037 | 1853-0012 | 2N3904         | 02037 | 1854-0215 |
| 1N645            | 00046 | 1901-0033 | 2N2905A           | 02037 | 1853-0314 | 2N3904         | 02037 | 1854-1028 |
| 1N645            | 00046 | 1901-0537 | 2N2907            | 02037 | 1853-0205 | 2N3904         | 02037 | 1854-1061 |
| 1N647            | 01698 | 1901-0129 | 2N2907A           | 02682 | 1853-0281 | 2N3904         | 02037 | 1854-1084 |
| 1N647            | 00046 | 1901-0356 | 2N2907A(SELECTED) | 02037 | 1853-0571 | 2N3904         | 03406 | 1854-1110 |
| 1N660            | 01698 | 1901-0132 | 2N2913            | 02037 | 1854-0349 | 2N3904 CHIP    | 02037 | 1854-0770 |
| 1N662            | 03447 | 1901-0144 | 2N2920            | 02237 | 1854-0792 | 2N3904(SEL)    | 02037 | 1854-1177 |
| 1N746            | 02037 | 1902-0095 | 2N2925            | 01973 | 1854-0066 | 2N3904-STYLE D | 02037 | 1854-1232 |
| 1N751A           | 02237 | 1902-0041 | 2N2946A           | 01698 | 1853-0322 | 2N3904RLRA2    | 02037 | 1854-1048 |
| 1N751A(SELECTED) | 02037 | 1902-1405 | 2N2972            | 02037 | 1854-0411 | 2N3905         | 02037 | 1853-0292 |
| 1N751D           | 02037 | 1902-1594 | 2N2996            | 01698 | 1850-0172 | 2N3906(SEL)    | 02037 | 1853-0036 |
| 1N754            | 02037 | 1902-0003 | 2N3013            | 06338 | 1854-0267 | 2N3906(SEL)    | 02037 | 1853-0563 |
| 1N76             | 02865 | 1900-0004 | 2N3014            | 02037 | 1854-0842 | 2N3906(SEL)    | 02037 | 1853-0659 |
| 1N76A            | 01250 | 1900-0020 | 2N3019            | 02037 | 1854-0263 | 2N3906-STYLE D | 02037 | 1853-0707 |
| 1N821            | 02037 | 1902-0761 | 2N3053            | 01921 | 1854-0667 | 2N3922         | 02763 | 1855-0038 |
| 1N821D           | 02037 | 1902-1398 | 2N3053LV 2449     | 03334 | 1854-0090 | 2N3933         | 03406 | 1854-0238 |
| 1N823            | 01991 | 1902-0033 | 2N3053S           | 01921 | 1854-0039 | 2N3955         | 03406 | 1855-0207 |
| 1N825            | 02037 | 1902-0686 | 2N3054            | 01921 | 1854-0072 | 2N3959         | 02037 | 1854-0220 |
| 1N825            | 02037 | 1902-0777 | 2N3054A           | 01921 | 1854-0590 | 2N3966         | 02883 | 1855-0286 |
| 1N827            | 02037 | 1902-0680 | 2N3055            | 01921 | 1854-0063 | 2N3993         | 02037 | 1855-0387 |
| 1N829            | 02037 | 1902-0625 | 2N3134            | 02037 | 1853-0006 | 2N3994         | 02037 | 1855-0789 |
| 1N831            | 02788 | 1900-0019 | 2N3227            | 02037 | 1854-0260 | 2N4028         | 02237 | 1853-0206 |
| 1N90             | 06418 | 1910-0004 | 2N3232            | 02037 | 1854-0084 | 2N4032         | 02237 | 1853-0320 |
| 1N91             | 01973 | 1911-0001 | 2N3250            | 02037 | 1853-0008 | 2N4033         | 01698 | 1853-0422 |
| 1N914            | 01698 | 1901-0710 | 2N3250            | 02037 | 1853-0287 | 2N4034         | 02237 | 1853-0072 |
| 1N914B           | 03406 | 1901-1340 | 2N3251            | 02037 | 1853-0007 | 2N4035         | 02237 | 1853-0258 |
| 1N935            | 02037 | 1902-0772 | 2N3262            | 01921 | 1854-0242 | 2N4036         | 01921 | 1853-0045 |
| 1N936            | 02037 | 1902-0785 | 2N3302            | 02237 | 1854-0278 | 2N4036         | 02037 | 1853-0590 |
| 1N937            | 02037 | 1902-0786 | 2N3304            | 02237 | 1853-0014 | 2N4037         | 01921 | 1853-0051 |
| 1N938            | 02037 | 1902-0787 | 2N3330            | 01698 | 1855-0393 | 2N4044         | 03191 | 1854-0248 |
| 1N941            | 02037 | 1902-0018 | 2N335             | 01973 | 1854-0026 | 2N4046         | 02237 | 1854-0478 |
| 1N942            | 02037 | 1902-0791 | 2N3382            | 03714 | 1855-0390 | 2N404A         | 06632 | 1850-0062 |
| 1N944            | 02037 | 1902-0793 | 2N3391            | 01973 | 1854-0033 | 2N4092         | 02037 | 1853-0371 |
| 1N964B SELECTED  | 02037 | 1902-1554 | 2N3392            | 04550 | 1854-0098 | 2N4117         | 02883 | 1855-0208 |
| 1N989B           | 02037 | 1902-0796 | 2N3393            | 01973 | 1854-0218 | 2N4117A        | 02883 | 1855-0305 |
| 1N992B           | 02037 | 1902-0795 | 2N3415            | 04550 | 1854-0093 | 2N4119A        | 03406 | 1855-0463 |
| 1N995            | 02682 | 1910-0025 | 2N3417            | 04200 | 1854-1180 | 2N4126         | 02037 | 1853-0685 |
| 1NC4740A         | 02037 | 1902-0925 | 2N3436            | 02763 | 1855-0005 | 2N4209         | 02037 | 1853-0405 |
| 1SMB5918B        | 02037 | 1902-1583 | 2N3439            | 01921 | 1854-0079 | 2N4233A        | 02037 | 1854-0600 |
| 1SS135           | 00746 | 1901-1117 | 2N3440            | 01921 | 1854-0234 | 2N4236         | 02037 | 1853-0213 |
| 1SS153           | 00039 | 1901-1166 | 2N3441            | 01921 | 1854-0216 | 2N4237         | 02037 | 1854-0556 |
| 20FQ040          | 03038 | 1901-0892 | 2N3441            | 03171 | 1854-1147 | 2N4239         | 02037 | 1854-0361 |
| 20J3B4L          | 03038 | 1906-0225 | 2N3442            | 01921 | 1854-0217 | 2N4240         | 01921 | 1854-0311 |
| 25D786           | 00746 | 1854-0991 | 2N3467            | 03406 | 1853-0399 | 2N4258         | 02237 | 1853-0081 |
| 29C              | 01921 | 1854-0644 | 2N3468            | 02037 | 1853-0574 | 2N4261         | 02037 | 1853-0686 |
| 2C3906           | 02037 | 1853-0614 | 2N3478            | 01921 | 1854-0325 | 2N4264         | 02037 | 1854-1186 |
| 2N1131           | 01698 | 1853-0019 | 2N3494            | 02037 | 1853-0071 | 2N4338         | 02883 | 1855-0341 |
| 2N1183           | 01921 | 1850-0064 | 2N3501(SEL)       | 02037 | 1854-0813 | 2N4342         | 02237 | 1855-0056 |
| 2N1306           | 01698 | 1851-0025 | 2N3553            | 01921 | 1854-0308 | 2N4348         | 01921 | 1854-0382 |
| 2N1307           | 01698 | 1850-0173 | 2N3563            | 02237 | 1854-0418 | 2N4351         | 02037 | 1855-0380 |
| 2N1308           | 01698 | 1851-0037 | 2N3583            | 01921 | 1854-0282 | 2N4352         | 02037 | 1855-0309 |
| 2N1309           | 01698 | 1850-0151 | 2N3585            | 01921 | 1854-0643 | 2N4360         | 02237 | 1855-0052 |
| 2N1358           | 05840 | 1850-0150 | 2N3633            | 01991 | 1854-0315 | 2N4384         | 02634 | 1854-0226 |
| 2N1377           | 01698 | 1850-0170 | 2N3634            | 02037 | 1853-0028 | 2N4384 CHIP    | 03406 | 1854-0771 |
| 2N1482           | 01921 | 1854-0214 | 2N3635            | 02037 | 1853-0462 | 2N4391         | 02883 | 1855-0420 |
| 2N1499A          | 03571 | 1850-0093 | 2N3637            | 02037 | 1853-0675 | 2N4391         | 02883 | 1855-0630 |
| 2N1523           | 05840 | 1850-0194 | 2N3638            | 02037 | 1853-0638 | 2N4391(CHIP)   | 02883 | 1855-0653 |
| 2N1671A          | 01973 | 1855-0001 | 2N3640RLRA1       | 02037 | 1853-0665 | 2N4392         | 02037 | 1855-0386 |
| 2N1671B          | 01973 | 1855-0021 | 2N3646            | 02237 | 1854-0432 | 2N4392         | 02037 | 1855-0829 |
| 2N1671C          | 01973 | 1855-0077 | 2N3663            | 01973 | 1854-0219 | 2N4393         | 02883 | 1855-0414 |
| 2N1701           | 01921 | 1854-0062 | 2N3685            | 03714 | 1855-0430 | 2N4398         | 02037 | 1853-0310 |
| 2N1701           | 01921 | 1854-0613 | 2N3703            | 01698 | 1853-0023 | 2N4398         | 02037 | 1853-0421 |
| 2N1760           | 02783 | 1850-0406 | 2N3713            | 02037 | 1854-0252 | 2N4401         | 02037 | 1854-0467 |
| 2N2060           | 02037 | 1854-0761 | 2N3714            | 02037 | 1854-1018 | 2N4401         | 02037 | 1854-0832 |
| 2N2102           | 01921 | 1854-0067 | 2N3715            | 02037 | 1854-0264 | 2N4401         | 02037 | 1854-1039 |
| 2N2194           | 01698 | 1854-0281 | 2N3725            | 01698 | 1854-0547 | 2N4401         | 02037 | 1854-1126 |
| 2N2218           | 02037 | 1854-0053 | 2N3725A           | 01698 | 1854-0687 | 2N4403         | 02037 | 1853-0271 |
| 2N2218A          | 02037 | 1854-0013 | 2N3737            | 02037 | 1854-0988 | 2N4403         | 02037 | 1853-0419 |
| 2N2219A          | 02037 | 1854-0637 | 2N3739            | 02037 | 1854-0324 | 2N4403         | 02037 | 1853-0565 |
| 2N2221           | 02037 | 1854-0032 | 2N3740            | 02037 | 1853-0052 | 2N4405         | 02037 | 1853-0650 |
| 2N2221A          | 02037 | 1854-1245 | 2N3741            | 02037 | 1853-0392 | 2N4410         | 02037 | 1854-0365 |
| 2N2222           | 02037 | 1854-0210 | 2N3762            | 02037 | 1853-0429 | 2N4416         | 01698 | 1855-0327 |
| 2N2222A          | 02682 | 1854-0477 | 2N3766            | 02037 | 1854-0259 | 2N4416A        | 02037 | 1855-0276 |
| 2N2223           | 02037 | 1854-0014 | 2N3771            | 01921 | 1854-0313 | 2N4416A CHIP   | 02037 | 1855-0256 |
| 2N2369           | 02237 | 1854-0030 | 2N3771            | 01921 | 1854-0566 | 2N4428         | 02037 | 1854-0851 |
| 2N2369A          | 02037 | 1854-0809 | 2N3771            | 01921 | 1854-1124 | 2N4853         | 02037 | 1855-0099 |
| 2N2405           | 01921 | 1854-0352 | 2N3772            | 01921 | 1854-0519 | 2N4857         | 03406 | 1855-0244 |
| 2N2430           | 03334 | 1851-0041 | 2N3772(SEL)       | 02037 | 1854-1051 | 2N4860         | 02037 | 1855-0632 |
| 2N2432A          | 01698 | 1854-0557 | 2N3773            | 01921 | 1854-0733 | 2N4891         | 01698 | 1855-0065 |
| 2N2483           | 02237 | 1854-0304 | 2N3789            | 02037 | 1853-0031 | 2N4900         | 02037 | 1853-0323 |
| 2N2501           | 02037 | 1854-0211 | 2N3791            | 02037 | 1853-0059 | 2N4902         | 02037 | 1853-0223 |
| 2N2538           | 01698 | 1854-0213 | 2N3792            | 02037 | 1853-0311 | 2N4912         | 02037 | 1854-0399 |
| 2N2540           | 02037 | 1854-0786 | 2N3799            | 02037 | 1853-0360 | 2N4917         | 02237 | 1853-0089 |
| 2N2552           | 01698 | 1850-0181 | 2N3799            | 01698 | 1853-0451 | 2N4917         | 02237 | 1853-0597 |
| 2N2556           | 01698 | 1850-0076 | 2N3808            | 02037 | 1853-0594 | 2N4917         | 02237 | 1853-0640 |
| 2N2608           | 03406 | 1855-0297 | 2N3809            | 02037 | 1853-0269 | 2N4917-J25Z    | 03406 | 1853-0708 |
| 2N2646           | 04550 | 1855-0010 | 2N3811            | 02037 | 1853-0673 | 2N4918         | 02037 | 1853-0084 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC        | Mfr.  | HP P/N    | JEDEC             | Mfr.  | HP P/N    | JEDEC              | Mfr.  | HP P/N    |
|--------------|-------|-----------|-------------------|-------|-----------|--------------------|-------|-----------|
| 2N4919       | 02037 | 1853-0222 | 2N5956            | 02037 | 1853-0303 | 2SB737             | 00746 | 1853-0550 |
| 2N4920       | 02037 | 1853-0204 | 2N5963            | 02237 | 1854-0548 | 2SB965             | 00039 | 1853-0631 |
| 2N4922       | 02037 | 1854-0389 | 2N5986 (SELECTED) | 02037 | 1853-0378 | 2SC1623            | 03334 | 1854-1132 |
| 2N4923       | 02037 | 1854-0347 | 2N6027            | 04550 | 1855-0314 | 2SC2275            | 00039 | 1854-1119 |
| 2N4959       | 02037 | 1853-0430 | 2N6028            | 04550 | 1855-0346 | 2SC2334            | 00039 | 1854-0860 |
| 2N4966       | 01698 | 1854-0397 | 2N6049            | 02037 | 1853-0413 | 2SC2429 (SEL)      | 06344 | 1854-0940 |
| 2N5039       | 01921 | 1854-0762 | 2N6051            | 02037 | 1853-0391 | 2SC2690            | 00039 | 1854-1115 |
| 2N5070       | 01921 | 1854-0386 | 2N6053            | 02037 | 1853-0351 | 2SC2718            | 00039 | 1854-1112 |
| 2N5087       | 03406 | 1853-0086 | 2N6055            | 02037 | 1854-0611 | 2SC2876            | 06354 | 1854-1003 |
| 2N5088       | 02037 | 1854-0392 | 2N6056            | 01921 | 1854-0774 | 2SC2878            | 06354 | 1854-1041 |
| 2N5088       | 03406 | 1854-1040 | 2N6057            | 02037 | 1854-0669 | 2SC2987            | 00039 | 1854-1118 |
| 2N5088       | 02037 | 1854-1207 | 2N6107            | 01921 | 1853-0371 | 2SC2987A           | 00039 | 1854-1113 |
| 2N508A       | 01979 | 1850-0154 | 2N6107 (SEL)      | 02037 | 1853-0667 | 2SC3281            | 06354 | 1854-1117 |
| 2N5105       | 03334 | 1855-0322 | 2N6109            | 02037 | 1853-0469 | 2SD1288            | 00039 | 1853-0630 |
| 2N5109       | 01921 | 1854-0378 | 2N6124            | 02037 | 1853-0661 | 2SD1378            | 00746 | 1854-1187 |
| 2N5114       | 02883 | 1855-0421 | 2N6211            | 01921 | 1853-0328 | 2SD786             | 00746 | 1854-1136 |
| 2N5115       | 02883 | 1855-0402 | 2N6213            | 02037 | 1853-0670 | 2SK523             | 00039 | 1855-0570 |
| 2N5115 (SEL) | 03406 | 1855-0540 | 2N6248            | 01921 | 1853-0439 | 2SK533             | 00039 | 1855-0571 |
| 2N5116       | 03714 | 1855-0278 | 2N6254            | 01921 | 1854-0755 | 2SK680-T1          | 00039 | 1855-0806 |
| 2N5116       | 03406 | 1855-0413 | 2N6258            | 01921 | 1854-0576 | 35821E             | 02062 | 1854-0769 |
| 2N5179       | 02037 | 1854-0345 | 2N6259            | 01921 | 1854-0577 | 35MB60A            | 03038 | 1906-0390 |
| 2N5179       | 01921 | 1854-0431 | 2N6259            | 02037 | 1854-1133 | 3T05               | 02664 | 1901-0699 |
| 2N5179 (SEL) | 02037 | 1854-0994 | 2N6261            | 01921 | 1854-0738 | 3N128              | 01921 | 1855-0306 |
| 2N5179 (SEL) | 02037 | 1854-1043 | 2N6282            | 02037 | 1854-0671 | 3N138              | 01921 | 1855-0332 |
| 2N5189       | 01921 | 1854-0570 | 2N6289            | 01921 | 1854-0837 | 3N163              | 02883 | 1855-0432 |
| 2N5191       | 02037 | 1854-0368 | 2N6290            | 11981 | 1854-0881 | 3N172              | 03714 | 1855-0323 |
| 2N5192       | 02037 | 1854-0453 | 2N6292            | 01921 | 1854-0765 | 3N190              | 03714 | 1855-0279 |
| 2N5193       | 02037 | 1853-0236 | 2N6292            | 01921 | 1854-0917 | 3N190              | 03714 | 1855-0396 |
| 2N5194       | 02037 | 1853-0212 | 2N6294            | 02037 | 1854-0698 | 3N215              | 01698 | 1855-0250 |
| 2N5198       | 02883 | 1855-0301 | 2N6296            | 02037 | 1853-0383 | 3N91               | 02634 | 1853-0057 |
| 2N5210       | 02037 | 1854-0409 | 2N6296            | 02037 | 1854-0662 | 3SF1               | 02664 | 1901-0674 |
| 2N5217       | 03776 | 1854-0286 | 2N6298            | 02037 | 1853-0617 | 3SF2               | 02664 | 1901-0988 |
| 2N5239       | 01921 | 1854-1085 | 2N6300            | 02037 | 1854-0648 | 40250              | 01921 | 1854-0224 |
| 2N5245       | 02037 | 1855-0688 | 2N6305            | 02037 | 1854-0785 | 40313              | 01921 | 1854-0383 |
| 2N5245 (SEL) | 02037 | 1855-0690 | 2N6306            | 02037 | 1854-0623 | 40346              | 01921 | 1854-0095 |
| 2N5246       | 01698 | 1855-0285 | 2N6306            | 01921 | 1854-0767 | 40394              | 01921 | 1853-0087 |
| 2N5247       | 03406 | 1855-0257 | 2N6308            | 02037 | 1854-0624 | 40673              | 01921 | 1855-0534 |
| 2N5262       | 01921 | 1854-0363 | 2N6315            | 02037 | 1854-0756 | 40831              | 01921 | 1853-0342 |
| 2N5266       | 02037 | 1855-0721 | 2N6317            | 02037 | 1853-0418 | 40852              | 01921 | 1854-0617 |
| 2N5268       | 02037 | 1855-0277 | 2N6331            | 01698 | 1853-0381 | 40HFL100S05        | 03038 | 1901-1316 |
| 2N5294       | 01921 | 1854-0370 | 2N6338            | 02037 | 1854-0741 | 40HQ030            | 03038 | 1901-0859 |
| 2N5301       | 02037 | 1854-0398 | 2N6339            | 02037 | 1854-0746 | 5082-0001          | 02062 | 1901-0881 |
| 2N5320       | 01921 | 1854-0999 | 2N6340            | 02037 | 1854-1145 | 5082-0001          | 02062 | 1900-0093 |
| 2N5333       | 01698 | 1853-0349 | 2N6354            | 01921 | 1854-0715 | 5082-0001 SELECTED | 02062 | 1900-0057 |
| 2N5396       | 02763 | 1855-0283 | 2N6420            | 02037 | 1853-0548 | 5082-0007          | 02062 | 1901-0169 |
| 2N5397       | 03406 | 1855-0259 | 2N6423            | 02037 | 1853-0414 | 5082-0009          | 02062 | 1900-0060 |
| 2N5397       | 03406 | 1855-0498 | 2N6429A           | 02037 | 1854-0831 | 5082-0030          | 02062 | 1900-0066 |
| 2N5400       | 02037 | 1853-0457 | 2N6437            | 02037 | 1853-0526 | 5082-0049          | 02062 | 1900-0025 |
| 2N5401       | 02037 | 1853-0264 | 2N6474            | 01921 | 1854-0727 | 5082-0830          | 02062 | 1901-1193 |
| 2N5415       | 01921 | 1853-0224 | 2N6476            | 01921 | 1853-0406 | 5082-1001          | 02062 | 1901-1289 |
| 2N5415       | 03334 | 1853-0493 | 2N6477            | 01921 | 1854-0737 | 5082-1006          | 02062 | 1901-1232 |
| 2N5416       | 01921 | 1853-0221 | 2N6488            | 01921 | 1854-0884 | 5082-2272          | 02062 | 1906-0252 |
| 2N5416 (SEL) | 02037 | 1853-0576 | 2N6489            | 02037 | 1853-0365 | 5082-2279          | 02062 | 1900-0231 |
| 2N5427       | 02037 | 1854-0758 | 2N6490            | 02037 | 1853-0478 | 5082-2370          | 02062 | 1906-0234 |
| 2N5428       | 02037 | 1854-0596 | 2N6491            | 02037 | 1853-0542 | 5082-2755          | 02062 | 1901-0920 |
| 2N5428       | 02037 | 1854-0766 | 2N6497            | 02037 | 1854-0839 | 5082-2794          | 02062 | 1900-0088 |
| 2N5429       | 02037 | 1854-0586 | 2N6499            | 02037 | 1854-0889 | 5082-2800          | 02062 | 1900-0089 |
| 2N5432       | 03406 | 1855-0292 | 2N6520            | 02037 | 1853-0437 | 5082-2804          | 02062 | 1906-0204 |
| 2N5461       | 02037 | 1855-0689 | 2N6545            | 02037 | 1854-0787 | 5082-2805          | 02062 | 1901-0545 |
| 2N5474       | 02037 | 1855-0379 | 2N6554            | 02037 | 1853-0558 | 5082-2810          | 02062 | 1901-1131 |
| 2N5485 (SEL) | 02037 | 1855-0096 | 2N6584            | 01691 | 1854-0848 | 5082-2826          | 02062 | 1906-0082 |
| 2N5486       | 02037 | 1855-0255 | 2N6609            | 02037 | 1853-0487 | 5082-2826 SELECTED | 02062 | 1900-0069 |
| 2N5519       | 02883 | 1855-0398 | 2N6658            | 02883 | 1855-0293 | 5082-2830          | 02062 | 1906-0210 |
| 2N5544       | 02569 | 1855-0071 | 2N6659            | 02037 | 1855-0251 | 5082-2830          | 02062 | 1900-0079 |
| 2N5551       | 02037 | 1854-0474 | 2N6659            | 02883 | 1855-0614 | 5082-2831          | 02062 | 1900-0083 |
| 2N5556       | 02883 | 1855-0288 | 2N6660            | 02883 | 1855-0575 | 5082-2831          | 02062 | 1900-0087 |
| 2N5565       | 02883 | 1855-0232 | 2N6667            | 02037 | 1853-0666 | 5082-2835          | 02062 | 1901-1085 |
| 2N5578       | 01921 | 1854-0708 | 2N6678            | 01921 | 1854-0871 | 5082-3042          | 02062 | 1901-1119 |
| 2N5583       | 02037 | 1853-0293 | 2N6709            | 10881 | 1853-0573 | 5082-3080          | 02062 | 1901-0639 |
| 2N5679       | 02037 | 1853-0585 | 2N6741            | 02062 | 1854-0971 | 5082-3140          | 02062 | 1900-0099 |
| 2N5681       | 02037 | 1854-1062 | 2N6837            | 02037 | 1854-1122 | 5082-3141          | 02062 | 1900-0228 |
| 2N5684       | 02037 | 1853-0428 | 2N7000            | 02883 | 1855-0667 | 5082-3900          | 02062 | 1901-0875 |
| 2N5771       | 02037 | 1853-0540 | 2N7000            | 02037 | 1855-0727 | 5082-5232          | 02062 | 1901-0747 |
| 2N5836       | 02037 | 1854-1129 | 2N7002            | 02883 | 1855-0734 | 5082-5414          | 02062 | 1901-0517 |
| 2N5840       | 02237 | 1854-0751 | 2N708             | 02237 | 1854-0005 | 5082-5507          | 02062 | 1901-0385 |
| 2N5875       | 02037 | 1853-0305 | 2N709             | 02037 | 1854-0009 | 5082-5509          | 02062 | 1901-0518 |
| 2N5876       | 02037 | 1853-0344 | 2N730             | 01698 | 1854-0289 | 5082-5541          | 02062 | 1901-1068 |
| 2N5877       | 02037 | 1854-0518 | 2N779A            | 01979 | 1850-0075 | 5082-5580          | 02062 | 1901-1097 |
| 2N5878       | 02037 | 1854-0743 | 2N779A            | 06632 | 1850-0441 | 50L200             | 02158 | 1901-0738 |
| 2N5880       | 02037 | 1853-0053 | 2N834             | 02037 | 1854-0010 | 50SQ080            | 03038 | 1901-1267 |
| 2N5880       | 02037 | 1853-0407 | 2N835             | 02037 | 1854-0011 | 5KP5.0A            | 03287 | 1901-1211 |
| 2N5883       | 02037 | 1853-0425 | 2N918             | 02237 | 1854-0021 | 5KP75A             | 03287 | 1901-1284 |
| 2N5884       | 02037 | 1853-0340 | 2N964             | 06632 | 1850-0099 | 5M17ZS2            | 02037 | 1902-0918 |
| 2N5885       | 02037 | 1854-0679 | 2N976             | 01979 | 1850-0137 | 5M18ZS2            | 02037 | 1902-0919 |
| 2N5886       | 02037 | 1854-0697 | 2SA1151           | 00039 | 1853-0624 | 5M23ZS2            | 02037 | 1902-0981 |
| 2N5905       | 02883 | 1855-0400 | 2SA1186           | 10646 | 1853-0710 | 5M28ZS2            | 02037 | 1902-0982 |
| 2N5911/D     | 03714 | 1855-0661 | 2SA1220           | 00039 | 1853-0629 | 5M30ZS2            | 02037 | 1902-0980 |
| 2N5912       | 03406 | 1855-0213 | 2SA1226           | 00039 | 1853-0588 | 60CDQ045           | 03038 | 1906-0374 |
| 2N5912       | 03285 | 1855-0507 | 2SA1227           | 00039 | 1853-0632 | 673-2              | 00046 | 1906-0035 |
| 2N5912CHP    | 02883 | 1855-0669 | 2SA1227A          | 00039 | 1853-0622 | 698-1              | 00046 | 1906-0090 |
| 2N5943       | 02037 | 1854-0597 | 2SA1302           | 06354 | 1853-0621 | 72006              | 04550 | 1853-0479 |
| 2N5943 (SEL) | 02037 | 1854-1007 | 2SA812            | 03334 | 1853-0636 | 80SQ030            | 03038 | 1901-0921 |
| 2N5949       | 03406 | 1855-0258 | 2SA985            | 00039 | 1853-0633 | 95-4492            | 03038 | 1906-0250 |
| 2N5954       | 01921 | 1853-0277 | 2SB1007           | 00746 | 1853-0674 | A114A              | 01973 | 1901-0690 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC            | Mfr.  | HPP/N     | JEDEC           | Mfr.  | HP P/N    | JEDEC              | Mfr.  | HP P/N    |
|------------------|-------|-----------|-----------------|-------|-----------|--------------------|-------|-----------|
| A114A            | 04550 | 1901-1092 | BFR93R          | 03334 | 1854-1243 | BZX84C75           | 03334 | 1902-1580 |
| A114D            | 04550 | 1901-0696 | BFR94           | 03334 | 1854-1036 | BZX84C7V5          | 02037 | 1902-1512 |
| A115A            | 01973 | 1901-0691 | BFR95           | 03334 | 1854-0721 | BZXB7V5            | 10818 | 1902-3129 |
| A115F            | 04550 | 1901-1091 | BFR96           | 02037 | 1854-1049 | C7254              | 03811 | 1858-0081 |
| A115M            | 01973 | 1901-0879 | BFR90           | 02037 | 1854-0972 | CA3018             | 01921 | 1820-0352 |
| A14B             | 01973 | 1901-0327 | BFT46           | 03334 | 1855-0640 | CA3019             | 01921 | 1901-0557 |
| A14D             | 01973 | 1901-0328 | BFT92           | 03334 | 1853-0616 | CA3026             | 01921 | 1820-0240 |
| A14M             | 04550 | 1901-0329 | BFT92R          | 03334 | 1853-0717 | CA3045             | 01921 | 1821-0002 |
| A14N             | 01973 | 1901-0330 | BFT93           | 03334 | 1853-0612 | CA3045H            | 01921 | 1858-0064 |
| A14P             | 01973 | 1901-0532 | BFT93           | 06121 | 1853-0698 | CA3046             | 01921 | 1821-0001 |
| A15A             | 01973 | 1901-0673 | BFX89           | 03334 | 1854-0723 | CA3049             | 01921 | 1858-0004 |
| A15BK107         | 11981 | 1901-0968 | BFY90           | 02037 | 1854-1063 | CA3081E            | 01921 | 1858-0023 |
| A15F             | 04550 | 1901-0754 | BR102           | 12810 | 1906-0377 | CA3082E            | 01921 | 1858-0048 |
| A211             | 03334 | 1854-0435 | BS170           | 02883 | 1855-0668 | CA3082F            | 01921 | 1858-0057 |
| A2S097           | 04507 | 1901-0531 | BS170           | 02037 | 1855-0696 | CA3083             | 01921 | 1858-0021 |
| A2S832           | 04507 | 1900-0092 | BSR33           | 03334 | 1853-0688 | CA3083E            | 04550 | 1858-0142 |
| A2X1501          | 04507 | 1901-1107 | BSR43           | 03334 | 1854-1206 | CA3096E            | 01921 | 1858-0118 |
| A2X2118          | 04507 | 1900-0043 | BSR60           | 03334 | 1853-0712 | CA3097E            | 01921 | 1858-0046 |
| A3604            | 03334 | 1854-1164 | BSS123          | 06121 | 1855-0750 | CA3102E            | 01921 | 1858-0063 |
| A400 (SEL)       | 03334 | 1854-1120 | BSS84           | 06121 | 1855-0768 | CA3127E            | 01921 | 1858-0040 |
| A440             | 03334 | 1853-0553 | BSS87           | 06121 | 1855-0761 | CA3127M            | 04550 | 1858-0135 |
| A4S021 SELECTED  | 02865 | 1901-1132 | BSS88           | 06121 | 1855-0779 | CA3146E            | 01921 | 1858-0032 |
| A4X665           | 04507 | 1900-0034 | BST16           | 03334 | 1853-0687 | CA3183E            | 01921 | 1858-0096 |
| A5S092 SELECTED  | 04507 | 1900-0036 | BST39           | 03334 | 1854-1203 | CA3227E            | 04550 | 1858-0133 |
| A5T4260          | 01698 | 1853-0404 | BST82           | 05946 | 1855-0744 | CA3227E            | 03799 | 1858-0144 |
| A5X1046          | 04507 | 1900-0042 | BU406           | 02037 | 1854-1006 | CA3246E            | 04550 | 1858-0140 |
| AD814            | 03285 | 1854-0619 | BU426           | 02037 | 1854-1157 | CA3246M            | 03799 | 1858-0146 |
| AD821 (SPEC)     | 03285 | 1858-0036 | BU505           | 03334 | 1854-1254 | CBR10F-010P        | 11699 | 1906-0368 |
| AT-41400         | 03291 | 1854-1144 | BU508A          | 02037 | 1854-1005 | CBR1F-010          | 11699 | 1906-0051 |
| AT-41435-5       | 03291 | 1854-1067 | BU807           | 02037 | 1854-1165 | CD36191            | 02763 | 1902-0121 |
| AT-60586         | 03291 | 1854-1209 | BUK456-800A     | 03334 | 1855-0679 | CEN611             | 11699 | 1901-1277 |
| AT-8160          | 03291 | 1855-0720 | BUS-12A         | 03334 | 1854-0780 | CEN662             | 11699 | 1901-1287 |
| ATF-20135        | 03291 | 1855-0808 | BUS11           | 06023 | 1854-0665 | CEN672             | 11699 | 1854-0529 |
| BA220            | 03334 | 1901-0022 | BUS11A          | 03334 | 1854-1183 | CG75L              | 04504 | 1901-1325 |
| BA482            | 03334 | 1901-1253 | BUS12           | 03334 | 1854-1182 | CH4106-25-1X       | 02688 | 1902-0903 |
| BA483            | 03334 | 1901-1134 | BUW11A          | 02037 | 1854-1166 | CH4627-25-1X       | 02688 | 1902-1322 |
| BAL 74           | 10881 | 1901-1114 | BUW12A          | 03334 | 1854-1019 | CL4720             | 02883 | 1902-1295 |
| BAR42            | 11708 | 1901-1254 | BUX82           | 06023 | 1854-0891 | CLA3132-86         | 02865 | 1900-0046 |
| BAS 40-04        | 06121 | 1906-0320 | BUZ 15          | 06121 | 1855-0523 | CP4071             | 00746 | 1854-0071 |
| BAS 40-05        | 06121 | 1901-1264 | BUZ10           | 06121 | 1855-0553 | CPY203E            | 03038 | 1855-0822 |
| BAS16            | 02237 | 1901-1227 | BUZ10H          | 06121 | 1855-0671 | CSB7002-05-150-801 | 02865 | 1900-0246 |
| BAS17            | 03334 | 1902-1556 | BUZ11           | 03334 | 1855-0645 | CSB7201-01         | 02865 | 1900-0068 |
| BAS19            | 03334 | 1901-1150 | BUZ24           | 06121 | 1855-0539 | CT-1058            | 04200 | 1854-0810 |
| BAS31            | 03334 | 1906-0365 | BUZ71A          | 06121 | 1855-0548 | D1561CE            | 02688 | 1901-0536 |
| BAS40            | 06121 | 1901-1305 | BUZ71A          | 06121 | 1855-0568 | D40D4              | 02037 | 1854-1086 |
| BAS40-06         | 06121 | 1906-0332 | BUZ90           | 06121 | 1855-0766 | D40N1              | 03406 | 1854-1237 |
| BAS45            | 03334 | 1901-1344 | BY 205-100      | 01698 | 1901-0837 | D41D4              | 02037 | 1853-0595 |
| BAS56            | 03334 | 1906-0337 | BY205-400       | 01698 | 1901-0835 | D42C11N            | 04550 | 1854-0998 |
| BAS70-04         | 06121 | 1906-0331 | BY505           | 03334 | 1901-1308 | D44H11             | 04550 | 1854-0872 |
| BAT17            | 03334 | 1901-1151 | BYD33D          | 03334 | 1901-1198 | D44H5              | 04550 | 1854-0635 |
| BAT54            | 03334 | 1901-1320 | BYD33M          | 03334 | 1901-1246 | D45H11             | 04550 | 1853-0497 |
| BAT83            | 03334 | 1901-1279 | BYD59-300       | 03334 | 1901-0887 | D45H2              | 04550 | 1853-0472 |
| BAT85            | 03334 | 1901-1183 | BYV26C SELECTED | 03334 | 1901-1230 | D45H5              | 04550 | 1853-0494 |
| BAV10 SELECTED   | 03334 | 1901-1164 | BYV27-100       | 06002 | 1901-1118 | D471AR             | 02688 | 1901-0660 |
| BAV23S           | 03334 | 1901-1269 | BYV27-150       | 03334 | 1901-1112 | D505AC             | 02688 | 1901-0686 |
| BAV70            | 02037 | 1901-1144 | BYV27-200       | 03334 | 1901-1141 | D583CG             | 02688 | 1901-0655 |
| BAV74 SELECTED   | 03334 | 1901-1224 | BYV32-150       | 03334 | 1906-0296 | D5848              | 02865 | 1906-0244 |
| BAV99            | 03334 | 1906-0303 | BYV36C          | 03334 | 1901-1223 | DA15CN             | 03287 | 1901-1315 |
| BAW78B           | 06121 | 1901-1345 | BYV36E          | 03334 | 1901-1249 | DAN601             | 00746 | 1906-0293 |
| BC321C-18        | 02237 | 1853-0366 | BYV95C          | 07766 | 1901-1138 | DDC 4565-96        | 02865 | 1901-0985 |
| BC415C           | 06121 | 1853-0703 | BYW29-150       | 03334 | 1901-1293 | DDC4565D           | 02865 | 1900-0053 |
| BC636            | 02037 | 1853-0692 | BYW29-200AC     | 02037 | 1901-1272 | DDC4582D           | 02865 | 1900-0056 |
| BCF70            | 03334 | 1853-0599 | BYW29-50        | 03334 | 1901-0858 | DE111              | 04550 | 1901-0905 |
| BCW65C           | 02037 | 1854-1150 | BYW80-100       | 10881 | 1901-1126 | DE131              | 04550 | 1901-1255 |
| BCX18            | 10881 | 1853-0545 | BZV47C5V6       | 04078 | 1902-1582 | DF01               | 02713 | 1906-0284 |
| BCX20            | 10881 | 1854-0987 | BZV49-C12       | 03334 | 1902-1568 | DF04               | 02713 | 1906-0283 |
| BCX53AH          | 03334 | 1853-0691 | BZV861V4        | 03334 | 1901-1278 | DF04M              | 04504 | 1906-0069 |
| BCX56BH          | 03334 | 1854-1208 | BZW50-56B       | 11708 | 1902-1523 | DF06M              | 02713 | 1906-0306 |
| BCY 57/LV2345    | 03334 | 1854-0307 | BZX75-C2V1      | 03334 | 1901-1160 | DME6553            | 02865 | 1900-0062 |
| BD139            | 02037 | 1854-0805 | BZX83A5V1       | 02037 | 1902-1374 | DME6569            | 02865 | 1900-0030 |
| BD140            | 03334 | 1853-0690 | BZX84-B13       | 03334 | 1902-1548 | DMP5835A           | 02865 | 1900-0061 |
| BD415            | 02037 | 1854-1004 | BZX84-B18       | 03334 | 1902-1549 | DMP5848            | 02865 | 1906-0294 |
| BD416            | 02037 | 1853-0557 | BZX84-B20       | 03334 | 1902-1550 | DMJ4705 SELECTED   | 02865 | 1900-0031 |
| BD435            | 02037 | 1854-1121 | BZX84-B24       | 03334 | 1902-1588 | DMJ4708            | 02865 | 1906-0279 |
| BF258            | 01698 | 1854-0621 | BZX84-B2V7      | 03334 | 1902-1563 | DMJ4768            | 02865 | 1900-0059 |
| BF511            | 03334 | 1855-0807 | BZX84-B30       | 03334 | 1902-1591 | DN2094             | 02883 | 1855-0659 |
| BF569            | 03334 | 1853-0611 | BZX84-B4V3      | 03334 | 1902-1562 | DPAD 100           | 02883 | 1906-0100 |
| BF980            | 03334 | 1855-0666 | BZX84-B75       | 03334 | 1902-1589 | DPAD1              | 02883 | 1906-0282 |
| BFQ-32           | 03334 | 1853-0527 | BZX84-C12       | 03334 | 1902-1487 | DPAD10             | 02883 | 1906-0325 |
| BFQ19            | 03334 | 1854-1054 | BZX84-C15       | 03334 | 1902-1572 | DSG 6474-44        | 02865 | 1900-0032 |
| BFQ23C           | 05946 | 1853-0672 | BZX84-C24       | 03334 | 1902-1564 | DSR3700X           | 04507 | 1901-1116 |
| BFQ34            | 03334 | 1854-0942 | BZX84-C244      | 03334 | 1902-1570 | DSR3800X           | 04507 | 1901-1115 |
| BFQ51            | 03334 | 1853-0544 | BZX84-C3V9      | 03334 | 1902-1519 | DSR5500X           | 04507 | 1901-0893 |
| BFQ65            | 03334 | 1854-1234 | BZX84-C43       | 03334 | 1902-1590 | DT790107A          | 02688 | 1902-0692 |
| BFR 36           | 06592 | 1854-0868 | BZX84-C4V7      | 03334 | 1902-1565 | DT5-802            | 10674 | 1854-0705 |
| BFR90            | 03334 | 1854-0591 | BZX84-C68       | 03334 | 1902-1595 | DT5413             | 05840 | 1854-0086 |
| BFR90            | 11021 | 1854-0716 | BZX84C10        | 03334 | 1902-1544 | DZ70302N           | 02688 | 1902-0570 |
| BFR91            | 03334 | 1854-0632 | BZX84C11        | 05942 | 1902-1558 | E107               | 02883 | 1855-0280 |
| BFR91A           | 03334 | 1854-1050 | BZX84C3V3       | 03334 | 1902-1541 | E111               | 02883 | 1855-0206 |
| BFR92            | 10881 | 1854-0986 | BZX84C3V6       | 03334 | 1902-1543 | E232               | 02883 | 1855-0274 |
| BFR92 (SELECTED) | 03334 | 1854-1045 | BZX84C5V1       | 03334 | 1902-1592 | ED6240             | 05131 | 1901-0591 |
| BFR92R           | 03334 | 1854-1247 | BZX84C5V6       | 10881 | 1902-1424 | EGF30B             | 02713 | 1901-1147 |
| BFR93            | 03334 | 1854-1055 | BZX84C6V2       | 03334 | 1902-1542 | F54011A            | 03406 | 1855-0693 |
| BFR93A           | 06121 | 1854-1217 | BZX84C6V8       | 03334 | 1902-1574 | FD777              | 02237 | 1901-0179 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC                | Mfr.  | HP P/N    | JEDEC           | Mfr.  | HP P/N    | JEDEC                 | Mfr.  | HP P/N    |
|----------------------|-------|-----------|-----------------|-------|-----------|-----------------------|-------|-----------|
| FDM-400              | 02237 | 1901-0096 | IRF520          | 03038 | 1855-0461 | KBPC-W35-04(SELECTED) | 02713 | 1906-0281 |
| FDM444               | 02237 | 1901-1067 | IRF521          | 03038 | 1855-0581 | KBPC-W35-06           | 02713 | 1906-0305 |
| FDS01203             | 02237 | 1906-0358 | IRF521          | 03038 | 1855-0622 | KBPC108               | 04504 | 1906-0356 |
| FDS01501             | 02237 | 1901-1261 | IRF523          | 03038 | 1855-0572 | KBPC12-02-W           | 02713 | 1906-0272 |
| FDS01503             | 02237 | 1906-0334 | IRF523          | 03038 | 1855-0586 | KBPC1202P-1           | 04504 | 1906-0043 |
| FDS01505             | 02237 | 1906-0359 | IRF530          | 03038 | 1855-0492 | KBPC25005P-11         | 04504 | 1901-0525 |
| FDS01703             | 03406 | 1906-0387 | IRF533          | 03038 | 1855-0592 | KBPC35-02             | 04504 | 1906-0348 |
| FE16F                | 02713 | 1901-1143 | IRF540          | 02037 | 1855-0670 | KBPC3506              | 04504 | 1906-0389 |
| FE6B                 | 04504 | 1901-1273 | IRF540(SEL)     | 02037 | 1855-0590 | KBPC602               | 04504 | 1906-0349 |
| FEN16CT7             | 02713 | 1906-0308 | IRF610          | 03038 | 1855-0488 | KBPC606               | 02713 | 1906-0255 |
| FEP16BT              | 04504 | 1906-0357 | IRF612          | 03038 | 1855-0641 | KBUL4G                | 02713 | 1906-0201 |
| FEP16GT-3            | 02713 | 1906-0295 | IRF630          | 03038 | 1855-0504 | KBUR8B                | 04504 | 1906-0343 |
| FES8GT               | 02713 | 1901-1140 | IRF640          | 03038 | 1855-0524 | L6210                 | 04078 | 1906-0364 |
| FN2645               | 02883 | 1855-0395 | IRF740          | 03038 | 1855-0631 | LCET.0                | 03287 | 1901-1210 |
| FP1047A              | 05027 | 1901-1326 | IRF830          | 03038 | 1855-0510 | LL4148                | 04486 | 1901-1162 |
| FSA2509P             | 02237 | 1906-0339 | IRF9130         | 03038 | 1855-0484 | LL4733A               | 04486 | 1902-1491 |
| FSA2565P             | 02237 | 1906-0324 | IRF9513         | 03038 | 1855-0588 | LL4740A               | 04486 | 1902-1490 |
| FSA2619P             | 02237 | 1906-0257 | IRF9520         | 03038 | 1855-0509 | LL4742A               | 04486 | 1902-1492 |
| FSA3157P             | 02237 | 1906-0074 | IRF9521         | 03038 | 1855-0587 | LL4744A               | 04486 | 1902-1489 |
| FSA3237P             | 02237 | 1906-0315 | IRF9530         | 03038 | 1855-0493 | LL4747A               | 04486 | 1902-1488 |
| FT5754M              | 12010 | 1858-0115 | IRF9531         | 03038 | 1855-0499 | LS5248                | 02037 | 1902-1462 |
| FT5755M              | 12010 | 1858-0109 | IRF9532         | 03038 | 1855-0517 | LM-394BH              | 03406 | 1854-0826 |
| G6R110H              | 02158 | 1901-0739 | IRF9Z20         | 03038 | 1855-0726 | LM103-2.4             | 03406 | 1820-0225 |
| GES3416              | 04550 | 1854-0978 | IRF9Z20         | 03038 | 1855-0812 | LM103-3.0             | 03406 | 1902-1406 |
| GI250-3              | 02713 | 1901-0490 | IRFAC32         | 03038 | 1855-0802 | LM114AH               | 03406 | 1854-0646 |
| GP10Y                | 04504 | 1901-1260 | IRFBC42-003     | 03038 | 1855-0786 | LM3018AH              | 03406 | 1858-0045 |
| GP30B                | 02713 | 1901-1135 | IRFBE20         | 03038 | 1855-0777 | LM3046M               | 03406 | 1858-0123 |
| GX55220A             | 03287 | 1854-0869 | IRFBE20-003     | 03038 | 1855-0781 | LM3146M               | 03406 | 1858-0145 |
| H1601-1.5            | 05088 | 1901-1251 | IRFD110         | 03038 | 1855-0502 | LM394                 | 03406 | 1854-0830 |
| H1651-12             | 05088 | 1901-1197 | IRFD110         | 03038 | 1855-0518 | LM394BN               | 03406 | 1854-1199 |
| H2745-9              | 05088 | 1901-0974 | IRFD113         | 03038 | 1855-0520 | LS352                 | 13127 | 1853-0316 |
| H617                 | 05088 | 1901-0768 | IRFD120         | 02883 | 1855-0709 | LT1839-1              | 04507 | 1854-1029 |
| HI3-0302-5           | 03171 | 1901-0001 | IRFD123         | 02883 | 1855-0729 | LT5239                | 04507 | 1853-0583 |
| HMF-0310-100         | 03799 | 1855-0719 | IRFD210         | 03038 | 1855-0712 | LVA 456A              | 04507 | 1902-1352 |
| HMF-0620             | 03799 | 1855-0714 | IRFD420         | 03038 | 1855-0551 | LVA43A                | 04507 | 1902-0906 |
| HP-4                 | 05176 | 1854-0747 | IRFD9020        | 03038 | 1855-0832 | LVA56A                | 04507 | 1902-0905 |
| HPND-0001            | 02062 | 1901-1317 | IRFD9120        | 03038 | 1855-0500 | LVA68A                | 04507 | 1902-0907 |
| HPND-4028            | 02062 | 1900-0249 | IRFD9120        | 03038 | 1855-0522 | M100                  | 02883 | 1855-0427 |
| HSCH-1001            | 02062 | 1901-0841 | IRFD9123        | 03038 | 1855-0567 | M2X1282               | 08852 | 1900-0223 |
| HSCH-3486            | 02062 | 1901-0883 | IRFD9210        | 03038 | 1855-0711 | M2X1527               | 08852 | 1900-0232 |
| HSCH-5312            | 02062 | 1900-0071 | IRFF123         | 02883 | 1855-0580 | M2X1569               | 08852 | 1900-0234 |
| HSCH-5316            | 02062 | 1901-1102 | IRFF131         | 03038 | 1855-0646 | M2X1577               | 08852 | 1900-0236 |
| HSCH-5330            | 02062 | 1900-0206 | IRFF210         | 03038 | 1855-0521 | M2X1625               | 08852 | 1900-0241 |
| HSCH-5336 (SELECTED) | 02062 | 1900-0076 | IRFF210         | 03038 | 1855-0797 | M4X1055               | 08852 | 1900-0226 |
| HSCH-5510            | 02062 | 1900-0035 | IRFP140         | 03038 | 1855-0755 | M5911                 | 02883 | 1855-0739 |
| HSCH-5512            | 02062 | 1900-0070 | IRFP150         | 03038 | 1855-0792 | M5X1365               | 08852 | 1900-0247 |
| HSCH-6332            | 02062 | 1900-0065 | IRFP250         | 04550 | 1855-0691 | MA-40035              | 02788 | 1900-0041 |
| HSCH-9101            | 02062 | 1900-0251 | IRFP450         | 03038 | 1855-0682 | MA-40402L             | 02788 | 1900-0040 |
| HSMP-3830-T30        | 02062 | 1900-0096 | IRFP9140        | 03038 | 1855-0756 | MA-4P203-287          | 05695 | 1900-0047 |
| HSMP3800             | 02062 | 1900-0100 | IRFPF40         | 03038 | 1855-0833 | MA4E202L              | 02788 | 1906-0285 |
| HSMS-0002            | 02062 | 1901-1247 | IRFR010         | 03038 | 1855-0773 | MA4P485               | 02788 | 1900-0045 |
| HSMS-0003            | 02062 | 1900-0240 | IRFR020         | 03038 | 1855-0811 | MA4P550               | 02788 | 1900-0201 |
| HSMS-2800            | 02062 | 1900-0078 | IRFR110         | 03038 | 1855-0732 | MAD1108P              | 02037 | 1906-0344 |
| HSMS-2805            | 02062 | 1900-0245 | IRFR120         | 03038 | 1855-0759 | MAD130P               | 02037 | 1906-0312 |
| HSMS-2808            | 02062 | 1900-0205 | IRFR210         | 03038 | 1855-0749 | MAT-01GH              | 02180 | 1854-0712 |
| HSMS-2812            | 02062 | 1900-0091 | IRFR9010        | 03038 | 1855-0810 | MAT-02EH              | 02180 | 1854-1181 |
| HSMS-2813            | 02062 | 1900-0220 | IRFR9020        | 03038 | 1855-0748 | MAT-02FH              | 02180 | 1854-1109 |
| HSMS-2814 #T31       | 02062 | 1900-0239 | IRFR9120        | 03038 | 1855-0758 | MAT04EY               | 02180 | 1858-0138 |
| HSMS-2818-#8         | 02062 | 1900-0221 | IRFR9210        | 03038 | 1855-0774 | MAT04FP               | 02180 | 1858-0110 |
| HSMS-2822            | 02062 | 1900-0217 | IRFZ22          | 03038 | 1855-0683 | MB106                 | 02537 | 1906-0369 |
| HSMS-2823            | 02062 | 1900-0224 | IRFZ40          | 03038 | 1855-0694 | MB351                 | 12810 | 1906-0391 |
| HSMS-2825            | 02062 | 1900-0202 | IRLZ34          | 03038 | 1855-0815 | MB4V70                | 02037 | 1906-0336 |
| HSMS2810             | 02062 | 1900-0074 | IT110           | 03714 | 1855-0406 | MB4V74                | 02037 | 1906-0335 |
| HSMS2820             | 02062 | 1900-0072 | IT110           | 03714 | 1855-0625 | MB4V99                | 02037 | 1906-0291 |
| HSMS2824             | 02062 | 1900-0216 | IT120A-T071     | 03714 | 1854-0957 | MB4W56                | 02037 | 1906-0290 |
| HXTR-2101            | 02062 | 1854-0863 | IT130-T071      | 03714 | 1853-0635 | MB4W56                | 02037 | 1901-1145 |
| HXTR-3001            | 02062 | 1854-1238 | IT1700          | 03714 | 1855-0098 | MBD201                | 02037 | 1900-0250 |
| HXTR-3101            | 02062 | 1854-0944 | IT1750          | 03714 | 1855-0535 | MBD501                | 02037 | 1901-1213 |
| HXTR-3102            | 02062 | 1854-1093 | IT500           | 03714 | 1855-0434 | MBD5300               | 02037 | 1901-1078 |
| HXTR-3675            | 02062 | 1854-1033 | ITS1015(SEL)    | 03714 | 1854-0992 | MBD5500A              | 02037 | 1901-0661 |
| HXTR-5002            | 02062 | 1854-0825 | ITS4066         | 01973 | 1855-0442 | MBI-101               | 02037 | 1901-0760 |
| HXTR-5002            | 02062 | 1854-0862 | ITT600          | 04486 | 1901-0703 | MBR-3535              | 02037 | 1901-0860 |
| HXTR-5102            | 02062 | 1854-1123 | IVN5001ANF      | 03714 | 1855-0431 | MBR030                | 02037 | 1901-1297 |
| HXTR-5104            | 02062 | 1854-0878 | IVN5201TNF      | 03714 | 1855-0489 | MBR1060               | 02037 | 1901-0986 |
| HXTR-6105            | 02062 | 1854-0864 | J107            | 02883 | 1855-0445 | MBR1535CT             | 02037 | 1906-0276 |
| IC914                | 02037 | 1901-1285 | J108            | 03406 | 1855-0424 | MBR1540               | 02037 | 1901-1095 |
| ICTE-12              | 03287 | 1902-0941 | J112            | 02883 | 1855-0446 | MBR1645               | 02037 | 1901-1152 |
| ID101                | 03714 | 1906-0268 | J175            | 02883 | 1855-0574 | MBR20045CT            | 02037 | 1906-0307 |
| IN401A               | 03714 | 1858-0066 | J177            | 02883 | 1855-0289 | MBR2035CT             | 02037 | 1906-0286 |
| IN4690               | 02037 | 1902-1431 | J2472           | 02883 | 1855-0298 | MBR2545CT             | 02037 | 1906-0292 |
| IN5365B              | 02037 | 1902-1345 | J270            | 03406 | 1855-0437 | MBR3035CT             | 02037 | 1906-0267 |
| IR5062               | 03038 | 1854-0804 | J2976 TR-6      | 02883 | 1855-0793 | MBR3045PT             | 02037 | 1906-0360 |
| IRCS30               | 03038 | 1855-0735 | J304            | 03406 | 1855-0425 | MBR340                | 02037 | 1901-1303 |
| IRF045               | 03038 | 1855-0775 | J304(SEL)       | 03406 | 1855-0554 | MBR340P               | 02037 | 1901-0877 |
| IRF120               | 03038 | 1855-0531 | J309            | 02883 | 1855-0268 | MBR3545               | 02037 | 1901-0912 |
| IRF130               | 03038 | 1855-0494 | JAN TXV 1N825   | 02037 | 1902-0973 | MBR745                | 02037 | 1901-1173 |
| IRF140               | 02037 | 1855-0618 | JAN TXV 2N2222A | 02037 | 1854-0829 | MBRD320               | 02037 | 1901-1257 |
| IRF150               | 03038 | 1855-0508 | JANTXV1N750A    | 02237 | 1902-0697 | MBRD330               | 02037 | 1901-1268 |
| IRF250               | 03038 | 1855-0562 | JANTXV 1N4148-1 | 02237 | 1901-1101 | MBRD350               | 02037 | 1901-1283 |
| IRF431               | 03038 | 1855-0454 | JANTXV2N3251A   | 02037 | 1853-0477 | MBRD650CT             | 02037 | 1906-0367 |
| IRF440               | 03038 | 1855-0536 | JPAD20          | 02883 | 1901-1181 | MBRL030-T1            | 02037 | 1901-1204 |
| IRF510               | 03038 | 1855-0561 | JTX2907A        | 02037 | 1853-0290 | MBRS140T3             | 02037 | 1901-1332 |
| IRF512               | 03038 | 1855-0549 | KBF06           | 02713 | 1906-0233 | MC1107P               | 02037 | 1906-0229 |
| IRF513               | 03038 | 1855-0589 | KBL08           | 04504 | 1906-0366 | MC1411                | 02037 | 1858-0089 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC              | Mfr.  | HPP/N     | JEDEC              | Mfr.  | HP P/N    | JEDEC               | Mfr.  | HP P/N    |
|--------------------|-------|-----------|--------------------|-------|-----------|---------------------|-------|-----------|
| MC3346D            | 02037 | 1858-0131 | MJE2361-T          | 02037 | 1854-0749 | MMBF5459            | 03406 | 1855-0753 |
| MD1130             | 02037 | 1853-0529 | MJE241             | 02037 | 1854-0808 | MMBF5460L           | 02037 | 1855-0828 |
| MD1132             | 02037 | 1854-1035 | MJE243             | 02037 | 1854-0794 | MMBFJ175            | 03406 | 1855-0731 |
| MD2252             | 02037 | 1854-0222 | MJE244             | 02037 | 1854-0754 | MMBFJ176            | 03406 | 1855-0746 |
| MD2369A            | 02037 | 1854-1016 | MJE251             | 02037 | 1853-0458 | MMBFU310            | 02037 | 1855-0681 |
| MD4260             | 02037 | 1853-0589 | MJE253             | 02037 | 1853-0447 | MMBR4957            | 02037 | 1853-0620 |
| MD6002             | 02037 | 1853-0663 | MJE2801K           | 02037 | 1854-0640 | MMBR5031            | 02037 | 1854-1201 |
| MD918A             | 02037 | 1854-1010 | MJE2801T           | 02037 | 1854-0819 | MMBR5179            | 02037 | 1854-1083 |
| MDA 990-3          | 02037 | 1906-0017 | MJE2901T           | 02037 | 1853-0547 | MMBR536             | 02037 | 1853-0705 |
| MDA-104            | 02037 | 1906-0094 | MJE3302            | 02037 | 1854-0886 | MMBR571             | 02037 | 1854-1246 |
| MDA202G            | 02037 | 1906-0096 | MJE371K            | 02037 | 1853-0369 | MMBR901             | 02037 | 1854-1108 |
| MDA202G            | 02037 | 1906-0351 | MJE371K            | 02037 | 1853-0634 | MMBR920             | 02037 | 1854-1231 |
| MDA208             | 02037 | 1906-0219 | MJE371K (SELECTED) | 02037 | 1853-0450 | MMBR931             | 02037 | 1854-1027 |
| MDA2500            | 02037 | 1906-0008 | MJE5191            | 02037 | 1854-0682 | MMBT2222A           | 02037 | 1854-1053 |
| MDA2502            | 02037 | 1906-0007 | MJE5192            | 02037 | 1854-0654 | MMBT2369            | 02037 | 1854-1095 |
| MDA2504            | 02037 | 1906-0222 | MJE5195            | 02037 | 1853-0372 | MMBT2907A           | 02037 | 1853-0525 |
| MDA2506            | 02037 | 1906-0016 | MJE521K            | 02037 | 1854-0653 | MMBT3640            | 02037 | 1853-0706 |
| MDA2506            | 02037 | 1906-0224 | MJE521K            | 02037 | 1854-1127 | MMBT3904            | 02037 | 1854-1037 |
| MDA3500            | 02037 | 1906-0221 | MJE5657            | 02037 | 1854-0736 | MMBT3906            | 02037 | 1853-0567 |
| MDA3501            | 02037 | 1906-0093 | MJE5740            | 02037 | 1854-1204 | MMBT4124T1          | 02037 | 1854-1138 |
| MDA3502            | 02037 | 1906-0266 | MJE5850            | 02037 | 1853-0584 | MMBT4126            | 02037 | 1853-0645 |
| MDA3504            | 02037 | 1906-0212 | MJE5852            | 02037 | 1853-0657 | MMBT4260            | 02037 | 1853-0637 |
| MDA3506            | 02037 | 1906-0217 | MJE6043            | 02037 | 1854-0879 | MMBT4401            | 03406 | 1854-1188 |
| MDA920A5           | 02037 | 1901-0365 | MJE700             | 02037 | 1853-0347 | MMBT4403            | 02037 | 1853-0580 |
| MDA922-3           | 02037 | 1906-0028 | MJE701             | 02037 | 1853-0364 | MMBT5087            | 02037 | 1853-0568 |
| MDA922-6           | 02037 | 1906-0027 | MJE800             | 02037 | 1854-0581 | MMBT5088T1          | 02037 | 1854-1137 |
| MDA970A2           | 02037 | 1901-0638 | MJE800             | 02037 | 1854-0633 | MMBT5401            | 02037 | 1853-0581 |
| MDA970A2           | 02037 | 1906-0258 | MJE802             | 02037 | 1854-0626 | MMBT5550            | 02037 | 1854-1052 |
| MDA980-3           | 02037 | 1906-0032 | MJE8501            | 02037 | 1854-1223 | MMBT5551L           | 02037 | 1854-1248 |
| MDA980-6           | 02037 | 1906-0049 | MJH16010A          | 02037 | 1854-1219 | MMBT6429            | 02037 | 1854-1014 |
| MDA990-2           | 02037 | 1906-0058 | MJH16012           | 02037 | 1854-1222 | MMBT918             | 02037 | 1854-0929 |
| MDS60              | 02037 | 1853-0539 | MLL4003T1          | 02037 | 1901-1161 | MMBTA06             | 02037 | 1854-1200 |
| MFE3004            | 02037 | 1855-0272 | MLL5221            | 02037 | 1902-1441 | MMBTA55             | 02037 | 1853-0566 |
| MFE930             | 02037 | 1855-0754 | MLL5223            | 02037 | 1902-1442 | MMBTA56             | 02037 | 1853-0684 |
| MFQ960C            | 02037 | 1855-0651 | MLL5225            | 02037 | 1902-1443 | MMBTH10             | 02037 | 1854-1148 |
| MFR961             | 02037 | 1854-0980 | MLL5226            | 02037 | 1902-1444 | MMBTH24             | 02037 | 1854-1102 |
| MHQ2221            | 02037 | 1858-0009 | MLL5227            | 02037 | 1902-1445 | MMBTH81             | 02037 | 1853-0516 |
| MHQ918             | 02037 | 1858-0094 | MLL5228            | 02037 | 1902-1446 | MMBV3401            | 02037 | 1901-1180 |
| MJ10006            | 02037 | 1854-0948 | MLL5229            | 02037 | 1902-1447 | MMBV3401            | 02037 | 1901-1192 |
| MJ11012            | 02037 | 1854-0845 | MLL5230            | 02037 | 1902-1448 | MMBZ5230            | 02037 | 1902-1524 |
| MJ11015            | 02037 | 1853-0501 | MLL5231            | 02037 | 1902-1449 | MMBZ5231            | 02037 | 1902-1501 |
| MJ11016            | 02037 | 1854-0887 | MLL5232            | 02037 | 1902-1450 | MMBZ5232B           | 02037 | 1902-1436 |
| MJ11021            | 02037 | 1853-0524 | MLL5234            | 02037 | 1902-1451 | MMBZ5232B           | 02037 | 1902-1555 |
| MJ12003            | 02037 | 1854-0941 | MLL5235            | 02037 | 1902-1452 | MMBZ5234B           | 02037 | 1902-1567 |
| MJ12004            | 02037 | 1854-0964 | MLL5236            | 02037 | 1902-1453 | MMBZ5237BT1         | 02037 | 1902-1559 |
| MJ12005            | 02037 | 1854-0969 | MLL5237            | 02037 | 1902-1454 | MMBZ5241B           | 02037 | 1902-1437 |
| MJ12005 (SELECTED) | 02037 | 1854-0983 | MLL5239B           | 02037 | 1902-1455 | MMBZ5257B           | 02037 | 1902-1535 |
| MJ12010            | 02037 | 1854-0906 | MLL5240            | 02037 | 1902-1456 | MMCS2369            | 02037 | 1854-0752 |
| MJ13091            | 02037 | 1854-1060 | MLL5241            | 02037 | 1902-1457 | MMD7000             | 02037 | 1906-0026 |
| MJ14000            | 02037 | 1854-1056 | MLL5242            | 02037 | 1902-1458 | MMD830-E20          | 08852 | 1900-0050 |
| MJ15003            | 02037 | 1854-0989 | MLL5243            | 02037 | 1902-1459 | MMD830-E20 SELECTED | 08852 | 1900-0080 |
| MJ16002 (SELECTED) | 02037 | 1854-0984 | MLL5245            | 02037 | 1902-1460 | MMFPQ-3906          | 02037 | 1858-0114 |
| MJ16012            | 02037 | 1854-1015 | MLL5246            | 02037 | 1902-1461 | MMFPQ2222A          | 02037 | 1858-0112 |
| MJ16018            | 02037 | 1854-1071 | MLL5250            | 02037 | 1902-1463 | MMFPQ2369           | 02037 | 1858-0143 |
| MJ2500             | 02037 | 1853-0387 | MLL5251            | 02037 | 1902-1464 | MMFPQ2907A          | 02037 | 1858-0113 |
| MJ3000             | 02037 | 1854-0618 | MLL5252            | 02037 | 1902-1465 | MMFPQ3799           | 02037 | 1858-0122 |
| MJ3772             | 02037 | 1854-0589 | MLL5254            | 02037 | 1902-1466 | MMFPQ3904           | 02037 | 1858-0120 |
| MJ4035             | 02037 | 1854-0707 | MLL5256            | 02037 | 1902-1467 | MMFPQ6001           | 02037 | 1858-0129 |
| MJ4645             | 02037 | 1853-0348 | MLL5257            | 02037 | 1902-1468 | MMFPQ6700           | 02037 | 1858-0139 |
| MJ6503             | 02037 | 1853-0713 | MLL5258            | 02037 | 1902-1469 | MMT3960A            | 02037 | 1854-0587 |
| MJ8505             | 02037 | 1854-0965 | MLL5259            | 02037 | 1902-1470 | MP312-78-69         | 07050 | 1854-1046 |
| MJD112             | 02037 | 1854-1190 | MLL5260            | 02037 | 1902-1471 | MP318-52-62         | 07050 | 1854-0753 |
| MJD117             | 02037 | 1853-0643 | MLL5261            | 02037 | 1902-1472 | MP833-1004          | 07050 | 1855-0515 |
| MJD122             | 02037 | 1854-1215 | MLL5262            | 02037 | 1902-1473 | MPD200              | 01973 | 1901-0866 |
| MJD127             | 02037 | 1853-0697 | MLL5263            | 02037 | 1902-1474 | MPD400              | 01973 | 1901-1034 |
| MJD350             | 02037 | 1853-0701 | MLL5265            | 02037 | 1902-1475 | MPF6660             | 02037 | 1855-0675 |
| MJD42C             | 02037 | 1853-0704 | MLL5266            | 02037 | 1902-1476 | MPF960              | 02037 | 1855-0594 |
| MJD44H11           | 02037 | 1854-1173 | MLL5267            | 02037 | 1902-1477 | MPN3401             | 02037 | 1901-0844 |
| MJD44H11-1         | 02037 | 1854-1236 | MLL5268            | 02037 | 1902-1478 | MPN3404 RLRA        | 02037 | 1901-1298 |
| MJD45H11           | 02037 | 1853-0655 | MLL5270            | 02037 | 1902-1479 | MPN3500             | 02037 | 1901-0975 |
| MJD45H11-1         | 02037 | 1853-0711 | MM3007             | 02037 | 1854-1255 | MPQ2222P            | 02037 | 1858-0077 |
| MJD47              | 02037 | 1854-1172 | MM3904             | 02037 | 1854-0883 | MPQ2369             | 02037 | 1858-0055 |
| MJE 210            | 02037 | 1853-0398 | MM3906             | 02037 | 1853-0276 | MPQ2369             | 02037 | 1858-0100 |
| MJE 2370           | 02037 | 1853-0394 | MM4018             | 02037 | 1853-0440 | MPQ2484             | 02037 | 1858-0091 |
| MJE 253            | 02037 | 1853-0417 | MM4032             | 02037 | 1853-0489 | MPQ2966             | 02037 | 1858-0010 |
| MJE-13009          | 02037 | 1854-0827 | MM4645             | 02037 | 1853-0308 | MPQ2907P            | 02037 | 1858-0076 |
| MJE1090            | 02037 | 1853-0334 | MM5262             | 02037 | 1854-0802 | MPQ3546             | 02037 | 1858-0075 |
| MJE1091            | 02037 | 1853-0332 | MM8001             | 02037 | 1854-0580 | MPQ3725             | 02037 | 1858-0034 |
| MJE12007           | 02037 | 1854-0847 | MM8006             | 02037 | 1854-0540 | MPQ3762             | 02037 | 1858-0062 |
| MJE13003           | 02037 | 1854-0996 | MMAD1107           | 02037 | 1906-0375 | MPQ3798             | 02037 | 1858-0071 |
| MJE13005           | 02037 | 1854-1134 | MMAD1108           | 02037 | 1906-0382 | MPQ3799             | 02037 | 1858-0092 |
| MJE15030           | 02037 | 1854-0920 | MMAD1130           | 02037 | 1906-0378 | MPQ3799-2           | 02037 | 1858-0111 |
| MJE15030           | 02037 | 1854-1161 | MMBC1321Q5         | 02037 | 1854-1020 | MPQ3904             | 02037 | 1858-0087 |
| MJE15031           | 02037 | 1853-0652 | MMBD101L           | 02037 | 1900-0037 | MPQ3906             | 02037 | 1858-0058 |
| MJE1661            | 02037 | 1854-0768 | MMBD352            | 02037 | 1900-0039 | MPQ6002             | 02037 | 1858-0090 |
| MJE170             | 02037 | 1853-0436 | MMBD501            | 02037 | 1901-1343 | MPQ6100             | 02037 | 1858-0074 |
| MJE172             | 02037 | 1853-0341 | MMBD6050           | 02037 | 1901-1142 | MPQ6426             | 02037 | 1858-0102 |
| MJE180             | 02037 | 1854-0659 | MMBD7000           | 02037 | 1906-0298 | MPQ6700             | 02037 | 1858-0086 |
| MJE182             | 02037 | 1854-0585 | MMBD914XT1         | 02037 | 1901-1228 | MPQ6842             | 02037 | 1820-1804 |
| MJE200             | 02037 | 1854-0739 | MMBF4391           | 02037 | 1855-0680 | MPQ7041             | 02037 | 1858-0107 |
| MJE2100            | 02037 | 1854-0701 | MMBF4392           | 03406 | 1855-0752 | MPQ7051             | 02037 | 1858-0106 |
| MJE2102            | 02037 | 1854-0647 | MMBF4393           | 02037 | 1855-0715 | MPQ7091             | 02037 | 1858-0088 |
| MJE220             | 02037 | 1854-0735 | MMBF4393 (SEL)     | 02037 | 1855-0695 | NPS 6523            | 02037 | 1853-0043 |
| MJE223             | 02037 | 1854-0692 | MMBF4416           | 02037 | 1855-0799 | NPS A12             | 02037 | 1854-0560 |
| MJE233             | 02037 | 1853-0367 | MMBF4416L          | 02037 | 1855-0480 | NPS A18             | 02037 | 1854-0691 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC            | Mfr.  | HP P/N    | JEDEC                    | Mfr.  | HP P/N    | JEDEC               | Mfr.  | HP P/N    |
|------------------|-------|-----------|--------------------------|-------|-----------|---------------------|-------|-----------|
| MPS U-10         | 02037 | 1854-0764 | MR826                    | 02037 | 1901-1256 | MURS140T3           | 02037 | 1901-1335 |
| MPS U-60         | 02037 | 1853-0423 | MR850                    | 02037 | 1901-0789 | MX-2844             | 08852 | 1900-0082 |
| MPS-404A         | 02037 | 1853-0217 | MR852                    | 02037 | 1901-0692 | MX-2860             | 08852 | 1900-0084 |
| MPS-A14          | 02037 | 1854-0472 | MR854                    | 02037 | 1901-0719 | MX1098              | 08852 | 1901-0977 |
| MPS-A14          | 02037 | 1854-0977 | MR856                    | 02037 | 1901-1087 | MX1735              | 08852 | 1900-0048 |
| MPS-A17          | 02037 | 1854-0642 | MR862R                   | 02037 | 1901-1122 | MX3141              | 08852 | 1900-0095 |
| MPS-A18          | 02037 | 1854-0583 | MR881R                   | 02037 | 1901-1035 | MX3785              | 08852 | 1900-0203 |
| MPS-A42          | 02037 | 1854-0575 | MRF0211                  | 02037 | 1854-1221 | MX3993              | 08852 | 1900-0207 |
| MPS-A64          | 02037 | 1853-0416 | MRF5211                  | 02037 | 1853-0689 | MXR5583             | 02037 | 1853-0610 |
| MPS-A70          | 02037 | 1853-0395 | MRF5311 (SEL)            | 02037 | 1854-1168 | MXR5943             | 02037 | 1854-1100 |
| MPS-H17          | 02037 | 1854-0628 | MRF544                   | 02037 | 1854-1114 | MXT2222A            | 02037 | 1854-1094 |
| MPS-U01          | 02037 | 1854-0634 | MRF545                   | 02037 | 1853-0625 | MXT2907A            | 02037 | 1853-0609 |
| MPS-U02          | 02037 | 1854-0514 | MRF5583                  | 02037 | 1853-0718 | MXT3904             | 02037 | 1854-1101 |
| MPS-U02          | 02037 | 1854-0836 | MRF5711 (SEL)            | 02037 | 1854-1042 | MXT3906             | 02037 | 1853-0613 |
| MPS-U05          | 02037 | 1854-0817 | MRF5711L                 | 02037 | 1854-1125 | MZ2361              | 02037 | 1901-1196 |
| MPS-U07          | 02037 | 1854-0877 | MRF580A                  | 02037 | 1854-1143 | MZ5556              | 02037 | 1902-0916 |
| MPS-U45          | 02037 | 1854-0798 | MRF581                   | 02037 | 1854-1022 | MZC10A5             | 02037 | 1902-1547 |
| MPS-U51          | 02037 | 1853-0326 | MRF581                   | 02037 | 1854-1032 | MZC12A5             | 02037 | 1902-1586 |
| MPS-U52          | 02037 | 1853-0476 | MRF581 (MOD)             | 02037 | 1854-1184 | MZC4.7A10           | 02037 | 1902-1480 |
| MPS-U55          | 02037 | 1853-0353 | MRF581A                  | 02037 | 1854-1225 | MZC5.6B2            | 02037 | 1902-0990 |
| MPS-U95          | 02037 | 1853-0449 | MRF586                   | 02037 | 1854-1175 | MZC6.2A5            | 02037 | 1902-1581 |
| MPS2222          | 02037 | 1854-1227 | MRF587                   | 02037 | 1854-1047 | MZT4554B            | 02037 | 1902-1505 |
| MPS2369          | 02037 | 1854-0979 | MRF5943                  | 02037 | 1854-1253 | ND946               | 04200 | 1906-0092 |
| MPS2907A         | 02037 | 1853-0626 | MRF604                   | 02037 | 1854-1159 | NE-41635            | 00039 | 1854-1008 |
| MPS3640          | 02037 | 1853-0244 | MRF630                   | 02037 | 1854-0990 | NE02133L            | 00039 | 1854-1091 |
| MPS3643          | 02037 | 1854-0492 | MRF839                   | 02037 | 1854-1228 | NE02135             | 00039 | 1854-0946 |
| MPS3646          | 02037 | 1854-0094 | MRF870                   | 02037 | 1854-1149 | NE21935             | 00039 | 1854-1009 |
| MPS3646          | 02037 | 1854-1141 | MRF904                   | 02037 | 1854-0890 | NE21935             | 00039 | 1854-1044 |
| MPS3666          | 02037 | 1854-1252 | MRF911                   | 02037 | 1854-1178 | NE64535             | 06039 | 1854-1002 |
| MPS4250A         | 02037 | 1853-0587 | MRF9411                  | 02037 | 1854-1226 | NE68135             | 00039 | 1854-1111 |
| MPS4356          | 02237 | 1853-0488 | MRF962                   | 02037 | 1854-1092 | NET10-00 20-50MA    | 00039 | 1855-0795 |
| MPS5179          | 02037 | 1854-0981 | MRF965                   | 02037 | 1854-1107 | NET1000             | 00039 | 1855-0569 |
| MPS571           | 02037 | 1854-1142 | MRF965                   | 02037 | 1854-0849 | NET1084-06          | 00039 | 1855-0636 |
| MPS6531          | 02037 | 1854-0730 | MSD 6150                 | 02037 | 1906-0042 | NET1084-08          | 00039 | 1855-0770 |
| MPS6534          | 02037 | 1853-0536 | MSD6101                  | 02037 | 1901-0358 | NET20-00 (SELECTED) | 00039 | 1855-0794 |
| MPS6543          | 02037 | 1854-1140 | MSD6101                  | 02037 | 1906-0388 | NET2084             | 00039 | 1855-0769 |
| MPS6543 SELECTED | 02037 | 1854-0296 | MSD6150                  | 02037 | 1901-0538 | NET3416D            | 00039 | 1854-1066 |
| MPS6562          | 02037 | 1853-0318 | MSS-30,254-B20           | 08852 | 1900-0075 | NE800199            | 00039 | 1855-0637 |
| MPS8098          | 02037 | 1854-0973 | MSS-40,155-E20           | 08852 | 1900-0054 | NE85633             | 00039 | 1854-1089 |
| MPS834           | 02037 | 1854-0866 | MSS-40,455-B40           | 08852 | 1900-0211 | NEY0115             | 00039 | 1853-0578 |
| MPSA18RLRA1      | 02037 | 1854-1179 | MSS40,141-B10 SELECTED   | 08852 | 1900-0085 | NEL2301-53          | 00039 | 1854-1170 |
| MPSA27           | 02037 | 1854-1202 | MSS50-248-B20            | 08852 | 1900-0227 | NS3000              | 02619 | 1901-0663 |
| MPSA44RLRA1      | 02037 | 1854-1167 | MTD10N05E                | 02037 | 1855-1260 | NS65098             | 03406 | 1853-0218 |
| MPSA55           | 02037 | 1853-0608 | MTD10N05E-1              | 02037 | 1855-0782 | NS1D5292SF52064     | 03406 | 1855-0053 |
| MPSA64-5         | 02037 | 1853-0716 | MTD2955                  | 02037 | 1855-0801 | NSR8142             | 02537 | 1906-0227 |
| MPSA65           | 02037 | 1853-0412 | MTD3055SEL               | 02037 | 1855-0800 | P6KE18A             | 02037 | 1901-1327 |
| MPSA76           | 02037 | 1853-0572 | MTD4P05-1                | 02037 | 1855-0778 | P6KE7.5CA           | 02037 | 1901-1304 |
| MPSA92           | 02037 | 1853-0336 | MTD4P06-1                | 02037 | 1855-0784 | PAD5                | 02883 | 1901-0842 |
| MPSH10           | 02037 | 1854-0795 | MTD5N05-1                | 02037 | 1855-0776 | PD60                | 05131 | 1906-0372 |
| MPSH10           | 02037 | 1854-0993 | MTI13N50                 | 02037 | 1855-0787 | PF5101 (SELECTED)   | 03406 | 1855-0529 |
| MPSH10           | 02037 | 1854-1139 | MTI25P06                 | 02037 | 1855-0804 | PI0900C             | 00046 | 1858-0095 |
| MPSH54           | 02037 | 1853-0662 | MTI8N60                  | 02037 | 1855-0767 | PK10                | 05131 | 1906-0203 |
| MPSH81           | 02037 | 1853-0448 | MTI10N15 SELECTED        | 02037 | 1855-0490 | PMLL5231B           | 03334 | 1902-1587 |
| MPSH81           | 02037 | 1853-0639 | MTI10N15                 | 02037 | 1855-0495 | PN3563-5            | 03406 | 1854-0092 |
| MPSW01           | 02037 | 1854-1064 | MTI12N06                 | 02037 | 1855-0593 | PN4250              | 02237 | 1853-0664 |
| MPSW06           | 02037 | 1854-0997 | MTI15N50                 | 02037 | 1855-0478 | PN4250-18           | 02237 | 1853-0641 |
| MPSW51           | 02037 | 1853-0660 | MTI2N50                  | 02037 | 1855-0814 | PN4888-5            | 03406 | 1853-0456 |
| MPSW55           | 02037 | 1853-0559 | MTI2P50                  | 02037 | 1855-0527 | FU4220              | 08709 | 1858-0117 |
| MPSW56           | 02037 | 1853-0552 | MTI3N35                  | 02037 | 1855-0705 | PXT4401             | 03334 | 1854-1218 |
| MPTE-15          | 03287 | 1901-1208 | MTI60N06                 | 02037 | 1855-0697 | PXT4403             | 03334 | 1853-0699 |
| MPTE-15C         | 03287 | 1901-1209 | MTP10N15L                | 02037 | 1855-0783 | QPN0-4313           | 02062 | 1901-1176 |
| MR1-1400         | 02037 | 1901-0885 | MTP10N25                 | 02037 | 1855-0673 | QPN0-4414           | 02062 | 1901-0947 |
| MR1033A          | 02037 | 1901-0411 | MTP12N06                 | 02037 | 1855-0542 | QPN0-4711           | 02062 | 1901-0776 |
| MR1035A          | 02037 | 1901-0413 | MTP12N20                 | 02037 | 1855-0563 | QPN0-4746           | 02062 | 1901-0826 |
| MR1120           | 02037 | 1901-0495 | MTP12P05                 | 02037 | 1855-0763 | QPN0-4965           | 02062 | 1901-0777 |
| MR1121           | 02037 | 1901-0496 | MTP15N05E                | 02037 | 1855-0660 | QSCH-3825           | 02062 | 1901-1194 |
| MR1121R          | 02037 | 1901-0592 | MTP1N100                 | 02037 | 1855-0664 | QSCH-5362           | 02062 | 1900-0235 |
| MR1122           | 02037 | 1901-0497 | MTP20P06                 | 02037 | 1855-0818 | QSCH-5872           | 02062 | 1900-0077 |
| MR1123           | 02037 | 1901-0498 | MTP2N90                  | 02037 | 1855-0497 | QSCH-8809           | 02062 | 1906-0355 |
| MR1123R          | 02037 | 1901-0630 | MTP3055E                 | 02037 | 1855-0725 | QSCH1186            | 02062 | 1901-0895 |
| MR1124           | 02037 | 1901-0499 | MTP3055SEL               | 02037 | 1855-0831 | QSCH1187            | 02062 | 1901-0996 |
| MR1125           | 02037 | 1901-0500 | MTP3N60                  | 02037 | 1855-0608 | QSMS-0038           | 02062 | 1900-0213 |
| MR1126           | 02037 | 1901-0551 | MTP4N50                  | 02037 | 1855-0607 | QSRD-4652           | 02062 | 1901-0457 |
| MR1128           | 02037 | 1901-0552 | MTP5N40                  | 02037 | 1855-0606 | QSRD-4653           | 02062 | 1901-0189 |
| MR2004S          | 02037 | 1901-0825 | MUR105                   | 02037 | 1901-1129 | QSRD-4728           | 02062 | 1901-0802 |
| MR2004SR         | 02037 | 1901-0824 | MUR1100E                 | 02037 | 1901-1318 | QXTR-6999           | 02062 | 1854-0861 |
| MR2400           | 02037 | 1901-0978 | MUR115                   | 02037 | 1901-0970 | QXTR-7037           | 02062 | 1854-1189 |
| MR2401           | 02037 | 1901-1294 | MUR120RL                 | 02037 | 1901-1306 | R3270               | 02688 | 1901-0325 |
| MR2406           | 02037 | 1901-1121 | MUR140                   | 02037 | 1901-1244 | R3710               | 02688 | 1901-0729 |
| MR2406F          | 02037 | 1901-1137 | MUR1510                  | 02037 | 1901-1189 | R711XE              | 05088 | 1906-0242 |
| MR501            | 02037 | 1901-1081 | MUR1560                  | 02037 | 1901-1302 | R712                | 05088 | 1906-0231 |
| MR502            | 02037 | 1901-0870 | MUR160                   | 02037 | 1901-1214 | R712A               | 05088 | 1906-0236 |
| MR504            | 02037 | 1901-1000 | MUR1620CT                | 02037 | 1906-0321 | R712E               | 05088 | 1906-0088 |
| MR508            | 02037 | 1901-0889 | MUR1620CT OPTION TO220-C | 02037 | 1906-0338 | R712X               | 05088 | 1906-0271 |
| MR510            | 02037 | 1901-0839 | MUR1640CT                | 02037 | 1906-0373 | R754                | 05088 | 1906-0067 |
| MR751            | 02037 | 1901-0662 | MUR3020PT                | 02037 | 1906-0329 | RC60                | 05131 | 1901-0896 |
| MR752            | 02037 | 1901-0788 | MUR410                   | 02037 | 1901-1239 | RC9212A             | 01921 | 1855-0512 |
| MR754            | 02037 | 1901-0767 | MUR4100                  | 02037 | 1901-1233 | RCP-703C            | 01921 | 1854-0639 |
| MR754            | 02037 | 1901-0781 | MUR415                   | 02037 | 1901-1216 | RDP06M              | 04504 | 1906-0362 |
| MR756            | 02037 | 1901-0787 | MUR460                   | 02037 | 1901-1199 | RFL1N06L            | 01921 | 1855-0595 |
| MR758            | 02037 | 1901-1188 | MUR860                   | 02037 | 1901-1130 | RFL1N08L            | 01921 | 1855-0619 |
| MR818            | 02037 | 1901-1148 | MUR880E                  | 02037 | 1901-1300 | RFL1N08L            | 01921 | 1855-0672 |
| MR820            | 02037 | 1901-1086 | MURC115                  | 02037 | 1901-1169 | RFP10N12            | 01921 | 1855-0565 |
| MR822RL          | 02037 | 1901-0685 | MURD610CT                | 02037 | 1906-0352 | RFP10N15            | 01921 | 1855-0676 |



# Transistor/Diode Cross Reference – JEDEC No. to HP P/N

| JEDEC             | Mfr.  | HPP/N     | JEDEC            | Mfr.  | HPP/N     | JEDEC          | Mfr.  | HPP/N     |
|-------------------|-------|-----------|------------------|-------|-----------|----------------|-------|-----------|
| RFP10P15          | 01921 | 1855-0674 | SSM-2210S        | 02180 | 1854-1251 | UES2605        | 00046 | 1906-0277 |
| RFP12N08          | 01921 | 1855-0677 | SST177           | 02883 | 1855-0733 | UES601R        | 00046 | 1901-0953 |
| RFP15N05L         | 01921 | 1855-0629 | SST215           | 02883 | 1855-0825 | UES803         | 00046 | 1901-1127 |
| RFP2N08L          | 01921 | 1855-0678 | SST5461          | 02883 | 1855-0785 | UES803R        | 00046 | 1901-0961 |
| RFP2N08L-6261     | 03799 | 1855-0821 | SST5912          | 02883 | 1855-0823 | UES804         | 00046 | 1901-0904 |
| RFP2N12L          | 01921 | 1855-0665 | SSTPAD200        | 02883 | 1901-1266 | UF4004         | 02713 | 1901-1149 |
| RFP4N06L          | 01921 | 1855-0708 | ST3011           | 06632 | 1854-0690 | UF4007         | 04504 | 1901-1313 |
| RFP5P12           | 01921 | 1855-0623 | STB523-A         | 01973 | 1901-0460 | UF5406         | 04504 | 1901-1274 |
| RFP6P08           | 01921 | 1855-0621 | STB567           | 00046 | 1901-0701 | ULN-2003A      | 04200 | 1858-0047 |
| RFP8P08           | 01921 | 1855-0617 | SK43             | 02664 | 1902-1385 | ULN-2003A(SEL) | 04200 | 1858-0099 |
| RGL41D            | 04504 | 1901-1281 | SZ0035-3RL       | 02037 | 1902-0945 | ULN-2004A      | 04200 | 1858-0061 |
| RGP-10M           | 02713 | 1901-0847 | SZ11213-48       | 02037 | 1902-0517 | ULN-2023A      | 04200 | 1858-0097 |
| RGP15-15          | 02713 | 1901-1237 | SZ2628RL         | 02037 | 1902-1593 | ULN-2033A      | 04200 | 1858-0067 |
| RGP15M            | 02713 | 1901-0997 | SZ30016-0176     | 02037 | 1902-0173 | ULN-2062M      | 04200 | 1858-0124 |
| RHC10-12          | 05131 | 1901-1309 | SZ30035-18RL     | 02037 | 1902-0960 | ULN-2803A      | 04200 | 1858-0069 |
| RKBP35-04         | 04504 | 1906-0383 | SZG30590         | 02037 | 1902-0584 | ULN-2804A      | 04200 | 1858-0082 |
| RF1000B           | 05131 | 1901-0763 | T1D778           | 00046 | 1901-0979 | ULN-2804A      | 04200 | 1858-0084 |
| RFR4-D-10         | 04504 | 1901-1311 | T1P-33           | 01698 | 1854-0594 | ULN-2805A      | 04200 | 1858-0073 |
| RUR810            | 01921 | 1901-0987 | T1P140           | 01698 | 1854-0663 | ULN-2813A      | 04200 | 1858-0072 |
| RUR810            | 01921 | 1901-1113 | TQ-10            | 05088 | 1901-0995 | ULN-2815A-2    | 04200 | 1858-0065 |
| RUR810            | 03799 | 1901-1314 | TID130           | 01698 | 1906-0202 | ULN2003D       | 02910 | 1858-0104 |
| RW04M             | 04504 | 1906-0076 | TIP 115          | 01698 | 1853-0377 | ULN2003L       | 04200 | 1858-0147 |
| S10925            | 02526 | 1901-1154 | TIP 141          | 01698 | 1854-0763 | ULN2082A       | 04200 | 1858-0037 |
| S17843            | 02237 | 1854-0022 | TIP-122          | 02037 | 1854-0828 | ULQ-2823A      | 04200 | 1858-0121 |
| S2F               | 02664 | 1901-0646 | TIP-126          | 01698 | 1853-0424 | ULQ2804A       | 04200 | 1858-0108 |
| S32248            | 02237 | 1853-0058 | TIP-127          | 02037 | 1853-0468 | UPA102G        | 00039 | 1858-0126 |
| S3710             | 02688 | 1901-0730 | TIP-34           | 01698 | 1853-0350 | UPA103G        | 00039 | 1858-0136 |
| S4F               | 02664 | 1901-0669 | TIP-35A          | 01698 | 1854-0593 | UPA104G        | 00039 | 1858-0125 |
| SA100CA           | 03287 | 1902-1522 | TIP-41           | 01698 | 1854-0625 | USD 745C       | 00046 | 1906-0265 |
| SA11A             | 03287 | 1902-1534 | TIP100           | 02037 | 1854-0840 | USD4545C       | 00046 | 1906-0386 |
| SA12              | 03287 | 1901-1338 | TIP102           | 01698 | 1854-0970 | USD840         | 00046 | 1901-1218 |
| SA13A             | 03287 | 1901-1288 | TIP105           | 02037 | 1853-0463 | USD945         | 00046 | 1901-1156 |
| SA13C             | 02037 | 1901-1282 | TIP106           | 01698 | 1853-0454 | V334X          | 05088 | 1901-0848 |
| SA15A             | 02037 | 1901-1328 | TIP107           | 02037 | 1853-0490 | V336X          | 05088 | 1901-0882 |
| SA5-0A            | 03287 | 1901-1337 | TIP110           | 01698 | 1854-0670 | V810X          | 05088 | 1901-1105 |
| SA617             | 01979 | 1850-0156 | TIP112           | 02037 | 1854-1023 | VCR2N          | 02883 | 1855-0265 |
| SAB 10            | 03287 | 1901-1263 | TIP122           | 02037 | 1854-1128 | VCR3P          | 02883 | 1855-0205 |
| SB160             | 02713 | 1901-1165 | TIP140           | 01698 | 1854-0700 | VE48           | 05088 | 1906-0006 |
| SB1660            | 02713 | 1906-0300 | TIP140           | 02037 | 1854-0880 | VG-2X          | 05088 | 1901-0845 |
| SB560             | 02713 | 1901-1163 | TIP142           | 02037 | 1854-0985 | VH-448X        | 12928 | 1906-0077 |
| SCAJ1             | 02664 | 1901-0526 | TIP145           | 02037 | 1853-0498 | VH148          | 05088 | 1906-0052 |
| SCAJ4             | 02664 | 1906-0055 | TIP147           | 02037 | 1853-0694 | VHE1404        | 05088 | 1901-1157 |
| SCBA2F            | 02664 | 1906-0072 | TIP31F           | 01698 | 1854-1169 | VHE2402A       | 05088 | 1906-0270 |
| SCDA2             | 02664 | 1906-0040 | TIP32C           | 03406 | 1853-0537 | VHE2404        | 05088 | 1906-0301 |
| SCPA05F           | 02664 | 1906-0071 | TIP32F           | 01698 | 1853-0654 | VHE550         | 12928 | 1901-1215 |
| SCPA2             | 02664 | 1906-0039 | TIP35C           | 02037 | 1854-1233 | VJ148X         | 05088 | 1906-0079 |
| SD-241            | 01691 | 1906-0239 | TIP36A           | 01698 | 1853-0453 | VJ448X         | 12928 | 1906-0078 |
| SD-41             | 01691 | 1901-1100 | TIP36C           | 02037 | 1853-0709 | VJ848          | 05088 | 1906-0309 |
| SD103C            | 04486 | 1901-0999 | TIP41A           | 01698 | 1854-0456 | VJ848TT        | 05088 | 1906-0085 |
| SD210DE           | 02883 | 1855-0647 | TIP41C           | 02037 | 1854-0799 | VK248          | 05088 | 1906-0205 |
| SD211DE(SELECTED) | 09283 | 1855-0215 | TIP41C(SELECTED) | 02037 | 1854-0967 | VKP 248        | 05088 | 1906-0264 |
| SD213             | 09283 | 1855-0440 | TIP42            | 01698 | 1853-0356 | VL447          | 05088 | 1906-0216 |
| SD214             | 02910 | 1855-0269 | TIP42A           | 01698 | 1853-0234 | VM28X          | 05088 | 1906-0289 |
| SD214DE           | 02883 | 1855-0723 | TIP42A           | 01698 | 1853-0509 | VMP-1          | 02883 | 1855-0263 |
| SD215             | 02910 | 1855-0241 | TIP42C           | 02037 | 1853-0431 | VN0104N3       | 07221 | 1855-0546 |
| SD2608 (SELECTED) | 02037 | 1854-0357 | TIP47            | 02037 | 1854-0838 | VN106N6        | 07221 | 1858-0105 |
| SD306(SEL)        | 09283 | 1855-0557 | TIP50            | 02037 | 1854-1069 | VN0300L        | 02883 | 1855-0555 |
| SD41              | 02688 | 1901-0792 | TIP51            | 01698 | 1854-0806 | VN0300M        | 02883 | 1855-0525 |
| SD4753 (SELECTED) | 02037 | 1853-0083 | TIP642           | 01698 | 1854-0982 | VN0300M        | 02883 | 1855-0582 |
| SE5055            | 02237 | 1854-0388 | TIP647           | 01698 | 1853-0543 | VN0610L        | 02883 | 1855-0684 |
| SES5603CR         | 00046 | 1906-0259 | TIP75B           | 01698 | 1854-0803 | VN0808M        | 02883 | 1855-0751 |
| SFE793            | 02037 | 1855-0020 | TIPPL15          | 01698 | 1854-0960 | VN10KE         | 02883 | 1855-0545 |
| SFR0              | 02664 | 1901-0998 | TIPPL15          | 01698 | 1853-0668 | VN10KM         | 02883 | 1855-0423 |
| SG3821N           | 03793 | 1858-0022 | TIR101B          | 01698 | 1906-0213 | VN10LE         | 02883 | 1855-0560 |
| SGS126            | 06338 | 1853-0642 | TIR201B          | 01698 | 1906-0214 | VN1204N2       | 07221 | 1855-0760 |
| SGSIF444          | 06338 | 1854-1158 | TIS-149          | 01698 | 1853-0464 | VN2222L        | 02883 | 1855-0556 |
| SH6501PC          | 02237 | 1821-0006 | TMFD4150         | 04200 | 1901-1252 | VN2222LL       | 02883 | 1855-0598 |
| SJ7076            | 02037 | 1854-0968 | TN4030           | 03406 | 1853-0551 | VN66AD         | 02883 | 1855-0724 |
| SL2364C           | 01590 | 1858-0101 | TND907           | 04200 | 1906-0381 | VN66AFD        | 02883 | 1855-0275 |
| SL360G            | 01590 | 1854-1196 | TND908           | 04200 | 1906-0275 | VPO300L(SEL)   | 02883 | 1855-0550 |
| SMB06-5C          | 03287 | 1901-1312 | TP0610T          | 02883 | 1855-0798 | VPO300L(SEL)   | 02883 | 1855-0686 |
| SMBJ13CA          | 03287 | 1901-1275 | TPQ5551          | 04200 | 1858-0128 | VPO300M        | 02883 | 1855-0526 |
| SMBJ15C           | 03287 | 1901-1323 | TPQ6002          | 04200 | 1858-0083 | VP1008B        | 02883 | 1855-0722 |
| SMBJ22A           | 03287 | 1901-1341 | TPQA56           | 04200 | 1858-0127 | VP1204N2       | 07221 | 1855-0649 |
| SMBJ5-0A          | 03287 | 1901-1276 | U1897E           | 03406 | 1855-0436 | VQ1000J        | 02883 | 1855-0591 |
| SMBJ6-0           | 03287 | 1901-1322 | U310             | 02883 | 1855-0530 | VQ1001J        | 02883 | 1858-0116 |
| SMCJ12-0          | 03287 | 1901-1339 | U310(SELECTED)   | 02037 | 1855-0235 | VQ1001P        | 02883 | 1855-0585 |
| SMCJ15A           | 03287 | 1901-1334 | U311             | 02883 | 1855-0519 | VQ1006P        | 02883 | 1855-0620 |
| SMCJ15C           | 03287 | 1901-1265 | U401             | 02883 | 1855-0635 | VQ2001P        | 02883 | 1855-0650 |
| SMCJ43CA          | 03287 | 1901-1346 | U431             | 02883 | 1855-0788 | VQ3001J        | 02883 | 1858-0130 |
| SMCJ5-0           | 03287 | 1901-1295 | U440             | 02883 | 1855-0573 | VSK12          | 05088 | 1906-0263 |
| SMFR30K           | 02664 | 1901-0878 | U443             | 02883 | 1855-0639 | VSK231         | 05088 | 1906-0278 |
| SMTD-636          | 01352 | 1912-0018 | UDN2580A         | 04200 | 1858-0085 | VSK3040T       | 05088 | 1906-0238 |
| SN74LS050D        | 01698 | 1906-0384 | UES 2402         | 00046 | 1906-0262 | VSK530         | 05088 | 1901-1220 |
| SN74LS1053D       | 01698 | 1906-0385 | UES-1106         | 09914 | 1901-1106 | VSK540         | 05088 | 1901-0976 |
| SFF819-2          | 02037 | 1855-0747 | UES1105          | 09914 | 1901-1110 | VSK71          | 05088 | 1901-0960 |
| SFF938            | 02037 | 1855-0687 | UES1303          | 09914 | 1901-1111 | VX30           | 00046 | 1901-0984 |
| SPQ1678           | 02037 | 1858-0052 | UES1305          | 09914 | 1901-1108 | W02M           | 02713 | 1906-0256 |
| SPQ526K           | 02037 | 1858-0008 | UES1306          | 09914 | 1901-1109 | X44VH570       | 03799 | 1854-0873 |
| SPS 233           | 02037 | 1854-0246 | UES2602R         | 00046 | 1906-0254 | X45H281        | 04550 | 1853-0363 |
| SPS 3627          | 02037 | 1854-0270 | UES2603          | 00046 | 1906-0304 |                |       |           |