C29 Polymers – Knowledge Organiser: Self-Test

AQA A-level Chemistry • Set 1: Condensation Polymers **Paper 2**

#	Question	Attempt 1	Attempt 2	Attempt 3	Answer
1	Condensation polymer				Polymer formed with loss of a small molecule
2	Polyester linkage				Ester, –COO–
3	Polyamide linkage				Amide, –CONH–
4	Monomers for a polyester				Dicarboxylic acid + diol
5	Monomers for a polyamide				Dicarboxylic acid + diamine
6	Monomers of Terylene				Benzene-1,4-dicarboxylic acid + ethane-1,2-diol
7	Monomers of nylon-6,6				Hexanedioic acid + hexane-1,6-diamine
8	Monomers of Kevlar				Benzene-1,4-dicarboxylic acid + benzene-1,4-diamine
9	Small molecule lost using a diacyl chloride				HCl
10	Intermolecular force between polyamide chains				Hydrogen bonds

Fold the Answer column behind the page. Answer each question from memory, then unfold and check. Repeat on a later day in the next Attempt column.

C29 Polymers – Knowledge Organiser: Self-Test

AQA A-level Chemistry • Set 2: Properties and Disposal **Paper 2**

#	Question	Attempt 1	Attempt 2	Attempt 3	Answer
1	Why condensation polymers are biodegradable				Polar bonds can be hydrolysed
2	Why poly(alkenes) are not biodegradable				Non-polar, unreactive C–C bonds
3	Conditions to hydrolyse polyesters and polyamides				Acid or alkali
4	Use of Kevlar				Bulletproof vests
5	Use of Terylene (PET)				Clothing, bottles
6	Three disposal methods				Landfill, incineration, recycling
7	Advantage of incineration				Energy released
8	Disadvantage of incineration				Toxic gases and CO_2
9	Advantage of recycling				Saves crude oil and raw materials
10	Disadvantage of landfill				Uses land; very slow decay

Fold the Answer column behind the page. Answer each question from memory, then unfold and check. Repeat on a later day in the next Attempt column.