

Data Augmentation Table : map of the current augmentations

list_daug_ph0 =	['reface', 'empty']	
list_daug_ph1 =	['gibbs', 'affine']	
list_daug_ph2 =	['gain_inhom', 'zipper', 'add_noise', 'contrast_var']	
Phase 0		
. -----	Refacing	refacing is done randomly to 20% of data
Phase 1		
. -----	Gibbs	15% weightage is given to gibbs
		radius = random.randint(70, 100)
. -----	Affine	45% weightage is given to affine
		param_map = [#1 #2 #3 #4 #5 #6 #7 #8 #9 #10 #11 #12]
		[x-shift y-shift z-shift z-angle x-angle y-angle x-scale y-scale z-scale y/x-shear z/x-shear z/y-shear]
		shift range is plus/minus 32% of grid size list_shift = [-5,-10,-15,-20,-25,-30,5,10,15,20,25,30]
		scaling range is plus/minus 20% of grid size rand_scale = round(random.uniform(0.8, 1.2), 1)
		shearing range is plus/minus 0.1111 rand_shear = round(random.uniform(-0.1, 0.1), 2)
		rotation range is plus/minus 30 degrees rand_rot = random.randint(-30, 30)

[illegible]