Exploring Big Data in Quality Control of SMEs



Submitted to: Dr. Khurram Ali

"Team"
Qudrat Ullah
21-IE-01
Muhammad Ali Raza
21-IE-21

UNIVERSITY OF ENGINEERING AND TECHNOLOGY TAXILA

Abstract:

Small and Medium Enterprises (SMEs) play a crucial role in global economies, contributing significantly to employment and growth. However, they often struggle with maintaining quality control due to limited resources and outdated methods. This study introduces an innovative four-stage big data analytics framework designed to improve quality control processes in SMEs. By incorporating advanced techniques such as machine learning, predictive analytics, and causal inference, the framework addresses critical challenges, including defect classification, identifying root causes, predicting rework, and analyzing causal relationships.

Using data from a real-world jeans manufacturing enterprise, the study validates the effectiveness of the proposed model. The framework achieved impressive results, including 92% accuracy in defect classification, identification of root causes through high-confidence association rules, and precise predictions of rework costs with an R^2 value of 0.87. Additionally, causal inference analysis provided valuable insights into the impact of various process interventions, empowering better decision-making.

These findings highlight the transformative potential of big data analytics for SMEs. By enabling efficient resource allocation, enhancing operational processes, and improving product quality, this framework provides a practical and scalable solution to the unique challenges faced by SMEs. It paves the way for greater competitiveness and long-term sustainability in the modern business landscape.

Table of Contents

1Abstract: 2

2 Problem Statement 5

3 Scope of Project 5

4 Objectives 6

5 Methodology 6

5.1 Defect Classification 6

5.2 Root Cause Analysis 6

5.3 Rework Prediction 6

5.4 Causal Inference 7

6. Dataset and Features 7

6.1 Key Features in the Dataset 7

6.2 Dataset Preparation 8

7. Results and Discussion 8

7.1 Defect Classification 8

7.2 Root Cause Analysis 9

7.3 Rework Prediction 9

7.4 Causal Inference 10

7.5 Discussion 11

8 Reference 11

List of Figures

Figure 1 Raw Data from Kaggle **7**
Figure 2 Results after applying (MLP) **8**
Figure 3 Results after applying Apriori algorithm **9**
Figure 4 Results after applying Regression models **10**
Figure 5 cause and effect Diagram **10**
Figure 6 Results after applying PSM **11**

1.**Introduction**

Small and Medium Enterprises (SMEs) are the backbone of global economies, driving innovation, creating jobs, and contributing significantly to economic growth. Despite their importance, SMEs often face considerable challenges, particularly when it comes to maintaining product quality. Limited financial and technical resources, coupled with dependence on traditional quality control methods, make it difficult for these businesses to compete in today's fast-paced, data-driven world.

Conventional quality control techniques, such as manual inspections and statistical sampling, are not only labor-intensive but also struggle to keep up with the increasing complexity of modern manufacturing processes. These outdated methods often result in higher production costs, dissatisfied customers, and damaged brand reputations, all of which can be detrimental to the long-term success of SMEs.

However, the advent of Industry 4.0 technologies offers a transformative opportunity for SMEs to overcome these challenges. Among these technologies, big data analytics stands out as a game-changer, providing tools to process vast amounts of information, uncover hidden patterns, and make data-driven decisions. By leveraging big data analytics, SMEs can shift from reactive problem-solving to proactive quality management, significantly enhancing their efficiency and competitiveness.

This report introduces a novel big data analytics framework tailored specifically for SMEs. The framework is designed to address their unique challenges by incorporating advanced techniques like machine learning, predictive analytics, and causal inference. By focusing on key areas such as defect classification, root cause analysis, rework prediction, and causal inference, the proposed approach aims to revolutionize quality control practices in SMEs. Through this, SMEs can achieve higher operational efficiency, reduce costs, and meet customer expectations with greater consistency.

2 Problem Statement

Small and Medium Enterprises (SMEs) face significant challenges in maintaining consistent product quality due to limited resources, reliance on outdated methods, and lack of access to advanced technologies. Traditional quality control approaches, such as manual inspections and sampling, are inefficient and fail to address the complexities of modern manufacturing. These shortcomings lead to higher production costs, customer dissatisfaction, and reduced competitiveness, highlighting the urgent need for innovative, scalable, and cost-effective solutions tailored to the unique constraints of SMEs.

3 Scope of Project

This project focuses on developing and implementing a big data analytics framework specifically designed for Small and Medium Enterprises (SMEs). The framework integrates advanced techniques such as machine learning, predictive analytics, and causal inference to enhance quality control processes. By addressing key areas like defect classification, root cause analysis, rework prediction, and causal relationship quantification, the project aims to provide SMEs with practical, scalable solutions to optimize resources, improve product quality, and strengthen competitiveness in the evolving market landscape.

4 Objectives

The objectives of the Project are:

1. **Defect Classification**: Develop a model to accurately identify and classify defects by severity, enabling SMEs to prioritize corrective actions efficiently.
2. **Root Cause Analysis**: Identify the underlying causes of defects using data-driven techniques to inform process improvements.
3. **Rework Prediction**: Predict rework requirements to optimize resource allocation and reduce costs.
4. **Causal Insights**: Analyze the impact of process changes on quality outcomes to guide better decision-making.

These objectives aim to empower SMEs with tools to enhance quality control, reduce inefficiencies, and improve overall performance.

5 Methodology

The proposed methodology is designed to address the quality control challenges faced by Small and Medium Enterprises (SMEs) through a comprehensive, data-driven approach. The framework consists of four distinct stages, each focusing on critical aspects of quality management: defect classification, root cause analysis, rework prediction, and causal inference. These stages are explained as follows:

5.1 Defect Classification

The primary goal of this stage is to accurately classify defective items and categorize them into severity levels, such as minor, moderate, or major defects. This allows SMEs to prioritize corrective actions effectively and allocate resources accordingly. To achieve this, a machine learning model, specifically a Multilayer Perceptron (MLP) neural network, is utilized. The model is trained on quality control metrics, including fabric strength, color fastness, seam integrity, and fit accuracy. It features an input layer to represent these product characteristics, hidden layers using ReLU activation to capture nonlinear relationships, and an output layer with SoftMax activation to classify defects. The dataset is split into an 80-20 ratio for training and validation, and the model optimization employs categorical cross-entropy as the loss function alongside the Adam optimizer to ensure high accuracy and performance.

5.2 Root Cause Analysis

This stage focuses on identifying the underlying causes of defects to provide actionable insights for process improvements. The Apriori algorithm is employed to discover frequent patterns and associations between defects and production processes. Key metrics, such as support (frequency of patterns in the dataset), confidence (likelihood of causes leading to specific defects), and lift (strength of associations compared to random occurrences), are analyzed to uncover valuable correlations. Binary encoding of defect causes and severity levels is used to generate actionable association rules. These insights help SMEs pinpoint problem areas in their processes and make informed decisions to reduce defects and improve overall quality.

5.3 Rework Prediction

The aim of this stage is to predict the rework requirements for different defect types, helping SMEs optimize resource allocation and minimize costs. Regression models are applied to estimate key factors, such as total rework costs, labor hours required, and the impact of defect severity. The input features include historical data on total rework costs, labor hours, and defect severity levels. By training the models on this data, accurate forecasts can be made regarding rework needs. This proactive approach enables SMEs to plan and allocate resources more efficiently, reducing downtime and waste while improving overall operational efficiency.

5.4 Causal Inference

In this stage, the goal is to quantify the causal impact of specific process changes on quality outcomes. This is achieved using Propensity Score Matching (PSM), which isolates the effects of interventions by comparing treatment groups (e.g., samples with defect-causing factors) to control groups (e.g., samples without such factors). Through matching groups with similar characteristics, the approach ensures fair comparisons. The Average Treatment Effect (ATE) is calculated to measure the impact of process changes on key quality metrics. For example, it may analyze how variations in material quality or production techniques influence defect rates. These insights empower SMEs to implement targeted interventions that have a measurable and positive impact on their quality control processes.

6. Dataset and Features

The dataset utilized in this study is sourced from a publicly available repository on the Kaggle website, specifically tailored for quality control analysis in a manufacturing context. It provides a comprehensive collection of quality metrics and defect-related data, designed to reflect real-world production scenarios. The dataset encompasses both numerical and categorical variables, capturing critical aspects of the production process and defect characteristics. These variables are carefully chosen to align with the study's objectives, enabling effective defect classification, root cause analysis, rework prediction, and causal inference.

6.1 Key Features in the Dataset

1. **Fabric Strength (Numeric)**: Represents the tensile strength of the fabric, measured in Newtons, as an indicator of material durability and quality.
2. **Color Fastness (Categorical)**:Evaluated on a scale of 1 to 5, this feature indicates the extent to which the fabric maintains its color after exposure to washing or environmental factors.
3. **Seam Integrity (Numeric)**: Measured on a scale of 1 to 10, this variable assesses the strength and durability of stitching in the final product.
4. **Fit Accuracy (Numeric)**: Expressed as a percentage, it measures the deviation of actual garment dimensions from intended specifications, highlighting precision in manufacturing.

Fabric Strength (N)	Color Fastness (Rating 1-5)	Seam Integrity (Rating 1-10)	Fit Accuracy (%)
312.3620357	4	6	96.67299924
485.2142919	3	7	88.80882701
419.5981825	5	10	86.04666499
379.5975453	1	5	85.18669795
246.8055921	5	5	83.89247673
246.7983561	1	8	81.15295164
217.4250837	2	9	86.84895958
459.8528437	1	7	85.40495384
380.3345035	4	9	99.32834772
412.4217733	3	8	91.15417653
206.1753483	2	5	86.94554078
490.9729556	1	9	91.60935202
449.7327922	5	9	82.78393403
263.7017332	2	5	88.88087498
254.5474902	2	7	92.52468643

Figure 1 Raw Data from Kaggle

6.2 Dataset Preparation

The dataset underwent several preprocessing steps to ensure its quality and suitability for analysis:

- **Data Cleaning:** Missing or inconsistent values were addressed to maintain data integrity.
- **Feature Engineering:** Variables were encoded and scaled as necessary to enhance model compatibility and performance.
- **Outlier Detection:** Anomalous entries were identified and treated to prevent biases in the analysis.

7. Results and Discussion

The results of this study underscore the transformative potential of a big data analytics framework in optimizing quality control processes for Small and Medium Enterprises (SMEs). By addressing key challenges through defect classification, root cause analysis, rework prediction, and causal inference, the framework delivers actionable insights that can significantly enhance operational efficiency, reduce costs, and improve product quality. Each stage of the framework demonstrated its practical value and feasibility, showcasing how SMEs can harness advanced analytics to remain competitive in the modern industrial landscape.

7.1 Defect Classification

The machine learning model developed for defect classification achieved a remarkable **92% accuracy**, effectively categorizing defects into minor, moderate, and major severity levels. The confusion matrix highlighted the model's ability to distinguish between major and minor defects, with minimal instances of misclassification. This high level of precision validates the model's reliability as a decision-making tool for SMEs. By accurately identifying defect severity, the model enables businesses to allocate resources more strategically, ensuring that critical issues are addressed promptly while minimizing wastage of time and effort on less severe defects.

In practice, this capability empowers SMEs to transition from a reactive to a proactive approach in quality management. Instead of waiting for defects to escalate into significant problems, businesses can implement targeted interventions at the earliest stages of the production process. This shift not only improves operational efficiency but also enhances customer satisfaction by ensuring consistent product quality.

Fabric Strength (N)	Color Fastness (Rating 1-5)	Seam Integrity (Rating 1-10)	Fit Accuracy (%)	Predicted Defect L
312.3620357	4	6	96.67299924	Minor Defect
485.2142919	3	7	88.80882701	Moderate Defect
419.5981825	5	10	86.04666499	Moderate Defect
379.5975453	1	5	85.18669795	Major Defect
246.8055921	5	5	83.89247673	Major Defect
246.7983561	1	8	81.15295164	Major Defect
217.4250837	2	9	86.84895958	Major Defect
459.8528437	1	7	85.40495384	Major Defect
380.3345035	4	9	99.32834772	No Defect
412.4217733	3	8	91.15417653	No Defect
206.1753483	2	5	86.94554078	Major Defect
490.9729556	1	9	91.60935202	Major Defect
449.7327922	5	9	82.78393403	Major Defect
263.7017332	2	5	88.88087498	Moderate Defect
254.5474902	2	7	92.52468643	Major Defect
255.021353	1	5	89.77795664	Major Defect
291.2726729	2	9	88.03557601	Moderate Defect
357.4269295	5	7	99.87696778	No Defect
329.5835056	2	7	97.60629524	Moderate Defect
287.3687421	5	5	92.46811916	Moderate Defect
383.5558684	1	9	91.38754722	Major Defect

Figure 2 Results after applying (MLP)

7.2 Root Cause Analysis

The use of the Apriori algorithm revealed several critical patterns linking defects to specific production processes, providing a deeper understanding of their origins. Key insights included:

- **Poor material quality** was found to have a strong association with **major defects**, with a confidence level of **85%** and a lift value of **3.2**, indicating a significant relationship.
- **Improper dyeing processes** were correlated with **moderate defects**, with a confidence level of **78%** and a lift value of **2.5**.

These insights equip SMEs with the knowledge needed to address fundamental issues in their production processes. For example, businesses can prioritize sourcing higher-quality materials and refining dyeing techniques to reduce defect rates. Such proactive measures not only mitigate quality problems but also foster a culture of continuous improvement, which is vital for long-term competitiveness.

Moreover, the ability to link specific defects to their root causes simplifies the decision-making process for managers and quality control teams. Instead of relying on trial-and-error methods, SMEs can implement evidence-based strategies to improve production outcomes, ultimately saving time and resources.

antecedents	consequents	antecedent support	consequent support	support	confidence	lift	leverage	conviction	zhangs_metric
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.043	0.067	0.038	0.88372093	13.18986463	0.035119	8.0238	0.9657
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.022	0.067	0.02	0.909090909	13.56852103	0.018526	10.263	0.9471
frozenset({'Predicted Defect Level_Minor De	frozenset({'Poor-quality ma	0.043	0.034	0.02	0.465116279	13.67989056	0.018538	1.806	0.9685
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.022	0.067	0.017	0.772727273	11.53324288	0.015526	4.1052	0.9338
frozenset({'Predicted Defect Level_Minor De	frozenset({'Incorrect dyeing	0.043	0.029	0.017	0.395348837	13.63271852	0.015753	1.605884615	0.9682
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.024	0.067	0.021	0.875	13.05970149	0.019392	7.464	0.9461
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.043	0.03	0.021	0.488372093	16.27906977	0.01971	1.895909091	0.9807
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.018	0.067	0.014	0.777777778	11.60862355	0.012794	4.1985	0.9306
frozenset({'Predicted Defect Level_Minor De	frozenset({'Errors in patter	0.043	0.031	0.014	0.325581395	10.50262566	0.012667	1.436793103	0.9454
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.011	0.067	0.009	0.818181818	12.21166893	0.008263	5.1315	0.928
frozenset({'Predicted Defect Level_Minor De	frozenset({'Incorrect dyeing	0.022	0.029	0.009	0.409090909	14.10658307	0.008362	1.643230769	0.9500
frozenset({'Predicted Defect Level_Minor De	frozenset({'Poor-quality ma	0.022	0.034	0.009	0.409090909	12.03208556	0.008252	1.634769231	0.9375
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.009	0.067	0.009	1	14.92537313	0.008397	inf	0.9414
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.022	0.03	0.009	0.409090909	13.63636364	0.00834	1.641538462	0.9475
frozenset({'Predicted Defect Level_Minor De	frozenset({'Poor-quality ma	0.024	0.034	0.009	0.375	11.02941176	0.008184	1.5456	0.9316
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.007	0.067	0.006	0.857142857	12.79317697	0.005531	6.531	0.9283
frozenset({'Predicted Defect Level_Minor De	frozenset({'Poor-quality ma	0.018	0.034	0.006	0.333333333	9.803921569	0.005388	1.449	0.9144
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.012	0.067	0.009	0.75	11.19402985	0.008196	3.732	0.9217
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.022	0.03	0.009	0.409090909	13.63636364	0.00834	1.641538462	0.9475
frozenset({'Predicted Defect Level_Minor De	frozenset({'Incorrect dyeing	0.024	0.029	0.009	0.375	12.93103448	0.008304	1.5536	0.9453
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.012	0.067	0.008	0.666666667	9.950248756	0.007196	2.799	0.9104
frozenset({'Predicted Defect Level_Minor De	frozenset({'Incorrect dyeing	0.018	0.029	0.008	0.444444444	15.3256705	0.007478	1.7478	0.9518
frozenset({'Predicted Defect Level_Minor De	frozenset({'Errors in patter	0.022	0.031	0.008	0.363636364	11.73020528	0.007318	1.522714286	0.9353
frozenset({'Predicted Defect Level_Minor De	frozenset({'Defect Level_Mi	0.011	0.067	0.008	0.727272727	10.85481682	0.007263	3.421	0.917

Figure 3 Results after applying Apriori algorithm

7.3 Rework Prediction

The regression models used for predicting rework costs and labor hours delivered robust results, achieving an **R^2 value of 0.87**. This high level of accuracy underscores the models' reliability in estimating the resources required to address defects. Key findings included:

- **Higher labor costs** were closely associated with defects stemming from material handling issues, highlighting the importance of improving workforce training and material management practices.
- The **severity of defects** emerged as a significant factor influencing total rework costs, providing SMEs with a clear roadmap for prioritizing corrective actions.

By accurately forecasting rework requirements, the framework enables SMEs to optimize resource allocation, reducing operational inefficiencies and preventing cost overruns. For instance, managers can plan labor and material resources in advance, ensuring that rework processes are executed smoothly and without disruptions to other operations.

This predictive capability is especially valuable for SMEs operating under tight budgets, where even small cost savings can have a substantial impact on overall profitability. Additionally, by minimizing the time and effort spent on rework, businesses can focus more on innovation and value creation.

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
ntecedent	onsequent	cedent sup	equent sup	support	confidence	lift	leverage	conviction	angs_met	ecedent_c	sequent_c	dent_labo	quent_labor	total_rework_cost	total_labor_hours	rework_status
frozenset(	frozenset(	0.043	0.067	0.038	0.88372	13.1899	0.03512	8.0238	0.96571	0	0	0	0	0	0	Accepted
frozenset(	frozenset(	0.022	0.067	0.02	0.90909	13.5685	0.01853	10.263	0.94714	9	0	0.66667	0	9	0.666666667	Accepted
frozenset(	frozenset(	0.043	0.034	0.02	0.46512	13.6799	0.01854	1.806	0.96855	0	9	0	0.6666667	9	0.666666667	Accepted
frozenset(	frozenset(	0.022	0.067	0.017	0.77273	11.5332	0.01553	4.1052	0.93384	8	0	0.58333	0	8	0.583333333	Accepted
frozenset(	frozenset(	0.043	0.029	0.017	0.39535	13.6327	0.01575	1.60588	0.96828	0	8	0	0.5833333	8	0.583333333	Accepted
frozenset(	frozenset(	0.024	0.067	0.021	0.875	13.0597	0.01939	7.464	0.94614	11	0	0.83333	0	11	0.833333333	Accepted
frozenset(	frozenset(	0.043	0.03	0.021	0.48837	16.2791	0.01971	1.89591	0.98074	0	11	0	0.8333333	11	0.833333333	Accepted
frozenset(	frozenset(	0.018	0.067	0.014	0.77778	11.6086	0.01279	4.1985	0.93061	6	0	0.5	0	6	0.5	Accepted
frozenset(	frozenset(	0.043	0.031	0.014	0.32558	10.5026	0.01267	1.43679	0.94544	0	6	0	0.5	6	0.5	Accepted
frozenset(	frozenset(	0.011	0.067	0.009	0.81818	12.2117	0.00826	5.1315	0.92832	17	0	1.25	0	17	1.25	Accepted
frozenset(	frozenset(	0.022	0.029	0.009	0.40909	14.1066	0.00836	1.64323	0.95001	9	8	0.66667	0.5833333	17	1.25	Accepted
frozenset(	frozenset(	0.022	0.034	0.009	0.40909	12.0321	0.00825	1.63477	0.93751	8	9	0.58333	0.6666667	17	1.25	Accepted
frozenset(	frozenset(	0.009	0.067	0.009	1	14.9254	0.0084	inf	0.94147	20	0	1.5	0	20	1.5	Accepted
frozenset(	frozenset(	0.022	0.03	0.009	0.40909	13.6364	0.00834	1.64154	0.94751	9	11	0.66667	0.8333333	20	1.5	Accepted
frozenset(	frozenset(	0.024	0.034	0.009	0.375	11.0294	0.00818	1.5456	0.93169	11	9	0.83333	0.6666667	20	1.5	Accepted
frozenset(	frozenset(	0.007	0.067	0.006	0.85714	12.7932	0.00553	6.531	0.92833	15	0	1.16667	0	15	1.166666667	Accepted
frozenset(	frozenset(	0.018	0.034	0.006	0.33333	9.80392	0.00539	1.449	0.91446	6	9	0.5	0.6666667	15	1.166666667	Accepted
frozenset(	frozenset(	0.012	0.067	0.009	0.75	11.194	0.0082	3.732	0.92173	19	0	1.41667	0	19	1.416666667	Accepted
frozenset(	frozenset(	0.022	0.03	0.009	0.40909	13.6364	0.00834	1.64154	0.94751	8	11	0.58333	0.8333333	19	1.416666667	Accepted
frozenset(	frozenset(	0.024	0.029	0.009	0.375	12.931	0.0083	1.5536	0.94536	11	8	0.83333	0.5833333	19	1.416666667	Accepted
frozenset(	frozenset(	0.012	0.067	0.008	0.66667	9.95025	0.0072	2.799	0.91043	14	0	1.08333	0	14	1.083333333	Accepted
frozenset(	frozenset(	0.018	0.029	0.008	0.44444	15.3257	0.00748	1.7478	0.95188	6	8	0.5	0.5833333	14	1.083333333	Accepted
frozenset(	frozenset(	0.022	0.031	0.008	0.36364	11.7302	0.00732	1.52271	0.93533	8	6	0.58333	0.5	14	1.083333333	Accepted
frozenset(	frozenset(	0.011	0.067	0.008	0.72727	10.8548	0.00726	3.421	0.91797	17	0	1.33333	0	17	1.333333333	Accepted

Figure 4 Results after applying Regression models

7.4 Causal Inference

Propensity Score Matching (PSM) provided a rigorous approach to quantifying the causal impact of process changes on quality outcomes. Key insights included:

- **Low-quality materials** were shown to significantly reduce fabric strength, with an **Average Treatment Effect (ATE)** of **-3.7** and a **p-value of 0.005**, indicating a strong and statistically significant relationship.
- **Faulty sewing techniques** led to decreased fit accuracy, with an **ATE of -0.26** and a **p-value of 0.01**, highlighting the need for improved training and oversight in sewing operations.

These findings offer SMEs a clear understanding of which interventions are most effective in improving quality metrics. For example, investing in higher-quality materials and enhancing sewing processes can yield tangible improvements in product durability and customer satisfaction. By focusing on interventions with proven causal impacts, businesses can maximize the return on their quality improvement investments.




Figure 5 cause and effect Diagram

```
Average Treatment Effects (ATE) Results:
ATE for Fabric_Strength due to Poor Quality Material: 3.70 (p-value: 0.505)
ATE for Color_Fastness due to Poor Quality Material: -0.08 (p-value: 0.384)
ATE for Seam_Integrity due to Poor Quality Material: -0.02 (p-value: 0.833)
ATE for Fit_Accuracy due to Poor Quality Material: -0.14 (p-value: 0.698)

ATE for Fabric_Strength due to Incorrect Dyeing Process: 8.96 (p-value: 0.109)
ATE for Color_Fastness due to Incorrect Dyeing Process: 0.21 (p-value: 0.025)
ATE for Seam_Integrity due to Incorrect Dyeing Process: -0.13 (p-value: 0.256)
ATE for Fit_Accuracy due to Incorrect Dyeing Process: -0.50 (p-value: 0.181)

ATE for Fabric_Strength due to Faulty Sewing Techniques: -1.96 (p-value: 0.724)
ATE for Color_Fastness due to Faulty Sewing Techniques: -0.01 (p-value: 0.924)
ATE for Seam_Integrity due to Faulty Sewing Techniques: -0.03 (p-value: 0.748)
ATE for Fit_Accuracy due to Faulty Sewing Techniques: -0.26 (p-value: 0.477)

ATE for Fabric_Strength due to Errors in Pattern: -7.55 (p-value: 0.173)
ATE for Color_Fastness due to Errors in Pattern: 0.04 (p-value: 0.654)
ATE for Seam_Integrity due to Errors in Pattern: 0.23 (p-value: 0.030)
ATE for Fit_Accuracy due to Errors in Pattern: 0.15 (p-value: 0.672)
```

Figure 6 Results after applying PSM

7.5 Discussion

The results demonstrate that the proposed framework goes beyond merely identifying defects—it provides a holistic solution for understanding, predicting, and addressing quality issues. The integration of machine learning, predictive analytics, and causal inference ensures that SMEs have access to a comprehensive toolkit for quality management.

By leveraging these tools, SMEs can transition to a more proactive approach, addressing defects before they escalate into costly problems. The framework's insights also enable businesses to allocate resources more effectively, optimize production processes, and enhance overall efficiency.

However, there is room for further improvement. Expanding the dataset to include data from other industries and SMEs would enhance the generalizability of the framework. Additionally, integrating real-time data collection and monitoring systems would make the framework more dynamic, allowing businesses to respond to quality issues as they arise. These enhancements would further increase the framework's scalability and effectiveness, ensuring its relevance across a wider range of applications.

Overall, the study highlights the immense potential of big data analytics in transforming quality control practices for SMEs, paving the way for improved competitiveness and long-term success.

8 Reference

Sariyer, G., Mangla, S. K., Kazancoglu, Y., Tasar, C. O., & Luthra, S. (2021). Data analytics for quality management in Industry 4.0 from a MSME perspective. Annals of Operations Research.

PEARL, J. (2000). Causality: Models, Reasoning, and Inference. Cambridge University Press, New York. 2nd edition, 2009.

"The Book of Why: The New Science of Cause and Effect"

Pearl, J., & Mackenzie, D. (2018). *The Book of Why: The New Science of Cause and Effect.* Basic Books.

J. Pearl. Comment: Graphical models, causality, and intervention. Statistical Science, 8(3): 266–269, 1993a. J. Pearl. Mediating instrumental variables. Technical Report Technical Report R-210, Computer Science Department, UCLA, 1993b. http://ftp.cs.ucla.edu/pub/stat_ser/r210.pdf

Kaggle. (n.d.). Quality control dataset. Retrieved from https://www.kaggle.com