









APPLICATION SCHEME

## **DUPLEX SOFTENER**

Duplex systems consist of two softening units and regeneration process is set with flow control in these systems.

When resin exchange capacity is exhausted, regeneration process which consists of five main steps that are backwash, brine and slow rinsing, rapid rinsing and refilling salt tank starts. In regeneration, resin leaves hardness ions to water and sodium ions are taken back again from the brine prepared in the salt tank so that system is ready to another service cycle.



## **FLECK VALVES**



## **AUTOMATIC DUPLEX** SOFTENER SYSTEMS

MODEL	TANK SIZE	SYSTEM	FLOW m³/hour Max Velocity =	MINERAL RESIN
WODEL	TANK SIZE	CONNECTION	40m³/m³-resin.hour	(lt)
FLECK 9000 DUPLEX				
ST - 8	8" x 17"	1"	0,32	8 x 2
ST - 15	7" × 35"	1"	0,6	15 x 2
ST - 20	8" x 35"	1"	0,8	20 x 2
ST - 25	9" x 35"	1"	1	25 x 2
ST - 30	10" x 35"	1"	1,2	30 x 2
ST - 50	10" x 54"	1"	2	50 x 2
ST - 60	12" x 48"	1"	2,4	60 x 2
ST - 80	13" x 54"	1"	3,2	80 x 2
ST - 100	14" x 65"	1"	4	100 x 2
ST - 150	16" x 65"	1"	5	150 x 2
FLECK 9100 DUPLEX				
ST - 8	8" x 17"	1"	0,32	8 x 2
ST - 15	7" × 35"	1"	0,6	15 x 2
ST - 20	8" x 35"	1"	0,8	20 x 2
ST - 25	9" x 35"	1"	1	25 x 2
ST - 30	10" x 35"	1"	1,2	30 x 2
ST - 50	10" x 54"	1"	2	50 x 2
ST - 60	12" x 48"	1"	2,4	60 x 2
ST - 80	13" x 54"	1"	3,2	80 x 2
ST - 100	14" x 65"	1"	4	100 x 2
ST - 150	16" x 65"	1"	5	150 x 2
FLECK 9500 DUPLEX				
ST - 100	14" x 65"	1 1/2"	4	100 x 2
ST - 150	16" x 65"	11/2"	6	150 x 2
ST - 200	18" x 65"	1 1/2"	6	200 x 2
ST - 250	21" x 62"	1 1/2"	10	250 x 2
ST - 300	24" × 72"	1 1/2"	10	300 x 2
FLECK 2910 DUPLEX				
ST - 200	18" x 65"	2"	8	200 x 2
ST - 250	21" x 62"	2"	10	250 x 2
ST - 300	24" × 72"	2"	12	300 x 2
ST - 500	30" x 72"	2"	20	500 x 2
ST - 750	36" x 72"	2"	20	750 x 2
FLECK 3150 DUPLEX				
ST - 300	24" × 72"	2"	12	300 x 2
ST - 500	30" × 72"	2"	20	500 x 2
ST - 750	36" × 72"	2"	24	750 x 2
ST - 900	42" × 72"	2"	24	900 x 2
FLECK 3900 DUPLEX				
ST - 900	42" x 72"	3"	36	900 x 2
ST - 1200	48" x 72"	3"	48	1200 x 2