


A Series of 4- and 5-Coordinate Ni(II) Complexes: Synthesis, Characterization, Spectroscopic, and DFT Studies

Jack Ghannam,^{†,‡} Talal Al Assil,^{†,‡} Trey C. Pankratz,[‡] Richard L. Lord,[‡] Matthias Zeller,[§] and Wei-Tsung Lee^{*,†}[†]Department of Chemistry and Biochemistry, Loyola University Chicago, Chicago, Illinois 60660, United States[‡]Department of Chemistry, Grand Valley State University, Allendale, Michigan 49401, United States[§]Department of Chemistry, Purdue University, West Lafayette, Indiana 47907, United States

S Supporting Information

ABSTRACT: A series of four- and five-coordinate Ni(II) complexes $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiX}$ (**1–3** and **1·THF–3·THF**), where $\text{X} = \text{Cl}, \text{Br}, \text{and I}$, were synthesized and fully characterized by NMR and UV–vis spectroscopy, X-ray crystallography, cyclic voltammetry, and density functional theory calculations. The solid-state structures of **1–3** reveal rare examples of seesaw Ni(II) complexes. In solution, **1–3** bind reversibly to a THF molecule to form five-coordinate adducts. The electronic transitions in the visible region (630–680 nm), attributed to LMCT bands, for **1** \rightarrow **3** exhibit a bathochromic shift. The thermochromic tendency of the five-coordinate complexes implies the loss of THF coordination at elevated temperatures. Finally, the electronic properties of all Ni(II) complexes were studied by time-dependent density functional theory calculations to characterize the nature of the excited states.



INTRODUCTION

Nickel complexes with NNN pincer-type ligands have been gaining increased interest in recent years, particularly in the fields of catalytic bond activation^{1–8} and polymerization.^{9,10} One of the unique features of pincer ligands is the meridional orientation that they enforce, which results in a dominantly square planar configuration for these four-coordinate Ni(II) complexes.^{1–20}

Tuning ancillary ligands in metal complexes can govern their geometric preferences. For four-coordinate Ni(II) centers, tetrahedral or square planar geometries are most common and well-understood.²¹ For example, sterically, Ni(II) complexes with bulkier ligands tend to form tetrahedral ($S = 1$) structures, whereas the square planar ($S = 0$) arrangement is preferred with less sterically demanding ligands. Electronically, when coordinating to weak field ligands, the tetrahedral geometry is favored, while a square planar geometry is often observed in Ni(II) complexes bearing strong field ligands.²² Indeed, the molecular geometry and electronic configuration of metal complexes are interdependent, and they dictate the chemical reactivity of the metal complexes. In general, square planar complexes tend to be more kinetically inert than tetrahedral ones due to the greater ligand field stabilization energy in the square planar arrangement caused by the substantial electronic stabilization of the four, doubly occupied, orbitals relative to the empty, antibonding $d_{x^2-y^2}$ orbital. In this line, we became

interested in the design, synthesis, and characterization of unusual Ni(II) complexes where the supporting ligands are used to force the metal center to adopt a high-energy and more reactive geometry. This may allow for the development of new types of reactivity of nickel complexes.


The seesaw Ni(II) coordination geometry in the Ni–Si₄ state of the [NiFe]-hydrogenase active site is proposed to be a key feature for efficient H₂ binding and activation.²³ However, despite the discovery of such important structures, the synthetic routes to modulate the geometry at a nickel metal center remains challenging. Ideally, introduction of steric obstruction on the meridional plane of NNN pincer-based Ni(II) complexes could impel the fourth ligand to reside on the axial rather than an equatorial position. However, without considering the rigidity, simply increasing the bulkiness of flanking substituents does not necessarily yield a nonsquare planar geometry around the metal center.^{2,24–28} Consequently, complexes that possess a seesaw arrangement at the Ni(II) center are still underdeveloped with only one type of supporting ligand, tripyrrinato, reported in the literature.²⁹ Nonetheless, low yields and a limited number of precursors have restricted the development of tripyrrin derivatives in nickel chemistry.^{29–31} In this work, we report the synthesis,

Received: April 9, 2018

Published: July 3, 2018

structure, and characterization of a new family of $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiX}$ complexes whose Ni(II) center adopts the seesaw geometry, together with their pentacoordinate THF adducts, $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiX}(\text{THF})$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) (Scheme 1).

Scheme 1. Four- and Five-Coordinate Ni(II) Complexes



EXPERIMENTAL SECTION

Materials and Methods. All manipulations were performed under a nitrogen atmosphere using standard Schlenk techniques or in an M. Braun UNILab Pro glovebox. Glassware was dried at 150 °C overnight. Diethyl ether, *n*-pentane, tetrahydrofuran, and toluene were purified using a Pure Process Technology solvent purification system. Before use, an aliquot of each solvent was tested with a drop of sodium benzophenone ketyl in THF solution. All reagents were purchased from commercial vendors and used as received. 1,8-Dibromo-3,6-di-*tert*-butyl-9H-carbazole ($\text{HCz}^{\text{tBu}}\text{Br}_2$) and 3-*iso*-propylpyrazole were prepared according to literature procedures.^{32,33} $\text{HCz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2$ was prepared according to a modified literature procedure.³⁴ ^1H NMR data were recorded on Varian Inova 300 or 500 MHz spectrometer at 22 °C. Resonances in the ^1H NMR spectra are referenced either to residual $\text{C}_6\text{D}_5\text{H}$ at $\delta = 7.16$ ppm or $\text{C}_4\text{D}_7\text{HO}$ at $\delta = 3.58$ ppm. Solution magnetic susceptibilities were determined using the Evans method.³⁵ UV–visible spectra were recorded on an Agilent Cary 8454 UV–vis spectrophotometer equipped with a Unisoku Scientific Instruments Cryostat USP-203B for variable temperature experiments. Elemental analysis was conducted by Midwest Microlab, LLC (Indianapolis, IN).

General Synthesis of $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiX}$. To a stirred solution of $\text{HCz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2$ (500 mg, 1.38 mmol) in THF (3 mL) at ambient temperature under N_2 atmosphere was added a solution of lithium diisopropylamide (LDA) (155 mg, 1.45 mmol) in THF (2 mL) for 2 h. Solid NiX_2 (1.45 mmol) ($\text{X} = \text{Cl}, \text{Br}, \text{I}$; $\text{NiBr}_2(\text{THF})_2$ was used for the nickel bromide salt) was added, and the resulting slurry was stirred for 18 h at ambient temperature.³⁶ Volatiles were removed under reduced pressure, and the residue was extracted with toluene and filtered through Celite. The filtrate was dried *in vacuo* to yield a dark green solid (complexes 1–3). The corresponding THF adduct complexes were obtained by dissolving 1–3 in THF.

$\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiCl}$ (1). Yield: 64%. Crystals suitable for X-ray diffraction were grown from a concentrated solution in toluene at ambient temperature. ^1H NMR (500 MHz, C_6D_6 , δ): 47.0, 44.1, 42.4, 32.0 (br), 17.8, 11.3, 7.87, 3.64. μ_{eff} (C_6D_6): $2.9 \pm 0.2 \mu_{\text{B}}$. UV–vis (toluene at 40 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 305(15730), 319(15470), 373(6350), 395(6370), 630(2010), 600. Anal. Calcd for $\text{C}_{32}\text{H}_{40}\text{ClN}_5\text{Ni}$: C, 65.27; H, 6.85; N, 11.89. Found: C, 64.94; H, 6.97; N, 11.59.

$\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiBr}$ (2). Yield: 88%. Crystals suitable for X-ray diffraction were grown from a concentrated solution in toluene at ambient temperature. ^1H NMR (500 MHz, C_6D_6 , δ): 46.8, 42.8, 27.0 (br), 18.6, 9.13, 8.49, 3.61. μ_{eff} (C_6D_6): $3.0 \pm 0.3 \mu_{\text{B}}$. UV–vis (toluene at 40 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 320(17010), 396(7840), 651(2590). Anal. Calcd for $\text{C}_{32}\text{H}_{40}\text{BrN}_5\text{Ni}$: C, 62.76; H, 6.53; N, 10.31. Found: C, 62.90; H, 6.64; N, 10.08.

$\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiI}$ (3). Yield: 91%. Crystals suitable for X-ray diffraction were grown from a concentrated solution in toluene at ambient temperature. ^1H NMR (500 MHz, C_6D_6 , δ): 46.1, 42.4, 40.9, 18.8, 16.0 (br), 9.93 (br), 5.37 (br), 3.37. μ_{eff} (C_6D_6): $2.9 \pm 0.3 \mu_{\text{B}}$. UV–vis (toluene at 40 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 321(15410),

399(7200), 680(2410). Anal. Calcd for $\text{C}_{32}\text{H}_{40}\text{I}_2\text{N}_5\text{Ni}$: C, 58.70; H, 6.11; N, 9.64. Found: C, 58.71; H, 6.16; N, 9.64.

$\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiCl}(\text{THF})$ (1·THF). Crystals suitable for X-ray diffraction were grown by slow diffusion of *n*-pentane into a THF solution at ambient temperature. ^1H NMR (500 MHz, $\text{THF}-d_8$, δ): 56.3, 52.3, 37.6, 15.8 (br), 15.1, 7.20, 2.67. μ_{eff} ($\text{THF}-d_8$): $3.0 \pm 0.2 \mu_{\text{B}}$. UV–vis (THF at 40 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 319(14730), 403(6780), 418(sh)(6400), 629(900). UV–vis (THF at -80 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 305(11370), 325(20590), 348(10420), 403(9440), 424(11680). Anal. Calcd for $\text{C}_{36}\text{H}_{48}\text{ClN}_5\text{NiO}$: C, 65.42; H, 7.32; N, 10.60. Found: C, 65.15; H, 7.33; N, 10.61.

$\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiBr}(\text{THF})$ (2·THF). Crystals suitable for X-ray diffraction were grown by slow diffusion of *n*-pentane into a THF solution at ambient temperature.³⁷ ^1H NMR (500 MHz, $\text{THF}-d_8$, δ): 55.0, 52.6, 38.7, 14.9, 12.7 (br), 7.23, 2.59. μ_{eff} ($\text{THF}-d_8$): $3.0 \pm 0.2 \mu_{\text{B}}$. UV–vis (THF at 40 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 303(18000), 327(17360), 351(11530), 371(sh)(7240), 404(7930), 427(10470), 653(310). UV–vis (THF at -80 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 304(20040), 327(19290), 351(12810), 371(8040), 404(8820), 427(11640). Anal. Calcd for $\text{C}_{36}\text{H}_{48}\text{BrN}_5\text{NiO}$: C, 61.30; H, 6.86; N, 9.93. Found: C, 61.21; H, 6.74; N, 10.01.

$\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiI}(\text{THF})$ (3·THF). Crystals suitable for X-ray diffraction were grown by slow diffusion of *n*-pentane into a THF solution at ambient temperature. ^1H NMR (500 MHz, $\text{THF}-d_8$, δ): 51.3, 51.0, 39.4, 14.4, 7.16, 2.44. μ_{eff} ($\text{THF}-d_8$): $2.8 \pm 0.3 \mu_{\text{B}}$. UV–vis (THF at 40 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 303(17570), 320(11950), 352(9690), 369(sh)(8700), 399(6030), 426(sh)(4970), 685(730). UV–vis (THF at -80 °C) λ_{max} (ϵ [$\text{mM}^{-1}\cdot\text{cm}^{-1}$]): 303(15590), 326(14190), 353(10760), 371(7770), 405(7370), 427(8940). Anal. Calcd for $\text{C}_{36}\text{H}_{48}\text{IN}_5\text{NiO}$: C, 57.47; H, 6.43; N, 9.31. Found: C, 57.12; H, 6.34; N, 9.20.

Electrochemistry. Cyclic voltammetry was conducted via a CH-Instruments electrochemical analyzer (model 620E), employing a 3 mm glassy carbon working electrode, a silver wire pseudoreference electrode, and a platinum coiled wire counterelectrode. All measurements were performed using either THF or dichloromethane solutions, containing 1 mM analyte and 0.1 M $\text{N}(\text{Bu})_4\text{PF}_6$ as the supporting electrolyte. The potentials were referenced to a ferrocene/ferrocenium redox couple.

Crystallography. Data for 2 were collected using a Bruker ApexII CCD diffractometer. Data for 1, 3, 1·THF, and [2·THF]· $[\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiBr}_2][\text{Li}(\text{THF})_4]$ were measured using a Bruker Quest CMOS diffractometer. Both instruments featured sealed tube X-ray sources with graphite monochromated Mo $K\alpha$ radiation ($\lambda = 0.71073$ Å). A Bruker Quest CMOS diffractometer equipped with a $1\mu\text{S}$ microsource with a laterally graded multilayer (Goebel) mirror for monochromatization (Cu $K\alpha$ radiation, $\lambda = 1.54178$ Å) was used for compound 3·THF. A single crystal of each compound was mounted on a Mitegen micromesh mount using a trace of mineral oil and cooled *in situ* to 100 or 150 K for data collection. Frames were collected, reflections were indexed and processed, and the files scaled and corrected for absorption using Apex2 or Apex3.³⁸ For all structures, the intensity data were corrected for absorption using multiscan techniques (SADABS or TWINABS).³⁹ The space groups were assigned, and the structures were solved by direct methods using XPREP within the SHELXTL suite of programs and refined by full matrix least-squares against F^2 with all reflections using ShelXL2014, 2016, or 2018 using the graphical interface ShelXle.^{40–42} If not specified otherwise, H atoms attached to carbon and nitrogen atoms and hydroxyl hydrogens were positioned geometrically and constrained to ride on their parent atoms, with carbon hydrogen bond distances of 0.95 Å for alkene and aromatic C–H, and 0.99 and 0.98 Å for aliphatic CH_2 and CH_3 moieties, respectively. Methyl H atoms were allowed to rotate but not to tip to best fit the experimental electron density. $U_{\text{iso}}(\text{H})$ values were set to a multiple of $U_{\text{eq}}(\text{C})$ with 1.5 for CH_3 and 1.2 for CH_2 and CH units, respectively. Additional experimental details for all structures are given in the Supporting Information. Structures have been deposited with the Cambridge Crystallographic Data Centre, CCDC 1834881–1834886. These data


can be obtained free of charge from The Cambridge Crystallographic Data Centre via www.ccdc.cam.ac.uk/data_request/cif.

Computational Details. Molecular structures were geometry optimized using density functional theory (DFT) at the B3LYP/6-311G(d)/SDD level of theory,^{43–47} where Ni and the halide were represented with SDD and all other elements with 6-311G(d), as implemented in Gaussian 09.⁴⁸ Optimized structures were confirmed to be minima by analyzing harmonic frequencies.⁴⁹ The wave function for each triplet state was confirmed to be stable.^{50,51} Single point energy refinements at these optimized structures were evaluated at the B3LYP/def2TZVP and OPBE/def2TZVP levels of theory ($G_{TZ} \approx G_{DZ} - E_{DZ} + E_{TZ}$). The effects of solvation were not included during geometry optimization but were included when simulating the UV–vis spectra using the SMD implicit solvation model for toluene or THF.⁵² Time-dependent DFT (TD-DFT) was employed to simulate these spectra at the B3LYP/def2TZVP level of theory (see Figure S9 for the poor performance of a long-range corrected functional).^{53–55} 50 excited states were simulated for each molecule and the resulting oscillators were each fit with a Gaussian with a half-width at half-maximum of 0.15 eV using GaussView to represent the absorption spectra.⁵⁶ Optimized geometries were visualized with CYLview.⁵⁷

RESULTS AND DISCUSSION

Syntheses. The synthesis of the ligand was adapted from one reported for a similar compound, $\text{HCz}^{\text{Me}}(\text{Pyr}^{\text{iPr}})_2$.⁵⁸ Reaction yields and purity were improved by increasing the amount of base and pyrazole used.³⁴ Most importantly, no column chromatography is required for purification. A general synthetic route toward the Ni(II) complexes is shown in Scheme 1. Dark green $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{NiX}$ (X = Cl, Br, and I) complexes **1–3** were prepared by the addition of NiX_2 to *in situ* prepared $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2\text{Li}$ (Scheme 2). The complexes were

Scheme 2. Synthetic Route of Four-Coordinate Ni(II) Complexes



isolated in high yields and were fully characterized by NMR and UV–vis spectroscopy, elemental analysis, and single-crystal X-ray crystallography. **1–3** did not show any significant sign of decomposition upon standing in benzene on the benchtop for several days. In C_6D_6 solution of complexes **1–3**, one set of paramagnetic shifts was observed, indicating C_s symmetry with the mirror plane passing through the carbazole nitrogen, the Ni center, and the halide. The paramagnetic ^1H NMR spectra suggest a nonsquare planar coordination geometry around the Ni(II) center. Magnetic data for **1–3** are consistent with a high-spin nickel system. Values obtained using the method of Evans are $\mu_{\text{eff}} = 2.9(2)$, $3.0(3)$, and $2.9(3) \mu_{\text{B}}$, respectively. Note that remaining half equiv of toluene cannot be removed by high vacuum overnight according to the results of elemental analysis for **1–3**.

Crystal Structures of 1–3. Dark green crystals of **1–3** were obtained from a concentrated solution in toluene at ambient temperature. The ORTEP diagrams of **1–3** are given in Figure 1, and selected bond lengths and angles are summarized in Table 1 and Table S1. Each Ni(II) atom is

Table 1. Selected Bond Distances (Å) and Angles (deg) for 1–3^a

	1 (X = Cl)	2 (X = Br)	3 (X = I)
Ni1–N3	1.879(2)	1.874(2)	1.871(1)
Ni1–N5	2.071(2)	2.055(2)	2.044(1)
Ni1–N1	2.056(2)	2.041(2)	2.029(1)
Ni1–X1	2.2423(7)	2.3807(5)	2.5658(4)
N3–Ni1–N5	91.1(1)	91.5(1)	89.98(5)
N1–Ni1–N3	90.6(1)	90.9(1)	91.01(5)
N1–Ni1–N5	157.43(9)	158.16(9)	154.12(5)
N3–Ni1–X1	129.44(7)	127.42(7)	124.25(4)

^aNumbers in parentheses are standard uncertainties in the last significant figures. Atoms are labeled as indicated in Figure 1.

coordinated by one carbazolidine-nitrogen (N_{Cz}) and two pyrazole-nitrogen atoms (N_{pyr}) of $\text{Cz}^{\text{tBu}}(\text{Pyr}^{\text{iPr}})_2^-$ in a meridional arrangement and one halide atom. Such a distorted tetrahedral geometry is better described as an unusual seesaw geometry ($\tau_4 = 0.52$, 0.53 , and 0.57 , respectively),^{59,60} having a C_s symmetry. The average Ni–N bond lengths decrease from





Figure 1. X-ray crystal structures of **1** (left), **2** (middle), and **3** (right). Thermal ellipsoids shown at 50% probability; hydrogen atoms and solvate molecules (toluene, pentane) omitted for clarity. Color key: turquoise = Ni, blue = N, gray = C, green = Cl, brown = Br, violet = I.

2.002 (1) to 1.990 (2) and to 1.981 (3) Å, respectively. When comparing both types of nickel–nitrogen distances in 1–3, it becomes evident that the carbazolate (Ni1-N_{cz}) exhibits a significantly shorter bond length (ca. 0.2 Å) with respect to the corresponding pyrazole moieties ($\text{Ni1-N}_{\text{pyr}}$). This suggests that the negative charge is localized on the carbazole, as opposed to other types of nickel complexes bearing monoanionic NNN pincer ligands where all Ni–N distances are comparable because of charge delocalization throughout the entire molecule (Scheme 3).^{1–3,5,24,26,27,29,61}

Scheme 3. Monoanionic NNN Pincer Ligands with Delocalized π System



The Ni1-Cl1 distance in 1 is 2.2423(7) Å, which is 0.138 and 0.185 Å, respectively, shorter than the corresponding Ni1-Br1 and Ni1-I1 distances and is similar to the differences observed in the $\text{Tp}^{\text{Ph}}\text{NiX}$ series ($\text{X} = \text{Cl}, \text{Br}, \text{I}$)⁶² and is consistent with the differences in covalent radii for chlorine and bromine (0.12 Å) and for bromine and iodine (0.17 Å).⁶³ Interestingly, a search of the CSD (November, 2017 update) revealed that the nickel halide distances in 1–3 are slightly longer (~ 0.1 Å) than those of other structurally characterized NNN pincer and tripodal Ni(II) complexes. We attribute this to the steric obstruction of the two *i*Pr groups. The steric repulsion between the halide and *i*Pr groups can also be observed in the N3-Ni1-X1 angles, (θ ; Figure 2), which decrease with increasing radius of the halide atoms.




Figure 2. Illustration of $\angle \text{N3-Ni1-X1}$ (θ) due to the steric hindrance of *i*Pr groups and halides. Color key: turquoise = Ni, blue = N3, black = *i*Pr groups, violet = X1 ($\text{X} = \text{halide}$).

Five-Coordinate Ni(II) Complexes. Upon dissolving the complexes in THF, a color change was observed, suggesting the coordination of solvent molecule(s) to the Ni center. The significantly different paramagnetic shifts observed in $\text{THF-}d_8$, compared to those of spectra obtained in noncoordinating solvents, imply that the formation of five- or six-coordinate high-spin Ni(II) complexes is possible. However, octahedral Ni(II) is unlikely because of the presence of two bulky *i*Pr groups located *trans* to the carbazole nitrogen. Reversible solvation is evident from the observation that the dark green four-coordinate complexes turn yellow-green in THF. When dried, the solid remains yellow-green with no sign of loss of THF even upon prolonged evacuation as verified by the results

of elemental analysis. However, the yellow-green solid instantaneously turns dark green when dissolved in an excess of a noncoordinating solvent, such as toluene. Interestingly, upon cooling of the solutions, toluene solutions remain dark green, while an apparent color change from yellow-green to dark brown is noticed for THF solutions.

Crystal Structures of Five-Coordinate Ni(II) Complexes. Crystals of the five-coordinate Ni(II) complexes were obtained from concentrated THF solutions. The molecular structures of 1·THF, 2·THF, and 3·THF are shown in Figures S1, S2, and 3, and the crystallographic data




Figure 3. X-ray crystal structure of 3·THF. Thermal ellipsoids shown at 50% probability; hydrogen atoms and disorder (of isopropyl groups and the THF molecule) are omitted for clarity. Color key: turquoise = Ni, blue = N, gray = C, red = O, violet = I.

Table 2. Selected Bond Distances (Å) and Angles (deg) for 1·THF, 2·THF, and 3·THF^a

	1·THF ($\text{X} = \text{Cl}$) ^b	2·THF ($\text{X} = \text{Br}$)	3·THF ($\text{X} = \text{I}$)
Ni1-N3	1.90(1)	1.906(4)	1.907(6)
Ni1-N5	2.04(1)	2.044(3)	2.12(2)
Ni1-N1	2.05(1)	2.045(8)	1.96(2)
Ni1-X1	2.319(5)	2.4355(7)	2.718(1)
Ni1-O1	2.23(3)	2.26(2)	2.22(3)
N3-Ni1-N5	91.8(7)	90.8(1)	91.7(9)
N1-Ni1-N3	92.0(5)	91.5(1)	94.6(9)
N3-Ni1-O1	94.3(5)	95.0(4)	91.6(9)
N1-Ni1-N5	175.3(5)	171.5(1)	172(1)
N3-Ni1-X1	109.9(4)	111.4(1)	103.7(2)
X1-Ni1-O1	155.8(4)	153.6(4)	164.3(8)

^aNumbers in parentheses are standard uncertainties in the last significant figures. Atoms are labeled as indicated in Figures 3, S1, and S2. ^bValues taken in average of the asymmetric unit.

are summarized in Tables 2 and S2. Each Ni(II) center is coordinated by three nitrogens, one halide, and one oxygen atom in a distorted square pyramidal fashion ($\tau_5 = 0.34, 0.30$, and 0.12, respectively).⁶⁴ The additional ligation results in several observations that are different from those of 1–3. First, the average Ni–N bond lengths of the THF-bonded




Figure 4. Electronic absorption spectra of (a) 0.09 mM of **1** (green trace), **2** (red trace), and **3** (blue trace) in toluene at 40 °C and (b) 0.09 mM of **1**·THF (green trace), **2**·THF (red trace), and **3**·THF (blue trace) in THF at -80 °C.

complexes are almost identical (ca. 2.00 Å), whereas an elongation of ca. 0.2 Å was found for the Ni–X distances. Second, N3–Ni1–X1 angles decrease by ca. 20°. These results may be attributed to a diminished out-of-plane movement (0.439 (**3**) and 0.081 (**3**·THF) Å) of the Ni(II) ion in the five-coordinate complexes, where the basal plane is defined by the three coordinated nitrogen atoms N1, N3 and N5.

Electrochemistry. The electrochemistry of all six Ni(II) complexes was examined using cyclic voltammetry. Cyclic voltammograms of **1**–**3** do not provide any informative results. Five-coordinate Ni(II) complexes with bound THF, however, exhibit voltammograms that show a quasi-reversible diffusion-controlled process (shown in Figure S3 for **3**·THF in THF), which we attributed to a Ni^{II/I} event. The quasi-reversibility could be due to the slow rate of THF dissociation in the reduced state. There is a slight anodic shift from -1.53 V (**1**·THF) to -1.42 V (**2**·THF) and further to -1.33 V (**3**·THF) (Figure S4) with a linear correlation of the potential with the Lewis basicity of the halides, as expressed by the ligand constant parameter P_L .⁶⁵ **1**·THF is the most difficult to reduce due to both greater Lewis basicity and better p(X)–d(Ni) orbital overlap of the chloride anion. In addition, the reduction potential of **3**·THF is significantly more positive than that of **1**·THF and **2**·THF, as implied by the more significant bending (\angle N3–Ni1–X1) in **3**·THF which mitigates the orbital overlap.

Electronic Spectra. Qualitatively similar electronic absorption spectra were recorded for all complexes, and these spectra are consistent with the trend described in the spectrochemical series, with general ligand field transition energy decreasing in the halide series when moving down the group (Figures 4 and S5). For example, the absorption wavelength of the lowest energy bands are in the visible region, and are red-shifted from **1** (630 nm) to **2** (651 nm) and to **3** (680 nm). These bands are characteristic of high-spin distorted tetrahedral nickel(II) complexes and are thus assigned to electronic transitions which are either d–d ($^3T_1 \rightarrow ^3T_2$) or LMCT in character.

The color change behavior prompted us to conduct solvent- and temperature-dependent studies. At 40 °C, the four-coordinate complexes exhibit stronger transition bands than those of the five-coordinate counterparts. Upon cooling to -80 °C, the change in relative intensities of these bands is insignificant in toluene solutions, whereas drastically different

spectra are observed in THF (Figure S6). Figure 5 shows temperature-dependent electronic absorption spectra of **2**·




Figure 5. Temperature-dependent electronic absorption spectra of 0.09 mM of **2**·THF. 40 °C (lime green), 0 °C (olive green), -40 °C (light brown), -80 °C (dark brown).

THF from 40 to -80 °C. The UV–vis spectral change is accompanied by one set of isosbestic points and is reversible during repeated heating and cooling cycles. The small transition bands (~600 to 700 nm) observed in THF solutions are probably related to the presence of a four-coordinate complex. As the temperature is increased, the concentration of the four-coordinate complex increases relative to that of the five-coordinate species.

DFT Calculations. **1**–**3** and the mono THF adducts were optimized at the B3LYP/SDD/6-311G(d) level of theory as a triplet, where Ni and the halide were represented with the SDD basis set and all other atoms with 6-311G(d). One small chemical simplification of the ligand was introduced; the *t*Bu groups on the backbone were substituted by hydrogens. The metal–ligand bond lengths and angles agree well with the crystallographic values (Tables S4 and S5), suggesting that the model is adequate. Calculated d-orbital splitting diagrams for **1** and **1**·THF are shown in Figure 6. Two singly occupied molecular orbitals (SOMOs), $d_{x^2-y^2}$ and d_{z^2} , are energetically well-separated from three low-lying doubly occupied d orbitals. As is shown in Figure 7, the HOMO (in both the α and β subspaces) is best described as a ligand π orbital for both the four- and five-coordinate species with only a small contribution from Ni (see Figure S8 for similar plots of **2** and **3**). The




Figure 6. Quantitative d-orbital splitting diagrams based on the β orbital energies with isosurface plots (iso = 0.05 au) for **1** (left) and **1**·THF (right).




Figure 7. Isosurface plots (iso = 0.05 au) of the HOMO for **1** (left) and **1**·THF (right).

ligand-centered HOMO is commonly observed in donor ligands with more extended π conjugation.⁶⁶

One interesting finding in our system versus the carbazole-based pincer reported by Hecht and Limberg is the short Ni–N(carbazole) bond length of 1.87–1.91 Å versus their observed bond length of 2.032(5) Å.⁶⁷ A fundamental difference between these structures is that their *bis*(homoleptic) complex has *trans* carbazole N's, potentially giving rise to a strong *trans* influence that elongates this Ni–N bond length. Our complexes do not have a ligand perfectly *trans* to the carbazole N in either **1**–**3** or their THF adducts. To test this hypothesis, calculations were run (in addition to **1**) on (i)

an analogue of **1** with *i*Pr substituted by Me (**1**_{Me}), (ii) an analogue of **1** with *i*Pr substituted by H (**1**_H), and (iii) an analogue of **1** where the pyrazole arms were substituted by the triazole arms of their Ni complex (**1**_{tri}).⁶⁷ Each was treated as a triplet in keeping with the experimental spin state of **1**. Similar to our modeling of **1**, the *t*Bu groups were omitted from the carbazole backbone of each complex (see Figure 8). First, **1**_{tri} is predicted by DFT to have a significantly shorter Ni–N(carbazole) bond length of 1.94 Å. This supports our hypothesis that the lengthened Ni–N(carbazole) bond length is due to the *trans* influence from the other carbazole nitrogen. Second, as the steric bulk of position 3 on the pyrazole arm increases from H to Me to *i*Pr in **1**_H, **1**_{Me}, and **1**, respectively, the N(carbazole)–Ni–Cl angle becomes more acute (163, 135, and 133°). As the halide is forced out of the plane the *trans* influence of this halide is reduced, and subsequently, the Ni–N(carbazole) bond length decreases with values of 1.928, 1.920, and 1.920 Å for **1**_H, **1**_{Me}, and **1**, respectively. While we focus on analogues of **1** for this analysis due to the system size, we anticipate these findings to be general for other halides and regardless of whether THF is coordinated.

Because the N(carbazole)–Ni–X bond angle increases as the steric profile of the pyrazole substituent decreases in **1** versus **1**_{Me} versus **1**_H, the low-spin, singlet Ni(II) complex may




Figure 8. Optimized structures of **1** (left), **1**_{Me} (middle), and **1**_H (right) with Ni–N(carbazole) bond length and N(carbazole)–Ni–Cl bond angles labeled.

become competitive energetically with the high-spin, triplet state. To decouple steric from electronic effects, we reoptimized each of these species and 2/3 as closed-shell singlets, as well as hypothetical hydride (4) and cyanide (5) complexes that replace the weak-field chloride ligand with a σ -donor and π -acid, respectively. The steric profile of these two alternative ligands helps test for steric effects in these complexes. Table 3 summarizes the structural and energetic

Table 3. Comparison of the τ_δ Values for the Singlet and Triplet States as Well as the Spin-State Energy Difference for 1–5^a

species	τ_δ		ΔG (kcal/mol)	
	$S = 0$	$S = 1$	B3LYP	OPBE
1	0.36	0.45	10.74	4.86
1 _{Me}	0.36	0.44	9.20	3.33
1 _H	0.19	0.22	0.90	−6.16
2	0.39	0.47	12.03	6.23
3	0.40	0.49	13.23	7.56
4	0.15	0.47	−5.98	−13.56
5	0.34	0.46	4.61	−2.69

^aSpin-state energy difference: $\Delta G = G_{S=0} - G_{S=1}$.

differences between these spin states. Focusing first on the structure of the triplets, τ_δ is close to the ideal value for a seesaw complex for each triplet except 1_H. Inspection of the 1_H triplet structure shows a short Cl...H distance of 2.72 Å that suggests intramolecular hydrogen bonding.⁷³ Combined with the fact that the hydride has a structure that is closer to seesaw than 1 (0.47 vs 0.45), these observations strongly suggest that the triplet geometry is controlled by the electronic structure at the Ni center except when the ligand has special interactions with the pyrazole substituent. The closed-shell singlets all have smaller τ_δ values than their corresponding triplets, consistent with a trend toward more square-planar structures. The largest variation is seen for the hydride whose singlet has a value of 0.15. These values suggest that even sterically small ligands like cyanide (5) are effectively blocked by the pyrazole isopropyl groups or that chloride is blocked by the much smaller methyl substituent (1_{Me}); only singlet hydride approaches a τ_δ value that is comparable to related low-spin Ni(II) pincer complexes ($\tau_\delta = 0.09$ – 0.13).^{13,71,72} Even though these singlets are more square planar, only hydride clearly favors a singlet state according to our predicted free energy differences. DFT is well-documented to be sensitive to spin-state splitting energies, so we evaluated triple- ζ energy refinements with OPBE in

addition to B3LYP.^{53,68–70} These free energy differences suggest that 1_H and 5 may also favor the singlet state.

To aid in the interpretation of the electronic spectra, TD-DFT simulations were performed. UV–vis spectra were simulated with B3LYP/def2TZVP with implicit solvation (Figure 9). When comparing the calculated spectra of the four-coordinate complexes (Figure 9a) to the experimental results in Figure 4a, DFT predicts the transitions within ~20 nm of the observed experimental λ_{max} values (Table S3), including an experimentally observed shoulder at ~340 nm with predicted counterparts at 329, 330, and 331 nm for 1–3, respectively. The exceptions are the two bands at 373 and 395 nm for 1 that are not seen for the other two halides; DFT predicts a single peak at 378 nm. The experimental trend for the wavelength of this lowest energy peak of $1 < 2 < 3$ is reproduced, whereas the higher energy peaks are effectively at the same position. To better understand why this lowest energy transition is sensitive to the halide but the higher energy ones are not, the nature of these transitions and donor and acceptor orbitals for each transition were analyzed and are shown in Tables S6–S8. The lowest energy transition is best described as an LMCT band with the ligand π -orbital having significant character on the carbazolidine nitrogen (N3) donating into the singly occupied d_{z^2} -orbital on the Ni that has some antibonding character due to the nonplanarity of the halide in these species. The higher energy and more intense transitions are various $\pi \rightarrow \pi^*$ transitions in the ligand backbone, consistent with the relatively unchanged absorption energies as a function of the halide.

Next, the spectra of the five-coordinate species (Figure 9b) were investigated and compared to the experimental spectra (Figure 4b). On the basis of the interpretation of the four-coordinate species, the observed transitions should all be ligand $\pi \rightarrow \pi^*$ transitions since they are relatively insensitive to the halide. An analysis of the donor and acceptor orbitals for these excited states (Tables S9–S11) confirms this. Moreover, we can understand the absence of the low-energy transition. The d_{z^2} -orbital is shifted higher in energy due to the increased antibonding character when THF donates into this orbital, and this transition mixes with the higher energy/intensity ligand transitions. The simulated data have a discrepancy in the total number of $\pi \rightarrow \pi^*$ transitions, although this may be an artifact of our fitting of Gaussian distributions to each transition that obscures lower intensity bands. Analysis of the individual major peaks shows five for 1·THF, five for 2·THF, and six for 3·THF. Note that 2·THF is missing the experimental peak at 371 nm. On the basis of these simulated spectra, we can directly attribute the color change with THF binding to loss of




Figure 9. Simulated UV–vis spectra for 1 (green), 2 (red), and 3 (purple) in left panel and 1·THF (green), 2·THF (red), and 1·THF (purple) in right panel. Individual oscillators were fit with Gaussians with a hwhm of 0.15 eV.

the intense LMCT band with d_z^2 as the acceptor orbital. The extremely weak absorption at ~ 640 nm seen in each of the simulated spectra corresponds to a different, less allowed LMCT band corresponding to donation into the half-filled $d_{x^2-y^2}$ orbital. Interestingly, the experimental spectra of all THF adduct complexes show an increase of the lower energy band with increasing temperature. Therefore, it could also be a result of the equilibrium between four- and five-coordinate species since the loss of THF is entropically favored at higher temperature. However, variable temperature NMR spectra of 2·THF (Figure S7) exhibit one set of resonances, implying that either only 2·THF existed in the solution at these temperatures or the equilibrium is too rapid between 4- and 5-coordinate complexes to be observed on the NMR time scale.

CONCLUSIONS

We have prepared and characterized a series of Ni(II) complexes supported by a monoanionic NNN pincer ligand, $Cz^{Bu}(Pyr^{iPr})_2^-$. 1–3 were found to have $S = 1$ configurations, which calculations suggest is due to the geometric constraints of the pincer ligand. The combined experimental and theoretical exploration of the electronic and geometric structure of these and related hypothetical complexes highlight an important feature of this new ligand (and related ones): Unlike PNP and *bis*(iminopyridine) ligands whose substituents point away from the fourth coordination site of the metal,^{13,71,72} the R groups of pyrazole directly conflict with a possible square planar geometry at Ni(II). This leads to a strong preference for the triplet state except when (i) strong field ligands are used (CN^- is predicted to barely favor low-spin) or (ii) a ligand with no steric effect (H^-) is bound to Ni. Practically, this suggests that when substrates of catalytic interest are bound to the metal a high-spin configuration should be expected. Experimental and theoretical studies of the electronic transitions for these complexes show the transitions are dominated by both $\pi \rightarrow \pi^*$ and LMCT bands. Further reactivity studies on the rare examples of steric hindrance-enforced seesaw complexes 1–3 are ongoing, and results will be published in due course.

ASSOCIATED CONTENT

Supporting Information

The Supporting Information is available free of charge on the ACS Publications website at DOI: [10.1021/acs.inorgchem.8b00958](https://doi.org/10.1021/acs.inorgchem.8b00958).

Additional X-ray crystallographic data, 1H NMR spectra, UV–vis spectra for 1, 2, 3, 1·THF, 2·THF, and 3·THF, and computational results (PDF)

Accession Codes

CCDC 1834881–1834886 contain the supplementary crystallographic data for this paper. These data can be obtained free of charge via www.ccdc.cam.ac.uk/data_request/cif, or by emailing data_request@ccdc.cam.ac.uk, or by contacting The Cambridge Crystallographic Data Centre, 12 Union Road, Cambridge CB2 1EZ, UK; fax: +44 1223 336033.

AUTHOR INFORMATION

Corresponding Author

*E-mail: wlee5@luc.edu.

ORCID

Richard L. Lord: 0000-0001-6692-0369

Matthias Zeller: 0000-0002-3305-852X

Wei-Tsung Lee: 0000-0002-2198-3398

Author Contributions

*J.G. and T.A.A. contributed equally to this work.

Notes

The authors declare no competing financial interest.

ACKNOWLEDGMENTS

This work was supported by start-up funds (Loyola University Chicago). The X-ray diffractometers were funded by National Science Foundation through the Major Research Instrumentation Program under Grant Nos. CHE 1039689 (Illinois State University) and CHE 1625543 (Purdue University). We thank Dr. Daniel J. McElheny (University of Illinois at Chicago) for acquiring VT-NMR spectra and Illinois State University for access to their diffractometer (compound 2).

REFERENCES

- (1) Csok, Z.; Vechorkin, O.; Harkins, S. B.; Scopelliti, R.; Hu, X. Nickel Complexes of a Pincer NN_2 Ligand: Multiple Carbon–Chloride Activation of CH_2Cl_2 and $CHCl_3$ Leads to Selective Carbon–Carbon Bond Formation. *J. Am. Chem. Soc.* **2008**, *130*, 8156–8157.
- (2) Deng, Q.-H.; Wadepohl, H.; Gade, L. H. The Synthesis of a New Class of Chiral Pincer Ligands and Their Applications in Enantioselective Catalytic Fluorinations and the Nozaki–Hiyama–Kishi Reaction. *Chem. - Eur. J.* **2011**, *17*, 14922–14928.
- (3) Patel, U. N.; Pandey, D. K.; Gonnade, R. G.; Punji, B. Synthesis of Quinoline-Based NNN-Pincer Nickel(II) Complexes: A Robust and Improved Catalyst System for C–H Bond Alkylation of Azoles with Alkyl Halides. *Organometallics* **2016**, *35*, 1785–1793.
- (4) Pérez García, P. M.; Ren, P.; Scopelliti, R.; Hu, X. Nickel-Catalyzed Direct Alkylation of Terminal Alkynes at Room Temperature: A Hemilabile Pincer Ligand Enhances Catalytic Activity. *ACS Catal.* **2015**, *5*, 1164–1171.
- (5) Ren, P.; Vechorkin, O.; Allmen, K. v.; Scopelliti, R.; Hu, X. A Structure–Activity Study of Ni-Catalyzed Alkyl–Alkyl Kumada Coupling. Improved Catalysts for Coupling of Secondary Alkyl Halides. *J. Am. Chem. Soc.* **2011**, *133*, 7084–7095.
- (6) Tao, J.-L.; Wang, Z.-X. Pincer-Nickel-Catalyzed Cross-Coupling of Aryl Sulfamates with Arylzinc Chlorides. *Eur. J. Org. Chem.* **2015**, *2015*, 6534–6540.
- (7) Wenz, J.; Rettenmeier, C. A.; Wadepohl, H.; Gade, L. H. Catalytic C–F Bond Activation of Geminal Difluorocyclopropanes by Nickel(I) Complexes via a Radical Mechanism. *Chem. Commun.* **2016**, *52*, 202–205.
- (8) Zhang, X.-Q.; Wang, Z.-X. Cross-Coupling of Aryltrimethylammonium Iodides with Arylzinc Reagents Catalyzed by Amido Pincer Nickel Complexes. *J. Org. Chem.* **2012**, *77*, 3658–3663.
- (9) Hao, Z.; Yang, N.; Gao, W.; Xin, L.; Luo, X.; Mu, Y. Nickel Complexes Bearing N, N,N-tridentate Quinoliny Anilido–Imine Ligands: Synthesis, Characterization and Catalysis on Norbornene Addition Polymerization. *J. Organomet. Chem.* **2014**, *749*, 350–355.
- (10) Pinheiro, A. C.; Virgili, A. H.; Roisnel, T.; Kirillov, E.; Carpentier, J. F.; Casagrande, O. L. Ni(II) Complexes Bearing Pyrrolide–Imine Ligands with Pendant N-, O- and S-Donor Groups: Synthesis, Structural Characterization and Use in Ethylene Oligomerization. *RSC Adv.* **2015**, *5*, 91524–91531.
- (11) Filimon, S.-A.; Petrovic, D.; Volbeda, J.; Bannenberg, T.; Jones, P. G.; Freiherr von Richthofen, C.-G.; Glaser, T.; Tamm, M. 3d Metal Complexes Supported by a Bis(imidazolin-2-imino)pyridine Pincer Ligand – Synthesis, Structural Characterisation, and Magnetic Properties. *Eur. J. Inorg. Chem.* **2014**, *2014*, 5997–6012.
- (12) Peters, J. C.; Harkins, S. B.; Brown, S. D.; Day, M. W. Pincer-like Amido Complexes of Platinum, Palladium, and Nickel. *Inorg. Chem.* **2001**, *40*, 5083–5091.

- (13) Manuel, T. D.; Rohde, J.-U. Reaction of a Redox-Active Ligand Complex of Nickel with Dioxxygen Probes Ligand-Radical Character. *J. Am. Chem. Soc.* **2009**, *131*, 15582–15583.
- (14) Huang, D.; Holm, R. H. Reactions of the Terminal Ni^{II}–OH Group in Substitution and Electrophilic Reactions with Carbon Dioxide and Other Substrates: Structural Definition of Binding Modes in an Intramolecular Ni^{II}...Fe^{II} Bridged Site. *J. Am. Chem. Soc.* **2010**, *132*, 4693–4701.
- (15) Cariou, R.; Dahcheh, F.; Graham, T. W.; Stephan, D. W. Mononuclear and Dinuclear Palladium and Nickel Complexes of Phosphinimine-Based Tridentate Ligands. *Dalton Trans.* **2011**, *40*, 4918–4925.
- (16) Singleton, J. T. The Uses of Pincer Complexes in Organic Synthesis. *Tetrahedron* **2003**, *59*, 1837–1857.
- (17) van der Boom, M. E.; Milstein, D. Cyclometalated Phosphine-Based Pincer Complexes: Mechanistic Insight in Catalysis, Coordination, and Bond Activation. *Chem. Rev.* **2003**, *103*, 1759–1792.
- (18) Benito-Garagorri, D.; Kirchner, K. Modularly Designed Transition Metal PNP and PCP Pincer Complexes based on Aminophosphines: Synthesis and Catalytic Applications. *Acc. Chem. Res.* **2008**, *41*, 201–213.
- (19) Bauer, G.; Hu, X. Recent Developments of Iron Pincer Complexes for Catalytic Applications. *Inorg. Chem. Front.* **2016**, *3*, 741–765.
- (20) van Koten, G.; Milstein, D. *Organometallic Pincer Chemistry*. Springer-Verlag: Berlin, Heidelberg, 2013.
- (21) Housecroft, C. E.; Sharpe, A. G. *Inorganic Chemistry*, 4th ed.; Pearson Education: Harlow, England, 2012; pp 761–764.
- (22) Greenwood, N. N.; Earnshaw, A. *Chemistry of the Elements*, 2nd ed.; Butterworth Heinemann: Oxford, U.K., 1997; p 1156–1166.
- (23) Bruschi, M.; Tiberti, M.; Guerra, A.; De Gioia, L. Disclosure of Key Stereoelectronic Factors for Efficient H₂ Binding and Cleavage in the Active Site of [NiFe]-Hydrogenases. *J. Am. Chem. Soc.* **2014**, *136*, 1803–1814.
- (24) Rettenmeier, C. A.; Wenz, J.; Wadepohl, H.; Gade, L. H. Activation of Aryl Halides by Nickel(I) Pincer Complexes: Reaction Pathways of Stoichiometric and Catalytic Dehalogenations. *Inorg. Chem.* **2016**, *55*, 8214–8224.
- (25) Rettenmeier, C.; Wadepohl, H.; Gade, L. H. Stereoselective Hydrodehalogenation via a Radical-Based Mechanism Involving T-Shaped Chiral Nickel(I) Pincer Complexes. *Chem. - Eur. J.* **2014**, *20*, 9657–9665.
- (26) Konrad, F.; Lloret Fillol, J.; Rettenmeier, C.; Wadepohl, H.; Gade, L. H. Bis(oxazolinylmethyl) Derivatives of C₄H₄E Heterocycles (E = NH, O, S) as C₂-Chiral Meridionally Coordinating Ligands for Nickel and Chromium. *Eur. J. Inorg. Chem.* **2009**, *2009*, 4950–4961.
- (27) Rettenmeier, C. A.; Wadepohl, H.; Gade, L. H. Electronic Structure and Reactivity of Nickel(I) Pincer Complexes: Their Aerobic Transformation to Peroxo Species and Site Selective C-H Oxygenation. *Chem. Sci.* **2016**, *7*, 3533–3542.
- (28) Rettenmeier, C. A.; Wadepohl, H.; Gade, L. H. Structural Characterization of a Hydroperoxo Nickel Complex and Its Autoxidation: Mechanism of Interconversion between Peroxo, Superoxo, and Hydroperoxo Species. *Angew. Chem., Int. Ed.* **2015**, *54*, 4880–4884.
- (29) Bröring, M.; Prikhodovski, S.; Brandt, C. D. The First (Tripyrrinato)nickel(II) Complexes, TrpyNiX with X = Cl, Br, I: Synthesis, Structures and Solvent Coordination. *J. Chem. Soc., Dalton Trans.* **2002**, 4213–4218.
- (30) Bröring, M.; Prikhodovski, S.; Brandt, C. D. Structural Diversity in Five-Coordinate Nickel(II) Complexes of the Tripyrrin Ligand. *Inorg. Chim. Acta* **2004**, *357*, 1733–1738.
- (31) Bröring, M.; Prikhodovski, S.; Brandt, C. D.; Cónsul Tejero, E. Pillars, Layers, Pores and Networks from Nickeltripyrins: A Porphyrin Fragment as a Versatile Building Block for the Construction of Supramolecular Assemblies. *Chem. - Eur. J.* **2007**, *13*, 396–406.
- (32) Trofimenko, S.; Calabrese, J. C.; Thompson, J. S. Novel Polypyrazolylborate Ligands: Coordination Control through 3-Substituents of the Pyrazole Ring. *Inorg. Chem.* **1987**, *26*, 1507–1514.
- (33) Gibson, V. C.; Spitzmesser, S. K.; White, A. J. P.; Williams, D. J. Synthesis and Reactivity of 1,8-bis(imino)carbazolide Complexes of Iron, Cobalt and Manganese. *Dalton Trans.* **2003**, 2718–2727.
- (34) Lin, H.-J.; Lutz, S.; O’Kane, C.; Zeller, M.; Chen, C.-H.; Al Assil, T.; Lee, W.-T. Synthesis and Characterization of an Iron Complex Bearing a Hemilabile NNN-Pincer for Catalytic Hydro-silylation of Organic Carbonyl Compounds. *Dalton Trans.* **2018**, *47*, 3243–3247.
- (35) Schubert, E. M. Utilizing the Evans Method with a Superconducting NMR Spectrometer in the Undergraduate Laboratory. *J. Chem. Educ.* **1992**, *69*, 62.
- (36) Reflux is needed for the preparation of the chloride derivative 1.
- (37) We could not obtain single crystals of pure 2·THF. However, a cocrystal with the dibromide Cz^{tbu}(Pyr^{ipr})₂NiBr₂ as its lithium salt, [2·THF]·[Cz^{tbu}(Pyr^{ipr})₂NiBr₂][Li(THF)₄], yielded crystals suitable for crystallographic analysis and is used for structural comparison.
- (38) (a) Apex2 v2013.4–1, v2014.11, v2014.1–1; Bruker AXS Inc.: Madison, WI, 2013/2014. (b) SAINT V8.34A, V8.30C; Bruker AXS Inc.: Madison, WI, 2013/2014.
- (39) Blessing, R. An empirical correction for absorption anisotropy. *Acta Crystallogr., Sect. A: Found. Crystallogr.* **1995**, *51*, 33–38.
- (40) Hubschle, C. B.; Sheldrick, G. M.; Dittrich, B. ShelXle: A Qt Graphical User Interface for SHELXL. *J. Appl. Crystallogr.* **2011**, *44*, 1281–1284.
- (41) Sheldrick, G. SHELXT - Integrated Space-Group and Crystal-Structure Determination. *Acta Crystallogr., Sect. A: Found. Adv.* **2015**, *71*, 3–8.
- (42) Sheldrick, G. A Short History of SHELX. *Acta Crystallogr., Sect. A: Found. Crystallogr.* **2008**, *64*, 112–122.
- (43) Stephens, P. J.; Devlin, F. J.; Chabalowski, C. F.; Frisch, M. J. Ab Initio Calculation of Vibrational Absorption and Circular Dichroism Spectra Using Density Functional Force Fields. *J. Phys. Chem.* **1994**, *98*, 11623–11627.
- (44) Becke, A. D. A New Mixing of Hartree–Fock and Local Density-Functional Theories. *J. Chem. Phys.* **1993**, *98*, 1372–1377.
- (45) Becke, A. D. Density-Functional Exchange-Energy Approximation with Correct Asymptotic Behavior. *Phys. Rev. A: At., Mol., Opt. Phys.* **1988**, *38*, 3098–3100.
- (46) Lee, C.; Yang, W.; Parr, R. G. Development of the Colle-Salvetti Correlation-Energy Formula into a Functional of the Electron Density. *Phys. Rev. B: Condens. Matter Mater. Phys.* **1988**, *37*, 785–789.
- (47) Vosko, S. H.; Wilk, L.; Nusair, M. Accurate Spin-Dependent Electron Liquid Correlation Energies for Local Spin Density Calculations: A Critical Analysis. *Can. J. Phys.* **1980**, *58*, 1200–1211.
- (48) Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Scalmani, G.; Barone, V.; Mennucci, B.; Petersson, G. A.; Nakatsuji, H.; Caricato, M.; Li, X.; Hratchian, H. P.; Izmaylov, A. F.; Bloino, J.; Zheng, G.; Sonnenberg, J. L.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Vreven, T.; Montgomery, J. A., Jr.; Peralta, J. E.; Ogliaro, F.; Bearpark, M.; Heyd, J. J.; Brothers, E.; Kudin, K. N.; Staroverov, V. N.; Kobayashi, R.; Normand, J.; Raghavachari, K.; Rendell, A.; Burant, J. C.; Iyengar, S. S.; Tomasi, J.; Cossi, M.; Rega, N.; Millam, J. M.; Klene, M.; Knox, J. E.; Cross, J. B.; Bakken, V.; Adamo, C.; Jaramillo, J.; Gomperts, R.; Stratmann, R. E.; Yazyev, O.; Austin, A. J.; Cammi, R.; Pomelli, C.; Ochterski, J. W.; Martin, R. L.; Morokuma, K.; Zakrzewski, V. G.; Voth, G. A.; Salvador, P.; Dannenberg, J. J.; Dapprich, S.; Daniels, A. D.; Farkas, O.; Foresman, J. B.; Ortiz, J. V.; Cioslowski, J.; Fox, D. J. *Gaussian 09*, revision D.01; Gaussian, Inc.: Wallingford, CT, 2009.
- (49) Schlegel, H. B. Geometry Optimization. *Wiley Interdisciplinary Reviews: Computational Molecular Science* **2011**, *1*, 790–809.
- (50) Schlegel, H. B.; McDouall, J. J. *Computational Advances in Organic Chemistry*; Kluwer Academic: Amsterdam, The Netherlands, 1991.

- (51) Bauernschmitt, R.; Ahlrichs, R. Stability Analysis for Solutions of the Closed Shell Kohn–Sham Equation. *J. Chem. Phys.* **1996**, *104*, 9047–9052.
- (52) Marenich, A. V.; Cramer, C. J.; Truhlar, D. G. Universal Solvation Model Based on Solute Electron Density and on a Continuum Model of the Solvent Defined by the Bulk Dielectric Constant and Atomic Surface Tensions. *J. Phys. Chem. B* **2009**, *113*, 6378–6396.
- (53) Weigend, F.; Ahlrichs, R. Balanced Basis Sets of Split Valence, Triple Zeta Valence and Quadruple Zeta Valence Quality for H to Rn: Design and Assessment of Accuracy. *Phys. Chem. Chem. Phys.* **2005**, *7*, 3297–3305.
- (54) Adamo, C.; Jacquemin, D. The Calculations of Excited-State Properties with Time-Dependent Density Functional Theory. *Chem. Soc. Rev.* **2013**, *42*, 845–856.
- (55) Stratmann, R. E.; Scuseria, G. E.; Frisch, M. J. An Efficient Implementation of Time-Dependent Density-Functional Theory for the Calculation of Excitation Energies of Large Molecules. *J. Chem. Phys.* **1998**, *109*, 8218–8224.
- (56) Dennington, R.; Keith, T.; Millam, J. *GaussView*, version 5.0.9; Semichem Inc.: Shawnee Mission, KS, 2009.
- (57) Legault, C. Y. *CYLVview*, 1.0b; Université de Sherbrooke: 2009.
- (58) Johnson, K. R. D.; Kamenz, B. L.; Hayes, P. G. Bis(pyrazolyl)-carbazole as a Versatile Ligand for Supporting Lutetium Alkyl and Hydride Complexes. *Organometallics* **2014**, *33*, 3005–3011.
- (59) Yang, L.; Powell, D. R.; Houser, R. P. Structural Variation in Copper(I) Complexes with Pyridylmethylamide Ligands: Structural Analysis with a New Four-Coordinate Geometry Index, τ_4 . *Dalton Trans.* **2007**, 955–964.
- (60) Reineke, M. H.; Sampson, M. D.; Rheingold, A. L.; Kubiak, C. P. Synthesis and Structural Studies of Nickel(0) Tetracarbene Complexes with the Introduction of a New Four-Coordinate Geometric Index, τ_d . *Inorg. Chem.* **2015**, *54*, 3211–3217.
- (61) Perez Garcia, P. M.; Di Franco, T.; Epenoy, A.; Scopelliti, R.; Hu, X. From Dimethylamine to Pyrrolidine: The Development of an Improved Nickel Pincer Complex for Cross-Coupling of Non-activated Secondary Alkyl Halides. *ACS Catal.* **2016**, *6*, 258–261.
- (62) Frampton, A. K.; Gartland, K.; Piro, N. A.; Kassel, W. S.; Dougherty, W. G. Structural Characterization and Electrochemical Properties of Nickel (II) Complexes Bearing Sterically Bulky Hydrotris(3-phenyl)- and Hydrotris(3-tert-butylpyrazol-1-yl)borato Ligands. *Polyhedron* **2016**, *114*, 172–178.
- (63) Migani, A.; Illas, F. A Systematic Study of the Structure and Bonding of Halogens on Low-Index Transition Metal Surfaces. *J. Phys. Chem. B* **2006**, *110*, 11894–11906.
- (64) Addison, A. W.; Rao, T. N.; Reedijk, J.; van Rijn, J.; Verschoor, G. C. Synthesis, Structure, and Spectroscopic Properties of Copper-(II) Compounds Containing Nitrogen-Sulphur Donor Ligands; the Crystal and Molecular Structure of Aqua[1,7-bis(N-methylbenzimidazol-2'-yl)-2,6-dithiaheptane]copper(II) Perchlorate. *J. Chem. Soc., Dalton Trans.* **1984**, 1349–1356.
- (65) Chatt, J.; Kan, C. T.; Leigh, G. J.; Pickett, C. J.; Stanley, D. R. Transition-Metal Binding Sites and Ligand Parameters. *J. Chem. Soc., Dalton Trans.* **1980**, 2032–2038.
- (66) Mukherjee, S.; Torres, D. E.; Jakubikova, E. HOMO Inversion as a Strategy for Improving the Light-Absorption Properties of Fe(II) Chromophores. *Chem. Sci.* **2017**, *8*, 8115–8126.
- (67) Pryjomska-Ray, I.; Zornik, D.; Pätz, M.; Krause, K. B.; Grubert, L.; Braun-Cula, B.; Hecht, S.; Limberg, C. Comparing Isomeric Tridentate Carbazole-Based Click Ligands: Metal Complexes and Redox Chemistry. *Chem. - Eur. J.* **2018**, *24*, 5341–5349.
- (68) Perdew, J. P.; Burke, K.; Ernzerhof, M. Generalized Gradient Approximation Made Simple. *Phys. Rev. Lett.* **1996**, *77*, 3865–3868.
- (69) Swart, M. Accurate Spin-State Energies for Iron Complexes. *J. Chem. Theory Comput.* **2008**, *4*, 2057–2066.
- (70) Handy, N. C.; Cohen, A. J. Left-right Correlation Energy. *Mol. Phys.* **2001**, *99*, 403–412.
- (71) Vogt, M.; Rivada-Wheelaghan, O.; Iron, M. A.; Leitun, G.; Diskin-Posner, Y.; Shimon, L. J. W.; Ben-David, Y.; Milstein, D. Anionic Nickel(II) Complexes with Doubly Deprotonated PNP Pincer-Type Ligands and Their Reactivity toward CO₂. *Organometallics* **2013**, *32*, 300–308.
- (72) Adhikari, D.; Mossin, S.; Basuli, F.; Huffman, J. C.; Szilagy, R. K.; Meyer, K.; Mindiola, D. J. Structural, Spectroscopic, and Theoretical Elucidation of a Redox-Active Pincer-Type Ancillary Applied in Catalysis. *J. Am. Chem. Soc.* **2008**, *130*, 3676–3682.
- (73) Brammer, L.; Bruton, E. A.; Sherwood, P. Understanding the Behavior of Halogens as Hydrogen Bond Acceptors. *Cryst. Growth Des.* **2001**, *1*, 277–290.