## 1 Model

## Parameters:

- N: Network size
- $N_c$ : Number of nodes per block
- $\ell$ : Number of blocks
- $\langle k \rangle$ : Average degree of the overall network
- $\langle k \rangle^{\text{in}}$ : Average degree counting only intrablock links
- $\langle k \rangle^{\text{out}}$ : Average degree counting only interblock links
- $p^{\text{in}}$ : Probability of existence of intrablock links
- p<sup>out</sup>: Probability of existence of interblock links

Relation between parameters:

$$N = \ell N_c \tag{1}$$

$$\langle k \rangle = \langle k \rangle^{\text{in}} + \langle k \rangle^{\text{out}} = p^{\text{in}}(N_c - 1) + p^{\text{out}}(N - N_c)$$
 (2)

$$N_r = N/N_c \tag{3}$$

$$P_{\text{out}} = p^{\text{out}} N_c^2 \tag{4}$$

## $\mathbf{2}$ Results

It seems that the effective size of the system is not the number of nodes N but the ratio between N and the size of the blocks. Thus, we define the variable  $N_r = N/N_c$  and perform the analysis in terms of this variable.

For constant  $N_c$  and  $\langle k \rangle$  large enough ( $\langle k \rangle \gtrsim 4$ ), the transition occurs when

$$N_r P_{\text{out}} = 1, \tag{5}$$

where  $P_{\text{out}} = p^{\text{out}} N_c^2$  is the average number of links connecting two given blocks. For smaller values of  $\langle k \rangle$ , the percolation point moves to the right, as it can be seen in Figures ?? and ??. The critical exponents do not seem to vary.

**Hipothesis:** the (finite-size) percolation threshold and the peak of  $N_2$  and  $\langle s \rangle$ , for a given value of N, satisfy a scaling relation of the type

$$q_c(N,\langle k\rangle) - q_c(N,\langle k\rangle_{\rm max}) \sim \langle k\rangle^a$$
 (6)

$$\frac{1}{N_2^{\max}(N,\langle k\rangle)} - \text{const} \sim \langle k\rangle^b \tag{7}$$

$$\frac{1}{N_2^{\max}(N,\langle k\rangle)} - \operatorname{const} \sim \langle k\rangle^b$$

$$\frac{1}{\langle s\rangle^{\max}(N,\langle k\rangle)} - \operatorname{const} \sim \langle k\rangle^c$$
(8)




Figure 1: Scaling of the percolation transition for different values of  $\langle k \rangle$ .




Figure 2: Variation of the (finite-size) percolation threshold and size of the susceptibility peak with  $\langle k \rangle$ .