

## FLOODED DEEP CYCLE BATTERIES

## 12 FS 135

**12 VOLTS** 



CONTAINER:	Polypropylene
COVER:	Polypropylene
TERMINALS:	Automotive or Universal (if specified)
HANDLES:	Plastic mounted to cover

WEIGHT DRY:	33 kg	72 Lbs.
WEIGHT WET:	41 kg	90 Lbs.
LENGTH:	343 mm	13 1/2 Inches
WIDTH:	171 mm	6 3/4 Inches
HEIGHT:	295 mm	11 5/8 Inches



PLATE HEIGHT:	254 mm	10.000 Inches
PLATE WIDTH:	143 mm	5.625 Inches
THICKNESS (POSITIVE):	4.32 mm	0.170 Inches
THICKNESS (NEGATIVE):	3.05 mm	0.120 Inches

COLD CRANK AMPS (CCA):	0°F / -17.8°C	512
MARINE CRANK AMPS (MCA):	32°F / 0°C	640
RESERVE CAPACITY (RC @ 25A):	202 Minutes	

## ISO 9001 Quality

1500

100

90

# OF CYCLES

CELLS:	11 Plates/Cell	6 Cell
SEPARATOR THICKNESS:	1 mm	0.050 Inches
GLASS MAT INSULATION:	1 mm	0.02 Inches
ELECTROLYTE RESERVE: ABOVE PLATES	38 mm	1.5 Inches

50

SURRETTE BATTERY COMPANY 1 STATION RD SPRINGHILL, NS CANADA BOM 1X0

% OF DISCHARGE

30

20

10

## **CAPACITY**

**136** AH

HOUR RATE:	SPECIFIC GRAVITY	CAPACITY / AMP HOUR	CURRENT / AMPS
@ 100 HOUR RATE	1.280	181	1.81
@ 72 HOUR RATE	1.280	171	2.38
@ 50 HOUR RATE	1.280	162	3.24
@ 24 HOUR RATE	1.280	140	5.84
@ 20 HOUR RATE	1.280	136	6.80
@ 15 HOUR RATE	1.280	128	8.52
@ 12 HOUR RATE	1.280	121	10.09
@ 10 HOUR RATE	1.280	116	11.56
@ 8 HOUR RATE	1.280	109	13.60
@ 6 HOUR RATE	1.280	101	16.77
@ 5 HOUR RATE	1.280	95	19.04
@ 4 HOUR RATE	1.280	88	22.10
@ 3 HOUR RATE	1.280	80	26.75
@ 2 HOUR RATE	1.280	69	34.68
@ 1 HOUR RATE	1 280	49	48 96

Amphere Hour capacity ratings based on specific gravities of 1.280. Reduce capacities 5% for

1.265 specific gravity and 10% for specific gravities of 1.250

2.15 VOLTAGE 20 HR 2.10 VOLTAGE 10 HR 2.05 VOLTAGE 3 HR VOLTAGE 1 HR 2.00 VOLTAGE 1.95 1.90 1.85 1.80 1.75 0 25 50 90 100 % OF DISCHARGE

**VOLTAGE VS. DEPTH OF DISCHARGE** 

CYCLE LIFE VS. DEPTH OF DISCHARGE