

ATTACHMENT (1)
TECHNICAL ORDERING DATA (TOD)

CONTRACT No: N0010426RX19769
ITEM: Pipe Seamless Carbon Steel

SECTION B - SUPPLIES/SERVICES:

NATIONAL STOCK NUMBER (NSN): 1H 4710-00-451-5183 X2

ITEM NAME: PIPE, 1 IN, CARBON STEEL

PART NUMBER: MIL-P-24338,1.00NPS,SCH80

QUANTITY: As specified in the contract/delivery order.

SPECIAL CHARACTERISTICS: NPS 1 INCH, SCH 80, Seamless, LEVEL 1

SECTION C - DESCRIPTION/SPECIFICATIONS:

C.1. Manufacture per the attached Individual Repair Part Ordering Data (IRPOD), as modified by this contract.

C.1.1. The order of precedence for any conflicting documentation/requirements shall be as follows:

- (a) The contract (including attachments, modifications, amendments, etc.).
- (b) The IRPOD.
- (c) Drawings (if any) referenced by the IRPOD.
- (d) Specifications referenced by the IRPOD or drawing.

C.1.2. Manufacture in accordance with MIL-P-24338, except as modified herein. Ordering data for paragraph 6.2 of MIL-P-24338 is as follows:

- (a) See section C.2.1 for specification information.
- (b) See section C.1.3 for special sizes.
- (c) O.D. dimensions and tolerances do not apply except for 1/8" NPS thru 3/8" NPS.
- (d) Not applicable.
- (e) NPS, Schedule and Quantity shall be as specified in Section B (Supplies /Services).
- (f) Random lengths as specified in paragraph 3.3.2.2.1 of MIL-P-24338 except maximum lengths of 20 feet are preferable.
- (g) Not applicable.
- (h) Material marking shall meet the requirements of section C.5 (Material Marking). The requirements of STR-505 apply (Level 1 Material).
- (i) See section D for packaging requirements.
- (j) See section D for preservation requirements.
- (k) Expanding test not required.

C.1.3. Modification of MIL-P-24338:

- (a) In Paragraph 3.6, delete the words "using the Type I marking methods".

C.1.4. Ultrasonically inspect pipe per MIL-P-24338 and MIL-STD-2132.

- (a) The vendor shall notify the purchasing agent four (4) weeks in advance of ultrasonic testing to allow participation of Portsmouth Naval Shipyard personnel in witnessing the ultrasonic tests.

C.2. APPLICABLE DOCUMENTS:

C.2.1. Section 2.0 of the IRPOD lists applicable documents to be used (e.g., drawings, specifications, standards, etc.) and their required version level (e.g., revisions, amendments, change notices, interim changes, etc.). The following list of documents and version information takes precedence over version information (including the lack of any version information) identified by the IRPOD:

- (a) MIL-P-24338A, AMENDMENT 1; PIPE, CARBON STEEL, SEAMLESS
- (b) MIL-STD-792F; IDENTIFICATION MARKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS
- (c) MIL-STD-129R; MARKING FOR SHIPMENT AND STORAGE
- (d) ASTM D3951-18; STANDARD PRACTICE FOR COMMERCIAL PACKAGING
- (e) MIL-STD-2132F; NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR SPECIAL APPLICATIONS

C.2.2. If no document version is identified (anywhere in the contract or referenced documents), then use the latest version identified in the Acquisition Streamlining and Standardization Information System (ASSIST) at the time of contract award; ASSIST information is available at the following website:

<https://quicksearch.dla.mil>. If no document version information is available in ASSIST, then any version of the document may be used provided its version is dated 1 November 1969 or later.

C.2.3. In any case, the vendor shall use only one version in its entirety (i.e., the vendor shall not use portions of different versions of a document).

C.3. DATA REQUIREMENTS:

C.3.1. Material Certification; See Exhibit A, Data Item No. A001.

C.3.2. Procedure Approvals; See Exhibit A, Data Item No. A002. The vendor shall provide, and obtain approval for, the procedures identified below prior to their use. If the vendor considers a required submittal inapplicable to this procurement, the vendor shall submit a statement justifying the exclusion of the required submittal.

- (a) ULTRASONIC TEST PROCEDURE - Procedure (per MIL-STD-2132 – for both soundness and thickness), including acceptance criteria (per MIL-P-24338), shall be submitted. Ultrasonic calibration standard certification shall also be submitted for review and approval (this may be submitted no later than two weeks prior to scheduling the ultrasonic inspection witness).

C.4. CLEANLINESS REQUIREMENTS:

C.4.1. Cleanliness requirements shall be per Section 3.2 of the IRPOD and Paragraphs 3.4.3 and 5.1 of MIL-P-24338.

C.5. MATERIAL MARKING (LEVEL 1 MATERIAL):

C.5.1. Each piece shall be permanently marked at least once with the information of (a), (b), (c), and (d) below using the permanent marking methods of MIL-STD-792 or the permanent marking method specified in the material specification. If any marking specified below cannot be applied due to space limitation, a waiver request shall be submitted to the contracting officer.

- (a) The Material Designator/Code "STB".
- (b) The manufacturer's name, trademark, or symbol.
- (c) The vendor traceability number traceable to all manufacture test and inspection information and to a unique set of physical, mechanical, and chemical test results which represent the material used to make the piece.
- (d) Any information required by the specification or drawing (if applicable) in addition to that required by (a), (b), and (c) above shall be marked either per the specification/drawing or at least once per

the permanent marking methods authorized above. Any Material Designator/Code listed in the specification or drawing (if applicable) need not be marked on material, if it is different from that specified by (a) above.

C.5.2. The location of the markings shall be on the outer diameter on the end(s) of each piece.

C.5.3. If feasible, consolidate the placement of the permanent marking(s) to accommodate the marking of a nine digit final acceptance marking at Portsmouth Naval Shipyard. Do not compromise the legibility of the permanent markings to meet this request.

C.6. NAVSEA HQ C-223-H003 Mercury Control.

SECTION D - PRESERVATION/PACKAGING/PACKING:

D.1. Marking requirements for packaging shall be per Section 5.0 of the IRPOD.

D.2. Preservation, Packaging, and Packing shall be in accordance with ASTM D3951 and MIL-P-24338 paragraph 5.2, as modified below:

(a) The material shall be shipped in wooden boxes. For 6-inch OD and larger pipe, the wooden boxes shall be constructed of 2-inch thick by 6-inch wide minimum planks nailed or screwed together. The exterior of the boxes shall be banded with metal straps.

(b) The applied preservative shall cover the entirety of both the INSIDE and OUTSIDE surface of each piece of pipe. Per MIL-P-24338, the preservative used shall conform to Grade 4 or Grade 5 of MIL-C-16173, and may be applied using the guidance of MIL-C-16173, paragraph 3.12.

(c) It is preferred that the preservative applied is reasonably transparent (i.e., features of the pipe surface can be seen through the preservative. If the material marking is clearly visible and readable through the preservative, then the preservative meets the intent of "reasonably transparent"). If the preservative applied is not reasonably transparent, then the vendor shall notify Portsmouth Naval Shipyard no less than 4 weeks before the application of the preservative, so that Shipyard personnel may inspect the pipe prior to the application of the preservative. This is to prevent the Shipyard from having to remove and reapply preservative as part of Shipyard inspection.

(d) The preservative must be applied in such a manner that the material marking is clearly visible and readable through the preservative.

D.3. The use of MIL-STD-2073-1 packaging codes are not required for this contract.

SECTION E - INSPECTION ACCEPTANCE:

E.1. Government inspection is required during manufacture and prior to shipment from this facility. Upon receipt of this order, promptly notify the Representative of the Government office who normally serves your facility so that appropriate planning for Government inspection can be accomplished. In the event a Representative of the Government office cannot be located, the purchasing agent should be notified promptly. Provide the location where Procurement Quality Assurance (PQA) of the supplies will be made along with the organization that will be performing PQA.

ATTACHMENT (1)
TECHNICAL ORDERING DATA (TOD)

CONTRACT No: N0010426RX19769
ITEM: Pipe Seamless Carbon Steel

E.2. All non-conformances to contract requirements affecting product and/or documentation shall require procuring activity waiver approval to accept.

E.3. FAR 52.246-11, Higher-Level Contract Quality Requirements

Supplemented by:

NAVSEA HQ H-246-H001 Calibration System Requirements (NAVSEA)

NAVSEA HQ E-246-H020 Quality Management System Requirements (NAVSEA)

NAVSEA HQ C-246-H002 Government use of Contractor's Inspection Equipment (NAVSEA)
(MIL-I-45208 or ISO 9001/9002/9003 with STR-9000 Supplement A or B or C)

E.4. FAR 52.246-2 Inspection of Supplies-Fixed-Price (Aug 1996).