

Genetic relationship between skin and wool traits
in Merino sheep. Part I Responses to selection
and estimates of additive genetic parameters

Neville Jackson

24 Oct 2017

Contents

1	Acknowledgement	2
2	Abstract	3
3	Introduction	4
4	Materials and methods	5
4.1	Sheep population studied	5
4.2	Traits measured	6
4.2.1	Traits for which direct measurements were available . . .	6
4.2.2	Traits calculated from measured traits using a known functional relationship	11
4.3	Statistical techniques	11
4.3.1	Mixed model fitting	18
4.3.2	Genetic models	20
5	Results	21
5.1	Fixed effects	21
5.2	Direct responses to selection	21
5.3	Indirect responses to selection	38
5.4	Parameters	44
5.4.1	Phenotypic variances	44
5.4.2	Correlations	45
5.4.3	Proportion of phenotypic variance due to each component	265
6	Discussion	269

1 Acknowledgement

The data analysed here were collected while I worked at CSIRO Division of Animal Genetics and Division of Animal Production. I would like to acknowledge the contributions of Dr Ted Nay and Mr Ian Maddocks, and the encouragement given by Dr Helen Newton Turner, Dr J M Rendel, Dr A A Dunlop, and Dr T W Scott. I would also like to acknowledge the encouragement of Dr J M Watts in resurrecting this material for re-analysis with more advanced statistical technology, and in suggesting that the emphasis should be on fibre characteristics related to processing performance and product quality as well as production characteristics such as clean wool weight.

2 Abstract

3 Introduction

Some years ago an attempt was made to study the relationship between components of clean wool weight and skin characteristics obtained from histological examination of skin biopsy samples (Jackson, Nay, and Turner(1975) [3]. What came out of that study was that skin characteristics could explain a large proportion of the genetic variation in clean wool weight, and that the genetic covariance between skin characteristics and wool weight components could be partitioned into three independent functional relationships which were interpreted as three independent sets of genes.

The three independent factors were identified as

- large number of secondary follicles
- straight deep follicles
- primary follicle density

This analysis led to a selection experiment (AB32 in CSIRO jargon) which attempted to select for

- large follicles
- large total number of follicles
- both large follicles and large number of follicles simultaneously

in three selected lines. There was also an unselected control line (AB20 in CSIRO jargon).

During the course of that experiment some image analysis technology was developed for skin section images. This allowed measurement of the diameter of primary and secondary follicles, in addition to counting their density. These new measurements are available only on the last three years of the experiment but are an important extension which may change the scope and focus of the above multivariate analyses.

There has also been some important progress in our understanding of follicle development in sheep. The work of Moore et al(1989) [9] has shown that follicles develop from a population of pre-papilla cells and that if primary follicle development is suppressed (fewer or smaller primaries) then there are more pre-papilla cells left over to divide, and to develop into secondary follicles. The dynamics of the pre-papilla cell population can be modelled mathematically, so that the relationship between primary development and secondary development can be quantified. The consequences of this for a genetic analysis of primary and secondary follicle development are significant - there is nonlinearity and an element of functional relationships between traits neither of which are taken into account in traditional quantitative genetic analyses.

The objectives of this study are diverse and probably overambitious. Briefly we would like to

- summarize the response to selection which was obtained in the above experiment
- estimate additive genetic parameters for a comprehensive range of skin and wool characteristics
- redo the multivariate analyses mentioned above with an emphasis on fibre quality as well as wool production
- work out how to include knowledge of the developmental relationships between characteristics in a quantitative genetic analysis and apply this to the Moore model mentioned above
- do a systematic check for nonlinearities and shifts in genetic parameters, and find a way of including these in a quantitative genetic analysis

One of the benefits of setting out such a broad objective is that the areas where we fail become indicators of future research directions.

Part I of this document deals with only the first two goals - describing responses to selection in the three selected lines, and presenting estimates of additive genetic parameters for 56 skin and wool characteristics.

Part II will deal with multivariate analyses of additive genetic covariation.

4 Materials and methods

The sheep and the measurements thereon included in this study represent a substantial investment of CSIRO resources over 11 years of a breeding trial and several more years of laboratory measurement work. Unfortunately the experiment was terminated abruptly by a political decision and was never properly analysed or published. What we have, for the present study, is a set of measurements exhibiting various degrees of incompleteness. The present analysis is therefore somewhat complicated and the results may be affected by the severe imbalance with respect to some traits.

4.1 Sheep population studied

The selection experiment is known as AB32 in CSIRO jargon. It commenced in 1974. For two years (1974 and 1975) matings were made of a set of introduced Fine Merino rams across a set of CSIRO bred Medium Merino ewes to generate the base generation animals for a selection trial. Measurements were made on these base generation progeny.

Then, starting with the 1976 mating, the base generation animals were allocated at random to three selection lines and then selected as follows

Line 1 selected for large follicle depth

Line 2 selected for large number of follicles per head (estimated by multiplying follicle density by body surface area)

Line 3 selected for both large follicle depth and large number of follicles per head

Selection continued until 1985, the animals born in 1985 being the last progeny of the selected lines with measurements available.

There was also an unselected control line (AB20 in CSIRO jargon) which was a group of Medium Merino sheep which served as an unselected control for all sheep selection experiments at 'Longford' Research Station. The control line structure is described in Watson, Jackson, and Whiteley(1977) [16].

Pedigree information was available on all sheep, in the case of AB32 extending back to 1974, and in the case of AB20 extending back to 1968.

4.2 Traits measured

There were two categories of traits considered for analysis in Part I.

4.2.1 Traits for which direct measurements were available

A brief description of the traits for which measurements were available is given in Table 1.

Table 1: Definition of traits measured

Trait name	Abbreviation	Units	Age measured	Description
Staple length	Stal	mm	14 months	Length of wool staple 10 months growth
Crimp frequency	Crimp	no per 2.5cm	14 months	Staple crimp frequency
Fibre diameter	Diam	microns	14 months	Mean fibre diameter by airflow technique
Greasy Fleece Weight	Gfw	Kg	14 months	Weight of fleece in shearing shed
Yield	Yld	percentage	14 months	Percent of clean wool in fleece at 16% re-gain
Clean wool weight	Cww	Kg	14 months	Weight of clean fibre at 16% regain
Bodyweight	Bwt	Kg	14 months	Live weight of animal
Neck wrinkle	WrN	score (0=plain,6=wrinkled)	0-6 14 months	Score for skin wrinkle on neck region
Body wrinkle	WrB	score (0=plain,5=wrinkled)	0-5 14 months	Score for skin wrinkle on body region
Total wrinkle	WrT	sum of WrN and WrB	14 months	Sum of neck and body wrinkle scores
Face cover	Face	score 1-7 (1=open, 7=muffled)	14 months	Score for wool cover on the face
Adjusted staple length	Staladj	mm per 365 days	14 months	Staple length adjusted to a growth period of 365 days
Adjusted clean wool weight	Cwwadj	Kg per 365 days	14 months	Clean wool weight adjusted to a growth period of 365 days
Adjusted greasy fleece weight	Gfwadj	Kg per 365 days	14 months	Greasy fleece weight adjusted to a growth period of 365 days
Follicle number per unit area	Fnuma	no per mm^2	14 months	No of primary and secondary follicles per mm^2 from skin biopsy
Follicle S/P ratio	Fr	no units	14 months	Ratio of no of primary to no of secondary follicles from skin biopsy

Continued on next page

Table 1 – Continued from previous page

Trait name	Abbreviation	Units	Age measured	Description
Total follicle number	Fnt	no per head x 10 ⁶	14 months	No of follicles on the animal (estimated from Fnua and skin surface area)
Surface area	Sarea	m ²	14 months	Smooth skin surface area (estimated from Bwt with no allowance for wrinkle)
Follicle depth	Fd	mm	14 months	Average follicle depth from skin biopsy and vertical section
Follicle curvature	Fc	score 1-7 (1=straight, 7=curved)	14 months	Follicle curvature score from skin biopsy and vertical section
Follicle unevenness	Fu	score 1-5 (1=even, 5=uneven)	14 months	Score for unevenness of follicle depth from skin biopsy and vertical section
Birth weight	Birwt	Kg	day of birth	Weight of lamb on day of birth
Birthcoat score side	Bcts	score 1-6 (1=no halo hairs on side, 6=fully covered)	day of birth	Score for pattern of halo hairs on side of lamb at day of birth
Birthcoat score back	Bctb	score 1-6 (1=no halo hairs on mid backline, 6=dense halo hairs)	day of birth	Score for density of halo hairs on mid backline on day of birth
Weaning weight	Weanwt	Kg	approx 4 months	Weight of lamb on day of weaning
Weaner greasy fleece weight	WeanGfw	Kg	approx 4 months	Weaner greasy fleece weight at post-weaning shearing
No of lambs born	NLB	no	day of birth	Number of lambs in litter at birth
No of lambs weaned	NLW	no	approx 4 months	Number of lambs in litter at weaning
Greasy wool colour	Colour	score 1-7 (1=white, 7=yellow)	14 months	Score for greasy yolk colour ignoring any stain present

Continued on next page

Table 1 – Continued from previous page

Trait name	Abbreviation	Units	Age measured	Description
Flystrike	Fly	score 0-9 (0=absent, 1-9=present to various degrees)	14 months	Score for presence or absence of flystrike at any site
Fleece rot	Flecot	score 0-9 (0=absent, 1-9=present to various degrees)	14 months	Score for presence or absence of fleece rot
Bacterial stain	Bactst	score 0-9 (0=absent, 1-9=present to various degrees)	14 months	Score for presence or absence of bacterial stain
Mycotic dermatitis	MycD	score 0-9 (0=absent, 1-9=present to various degrees)	14 months	Score for presence or absence of mycotic dermatitis
Mean diameter of primaries	Dp	microns	14 months	Mean diameter of primary fibres from biopsy and horizontal section
Mean diameter of secondaries	Ds	microns	14 months	Mean diameter of secondary fibres from biopsy and horizontal section
Mean diameter of primaries and secondaries	Dps	microns	14 months	Mean diameter of primary and secondary fibres from biopsy and horizontal section
Primary to secondary diameter ratio	DpovDs	no units	14 months	Ratio of mean diameter of primary fibres to mean diameter of secondary fibres
CV of primary diameter	CVDp	no units	14 months	Coefficient of variation of primary fibre diameter
CV of secondary diameter	CVDs	no units	14 months	Coefficient of variation of secondary fibre diameter
Maximum diameter of primaries	MaxDp	microns	14 months	Diameter of the largest primary fibre

Continued on next page

Table 1 – *Continued from previous page*

Trait name	Abbreviation	Units	Age measured	Description
Minimum diameter of primaries	MinDp	microns	14 months	Diameter of the smallest primary fibre
Maximum diameter of secondaries	MaxDs	microns	14 months	Diameter of the largest secondary fibre
Minimum diameter of secondaries	MinDs	microns	14 months	Diameter of the smallest secondary fibre
SD of primaries	SDDp	microns	14 months	Standard deviation of primary fibre diameter
SD of secondaries	SDDs	microns	14 months	Standard deviation of secondary fibre diameter
SD of all fibres	SDD	microns	14 months	Standard deviation of primary and secondary fibre diameter
CV of all fibres	CVD	no units	14 months	Coefficient of variation of primary and secondary fibre diameter
Primaries greater than 30 microns	Gt30Dp	frequency	14 months	Proportion of primary fibres exceeding 30 microns in diameter
Secondaries greater than 30 microns	Gt30Ds	frequency	14 months	Proportion of secondary fibres exceeding 30 microns in diameter
Fibres greater than 30 microns	Gt30D	frequency	14 months	Proportion of fibres exceeding 30 microns in diameter

All of these measured traits were not available on all of the sheep. In particular the traits obtained by image analysis measurement on skin sections were only obtained for the 1982 to 1985 drops of selected lines and only the 1983 and 1985 drops of the control line. Also Crimp Frequency was only measured for 1974 to 1977 and 1982 to 1985. Various other subsets of traits had various patterns of missing observations.

The actual numbers of sheep measured for each trait and each pair of traits is given in Tables 2 to 6. It can be seen that each pair of traits has a different number of observations, with the exception that there are some subsets of traits (such as the 17 image analysis traits from Dp to Gt30D) for which the replication almost identical. Two traits, Birwt and WeanGfw, had very few observations when paired with the image analysis traits (Dp, etc) and had to be omitted from most of the analyses.

This heterogeneity of numbers of observations across traits and pairs of traits required a special approach in statistical analysis which is discussed in section 4.3.

4.2.2 Traits calculated from measured traits using a known functional relationship

These traits are really just another way of looking at the same measurements. If the functional relationship(s) are nonlinear, then we are not introducing redundant information by adding these calculated traits to the multivariate set. Sometimes it helps with biological interpretation to view the trait space from another perspective.

The traits calculated in this way are defined in Table 7.

Some of the traits classed as measurements and included in the previous section should, if one wishes to be pedantic, be included here. Examples are Sarea, Fnt, and Cww. Also Staladj, Cwwadj, and Gfwadj are functions of Stal, Cww, and Gfw but the function coefficients varied from year to year depending on the interval between shearings. We are going to keep things simple and only use the present section for some of the more unusual calculated traits.

4.3 Statistical techniques

The initial step in analysing these data was to fit a mixed model which adjusted for appropriate fixed effects and estimated additive genetic, environmental, and phenotypic variance/covariance components. This was followed by multivariate analysis of the additive genetic variance/covariance matrix with the goal of understanding what dimensions of genetic variation were operating in the wool and skin trait spaces.

An attempt was made to incorporate knowledge from a model of skin development in to these quantitative genetic analyses.

Table 2: Numbers of sheep measured for each pair of traits: Part 1/5.

	Stal	Crimp	Diam	Gfw	Yld	Cww	Bwt	WrN	WrB	WrT
Stal	3651	2227	3632	3638	3632	3632	3622	3619	3616	3616
Crimp	2227	2227	2213	2218	2213	2213	2205	2202	2199	2199
Diam	3632	2213	3638	3637	3637	3637	3620	3617	3614	3614
Gfw	3638	2218	3637	3643	3637	3637	3624	3621	3618	3618
Yld	3632	2213	3637	3637	3637	3637	3619	3616	3613	3613
Cww	3632	2213	3637	3637	3637	3637	3619	3616	3613	3613
Bwt	3622	2205	3620	3624	3619	3619	3629	3625	3622	3622
WrN	3619	2202	3617	3621	3616	3616	3625	3626	3623	3623
WrB	3616	2199	3614	3618	3613	3613	3622	3623	3623	3623
WrT	3616	2199	3614	3618	3613	3613	3622	3623	3623	3623
Face	3644	2220	3630	3635	3629	3629	3620	3617	3614	3614
Staladj	3572	2157	3553	3559	3553	3553	3543	3540	3538	3538
Cwwadj	3553	2143	3558	3558	3558	3558	3540	3537	3535	3535
Gfwadj	3559	2148	3558	3564	3558	3558	3545	3542	3540	3540
Fnua	3092	1768	3084	3087	3083	3083	3078	3076	3073	3073
Fr	3093	1768	3085	3088	3084	3084	3079	3077	3074	3074
Fnt	3074	1751	3075	3077	3074	3074	3079	3076	3073	3073
Sarea	3074	1752	3074	3077	3073	3073	3078	3075	3072	3072
Fd	2587	1281	2580	2582	2579	2579	2575	2573	2570	2570
Fc	2587	1281	2580	2582	2579	2579	2575	2573	2570	2570
Fu	2587	1281	2580	2582	2579	2579	2575	2573	2570	2570
Birwt	925	645	924	925	923	923	919	918	918	918
Bcts	3641	2219	3628	3633	3627	3627	3619	3616	3613	3613
Bctb	3161	1739	3148	3151	3147	3147	3139	3137	3134	3134
Weanwt	3646	2223	3633	3638	3632	3632	3624	3621	3618	3618
WeanGfw	1679	1015	1679	1681	1679	1679	1674	1671	1668	1668
NLB	3645	2221	3632	3637	3631	3631	3623	3620	3618	3618
NLW	3645	2221	3632	3637	3631	3631	3623	3620	3618	3618
Dp	825	468	823	824	823	823	821	821	821	821
Ds	825	468	823	824	823	823	821	821	821	821
Dps	825	468	823	824	823	823	821	821	821	821
DpovDs	825	468	823	824	823	823	821	821	821	821
CVDp	825	468	823	824	823	823	821	821	821	821
CVDs	825	468	823	824	823	823	821	821	821	821
MaxDp	825	468	823	824	823	823	821	821	821	821
MinDp	825	468	823	824	823	823	821	821	821	821
MaxDs	825	468	823	824	823	823	821	821	821	821
MinDs	825	468	823	824	823	823	821	821	821	821
SDDp	825	468	823	824	823	823	821	821	821	821
SDDs	825	468	823	824	823	823	821	821	821	821
SDD	825	468	823	824	823	823	821	821	821	821
CVD	825	468	823	824	823	823	821	821	821	821
Gt30Dp	825	468	823	824	823	823	821	821	821	821
Gt30Ds	825	468	823	824	823	823	821	821	821	821
Gt30D	825	468	823	824	823	823	821	821	821	821
Colour	3393	1971	3388	3391	3387	3387	3377	3375	3375	3375
Fly	3396	1972	3391	3394	3390	3390	3380	3378	3378	3378
Flcrot	3396	1972	3391	3394	3390	3390	3380	3378	3378	3378
Bactst	2279	855	2270	2273	2269	2269	2271	2270	2270	2270
MycD	2279	855	2270	2273	2269	2269	2271	2270	2270	2270

Table 3: Numbers of sheep measured for each pair of traits: Part 2/5.

	Face	Staladj	Cwwadj	Gfwadj	Fnua	Fr	Fnt	Sarea	Fd	Fc
Stal	3644	3572	3553	3559	3092	3093	3074	3074	2587	2587
Crimp	2220	2157	2143	2148	1768	1768	1751	1752	1281	1281
Diam	3630	3553	3558	3558	3084	3085	3075	3074	2580	2580
Gfw	3635	3559	3558	3564	3087	3088	3077	3077	2582	2582
Yld	3629	3553	3558	3558	3083	3084	3074	3073	2579	2579
Cww	3629	3553	3558	3558	3083	3084	3074	3073	2579	2579
Bwt	3620	3543	3540	3545	3078	3079	3079	3078	2575	2575
WrN	3617	3540	3537	3542	3076	3077	3076	3075	2573	2573
WrB	3614	3538	3535	3540	3073	3074	3073	3072	2570	2570
WrT	3614	3538	3535	3540	3073	3074	3073	3072	2570	2570
Face	3649	3565	3550	3556	3092	3093	3074	3074	2587	2587
Staladj	3565	3572	3553	3559	3043	3044	3025	3025	2567	2567
Cwwadj	3550	3553	3558	3558	3034	3035	3025	3024	2559	2559
Gfwadj	3556	3559	3558	3564	3038	3039	3028	3028	2562	2562
Fnua	3092	3043	3034	3038	3097	3097	3078	3079	2590	2590
Fr	3093	3044	3035	3039	3097	3098	3079	3079	2591	2591
Fnt	3074	3025	3025	3028	3078	3079	3079	3078	2574	2574
Sarea	3074	3025	3024	3028	3079	3079	3078	3079	2573	2573
Fd	2587	2567	2559	2562	2590	2591	2574	2573	2592	2592
Fc	2587	2567	2559	2562	2590	2591	2574	2573	2592	2592
Fu	2587	2567	2559	2562	2590	2591	2574	2573	2592	2592
Birwt	925	899	897	899	580	580	579	579	484	484
Bcts	3639	3562	3548	3554	3090	3091	3072	3072	2585	2585
Bctb	3163	3088	3074	3078	2670	2671	2655	2655	2164	2164
Weanwt	3644	3567	3553	3559	3095	3096	3077	3077	2590	2590
WeanGfw	1676	1656	1656	1658	1476	1476	1473	1473	1428	1428
NLB	3643	3572	3558	3564	3091	3092	3073	3073	2588	2588
NLW	3643	3572	3558	3564	3091	3092	3073	3073	2588	2588
Dp	825	798	796	797	824	825	821	821	338	338
Ds	825	798	796	797	824	825	821	821	338	338
Dps	825	798	796	797	824	825	821	821	338	338
DpovDs	825	798	796	797	824	825	821	821	338	338
CVDp	825	798	796	797	824	825	821	821	338	338
CVDs	825	798	796	797	824	825	821	821	338	338
MaxDp	825	798	796	797	824	825	821	821	338	338
MinDp	825	798	796	797	824	825	821	821	338	338
MaxDs	825	798	796	797	824	825	821	821	338	338
MinDs	825	798	796	797	824	825	821	821	338	338
SDDp	825	798	796	797	824	825	821	821	338	338
SDDs	825	798	796	797	824	825	821	821	338	338
SDD	825	798	796	797	824	825	821	821	338	338
CVD	825	798	796	797	824	825	821	821	338	338
Gt30Dp	825	798	796	797	824	825	821	821	338	338
Gt30Ds	825	798	796	797	824	825	821	821	338	338
Gt30D	825	798	796	797	824	825	821	821	338	338
Colour	3390	3320	3314	3318	2844	2845	2833	2833	2339	2339
Fly	3393	3320	3314	3318	2845	2846	2834	2834	2340	2340
Flcrot	3393	3320	3314	3318	2845	2846	2834	2834	2340	2340
Bactst	2280	2214	2204	2208	1812	1813	1809	1809	1307	1307
MycD	2280	2214	2204	2208	1812	1813	1809	1809	1307	1307

Table 4: Numbers of sheep measured for each pair of traits: Part 3/5.

	Fu	Birwt	Bcts	Bctb	Weanwt	WeanGfw	NLB	NLW	Dp	Ds
Stal	2587	925	3641	3161	3646	1679	3645	3645	825	825
Crimp	1281	645	2219	1739	2223	1015	2221	2221	468	468
Diam	2580	924	3628	3148	3633	1679	3632	3632	823	823
Gfw	2582	925	3633	3151	3638	1681	3637	3637	824	824
Yld	2579	923	3627	3147	3632	1679	3631	3631	823	823
Cww	2579	923	3627	3147	3632	1679	3631	3631	823	823
Bwt	2575	919	3619	3139	3624	1674	3623	3623	821	821
WrN	2573	918	3616	3137	3621	1671	3620	3620	821	821
WrB	2570	918	3613	3134	3618	1668	3618	3618	821	821
WrT	2570	918	3613	3134	3618	1668	3618	3618	821	821
Face	2587	925	3639	3163	3644	1676	3643	3643	825	825
Staladj	2567	899	3562	3088	3567	1656	3572	3572	798	798
Cwwadj	2559	897	3548	3074	3553	1656	3558	3558	796	796
Gfwadj	2562	899	3554	3078	3559	1658	3564	3564	797	797
Fnua	2590	580	3090	2670	3095	1476	3091	3091	824	824
Fr	2591	580	3091	2671	3096	1476	3092	3092	825	825
Fnt	2574	579	3072	2655	3077	1473	3073	3073	821	821
Sarea	2573	579	3072	2655	3077	1473	3073	3073	821	821
Fd	2592	484	2585	2164	2590	1428	2588	2588	338	338
Fc	2592	484	2585	2164	2590	1428	2588	2588	338	338
Fu	2592	484	2585	2164	2590	1428	2588	2588	338	338
Birwt	484	927	923	862	926	549	927	927	95	95
Bcts	2585	923	3648	3164	3643	1678	3642	3642	825	825
Bctb	2164	862	3164	3164	3159	1196	3160	3160	825	825
Weanwt	2590	926	3643	3159	3653	1684	3647	3647	825	825
WeanGfw	1428	549	1678	1196	1684	1685	1681	1681	48	48
NLB	2588	927	3642	3160	3647	1681	3652	3652	823	823
NLW	2588	927	3642	3160	3647	1681	3652	3652	823	823
Dp	338	95	825	825	825	48	823	823	825	825
Ds	338	95	825	825	825	48	823	823	825	825
Dps	338	95	825	825	825	48	823	823	825	825
DpovDs	338	95	825	825	825	48	823	823	825	825
CVDp	338	95	825	825	825	48	823	823	825	825
CVDs	338	95	825	825	825	48	823	823	825	825
MaxDp	338	95	825	825	825	48	823	823	825	825
MinDp	338	95	825	825	825	48	823	823	825	825
MaxDs	338	95	825	825	825	48	823	823	825	825
MinDs	338	95	825	825	825	48	823	823	825	825
SDDp	338	95	825	825	825	48	823	823	825	825
SDDs	338	95	825	825	825	48	823	823	825	825
SDD	338	95	825	825	825	48	823	823	825	825
CVD	338	95	825	825	825	48	823	823	825	825
Gt30Dp	338	95	825	825	825	48	823	823	825	825
Gt30Ds	338	95	825	825	825	48	823	823	825	825
Gt30D	338	95	825	825	825	48	823	823	825	825
Colour	2339	926	3390	2911	3394	1434	3394	3394	825	825
Fly	2340	927	3393	2914	3397	1435	3397	3397	825	825
Flcrot	2340	927	3393	2914	3397	1435	3397	3397	825	825
Bactst	1307	630	2277	2277	2278	835	2278	2278	825	825
MycD	1307	630	2277	2277	2278	835	2278	2278	825	825

Table 5: Numbers of sheep measured for each pair of traits: Part 4/5 .

	Dps	DpovDs	CVDp	CVDs	MaxDp	MinDp	MaxDs	MinDs	SDDp	SDDs
Stal	825	825	825	825	825	825	825	825	825	825
Crimp	468	468	468	468	468	468	468	468	468	468
Diam	823	823	823	823	823	823	823	823	823	823
Gfw	824	824	824	824	824	824	824	824	824	824
Yld	823	823	823	823	823	823	823	823	823	823
Cww	823	823	823	823	823	823	823	823	823	823
Bwt	821	821	821	821	821	821	821	821	821	821
WrN	821	821	821	821	821	821	821	821	821	821
WrB	821	821	821	821	821	821	821	821	821	821
WrT	821	821	821	821	821	821	821	821	821	821
Face	825	825	825	825	825	825	825	825	825	825
Staladj	798	798	798	798	798	798	798	798	798	798
Cwwadj	796	796	796	796	796	796	796	796	796	796
Gfwadj	797	797	797	797	797	797	797	797	797	797
Fnua	824	824	824	824	824	824	824	824	824	824
Fr	825	825	825	825	825	825	825	825	825	825
Fnt	821	821	821	821	821	821	821	821	821	821
Sarea	821	821	821	821	821	821	821	821	821	821
Fd	338	338	338	338	338	338	338	338	338	338
Fc	338	338	338	338	338	338	338	338	338	338
Fu	338	338	338	338	338	338	338	338	338	338
Birwt	95	95	95	95	95	95	95	95	95	95
Bcts	825	825	825	825	825	825	825	825	825	825
Bctb	825	825	825	825	825	825	825	825	825	825
Weanwt	825	825	825	825	825	825	825	825	825	825
WeanGfw	48	48	48	48	48	48	48	48	48	48
NLB	823	823	823	823	823	823	823	823	823	823
NLW	823	823	823	823	823	823	823	823	823	823
Dp	825	825	825	825	825	825	825	825	825	825
Ds	825	825	825	825	825	825	825	825	825	825
Dps	825	825	825	825	825	825	825	825	825	825
DpovDs	825	825	825	825	825	825	825	825	825	825
CVDp	825	825	825	825	825	825	825	825	825	825
CVDs	825	825	825	825	825	825	825	825	825	825
MaxDp	825	825	825	825	825	825	825	825	825	825
MinDp	825	825	825	825	825	825	825	825	825	825
MaxDs	825	825	825	825	825	825	825	825	825	825
MinDs	825	825	825	825	825	825	825	825	825	825
SDDp	825	825	825	825	825	825	825	825	825	825
SDDs	825	825	825	825	825	825	825	825	825	825
SDD	825	825	825	825	825	825	825	825	825	825
CVD	825	825	825	825	825	825	825	825	825	825
Gt30Dp	825	825	825	825	825	825	825	825	825	825
Gt30Ds	825	825	825	825	825	825	825	825	825	825
Gt30D	825	825	825	825	825	825	825	825	825	825
Colour	825	825	825	825	825	825	825	825	825	825
Fly	825	825	825	825	825	825	825	825	825	825
Flcrot	825	825	825	825	825	825	825	825	825	825
Bactst	825	825	825	825	825	825	825	825	825	825
MycD	825	825	825	825	825	825	825	825	825	825

Table 6: Numbers of sheep measured for each pair of traits: Part 5/5.

	SDD	CVD	Gt30Dp	Gt30Ds	Gt30D	Colour	Fly	Flcrot	Bactst	MycD
Stal	825	825	825	825	825	3393	3396	3396	2279	2279
Crimp	468	468	468	468	468	1971	1972	1972	855	855
Diam	823	823	823	823	823	3388	3391	3391	2270	2270
Gfw	824	824	824	824	824	3391	3394	3394	2273	2273
Yld	823	823	823	823	823	3387	3390	3390	2269	2269
Cww	823	823	823	823	823	3387	3390	3390	2269	2269
Bwt	821	821	821	821	821	3377	3380	3380	2271	2271
WrN	821	821	821	821	821	3375	3378	3378	2270	2270
WrB	821	821	821	821	821	3375	3378	3378	2270	2270
WrT	821	821	821	821	821	3375	3378	3378	2270	2270
Face	825	825	825	825	825	3390	3393	3393	2280	2280
Staladj	798	798	798	798	798	3320	3320	3320	2214	2214
Cwwadj	796	796	796	796	796	3314	3314	3314	2204	2204
Gfwadj	797	797	797	797	797	3318	3318	3318	2208	2208
Fnua	824	824	824	824	824	2844	2845	2845	1812	1812
Fr	825	825	825	825	825	2845	2846	2846	1813	1813
Fnt	821	821	821	821	821	2833	2834	2834	1809	1809
Sarea	821	821	821	821	821	2833	2834	2834	1809	1809
Fd	338	338	338	338	338	2339	2340	2340	1307	1307
Fc	338	338	338	338	338	2339	2340	2340	1307	1307
Fu	338	338	338	338	338	2339	2340	2340	1307	1307
Birwt	95	95	95	95	95	926	927	927	630	630
Bcts	825	825	825	825	825	3390	3393	3393	2277	2277
Bctb	825	825	825	825	825	2911	2914	2914	2277	2277
Weanwt	825	825	825	825	825	3394	3397	3397	2278	2278
WeanGfw	48	48	48	48	48	1434	1435	1435	835	835
NLB	823	823	823	823	823	3394	3397	3397	2278	2278
NLW	823	823	823	823	823	3394	3397	3397	2278	2278
Dp	825	825	825	825	825	825	825	825	825	825
Ds	825	825	825	825	825	825	825	825	825	825
Dps	825	825	825	825	825	825	825	825	825	825
DpovDs	825	825	825	825	825	825	825	825	825	825
CVDp	825	825	825	825	825	825	825	825	825	825
CVDs	825	825	825	825	825	825	825	825	825	825
MaxDp	825	825	825	825	825	825	825	825	825	825
MinDp	825	825	825	825	825	825	825	825	825	825
MaxDs	825	825	825	825	825	825	825	825	825	825
MinDs	825	825	825	825	825	825	825	825	825	825
SDDp	825	825	825	825	825	825	825	825	825	825
SDDs	825	825	825	825	825	825	825	825	825	825
SDD	825	825	825	825	825	825	825	825	825	825
CVD	825	825	825	825	825	825	825	825	825	825
Gt30Dp	825	825	825	825	825	825	825	825	825	825
Gt30Ds	825	825	825	825	825	825	825	825	825	825
Gt30D	825	825	825	825	825	825	825	825	825	825
Colour	825	825	825	825	825	3398	3398	3398	2277	2277
Fly	825	825	825	825	825	3398	3401	3401	2280	2280
Flcrot	825	825	825	825	825	3398	3401	3401	2280	2280
Bactst	825	825	825	825	825	2277	2280	2280	2280	2280
MycD	825	825	825	825	825	2277	2280	2280	2280	2280

Table 7: Definition of traits calculated from measured traits using a known functional relationship

Trait name	Abbreviation	Units	Functional relationship
Primary follicle density	Fnpua	no per mm^2	$Fnpua = \frac{Fnua}{(Fr+1)}$
Secondary follicle density	Fnsua	no per mm^2	$Fnsua = \frac{(Fr)(Fnua)}{(Fr+1)}$
Total primary follicle number	Fnpt	No per head x 10^6	$Fnpt = (Fnpua)(Sarea)$
Total secondary follicle number	Fnst	No per head x 10^6	$Fnst = (Fnsua)(Sarea)$
Crimp wavelength	Crwvl	mm	$Crwvl = \frac{25.4}{Crimp}$
Crimps per staple	Crst	number	$Crst = Crimp * Stal / 25.4$
Crimps per 365 days (crimp frequency in time)	Crstadj	number per 365 days	$Crstadj = Crimp * Staladj / 25.4$
Crimp wavelength in time	Crwvt	days	$Crwvt = \frac{365}{Crstadj}$

A search was made for nonlinear behaviour in the relationships between traits. An attempt was made to estimate genetic parameters separately for various subgroups of the data to see if parameters were heterogeneous.

4.3.1 Mixed model fitting

The software used for mixed model fitting and estimation of variance components and genetic parameters is known as *dmm*. *dmm* is free software available under the GPL licence from the CRAN repository. *dmm* runs as a package under the R statistical language [13]. *dmm* has a comprehensive user's guide (Jackson(2015) [6]) which covers the statistical theory used for estimation and a set of worked examples.

Variance component estimation is one of the most difficult areas of statistics. It is comprehensively documented by Searle et al (1992) [14]. The procedure which current wisdom seems to consider most appropriate is called REML. The procedures used by *dmm* are MINQUE and bias-corrected-ML. In most cases where data are not extremely unbalanced, there is very little difference between procedures. For the current task, *dmm* is most suited, because it handles multiple traits with unequal replication, because it estimates both variance/covariance components and genetic parameters arising therefrom, because it allows estimation of maternal as well as individual genetic and environmental variance components and the covariances between them. *dmm* makes extensive use of procedures developed by Wolak(2014) [17] for computing additive and non-additive relationship matrices .

The procedure followed by *dmm* is heirarchical. We first fit a model for fixed effects modelling observations on individual sheep as follows

$$Y_{ijk} = \mu + Sex_i + YearbixLine_j + r_{ijk} \quad (1)$$

where

Y_{ijk} is an observation on the kth individual of the ith Sex and the jth Year of birth x Line combination

μ is an overall mean of the observations

Sex_i is an effect due to the ith Sex

$YearbixLine_j$ is an effect due to the jth combination of Year of birth and Line

r_{ijk} is a residual deviation for the kth individual of the ith Sex and the jth Year of birth x Line combination

Equation 1 is stated as a univariate model for simplicity. It can, of course be fitted to each of a set of traits. The residual deviations from model 1 represent the observations *adjusted for* the fixed effect.

The next step is to fit a dyadic model to the residuals from model 1. A dyad is a pair of individuals. A dyadic model is a model for the covariances between the residuals for pairs of individuals. The dyadic model attempts to fit various

genetic and environmental variance/covariance components to the covariances between the residuals for each dyad. In the present case we first attempt an elementary partitioning of the dyadic covariances into additive genetic and environmental variance/covariance components. The dyadic model for this simple case can be written

$$Cov(r_k, r_{k'}) = A_{kk'} VarG(Ia) + E_{kk'} VarE(I) + \Delta_{kk'} \quad (2)$$

where

$Cov(r_k, r_{k'})$ is the covariance of the k th and k' th residuals from the fitting of model 1

$A_{kk'}$ is the kk' th element of the additive genetic relationship matrix, that is the relationship coefficient between the k th and k' th individuals

$VarG(Ia)$ is the individual additive genetic variance

$E_{kk'}$ is the kk' th element of the environmental relationship matrix which is usually assumed to be an identity matrix

$VarE(I)$ is the individual environmental variance

$\Delta_{kk'}$ is the kk' th residual for the dyadic model 2

Again, equation 2 is stated as a univariate model for simplicity, and only the most elementary partitioning into $VarG(Ia)$ and $VarE(I)$ is presented. There is a full exposition in Jackson(2015) [6].

The dyadic model 2 represents a set of equations which can be solved by ordinary least squares regression techniques to yield estimates of $VarG(Ia)$ and $VarE(I)$. This yields MINQUE estimates for the two variance components. Given these estimates we can then go back to the monadic model 1 and obtain GLS estimates of the fixed effects and residuals. If we then use the GLS residuals in the dyadic model 2 we obtain bias-corrected-ML estimates for the two variance components. There is a full presentation of variance component estimation in Jackson(2015) [6].

Given variance component estimates we can readily transform each component to a heritability (if it is univariate) or to a genetic(or environmental) correlation (if it is a between trait covariance component). These transforms, and the accompanying standard error estimates, are fully covered in Jackson(2015) [6]

Because of the complication of different numbers of replicates for each trait and each pair of traits it was necessary to perform the model fitting part of the analysis separately for each pair of traits, except that some economy was obtained by blocking together sets of traits for which the replication was almost identical. The blockings used for the measured traits of Tables 2 to 6 were as follows

Block1 "Stal" "Diam" "Bwt"

Block2 "WrN" "WrB" "WrT" "Face"

Block3 "Gfw" "Yld" "Cww"

Block4 "Staladj" "Gfwadj" "Cwwadj"

Block5 "Crimp"

Block6 "Dp" "Ds" "Dps" "DpovDs" "CVDp" "CVDs" "MaxDp" "MinDp" "MaxDs"
"MinDs" "SDDp" "SDDs" "SDD" "CVD" "Gt30Dp" "Gt30Ds" "Gt30D"

Block7 "Fnua" "Fr" "Fnt" "Sarea"

Block8 "Fd" "Fc" "Fu"

Block9 "Colour" "Fly" "Flcrot"

Block10 "Bactst" "MycD"

Block11 "Bcts" "Bctb" "Weanwt"

Block12 "NLB" "NLW"

Note that two traits, Birwt and WeanGfw, have been omitted because of small subclass numbers in pairings with the Block6 traits. The blocking is based on similarity of subclass numbers and in some cases where the replication was high it was necessary to reduce the number of traits per block to conserve computer memory. The blocking is merely a computational device. The fixed effect model had to contain the same effects for every pair of blocks, but the number of levels of each effect could vary between block pairs.

After obtaining the variance component estimates and genetic parameters for each pair of blocks, it was necessary to condense these 144 sets of estimates back into a single genetic covariance matrix estimate (and a single genetic correlation matrix estimate). There is no guarantee that the 48 x 48 matrices thus obtained are positive definite, even though the 12 x 12 blocks which make them up are individually positive definite. This was therefore checked and if required an iterative amendment made using the R routine *nearPD()* which is available in the *Matrix* package.

When the 'calculated' traits were added the number of blocks was extended as required. For the 'calculated' traits, those related to crimp (Crwvl, Crst, Crstadj, Crwvt) were added to Block 5, and the primary and secondary density traits (Fnpuu, Fnsua, Fnpt, Fnst) were made Block 13.

4.3.2 Genetic models

The simple partitioning of phenotypic (co)variances into additive genetic and environmental (co)variances given in equation 2 is almost always the starting point for quantitative genetic analysis. It should be noted that just because a considerable proportion of the phenotypic (co)variances come out as additive genetic does not mean that most of the gene effects have to be additive. Dominance and epistatic gene effects also generate some additive genetic variance.

5 Results

5.1 Fixed effects

Model 1 was fitted to all 56 measured traits. The resulting estimates of fixed effects are reported as fitted constants in Tables 8 to 14. The constants are fitted as contrasts defined to sum to zero over all the levels of each effect. Hence the notation $C(Sex, sum)1$ refers to the level coded as 1 for a contrast named *Sex*, ie rams. The level coded as 2 (ie ewes) is not reported as its effect is equal to minus the ram effect (because they sum to zero).

The mean is reported as *(Intercept)*. If one wants the mean for rams one simply adds the $C(Sex, sum)1$ effect to the *(Intercept)*, ie to the mean.

The effect reported as $C(YbxLi, sum)yyi$ refers to combinations of *Year born* in (yy) and *Line* (i). Year born in (yy) ranges from 74 to 85 (meaning 1974 to 1985). Line (i) is as follows

- 0 unselected base animals (years 74 and 75 only)
- 1 selection line 1, selected for high follicle depth
- 2 selection line 2, selected for large number of follicles per head
- 3 selection line 3, selected for both large follicle depth and high number of follicles per head
- 4 unselected control line

These $C(YbxLi, sum)yyi$ effects allow calculation of differences between selected and control lines within a particular year, simply by differencing the appropriate constants. For example we can get the difference between Line 3 and Control in 1985 as $C(YbxLi, sum)853 - C(YbxLi, sum)859$ for any any trait.

The standard errors of the above constant estimates are reported in Tables 15 to 21.

If one calculates some linear combination of the constants, the standard error of the combination can be approximated as the geometric mean of the standard errors of the constants involved. This is approximate as it does not allow for any covariances between the constants due to unequal subclass numbers. These covariances are available, but are not reported here.

5.2 Direct responses to selection

For each of the traits selected for (Fnt and Fd), we plotted fixed effects for each Year-of-birth for the selected line and the control line. The difference between selected and control lines represents the amount of genetic change. This is a very elementary way of analysing response to selection in sheep flocks with overlapping generations. It shows what has happened to successive drops of animals. Figure 1 shows the direct response plot for Line 1 and the control line.

Line 1 starts out with a smaller Fd than the Control Line, but changes from 1979 onward to having a larger Fd than the Control Line. There are a lot of data

Table 8: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 1/7.

	Stal	Diam	Bwt	WrN	WrB	WrT	Face	Gfw
C(Sex, sum)1	-1.38	-0.53	2.42	-0.12	-0.13	-0.25	0.30	-0.06
C(YbxLi, sum)749	-0.41	0.12	-0.25	0.12	0.08	0.21	0.44	-0.13
C(YbxLi, sum)750	-0.85	1.38	-0.37	0.01	-0.09	-0.07	0.05	-0.09
C(YbxLi, sum)759	13.71	-1.63	-1.92	0.31	-0.37	-0.05	0.80	-0.47
C(YbxLi, sum)761	17.26	-0.43	-1.31	0.17	-0.62	-0.44	0.29	-0.51
C(YbxLi, sum)762	27.11	0.43	1.06	0.00	0.06	0.07	-0.14	1.09
C(YbxLi, sum)763	25.15	0.36	0.10	0.03	-0.03	0.01	0.22	0.94
C(YbxLi, sum)769	21.83	0.82	1.05	0.21	0.09	0.32	-0.42	1.07
C(YbxLi, sum)771	28.84	1.16	-1.13	0.09	-0.11	-0.02	0.01	1.04
C(YbxLi, sum)772	-4.41	-0.82	-4.14	0.50	0.56	0.79	0.87	-0.69
C(YbxLi, sum)773	-9.39	-1.51	-2.01	0.08	-0.02	0.07	1.39	-0.77
C(YbxLi, sum)779	-4.48	-0.66	-3.94	0.16	0.20	0.37	0.60	-0.60
C(YbxLi, sum)781	5.30	0.12	2.83	-0.20	-0.17	-0.36	-0.46	0.34
C(YbxLi, sum)782	4.86	1.77	3.39	0.12	0.14	0.27	-0.23	0.55
C(YbxLi, sum)783	4.01	-0.48	4.85	0.17	0.50	0.67	-0.08	0.39
C(YbxLi, sum)789	-2.30	-0.82	7.16	-0.15	0.12	-0.02	0.17	0.27
C(YbxLi, sum)791	3.24	-0.67	6.07	0.09	0.32	0.41	-0.13	0.43
C(YbxLi, sum)792	3.61	0.99	6.39	0.04	0.20	0.26	-0.26	0.51
C(YbxLi, sum)793	-0.81	0.63	0.05	-0.02	0.06	0.05	-0.34	-0.14
C(YbxLi, sum)799	-6.61	-1.05	2.20	-0.28	-0.23	-0.51	-0.06	-0.20
C(YbxLi, sum)801	-3.65	-0.33	0.16	-0.38	-0.37	-0.74	-0.53	-0.10
C(YbxLi, sum)802	-1.73	1.43	3.03	-0.13	-0.17	-0.30	-0.39	-0.00
C(YbxLi, sum)803	-12.34	-1.61	-5.84	0.25	0.58	0.84	0.29	-0.87
C(YbxLi, sum)809	-15.02	-2.55	-4.58	-0.23	-0.00	-0.23	0.18	-1.01
C(YbxLi, sum)821	-12.39	-2.10	-4.98	-0.02	0.28	0.26	0.06	-0.84
C(YbxLi, sum)822	-7.40	-0.30	-0.70	-0.26	-0.26	-0.51	-0.19	-0.17
C(YbxLi, sum)823	-3.92	-0.17	-1.33	-0.17	-0.07	-0.23	-0.57	-0.04
C(YbxLi, sum)829	1.29	0.36	-3.27	-0.05	-0.07	-0.11	0.52	-0.63
C(YbxLi, sum)831	-1.84	1.49	-0.39	-0.16	-0.30	-0.45	-0.29	-0.08
C(YbxLi, sum)832	5.06	0.59	1.00	0.03	0.08	0.12	-0.10	0.28
C(YbxLi, sum)833	1.42	-0.35	2.77	-0.21	-0.14	-0.34	-0.25	0.25
C(YbxLi, sum)839	-6.34	0.65	2.98	0.30	0.31	0.62	-0.05	0.34
C(YbxLi, sum)841	-6.24	0.08	3.57	-0.16	-0.25	-0.40	-0.18	0.14
C(YbxLi, sum)842	-7.81	1.70	3.25	0.51	0.33	0.85	-0.37	0.44
C(YbxLi, sum)843	-4.86	2.09	2.99	0.35	0.05	0.41	-0.48	0.39
C(YbxLi, sum)849	-6.09	0.06	-4.21	-0.20	-0.13	-0.33	-0.14	0.01
C(YbxLi, sum)851	-12.48	-1.20	-2.69	-0.42	-0.31	-0.72	0.62	-0.18
C(YbxLi, sum)852	-7.78	-0.24	-3.80	-0.37	-0.31	-0.68	-0.27	-0.06
C(YbxLi, sum)853	-7.60	0.71	-2.98	-0.39	-0.42	-0.80	-0.23	-0.05
C(YbxLi, sum)859	-5.25	0.54	-1.05	0.11	0.23	0.34	-0.10	-0.11
(Intercept)	81.40	19.29	35.15	2.49	1.64	4.12	3.66	3.20

Table 9: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 2/7.

	Yld	Cww	Staladj	Gfwadj	Cwwadj	Crimp	Crwvl	Crst
C(Sex, sum)1	-1.03	-0.08	-2.18	-0.10	-0.11	-0.22	0.04	-0.99
C(YbxLi, sum)749	-0.31	-0.10	-0.62	-0.09	-0.07	-2.14	0.39	-6.74
C(YbxLi, sum)750	-1.73	-0.11	-1.04	-0.04	-0.09	0.02	-0.03	7.13
C(YbxLi, sum)759	2.11	-0.26	-10.97	-1.40	-0.90	-1.49	0.25	3.28
C(YbxLi, sum)761	1.77	-0.30	-8.89	-1.47	-0.96	-1.39	0.25	7.39
C(YbxLi, sum)762	-1.02	0.71	-1.63	-0.09	-0.10	-0.10	-0.00	12.24
C(YbxLi, sum)763	-1.10	0.60	-2.15	-0.19	-0.16	-0.67	0.14	8.05
C(YbxLi, sum)769	-1.77	0.66	-4.32	-0.06	-0.10	-2.09	0.41	5.50
C(YbxLi, sum)771	-0.59	0.69	1.62	-0.10	-0.08	0.65	-0.08	0.07
C(YbxLi, sum)772	1.06	-0.44	6.02	-0.48	-0.29	0.66	-0.12	-2.33
C(YbxLi, sum)773	1.15	-0.49	-1.26	-0.60	-0.36	-0.46	0.10	-3.33
C(YbxLi, sum)779	2.17	-0.35	5.95	-0.37	-0.17	-2.08	0.46	-5.89
C(YbxLi, sum)781	0.68	0.27	11.94	0.55	0.42			
C(YbxLi, sum)782	-3.07	0.26	11.64	0.82	0.43			
C(YbxLi, sum)783	0.71	0.30	6.61	0.51	0.39			
C(YbxLi, sum)789	3.12	0.29	-1.51	0.34	0.36			
C(YbxLi, sum)791	2.68	0.39	6.14	0.54	0.49			
C(YbxLi, sum)792	0.08	0.35	6.29	0.62	0.42			
C(YbxLi, sum)793	1.07	-0.06	6.58	0.15	0.14			
C(YbxLi, sum)799	3.65	-0.02	0.73	0.08	0.19			
C(YbxLi, sum)801	3.60	0.04	2.83	0.20	0.28			
C(YbxLi, sum)802	-0.37	-0.01	5.40	0.33	0.21			
C(YbxLi, sum)803	0.18	-0.58	-8.96	-0.87	-0.58			
C(YbxLi, sum)809	3.28	-0.61	-12.36	-1.04	-0.61			
C(YbxLi, sum)821	2.45	-0.51	-9.00	-0.83	-0.49			
C(YbxLi, sum)822	-0.85	-0.15	-2.77	0.15	0.06			
C(YbxLi, sum)823	0.02	-0.03	1.24	0.30	0.19			
C(YbxLi, sum)829	2.64	-0.36	13.09	-0.44	-0.20	-1.70	0.31	-3.04
C(YbxLi, sum)831	-2.00	-0.12	3.63	0.21	0.06			
C(YbxLi, sum)832	-1.02	0.16	11.86	0.49	0.30			
C(YbxLi, sum)833	1.27	0.22	7.34	0.45	0.37			
C(YbxLi, sum)839	-0.02	0.23	-2.04	0.65	0.44	-0.01	-0.01	2.32
C(YbxLi, sum)841	1.40	0.14	-2.19	0.40	0.33	-0.91	0.24	-2.88
C(YbxLi, sum)842	0.92	0.33	-4.20	0.78	0.57	0.18	-0.05	-1.62
C(YbxLi, sum)843	-1.47	0.22	-0.38	0.72	0.43	-1.47	0.28	-6.13
C(YbxLi, sum)849	-5.52	-0.17	-3.99	0.14	-0.11	-2.03	0.39	-6.78
C(YbxLi, sum)851	-4.05	-0.23	-11.75	-0.07	-0.18	0.37	-0.09	-4.83
C(YbxLi, sum)852	-4.49	-0.17	-5.95	0.07	-0.12	0.28	-0.09	-6.22
C(YbxLi, sum)853	-4.35	-0.16	-5.42	0.10	-0.09	-0.52	0.05	-7.08
C(YbxLi, sum)859	-2.71	-0.16	-0.67	0.21	0.03	-0.87	0.12	-7.33
(Intercept)	68.33	2.18	98.82	3.74	2.55	12.57	2.10	39.80

Table 10: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 3/7.

	Crstadj	Crwvt	Dp	Ds	Dps	DpovDs	CVDp	CVDs
C(Sex, sum)1	-1.36	0.02	-0.91	-0.20	-0.25	-0.03	1.11	0.76
C(YbxLi, sum)749	-8.20	0.14						
C(YbxLi, sum)750	-4.91	0.08						
C(YbxLi, sum)759	-8.98	0.18						
C(YbxLi, sum)761	-5.99	0.10						
C(YbxLi, sum)762	-1.06	0.02						
C(YbxLi, sum)763	-4.42	0.08						
C(YbxLi, sum)769	-6.97	0.13						
C(YbxLi, sum)771	5.92	-0.08						
C(YbxLi, sum)772	2.57	-0.03						
C(YbxLi, sum)773	1.38	-0.01						
C(YbxLi, sum)779	-2.32	0.06						
C(YbxLi, sum)781								
C(YbxLi, sum)782								
C(YbxLi, sum)783								
C(YbxLi, sum)789								
C(YbxLi, sum)791								
C(YbxLi, sum)792								
C(YbxLi, sum)793								
C(YbxLi, sum)799								
C(YbxLi, sum)801								
C(YbxLi, sum)802								
C(YbxLi, sum)803								
C(YbxLi, sum)809								
C(YbxLi, sum)821								
C(YbxLi, sum)822			-2.55	-1.08	-1.16	-0.07	-0.93	-0.87
C(YbxLi, sum)823			0.71	-0.69	-0.64	0.08	0.57	0.35
C(YbxLi, sum)829	-1.18	0.02						
C(YbxLi, sum)831			-1.75	-0.76	-0.83	-0.05	-3.39	-1.55
C(YbxLi, sum)832			-2.94	-0.80	-0.91	-0.09	-3.70	-3.49
C(YbxLi, sum)833			-1.60	-1.17	-1.23	-0.01	-2.56	-1.76
C(YbxLi, sum)839	3.55	-0.06	0.63	0.55	0.53	0.00	-3.40	-0.51
C(YbxLi, sum)841	0.03	0.03	2.16	2.44	2.41	-0.03	-2.09	-2.14
C(YbxLi, sum)842	1.69	-0.03	-1.25	0.52	0.42	-0.09	-4.52	-3.12
C(YbxLi, sum)843	-4.24	0.08	0.22	-0.11	-0.13	0.02	-4.17	-2.41
C(YbxLi, sum)849	-5.06	0.10						
C(YbxLi, sum)851	-2.78	0.04	1.32	-0.64	-0.57	0.10	-3.55	-0.96
C(YbxLi, sum)852	-4.54	0.07	-2.48	-1.36	-1.44	-0.04	-6.05	-2.25
C(YbxLi, sum)853	-5.66	0.10	0.72	-1.16	-1.10	0.10	-3.43	-1.48
C(YbxLi, sum)859	-5.95	0.10	0.10	0.83	0.80	-0.04	-3.07	-1.16
(Intercept)	48.25	0.79	24.49	21.11	21.28	1.16	20.18	17.66

Table 11: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 4/7.

	MaxDp	MinDp	MaxDs	MinDs	SDDp	SDDs	SDD	CVD
C(Sex, sum)1	-1.03	-1.24	0.02	-0.59	0.07	0.12	0.11	0.75
C(YbxLi, sum)749								
C(YbxLi, sum)750								
C(YbxLi, sum)759								
C(YbxLi, sum)761								
C(YbxLi, sum)762								
C(YbxLi, sum)763								
C(YbxLi, sum)769								
C(YbxLi, sum)771								
C(YbxLi, sum)772								
C(YbxLi, sum)773								
C(YbxLi, sum)779								
C(YbxLi, sum)781								
C(YbxLi, sum)782								
C(YbxLi, sum)783								
C(YbxLi, sum)789								
C(YbxLi, sum)791								
C(YbxLi, sum)792								
C(YbxLi, sum)793								
C(YbxLi, sum)799								
C(YbxLi, sum)801								
C(YbxLi, sum)802								
C(YbxLi, sum)803								
C(YbxLi, sum)809								
C(YbxLi, sum)821								
C(YbxLi, sum)822	-3.86	-0.57	-3.26	-0.78	-0.75	-0.37	-0.40	-0.93
C(YbxLi, sum)823	1.98	0.17	-0.46	-0.41	0.26	-0.05	-0.03	0.42
C(YbxLi, sum)829								
C(YbxLi, sum)831	-3.69	2.05	-1.76	0.84	-1.08	-0.46	-0.51	-1.70
C(YbxLi, sum)832	-5.59	1.62	-4.37	0.48	-1.34	-0.84	-0.88	-3.57
C(YbxLi, sum)833	-3.35	1.92	-3.34	0.31	-0.87	-0.54	-0.57	-1.87
C(YbxLi, sum)839	-0.50	3.89	-0.48	2.33	-0.76	-0.02	-0.07	-0.77
C(YbxLi, sum)841	3.76	5.17	1.45	-0.40	0.01	-0.01	-0.01	-2.15
C(YbxLi, sum)842	-3.43	2.80	-2.35	-0.72	-1.26	-0.56	-0.61	-3.29
C(YbxLi, sum)843	-0.92	3.67	-2.82	0.39	-0.92	-0.51	-0.55	-2.56
C(YbxLi, sum)849								
C(YbxLi, sum)851	1.20	4.56	-1.45	-0.03	-0.57	-0.32	-0.33	-1.08
C(YbxLi, sum)852	-5.26	2.81	-4.86	-0.53	-1.80	-0.67	-0.75	-2.53
C(YbxLi, sum)853	0.62	3.53	-3.49	-0.75	-0.62	-0.49	-0.50	-1.53
C(YbxLi, sum)859	-0.39	2.82	-0.78	0.58	-0.71	-0.11	-0.14	-1.30
(Intercept)	35.11	12.85	37.92	8.54	4.93	3.71	3.80	17.92

Table 12: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 5/7.

	Gt30Dp	Gt30Ds	Gt30D	Fnua	Fr	Fnt	Sarea	Fd
C(Sex, sum)1	-2.54	0.06	-0.09	2.27	0.94	4.78	0.04	-0.03
C(YbxLi, sum)749								
C(YbxLi, sum)750				1.83	-1.64	-0.24	-0.03	-0.05
C(YbxLi, sum)759				-3.81	-4.48	-5.41	-0.03	-0.01
C(YbxLi, sum)761				-3.46	0.36	-1.89	0.03	0.04
C(YbxLi, sum)762				-2.07	-0.94	-1.48	0.01	-0.03
C(YbxLi, sum)763				-4.10	-0.09	-2.43	0.02	-0.04
C(YbxLi, sum)769				-3.23	-0.84	-4.12	-0.02	0.03
C(YbxLi, sum)771				-1.03	0.02	-5.67	-0.08	0.16
C(YbxLi, sum)772				3.52	1.49	1.28	-0.03	0.15
C(YbxLi, sum)773				1.19	0.24	-3.18	-0.07	0.13
C(YbxLi, sum)779				-4.70	-3.38	-7.85	-0.06	0.25
C(YbxLi, sum)781				-2.56	1.98	1.23	0.06	0.24
C(YbxLi, sum)782				1.34	1.75	5.67	0.07	0.11
C(YbxLi, sum)783				-1.22	1.14	2.79	0.07	0.22
C(YbxLi, sum)789				-4.92	-0.21	-1.46	0.06	0.32
C(YbxLi, sum)791				3.04	1.22	-1.81	-0.07	0.07
C(YbxLi, sum)792				9.47	4.91	6.09	-0.04	-0.08
C(YbxLi, sum)793				7.30	2.32	2.51	-0.07	0.07
C(YbxLi, sum)799				0.16	-0.59	-2.98	-0.05	-0.02
C(YbxLi, sum)801				-2.19	1.61	-2.77	-0.01	0.19
C(YbxLi, sum)802				3.23	1.99	2.91	-0.01	0.05
C(YbxLi, sum)803				7.04	3.09	5.71	-0.02	0.14
C(YbxLi, sum)809				-3.72	-0.16	-3.81	-0.00	0.11
C(YbxLi, sum)821				0.42	1.14	2.01	0.02	0.12
C(YbxLi, sum)822	-8.41	-1.76	-2.14	12.74	3.84	17.22	0.06	-0.05
C(YbxLi, sum)823	2.83	-0.86	-0.72	8.61	2.36	12.45	0.06	0.02
C(YbxLi, sum)829								
C(YbxLi, sum)831	-7.24	-1.49	-1.86	4.19	4.18	11.47	0.11	0.05
C(YbxLi, sum)832	-9.18	-2.14	-2.55	14.21	6.39	27.14	0.16	-0.10
C(YbxLi, sum)833	-8.90	-1.65	-2.10	16.04	6.76	25.68	0.13	0.04
C(YbxLi, sum)839	-0.64	0.94	0.79	6.93	1.58	12.22	0.08	
C(YbxLi, sum)841	3.85	3.26	3.24	-4.30	2.64	-2.87	0.02	
C(YbxLi, sum)842	-7.79	-0.98	-1.38	16.53	8.95	21.86	0.06	
C(YbxLi, sum)843	-3.51	-1.28	-1.50	14.35	5.52	14.65	0.01	
C(YbxLi, sum)849								
C(YbxLi, sum)851	2.83	-1.02	-0.91	13.53	2.32	5.42	-0.11	
C(YbxLi, sum)852	-12.45	-2.01	-2.60	26.19	3.46	17.92	-0.09	
C(YbxLi, sum)853	0.94	-1.69	-1.66	24.78	4.11	16.37	-0.09	
C(YbxLi, sum)859	-2.32	0.89	0.78	10.28	-0.34	5.27	-0.07	
(Intercept)	15.80	2.81	3.49	61.43	18.86	60.60	0.99	1.57

Table 13: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 6/7.

	Fc	Fu	Colour	Fly	Flcrot	Bactst	MycD	Bcts
C(Sex, sum)1	-0.11	-0.05	-0.04	-0.04	0.02	-0.04	-0.03	-0.13
C(YbxLi, sum)749			-0.01	-0.90	0.26			
C(YbxLi, sum)750	-0.56	-0.50	-0.36	-1.10	-0.06			
C(YbxLi, sum)759	-0.68	-0.49	-0.19	-0.90	0.01			0.18
C(YbxLi, sum)761	-0.81	-0.87	0.01	-1.52	0.03			-0.55
C(YbxLi, sum)762	-0.89	-0.88	-0.06	-1.02	0.29			-1.09
C(YbxLi, sum)763	-0.30	-0.69	-0.15	0.44	0.07			0.07
C(YbxLi, sum)769	-0.83	-0.30	-0.09	-0.91	-0.39			-0.55
C(YbxLi, sum)771	-0.02	-0.84						0.40
C(YbxLi, sum)772	-0.33	-0.87						-0.23
C(YbxLi, sum)773	-0.27	-0.89						-0.09
C(YbxLi, sum)779	-0.34	-0.89	0.99	0.50	-0.25			0.16
C(YbxLi, sum)781	-0.19	-0.78	-2.82	-4.57	-4.33			-1.27
C(YbxLi, sum)782	-1.10	-1.28	-3.25	-4.57	-4.31	-0.01	-0.01	-1.35
C(YbxLi, sum)783	-0.03	-0.53	-2.91	-4.58	-4.23	-0.01	-0.01	-0.61
C(YbxLi, sum)789	-0.63	-0.78	-2.70	-4.58	-4.37	0.03	-0.01	-0.33
C(YbxLi, sum)791	-0.28	-0.66	-2.68	-4.61	-4.48	-0.02	-0.00	0.22
C(YbxLi, sum)792	-0.79	-1.11	-2.99	-4.61	-4.46	-0.01	0.00	-1.90
C(YbxLi, sum)793	-0.65	-0.87	-2.72	-4.62	-4.47	-0.02	-0.01	-0.92
C(YbxLi, sum)799	-0.52	-0.86	-2.30	-4.61	-4.48	-0.01	0.04	-0.65
C(YbxLi, sum)801	0.67	0.00	-2.41	-4.60	-4.48	-0.02	-0.00	-1.13
C(YbxLi, sum)802	-0.30	-0.75	-2.52	-4.62	-4.45	-0.02	0.14	-1.34
C(YbxLi, sum)803	-0.18	-0.58	-2.44	-4.61	-4.47	-0.02	0.09	-0.33
C(YbxLi, sum)809	0.31	-0.12	-2.00	-4.61	-4.48	-0.01	0.15	-0.72
C(YbxLi, sum)821	0.14	-0.42	-1.88	-4.48	-3.73	0.27	0.36	-1.08
C(YbxLi, sum)822	-0.83	-1.22	-1.94	-4.57	-3.78	0.29	0.25	-1.38
C(YbxLi, sum)823	-0.35	-0.97	-1.88	-4.55	-3.85	0.40	0.58	-0.29
C(YbxLi, sum)829			-1.45	-4.51	-3.94	0.32	0.64	-0.52
C(YbxLi, sum)831	0.03	-0.78	-2.60	-4.61	-4.07	-0.00	0.01	-0.81
C(YbxLi, sum)832	-0.64	-1.43	-2.53	-4.60	-4.18	-0.02	-0.00	-1.58
C(YbxLi, sum)833	-0.47	-1.21	-2.76	-4.62	-3.78	0.01	-0.01	-0.27
C(YbxLi, sum)839			-2.25	-4.58	-4.06	0.01	0.05	-0.56
C(YbxLi, sum)841			-2.91	-4.62	-3.99	0.03	0.15	-1.18
C(YbxLi, sum)842			-2.56	-4.55	-3.24	0.06	0.58	-1.60
C(YbxLi, sum)843			-2.60	-4.55	-3.52	0.18	0.58	-0.67
C(YbxLi, sum)849			-2.34	-4.54	-3.80	0.10	0.58	-0.99
C(YbxLi, sum)851			-2.37	-4.61	-4.40	-0.02	0.02	-0.19
C(YbxLi, sum)852			-2.17	-4.59	-4.43	-0.03	-0.01	-1.75
C(YbxLi, sum)853			-2.49	-4.56	-4.36	-0.02	0.13	-0.68
C(YbxLi, sum)859			-2.53	-4.62	-4.44	-0.02	0.09	-1.06
(Intercept)	3.87	3.62	5.99	4.61	4.47	0.02	0.00	4.61

Table 14: Fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 7/7.

	Bctb	Weanwt	NLB	NLW	Fnpua	Fnsua	Fnpt	Fnst
C(Sex, sum)1	-0.14	0.73	0.00	0.00	-0.03	2.30	0.09	4.69
C(YbxLi, sum)749			0.12	0.06				
C(YbxLi, sum)750			0.13	0.06	0.38	1.45	0.26	-0.50
C(YbxLi, sum)759	0.51	-0.36	-0.05	-0.13	0.72	-4.53	0.56	-5.97
C(YbxLi, sum)761	-0.34	7.18	0.11	-0.08	-0.21	-3.25	-0.13	-1.75
C(YbxLi, sum)762	-0.78	6.15	-0.32	-0.24	0.06	-2.13	0.10	-1.57
C(YbxLi, sum)763	0.54	7.34	-0.13	-0.07	-0.21	-3.89	-0.12	-2.30
C(YbxLi, sum)769	-0.18	6.04	-0.23	-0.18	-0.04	-3.20	-0.08	-4.03
C(YbxLi, sum)771	0.64	0.55	-0.00	-0.04	-0.06	-0.97	-0.28	-5.40
C(YbxLi, sum)772	-0.27	0.47	-0.08	-0.10	-0.05	3.58	-0.14	1.42
C(YbxLi, sum)773	0.05	-0.46	0.06	0.05	0.04	1.15	-0.18	-3.00
C(YbxLi, sum)779	0.35	0.13	0.01	0.06	0.37	-5.07	0.17	-8.02
C(YbxLi, sum)781	-0.27	7.18	-0.05	-0.04	-0.41	-2.15	-0.22	1.46
C(YbxLi, sum)782	-0.38	7.56	0.09	0.05	-0.19	1.53	0.01	5.66
C(YbxLi, sum)783	0.34	7.01	0.23	0.23	-0.21	-1.01	-0.01	2.81
C(YbxLi, sum)789	0.45	6.58	0.20	0.23	-0.21	-4.71	-0.02	-1.44
C(YbxLi, sum)791	0.88	7.45	0.03	0.06	-0.03	3.08	-0.25	-1.55
C(YbxLi, sum)792	-1.56	7.86	0.19	0.18	-0.21	9.68	-0.33	6.42
C(YbxLi, sum)793	-0.53	6.06	0.16	0.16	-0.01	7.31	-0.21	2.71
C(YbxLi, sum)799	-0.19	6.91	0.03	0.04	0.10	0.05	-0.05	-2.93
C(YbxLi, sum)801	-0.80	0.32	0.08	0.14	-0.35	-1.84	-0.37	-2.40
C(YbxLi, sum)802	-1.07	0.43	0.11	0.08	-0.16	3.38	-0.16	3.07
C(YbxLi, sum)803	0.10	-0.04	0.26	0.19	-0.07	7.11	-0.13	5.84
C(YbxLi, sum)809	-0.30	-0.14	0.22	0.18	-0.15	-3.57	-0.15	-3.66
C(YbxLi, sum)821	-0.68	-1.02	0.14	0.02	-0.16	0.58	-0.07	2.09
C(YbxLi, sum)822	-0.99	-0.43	-0.07	-0.05	0.13	12.61	0.34	16.88
C(YbxLi, sum)823	0.15	-0.86	-0.18	-0.14	0.29	8.32	0.47	11.98
C(YbxLi, sum)829	-0.19	-0.81	0.23	0.17				
C(YbxLi, sum)831	-0.34	6.60	-0.13	-0.08	-0.35	4.54	-0.04	11.51
C(YbxLi, sum)832	-0.94	7.49	0.02	-0.04	-0.23	14.44	0.24	26.88
C(YbxLi, sum)833	0.22	7.27	0.08	0.04	-0.14	16.18	0.23	25.45
C(YbxLi, sum)839	-0.16	6.47	-0.16	-0.15	0.08	6.84	0.36	11.87
C(YbxLi, sum)841	-0.18	7.07	-0.17	-0.09	-0.52	-3.78	-0.45	-2.43
C(YbxLi, sum)842	-0.56	8.74	-0.21	-0.14	-0.34	16.88	-0.17	22.02
C(YbxLi, sum)843	0.26	6.52	-0.10	-0.10	-0.09	14.45	-0.08	14.73
C(YbxLi, sum)849	-0.14	8.75	-0.25	-0.19				
C(YbxLi, sum)851	0.77	4.91	-0.22	-0.17	0.29	13.24	-0.07	5.49
C(YbxLi, sum)852	-0.54	5.63	-0.19	-0.14	0.68	25.51	0.33	17.59
C(YbxLi, sum)853	0.36	4.79	-0.05	0.02	0.52	24.26	0.17	16.20
C(YbxLi, sum)859	-0.09	5.41	-0.19	-0.12	0.63	9.65	0.36	4.92
(Intercept)	3.93	14.38	1.32	1.24	3.13	58.29	3.08	57.52

Table 15: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 1/7.

	Stal	Diam	Bwt	WrN	WrB	WrT	Face	Gfw
C(Sex, sum)1	0.16	0.02	0.07	0.01	0.01	0.02	0.02	0.01
C(YbxLi, sum)749	0.48	0.07	0.22	0.04	0.04	0.07	0.05	0.03
C(YbxLi, sum)750	1.16	0.17	0.53	0.09	0.10	0.18	0.13	0.06
C(YbxLi, sum)759	0.56	0.08	0.25	0.05	0.05	0.08	0.06	0.03
C(YbxLi, sum)761	1.29	0.19	0.59	0.10	0.11	0.20	0.14	0.07
C(YbxLi, sum)762	1.66	0.25	0.76	0.13	0.14	0.25	0.19	0.09
C(YbxLi, sum)763	1.32	0.20	0.60	0.11	0.11	0.20	0.15	0.07
C(YbxLi, sum)769	1.58	0.24	0.72	0.13	0.13	0.24	0.18	0.08
C(YbxLi, sum)771	1.18	0.18	0.54	0.10	0.10	0.18	0.13	0.06
C(YbxLi, sum)772	1.05	0.16	0.48	0.09	0.09	0.16	0.12	0.06
C(YbxLi, sum)773	1.00	0.15	0.45	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)779	1.01	0.15	0.46	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)781	1.02	0.15	0.47	0.08	0.09	0.15	0.11	0.05
C(YbxLi, sum)782	1.03	0.16	0.47	0.08	0.09	0.16	0.12	0.05
C(YbxLi, sum)783	1.08	0.16	0.49	0.09	0.09	0.16	0.12	0.06
C(YbxLi, sum)789	1.11	0.17	0.51	0.09	0.09	0.17	0.12	0.06
C(YbxLi, sum)791	1.14	0.17	0.52	0.09	0.10	0.17	0.13	0.06
C(YbxLi, sum)792	0.95	0.14	0.43	0.08	0.08	0.14	0.11	0.05
C(YbxLi, sum)793	0.91	0.14	0.42	0.07	0.08	0.14	0.10	0.05
C(YbxLi, sum)799	1.06	0.16	0.48	0.09	0.09	0.16	0.12	0.06
C(YbxLi, sum)801	1.04	0.16	0.47	0.08	0.09	0.16	0.12	0.06
C(YbxLi, sum)802	1.02	0.15	0.47	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)803	0.96	0.15	0.44	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)809	1.11	0.17	0.51	0.09	0.09	0.17	0.12	0.06
C(YbxLi, sum)821	0.98	0.15	0.45	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)822	1.06	0.16	0.49	0.09	0.09	0.16	0.12	0.06
C(YbxLi, sum)823	1.04	0.16	0.48	0.08	0.09	0.16	0.12	0.06
C(YbxLi, sum)829	0.84	0.13	0.38	0.07	0.07	0.13	0.09	0.04
C(YbxLi, sum)831	0.99	0.15	0.45	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)832	1.13	0.17	0.52	0.09	0.09	0.17	0.13	0.06
C(YbxLi, sum)833	0.97	0.15	0.44	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)839	1.10	0.17	0.50	0.09	0.09	0.17	0.12	0.06
C(YbxLi, sum)841	1.02	0.15	0.47	0.08	0.09	0.16	0.11	0.05
C(YbxLi, sum)842	1.02	0.15	0.47	0.08	0.09	0.15	0.11	0.05
C(YbxLi, sum)843	0.91	0.14	0.42	0.07	0.08	0.14	0.10	0.05
C(YbxLi, sum)849	1.06	0.16	0.48	0.09	0.09	0.16	0.12	0.06
C(YbxLi, sum)851	1.01	0.15	0.46	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)852	1.03	0.16	0.47	0.08	0.09	0.16	0.12	0.05
C(YbxLi, sum)853	0.97	0.15	0.44	0.08	0.08	0.15	0.11	0.05
C(YbxLi, sum)859	1.03	0.16	0.47	0.08	0.09	0.16	0.12	0.05
(Intercept)	0.17	0.03	0.08	0.01	0.01	0.03	0.02	0.01

Table 16: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 2/7.

	Yld	Cww	Staladj	Gfwadj	Cwwadj	Crimp	Crwvl	Crst
C(Sex, sum)1	0.08	0.01	0.19	0.01	0.01	0.05	0.01	0.16
C(YbxLi, sum)749	0.24	0.02	0.58	0.03	0.02	0.30	0.06	1.01
C(YbxLi, sum)750	0.58	0.04	1.39	0.07	0.05	0.17	0.03	0.56
C(YbxLi, sum)759	0.28	0.02	0.67	0.04	0.02	0.33	0.07	1.10
C(YbxLi, sum)761	0.64	0.05	1.54	0.08	0.06	0.42	0.08	1.41
C(YbxLi, sum)762	0.83	0.06	2.00	0.11	0.07	0.34	0.07	1.13
C(YbxLi, sum)763	0.66	0.05	1.58	0.08	0.06	0.40	0.08	1.33
C(YbxLi, sum)769	0.80	0.06	1.90	0.10	0.07	0.31	0.06	1.03
C(YbxLi, sum)771	0.59	0.04	1.42	0.08	0.05	0.28	0.06	0.93
C(YbxLi, sum)772	0.53	0.04	1.27	0.07	0.05	0.26	0.05	0.88
C(YbxLi, sum)773	0.50	0.04	1.19	0.06	0.04	0.27	0.05	0.90
C(YbxLi, sum)779	0.50	0.04	1.22	0.06	0.04	0.23	0.05	0.78
C(YbxLi, sum)781	0.51	0.04	1.23	0.07	0.04			
C(YbxLi, sum)782	0.52	0.04	1.27	0.07	0.05			
C(YbxLi, sum)783	0.54	0.04	1.33	0.07	0.05			
C(YbxLi, sum)789	0.56	0.04	1.33	0.07	0.05			
C(YbxLi, sum)791	0.57	0.04	1.39	0.07	0.05			
C(YbxLi, sum)792	0.48	0.04	1.19	0.06	0.04			
C(YbxLi, sum)793	0.46	0.03	1.10	0.06	0.04			
C(YbxLi, sum)799	0.53	0.04	1.73	0.09	0.06			
C(YbxLi, sum)801	0.52	0.04	1.25	0.07	0.05			
C(YbxLi, sum)802	0.51	0.04	1.23	0.07	0.04			
C(YbxLi, sum)803	0.48	0.04	1.17	0.06	0.04			
C(YbxLi, sum)809	0.55	0.04	1.33	0.07	0.05			
C(YbxLi, sum)821	0.49	0.04	1.18	0.06	0.04			
C(YbxLi, sum)822	0.54	0.04	1.28	0.07	0.05			
C(YbxLi, sum)823	0.52	0.04	1.26	0.07	0.05			
C(YbxLi, sum)829	0.42	0.03	1.02	0.05	0.04	0.28	0.06	0.93
C(YbxLi, sum)831	0.50	0.04	1.20	0.06	0.04			
C(YbxLi, sum)832	0.57	0.04	1.36	0.07	0.05			
C(YbxLi, sum)833	0.48	0.04	1.16	0.06	0.04			
C(YbxLi, sum)839	0.55	0.04	1.33	0.07	0.05	0.26	0.05	0.88
C(YbxLi, sum)841	0.52	0.04	1.23	0.07	0.04	0.25	0.05	0.82
C(YbxLi, sum)842	0.51	0.04	1.23	0.07	0.04	0.36	0.07	1.22
C(YbxLi, sum)843	0.45	0.03	1.09	0.06	0.04	0.27	0.05	0.91
C(YbxLi, sum)849	0.53	0.04	1.27	0.07	0.05	0.27	0.05	0.89
C(YbxLi, sum)851	0.51	0.04	1.22	0.06	0.04	0.26	0.05	0.87
C(YbxLi, sum)852	0.52	0.04	1.24	0.07	0.05	0.29	0.06	0.97
C(YbxLi, sum)853	0.49	0.04	1.17	0.06	0.04	0.26	0.05	0.87
C(YbxLi, sum)859	0.52	0.04	1.24	0.07	0.05	0.26	0.05	0.88
(Intercept)	0.09	0.01	0.21	0.01	0.01	0.11	0.02	0.37

Table 17: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 3/7.

	Crstadj	Crwvt	Dp	Ds	Dps	DpovDs	CVDp	CVDs
C(Sex, sum)1	0.19	0.00	0.14	0.08	0.08	0.01	0.19	0.11
C(YbxLi, sum)749	1.20	0.02						
C(YbxLi, sum)750	0.68	0.01						
C(YbxLi, sum)759	1.32	0.03						
C(YbxLi, sum)761	1.68	0.03						
C(YbxLi, sum)762	1.36	0.03						
C(YbxLi, sum)763	1.59	0.03						
C(YbxLi, sum)769	1.23	0.02						
C(YbxLi, sum)771	1.12	0.02						
C(YbxLi, sum)772	1.06	0.02						
C(YbxLi, sum)773	1.08	0.02						
C(YbxLi, sum)779	0.93	0.02						
C(YbxLi, sum)781								
C(YbxLi, sum)782								
C(YbxLi, sum)783								
C(YbxLi, sum)789								
C(YbxLi, sum)791								
C(YbxLi, sum)792								
C(YbxLi, sum)793								
C(YbxLi, sum)799								
C(YbxLi, sum)801								
C(YbxLi, sum)802								
C(YbxLi, sum)803								
C(YbxLi, sum)809								
C(YbxLi, sum)821								
C(YbxLi, sum)822			0.55	0.32	0.32	0.03	0.73	0.44
C(YbxLi, sum)823			0.56	0.33	0.33	0.03	0.75	0.45
C(YbxLi, sum)829	1.12	0.02						
C(YbxLi, sum)831			0.65	0.39	0.38	0.03	0.87	0.52
C(YbxLi, sum)832			0.72	0.42	0.42	0.03	0.96	0.57
C(YbxLi, sum)833			0.68	0.40	0.40	0.03	0.91	0.55
C(YbxLi, sum)839	1.05	0.02	0.66	0.39	0.38	0.03	0.88	0.52
C(YbxLi, sum)841	0.98	0.02	0.71	0.42	0.42	0.03	0.95	0.57
C(YbxLi, sum)842	1.46	0.03	0.73	0.43	0.42	0.03	0.97	0.58
C(YbxLi, sum)843	1.09	0.02	0.61	0.36	0.36	0.03	0.82	0.49
C(YbxLi, sum)849	1.07	0.02						
C(YbxLi, sum)851	1.04	0.02	0.55	0.32	0.32	0.03	0.73	0.44
C(YbxLi, sum)852	1.16	0.02	0.58	0.34	0.34	0.03	0.78	0.47
C(YbxLi, sum)853	1.04	0.02	0.55	0.32	0.32	0.03	0.73	0.44
C(YbxLi, sum)859	1.05	0.02	0.65	0.38	0.38	0.03	0.87	0.52
(Intercept)	0.44	0.01	0.42	0.25	0.24	0.02	0.56	0.33

Table 18: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 4/7.

	MaxDp	MinDp	MaxDs	MinDs	SDDp	SDDs	SDD	CVD
C(Sex, sum)1	0.27	0.15	0.21	0.10	0.06	0.02	0.02	0.11
C(YbxLi, sum)749								
C(YbxLi, sum)750								
C(YbxLi, sum)759								
C(YbxLi, sum)761								
C(YbxLi, sum)762								
C(YbxLi, sum)763								
C(YbxLi, sum)769								
C(YbxLi, sum)771								
C(YbxLi, sum)772								
C(YbxLi, sum)773								
C(YbxLi, sum)779								
C(YbxLi, sum)781								
C(YbxLi, sum)782								
C(YbxLi, sum)783								
C(YbxLi, sum)789								
C(YbxLi, sum)791								
C(YbxLi, sum)792								
C(YbxLi, sum)793								
C(YbxLi, sum)799								
C(YbxLi, sum)801								
C(YbxLi, sum)802								
C(YbxLi, sum)803								
C(YbxLi, sum)809								
C(YbxLi, sum)821								
C(YbxLi, sum)822	1.07	0.58	0.83	0.39	0.22	0.09	0.09	0.43
C(YbxLi, sum)823	1.09	0.59	0.85	0.40	0.23	0.09	0.10	0.44
C(YbxLi, sum)829								
C(YbxLi, sum)831	1.28	0.69	0.99	0.47	0.27	0.11	0.11	0.51
C(YbxLi, sum)832	1.41	0.76	1.09	0.51	0.29	0.12	0.12	0.56
C(YbxLi, sum)833	1.34	0.72	1.03	0.49	0.28	0.12	0.12	0.54
C(YbxLi, sum)839	1.28	0.69	0.99	0.47	0.27	0.11	0.11	0.52
C(YbxLi, sum)841	1.39	0.75	1.08	0.51	0.29	0.12	0.12	0.56
C(YbxLi, sum)842	1.42	0.77	1.10	0.52	0.29	0.12	0.12	0.57
C(YbxLi, sum)843	1.20	0.65	0.93	0.44	0.25	0.10	0.10	0.48
C(YbxLi, sum)849								
C(YbxLi, sum)851	1.07	0.58	0.83	0.39	0.22	0.09	0.09	0.43
C(YbxLi, sum)852	1.14	0.62	0.88	0.42	0.24	0.10	0.10	0.46
C(YbxLi, sum)853	1.07	0.58	0.83	0.39	0.22	0.09	0.09	0.43
C(YbxLi, sum)859	1.28	0.69	0.99	0.47	0.27	0.11	0.11	0.51
(Intercept)	0.81	0.44	0.63	0.30	0.17	0.07	0.07	0.33

Table 19: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 5/7.

	Gt30Dp	Gt30Ds	Gt30D	Fnua	Fr	Fnt	Sarea	Fd
C(Sex, sum)1	0.68	0.11	0.13	0.23	0.07	0.23	0.00	0.00
C(YbxLi, sum)749								
C(YbxLi, sum)750				0.93	0.29	0.91	0.01	0.01
C(YbxLi, sum)759				2.20	0.70	2.16	0.01	0.03
C(YbxLi, sum)761				2.32	0.74	2.28	0.02	0.03
C(YbxLi, sum)762				1.85	0.59	1.81	0.01	0.02
C(YbxLi, sum)763				2.19	0.70	2.15	0.01	0.03
C(YbxLi, sum)769				1.67	0.53	1.64	0.01	0.02
C(YbxLi, sum)771				1.51	0.48	1.48	0.01	0.02
C(YbxLi, sum)772				1.46	0.46	1.43	0.01	0.02
C(YbxLi, sum)773				1.46	0.46	1.43	0.01	0.02
C(YbxLi, sum)779				1.26	0.40	1.24	0.01	0.02
C(YbxLi, sum)781				1.58	0.50	1.55	0.01	0.02
C(YbxLi, sum)782				1.48	0.47	1.45	0.01	0.02
C(YbxLi, sum)783				1.48	0.47	1.45	0.01	0.02
C(YbxLi, sum)789				1.36	0.43	1.34	0.01	0.02
C(YbxLi, sum)791				1.53	0.48	1.50	0.01	0.02
C(YbxLi, sum)792				1.47	0.47	1.44	0.01	0.02
C(YbxLi, sum)793				1.49	0.47	1.46	0.01	0.02
C(YbxLi, sum)799				1.41	0.45	1.38	0.01	0.02
C(YbxLi, sum)801				1.49	0.47	1.46	0.01	0.02
C(YbxLi, sum)802				1.53	0.48	1.50	0.01	0.02
C(YbxLi, sum)803				1.49	0.47	1.46	0.01	0.02
C(YbxLi, sum)809				1.43	0.45	1.40	0.01	0.02
C(YbxLi, sum)821				1.61	0.51	1.59	0.01	0.02
C(YbxLi, sum)822	2.66	0.45	0.49	1.41	0.45	1.39	0.01	0.02
C(YbxLi, sum)823	2.72	0.46	0.50	1.47	0.47	1.45	0.01	0.02
C(YbxLi, sum)829								
C(YbxLi, sum)831	3.19	0.54	0.59	1.89	0.60	1.85	0.01	0.03
C(YbxLi, sum)832	3.50	0.59	0.65	2.14	0.68	2.10	0.01	0.03
C(YbxLi, sum)833	3.33	0.56	0.62	2.03	0.64	1.99	0.01	0.03
C(YbxLi, sum)839	3.20	0.54	0.59	1.88	0.60	1.84	0.01	
C(YbxLi, sum)841	3.47	0.59	0.64	1.88	0.60	1.84	0.01	
C(YbxLi, sum)842	3.53	0.60	0.65	2.02	0.64	1.98	0.01	
C(YbxLi, sum)843	2.99	0.51	0.55	1.70	0.54	1.67	0.01	
C(YbxLi, sum)849								
C(YbxLi, sum)851	2.66	0.45	0.49	1.40	0.44	1.38	0.01	
C(YbxLi, sum)852	2.84	0.48	0.52	1.59	0.51	1.57	0.01	
C(YbxLi, sum)853	2.68	0.45	0.49	1.43	0.45	1.40	0.01	
C(YbxLi, sum)859	3.18	0.54	0.59	1.86	0.59	1.83	0.01	
(Intercept)	2.03	0.34	0.38	0.59	0.19	0.58	0.00	0.01

Table 20: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 6/7.

	Fc	Fu	Colour	Fly	Flcrot	Bactst	MycD	Bcts
C(Sex, sum)1	0.02	0.02	0.01	0.02	0.03	0.01	0.02	0.03
C(YbxLi, sum)749			0.10	0.18	0.24			
C(YbxLi, sum)750	0.08	0.06	0.06	0.10	0.13			
C(YbxLi, sum)759	0.20	0.14	0.11	0.20	0.26			0.21
C(YbxLi, sum)761	0.21	0.15	0.15	0.26	0.33			0.27
C(YbxLi, sum)762	0.17	0.12	0.12	0.21	0.27			0.22
C(YbxLi, sum)763	0.20	0.14	0.14	0.25	0.32			0.26
C(YbxLi, sum)769	0.15	0.11	0.11	0.19	0.24			0.20
C(YbxLi, sum)771	0.14	0.10						0.18
C(YbxLi, sum)772	0.13	0.10						0.18
C(YbxLi, sum)773	0.13	0.10						0.18
C(YbxLi, sum)779	0.11	0.08	0.08	0.14	0.18			0.15
C(YbxLi, sum)781	0.14	0.10	0.10	0.18	0.23			0.19
C(YbxLi, sum)782	0.13	0.10	0.09	0.17	0.21	0.06	0.12	0.18
C(YbxLi, sum)783	0.13	0.10	0.09	0.16	0.21	0.06	0.12	0.18
C(YbxLi, sum)789	0.12	0.09	0.08	0.15	0.19	0.05	0.11	0.16
C(YbxLi, sum)791	0.14	0.10	0.10	0.17	0.22	0.06	0.12	0.18
C(YbxLi, sum)792	0.13	0.10	0.09	0.16	0.21	0.06	0.12	0.18
C(YbxLi, sum)793	0.13	0.10	0.09	0.17	0.21	0.06	0.12	0.18
C(YbxLi, sum)799	0.13	0.09	0.09	0.16	0.20	0.05	0.12	0.17
C(YbxLi, sum)801	0.13	0.10	0.09	0.17	0.21	0.06	0.12	0.18
C(YbxLi, sum)802	0.14	0.10	0.10	0.17	0.22	0.06	0.12	0.18
C(YbxLi, sum)803	0.13	0.10	0.09	0.17	0.21	0.06	0.12	0.18
C(YbxLi, sum)809	0.13	0.09	0.09	0.16	0.21	0.05	0.12	0.17
C(YbxLi, sum)821	0.15	0.11	0.10	0.18	0.23	0.06	0.13	0.19
C(YbxLi, sum)822	0.13	0.09	0.09	0.16	0.20	0.05	0.12	0.17
C(YbxLi, sum)823	0.13	0.10	0.09	0.16	0.21	0.06	0.12	0.18
C(YbxLi, sum)829			0.09	0.17	0.21	0.06	0.12	0.18
C(YbxLi, sum)831	0.19	0.14	0.10	0.17	0.22	0.06	0.12	0.19
C(YbxLi, sum)832	0.19	0.14	0.10	0.18	0.23	0.06	0.13	0.19
C(YbxLi, sum)833	0.22	0.16	0.10	0.18	0.23	0.06	0.13	0.20
C(YbxLi, sum)839			0.09	0.15	0.20	0.05	0.12	0.17
C(YbxLi, sum)841			0.09	0.15	0.19	0.05	0.11	0.16
C(YbxLi, sum)842			0.10	0.17	0.22	0.06	0.12	0.18
C(YbxLi, sum)843			0.09	0.17	0.21	0.06	0.12	0.18
C(YbxLi, sum)849			0.09	0.16	0.21	0.06	0.12	0.18
C(YbxLi, sum)851			0.09	0.16	0.20	0.05	0.12	0.17
C(YbxLi, sum)852			0.10	0.18	0.23	0.06	0.13	0.19
C(YbxLi, sum)853			0.09	0.16	0.20	0.05	0.12	0.17
C(YbxLi, sum)859			0.09	0.16	0.20	0.05	0.12	0.17
(Intercept)	0.05	0.04	0.04	0.07	0.09	0.04	0.09	0.08

Table 21: Standard errors of fixed effects for Sex and Year-born-in-x-Line obtained from fitting model 1 for all 56 measured traits: Part 7/7.

	Bctb	Weanwt	NLB	NLW	Fnpua	Fnsua	Fnpt	Fnst
C(Sex, sum)1	0.03	0.05	0.01	0.01	0.01	0.23	0.01	0.22
C(YbxLi, sum)749			0.02	0.02				
C(YbxLi, sum)750			0.06	0.05	0.05	0.91	0.05	0.89
C(YbxLi, sum)759	0.22	0.44	0.03	0.02	0.11	2.15	0.11	2.11
C(YbxLi, sum)761	0.28	0.56	0.06	0.06	0.12	2.27	0.12	2.23
C(YbxLi, sum)762	0.23	0.46	0.08	0.07	0.10	1.80	0.09	1.77
C(YbxLi, sum)763	0.27	0.53	0.06	0.06	0.11	2.14	0.11	2.10
C(YbxLi, sum)769	0.21	0.42	0.08	0.07	0.09	1.63	0.09	1.60
C(YbxLi, sum)771	0.19	0.38	0.06	0.05	0.08	1.48	0.08	1.45
C(YbxLi, sum)772	0.18	0.36	0.05	0.05	0.08	1.42	0.07	1.40
C(YbxLi, sum)773	0.18	0.37	0.05	0.04	0.08	1.42	0.07	1.40
C(YbxLi, sum)779	0.16	0.32	0.05	0.04	0.06	1.23	0.06	1.21
C(YbxLi, sum)781	0.20	0.39	0.05	0.05	0.08	1.55	0.08	1.52
C(YbxLi, sum)782	0.19	0.37	0.05	0.05	0.08	1.44	0.08	1.42
C(YbxLi, sum)783	0.19	0.37	0.05	0.05	0.08	1.44	0.08	1.42
C(YbxLi, sum)789	0.17	0.33	0.05	0.05	0.07	1.33	0.07	1.31
C(YbxLi, sum)791	0.19	0.38	0.06	0.05	0.08	1.49	0.08	1.47
C(YbxLi, sum)792	0.18	0.37	0.05	0.04	0.08	1.44	0.07	1.41
C(YbxLi, sum)793	0.19	0.37	0.04	0.04	0.08	1.45	0.08	1.43
C(YbxLi, sum)799	0.18	0.36	0.05	0.05	0.07	1.38	0.07	1.35
C(YbxLi, sum)801	0.19	0.37	0.05	0.05	0.08	1.45	0.08	1.43
C(YbxLi, sum)802	0.19	0.38	0.05	0.04	0.08	1.49	0.08	1.47
C(YbxLi, sum)803	0.19	0.37	0.05	0.04	0.08	1.45	0.08	1.43
C(YbxLi, sum)809	0.18	0.36	0.05	0.05	0.07	1.40	0.07	1.37
C(YbxLi, sum)821	0.20	0.40	0.05	0.04	0.08	1.58	0.08	1.55
C(YbxLi, sum)822	0.18	0.35	0.05	0.05	0.07	1.38	0.07	1.36
C(YbxLi, sum)823	0.18	0.37	0.05	0.05	0.08	1.44	0.07	1.41
C(YbxLi, sum)829	0.19	0.37	0.04	0.04				
C(YbxLi, sum)831	0.19	0.39	0.05	0.04	0.10	1.84	0.10	1.81
C(YbxLi, sum)832	0.20	0.40	0.06	0.05	0.11	2.09	0.11	2.06
C(YbxLi, sum)833	0.20	0.41	0.05	0.04	0.10	1.98	0.10	1.95
C(YbxLi, sum)839	0.17	0.35	0.05	0.05	0.10	1.83	0.10	1.80
C(YbxLi, sum)841	0.17	0.34	0.05	0.05	0.10	1.83	0.10	1.80
C(YbxLi, sum)842	0.19	0.38	0.05	0.05	0.10	1.97	0.10	1.94
C(YbxLi, sum)843	0.19	0.37	0.04	0.04	0.09	1.66	0.09	1.63
C(YbxLi, sum)849	0.18	0.37	0.05	0.05				
C(YbxLi, sum)851	0.18	0.35	0.05	0.04	0.07	1.37	0.07	1.34
C(YbxLi, sum)852	0.20	0.39	0.05	0.05	0.08	1.56	0.08	1.53
C(YbxLi, sum)853	0.18	0.36	0.05	0.04	0.07	1.39	0.07	1.37
C(YbxLi, sum)859	0.18	0.35	0.05	0.05	0.10	1.82	0.09	1.78
(Intercept)	0.09	0.17	0.01	0.01	0.03	0.58	0.03	0.57




Figure 1: Direct response to selection for follicle depth in Line 1. Shifts in the difference between Line 1 and Control Line represent genetic change.

points missing. I am still waiting for CSIRO to complete the Fd measurements on Line 1 in 1984-85 and on the Control Line in 1981-85. Nevertheless we can conclude that there has been genetic change in Fd in Line 1 due to selection for Fd.

Figure 2 shows the direct response plot for Line 2 and the Control Line.




Figure 2: Direct response to selection for follicle number per head in Line 2. Shifts in the difference between Line 2 and Control Line represent genetic change.

Line 2 starts out with a larger number of follicles than the Control Line, and this difference increases with time. We can conclude that there has been genetic change in Fnt in Line 2 due to selection for Fnt. There is also a considerable environmental shift between years 80 and 82, both Line 2 and the Control Line have increased follicle number and this jump is maintained thereafter. The cause of this jump is unknown. It may be significant that there was a change of technique from manual counting to semi-automatic image processing in 1982.

Figure 3 shows the direct response plot for follicle depth for Line 3 and the Control Line. Figure 4 shows the direct response plot for follicle number per

head for Line 3 and the Control Line.




Figure 3: Direct response in follicle depth, to selection for follicle depth and follicle number per head in Line 3. Shifts in the difference between Line 3 and Control Line represent genetic change.

Line 3 has achieved genetic change in both follicle depth and follicle number per head. The shift in follicle number between years 80 and 82 is again present.

5.3 Indirect responses to selection

We will just look at indirect responses in clean wool weight, fibre diameter and staple length.

Figure 5 shows the indirect or correlated changes in clean wool weight (*Cw_{wadj}*) in all three lines. There is no obvious change in clean wool weight in any of the three lines. There is a slight suggestion that the selected line might average out above the control line in both Line 2 and Line 3. This is not what was expected. The original thinking behind this experiment was that if one wanted to engineer a change in wool weight one had to put selection pressure




Figure 4: Direct response in follicle number per head, to selection for follicle depth and follicle number per head in Line 3. Shifts in the difference between Line 3 and Control Line represent genetic change.

on all of its components. The components of wool weight in this scenario were considered to be follicle size (measured as follicle depth) and number of follicles (measured as follicle number per head). It was expected that there would be a change in wool weight in Line 3 only. This did not occur. Possible explanations are

- the experiment did not continue for long enough
- the two components (follicle size and number) are in some way not an adequate representation of the biology of wool growth
- the concept of components is somehow flawed




Figure 5: Indirect response in clean wool weight, to selection for follicle depth in Line 1, follicle number per head in Line 2, and follicle depth and follicle number per head in Line 3. Shifts in the difference between each Line and the Control Line represent genetic change.

We can look into this a little more thoroughly by seeing if there were any

correlated changes in fibre diameter or in fibre length growth rate (measured as staple length).

Figure 7 and Figure 6 show the correlated changes in average fibre diameter and staple length.




Figure 6: Indirect response in staple length, to selection for follicle depth in Line 1, follicle number per head in Line 2, and follicle depth and follicle number per head in Line 3. Shifts in the difference between each Line and the Control Line represent genetic change.

There are no obvious correlated changes in staple length or fibre diameter in any of the 3 lines. There is a slight suggestion that staple length might average out higher than the Control line in Lines 2 and 3, as was observed for clean wool weight. It is becoming clear that the experiment simply did not continue for enough years for correlated responses to be studied. Correlated genetic change is almost always smaller than direct responses to selection, and will therefore take more generations to detect.

In view of the above, the experiment was simply not carried on for long enough to fulfil its original aim. The hypothesis that one can 'engineer' a genetic




Figure 7: Indirect response in fibre diameter, to selection for follicle depth in Line 1, follicle number per head in Line 2, and follicle depth and follicle number per head in Line 3. Shifts in the difference between each Line and the Control Line represent genetic change.

improvement in wool weight by changing its components in a coordinated way, is still open. A more detailed analysis of responses against amount of selection applied, is not warranted, and would be difficult to carry out because of the missing observations.

The experiment does however provide an important pedigreed data set with some interesting measurements not available elsewhere. We now proceed to an analysis of the pedigree data.

5.4 Parameters

It is important to present phenotypic as well as genetic parameters. They are required in calculating responses to selection. Heritabilities and genetic correlations alone are not sufficient.

5.4.1 Phenotypic variances

Phenotypic variances and their standard errors are presented in Table 22

Table 22: Estimates of phenotypic variance with standard errors and confidence limits for 56 skin and wool traits

Traitpair	Estimate	StdErr	CI95lo	CI95hi
Stal:Stal	87.501	1.423	84.711	90.290
Diam:Diam	1.998	0.032	1.934	2.061
Bwt:Bwt	18.238	0.297	17.657	18.820
WrN:WrN	0.575	0.009	0.557	0.594
WrB:WrB	0.614	0.010	0.595	0.634
WrT:WrT	2.017	0.033	1.953	2.081
Face:Face	1.113	0.018	1.078	1.147
Gfw:Gfw	0.249	0.004	0.241	0.257
Yld:Yld	22.216	0.358	21.514	22.919
Cww:Cww	0.120	0.002	0.116	0.124
Staladj:Staladj	126.588	2.075	122.520	130.656
Gfwadj:Gfwadj	0.357	0.006	0.346	0.369
Cwwadj:Cwwadj	0.168	0.003	0.163	0.174
Crimp:Crimp	5.361	0.106	5.154	5.569
Crwvl:Crwvl	0.225	0.004	0.216	0.233
Crst:Crst	56.780	1.183	54.461	59.099
Crstadj:Crstadj	81.204	1.696	77.880	84.528
Crwvt:Crwvt	0.031	0.001	0.029	0.032
Dp:Dp	11.806	0.389	11.042	12.569
Ds:Ds	4.059	0.135	3.794	4.324
Dps:Dps	3.987	0.133	3.727	4.248
DpovDs:DpovDs	0.028	0.001	0.026	0.029
CVDp:CVDp	20.746	0.697	19.381	22.111
CVDs:CVDs	7.378	0.249	6.891	7.866
MaxDp:MaxDp	44.886	1.489	41.966	47.805
MinDp:MinDp	12.649	0.434	11.799	13.500
MaxDs:MaxDs	26.440	0.893	24.689	28.191
MinDs:MinDs	5.890	0.200	5.499	6.281
SDDp:SDDp	1.954	0.064	1.828	2.080
SDDs:SDDs	0.335	0.011	0.313	0.357
SDD:SDD	0.340	0.011	0.318	0.362

Continued on next page

Table 22 – *Continued from previous page*

Traitpair	Estimate	StdErr	CI95lo	CI95hi
CVD:CVD	7.128	0.240	6.658	7.598
Gt30Dp:Gt30Dp	278.347	9.248	260.221	296.473
Gt30Ds:Gt30Ds	7.879	0.265	7.359	8.399
Gt30D:Gt30D	9.396	0.316	8.776	10.015
Fnua:Fnua	148.641	2.625	143.495	153.786
Fr:Fr	15.004	0.265	14.485	15.523
Fnt:Fnt	143.441	2.532	138.478	148.403
Sarea:Sarea	0.007	0.000	0.006	0.007
Fd:Fd	0.023	0.000	0.022	0.024
Fc:Fc	1.240	0.024	1.194	1.287
Fu:Fu	0.645	0.012	0.620	0.669
Colour:Colour	0.599	0.010	0.580	0.619
Fly:Fly	1.849	0.031	1.788	1.911
Flcrot:Flcrot	3.066	0.052	2.964	3.168
Bactst:Bactst	0.117	0.002	0.112	0.122
MycD:MycD	0.544	0.011	0.522	0.567
Bcts:Bcts	2.096	0.036	2.026	2.165
Bctb:Bctb	2.274	0.039	2.199	2.350
Weanwt:Weanwt	8.804	0.154	8.502	9.105
NLB:NLB	0.209	0.003	0.202	0.216
NLW:NLW	0.173	0.003	0.168	0.179
Fnpua:Fnpua	0.395	0.007	0.381	0.408
Fnsua:Fnsua	142.081	2.509	137.163	146.999
Fnpt:Fnpt	0.385	0.007	0.372	0.398
Fnst:Fnst	137.073	2.420	132.331	141.816

The columns CI95lo and CI95hi represent the lower and upper limits of a 95 per cent confidence interval for the variance estimate.

5.4.2 Correlations

Phenotypic, genetic and environmental correlations for each pair of traits are presented in Table 23

Table 23: Estimates of individual environmental($E(I)$), individual additive genetic($G(Ia)$), and phenotypic($P(I)$) correlations with standard errors and confidence limits for 56 skin and wool traits

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Stal:Stal	$E(I)$	1.00	0.00	1.00	1.00
Stal:Stal	$G(Ia)$	1.00	0.00	1.00	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Stal:Stal	P(I)	1.00	0.00	1.00	1.00
Stal:Diam	E(I)	0.12	0.03	0.06	0.19
Stal:Diam	G(Ia)	0.14	0.03	0.09	0.20
Stal:Diam	P(I)	0.13	0.02	0.10	0.16
Stal:Bwt	E(I)	0.26	0.03	0.20	0.31
Stal:Bwt	G(Ia)	0.08	0.03	0.02	0.14
Stal:Bwt	P(I)	0.19	0.02	0.16	0.23
Stal:WrN	E(I)	-0.12	0.03	-0.18	-0.06
Stal:WrN	G(Ia)	-0.21	0.03	-0.27	-0.15
Stal:WrN	P(I)	-0.15	0.02	-0.18	-0.12
Stal:WrB	E(I)	-0.09	0.03	-0.15	-0.03
Stal:WrB	G(Ia)	-0.24	0.03	-0.30	-0.19
Stal:WrB	P(I)	-0.15	0.02	-0.18	-0.11
Stal:WrT	E(I)	-0.11	0.03	-0.17	-0.05
Stal:WrT	G(Ia)	-0.22	0.03	-0.28	-0.17
Stal:WrT	P(I)	-0.16	0.02	-0.19	-0.12
Stal:Face	E(I)	-0.02	0.04	-0.10	0.07
Stal:Face	G(Ia)	-0.31	0.02	-0.35	-0.27
Stal:Face	P(I)	-0.16	0.02	-0.19	-0.13
Stal:Gfw	E(I)	0.17	0.03	0.11	0.23
Stal:Gfw	G(Ia)	0.53	0.03	0.47	0.58
Stal:Gfw	P(I)	0.30	0.02	0.27	0.33
Stal:Yld	E(I)	0.36	0.03	0.30	0.42
Stal:Yld	G(Ia)	0.11	0.03	0.06	0.17
Stal:Yld	P(I)	0.26	0.02	0.23	0.29
Stal:Cww	E(I)	0.31	0.03	0.25	0.36
Stal:Cww	G(Ia)	0.59	0.03	0.54	0.64
Stal:Cww	P(I)	0.41	0.01	0.38	0.43
Stal:Staladj	E(I)	0.97	0.00	0.96	0.98
Stal:Staladj	G(Ia)	0.99	0.00	0.99	1.00
Stal:Staladj	P(I)	0.98	0.00	0.97	0.98
Stal:Gfwadj	E(I)	0.14	0.03	0.09	0.20
Stal:Gfwadj	G(Ia)	0.51	0.03	0.45	0.56
Stal:Gfwadj	P(I)	0.27	0.02	0.24	0.30
Stal:Cwwadj	E(I)	0.28	0.03	0.23	0.33
Stal:Cwwadj	G(Ia)	0.58	0.03	0.52	0.63
Stal:Cwwadj	P(I)	0.38	0.01	0.35	0.41
Stal:Crimp	E(I)	0.41	0.21	-0.00	0.82
Stal:Crimp	G(Ia)	-0.58	0.03	-0.63	-0.53
Stal:Crimp	P(I)	-0.28	0.02	-0.32	-0.24
Stal:Crwvl	E(I)	-0.06	0.04	-0.14	0.03
Stal:Crwvl	G(Ia)	0.55	0.03	0.48	0.61
Stal:Crwvl	P(I)	0.21	0.02	0.17	0.24

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Stal:Crst	E(I)	0.95	0.06	0.84	1.07
Stal:Crst	G(Ia)	-0.22	0.04	-0.29	-0.15
Stal:Crst	P(I)	0.31	0.02	0.28	0.35
Stal:Crstadj	E(I)	0.89	0.05	0.78	0.99
Stal:Crstadj	G(Ia)	-0.21	0.04	-0.28	-0.14
Stal:Crstadj	P(I)	0.31	0.02	0.27	0.35
Stal:Crwvt	E(I)	-0.66	0.04	-0.74	-0.58
Stal:Crwvt	G(Ia)	0.16	0.04	0.08	0.24
Stal:Crwvt	P(I)	-0.30	0.02	-0.34	-0.27
Stal:Dp	E(I)	0.09	0.09	-0.08	0.26
Stal:Dp	G(Ia)	-0.19	0.05	-0.30	-0.08
Stal:Dp	P(I)	-0.05	0.03	-0.12	0.01
Stal:Ds	E(I)	-0.06	0.08	-0.21	0.09
Stal:Ds	G(Ia)	0.36	0.06	0.24	0.49
Stal:Ds	P(I)	0.13	0.03	0.06	0.19
Stal:Dps	E(I)	-0.05	0.08	-0.20	0.09
Stal:Dps	G(Ia)	0.35	0.06	0.23	0.48
Stal:Dps	P(I)	0.12	0.03	0.06	0.19
Stal:DpovDs	E(I)	0.19	0.14	-0.08	0.46
Stal:DpovDs	G(Ia)	-0.34	0.04	-0.42	-0.25
Stal:DpovDs	P(I)	-0.15	0.03	-0.21	-0.09
Stal:CVDp	E(I)	-0.15	0.07	-0.29	-0.01
Stal:CVDp	G(Ia)	0.05	0.07	-0.09	0.19
Stal:CVDp	P(I)	-0.07	0.03	-0.13	-0.00
Stal:CVDs	E(I)	-0.17	0.07	-0.31	-0.04
Stal:CVDs	G(Ia)	-0.09	0.08	-0.23	0.06
Stal:CVDs	P(I)	-0.14	0.03	-0.20	-0.07
Stal:MaxDp	E(I)	0.07	0.08	-0.09	0.24
Stal:MaxDp	G(Ia)	-0.17	0.06	-0.28	-0.06
Stal:MaxDp	P(I)	-0.05	0.03	-0.11	0.02
Stal:MinDp	E(I)	0.22	0.06	0.09	0.34
Stal:MinDp	G(Ia)	-0.74	0.18	-1.09	-0.39
Stal:MinDp	P(I)	-0.01	0.03	-0.07	0.06
Stal:MaxDs	E(I)	-0.21	0.07	-0.34	-0.09
Stal:MaxDs	G(Ia)	0.20	0.09	0.01	0.39
Stal:MaxDs	P(I)	-0.08	0.03	-0.14	-0.01
Stal:MinDs	E(I)	-0.02	0.06	-0.14	0.10
Stal:MinDs	G(Ia)	0.20	0.16	-0.12	0.52
Stal:MinDs	P(I)	0.02	0.03	-0.04	0.09
Stal:SDDp	E(I)	-0.04	0.08	-0.20	0.12
Stal:SDDp	G(Ia)	-0.12	0.06	-0.23	-0.01
Stal:SDDp	P(I)	-0.08	0.03	-0.14	-0.02
Stal:SDDs	E(I)	-0.19	0.08	-0.34	-0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Stal:SDDs	G(Ia)	0.10	0.06	-0.02	0.23
Stal:SDDs	P(I)	-0.06	0.03	-0.12	0.01
Stal:SDD	E(I)	-0.18	0.08	-0.33	-0.03
Stal:SDD	G(Ia)	0.08	0.06	-0.05	0.20
Stal:SDD	P(I)	-0.06	0.03	-0.13	0.00
Stal:CVD	E(I)	-0.17	0.07	-0.30	-0.03
Stal:CVD	G(Ia)	-0.11	0.07	-0.25	0.04
Stal:CVD	P(I)	-0.14	0.03	-0.21	-0.08
Stal:Gt30Dp	E(I)	0.07	0.08	-0.09	0.23
Stal:Gt30Dp	G(Ia)	-0.21	0.06	-0.33	-0.10
Stal:Gt30Dp	P(I)	-0.07	0.03	-0.13	-0.00
Stal:Gt30Ds	E(I)	-0.06	0.07	-0.19	0.08
Stal:Gt30Ds	G(Ia)	0.10	0.08	-0.05	0.25
Stal:Gt30Ds	P(I)	0.00	0.03	-0.06	0.07
Stal:Gt30D	E(I)	-0.04	0.07	-0.18	0.10
Stal:Gt30D	G(Ia)	0.05	0.07	-0.10	0.19
Stal:Gt30D	P(I)	-0.01	0.03	-0.07	0.06
Stal:Fnu	E(I)	-0.19	0.03	-0.25	-0.13
Stal:Fnu	G(Ia)	-0.13	0.04	-0.20	-0.06
Stal:Fnu	P(I)	-0.17	0.02	-0.20	-0.14
Stal:Fr	E(I)	-0.07	0.03	-0.13	-0.01
Stal:Fr	G(Ia)	-0.25	0.04	-0.32	-0.18
Stal:Fr	P(I)	-0.13	0.02	-0.17	-0.10
Stal:Fnt	E(I)	-0.07	0.03	-0.13	-0.01
Stal:Fnt	G(Ia)	-0.06	0.04	-0.14	0.01
Stal:Fnt	P(I)	-0.07	0.02	-0.11	-0.04
Stal:Sarea	E(I)	0.26	0.03	0.20	0.32
Stal:Sarea	G(Ia)	0.10	0.03	0.04	0.17
Stal:Sarea	P(I)	0.20	0.02	0.17	0.24
Stal:Fd	E(I)	0.16	0.03	0.10	0.22
Stal:Fd	G(Ia)	0.42	0.05	0.32	0.53
Stal:Fd	P(I)	0.22	0.02	0.18	0.26
Stal:Fc	E(I)	0.03	0.05	-0.06	0.13
Stal:Fc	G(Ia)	-0.44	0.03	-0.50	-0.38
Stal:Fc	P(I)	-0.19	0.02	-0.22	-0.15
Stal:Fu	E(I)	-0.06	0.04	-0.13	0.01
Stal:Fu	G(Ia)	-0.36	0.04	-0.44	-0.29
Stal:Fu	P(I)	-0.17	0.02	-0.20	-0.13
Stal:Colour	E(I)	-0.10	0.03	-0.16	-0.05
Stal:Colour	G(Ia)	0.02	0.05	-0.07	0.11
Stal:Colour	P(I)	-0.07	0.02	-0.10	-0.04
Stal:Fly	E(I)	0.13	0.03	0.08	0.18
Stal:Fly	G(Ia)	-0.52	0.07	-0.66	-0.38

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Stal:Fly	P(I)	-0.00	0.02	-0.03	0.03
Stal:Flcrot	E(I)	-0.01	0.03	-0.06	0.04
Stal:Flcrot	G(Ia)	-0.10	0.11	-0.32	0.11
Stal:Flcrot	P(I)	-0.02	0.02	-0.05	0.01
Stal:Bactst	E(I)	-0.05	0.03	-0.11	0.02
Stal:Bactst	G(Ia)	-0.55	0.14	-0.82	-0.29
Stal:Bactst	P(I)	-0.11	0.02	-0.15	-0.07
Stal:MycD	E(I)	0.01	0.03	-0.05	0.08
Stal:MycD	G(Ia)	-0.27	0.12	-0.51	-0.03
Stal:MycD	P(I)	-0.03	0.02	-0.07	0.01
Stal:Bcts	E(I)	0.33	0.06	0.21	0.45
Stal:Bcts	G(Ia)	-0.16	0.02	-0.20	-0.11
Stal:Bcts	P(I)	0.03	0.02	-0.00	0.07
Stal:Bctb	E(I)	0.32	0.06	0.21	0.43
Stal:Bctb	G(Ia)	-0.19	0.02	-0.24	-0.14
Stal:Bctb	P(I)	0.02	0.02	-0.01	0.06
Stal:Weanwt	E(I)	0.11	0.03	0.05	0.17
Stal:Weanwt	G(Ia)	-0.02	0.04	-0.11	0.06
Stal:Weanwt	P(I)	0.07	0.02	0.04	0.10
Stal:NLB	E(I)	-0.04	0.03	-0.10	0.01
Stal:NLB	G(Ia)	0.27	0.04	0.19	0.36
Stal:NLB	P(I)	0.04	0.02	0.01	0.07
Stal:NLW	E(I)	0.03	0.03	-0.03	0.08
Stal:NLW	G(Ia)	0.14	0.04	0.06	0.22
Stal:NLW	P(I)	0.06	0.02	0.03	0.09
Stal:Fnpua	E(I)	-0.11	0.03	-0.16	-0.05
Stal:Fnpua	G(Ia)	0.12	0.04	0.03	0.20
Stal:Fnpua	P(I)	-0.04	0.02	-0.08	-0.01
Stal:Fnsua	E(I)	-0.19	0.03	-0.25	-0.13
Stal:Fnsua	G(Ia)	-0.14	0.04	-0.21	-0.06
Stal:Fnsua	P(I)	-0.17	0.02	-0.21	-0.14
Stal:Fnpt	E(I)	0.00	0.03	-0.06	0.06
Stal:Fnpt	G(Ia)	0.16	0.04	0.08	0.24
Stal:Fnpt	P(I)	0.05	0.02	0.01	0.08
Stal:Fnst	E(I)	-0.08	0.03	-0.14	-0.01
Stal:Fnst	G(Ia)	-0.07	0.04	-0.15	-0.00
Stal:Fnst	P(I)	-0.08	0.02	-0.11	-0.04
Diam:Stal	E(I)	0.12	0.03	0.06	0.19
Diam:Stal	G(Ia)	0.14	0.03	0.09	0.20
Diam:Stal	P(I)	0.13	0.02	0.10	0.16
Diam:Diam	E(I)	1.00	0.00	1.00	1.00
Diam:Diam	G(Ia)	1.00	0.00	1.00	1.00
Diam:Diam	P(I)	1.00	0.00	1.00	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Diam:Bwt	E(I)	0.20	0.03	0.14	0.26
Diam:Bwt	G(Ia)	0.15	0.03	0.10	0.20
Diam:Bwt	P(I)	0.18	0.02	0.15	0.21
Diam:WrN	E(I)	0.17	0.03	0.11	0.24
Diam:WrN	G(Ia)	0.22	0.03	0.17	0.27
Diam:WrN	P(I)	0.19	0.02	0.16	0.23
Diam:WrB	E(I)	0.20	0.03	0.13	0.26
Diam:WrB	G(Ia)	0.15	0.03	0.10	0.20
Diam:WrB	P(I)	0.18	0.02	0.15	0.21
Diam:WrT	E(I)	0.21	0.03	0.15	0.28
Diam:WrT	G(Ia)	0.19	0.02	0.15	0.24
Diam:WrT	P(I)	0.20	0.02	0.17	0.23
Diam:Face	E(I)	-0.03	0.05	-0.12	0.07
Diam:Face	G(Ia)	-0.12	0.02	-0.16	-0.08
Diam:Face	P(I)	-0.08	0.02	-0.11	-0.05
Diam:Gfw	E(I)	0.29	0.03	0.23	0.35
Diam:Gfw	G(Ia)	0.56	0.02	0.51	0.60
Diam:Gfw	P(I)	0.39	0.01	0.37	0.42
Diam:Yld	E(I)	-0.05	0.04	-0.12	0.02
Diam:Yld	G(Ia)	-0.17	0.02	-0.22	-0.12
Diam:Yld	P(I)	-0.10	0.02	-0.13	-0.07
Diam:Cww	E(I)	0.25	0.03	0.19	0.31
Diam:Cww	G(Ia)	0.48	0.03	0.43	0.53
Diam:Cww	P(I)	0.34	0.01	0.31	0.37
Diam:Staladj	E(I)	0.13	0.03	0.07	0.19
Diam:Staladj	G(Ia)	0.13	0.03	0.08	0.18
Diam:Staladj	P(I)	0.13	0.02	0.10	0.16
Diam:Gfwadj	E(I)	0.29	0.03	0.23	0.35
Diam:Gfwadj	G(Ia)	0.55	0.02	0.50	0.60
Diam:Gfwadj	P(I)	0.39	0.01	0.36	0.42
Diam:Cwwadj	E(I)	0.26	0.03	0.20	0.31
Diam:Cwwadj	G(Ia)	0.48	0.03	0.43	0.53
Diam:Cwwadj	P(I)	0.34	0.01	0.31	0.37
Diam:Crimp	E(I)	0.33	0.18	-0.03	0.68
Diam:Crimp	G(Ia)	-0.44	0.03	-0.49	-0.38
Diam:Crimp	P(I)	-0.20	0.02	-0.23	-0.16
Diam:Crwvl	E(I)	-0.17	0.04	-0.25	-0.09
Diam:Crwvl	G(Ia)	0.48	0.03	0.41	0.55
Diam:Crwvl	P(I)	0.10	0.02	0.07	0.14
Diam:Crst	E(I)	0.18	0.06	0.06	0.29
Diam:Crst	G(Ia)	-0.33	0.04	-0.39	-0.26
Diam:Crst	P(I)	-0.08	0.02	-0.12	-0.04
Diam:Crstadj	E(I)	0.20	0.06	0.09	0.31

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Diam:Crstadj	G(Ia)	-0.34	0.04	-0.41	-0.27
Diam:Crstadj	P(I)	-0.07	0.02	-0.11	-0.02
Diam:Crwvt	E(I)	-0.16	0.05	-0.25	-0.07
Diam:Crwvt	G(Ia)	0.35	0.04	0.27	0.43
Diam:Crwvt	P(I)	0.05	0.02	0.01	0.09
Diam:Dp	E(I)	0.63	0.08	0.48	0.78
Diam:Dp	G(Ia)	0.14	0.05	0.05	0.24
Diam:Dp	P(I)	0.37	0.03	0.31	0.42
Diam:Ds	E(I)	0.35	0.06	0.22	0.48
Diam:Ds	G(Ia)	0.91	0.04	0.83	0.99
Diam:Ds	P(I)	0.61	0.02	0.57	0.66
Diam:Dps	E(I)	0.38	0.06	0.26	0.50
Diam:Dps	G(Ia)	0.93	0.04	0.85	1.01
Diam:Dps	P(I)	0.63	0.02	0.58	0.67
Diam:DpovDs	E(I)	0.58	0.15	0.28	0.88
Diam:DpovDs	G(Ia)	-0.33	0.04	-0.41	-0.24
Diam:DpovDs	P(I)	-0.05	0.03	-0.11	0.02
Diam:CVDp	E(I)	-0.07	0.08	-0.22	0.09
Diam:CVDp	G(Ia)	0.30	0.06	0.18	0.43
Diam:CVDp	P(I)	0.09	0.03	0.03	0.16
Diam:CVDs	E(I)	-0.06	0.07	-0.21	0.08
Diam:CVDs	G(Ia)	0.14	0.07	0.00	0.28
Diam:CVDs	P(I)	0.02	0.03	-0.04	0.09
Diam:MaxDp	E(I)	0.44	0.08	0.29	0.60
Diam:MaxDp	G(Ia)	0.16	0.05	0.07	0.26
Diam:MaxDp	P(I)	0.29	0.03	0.23	0.35
Diam:MinDp	E(I)	0.26	0.06	0.14	0.39
Diam:MinDp	G(Ia)	0.03	0.11	-0.19	0.24
Diam:MinDp	P(I)	0.17	0.03	0.11	0.24
Diam:MaxDs	E(I)	0.20	0.06	0.08	0.33
Diam:MaxDs	G(Ia)	0.80	0.08	0.65	0.96
Diam:MaxDs	P(I)	0.39	0.03	0.33	0.44
Diam:MinDs	E(I)	0.16	0.06	0.04	0.29
Diam:MinDs	G(Ia)	0.02	0.12	-0.22	0.26
Diam:MinDs	P(I)	0.11	0.03	0.04	0.17
Diam:SDDp	E(I)	0.25	0.08	0.09	0.41
Diam:SDDp	G(Ia)	0.22	0.05	0.12	0.32
Diam:SDDp	P(I)	0.23	0.03	0.17	0.29
Diam:SDDs	E(I)	0.14	0.08	-0.01	0.29
Diam:SDDs	G(Ia)	0.61	0.05	0.51	0.71
Diam:SDDs	P(I)	0.36	0.03	0.30	0.42
Diam:SDD	E(I)	0.17	0.08	0.03	0.32
Diam:SDD	G(Ia)	0.61	0.05	0.51	0.71

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Diam:SDD	P(I)	0.38	0.03	0.33	0.44
Diam:CVD	E(I)	-0.05	0.08	-0.20	0.10
Diam:CVD	G(Ia)	0.15	0.07	0.02	0.29
Diam:CVD	P(I)	0.04	0.03	-0.03	0.10
Diam:Gt30Dp	E(I)	0.46	0.08	0.30	0.61
Diam:Gt30Dp	G(Ia)	0.19	0.05	0.09	0.29
Diam:Gt30Dp	P(I)	0.32	0.03	0.26	0.38
Diam:Gt30Ds	E(I)	0.34	0.06	0.22	0.46
Diam:Gt30Ds	G(Ia)	0.74	0.06	0.63	0.85
Diam:Gt30Ds	P(I)	0.49	0.03	0.43	0.54
Diam:Gt30D	E(I)	0.42	0.06	0.30	0.54
Diam:Gt30D	G(Ia)	0.71	0.05	0.61	0.82
Diam:Gt30D	P(I)	0.53	0.03	0.48	0.58
Diam:Fnu	E(I)	-0.47	0.03	-0.53	-0.42
Diam:Fnu	G(Ia)	-0.58	0.03	-0.63	-0.52
Diam:Fnu	P(I)	-0.51	0.01	-0.53	-0.48
Diam:Fr	E(I)	-0.42	0.03	-0.48	-0.36
Diam:Fr	G(Ia)	-0.20	0.03	-0.26	-0.14
Diam:Fr	P(I)	-0.33	0.02	-0.36	-0.30
Diam:Fnt	E(I)	-0.38	0.03	-0.44	-0.32
Diam:Fnt	G(Ia)	-0.51	0.03	-0.56	-0.45
Diam:Fnt	P(I)	-0.42	0.02	-0.45	-0.39
Diam:Sarea	E(I)	0.21	0.03	0.14	0.28
Diam:Sarea	G(Ia)	0.15	0.03	0.09	0.21
Diam:Sarea	P(I)	0.18	0.02	0.15	0.22
Diam:Fd	E(I)	0.06	0.03	-0.01	0.13
Diam:Fd	G(Ia)	0.27	0.05	0.17	0.36
Diam:Fd	P(I)	0.12	0.02	0.08	0.15
Diam:Fc	E(I)	0.62	0.05	0.54	0.71
Diam:Fc	G(Ia)	0.13	0.02	0.08	0.18
Diam:Fc	P(I)	0.35	0.02	0.32	0.38
Diam:Fu	E(I)	0.38	0.04	0.31	0.45
Diam:Fu	G(Ia)	0.25	0.03	0.19	0.31
Diam:Fu	P(I)	0.33	0.02	0.30	0.36
Diam:Colour	E(I)	0.03	0.03	-0.03	0.09
Diam:Colour	G(Ia)	0.00	0.04	-0.08	0.08
Diam:Colour	P(I)	0.02	0.02	-0.01	0.05
Diam:Fly	E(I)	0.05	0.03	-0.00	0.11
Diam:Fly	G(Ia)	-0.31	0.06	-0.43	-0.19
Diam:Fly	P(I)	-0.03	0.02	-0.06	0.01
Diam:Flcrot	E(I)	0.02	0.03	-0.03	0.08
Diam:Flcrot	G(Ia)	-0.20	0.10	-0.41	0.00
Diam:Flcrot	P(I)	-0.01	0.02	-0.04	0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Diam:Bactst	E(I)	0.02	0.04	-0.06	0.10
Diam:Bactst	G(Ia)	0.01	0.09	-0.17	0.19
Diam:Bactst	P(I)	0.01	0.02	-0.03	0.05
Diam:MycD	E(I)	-0.03	0.04	-0.11	0.04
Diam:MycD	G(Ia)	0.03	0.10	-0.17	0.22
Diam:MycD	P(I)	-0.02	0.02	-0.06	0.02
Diam:Bcts	E(I)	0.17	0.07	0.04	0.30
Diam:Bcts	G(Ia)	0.09	0.02	0.06	0.13
Diam:Bcts	P(I)	0.11	0.02	0.08	0.15
Diam:Bctb	E(I)	0.17	0.06	0.05	0.28
Diam:Bctb	G(Ia)	0.08	0.02	0.04	0.12
Diam:Bctb	P(I)	0.11	0.02	0.07	0.14
Diam:Weanwt	E(I)	-0.10	0.04	-0.17	-0.03
Diam:Weanwt	G(Ia)	0.30	0.04	0.22	0.37
Diam:Weanwt	P(I)	0.04	0.02	0.01	0.08
Diam:NLB	E(I)	0.15	0.03	0.09	0.21
Diam:NLB	G(Ia)	-0.03	0.04	-0.10	0.05
Diam:NLB	P(I)	0.09	0.02	0.06	0.12
Diam:NLW	E(I)	0.15	0.03	0.09	0.20
Diam:NLW	G(Ia)	-0.05	0.04	-0.12	0.02
Diam:NLW	P(I)	0.08	0.02	0.05	0.11
Diam:Fnpua	E(I)	-0.09	0.03	-0.15	-0.03
Diam:Fnpua	G(Ia)	-0.35	0.04	-0.43	-0.28
Diam:Fnpua	P(I)	-0.17	0.02	-0.20	-0.14
Diam:Fnsua	E(I)	-0.48	0.03	-0.53	-0.43
Diam:Fnsua	G(Ia)	-0.57	0.03	-0.62	-0.52
Diam:Fnsua	P(I)	-0.51	0.01	-0.54	-0.48
Diam:Fnppt	E(I)	-0.01	0.03	-0.07	0.05
Diam:Fnppt	G(Ia)	-0.25	0.04	-0.32	-0.18
Diam:Fnppt	P(I)	-0.09	0.02	-0.12	-0.06
Diam:Fnst	E(I)	-0.39	0.03	-0.44	-0.33
Diam:Fnst	G(Ia)	-0.51	0.03	-0.56	-0.45
Diam:Fnst	P(I)	-0.43	0.02	-0.46	-0.40
Bwt:Stal	E(I)	0.26	0.03	0.20	0.31
Bwt:Stal	G(Ia)	0.08	0.03	0.02	0.14
Bwt:Stal	P(I)	0.19	0.02	0.16	0.23
Bwt:Diam	E(I)	0.20	0.03	0.14	0.26
Bwt:Diam	G(Ia)	0.15	0.03	0.10	0.20
Bwt:Diam	P(I)	0.18	0.02	0.15	0.21
Bwt:Bwt	E(I)	1.00	0.00	1.00	1.00
Bwt:Bwt	G(Ia)	1.00	0.00	1.00	1.00
Bwt:Bwt	P(I)	1.00	0.00	1.00	1.00
Bwt:WrN	E(I)	0.24	0.03	0.18	0.30

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bwt:WrN	G(Ia)	-0.34	0.03	-0.40	-0.28
Bwt:WrN	P(I)	0.02	0.02	-0.01	0.05
Bwt:WrB	E(I)	0.27	0.03	0.21	0.33
Bwt:WrB	G(Ia)	-0.35	0.03	-0.41	-0.29
Bwt:WrB	P(I)	0.04	0.02	0.01	0.07
Bwt:WrT	E(I)	0.29	0.03	0.23	0.35
Bwt:WrT	G(Ia)	-0.35	0.03	-0.41	-0.29
Bwt:WrT	P(I)	0.03	0.02	0.00	0.07
Bwt:Face	E(I)	-0.06	0.04	-0.14	0.03
Bwt:Face	G(Ia)	-0.31	0.02	-0.36	-0.27
Bwt:Face	P(I)	-0.18	0.02	-0.21	-0.15
Bwt:Gfw	E(I)	0.57	0.02	0.52	0.62
Bwt:Gfw	G(Ia)	0.24	0.03	0.18	0.29
Bwt:Gfw	P(I)	0.45	0.01	0.42	0.48
Bwt:Yld	E(I)	0.02	0.03	-0.04	0.09
Bwt:Yld	G(Ia)	0.05	0.03	-0.00	0.11
Bwt:Yld	P(I)	0.03	0.02	0.00	0.07
Bwt:Cww	E(I)	0.55	0.02	0.50	0.60
Bwt:Cww	G(Ia)	0.26	0.03	0.21	0.32
Bwt:Cww	P(I)	0.45	0.01	0.42	0.48
Bwt:Staladj	E(I)	0.24	0.03	0.18	0.30
Bwt:Staladj	G(Ia)	0.09	0.03	0.03	0.15
Bwt:Staladj	P(I)	0.18	0.02	0.15	0.22
Bwt:Gfwadj	E(I)	0.53	0.03	0.48	0.58
Bwt:Gfwadj	G(Ia)	0.24	0.03	0.18	0.29
Bwt:Gfwadj	P(I)	0.43	0.01	0.40	0.45
Bwt:Cwwadj	E(I)	0.52	0.02	0.47	0.57
Bwt:Cwwadj	G(Ia)	0.26	0.03	0.20	0.32
Bwt:Cwwadj	P(I)	0.43	0.01	0.40	0.46
Bwt:Crimp	E(I)	0.66	0.21	0.24	1.07
Bwt:Crimp	G(Ia)	-0.21	0.03	-0.26	-0.15
Bwt:Crimp	P(I)	-0.00	0.02	-0.04	0.04
Bwt:Crwvl	E(I)	-0.24	0.04	-0.32	-0.16
Bwt:Crwvl	G(Ia)	0.23	0.04	0.16	0.31
Bwt:Crwvl	P(I)	-0.04	0.02	-0.08	-0.00
Bwt:Crst	E(I)	0.50	0.06	0.38	0.61
Bwt:Crst	G(Ia)	-0.22	0.04	-0.29	-0.15
Bwt:Crst	P(I)	0.12	0.02	0.08	0.16
Bwt:Crstadj	E(I)	0.44	0.06	0.33	0.55
Bwt:Crstadj	G(Ia)	-0.19	0.04	-0.27	-0.12
Bwt:Crstadj	P(I)	0.12	0.02	0.08	0.16
Bwt:Crwvt	E(I)	-0.37	0.04	-0.46	-0.29
Bwt:Crwvt	G(Ia)	0.23	0.04	0.15	0.31

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bwt:Crwvt	P(I)	-0.12	0.02	-0.16	-0.08
Bwt:Dp	E(I)	0.13	0.07	-0.02	0.27
Bwt:Dp	G(Ia)	-0.26	0.07	-0.40	-0.12
Bwt:Dp	P(I)	-0.03	0.03	-0.09	0.04
Bwt:Ds	E(I)	0.11	0.06	-0.02	0.23
Bwt:Ds	G(Ia)	0.35	0.08	0.20	0.51
Bwt:Ds	P(I)	0.19	0.03	0.13	0.25
Bwt:Dps	E(I)	0.11	0.06	-0.01	0.23
Bwt:Dps	G(Ia)	0.33	0.08	0.17	0.49
Bwt:Dps	P(I)	0.18	0.03	0.12	0.25
Bwt:DpovDs	E(I)	0.06	0.12	-0.17	0.29
Bwt:DpovDs	G(Ia)	-0.39	0.06	-0.50	-0.28
Bwt:DpovDs	P(I)	-0.17	0.03	-0.23	-0.10
Bwt:CVDp	E(I)	-0.04	0.06	-0.16	0.08
Bwt:CVDp	G(Ia)	0.04	0.09	-0.14	0.23
Bwt:CVDp	P(I)	-0.02	0.03	-0.08	0.05
Bwt:CVDs	E(I)	-0.18	0.06	-0.29	-0.06
Bwt:CVDs	G(Ia)	-0.00	0.08	-0.16	0.15
Bwt:CVDs	P(I)	-0.13	0.03	-0.19	-0.06
Bwt:MaxDp	E(I)	0.04	0.07	-0.10	0.18
Bwt:MaxDp	G(Ia)	-0.15	0.07	-0.30	-0.00
Bwt:MaxDp	P(I)	-0.03	0.03	-0.10	0.03
Bwt:MinDp	E(I)	0.08	0.05	-0.02	0.19
Bwt:MinDp	G(Ia)	-0.49	0.19	-0.87	-0.11
Bwt:MinDp	P(I)	-0.01	0.03	-0.08	0.05
Bwt:MaxDs	E(I)	-0.01	0.06	-0.12	0.10
Bwt:MaxDs	G(Ia)	0.20	0.12	-0.04	0.43
Bwt:MaxDs	P(I)	0.04	0.03	-0.03	0.11
Bwt:MinDs	E(I)	0.12	0.05	0.02	0.22
Bwt:MinDs	G(Ia)	-0.34	0.23	-0.78	0.11
Bwt:MinDs	P(I)	0.05	0.03	-0.01	0.12
Bwt:SDDp	E(I)	0.04	0.07	-0.10	0.18
Bwt:SDDp	G(Ia)	-0.14	0.07	-0.29	0.01
Bwt:SDDp	P(I)	-0.03	0.03	-0.09	0.04
Bwt:SDDs	E(I)	-0.11	0.07	-0.24	0.02
Bwt:SDDs	G(Ia)	0.19	0.08	0.03	0.36
Bwt:SDDs	P(I)	-0.01	0.03	-0.07	0.06
Bwt:SDD	E(I)	-0.10	0.07	-0.23	0.03
Bwt:SDD	G(Ia)	0.16	0.08	-0.00	0.32
Bwt:SDD	P(I)	-0.01	0.03	-0.07	0.06
Bwt:CVD	E(I)	-0.17	0.06	-0.29	-0.05
Bwt:CVD	G(Ia)	-0.03	0.09	-0.21	0.15
Bwt:CVD	P(I)	-0.13	0.03	-0.19	-0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bwt:Gt30Dp	E(I)	0.06	0.07	-0.07	0.20
Bwt:Gt30Dp	G(Ia)	-0.32	0.08	-0.46	-0.17
Bwt:Gt30Dp	P(I)	-0.08	0.03	-0.14	-0.01
Bwt:Gt30Ds	E(I)	-0.06	0.06	-0.18	0.06
Bwt:Gt30Ds	G(Ia)	0.19	0.10	-0.00	0.39
Bwt:Gt30Ds	P(I)	0.01	0.03	-0.05	0.08
Bwt:Gt30D	E(I)	-0.04	0.06	-0.16	0.08
Bwt:Gt30D	G(Ia)	0.07	0.10	-0.12	0.26
Bwt:Gt30D	P(I)	-0.01	0.03	-0.07	0.06
Bwt:Fnu	E(I)	-0.23	0.03	-0.29	-0.17
Bwt:Fnu	G(Ia)	-0.21	0.04	-0.28	-0.15
Bwt:Fnu	P(I)	-0.23	0.02	-0.26	-0.19
Bwt:Fr	E(I)	0.06	0.03	-0.00	0.12
Bwt:Fr	G(Ia)	-0.11	0.04	-0.18	-0.04
Bwt:Fr	P(I)	0.00	0.02	-0.03	0.04
Bwt:Fnt	E(I)	0.21	0.03	0.15	0.27
Bwt:Fnt	G(Ia)	0.26	0.03	0.20	0.33
Bwt:Fnt	P(I)	0.22	0.02	0.19	0.26
Bwt:Sarea	E(I)	1.00	0.00	1.00	1.00
Bwt:Sarea	G(Ia)	1.00	0.00	1.00	1.00
Bwt:Sarea	P(I)	1.00	0.00	1.00	1.00
Bwt:Fd	E(I)	0.19	0.03	0.12	0.25
Bwt:Fd	G(Ia)	0.01	0.05	-0.08	0.11
Bwt:Fd	P(I)	0.13	0.02	0.10	0.17
Bwt:Fc	E(I)	0.24	0.05	0.15	0.34
Bwt:Fc	G(Ia)	-0.13	0.03	-0.19	-0.08
Bwt:Fc	P(I)	0.05	0.02	0.01	0.08
Bwt:Fu	E(I)	0.08	0.04	0.01	0.16
Bwt:Fu	G(Ia)	-0.04	0.04	-0.11	0.03
Bwt:Fu	P(I)	0.03	0.02	-0.00	0.07
Bwt:Colour	E(I)	-0.08	0.03	-0.13	-0.03
Bwt:Colour	G(Ia)	-0.09	0.05	-0.18	0.00
Bwt:Colour	P(I)	-0.08	0.02	-0.11	-0.05
Bwt:Fly	E(I)	-0.03	0.03	-0.08	0.03
Bwt:Fly	G(Ia)	0.22	0.07	0.10	0.35
Bwt:Fly	P(I)	0.02	0.02	-0.01	0.05
Bwt:Flcrot	E(I)	-0.04	0.03	-0.09	0.01
Bwt:Flcrot	G(Ia)	-0.12	0.11	-0.34	0.10
Bwt:Flcrot	P(I)	-0.04	0.02	-0.08	-0.01
Bwt:Bactst	E(I)	-0.12	0.03	-0.19	-0.06
Bwt:Bactst	G(Ia)	0.33	0.14	0.04	0.61
Bwt:Bactst	P(I)	-0.06	0.02	-0.10	-0.02
Bwt:MycD	E(I)	-0.09	0.03	-0.15	-0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bwt:MycD	G(Ia)	0.01	0.17	-0.31	0.34
Bwt:MycD	P(I)	-0.07	0.02	-0.11	-0.03
Bwt:Bcts	E(I)	-0.04	0.06	-0.15	0.07
Bwt:Bcts	G(Ia)	0.03	0.02	-0.02	0.08
Bwt:Bcts	P(I)	-0.00	0.02	-0.04	0.03
Bwt:Bctb	E(I)	0.03	0.05	-0.08	0.13
Bwt:Bctb	G(Ia)	-0.02	0.03	-0.07	0.03
Bwt:Bctb	P(I)	-0.00	0.02	-0.03	0.03
Bwt:Weanwt	E(I)	0.51	0.02	0.46	0.55
Bwt:Weanwt	G(Ia)	0.73	0.03	0.67	0.80
Bwt:Weanwt	P(I)	0.57	0.01	0.54	0.59
Bwt:NLB	E(I)	-0.13	0.03	-0.19	-0.08
Bwt:NLB	G(Ia)	-0.23	0.04	-0.31	-0.15
Bwt:NLB	P(I)	-0.16	0.02	-0.19	-0.12
Bwt:NLW	E(I)	-0.13	0.03	-0.18	-0.08
Bwt:NLW	G(Ia)	-0.20	0.04	-0.28	-0.12
Bwt:NLW	P(I)	-0.15	0.02	-0.18	-0.12
Bwt:Fnpua	E(I)	-0.28	0.03	-0.33	-0.22
Bwt:Fnpua	G(Ia)	-0.07	0.04	-0.15	0.01
Bwt:Fnpua	P(I)	-0.22	0.02	-0.25	-0.18
Bwt:Fnsua	E(I)	-0.22	0.03	-0.28	-0.16
Bwt:Fnsua	G(Ia)	-0.22	0.04	-0.29	-0.15
Bwt:Fnsua	P(I)	-0.22	0.02	-0.25	-0.19
Bwt:Fnppt	E(I)	0.12	0.03	0.06	0.18
Bwt:Fnppt	G(Ia)	0.41	0.04	0.33	0.48
Bwt:Fnppt	P(I)	0.21	0.02	0.18	0.24
Bwt:Fnst	E(I)	0.20	0.03	0.14	0.26
Bwt:Fnst	G(Ia)	0.25	0.03	0.18	0.32
Bwt:Fnst	P(I)	0.22	0.02	0.19	0.25
WrN:Stal	E(I)	-0.12	0.03	-0.18	-0.06
WrN:Stal	G(Ia)	-0.21	0.03	-0.27	-0.15
WrN:Stal	P(I)	-0.15	0.02	-0.18	-0.12
WrN:Diam	E(I)	0.17	0.03	0.11	0.24
WrN:Diam	G(Ia)	0.22	0.03	0.17	0.27
WrN:Diam	P(I)	0.19	0.02	0.16	0.23
WrN:Bwt	E(I)	0.24	0.03	0.18	0.30
WrN:Bwt	G(Ia)	-0.34	0.03	-0.40	-0.28
WrN:Bwt	P(I)	0.02	0.02	-0.01	0.05
WrN:WrN	E(I)	1.00	0.00	1.00	1.00
WrN:WrN	G(Ia)	1.00	0.00	1.00	1.00
WrN:WrN	P(I)	1.00	0.00	1.00	1.00
WrN:WrB	E(I)	0.52	0.02	0.48	0.57
WrN:WrB	G(Ia)	0.95	0.02	0.92	0.98

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrN:WrB	P(I)	0.69	0.01	0.67	0.71
WrN:WrT	E(I)	0.85	0.01	0.83	0.87
WrN:WrT	G(Ia)	0.99	0.01	0.97	1.00
WrN:WrT	P(I)	0.91	0.01	0.90	0.92
WrN:Face	E(I)	-0.14	0.05	-0.23	-0.04
WrN:Face	G(Ia)	0.25	0.02	0.21	0.29
WrN:Face	P(I)	0.08	0.02	0.04	0.11
WrN:Gfw	E(I)	0.30	0.03	0.24	0.36
WrN:Gfw	G(Ia)	0.36	0.03	0.30	0.41
WrN:Gfw	P(I)	0.32	0.02	0.29	0.35
WrN:Yld	E(I)	-0.19	0.03	-0.25	-0.12
WrN:Yld	G(Ia)	-0.31	0.02	-0.36	-0.27
WrN:Yld	P(I)	-0.24	0.02	-0.27	-0.21
WrN:Cww	E(I)	0.21	0.03	0.15	0.27
WrN:Cww	G(Ia)	0.20	0.03	0.14	0.26
WrN:Cww	P(I)	0.21	0.02	0.18	0.24
WrN:Staladj	E(I)	-0.14	0.03	-0.20	-0.08
WrN:Staladj	G(Ia)	-0.19	0.03	-0.25	-0.13
WrN:Staladj	P(I)	-0.16	0.02	-0.19	-0.13
WrN:Gfwadj	E(I)	0.28	0.03	0.22	0.34
WrN:Gfwadj	G(Ia)	0.37	0.03	0.32	0.43
WrN:Gfwadj	P(I)	0.32	0.02	0.29	0.35
WrN:Cwwadj	E(I)	0.20	0.03	0.14	0.26
WrN:Cwwadj	G(Ia)	0.22	0.03	0.16	0.28
WrN:Cwwadj	P(I)	0.21	0.02	0.18	0.24
WrN:Crimp	E(I)	-0.06	0.11	-0.27	0.15
WrN:Crimp	G(Ia)	0.32	0.03	0.26	0.39
WrN:Crimp	P(I)	0.15	0.02	0.11	0.19
WrN:Crwvl	E(I)	-0.05	0.05	-0.15	0.04
WrN:Crwvl	G(Ia)	-0.34	0.04	-0.42	-0.27
WrN:Crwvl	P(I)	-0.17	0.02	-0.21	-0.13
WrN:Crst	E(I)	-0.15	0.06	-0.26	-0.04
WrN:Crst	G(Ia)	0.32	0.04	0.24	0.39
WrN:Crst	P(I)	0.06	0.02	0.02	0.10
WrN:Crstadj	E(I)	-0.12	0.05	-0.23	-0.02
WrN:Crstadj	G(Ia)	0.29	0.04	0.21	0.37
WrN:Crstadj	P(I)	0.06	0.02	0.02	0.10
WrN:Crwvt	E(I)	0.06	0.04	-0.02	0.15
WrN:Crwvt	G(Ia)	-0.32	0.05	-0.41	-0.23
WrN:Crwvt	P(I)	-0.08	0.02	-0.12	-0.04
WrN:Dp	E(I)	0.37	0.08	0.21	0.53
WrN:Dp	G(Ia)	-0.21	0.05	-0.31	-0.10
WrN:Dp	P(I)	0.07	0.03	0.01	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrN:Ds	E(I)	-0.07	0.08	-0.22	0.08
WrN:Ds	G(Ia)	0.47	0.06	0.36	0.59
WrN:Ds	P(I)	0.17	0.03	0.11	0.23
WrN:Dps	E(I)	-0.04	0.07	-0.19	0.10
WrN:Dps	G(Ia)	0.45	0.06	0.33	0.57
WrN:Dps	P(I)	0.17	0.03	0.11	0.23
WrN:DpovDs	E(I)	0.60	0.13	0.34	0.86
WrN:DpovDs	G(Ia)	-0.38	0.04	-0.46	-0.29
WrN:DpovDs	P(I)	-0.04	0.03	-0.10	0.02
WrN:CVDp	E(I)	0.22	0.07	0.09	0.36
WrN:CVDp	G(Ia)	-0.01	0.07	-0.15	0.13
WrN:CVDp	P(I)	0.12	0.03	0.06	0.19
WrN:CVDs	E(I)	0.21	0.07	0.08	0.35
WrN:CVDs	G(Ia)	-0.24	0.07	-0.38	-0.09
WrN:CVDs	P(I)	0.04	0.03	-0.03	0.10
WrN:MaxDp	E(I)	0.37	0.08	0.21	0.53
WrN:MaxDp	G(Ia)	-0.15	0.06	-0.26	-0.04
WrN:MaxDp	P(I)	0.11	0.03	0.05	0.17
WrN:MinDp	E(I)	-0.01	0.06	-0.13	0.11
WrN:MinDp	G(Ia)	0.41	0.16	0.10	0.72
WrN:MinDp	P(I)	0.07	0.03	0.01	0.13
WrN:MaxDs	E(I)	0.11	0.06	-0.01	0.24
WrN:MaxDs	G(Ia)	0.29	0.08	0.12	0.45
WrN:MaxDs	P(I)	0.16	0.03	0.10	0.22
WrN:MinDs	E(I)	0.07	0.06	-0.05	0.18
WrN:MinDs	G(Ia)	0.27	0.17	-0.06	0.60
WrN:MinDs	P(I)	0.09	0.03	0.03	0.16
WrN:SDDp	E(I)	0.39	0.08	0.23	0.54
WrN:SDDp	G(Ia)	-0.11	0.06	-0.22	-0.00
WrN:SDDp	P(I)	0.14	0.03	0.08	0.20
WrN:SDDs	E(I)	0.19	0.07	0.04	0.33
WrN:SDDs	G(Ia)	0.08	0.06	-0.04	0.19
WrN:SDDs	P(I)	0.14	0.03	0.08	0.20
WrN:SDD	E(I)	0.23	0.07	0.09	0.38
WrN:SDD	G(Ia)	0.05	0.06	-0.06	0.16
WrN:SDD	P(I)	0.15	0.03	0.08	0.21
WrN:CVD	E(I)	0.25	0.07	0.11	0.38
WrN:CVD	G(Ia)	-0.25	0.07	-0.39	-0.11
WrN:CVD	P(I)	0.05	0.03	-0.02	0.11
WrN:Gt30Dp	E(I)	0.27	0.08	0.11	0.42
WrN:Gt30Dp	G(Ia)	-0.12	0.06	-0.23	-0.01
WrN:Gt30Dp	P(I)	0.08	0.03	0.01	0.14
WrN:Gt30Ds	E(I)	0.08	0.07	-0.05	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrN:Gt30Ds	G(Ia)	0.21	0.07	0.07	0.35
WrN:Gt30Ds	P(I)	0.13	0.03	0.06	0.19
WrN:Gt30D	E(I)	0.13	0.07	-0.01	0.26
WrN:Gt30D	G(Ia)	0.13	0.07	-0.00	0.27
WrN:Gt30D	P(I)	0.13	0.03	0.06	0.19
WrN:Fnu	E(I)	0.03	0.03	-0.03	0.10
WrN:Fnu	G(Ia)	-0.09	0.04	-0.17	-0.02
WrN:Fnu	P(I)	-0.01	0.02	-0.04	0.03
WrN:Fr	E(I)	0.05	0.03	-0.02	0.11
WrN:Fr	G(Ia)	0.35	0.04	0.28	0.42
WrN:Fr	P(I)	0.15	0.02	0.11	0.18
WrN:Fnt	E(I)	0.14	0.03	0.08	0.20
WrN:Fnt	G(Ia)	-0.29	0.04	-0.36	-0.22
WrN:Fnt	P(I)	-0.01	0.02	-0.04	0.03
WrN:Sarea	E(I)	0.25	0.03	0.19	0.32
WrN:Sarea	G(Ia)	-0.38	0.03	-0.45	-0.31
WrN:Sarea	P(I)	0.02	0.02	-0.01	0.06
WrN:Fd	E(I)	0.16	0.03	0.09	0.22
WrN:Fd	G(Ia)	0.19	0.05	0.09	0.29
WrN:Fd	P(I)	0.16	0.02	0.12	0.20
WrN:Fc	E(I)	0.17	0.04	0.08	0.25
WrN:Fc	G(Ia)	0.61	0.02	0.56	0.66
WrN:Fc	P(I)	0.38	0.02	0.34	0.41
WrN:Fu	E(I)	0.22	0.03	0.15	0.28
WrN:Fu	G(Ia)	0.63	0.03	0.56	0.69
WrN:Fu	P(I)	0.37	0.02	0.33	0.40
WrN:Colour	E(I)	0.08	0.03	0.02	0.13
WrN:Colour	G(Ia)	-0.08	0.04	-0.16	0.01
WrN:Colour	P(I)	0.03	0.02	-0.00	0.07
WrN:Fly	E(I)	0.04	0.03	-0.02	0.09
WrN:Fly	G(Ia)	-0.02	0.06	-0.15	0.10
WrN:Fly	P(I)	0.02	0.02	-0.01	0.06
WrN:Flcrot	E(I)	0.04	0.03	-0.02	0.09
WrN:Flcrot	G(Ia)	-0.30	0.11	-0.52	-0.08
WrN:Flcrot	P(I)	-0.01	0.02	-0.04	0.03
WrN:Bactst	E(I)	-0.01	0.04	-0.08	0.06
WrN:Bactst	G(Ia)	-0.19	0.10	-0.39	0.00
WrN:Bactst	P(I)	-0.04	0.02	-0.08	0.00
WrN:MycD	E(I)	-0.08	0.04	-0.15	-0.01
WrN:MycD	G(Ia)	0.33	0.12	0.10	0.56
WrN:MycD	P(I)	-0.01	0.02	-0.05	0.03
WrN:Bcts	E(I)	0.49	0.06	0.36	0.61
WrN:Bcts	G(Ia)	-0.20	0.02	-0.25	-0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrN:Bcts	P(I)	0.05	0.02	0.01	0.08
WrN:Bctb	E(I)	0.44	0.06	0.33	0.56
WrN:Bctb	G(Ia)	-0.19	0.02	-0.23	-0.14
WrN:Bctb	P(I)	0.05	0.02	0.02	0.09
WrN:Weanwt	E(I)	0.13	0.03	0.07	0.20
WrN:Weanwt	G(Ia)	-0.20	0.04	-0.28	-0.13
WrN:Weanwt	P(I)	0.02	0.02	-0.01	0.06
WrN:NLB	E(I)	-0.18	0.03	-0.24	-0.13
WrN:NLB	G(Ia)	0.10	0.04	0.02	0.18
WrN:NLB	P(I)	-0.10	0.02	-0.13	-0.07
WrN:NLW	E(I)	-0.16	0.03	-0.21	-0.10
WrN:NLW	G(Ia)	0.01	0.04	-0.06	0.09
WrN:NLW	P(I)	-0.10	0.02	-0.14	-0.07
WrN:Fnpua	E(I)	-0.03	0.03	-0.08	0.03
WrN:Fnpua	G(Ia)	-0.42	0.04	-0.50	-0.33
WrN:Fnpua	P(I)	-0.14	0.02	-0.17	-0.10
WrN:Fnsua	E(I)	0.04	0.03	-0.02	0.10
WrN:Fnsua	G(Ia)	-0.08	0.04	-0.15	-0.00
WrN:Fnsua	P(I)	-0.00	0.02	-0.03	0.03
WrN:Fnpt	E(I)	0.07	0.03	0.01	0.13
WrN:Fnpt	G(Ia)	-0.58	0.04	-0.66	-0.50
WrN:Fnpt	P(I)	-0.13	0.02	-0.16	-0.10
WrN:Fnst	E(I)	0.14	0.03	0.08	0.20
WrN:Fnst	G(Ia)	-0.27	0.04	-0.34	-0.20
WrN:Fnst	P(I)	0.00	0.02	-0.03	0.04
WrB:Stal	E(I)	-0.09	0.03	-0.15	-0.03
WrB:Stal	G(Ia)	-0.24	0.03	-0.30	-0.19
WrB:Stal	P(I)	-0.15	0.02	-0.18	-0.11
WrB:Diam	E(I)	0.20	0.03	0.13	0.26
WrB:Diam	G(Ia)	0.15	0.03	0.10	0.20
WrB:Diam	P(I)	0.18	0.02	0.15	0.21
WrB:Bwt	E(I)	0.27	0.03	0.21	0.33
WrB:Bwt	G(Ia)	-0.35	0.03	-0.41	-0.29
WrB:Bwt	P(I)	0.04	0.02	0.01	0.07
WrB:WrN	E(I)	0.52	0.02	0.48	0.57
WrB:WrN	G(Ia)	0.95	0.02	0.92	0.98
WrB:WrN	P(I)	0.69	0.01	0.67	0.71
WrB:WrB	E(I)	1.00	0.00	1.00	1.00
WrB:WrB	G(Ia)	1.00	0.00	1.00	1.00
WrB:WrB	P(I)	1.00	0.00	1.00	1.00
WrB:WrT	E(I)	0.85	0.01	0.83	0.88
WrB:WrT	G(Ia)	0.99	0.01	0.97	1.00
WrB:WrT	P(I)	0.91	0.01	0.90	0.92

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrB:Face	E(I)	-0.17	0.05	-0.26	-0.08
WrB:Face	G(Ia)	0.23	0.02	0.19	0.27
WrB:Face	P(I)	0.05	0.02	0.02	0.08
WrB:Gfw	E(I)	0.35	0.03	0.29	0.40
WrB:Gfw	G(Ia)	0.30	0.03	0.24	0.35
WrB:Gfw	P(I)	0.33	0.01	0.30	0.36
WrB:Yld	E(I)	-0.19	0.03	-0.26	-0.13
WrB:Yld	G(Ia)	-0.38	0.02	-0.42	-0.33
WrB:Yld	P(I)	-0.27	0.02	-0.30	-0.24
WrB:Cww	E(I)	0.25	0.03	0.20	0.31
WrB:Cww	G(Ia)	0.11	0.03	0.05	0.17
WrB:Cww	P(I)	0.20	0.02	0.17	0.23
WrB:Staladj	E(I)	-0.12	0.03	-0.18	-0.06
WrB:Staladj	G(Ia)	-0.20	0.03	-0.26	-0.14
WrB:Staladj	P(I)	-0.15	0.02	-0.18	-0.12
WrB:Gfwadj	E(I)	0.32	0.03	0.26	0.37
WrB:Gfwadj	G(Ia)	0.33	0.03	0.27	0.38
WrB:Gfwadj	P(I)	0.32	0.02	0.29	0.35
WrB:Cwwadj	E(I)	0.23	0.03	0.17	0.29
WrB:Cwwadj	G(Ia)	0.14	0.03	0.08	0.20
WrB:Cwwadj	P(I)	0.20	0.02	0.17	0.23
WrB:Crimp	E(I)	-0.29	0.12	-0.52	-0.06
WrB:Crimp	G(Ia)	0.54	0.03	0.48	0.60
WrB:Crimp	P(I)	0.23	0.02	0.19	0.27
WrB:Crwvl	E(I)	0.23	0.05	0.12	0.33
WrB:Crwvl	G(Ia)	-0.57	0.04	-0.64	-0.50
WrB:Crwvl	P(I)	-0.14	0.02	-0.18	-0.10
WrB:Crst	E(I)	-0.30	0.06	-0.42	-0.19
WrB:Crst	G(Ia)	0.51	0.04	0.43	0.58
WrB:Crst	P(I)	0.09	0.02	0.05	0.14
WrB:Crstadj	E(I)	-0.28	0.05	-0.38	-0.17
WrB:Crstadj	G(Ia)	0.49	0.04	0.41	0.57
WrB:Crstadj	P(I)	0.08	0.02	0.04	0.13
WrB:Crwvt	E(I)	0.25	0.05	0.16	0.34
WrB:Crwvt	G(Ia)	-0.51	0.04	-0.59	-0.43
WrB:Crwvt	P(I)	-0.06	0.02	-0.10	-0.02
WrB:Dp	E(I)	0.28	0.08	0.13	0.42
WrB:Dp	G(Ia)	-0.05	0.06	-0.17	0.07
WrB:Dp	P(I)	0.12	0.03	0.06	0.18
WrB:Ds	E(I)	0.06	0.07	-0.07	0.20
WrB:Ds	G(Ia)	0.43	0.07	0.30	0.55
WrB:Ds	P(I)	0.21	0.03	0.15	0.27
WrB:Dps	E(I)	0.08	0.07	-0.06	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrB:Dps	G(Ia)	0.42	0.07	0.29	0.55
WrB:Dps	P(I)	0.21	0.03	0.15	0.27
WrB:DpovDs	E(I)	0.33	0.12	0.10	0.55
WrB:DpovDs	G(Ia)	-0.23	0.05	-0.32	-0.13
WrB:DpovDs	P(I)	-0.01	0.03	-0.08	0.05
WrB:CVDp	E(I)	0.25	0.06	0.13	0.38
WrB:CVDp	G(Ia)	-0.06	0.08	-0.21	0.09
WrB:CVDp	P(I)	0.14	0.03	0.07	0.20
WrB:CVDs	E(I)	0.25	0.06	0.12	0.37
WrB:CVDs	G(Ia)	-0.38	0.09	-0.55	-0.21
WrB:CVDs	P(I)	0.03	0.03	-0.03	0.10
WrB:MaxDp	E(I)	0.32	0.07	0.17	0.46
WrB:MaxDp	G(Ia)	-0.06	0.06	-0.18	0.06
WrB:MaxDp	P(I)	0.15	0.03	0.08	0.21
WrB:MinDp	E(I)	0.04	0.06	-0.07	0.15
WrB:MinDp	G(Ia)	0.55	0.18	0.19	0.90
WrB:MinDp	P(I)	0.13	0.03	0.06	0.19
WrB:MaxDs	E(I)	0.20	0.06	0.08	0.31
WrB:MaxDs	G(Ia)	0.22	0.09	0.04	0.40
WrB:MaxDs	P(I)	0.20	0.03	0.14	0.26
WrB:MinDs	E(I)	-0.09	0.06	-0.20	0.02
WrB:MinDs	G(Ia)	0.60	0.23	0.15	1.05
WrB:MinDs	P(I)	0.03	0.03	-0.04	0.09
WrB:SDDp	E(I)	0.36	0.07	0.22	0.51
WrB:SDDp	G(Ia)	-0.12	0.06	-0.24	0.01
WrB:SDDp	P(I)	0.15	0.03	0.08	0.21
WrB:SDDs	E(I)	0.30	0.07	0.17	0.44
WrB:SDDs	G(Ia)	-0.07	0.07	-0.20	0.07
WrB:SDDs	P(I)	0.15	0.03	0.09	0.21
WrB:SDD	E(I)	0.34	0.07	0.21	0.48
WrB:SDD	G(Ia)	-0.09	0.07	-0.22	0.05
WrB:SDD	P(I)	0.16	0.03	0.10	0.23
WrB:CVD	E(I)	0.28	0.07	0.15	0.41
WrB:CVD	G(Ia)	-0.38	0.08	-0.54	-0.22
WrB:CVD	P(I)	0.04	0.03	-0.02	0.11
WrB:Gt30Dp	E(I)	0.23	0.07	0.09	0.38
WrB:Gt30Dp	G(Ia)	-0.07	0.06	-0.19	0.05
WrB:Gt30Dp	P(I)	0.10	0.03	0.03	0.16
WrB:Gt30Ds	E(I)	0.20	0.06	0.08	0.32
WrB:Gt30Ds	G(Ia)	0.15	0.08	-0.00	0.31
WrB:Gt30Ds	P(I)	0.18	0.03	0.12	0.24
WrB:Gt30D	E(I)	0.22	0.06	0.10	0.34
WrB:Gt30D	G(Ia)	0.09	0.08	-0.06	0.24

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrB:Gt30D	P(I)	0.17	0.03	0.11	0.24
WrB:Fnuu	E(I)	0.07	0.03	0.00	0.13
WrB:Fnuu	G(Ia)	-0.14	0.04	-0.21	-0.07
WrB:Fnuu	P(I)	-0.00	0.02	-0.04	0.03
WrB:Fr	E(I)	0.13	0.03	0.07	0.19
WrB:Fr	G(Ia)	0.20	0.03	0.13	0.27
WrB:Fr	P(I)	0.16	0.02	0.12	0.19
WrB:Fnt	E(I)	0.18	0.03	0.12	0.24
WrB:Fnt	G(Ia)	-0.34	0.04	-0.41	-0.26
WrB:Fnt	P(I)	0.00	0.02	-0.03	0.04
WrB:Sarea	E(I)	0.28	0.03	0.21	0.35
WrB:Sarea	G(Ia)	-0.39	0.03	-0.46	-0.33
WrB:Sarea	P(I)	0.03	0.02	-0.00	0.06
WrB:Fd	E(I)	0.22	0.03	0.15	0.28
WrB:Fd	G(Ia)	0.13	0.05	0.04	0.23
WrB:Fd	P(I)	0.19	0.02	0.15	0.22
WrB:Fc	E(I)	0.10	0.05	0.01	0.19
WrB:Fc	G(Ia)	0.73	0.02	0.68	0.77
WrB:Fc	P(I)	0.42	0.02	0.38	0.45
WrB:Fu	E(I)	0.19	0.04	0.12	0.26
WrB:Fu	G(Ia)	0.70	0.03	0.64	0.76
WrB:Fu	P(I)	0.39	0.02	0.36	0.42
WrB:Colour	E(I)	0.07	0.03	0.01	0.13
WrB:Colour	G(Ia)	-0.09	0.04	-0.18	-0.01
WrB:Colour	P(I)	0.02	0.02	-0.01	0.06
WrB:Fly	E(I)	0.02	0.03	-0.04	0.07
WrB:Fly	G(Ia)	0.10	0.06	-0.02	0.23
WrB:Fly	P(I)	0.03	0.02	-0.00	0.07
WrB:Flcrot	E(I)	0.03	0.03	-0.02	0.09
WrB:Flcrot	G(Ia)	-0.25	0.11	-0.46	-0.03
WrB:Flcrot	P(I)	-0.00	0.02	-0.04	0.03
WrB:Bactst	E(I)	-0.02	0.03	-0.09	0.05
WrB:Bactst	G(Ia)	-0.13	0.10	-0.33	0.08
WrB:Bactst	P(I)	-0.03	0.02	-0.07	0.01
WrB:MycD	E(I)	-0.09	0.03	-0.16	-0.02
WrB:MycD	G(Ia)	0.41	0.13	0.16	0.66
WrB:MycD	P(I)	-0.01	0.02	-0.05	0.03
WrB:Bcts	E(I)	0.44	0.06	0.32	0.56
WrB:Bcts	G(Ia)	-0.21	0.02	-0.26	-0.17
WrB:Bcts	P(I)	0.04	0.02	0.00	0.07
WrB:Bctb	E(I)	0.44	0.06	0.33	0.55
WrB:Bctb	G(Ia)	-0.23	0.02	-0.28	-0.19
WrB:Bctb	P(I)	0.04	0.02	0.01	0.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrB:Weanwt	E(I)	0.10	0.03	0.04	0.16
WrB:Weanwt	G(Ia)	-0.11	0.04	-0.19	-0.02
WrB:Weanwt	P(I)	0.03	0.02	-0.00	0.07
WrB:NLB	E(I)	-0.24	0.03	-0.29	-0.18
WrB:NLB	G(Ia)	0.17	0.04	0.09	0.25
WrB:NLB	P(I)	-0.12	0.02	-0.15	-0.09
WrB:NLW	E(I)	-0.18	0.03	-0.24	-0.13
WrB:NLW	G(Ia)	0.02	0.04	-0.06	0.10
WrB:NLW	P(I)	-0.12	0.02	-0.15	-0.09
WrB:Fnpua	E(I)	-0.06	0.03	-0.12	0.00
WrB:Fnpua	G(Ia)	-0.30	0.04	-0.38	-0.22
WrB:Fnpua	P(I)	-0.13	0.02	-0.16	-0.09
WrB:Fnsua	E(I)	0.07	0.03	0.01	0.13
WrB:Fnsua	G(Ia)	-0.13	0.04	-0.20	-0.06
WrB:Fnsua	P(I)	0.00	0.02	-0.03	0.04
WrB:Fnppt	E(I)	0.05	0.03	-0.01	0.11
WrB:Fnppt	G(Ia)	-0.48	0.04	-0.56	-0.40
WrB:Fnppt	P(I)	-0.12	0.02	-0.15	-0.08
WrB:Fnst	E(I)	0.18	0.03	0.12	0.24
WrB:Fnst	G(Ia)	-0.32	0.04	-0.39	-0.25
WrB:Fnst	P(I)	0.01	0.02	-0.03	0.04
WrT:Stal	E(I)	-0.11	0.03	-0.17	-0.05
WrT:Stal	G(Ia)	-0.22	0.03	-0.28	-0.17
WrT:Stal	P(I)	-0.16	0.02	-0.19	-0.12
WrT:Diam	E(I)	0.21	0.03	0.15	0.28
WrT:Diam	G(Ia)	0.19	0.02	0.15	0.24
WrT:Diam	P(I)	0.20	0.02	0.17	0.23
WrT:Bwt	E(I)	0.29	0.03	0.23	0.35
WrT:Bwt	G(Ia)	-0.35	0.03	-0.41	-0.29
WrT:Bwt	P(I)	0.03	0.02	0.00	0.07
WrT:WrN	E(I)	0.85	0.01	0.83	0.87
WrT:WrN	G(Ia)	0.99	0.01	0.97	1.00
WrT:WrN	P(I)	0.91	0.01	0.90	0.92
WrT:WrB	E(I)	0.85	0.01	0.83	0.88
WrT:WrB	G(Ia)	0.99	0.01	0.97	1.00
WrT:WrB	P(I)	0.91	0.01	0.90	0.92
WrT:WrT	E(I)	1.00	0.00	1.00	1.00
WrT:WrT	G(Ia)	1.00	0.00	1.00	1.00
WrT:WrT	P(I)	1.00	0.00	1.00	1.00
WrT:Face	E(I)	-0.18	0.05	-0.28	-0.08
WrT:Face	G(Ia)	0.25	0.02	0.21	0.29
WrT:Face	P(I)	0.07	0.02	0.04	0.10
WrT:Gfw	E(I)	0.37	0.03	0.31	0.43

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrT:Gfw	G(Ia)	0.33	0.03	0.28	0.38
WrT:Gfw	P(I)	0.35	0.01	0.32	0.38
WrT:Yld	E(I)	-0.20	0.03	-0.26	-0.13
WrT:Yld	G(Ia)	-0.36	0.02	-0.40	-0.31
WrT:Yld	P(I)	-0.27	0.02	-0.30	-0.24
WrT:Cww	E(I)	0.27	0.03	0.21	0.33
WrT:Cww	G(Ia)	0.15	0.03	0.10	0.21
WrT:Cww	P(I)	0.22	0.02	0.19	0.26
WrT:Staladj	E(I)	-0.14	0.03	-0.20	-0.08
WrT:Staladj	G(Ia)	-0.19	0.03	-0.24	-0.14
WrT:Staladj	P(I)	-0.16	0.02	-0.19	-0.13
WrT:Gfwadj	E(I)	0.34	0.03	0.28	0.40
WrT:Gfwadj	G(Ia)	0.36	0.03	0.30	0.41
WrT:Gfwadj	P(I)	0.34	0.01	0.32	0.37
WrT:Cwwadj	E(I)	0.25	0.03	0.19	0.31
WrT:Cwwadj	G(Ia)	0.18	0.03	0.12	0.24
WrT:Cwwadj	P(I)	0.22	0.02	0.19	0.25
WrT:Crimp	E(I)	-0.23	0.12	-0.46	-0.00
WrT:Crimp	G(Ia)	0.46	0.03	0.40	0.51
WrT:Crimp	P(I)	0.20	0.02	0.17	0.24
WrT:Crwvl	E(I)	0.13	0.05	0.02	0.23
WrT:Crwvl	G(Ia)	-0.49	0.04	-0.56	-0.42
WrT:Crwvl	P(I)	-0.16	0.02	-0.20	-0.12
WrT:Crst	E(I)	-0.27	0.06	-0.39	-0.15
WrT:Crst	G(Ia)	0.44	0.04	0.37	0.51
WrT:Crst	P(I)	0.09	0.02	0.05	0.13
WrT:Crstadj	E(I)	-0.24	0.06	-0.35	-0.13
WrT:Crstadj	G(Ia)	0.42	0.04	0.35	0.50
WrT:Crstadj	P(I)	0.08	0.02	0.04	0.12
WrT:Crwvt	E(I)	0.20	0.05	0.10	0.29
WrT:Crwvt	G(Ia)	-0.45	0.04	-0.53	-0.37
WrT:Crwvt	P(I)	-0.07	0.02	-0.11	-0.03
WrT:Dp	E(I)	0.37	0.08	0.21	0.53
WrT:Dp	G(Ia)	-0.14	0.05	-0.25	-0.03
WrT:Dp	P(I)	0.11	0.03	0.04	0.17
WrT:Ds	E(I)	-0.00	0.20	-0.39	0.39
WrT:Ds	G(Ia)	0.47	0.06	0.36	0.59
WrT:Ds	P(I)	0.21	0.03	0.15	0.27
WrT:Dps	E(I)	0.02	0.07	-0.12	0.16
WrT:Dps	G(Ia)	0.46	0.06	0.34	0.58
WrT:Dps	P(I)	0.21	0.03	0.15	0.27
WrT:DpovDs	E(I)	0.53	0.13	0.27	0.78
WrT:DpovDs	G(Ia)	-0.32	0.04	-0.41	-0.24

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrT:DpovDs	P(I)	-0.03	0.03	-0.09	0.03
WrT:CVDp	E(I)	0.27	0.07	0.14	0.41
WrT:CVDp	G(Ia)	-0.04	0.07	-0.17	0.10
WrT:CVDp	P(I)	0.14	0.03	0.08	0.21
WrT:CVDs	E(I)	0.26	0.07	0.13	0.40
WrT:CVDs	G(Ia)	-0.32	0.08	-0.47	-0.17
WrT:CVDs	P(I)	0.04	0.03	-0.03	0.10
WrT:MaxDp	E(I)	0.39	0.08	0.24	0.55
WrT:MaxDp	G(Ia)	-0.11	0.06	-0.22	-0.00
WrT:MaxDp	P(I)	0.14	0.03	0.08	0.20
WrT:MinDp	E(I)	0.02	0.06	-0.10	0.14
WrT:MinDp	G(Ia)	0.50	0.17	0.18	0.83
WrT:MinDp	P(I)	0.11	0.03	0.04	0.17
WrT:MaxDs	E(I)	0.18	0.06	0.05	0.30
WrT:MaxDs	G(Ia)	0.27	0.08	0.10	0.43
WrT:MaxDs	P(I)	0.20	0.03	0.14	0.26
WrT:MinDs	E(I)	-0.01	0.06	-0.14	0.11
WrT:MinDs	G(Ia)	0.45	0.19	0.07	0.82
WrT:MinDs	P(I)	0.07	0.03	0.00	0.13
WrT:SDDp	E(I)	0.43	0.08	0.28	0.58
WrT:SDDp	G(Ia)	-0.12	0.06	-0.23	-0.01
WrT:SDDp	P(I)	0.16	0.03	0.09	0.22
WrT:SDDs	E(I)	0.28	0.07	0.14	0.43
WrT:SDDs	G(Ia)	0.01	0.06	-0.10	0.12
WrT:SDDs	P(I)	0.16	0.03	0.10	0.22
WrT:SDD	E(I)	0.33	0.07	0.19	0.48
WrT:SDD	G(Ia)	-0.02	0.06	-0.14	0.11
WrT:SDD	P(I)	0.17	0.03	0.11	0.23
WrT:CVD	E(I)	0.30	0.07	0.16	0.44
WrT:CVD	G(Ia)	-0.33	0.07	-0.47	-0.18
WrT:CVD	P(I)	0.05	0.03	-0.01	0.11
WrT:Gt30Dp	E(I)	0.28	0.08	0.13	0.44
WrT:Gt30Dp	G(Ia)	-0.10	0.06	-0.21	0.01
WrT:Gt30Dp	P(I)	0.09	0.03	0.03	0.16
WrT:Gt30Ds	E(I)	0.16	0.07	0.03	0.29
WrT:Gt30Ds	G(Ia)	0.19	0.07	0.05	0.33
WrT:Gt30Ds	P(I)	0.17	0.03	0.11	0.23
WrT:Gt30D	E(I)	0.20	0.07	0.07	0.33
WrT:Gt30D	G(Ia)	0.12	0.07	-0.02	0.26
WrT:Gt30D	P(I)	0.17	0.03	0.10	0.23
WrT:Fnua	E(I)	0.06	0.03	-0.00	0.13
WrT:Fnua	G(Ia)	-0.13	0.03	-0.20	-0.07
WrT:Fnua	P(I)	-0.01	0.02	-0.04	0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrT:Fr	E(I)	0.10	0.03	0.04	0.17
WrT:Fr	G(Ia)	0.27	0.03	0.20	0.33
WrT:Fr	P(I)	0.16	0.02	0.13	0.19
WrT:Fnt	E(I)	0.19	0.03	0.12	0.25
WrT:Fnt	G(Ia)	-0.33	0.03	-0.40	-0.27
WrT:Fnt	P(I)	-0.00	0.02	-0.04	0.03
WrT:Sarea	E(I)	0.30	0.03	0.23	0.37
WrT:Sarea	G(Ia)	-0.39	0.03	-0.46	-0.33
WrT:Sarea	P(I)	0.03	0.02	-0.00	0.06
WrT:Fd	E(I)	0.22	0.03	0.16	0.29
WrT:Fd	G(Ia)	0.16	0.05	0.07	0.25
WrT:Fd	P(I)	0.20	0.02	0.16	0.23
WrT:Fc	E(I)	0.12	0.05	0.03	0.22
WrT:Fc	G(Ia)	0.69	0.02	0.65	0.74
WrT:Fc	P(I)	0.42	0.02	0.39	0.45
WrT:Fu	E(I)	0.21	0.04	0.14	0.28
WrT:Fu	G(Ia)	0.68	0.03	0.63	0.74
WrT:Fu	P(I)	0.40	0.02	0.36	0.43
WrT:Colour	E(I)	0.08	0.03	0.02	0.14
WrT:Colour	G(Ia)	-0.09	0.04	-0.17	-0.01
WrT:Colour	P(I)	0.03	0.02	-0.00	0.06
WrT:Fly	E(I)	0.03	0.03	-0.03	0.09
WrT:Fly	G(Ia)	0.04	0.06	-0.07	0.16
WrT:Fly	P(I)	0.03	0.02	-0.00	0.06
WrT:Flcrot	E(I)	0.04	0.03	-0.01	0.10
WrT:Flcrot	G(Ia)	-0.28	0.11	-0.48	-0.07
WrT:Flcrot	P(I)	-0.01	0.02	-0.04	0.03
WrT:Bactst	E(I)	-0.02	0.04	-0.09	0.05
WrT:Bactst	G(Ia)	-0.16	0.10	-0.35	0.02
WrT:Bactst	P(I)	-0.04	0.02	-0.08	0.00
WrT:MycD	E(I)	-0.10	0.04	-0.17	-0.03
WrT:MycD	G(Ia)	0.37	0.12	0.14	0.60
WrT:MycD	P(I)	-0.01	0.02	-0.05	0.03
WrT:Bcts	E(I)	0.51	0.07	0.38	0.64
WrT:Bcts	G(Ia)	-0.19	0.02	-0.24	-0.15
WrT:Bcts	P(I)	0.05	0.02	0.02	0.09
WrT:Bctb	E(I)	0.50	0.06	0.38	0.61
WrT:Bctb	G(Ia)	-0.20	0.02	-0.25	-0.16
WrT:Bctb	P(I)	0.06	0.02	0.03	0.09
WrT:Weanwt	E(I)	0.12	0.03	0.06	0.19
WrT:Weanwt	G(Ia)	-0.15	0.04	-0.22	-0.07
WrT:Weanwt	P(I)	0.03	0.02	-0.00	0.07
WrT:NLB	E(I)	-0.23	0.03	-0.29	-0.18

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
WrT:NLB	G(Ia)	0.14	0.04	0.06	0.21
WrT:NLB	P(I)	-0.12	0.02	-0.15	-0.08
WrT:NLW	E(I)	-0.19	0.03	-0.25	-0.14
WrT:NLW	G(Ia)	0.02	0.04	-0.05	0.09
WrT:NLW	P(I)	-0.12	0.02	-0.15	-0.09
WrT:Fnpua	E(I)	-0.04	0.03	-0.10	0.02
WrT:Fnpua	G(Ia)	-0.37	0.04	-0.44	-0.29
WrT:Fnpua	P(I)	-0.14	0.02	-0.17	-0.11
WrT:Fnsua	E(I)	0.07	0.03	0.00	0.13
WrT:Fnsua	G(Ia)	-0.12	0.03	-0.19	-0.05
WrT:Fnsua	P(I)	0.00	0.02	-0.03	0.03
WrT:Fnppt	E(I)	0.07	0.03	0.01	0.14
WrT:Fnppt	G(Ia)	-0.54	0.04	-0.61	-0.47
WrT:Fnppt	P(I)	-0.13	0.02	-0.16	-0.09
WrT:Fnst	E(I)	0.19	0.03	0.12	0.25
WrT:Fnst	G(Ia)	-0.32	0.04	-0.39	-0.25
WrT:Fnst	P(I)	0.01	0.02	-0.03	0.04
Face:Stal	E(I)	-0.02	0.04	-0.10	0.07
Face:Stal	G(Ia)	-0.31	0.02	-0.35	-0.27
Face:Stal	P(I)	-0.16	0.02	-0.19	-0.13
Face:Diam	E(I)	-0.03	0.05	-0.12	0.07
Face:Diam	G(Ia)	-0.12	0.02	-0.16	-0.08
Face:Diam	P(I)	-0.08	0.02	-0.11	-0.05
Face:Bwt	E(I)	-0.06	0.04	-0.14	0.03
Face:Bwt	G(Ia)	-0.31	0.02	-0.36	-0.27
Face:Bwt	P(I)	-0.18	0.02	-0.21	-0.15
Face:WrN	E(I)	-0.14	0.05	-0.23	-0.04
Face:WrN	G(Ia)	0.25	0.02	0.21	0.29
Face:WrN	P(I)	0.08	0.02	0.04	0.11
Face:WrB	E(I)	-0.17	0.05	-0.26	-0.08
Face:WrB	G(Ia)	0.23	0.02	0.19	0.27
Face:WrB	P(I)	0.05	0.02	0.02	0.08
Face:WrT	E(I)	-0.18	0.05	-0.28	-0.08
Face:WrT	G(Ia)	0.25	0.02	0.21	0.29
Face:WrT	P(I)	0.07	0.02	0.04	0.10
Face:Face	E(I)	1.00	0.00	1.00	1.00
Face:Face	G(Ia)	1.00	0.00	1.00	1.00
Face:Face	P(I)	1.00	0.00	1.00	1.00
Face:Gfw	E(I)	-0.06	0.04	-0.15	0.03
Face:Gfw	G(Ia)	-0.09	0.02	-0.14	-0.05
Face:Gfw	P(I)	-0.07	0.02	-0.11	-0.04
Face:Yld	E(I)	0.16	0.05	0.07	0.26
Face:Yld	G(Ia)	-0.23	0.02	-0.27	-0.19

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Face:Yld	P(I)	-0.07	0.02	-0.10	-0.04
Face:Cww	E(I)	0.01	0.05	-0.08	0.10
Face:Cww	G(Ia)	-0.22	0.02	-0.26	-0.17
Face:Cww	P(I)	-0.10	0.02	-0.13	-0.07
Face:Staladj	E(I)	-0.09	0.04	-0.17	0.00
Face:Staladj	G(Ia)	-0.25	0.02	-0.30	-0.21
Face:Staladj	P(I)	-0.16	0.02	-0.20	-0.13
Face:Gfwadj	E(I)	-0.10	0.04	-0.18	-0.01
Face:Gfwadj	G(Ia)	-0.06	0.02	-0.10	-0.01
Face:Gfwadj	P(I)	-0.07	0.02	-0.10	-0.04
Face:Cwwadj	E(I)	-0.04	0.04	-0.12	0.05
Face:Cwwadj	G(Ia)	-0.18	0.02	-0.22	-0.13
Face:Cwwadj	P(I)	-0.10	0.02	-0.13	-0.07
Face:Crimp	E(I)	-0.79	0.19	-1.15	-0.42
Face:Crimp	G(Ia)	0.45	0.02	0.41	0.49
Face:Crimp	P(I)	0.22	0.02	0.18	0.25
Face:Crwvl	E(I)	0.57	0.08	0.42	0.72
Face:Crwvl	G(Ia)	-0.41	0.02	-0.46	-0.36
Face:Crwvl	P(I)	-0.05	0.02	-0.09	-0.02
Face:Crst	E(I)	-0.51	0.08	-0.66	-0.35
Face:Crst	G(Ia)	0.31	0.02	0.26	0.36
Face:Crst	P(I)	0.04	0.02	0.00	0.08
Face:Crstadj	E(I)	-0.48	0.07	-0.63	-0.34
Face:Crstadj	G(Ia)	0.29	0.02	0.24	0.34
Face:Crstadj	P(I)	0.02	0.02	-0.02	0.06
Face:Crwvt	E(I)	0.47	0.06	0.35	0.60
Face:Crwvt	G(Ia)	-0.27	0.03	-0.32	-0.21
Face:Crwvt	P(I)	0.04	0.02	0.00	0.08
Face:Dp	E(I)	-0.62	0.09	-0.80	-0.45
Face:Dp	G(Ia)	0.53	0.04	0.45	0.60
Face:Dp	P(I)	0.07	0.03	0.01	0.12
Face:Ds	E(I)	-0.19	0.07	-0.33	-0.05
Face:Ds	G(Ia)	-0.15	0.04	-0.23	-0.07
Face:Ds	P(I)	-0.16	0.03	-0.22	-0.11
Face:Dps	E(I)	-0.23	0.07	-0.37	-0.09
Face:Dps	G(Ia)	-0.10	0.04	-0.19	-0.02
Face:Dps	P(I)	-0.16	0.03	-0.21	-0.11
Face:DpovDs	E(I)	-0.69	0.14	-0.98	-0.41
Face:DpovDs	G(Ia)	0.52	0.03	0.46	0.57
Face:DpovDs	P(I)	0.19	0.03	0.14	0.24
Face:CVDp	E(I)	-0.44	0.08	-0.58	-0.29
Face:CVDp	G(Ia)	0.56	0.05	0.46	0.67
Face:CVDp	P(I)	0.06	0.03	0.01	0.11

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Face:CVDs	E(I)	-0.26	0.07	-0.40	-0.12
Face:CVDs	G(Ia)	0.50	0.05	0.39	0.61
Face:CVDs	P(I)	0.09	0.03	0.04	0.14
Face:MaxDp	E(I)	-0.70	0.09	-0.88	-0.53
Face:MaxDp	G(Ia)	0.58	0.04	0.49	0.66
Face:MaxDp	P(I)	0.04	0.03	-0.01	0.10
Face:MinDp	E(I)	-0.08	0.06	-0.20	0.04
Face:MinDp	G(Ia)	0.18	0.11	-0.03	0.40
Face:MinDp	P(I)	-0.00	0.03	-0.05	0.05
Face:MaxDs	E(I)	-0.23	0.07	-0.36	-0.11
Face:MaxDs	G(Ia)	0.29	0.07	0.16	0.42
Face:MaxDs	P(I)	-0.02	0.03	-0.07	0.04
Face:MinDs	E(I)	0.05	0.06	-0.07	0.17
Face:MinDs	G(Ia)	-0.34	0.14	-0.61	-0.07
Face:MinDs	P(I)	-0.04	0.03	-0.09	0.01
Face:SDDp	E(I)	-0.67	0.09	-0.85	-0.50
Face:SDDp	G(Ia)	0.63	0.04	0.54	0.71
Face:SDDp	P(I)	0.08	0.03	0.03	0.13
Face:SDDs	E(I)	-0.37	0.08	-0.53	-0.22
Face:SDDs	G(Ia)	0.28	0.04	0.20	0.37
Face:SDDs	P(I)	-0.02	0.03	-0.07	0.03
Face:SDD	E(I)	-0.46	0.08	-0.62	-0.30
Face:SDD	G(Ia)	0.37	0.04	0.28	0.45
Face:SDD	P(I)	-0.00	0.03	-0.06	0.05
Face:CVD	E(I)	-0.32	0.07	-0.46	-0.17
Face:CVD	G(Ia)	0.56	0.05	0.46	0.66
Face:CVD	P(I)	0.10	0.03	0.05	0.15
Face:Gt30Dp	E(I)	-0.77	0.09	-0.95	-0.59
Face:Gt30Dp	G(Ia)	0.61	0.04	0.53	0.69
Face:Gt30Dp	P(I)	0.03	0.03	-0.02	0.08
Face:Gt30Ds	E(I)	-0.11	0.07	-0.25	0.02
Face:Gt30Ds	G(Ia)	0.10	0.05	-0.00	0.20
Face:Gt30Ds	P(I)	-0.01	0.03	-0.06	0.04
Face:Gt30D	E(I)	-0.28	0.07	-0.42	-0.14
Face:Gt30D	G(Ia)	0.28	0.05	0.18	0.38
Face:Gt30D	P(I)	-0.01	0.03	-0.06	0.04
Face:Fnu	E(I)	0.13	0.05	0.04	0.23
Face:Fnu	G(Ia)	0.09	0.03	0.04	0.14
Face:Fnu	P(I)	0.10	0.02	0.06	0.13
Face:Fr	E(I)	0.02	0.05	-0.07	0.12
Face:Fr	G(Ia)	0.09	0.03	0.04	0.14
Face:Fr	P(I)	0.05	0.02	0.02	0.09
Face:Fnt	E(I)	0.12	0.05	0.02	0.22

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Face:Fnt	G(Ia)	-0.07	0.03	-0.12	-0.02
Face:Fnt	P(I)	0.02	0.02	-0.02	0.05
Face:Sarea	E(I)	-0.07	0.05	-0.17	0.03
Face:Sarea	G(Ia)	-0.30	0.02	-0.34	-0.25
Face:Sarea	P(I)	-0.18	0.02	-0.21	-0.15
Face:Fd	E(I)	-0.12	0.05	-0.22	-0.01
Face:Fd	G(Ia)	-0.13	0.04	-0.20	-0.05
Face:Fd	P(I)	-0.10	0.02	-0.14	-0.06
Face:Fc	E(I)	-0.44	0.08	-0.60	-0.29
Face:Fc	G(Ia)	0.23	0.02	0.19	0.27
Face:Fc	P(I)	0.02	0.02	-0.01	0.06
Face:Fu	E(I)	-0.06	0.06	-0.18	0.05
Face:Fu	G(Ia)	0.03	0.03	-0.02	0.08
Face:Fu	P(I)	-0.01	0.02	-0.05	0.03
Face:Colour	E(I)	0.15	0.04	0.07	0.23
Face:Colour	G(Ia)	0.19	0.03	0.13	0.26
Face:Colour	P(I)	0.14	0.02	0.11	0.17
Face:Fly	E(I)	-0.12	0.04	-0.20	-0.04
Face:Fly	G(Ia)	0.30	0.05	0.20	0.41
Face:Fly	P(I)	0.01	0.02	-0.02	0.04
Face:Flcrot	E(I)	0.07	0.04	-0.01	0.15
Face:Flcrot	G(Ia)	-0.33	0.10	-0.52	-0.15
Face:Flcrot	P(I)	-0.01	0.02	-0.05	0.02
Face:Bactst	E(I)	-0.02	0.04	-0.10	0.06
Face:Bactst	G(Ia)	0.24	0.09	0.05	0.42
Face:Bactst	P(I)	0.03	0.02	-0.01	0.07
Face:MycD	E(I)	0.04	0.04	-0.04	0.12
Face:MycD	G(Ia)	0.12	0.09	-0.06	0.30
Face:MycD	P(I)	0.04	0.02	0.00	0.08
Face:Bcts	E(I)	-0.74	0.09	-0.91	-0.57
Face:Bcts	G(Ia)	0.25	0.02	0.22	0.29
Face:Bcts	P(I)	-0.02	0.02	-0.06	0.01
Face:Bctb	E(I)	-0.67	0.08	-0.82	-0.52
Face:Bctb	G(Ia)	0.24	0.02	0.20	0.28
Face:Bctb	P(I)	-0.03	0.02	-0.06	0.00
Face:Weanwt	E(I)	0.12	0.04	0.04	0.20
Face:Weanwt	G(Ia)	-0.42	0.03	-0.49	-0.36
Face:Weanwt	P(I)	-0.10	0.02	-0.14	-0.07
Face:NLB	E(I)	-0.13	0.04	-0.21	-0.05
Face:NLB	G(Ia)	0.10	0.03	0.04	0.16
Face:NLB	P(I)	-0.02	0.02	-0.06	0.01
Face:NLW	E(I)	-0.18	0.04	-0.26	-0.10
Face:NLW	G(Ia)	0.21	0.03	0.15	0.27

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Face:NLW	P(I)	-0.01	0.02	-0.04	0.02
Face:Fnpua	E(I)	0.09	0.05	-0.00	0.18
Face:Fnpua	G(Ia)	-0.00	0.03	-0.06	0.06
Face:Fnpua	P(I)	0.04	0.02	0.01	0.07
Face:Fnsua	E(I)	0.13	0.05	0.04	0.23
Face:Fnsua	G(Ia)	0.09	0.03	0.04	0.14
Face:Fnsua	P(I)	0.10	0.02	0.06	0.13
Face:Fnpnt	E(I)	0.07	0.05	-0.03	0.16
Face:Fnpnt	G(Ia)	-0.15	0.03	-0.20	-0.10
Face:Fnpnt	P(I)	-0.04	0.02	-0.07	-0.00
Face:Fnst	E(I)	0.12	0.05	0.02	0.22
Face:Fnst	G(Ia)	-0.07	0.03	-0.12	-0.02
Face:Fnst	P(I)	0.02	0.02	-0.02	0.05
Gfw:Stal	E(I)	0.17	0.03	0.11	0.23
Gfw:Stal	G(Ia)	0.53	0.03	0.47	0.58
Gfw:Stal	P(I)	0.30	0.02	0.27	0.33
Gfw:Diam	E(I)	0.29	0.03	0.23	0.35
Gfw:Diam	G(Ia)	0.56	0.02	0.51	0.60
Gfw:Diam	P(I)	0.39	0.01	0.37	0.42
Gfw:Bwt	E(I)	0.57	0.02	0.52	0.62
Gfw:Bwt	G(Ia)	0.24	0.03	0.18	0.29
Gfw:Bwt	P(I)	0.45	0.01	0.42	0.48
Gfw:WrN	E(I)	0.30	0.03	0.24	0.36
Gfw:WrN	G(Ia)	0.36	0.03	0.30	0.41
Gfw:WrN	P(I)	0.32	0.02	0.29	0.35
Gfw:WrB	E(I)	0.35	0.03	0.29	0.40
Gfw:WrB	G(Ia)	0.30	0.03	0.24	0.35
Gfw:WrB	P(I)	0.33	0.01	0.30	0.36
Gfw:WrT	E(I)	0.37	0.03	0.31	0.43
Gfw:WrT	G(Ia)	0.33	0.03	0.28	0.38
Gfw:WrT	P(I)	0.35	0.01	0.32	0.38
Gfw:Face	E(I)	-0.06	0.04	-0.15	0.03
Gfw:Face	G(Ia)	-0.09	0.02	-0.14	-0.05
Gfw:Face	P(I)	-0.07	0.02	-0.11	-0.04
Gfw:Gfw	E(I)	1.00	0.00	1.00	1.00
Gfw:Gfw	G(Ia)	1.00	0.00	1.00	1.00
Gfw:Gfw	P(I)	1.00	0.00	1.00	1.00
Gfw:Yld	E(I)	-0.09	0.03	-0.16	-0.03
Gfw:Yld	G(Ia)	-0.27	0.03	-0.32	-0.22
Gfw:Yld	P(I)	-0.16	0.02	-0.20	-0.13
Gfw:Cww	E(I)	0.92	0.01	0.90	0.94
Gfw:Cww	G(Ia)	0.87	0.01	0.85	0.89
Gfw:Cww	P(I)	0.90	0.01	0.89	0.91

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfw:Staladj	E(I)	0.18	0.03	0.13	0.24
Gfw:Staladj	G(Ia)	0.54	0.03	0.48	0.59
Gfw:Staladj	P(I)	0.31	0.02	0.28	0.34
Gfw:Gfwadj	E(I)	0.98	0.00	0.97	0.99
Gfw:Gfwadj	G(Ia)	1.00	0.00	0.99	1.00
Gfw:Gfwadj	P(I)	0.99	0.00	0.98	0.99
Gfw:Cwwadj	E(I)	0.90	0.01	0.88	0.92
Gfw:Cwwadj	G(Ia)	0.88	0.01	0.86	0.90
Gfw:Cwwadj	P(I)	0.89	0.01	0.88	0.91
Gfw:Crimp	E(I)	0.65	0.24	0.18	1.12
Gfw:Crimp	G(Ia)	-0.60	0.03	-0.66	-0.55
Gfw:Crimp	P(I)	-0.23	0.02	-0.26	-0.20
Gfw:Crwvl	E(I)	-0.51	0.05	-0.62	-0.41
Gfw:Crwvl	G(Ia)	0.60	0.03	0.53	0.66
Gfw:Crwvl	P(I)	0.01	0.02	-0.03	0.04
Gfw:Crst	E(I)	0.54	0.05	0.43	0.64
Gfw:Crst	G(Ia)	-0.39	0.03	-0.46	-0.33
Gfw:Crst	P(I)	0.06	0.02	0.03	0.10
Gfw:Crstadj	E(I)	0.49	0.05	0.40	0.59
Gfw:Crstadj	G(Ia)	-0.40	0.03	-0.46	-0.33
Gfw:Crstadj	P(I)	0.06	0.02	0.03	0.10
Gfw:Crwvt	E(I)	-0.51	0.04	-0.59	-0.43
Gfw:Crwvt	G(Ia)	0.35	0.04	0.27	0.43
Gfw:Crwvt	P(I)	-0.15	0.02	-0.19	-0.12
Gfw:Dp	E(I)	0.20	0.08	0.05	0.35
Gfw:Dp	G(Ia)	0.03	0.06	-0.08	0.13
Gfw:Dp	P(I)	0.12	0.03	0.05	0.18
Gfw:Ds	E(I)	-0.07	0.07	-0.21	0.07
Gfw:Ds	G(Ia)	0.69	0.06	0.56	0.81
Gfw:Ds	P(I)	0.24	0.03	0.18	0.30
Gfw:Dps	E(I)	-0.06	0.07	-0.19	0.08
Gfw:Dps	G(Ia)	0.69	0.07	0.56	0.82
Gfw:Dps	P(I)	0.24	0.03	0.18	0.30
Gfw:DpovDs	E(I)	0.40	0.13	0.15	0.65
Gfw:DpovDs	G(Ia)	-0.31	0.05	-0.40	-0.22
Gfw:DpovDs	P(I)	-0.05	0.03	-0.11	0.02
Gfw:CVDp	E(I)	-0.01	0.07	-0.14	0.12
Gfw:CVDp	G(Ia)	0.15	0.07	0.01	0.30
Gfw:CVDp	P(I)	0.05	0.03	-0.01	0.11
Gfw:CVDs	E(I)	-0.02	0.06	-0.15	0.10
Gfw:CVDs	G(Ia)	0.05	0.08	-0.10	0.21
Gfw:CVDs	P(I)	0.00	0.03	-0.06	0.07
Gfw:MaxDp	E(I)	0.11	0.07	-0.03	0.26

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfw:MaxDp	G(Ia)	0.03	0.06	-0.08	0.14
Gfw:MaxDp	P(I)	0.08	0.03	0.01	0.14
Gfw:MinDp	E(I)	0.11	0.05	0.00	0.22
Gfw:MinDp	G(Ia)	0.04	0.15	-0.26	0.34
Gfw:MinDp	P(I)	0.09	0.03	0.02	0.15
Gfw:MaxDs	E(I)	0.01	0.06	-0.10	0.12
Gfw:MaxDs	G(Ia)	0.61	0.09	0.42	0.79
Gfw:MaxDs	P(I)	0.18	0.03	0.12	0.25
Gfw:MinDs	E(I)	0.04	0.05	-0.07	0.15
Gfw:MinDs	G(Ia)	0.21	0.17	-0.13	0.54
Gfw:MinDs	P(I)	0.06	0.03	0.00	0.13
Gfw:SDDp	E(I)	0.12	0.07	-0.02	0.26
Gfw:SDDp	G(Ia)	0.01	0.06	-0.10	0.13
Gfw:SDDp	P(I)	0.07	0.03	0.01	0.13
Gfw:SDDs	E(I)	-0.05	0.07	-0.19	0.08
Gfw:SDDs	G(Ia)	0.40	0.06	0.28	0.53
Gfw:SDDs	P(I)	0.13	0.03	0.07	0.20
Gfw:SDD	E(I)	-0.04	0.07	-0.17	0.10
Gfw:SDD	G(Ia)	0.38	0.06	0.25	0.50
Gfw:SDD	P(I)	0.14	0.03	0.08	0.20
Gfw:CVD	E(I)	-0.02	0.06	-0.14	0.11
Gfw:CVD	G(Ia)	0.04	0.08	-0.11	0.19
Gfw:CVD	P(I)	0.00	0.03	-0.06	0.07
Gfw:Gt30Dp	E(I)	0.15	0.07	0.00	0.29
Gfw:Gt30Dp	G(Ia)	-0.01	0.06	-0.13	0.12
Gfw:Gt30Dp	P(I)	0.08	0.03	0.02	0.14
Gfw:Gt30Ds	E(I)	0.01	0.06	-0.10	0.12
Gfw:Gt30Ds	G(Ia)	0.55	0.08	0.40	0.70
Gfw:Gt30Ds	P(I)	0.19	0.03	0.13	0.25
Gfw:Gt30D	E(I)	0.03	0.06	-0.09	0.15
Gfw:Gt30D	G(Ia)	0.48	0.07	0.33	0.62
Gfw:Gt30D	P(I)	0.19	0.03	0.13	0.25
Gfw:Fnu	E(I)	-0.04	0.03	-0.10	0.03
Gfw:Fnu	G(Ia)	-0.20	0.04	-0.27	-0.12
Gfw:Fnu	P(I)	-0.09	0.02	-0.12	-0.05
Gfw:Fr	E(I)	0.18	0.03	0.12	0.25
Gfw:Fr	G(Ia)	0.02	0.04	-0.05	0.09
Gfw:Fr	P(I)	0.13	0.02	0.10	0.16
Gfw:Fnt	E(I)	0.22	0.03	0.16	0.28
Gfw:Fnt	G(Ia)	-0.10	0.04	-0.17	-0.02
Gfw:Fnt	P(I)	0.11	0.02	0.08	0.15
Gfw:Sarea	E(I)	0.58	0.03	0.53	0.63
Gfw:Sarea	G(Ia)	0.23	0.03	0.17	0.29

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfw:Sarea	P(I)	0.45	0.01	0.42	0.48
Gfw:Fd	E(I)	0.17	0.03	0.11	0.23
Gfw:Fd	G(Ia)	0.51	0.05	0.41	0.61
Gfw:Fd	P(I)	0.25	0.02	0.22	0.29
Gfw:Fc	E(I)	0.38	0.05	0.29	0.47
Gfw:Fc	G(Ia)	-0.15	0.03	-0.20	-0.09
Gfw:Fc	P(I)	0.11	0.02	0.08	0.15
Gfw:Fu	E(I)	0.25	0.04	0.18	0.32
Gfw:Fu	G(Ia)	-0.00	0.04	-0.08	0.07
Gfw:Fu	P(I)	0.16	0.02	0.12	0.19
Gfw:Colour	E(I)	-0.03	0.03	-0.08	0.03
Gfw:Colour	G(Ia)	0.24	0.04	0.15	0.32
Gfw:Colour	P(I)	0.04	0.02	0.01	0.07
Gfw:Fly	E(I)	0.09	0.03	0.03	0.14
Gfw:Fly	G(Ia)	-0.36	0.07	-0.49	-0.23
Gfw:Fly	P(I)	-0.00	0.02	-0.04	0.03
Gfw:Flcrot	E(I)	0.01	0.03	-0.04	0.06
Gfw:Flcrot	G(Ia)	-0.20	0.12	-0.43	0.03
Gfw:Flcrot	P(I)	-0.01	0.02	-0.05	0.02
Gfw:Bactst	E(I)	-0.00	0.03	-0.07	0.06
Gfw:Bactst	G(Ia)	-0.25	0.11	-0.47	-0.03
Gfw:Bactst	P(I)	-0.04	0.02	-0.08	0.00
Gfw:MycD	E(I)	0.01	0.03	-0.05	0.08
Gfw:MycD	G(Ia)	0.31	0.12	0.07	0.55
Gfw:MycD	P(I)	0.05	0.02	0.01	0.09
Gfw:Bcts	E(I)	0.29	0.06	0.18	0.40
Gfw:Bcts	G(Ia)	-0.08	0.02	-0.12	-0.03
Gfw:Bcts	P(I)	0.07	0.02	0.03	0.10
Gfw:Bctb	E(I)	0.31	0.05	0.20	0.41
Gfw:Bctb	G(Ia)	-0.10	0.02	-0.15	-0.05
Gfw:Bctb	P(I)	0.07	0.02	0.04	0.10
Gfw:Weanwt	E(I)	0.47	0.03	0.42	0.52
Gfw:Weanwt	G(Ia)	0.14	0.04	0.06	0.23
Gfw:Weanwt	P(I)	0.37	0.02	0.34	0.40
Gfw:NLB	E(I)	-0.25	0.03	-0.30	-0.20
Gfw:NLB	G(Ia)	0.13	0.04	0.05	0.21
Gfw:NLB	P(I)	-0.14	0.02	-0.17	-0.11
Gfw:NLW	E(I)	-0.21	0.03	-0.26	-0.16
Gfw:NLW	G(Ia)	0.09	0.04	0.01	0.17
Gfw:NLW	P(I)	-0.13	0.02	-0.16	-0.10
Gfw:Fnpua	E(I)	-0.23	0.03	-0.28	-0.17
Gfw:Fnpua	G(Ia)	-0.18	0.04	-0.26	-0.10
Gfw:Fnpua	P(I)	-0.21	0.02	-0.25	-0.18

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfw:Fnsua	E(I)	-0.02	0.03	-0.09	0.04
Gfw:Fnsua	G(Ia)	-0.19	0.04	-0.26	-0.12
Gfw:Fnsua	P(I)	-0.08	0.02	-0.11	-0.04
Gfw:Fnpt	E(I)	0.00	0.03	-0.06	0.07
Gfw:Fnpt	G(Ia)	-0.06	0.04	-0.14	0.01
Gfw:Fnpt	P(I)	-0.02	0.02	-0.05	0.02
Gfw:Fnst	E(I)	0.22	0.03	0.16	0.28
Gfw:Fnst	G(Ia)	-0.10	0.04	-0.17	-0.02
Gfw:Fnst	P(I)	0.12	0.02	0.08	0.15
Yld:Stal	E(I)	0.36	0.03	0.30	0.42
Yld:Stal	G(Ia)	0.11	0.03	0.06	0.17
Yld:Stal	P(I)	0.26	0.02	0.23	0.29
Yld:Diam	E(I)	-0.05	0.04	-0.12	0.02
Yld:Diam	G(Ia)	-0.17	0.02	-0.22	-0.12
Yld:Diam	P(I)	-0.10	0.02	-0.13	-0.07
Yld:Bwt	E(I)	0.02	0.03	-0.04	0.09
Yld:Bwt	G(Ia)	0.05	0.03	-0.00	0.11
Yld:Bwt	P(I)	0.03	0.02	0.00	0.07
Yld:WrN	E(I)	-0.19	0.03	-0.25	-0.12
Yld:WrN	G(Ia)	-0.31	0.02	-0.36	-0.27
Yld:WrN	P(I)	-0.24	0.02	-0.27	-0.21
Yld:WrB	E(I)	-0.19	0.03	-0.26	-0.13
Yld:WrB	G(Ia)	-0.38	0.02	-0.42	-0.33
Yld:WrB	P(I)	-0.27	0.02	-0.30	-0.24
Yld:WrT	E(I)	-0.20	0.03	-0.26	-0.13
Yld:WrT	G(Ia)	-0.36	0.02	-0.40	-0.31
Yld:WrT	P(I)	-0.27	0.02	-0.30	-0.24
Yld:Face	E(I)	0.16	0.05	0.07	0.26
Yld:Face	G(Ia)	-0.23	0.02	-0.27	-0.19
Yld:Face	P(I)	-0.07	0.02	-0.10	-0.04
Yld:Gfw	E(I)	-0.09	0.03	-0.16	-0.03
Yld:Gfw	G(Ia)	-0.27	0.03	-0.32	-0.22
Yld:Gfw	P(I)	-0.16	0.02	-0.20	-0.13
Yld:Yld	E(I)	1.00	0.00	1.00	1.00
Yld:Yld	G(Ia)	1.00	0.00	1.00	1.00
Yld:Yld	P(I)	1.00	0.00	1.00	1.00
Yld:Cww	E(I)	0.30	0.03	0.24	0.35
Yld:Cww	G(Ia)	0.23	0.03	0.18	0.28
Yld:Cww	P(I)	0.27	0.02	0.24	0.30
Yld:Staladj	E(I)	0.36	0.03	0.29	0.42
Yld:Staladj	G(Ia)	0.08	0.03	0.03	0.14
Yld:Staladj	P(I)	0.24	0.02	0.21	0.27
Yld:Gfwadj	E(I)	-0.09	0.03	-0.16	-0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Yld:Gfwadj	G(Ia)	-0.31	0.03	-0.37	-0.26
Yld:Gfwadj	P(I)	-0.18	0.02	-0.21	-0.15
Yld:Cwwadj	E(I)	0.29	0.03	0.23	0.35
Yld:Cwwadj	G(Ia)	0.20	0.03	0.14	0.25
Yld:Cwwadj	P(I)	0.25	0.02	0.22	0.28
Yld:Crimp	E(I)	-0.39	0.16	-0.70	-0.08
Yld:Crimp	G(Ia)	-0.36	0.03	-0.41	-0.30
Yld:Crimp	P(I)	-0.27	0.02	-0.30	-0.23
Yld:Crwvl	E(I)	0.18	0.05	0.08	0.27
Yld:Crwvl	G(Ia)	0.38	0.04	0.31	0.45
Yld:Crwvl	P(I)	0.26	0.02	0.22	0.30
Yld:Crst	E(I)	0.15	0.06	0.03	0.26
Yld:Crst	G(Ia)	-0.38	0.04	-0.45	-0.31
Yld:Crst	P(I)	-0.11	0.02	-0.15	-0.07
Yld:Crstadj	E(I)	0.14	0.05	0.03	0.24
Yld:Crstadj	G(Ia)	-0.39	0.04	-0.46	-0.31
Yld:Crstadj	P(I)	-0.11	0.02	-0.15	-0.07
Yld:Crwvt	E(I)	-0.07	0.05	-0.16	0.02
Yld:Crwvt	G(Ia)	0.40	0.04	0.32	0.49
Yld:Crwvt	P(I)	0.12	0.02	0.08	0.16
Yld:Dp	E(I)	0.03	0.08	-0.12	0.19
Yld:Dp	G(Ia)	-0.19	0.06	-0.31	-0.07
Yld:Dp	P(I)	-0.07	0.03	-0.13	-0.00
Yld:Ds	E(I)	-0.07	0.07	-0.21	0.06
Yld:Ds	G(Ia)	0.02	0.07	-0.12	0.16
Yld:Ds	P(I)	-0.04	0.03	-0.10	0.03
Yld:Dps	E(I)	-0.07	0.07	-0.20	0.07
Yld:Dps	G(Ia)	-0.00	0.07	-0.14	0.13
Yld:Dps	P(I)	-0.04	0.03	-0.11	0.02
Yld:DpovDs	E(I)	0.13	0.12	-0.11	0.37
Yld:DpovDs	G(Ia)	-0.17	0.05	-0.27	-0.07
Yld:DpovDs	P(I)	-0.05	0.03	-0.11	0.01
Yld:CVDp	E(I)	-0.08	0.06	-0.20	0.05
Yld:CVDp	G(Ia)	-0.26	0.08	-0.41	-0.11
Yld:CVDp	P(I)	-0.14	0.03	-0.21	-0.08
Yld:CVDs	E(I)	-0.07	0.06	-0.19	0.05
Yld:CVDs	G(Ia)	-0.30	0.09	-0.47	-0.13
Yld:CVDs	P(I)	-0.14	0.03	-0.21	-0.08
Yld:MaxDp	E(I)	-0.01	0.07	-0.15	0.13
Yld:MaxDp	G(Ia)	-0.19	0.06	-0.32	-0.07
Yld:MaxDp	P(I)	-0.09	0.03	-0.15	-0.02
Yld:MinDp	E(I)	0.08	0.06	-0.03	0.19
Yld:MinDp	G(Ia)	-0.35	0.20	-0.73	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Yld:MinDp	P(I)	0.00	0.03	-0.06	0.07
Yld:MaxDs	E(I)	-0.11	0.06	-0.23	0.01
Yld:MaxDs	G(Ia)	-0.21	0.10	-0.41	-0.01
Yld:MaxDs	P(I)	-0.14	0.03	-0.20	-0.07
Yld:MinDs	E(I)	0.02	0.06	-0.09	0.13
Yld:MinDs	G(Ia)	-0.14	0.19	-0.52	0.23
Yld:MinDs	P(I)	-0.01	0.03	-0.07	0.06
Yld:SDDp	E(I)	-0.05	0.07	-0.20	0.09
Yld:SDDp	G(Ia)	-0.26	0.06	-0.38	-0.13
Yld:SDDp	P(I)	-0.14	0.03	-0.21	-0.08
Yld:SDDs	E(I)	-0.14	0.07	-0.28	-0.01
Yld:SDDs	G(Ia)	-0.22	0.07	-0.36	-0.08
Yld:SDDs	P(I)	-0.17	0.03	-0.24	-0.11
Yld:SDD	E(I)	-0.14	0.07	-0.27	-0.00
Yld:SDD	G(Ia)	-0.25	0.07	-0.38	-0.12
Yld:SDD	P(I)	-0.18	0.03	-0.25	-0.12
Yld:CVD	E(I)	-0.07	0.06	-0.19	0.05
Yld:CVD	G(Ia)	-0.32	0.08	-0.48	-0.16
Yld:CVD	P(I)	-0.15	0.03	-0.22	-0.09
Yld:Gt30Dp	E(I)	0.11	0.08	-0.04	0.26
Yld:Gt30Dp	G(Ia)	-0.33	0.07	-0.46	-0.20
Yld:Gt30Dp	P(I)	-0.08	0.03	-0.14	-0.01
Yld:Gt30Ds	E(I)	-0.10	0.06	-0.23	0.02
Yld:Gt30Ds	G(Ia)	-0.21	0.09	-0.38	-0.04
Yld:Gt30Ds	P(I)	-0.14	0.03	-0.20	-0.07
Yld:Gt30D	E(I)	-0.06	0.06	-0.19	0.06
Yld:Gt30D	G(Ia)	-0.30	0.08	-0.46	-0.14
Yld:Gt30D	P(I)	-0.14	0.03	-0.21	-0.08
Yld:Fnu	E(I)	-0.06	0.03	-0.12	0.01
Yld:Fnu	G(Ia)	0.42	0.03	0.36	0.49
Yld:Fnu	P(I)	0.12	0.02	0.09	0.15
Yld:Fr	E(I)	0.02	0.03	-0.05	0.08
Yld:Fr	G(Ia)	0.11	0.03	0.05	0.17
Yld:Fr	P(I)	0.05	0.02	0.02	0.09
Yld:Fnt	E(I)	-0.03	0.03	-0.10	0.04
Yld:Fnt	G(Ia)	0.43	0.03	0.37	0.49
Yld:Fnt	P(I)	0.14	0.02	0.11	0.18
Yld:Sarea	E(I)	0.05	0.04	-0.02	0.12
Yld:Sarea	G(Ia)	-0.01	0.03	-0.07	0.05
Yld:Sarea	P(I)	0.03	0.02	-0.01	0.06
Yld:Fd	E(I)	-0.04	0.04	-0.11	0.03
Yld:Fd	G(Ia)	-0.15	0.05	-0.24	-0.06
Yld:Fd	P(I)	-0.07	0.02	-0.11	-0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Yld:Fc	E(I)	-0.28	0.05	-0.37	-0.18
Yld:Fc	G(Ia)	-0.47	0.02	-0.51	-0.42
Yld:Fc	P(I)	-0.38	0.02	-0.41	-0.34
Yld:Fu	E(I)	-0.26	0.04	-0.33	-0.19
Yld:Fu	G(Ia)	-0.43	0.03	-0.49	-0.37
Yld:Fu	P(I)	-0.33	0.02	-0.37	-0.30
Yld:Colour	E(I)	-0.09	0.03	-0.14	-0.03
Yld:Colour	G(Ia)	-0.29	0.04	-0.37	-0.21
Yld:Colour	P(I)	-0.14	0.02	-0.17	-0.11
Yld:Fly	E(I)	0.01	0.03	-0.05	0.06
Yld:Fly	G(Ia)	0.00	0.05	-0.10	0.11
Yld:Fly	P(I)	0.00	0.02	-0.03	0.04
Yld:Flcrot	E(I)	-0.02	0.03	-0.07	0.04
Yld:Flcrot	G(Ia)	0.35	0.12	0.12	0.58
Yld:Flcrot	P(I)	0.03	0.02	-0.00	0.06
Yld:Bactst	E(I)	0.03	0.04	-0.04	0.11
Yld:Bactst	G(Ia)	0.33	0.10	0.13	0.53
Yld:Bactst	P(I)	0.07	0.02	0.03	0.11
Yld:MycD	E(I)	0.11	0.04	0.04	0.18
Yld:MycD	G(Ia)	-0.41	0.12	-0.65	-0.17
Yld:MycD	P(I)	0.01	0.02	-0.03	0.05
Yld:Bcts	E(I)	0.01	0.07	-0.13	0.14
Yld:Bcts	G(Ia)	-0.05	0.02	-0.09	-0.02
Yld:Bcts	P(I)	-0.03	0.02	-0.07	-0.00
Yld:Bctb	E(I)	-0.02	0.06	-0.15	0.10
Yld:Bctb	G(Ia)	-0.04	0.02	-0.08	-0.00
Yld:Bctb	P(I)	-0.04	0.02	-0.07	-0.00
Yld:Weanwt	E(I)	0.06	0.04	-0.01	0.13
Yld:Weanwt	G(Ia)	-0.05	0.04	-0.12	0.02
Yld:Weanwt	P(I)	0.02	0.02	-0.01	0.05
Yld:NLB	E(I)	-0.05	0.03	-0.10	0.01
Yld:NLB	G(Ia)	0.05	0.04	-0.02	0.12
Yld:NLB	P(I)	-0.02	0.02	-0.05	0.02
Yld:NLW	E(I)	-0.03	0.03	-0.09	0.02
Yld:NLW	G(Ia)	0.03	0.04	-0.04	0.10
Yld:NLW	P(I)	-0.01	0.02	-0.05	0.02
Yld:Fnpua	E(I)	-0.05	0.03	-0.11	0.01
Yld:Fnpua	G(Ia)	0.31	0.04	0.24	0.39
Yld:Fnpua	P(I)	0.07	0.02	0.03	0.10
Yld:Fnsua	E(I)	-0.05	0.03	-0.12	0.01
Yld:Fnsua	G(Ia)	0.42	0.03	0.35	0.48
Yld:Fnsua	P(I)	0.12	0.02	0.09	0.15
Yld:Fnpt	E(I)	-0.02	0.03	-0.09	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Yld:Fnpt	G(Ia)	0.29	0.03	0.22	0.36
Yld:Fnpt	P(I)	0.08	0.02	0.05	0.12
Yld:Fnst	E(I)	-0.03	0.03	-0.10	0.04
Yld:Fnst	G(Ia)	0.43	0.03	0.36	0.49
Yld:Fnst	P(I)	0.14	0.02	0.11	0.17
Cww:Stal	E(I)	0.31	0.03	0.25	0.36
Cww:Stal	G(Ia)	0.59	0.03	0.54	0.64
Cww:Stal	P(I)	0.41	0.01	0.38	0.43
Cww:Diam	E(I)	0.25	0.03	0.19	0.31
Cww:Diam	G(Ia)	0.48	0.03	0.43	0.53
Cww:Diam	P(I)	0.34	0.01	0.31	0.37
Cww:Bwt	E(I)	0.55	0.02	0.50	0.60
Cww:Bwt	G(Ia)	0.26	0.03	0.21	0.32
Cww:Bwt	P(I)	0.45	0.01	0.42	0.48
Cww:WrN	E(I)	0.21	0.03	0.15	0.27
Cww:WrN	G(Ia)	0.20	0.03	0.14	0.26
Cww:WrN	P(I)	0.21	0.02	0.18	0.24
Cww:WrB	E(I)	0.25	0.03	0.20	0.31
Cww:WrB	G(Ia)	0.11	0.03	0.05	0.17
Cww:WrB	P(I)	0.20	0.02	0.17	0.23
Cww:WrT	E(I)	0.27	0.03	0.21	0.33
Cww:WrT	G(Ia)	0.15	0.03	0.10	0.21
Cww:WrT	P(I)	0.22	0.02	0.19	0.26
Cww:Face	E(I)	0.01	0.05	-0.08	0.10
Cww:Face	G(Ia)	-0.22	0.02	-0.26	-0.17
Cww:Face	P(I)	-0.10	0.02	-0.13	-0.07
Cww:Gfw	E(I)	0.92	0.01	0.90	0.94
Cww:Gfw	G(Ia)	0.87	0.01	0.85	0.89
Cww:Gfw	P(I)	0.90	0.01	0.89	0.91
Cww:Yld	E(I)	0.30	0.03	0.24	0.35
Cww:Yld	G(Ia)	0.23	0.03	0.18	0.28
Cww:Yld	P(I)	0.27	0.02	0.24	0.30
Cww:Cww	E(I)	1.00	0.00	1.00	1.00
Cww:Cww	G(Ia)	1.00	0.00	1.00	1.00
Cww:Cww	P(I)	1.00	0.00	1.00	1.00
Cww:Staladj	E(I)	0.31	0.03	0.26	0.37
Cww:Staladj	G(Ia)	0.59	0.03	0.53	0.64
Cww:Staladj	P(I)	0.41	0.01	0.38	0.44
Cww:Gfwadj	E(I)	0.89	0.01	0.87	0.91
Cww:Gfwadj	G(Ia)	0.85	0.01	0.83	0.88
Cww:Gfwadj	P(I)	0.88	0.01	0.87	0.89
Cww:Cwwadj	E(I)	0.98	0.00	0.97	0.99
Cww:Cwwadj	G(Ia)	1.00	0.00	0.99	1.01

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cww:Cwwadj	P(I)	0.99	0.00	0.98	0.99
Cww:Crimp	E(I)	0.50	0.22	0.06	0.94
Cww:Crimp	G(Ia)	-0.68	0.02	-0.73	-0.64
Cww:Crimp	P(I)	-0.32	0.02	-0.35	-0.29
Cww:Crwvl	E(I)	-0.44	0.05	-0.54	-0.33
Cww:Crwvl	G(Ia)	0.69	0.03	0.62	0.75
Cww:Crwvl	P(I)	0.11	0.02	0.07	0.14
Cww:Crst	E(I)	0.59	0.06	0.48	0.70
Cww:Crst	G(Ia)	-0.50	0.03	-0.56	-0.43
Cww:Crst	P(I)	0.02	0.02	-0.01	0.06
Cww:Crstadj	E(I)	0.54	0.05	0.44	0.64
Cww:Crstadj	G(Ia)	-0.50	0.03	-0.57	-0.44
Cww:Crstadj	P(I)	0.02	0.02	-0.01	0.06
Cww:Crwvt	E(I)	-0.53	0.04	-0.61	-0.44
Cww:Crwvt	G(Ia)	0.47	0.04	0.39	0.54
Cww:Crwvt	P(I)	-0.10	0.02	-0.14	-0.07
Cww:Dp	E(I)	0.18	0.08	0.03	0.34
Cww:Dp	G(Ia)	-0.01	0.06	-0.12	0.10
Cww:Dp	P(I)	0.09	0.03	0.03	0.15
Cww:Ds	E(I)	-0.11	0.07	-0.25	0.04
Cww:Ds	G(Ia)	0.63	0.06	0.50	0.75
Cww:Ds	P(I)	0.20	0.03	0.14	0.27
Cww:Dps	E(I)	-0.09	0.07	-0.23	0.05
Cww:Dps	G(Ia)	0.63	0.06	0.50	0.75
Cww:Dps	P(I)	0.20	0.03	0.14	0.26
Cww:DpovDs	E(I)	0.40	0.13	0.14	0.66
Cww:DpovDs	G(Ia)	-0.31	0.04	-0.40	-0.22
Cww:DpovDs	P(I)	-0.06	0.03	-0.12	0.00
Cww:CVDp	E(I)	-0.03	0.07	-0.17	0.10
Cww:CVDp	G(Ia)	0.03	0.07	-0.11	0.17
Cww:CVDp	P(I)	-0.01	0.03	-0.07	0.05
Cww:CVDs	E(I)	-0.06	0.06	-0.19	0.07
Cww:CVDs	G(Ia)	-0.04	0.08	-0.19	0.11
Cww:CVDs	P(I)	-0.05	0.03	-0.12	0.01
Cww:MaxDp	E(I)	0.09	0.08	-0.06	0.24
Cww:MaxDp	G(Ia)	-0.02	0.06	-0.14	0.09
Cww:MaxDp	P(I)	0.04	0.03	-0.03	0.10
Cww:MinDp	E(I)	0.13	0.06	0.02	0.24
Cww:MinDp	G(Ia)	-0.04	0.17	-0.38	0.30
Cww:MinDp	P(I)	0.09	0.03	0.02	0.15
Cww:MaxDs	E(I)	-0.05	0.06	-0.17	0.07
Cww:MaxDs	G(Ia)	0.48	0.09	0.30	0.66
Cww:MaxDs	P(I)	0.11	0.03	0.05	0.17

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cww:MinDs	E(I)	0.05	0.06	-0.06	0.16
Cww:MinDs	G(Ia)	0.16	0.16	-0.16	0.48
Cww:MinDs	P(I)	0.06	0.03	-0.00	0.12
Cww:SDDp	E(I)	0.09	0.08	-0.06	0.24
Cww:SDDp	G(Ia)	-0.07	0.06	-0.18	0.04
Cww:SDDp	P(I)	0.01	0.03	-0.05	0.08
Cww:SDDs	E(I)	-0.12	0.07	-0.26	0.02
Cww:SDDs	G(Ia)	0.30	0.06	0.18	0.43
Cww:SDDs	P(I)	0.06	0.03	-0.00	0.12
Cww:SDD	E(I)	-0.11	0.07	-0.25	0.04
Cww:SDD	G(Ia)	0.27	0.06	0.14	0.39
Cww:SDD	P(I)	0.06	0.03	-0.01	0.12
Cww:CVD	E(I)	-0.05	0.07	-0.18	0.08
Cww:CVD	G(Ia)	-0.06	0.07	-0.21	0.08
Cww:CVD	P(I)	-0.06	0.03	-0.12	0.01
Cww:Gt30Dp	E(I)	0.17	0.08	0.02	0.32
Cww:Gt30Dp	G(Ia)	-0.09	0.06	-0.21	0.02
Cww:Gt30Dp	P(I)	0.05	0.03	-0.02	0.11
Cww:Gt30Ds	E(I)	-0.04	0.07	-0.17	0.09
Cww:Gt30Ds	G(Ia)	0.43	0.08	0.28	0.58
Cww:Gt30Ds	P(I)	0.13	0.03	0.06	0.19
Cww:Gt30D	E(I)	-0.01	0.07	-0.15	0.13
Cww:Gt30D	G(Ia)	0.34	0.07	0.20	0.49
Cww:Gt30D	P(I)	0.12	0.03	0.06	0.18
Cww:Fnuu	E(I)	-0.05	0.03	-0.11	0.01
Cww:Fnuu	G(Ia)	0.01	0.04	-0.07	0.08
Cww:Fnuu	P(I)	-0.03	0.02	-0.07	0.00
Cww:Fr	E(I)	0.19	0.03	0.13	0.25
Cww:Fr	G(Ia)	0.06	0.04	-0.01	0.13
Cww:Fr	P(I)	0.15	0.02	0.12	0.18
Cww:Fnt	E(I)	0.21	0.03	0.15	0.26
Cww:Fnt	G(Ia)	0.11	0.04	0.03	0.18
Cww:Fnt	P(I)	0.17	0.02	0.14	0.21
Cww:Sarea	E(I)	0.58	0.03	0.53	0.63
Cww:Sarea	G(Ia)	0.22	0.03	0.16	0.28
Cww:Sarea	P(I)	0.45	0.01	0.42	0.48
Cww:Fd	E(I)	0.15	0.03	0.09	0.21
Cww:Fd	G(Ia)	0.43	0.05	0.33	0.53
Cww:Fd	P(I)	0.22	0.02	0.18	0.25
Cww:Fc	E(I)	0.26	0.05	0.16	0.35
Cww:Fc	G(Ia)	-0.38	0.03	-0.43	-0.32
Cww:Fc	P(I)	-0.05	0.02	-0.09	-0.01
Cww:Fu	E(I)	0.14	0.04	0.07	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cww:Fu	G(Ia)	-0.23	0.04	-0.30	-0.15
Cww:Fu	P(I)	0.01	0.02	-0.03	0.05
Cww:Colour	E(I)	-0.06	0.03	-0.12	-0.01
Cww:Colour	G(Ia)	0.11	0.05	0.02	0.20
Cww:Colour	P(I)	-0.02	0.02	-0.05	0.01
Cww:Fly	E(I)	0.08	0.03	0.03	0.14
Cww:Fly	G(Ia)	-0.36	0.07	-0.49	-0.22
Cww:Fly	P(I)	-0.00	0.02	-0.03	0.03
Cww:Flcrot	E(I)	0.01	0.03	-0.04	0.06
Cww:Flcrot	G(Ia)	-0.04	0.12	-0.27	0.18
Cww:Flcrot	P(I)	0.00	0.02	-0.03	0.03
Cww:Bactst	E(I)	0.01	0.03	-0.05	0.07
Cww:Bactst	G(Ia)	-0.09	0.12	-0.31	0.14
Cww:Bactst	P(I)	-0.00	0.02	-0.04	0.04
Cww:MycD	E(I)	0.06	0.03	-0.00	0.12
Cww:MycD	G(Ia)	0.10	0.12	-0.14	0.34
Cww:MycD	P(I)	0.06	0.02	0.02	0.10
Cww:Bcts	E(I)	0.27	0.06	0.16	0.38
Cww:Bcts	G(Ia)	-0.10	0.03	-0.15	-0.05
Cww:Bcts	P(I)	0.05	0.02	0.02	0.09
Cww:Bctb	E(I)	0.28	0.05	0.18	0.38
Cww:Bctb	G(Ia)	-0.12	0.03	-0.18	-0.07
Cww:Bctb	P(I)	0.06	0.02	0.02	0.09
Cww:Weanwt	E(I)	0.48	0.03	0.43	0.53
Cww:Weanwt	G(Ia)	0.11	0.05	0.03	0.20
Cww:Weanwt	P(I)	0.38	0.02	0.35	0.41
Cww:NLB	E(I)	-0.26	0.03	-0.31	-0.21
Cww:NLB	G(Ia)	0.15	0.04	0.07	0.24
Cww:NLB	P(I)	-0.15	0.02	-0.18	-0.12
Cww:NLW	E(I)	-0.22	0.03	-0.27	-0.16
Cww:NLW	G(Ia)	0.10	0.04	0.02	0.18
Cww:NLW	P(I)	-0.13	0.02	-0.16	-0.10
Cww:Fnpua	E(I)	-0.24	0.03	-0.30	-0.18
Cww:Fnpua	G(Ia)	-0.02	0.04	-0.11	0.06
Cww:Fnpua	P(I)	-0.18	0.02	-0.21	-0.14
Cww:Fnsua	E(I)	-0.04	0.03	-0.10	0.02
Cww:Fnsua	G(Ia)	0.01	0.04	-0.07	0.08
Cww:Fnsua	P(I)	-0.02	0.02	-0.06	0.01
Cww:Fnpt	E(I)	-0.01	0.03	-0.06	0.05
Cww:Fnpt	G(Ia)	0.08	0.04	0.00	0.16
Cww:Fnpt	P(I)	0.02	0.02	-0.01	0.06
Cww:Fnst	E(I)	0.21	0.03	0.15	0.27
Cww:Fnst	G(Ia)	0.10	0.04	0.03	0.18

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cww:Fnst	P(I)	0.18	0.02	0.14	0.21
Staladj:Stal	E(I)	0.97	0.00	0.96	0.98
Staladj:Stal	G(Ia)	0.99	0.00	0.99	1.00
Staladj:Stal	P(I)	0.98	0.00	0.97	0.98
Staladj:Diam	E(I)	0.13	0.03	0.07	0.19
Staladj:Diam	G(Ia)	0.13	0.03	0.08	0.18
Staladj:Diam	P(I)	0.13	0.02	0.10	0.16
Staladj:Bwt	E(I)	0.24	0.03	0.18	0.30
Staladj:Bwt	G(Ia)	0.09	0.03	0.03	0.15
Staladj:Bwt	P(I)	0.18	0.02	0.15	0.22
Staladj:WrN	E(I)	-0.14	0.03	-0.20	-0.08
Staladj:WrN	G(Ia)	-0.19	0.03	-0.25	-0.13
Staladj:WrN	P(I)	-0.16	0.02	-0.19	-0.13
Staladj:WrB	E(I)	-0.12	0.03	-0.18	-0.06
Staladj:WrB	G(Ia)	-0.20	0.03	-0.26	-0.14
Staladj:WrB	P(I)	-0.15	0.02	-0.18	-0.12
Staladj:WrT	E(I)	-0.14	0.03	-0.20	-0.08
Staladj:WrT	G(Ia)	-0.19	0.03	-0.24	-0.14
Staladj:WrT	P(I)	-0.16	0.02	-0.19	-0.13
Staladj:Face	E(I)	-0.09	0.04	-0.17	0.00
Staladj:Face	G(Ia)	-0.25	0.02	-0.30	-0.21
Staladj:Face	P(I)	-0.16	0.02	-0.20	-0.13
Staladj:Gfw	E(I)	0.18	0.03	0.13	0.24
Staladj:Gfw	G(Ia)	0.54	0.03	0.48	0.59
Staladj:Gfw	P(I)	0.31	0.02	0.28	0.34
Staladj:Yld	E(I)	0.36	0.03	0.29	0.42
Staladj:Yld	G(Ia)	0.08	0.03	0.03	0.14
Staladj:Yld	P(I)	0.24	0.02	0.21	0.27
Staladj:Cww	E(I)	0.31	0.03	0.26	0.37
Staladj:Cww	G(Ia)	0.59	0.03	0.53	0.64
Staladj:Cww	P(I)	0.41	0.01	0.38	0.44
Staladj:Staladj	E(I)	1.00	0.00	1.00	1.00
Staladj:Staladj	G(Ia)	1.00	0.00	1.00	1.00
Staladj:Staladj	P(I)	1.00	0.00	1.00	1.00
Staladj:Gfwadj	E(I)	0.19	0.03	0.13	0.24
Staladj:Gfwadj	G(Ia)	0.52	0.03	0.47	0.58
Staladj:Gfwadj	P(I)	0.31	0.02	0.28	0.34
Staladj:Cwwadj	E(I)	0.32	0.03	0.27	0.37
Staladj:Cwwadj	G(Ia)	0.58	0.03	0.52	0.63
Staladj:Cwwadj	P(I)	0.41	0.01	0.38	0.44
Staladj:Crimp	E(I)	0.32	0.25	-0.18	0.82
Staladj:Crimp	G(Ia)	-0.53	0.03	-0.58	-0.48
Staladj:Crimp	P(I)	-0.27	0.02	-0.30	-0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Staladj:Crwvl	E(I)	0.01	0.05	-0.08	0.10
Staladj:Crwvl	G(Ia)	0.50	0.03	0.44	0.57
Staladj:Crwvl	P(I)	0.23	0.02	0.20	0.27
Staladj:Crst	E(I)	0.89	0.06	0.78	1.00
Staladj:Crst	G(Ia)	-0.17	0.04	-0.24	-0.09
Staladj:Crst	P(I)	0.32	0.02	0.28	0.36
Staladj:Crstadj	E(I)	0.84	0.05	0.74	0.94
Staladj:Crstadj	G(Ia)	-0.16	0.04	-0.23	-0.08
Staladj:Crstadj	P(I)	0.33	0.02	0.30	0.37
Staladj:Crwvt	E(I)	-0.64	0.04	-0.72	-0.56
Staladj:Crwvt	G(Ia)	0.10	0.04	0.02	0.19
Staladj:Crwvt	P(I)	-0.32	0.02	-0.36	-0.28
Staladj:Dp	E(I)	0.09	0.09	-0.08	0.26
Staladj:Dp	G(Ia)	-0.19	0.05	-0.30	-0.09
Staladj:Dp	P(I)	-0.05	0.03	-0.12	0.01
Staladj:Ds	E(I)	-0.05	0.08	-0.21	0.10
Staladj:Ds	G(Ia)	0.36	0.06	0.23	0.48
Staladj:Ds	P(I)	0.13	0.03	0.06	0.19
Staladj:Dps	E(I)	-0.05	0.08	-0.20	0.10
Staladj:Dps	G(Ia)	0.35	0.06	0.22	0.47
Staladj:Dps	P(I)	0.12	0.03	0.06	0.19
Staladj:DpovDs	E(I)	0.18	0.14	-0.10	0.45
Staladj:DpovDs	G(Ia)	-0.33	0.04	-0.42	-0.25
Staladj:DpovDs	P(I)	-0.15	0.03	-0.22	-0.09
Staladj:CVDp	E(I)	-0.14	0.07	-0.29	-0.00
Staladj:CVDp	G(Ia)	0.05	0.07	-0.09	0.19
Staladj:CVDp	P(I)	-0.07	0.03	-0.13	0.00
Staladj:CVDs	E(I)	-0.18	0.07	-0.32	-0.05
Staladj:CVDs	G(Ia)	-0.08	0.07	-0.23	0.07
Staladj:CVDs	P(I)	-0.14	0.03	-0.21	-0.08
Staladj:MaxDp	E(I)	0.10	0.08	-0.07	0.26
Staladj:MaxDp	G(Ia)	-0.19	0.06	-0.30	-0.08
Staladj:MaxDp	P(I)	-0.04	0.03	-0.11	0.02
Staladj:MinDp	E(I)	0.22	0.06	0.10	0.35
Staladj:MinDp	G(Ia)	-0.74	0.18	-1.09	-0.39
Staladj:MinDp	P(I)	-0.01	0.03	-0.07	0.06
Staladj:MaxDs	E(I)	-0.22	0.07	-0.35	-0.09
Staladj:MaxDs	G(Ia)	0.19	0.09	0.01	0.37
Staladj:MaxDs	P(I)	-0.08	0.03	-0.15	-0.02
Staladj:MinDs	E(I)	-0.02	0.06	-0.14	0.10
Staladj:MinDs	G(Ia)	0.19	0.16	-0.12	0.49
Staladj:MinDs	P(I)	0.02	0.03	-0.04	0.09
Staladj:SDDp	E(I)	-0.03	0.08	-0.19	0.12

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Staladj:SDDp	G(Ia)	-0.13	0.06	-0.24	-0.02
Staladj:SDDp	P(I)	-0.08	0.03	-0.15	-0.01
Staladj:SDDs	E(I)	-0.20	0.08	-0.35	-0.05
Staladj:SDDs	G(Ia)	0.11	0.06	-0.02	0.23
Staladj:SDDs	P(I)	-0.06	0.03	-0.13	0.00
Staladj:SDD	E(I)	-0.19	0.08	-0.34	-0.04
Staladj:SDD	G(Ia)	0.08	0.06	-0.04	0.20
Staladj:SDD	P(I)	-0.07	0.03	-0.13	-0.00
Staladj:CVD	E(I)	-0.18	0.07	-0.32	-0.04
Staladj:CVD	G(Ia)	-0.10	0.07	-0.24	0.04
Staladj:CVD	P(I)	-0.14	0.03	-0.21	-0.08
Staladj:Gt30Dp	E(I)	0.07	0.08	-0.10	0.23
Staladj:Gt30Dp	G(Ia)	-0.21	0.06	-0.32	-0.10
Staladj:Gt30Dp	P(I)	-0.07	0.03	-0.13	-0.00
Staladj:Gt30Ds	E(I)	-0.06	0.07	-0.20	0.08
Staladj:Gt30Ds	G(Ia)	0.11	0.08	-0.04	0.26
Staladj:Gt30Ds	P(I)	0.00	0.03	-0.06	0.07
Staladj:Gt30D	E(I)	-0.05	0.07	-0.19	0.10
Staladj:Gt30D	G(Ia)	0.05	0.07	-0.09	0.20
Staladj:Gt30D	P(I)	-0.01	0.03	-0.07	0.06
Staladj:Fnu	E(I)	-0.18	0.03	-0.23	-0.12
Staladj:Fnu	G(Ia)	-0.15	0.04	-0.22	-0.07
Staladj:Fnu	P(I)	-0.17	0.02	-0.20	-0.13
Staladj:Fr	E(I)	-0.08	0.03	-0.14	-0.02
Staladj:Fr	G(Ia)	-0.25	0.04	-0.32	-0.17
Staladj:Fr	P(I)	-0.13	0.02	-0.17	-0.10
Staladj:Fnt	E(I)	-0.07	0.03	-0.13	-0.01
Staladj:Fnt	G(Ia)	-0.08	0.04	-0.16	-0.00
Staladj:Fnt	P(I)	-0.07	0.02	-0.11	-0.04
Staladj:Sarea	E(I)	0.23	0.03	0.17	0.29
Staladj:Sarea	G(Ia)	0.12	0.03	0.05	0.18
Staladj:Sarea	P(I)	0.19	0.02	0.16	0.23
Staladj:Fd	E(I)	0.15	0.03	0.10	0.21
Staladj:Fd	G(Ia)	0.42	0.06	0.32	0.53
Staladj:Fd	P(I)	0.22	0.02	0.18	0.25
Staladj:Fc	E(I)	-0.02	0.05	-0.11	0.07
Staladj:Fc	G(Ia)	-0.40	0.03	-0.46	-0.34
Staladj:Fc	P(I)	-0.19	0.02	-0.22	-0.15
Staladj:Fu	E(I)	-0.09	0.03	-0.16	-0.02
Staladj:Fu	G(Ia)	-0.33	0.04	-0.41	-0.25
Staladj:Fu	P(I)	-0.17	0.02	-0.21	-0.13
Staladj:Colour	E(I)	-0.12	0.03	-0.17	-0.06
Staladj:Colour	G(Ia)	0.02	0.05	-0.07	0.12

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Staladj:Colour	P(I)	-0.08	0.02	-0.11	-0.04
Staladj:Fly	E(I)	0.11	0.03	0.05	0.16
Staladj:Fly	G(Ia)	-0.46	0.07	-0.60	-0.32
Staladj:Fly	P(I)	-0.00	0.02	-0.04	0.03
Staladj:Flcrot	E(I)	0.00	0.03	-0.05	0.06
Staladj:Flcrot	G(Ia)	-0.14	0.10	-0.34	0.07
Staladj:Flcrot	P(I)	-0.01	0.02	-0.05	0.02
Staladj:Bactst	E(I)	-0.05	0.03	-0.12	0.01
Staladj:Bactst	G(Ia)	-0.51	0.11	-0.74	-0.29
Staladj:Bactst	P(I)	-0.12	0.02	-0.16	-0.08
Staladj:MycD	E(I)	0.03	0.03	-0.03	0.10
Staladj:MycD	G(Ia)	-0.29	0.14	-0.56	-0.01
Staladj:MycD	P(I)	-0.01	0.02	-0.05	0.03
Staladj:Bets	E(I)	0.40	0.06	0.28	0.52
Staladj:Bets	G(Ia)	-0.19	0.02	-0.23	-0.14
Staladj:Bets	P(I)	0.04	0.02	0.00	0.07
Staladj:Bctb	E(I)	0.40	0.06	0.29	0.51
Staladj:Bctb	G(Ia)	-0.22	0.02	-0.27	-0.18
Staladj:Bctb	P(I)	0.03	0.02	-0.00	0.06
Staladj:Weanwt	E(I)	0.10	0.03	0.03	0.16
Staladj:Weanwt	G(Ia)	0.00	0.03	-0.07	0.07
Staladj:Weanwt	P(I)	0.06	0.02	0.03	0.10
Staladj:NLB	E(I)	-0.04	0.03	-0.10	0.01
Staladj:NLB	G(Ia)	0.29	0.04	0.20	0.37
Staladj:NLB	P(I)	0.05	0.02	0.01	0.08
Staladj:NLW	E(I)	0.03	0.03	-0.03	0.08
Staladj:NLW	G(Ia)	0.14	0.04	0.06	0.22
Staladj:NLW	P(I)	0.06	0.02	0.03	0.09
Staladj:Fnpua	E(I)	-0.09	0.03	-0.15	-0.03
Staladj:Fnpua	G(Ia)	0.09	0.05	0.00	0.18
Staladj:Fnpua	P(I)	-0.04	0.02	-0.07	-0.01
Staladj:Fnsua	E(I)	-0.17	0.03	-0.23	-0.12
Staladj:Fnsua	G(Ia)	-0.16	0.04	-0.23	-0.08
Staladj:Fnsua	P(I)	-0.17	0.02	-0.20	-0.13
Staladj:Fnpt	E(I)	0.01	0.03	-0.05	0.07
Staladj:Fnpt	G(Ia)	0.15	0.04	0.07	0.23
Staladj:Fnpt	P(I)	0.05	0.02	0.01	0.08
Staladj:Fnst	E(I)	-0.07	0.03	-0.13	-0.01
Staladj:Fnst	G(Ia)	-0.09	0.04	-0.16	-0.01
Staladj:Fnst	P(I)	-0.08	0.02	-0.11	-0.04
Gfwadj:Stal	E(I)	0.14	0.03	0.09	0.20
Gfwadj:Stal	G(Ia)	0.51	0.03	0.45	0.56
Gfwadj:Stal	P(I)	0.27	0.02	0.24	0.30

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfwadj:Diam	E(I)	0.29	0.03	0.23	0.35
Gfwadj:Diam	G(Ia)	0.55	0.02	0.50	0.60
Gfwadj:Diam	P(I)	0.39	0.01	0.36	0.42
Gfwadj:Bwt	E(I)	0.53	0.03	0.48	0.58
Gfwadj:Bwt	G(Ia)	0.24	0.03	0.18	0.29
Gfwadj:Bwt	P(I)	0.43	0.01	0.40	0.45
Gfwadj:WrN	E(I)	0.28	0.03	0.22	0.34
Gfwadj:WrN	G(Ia)	0.37	0.03	0.32	0.43
Gfwadj:WrN	P(I)	0.32	0.02	0.29	0.35
Gfwadj:WrB	E(I)	0.32	0.03	0.26	0.37
Gfwadj:WrB	G(Ia)	0.33	0.03	0.27	0.38
Gfwadj:WrB	P(I)	0.32	0.02	0.29	0.35
Gfwadj:WrT	E(I)	0.34	0.03	0.28	0.40
Gfwadj:WrT	G(Ia)	0.36	0.03	0.30	0.41
Gfwadj:WrT	P(I)	0.34	0.01	0.32	0.37
Gfwadj:Face	E(I)	-0.10	0.04	-0.18	-0.01
Gfwadj:Face	G(Ia)	-0.06	0.02	-0.10	-0.01
Gfwadj:Face	P(I)	-0.07	0.02	-0.10	-0.04
Gfwadj:Gfw	E(I)	0.98	0.00	0.97	0.99
Gfwadj:Gfw	G(Ia)	1.00	0.00	0.99	1.00
Gfwadj:Gfw	P(I)	0.99	0.00	0.98	0.99
Gfwadj:Yld	E(I)	-0.09	0.03	-0.16	-0.03
Gfwadj:Yld	G(Ia)	-0.31	0.03	-0.37	-0.26
Gfwadj:Yld	P(I)	-0.18	0.02	-0.21	-0.15
Gfwadj:Cww	E(I)	0.89	0.01	0.87	0.91
Gfwadj:Cww	G(Ia)	0.85	0.01	0.83	0.88
Gfwadj:Cww	P(I)	0.88	0.01	0.87	0.89
Gfwadj:Staladj	E(I)	0.19	0.03	0.13	0.24
Gfwadj:Staladj	G(Ia)	0.52	0.03	0.47	0.58
Gfwadj:Staladj	P(I)	0.31	0.02	0.28	0.34
Gfwadj:Gfwadj	E(I)	1.00	0.00	1.00	1.00
Gfwadj:Gfwadj	G(Ia)	1.00	0.00	1.00	1.00
Gfwadj:Gfwadj	P(I)	1.00	0.00	1.00	1.00
Gfwadj:Cwwadj	E(I)	0.92	0.01	0.90	0.94
Gfwadj:Cwwadj	G(Ia)	0.87	0.01	0.84	0.89
Gfwadj:Cwwadj	P(I)	0.90	0.01	0.89	0.91
Gfwadj:Crimp	E(I)	0.55	0.26	0.04	1.06
Gfwadj:Crimp	G(Ia)	-0.59	0.03	-0.64	-0.54
Gfwadj:Crimp	P(I)	-0.24	0.02	-0.27	-0.20
Gfwadj:Crwvl	E(I)	-0.60	0.05	-0.69	-0.51
Gfwadj:Crwvl	G(Ia)	0.59	0.03	0.52	0.65
Gfwadj:Crwvl	P(I)	-0.09	0.02	-0.12	-0.05
Gfwadj:Crst	E(I)	0.45	0.05	0.35	0.55

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfwadj:Crst	G(Ia)	-0.39	0.03	-0.46	-0.32
Gfwadj:Crst	P(I)	0.04	0.02	0.00	0.07
Gfwadj:Crstadj	E(I)	0.45	0.05	0.36	0.54
Gfwadj:Crstadj	G(Ia)	-0.39	0.04	-0.46	-0.32
Gfwadj:Crstadj	P(I)	0.05	0.02	0.02	0.09
Gfwadj:Crwvt	E(I)	-0.51	0.04	-0.59	-0.44
Gfwadj:Crwvt	G(Ia)	0.35	0.04	0.27	0.43
Gfwadj:Crwvt	P(I)	-0.17	0.02	-0.20	-0.14
Gfwadj:Dp	E(I)	0.20	0.08	0.05	0.34
Gfwadj:Dp	G(Ia)	0.02	0.06	-0.10	0.13
Gfwadj:Dp	P(I)	0.11	0.03	0.05	0.18
Gfwadj:Ds	E(I)	-0.07	0.07	-0.21	0.07
Gfwadj:Ds	G(Ia)	0.71	0.06	0.58	0.83
Gfwadj:Ds	P(I)	0.24	0.03	0.18	0.30
Gfwadj:Dps	E(I)	-0.06	0.07	-0.20	0.08
Gfwadj:Dps	G(Ia)	0.71	0.07	0.58	0.85
Gfwadj:Dps	P(I)	0.24	0.03	0.18	0.31
Gfwadj:DpovDs	E(I)	0.39	0.13	0.14	0.64
Gfwadj:DpovDs	G(Ia)	-0.32	0.05	-0.42	-0.23
Gfwadj:DpovDs	P(I)	-0.05	0.03	-0.11	0.01
Gfwadj:CVDp	E(I)	0.00	0.06	-0.11	0.12
Gfwadj:CVDp	G(Ia)	0.15	0.08	0.00	0.30
Gfwadj:CVDp	P(I)	0.06	0.03	-0.01	0.12
Gfwadj:CVDs	E(I)	-0.02	0.06	-0.14	0.10
Gfwadj:CVDs	G(Ia)	0.04	0.08	-0.12	0.20
Gfwadj:CVDs	P(I)	-0.00	0.03	-0.07	0.06
Gfwadj:MaxDp	E(I)	0.13	0.07	-0.02	0.27
Gfwadj:MaxDp	G(Ia)	0.03	0.06	-0.09	0.15
Gfwadj:MaxDp	P(I)	0.08	0.03	0.02	0.15
Gfwadj:MinDp	E(I)	0.10	0.06	-0.01	0.21
Gfwadj:MinDp	G(Ia)	-0.06	0.15	-0.35	0.23
Gfwadj:MinDp	P(I)	0.06	0.03	-0.00	0.13
Gfwadj:MaxDs	E(I)	0.01	0.06	-0.10	0.13
Gfwadj:MaxDs	G(Ia)	0.63	0.10	0.44	0.82
Gfwadj:MaxDs	P(I)	0.19	0.03	0.13	0.25
Gfwadj:MinDs	E(I)	0.04	0.05	-0.06	0.15
Gfwadj:MinDs	G(Ia)	0.34	0.17	0.01	0.67
Gfwadj:MinDs	P(I)	0.09	0.03	0.03	0.15
Gfwadj:SDDp	E(I)	0.13	0.07	-0.01	0.27
Gfwadj:SDDp	G(Ia)	0.03	0.06	-0.09	0.15
Gfwadj:SDDp	P(I)	0.09	0.03	0.02	0.15
Gfwadj:SDDs	E(I)	-0.05	0.07	-0.19	0.09
Gfwadj:SDDs	G(Ia)	0.41	0.07	0.28	0.54

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfwadj:SDDs	P(I)	0.14	0.03	0.07	0.20
Gfwadj:SDD	E(I)	-0.03	0.07	-0.17	0.11
Gfwadj:SDD	G(Ia)	0.39	0.06	0.26	0.51
Gfwadj:SDD	P(I)	0.14	0.03	0.08	0.20
Gfwadj:CVD	E(I)	-0.01	0.06	-0.14	0.11
Gfwadj:CVD	G(Ia)	0.02	0.08	-0.13	0.18
Gfwadj:CVD	P(I)	0.00	0.03	-0.06	0.07
Gfwadj:Gt30Dp	E(I)	0.15	0.07	0.01	0.29
Gfwadj:Gt30Dp	G(Ia)	0.00	0.05	-0.10	0.11
Gfwadj:Gt30Dp	P(I)	0.08	0.03	0.02	0.15
Gfwadj:Gt30Ds	E(I)	0.01	0.06	-0.10	0.12
Gfwadj:Gt30Ds	G(Ia)	0.56	0.08	0.40	0.71
Gfwadj:Gt30Ds	P(I)	0.20	0.03	0.13	0.26
Gfwadj:Gt30D	E(I)	0.03	0.06	-0.09	0.16
Gfwadj:Gt30D	G(Ia)	0.50	0.08	0.35	0.64
Gfwadj:Gt30D	P(I)	0.19	0.03	0.13	0.26
Gfwadj:Fnu	E(I)	-0.03	0.03	-0.09	0.03
Gfwadj:Fnu	G(Ia)	-0.21	0.04	-0.28	-0.14
Gfwadj:Fnu	P(I)	-0.09	0.02	-0.12	-0.05
Gfwadj:Fr	E(I)	0.18	0.03	0.12	0.24
Gfwadj:Fr	G(Ia)	0.02	0.04	-0.05	0.09
Gfwadj:Fr	P(I)	0.13	0.02	0.09	0.16
Gfwadj:Fnt	E(I)	0.20	0.03	0.14	0.26
Gfwadj:Fnt	G(Ia)	-0.11	0.04	-0.19	-0.04
Gfwadj:Fnt	P(I)	0.10	0.02	0.07	0.13
Gfwadj:Sarea	E(I)	0.53	0.03	0.48	0.59
Gfwadj:Sarea	G(Ia)	0.23	0.03	0.17	0.29
Gfwadj:Sarea	P(I)	0.42	0.02	0.39	0.45
Gfwadj:Fd	E(I)	0.15	0.03	0.09	0.21
Gfwadj:Fd	G(Ia)	0.50	0.05	0.40	0.60
Gfwadj:Fd	P(I)	0.24	0.02	0.20	0.27
Gfwadj:Fc	E(I)	0.31	0.05	0.22	0.40
Gfwadj:Fc	G(Ia)	-0.11	0.03	-0.17	-0.05
Gfwadj:Fc	P(I)	0.11	0.02	0.07	0.14
Gfwadj:Fu	E(I)	0.20	0.04	0.13	0.27
Gfwadj:Fu	G(Ia)	0.03	0.04	-0.04	0.11
Gfwadj:Fu	P(I)	0.14	0.02	0.11	0.18
Gfwadj:Colour	E(I)	-0.03	0.03	-0.08	0.03
Gfwadj:Colour	G(Ia)	0.24	0.05	0.15	0.33
Gfwadj:Colour	P(I)	0.04	0.02	0.01	0.08
Gfwadj:Fly	E(I)	0.07	0.03	0.02	0.12
Gfwadj:Fly	G(Ia)	-0.31	0.07	-0.44	-0.18
Gfwadj:Fly	P(I)	-0.00	0.02	-0.04	0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gfwadj:Flcrot	E(I)	0.01	0.03	-0.04	0.06
Gfwadj:Flcrot	G(Ia)	-0.15	0.10	-0.35	0.06
Gfwadj:Flcrot	P(I)	-0.01	0.02	-0.04	0.02
Gfwadj:Bactst	E(I)	-0.01	0.03	-0.08	0.05
Gfwadj:Bactst	G(Ia)	-0.24	0.11	-0.44	-0.03
Gfwadj:Bactst	P(I)	-0.05	0.02	-0.09	-0.00
Gfwadj:MycD	E(I)	0.02	0.03	-0.04	0.09
Gfwadj:MycD	G(Ia)	0.36	0.15	0.07	0.65
Gfwadj:MycD	P(I)	0.06	0.02	0.02	0.10
Gfwadj:Bctb	E(I)	0.30	0.06	0.18	0.41
Gfwadj:Bctb	G(Ia)	-0.08	0.02	-0.12	-0.03
Gfwadj:Bctb	P(I)	0.07	0.02	0.03	0.10
Gfwadj:Bctb	E(I)	0.33	0.05	0.22	0.43
Gfwadj:Bctb	G(Ia)	-0.11	0.02	-0.15	-0.06
Gfwadj:Bctb	P(I)	0.07	0.02	0.04	0.11
Gfwadj:Weanwt	E(I)	0.45	0.03	0.39	0.50
Gfwadj:Weanwt	G(Ia)	0.14	0.04	0.06	0.23
Gfwadj:Weanwt	P(I)	0.35	0.02	0.32	0.39
Gfwadj:NLB	E(I)	-0.24	0.03	-0.29	-0.19
Gfwadj:NLB	G(Ia)	0.13	0.04	0.04	0.21
Gfwadj:NLB	P(I)	-0.14	0.02	-0.17	-0.11
Gfwadj:NLW	E(I)	-0.22	0.03	-0.27	-0.16
Gfwadj:NLW	G(Ia)	0.08	0.04	-0.00	0.16
Gfwadj:NLW	P(I)	-0.13	0.02	-0.16	-0.10
Gfwadj:Fnpua	E(I)	-0.21	0.03	-0.27	-0.16
Gfwadj:Fnpua	G(Ia)	-0.20	0.04	-0.28	-0.11
Gfwadj:Fnpua	P(I)	-0.21	0.02	-0.24	-0.17
Gfwadj:Fnsua	E(I)	-0.02	0.03	-0.08	0.04
Gfwadj:Fnsua	G(Ia)	-0.20	0.04	-0.28	-0.13
Gfwadj:Fnsua	P(I)	-0.08	0.02	-0.11	-0.04
Gfwadj:Fnpt	E(I)	-0.00	0.03	-0.06	0.06
Gfwadj:Fnpt	G(Ia)	-0.08	0.04	-0.16	0.00
Gfwadj:Fnpt	P(I)	-0.02	0.02	-0.06	0.01
Gfwadj:Fnst	E(I)	0.21	0.03	0.15	0.27
Gfwadj:Fnst	G(Ia)	-0.11	0.04	-0.18	-0.04
Gfwadj:Fnst	P(I)	0.10	0.02	0.07	0.14
Cwwadj:Stal	E(I)	0.28	0.03	0.23	0.33
Cwwadj:Stal	G(Ia)	0.58	0.03	0.52	0.63
Cwwadj:Stal	P(I)	0.38	0.01	0.35	0.41
Cwwadj:Diam	E(I)	0.26	0.03	0.20	0.31
Cwwadj:Diam	G(Ia)	0.48	0.03	0.43	0.53
Cwwadj:Diam	P(I)	0.34	0.01	0.31	0.37
Cwwadj:Bwt	E(I)	0.52	0.02	0.47	0.57

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cwwadj:Bwt	G(Ia)	0.26	0.03	0.20	0.32
Cwwadj:Bwt	P(I)	0.43	0.01	0.40	0.46
Cwwadj:WrN	E(I)	0.20	0.03	0.14	0.26
Cwwadj:WrN	G(Ia)	0.22	0.03	0.16	0.28
Cwwadj:WrN	P(I)	0.21	0.02	0.18	0.24
Cwwadj:WrB	E(I)	0.23	0.03	0.17	0.29
Cwwadj:WrB	G(Ia)	0.14	0.03	0.08	0.20
Cwwadj:WrB	P(I)	0.20	0.02	0.17	0.23
Cwwadj:WrT	E(I)	0.25	0.03	0.19	0.31
Cwwadj:WrT	G(Ia)	0.18	0.03	0.12	0.24
Cwwadj:WrT	P(I)	0.22	0.02	0.19	0.25
Cwwadj:Face	E(I)	-0.04	0.04	-0.12	0.05
Cwwadj:Face	G(Ia)	-0.18	0.02	-0.22	-0.13
Cwwadj:Face	P(I)	-0.10	0.02	-0.13	-0.07
Cwwadj:Gfw	E(I)	0.90	0.01	0.88	0.92
Cwwadj:Gfw	G(Ia)	0.88	0.01	0.86	0.90
Cwwadj:Gfw	P(I)	0.89	0.01	0.88	0.91
Cwwadj:Yld	E(I)	0.29	0.03	0.23	0.35
Cwwadj:Yld	G(Ia)	0.20	0.03	0.14	0.25
Cwwadj:Yld	P(I)	0.25	0.02	0.22	0.28
Cwwadj:Cww	E(I)	0.98	0.00	0.97	0.99
Cwwadj:Cww	G(Ia)	1.00	0.00	0.99	1.01
Cwwadj:Cww	P(I)	0.99	0.00	0.98	0.99
Cwwadj:Staladj	E(I)	0.32	0.03	0.27	0.37
Cwwadj:Staladj	G(Ia)	0.58	0.03	0.52	0.63
Cwwadj:Staladj	P(I)	0.41	0.01	0.38	0.44
Cwwadj:Gfwadj	E(I)	0.92	0.01	0.90	0.94
Cwwadj:Gfwadj	G(Ia)	0.87	0.01	0.84	0.89
Cwwadj:Gfwadj	P(I)	0.90	0.01	0.89	0.91
Cwwadj:Cwwadj	E(I)	1.00	0.00	1.00	1.00
Cwwadj:Cwwadj	G(Ia)	1.00	0.00	1.00	1.00
Cwwadj:Cwwadj	P(I)	1.00	0.00	1.00	1.00
Cwwadj:Crimp	E(I)	0.56	0.29	-0.01	1.13
Cwwadj:Crimp	G(Ia)	-0.68	0.02	-0.73	-0.63
Cwwadj:Crimp	P(I)	-0.32	0.02	-0.35	-0.28
Cwwadj:Crwvl	E(I)	-0.50	0.05	-0.60	-0.41
Cwwadj:Crwvl	G(Ia)	0.68	0.03	0.62	0.75
Cwwadj:Crwvl	P(I)	0.04	0.02	0.01	0.08
Cwwadj:Crst	E(I)	0.54	0.06	0.43	0.66
Cwwadj:Crst	G(Ia)	-0.50	0.03	-0.56	-0.43
Cwwadj:Crst	P(I)	-0.00	0.02	-0.04	0.04
Cwwadj:Crstadj	E(I)	0.52	0.05	0.42	0.63
Cwwadj:Crstadj	G(Ia)	-0.50	0.03	-0.57	-0.44

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cwwadj:Crstadj	P(I)	0.01	0.02	-0.02	0.05
Cwwadj:Crwvt	E(I)	-0.54	0.04	-0.62	-0.45
Cwwadj:Crwvt	G(Ia)	0.47	0.04	0.40	0.55
Cwwadj:Crwvt	P(I)	-0.11	0.02	-0.15	-0.07
Cwwadj:Dp	E(I)	0.19	0.08	0.04	0.34
Cwwadj:Dp	G(Ia)	-0.04	0.06	-0.16	0.08
Cwwadj:Dp	P(I)	0.08	0.03	0.02	0.15
Cwwadj:Ds	E(I)	-0.11	0.07	-0.26	0.03
Cwwadj:Ds	G(Ia)	0.69	0.07	0.56	0.82
Cwwadj:Ds	P(I)	0.21	0.03	0.15	0.28
Cwwadj:Dps	E(I)	-0.10	0.07	-0.24	0.05
Cwwadj:Dps	G(Ia)	0.69	0.07	0.55	0.82
Cwwadj:Dps	P(I)	0.21	0.03	0.15	0.28
Cwwadj:DpovDs	E(I)	0.42	0.13	0.15	0.68
Cwwadj:DpovDs	G(Ia)	-0.36	0.05	-0.46	-0.27
Cwwadj:DpovDs	P(I)	-0.07	0.03	-0.13	-0.00
Cwwadj:CVDp	E(I)	-0.02	0.07	-0.16	0.11
Cwwadj:CVDp	G(Ia)	0.03	0.08	-0.13	0.18
Cwwadj:CVDp	P(I)	-0.01	0.03	-0.07	0.06
Cwwadj:CVDs	E(I)	-0.05	0.07	-0.18	0.08
Cwwadj:CVDs	G(Ia)	-0.07	0.08	-0.23	0.10
Cwwadj:CVDs	P(I)	-0.06	0.03	-0.12	0.01
Cwwadj:MaxDp	E(I)	0.11	0.08	-0.04	0.26
Cwwadj:MaxDp	G(Ia)	-0.03	0.06	-0.15	0.09
Cwwadj:MaxDp	P(I)	0.05	0.03	-0.02	0.11
Cwwadj:MinDp	E(I)	0.13	0.06	0.01	0.24
Cwwadj:MinDp	G(Ia)	-0.07	0.15	-0.37	0.23
Cwwadj:MinDp	P(I)	0.08	0.03	0.01	0.14
Cwwadj:MaxDs	E(I)	-0.04	0.06	-0.17	0.08
Cwwadj:MaxDs	G(Ia)	0.51	0.10	0.32	0.71
Cwwadj:MaxDs	P(I)	0.12	0.03	0.05	0.19
Cwwadj:MinDs	E(I)	0.05	0.06	-0.06	0.16
Cwwadj:MinDs	G(Ia)	0.29	0.17	-0.04	0.62
Cwwadj:MinDs	P(I)	0.09	0.03	0.02	0.16
Cwwadj:SDDp	E(I)	0.10	0.08	-0.05	0.25
Cwwadj:SDDp	G(Ia)	-0.06	0.06	-0.19	0.06
Cwwadj:SDDp	P(I)	0.03	0.03	-0.04	0.09
Cwwadj:SDDs	E(I)	-0.12	0.07	-0.26	0.02
Cwwadj:SDDs	G(Ia)	0.32	0.07	0.19	0.46
Cwwadj:SDDs	P(I)	0.06	0.03	-0.00	0.13
Cwwadj:SDD	E(I)	-0.10	0.07	-0.25	0.04
Cwwadj:SDD	G(Ia)	0.29	0.07	0.16	0.42
Cwwadj:SDD	P(I)	0.06	0.03	-0.00	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cwwadj:CVD	E(I)	-0.04	0.07	-0.17	0.09
Cwwadj:CVD	G(Ia)	-0.08	0.08	-0.24	0.07
Cwwadj:CVD	P(I)	-0.06	0.03	-0.12	0.01
Cwwadj:Gt30Dp	E(I)	0.17	0.08	0.02	0.32
Cwwadj:Gt30Dp	G(Ia)	-0.09	0.06	-0.22	0.03
Cwwadj:Gt30Dp	P(I)	0.05	0.03	-0.01	0.12
Cwwadj:Gt30Ds	E(I)	-0.04	0.07	-0.17	0.09
Cwwadj:Gt30Ds	G(Ia)	0.48	0.08	0.31	0.64
Cwwadj:Gt30Ds	P(I)	0.14	0.03	0.07	0.20
Cwwadj:Gt30D	E(I)	-0.01	0.07	-0.15	0.14
Cwwadj:Gt30D	G(Ia)	0.38	0.08	0.23	0.54
Cwwadj:Gt30D	P(I)	0.13	0.03	0.07	0.20
Cwwadj:Fnua	E(I)	-0.04	0.03	-0.10	0.02
Cwwadj:Fnua	G(Ia)	-0.02	0.04	-0.09	0.06
Cwwadj:Fnua	P(I)	-0.03	0.02	-0.07	0.00
Cwwadj:Fr	E(I)	0.18	0.03	0.12	0.24
Cwwadj:Fr	G(Ia)	0.07	0.04	-0.01	0.14
Cwwadj:Fr	P(I)	0.15	0.02	0.11	0.18
Cwwadj:Fnt	E(I)	0.20	0.03	0.14	0.26
Cwwadj:Fnt	G(Ia)	0.09	0.04	0.01	0.16
Cwwadj:Fnt	P(I)	0.16	0.02	0.13	0.20
Cwwadj:Sarea	E(I)	0.54	0.03	0.48	0.59
Cwwadj:Sarea	G(Ia)	0.22	0.03	0.16	0.29
Cwwadj:Sarea	P(I)	0.43	0.02	0.40	0.46
Cwwadj:Fd	E(I)	0.14	0.03	0.08	0.20
Cwwadj:Fd	G(Ia)	0.43	0.06	0.32	0.54
Cwwadj:Fd	P(I)	0.21	0.02	0.17	0.24
Cwwadj:Fc	E(I)	0.20	0.05	0.11	0.29
Cwwadj:Fc	G(Ia)	-0.35	0.03	-0.41	-0.29
Cwwadj:Fc	P(I)	-0.06	0.02	-0.09	-0.02
Cwwadj:Fu	E(I)	0.11	0.04	0.04	0.18
Cwwadj:Fu	G(Ia)	-0.21	0.04	-0.29	-0.12
Cwwadj:Fu	P(I)	0.00	0.02	-0.04	0.04
Cwwadj:Colour	E(I)	-0.06	0.03	-0.12	-0.01
Cwwadj:Colour	G(Ia)	0.11	0.05	0.02	0.21
Cwwadj:Colour	P(I)	-0.02	0.02	-0.05	0.01
Cwwadj:Fly	E(I)	0.07	0.03	0.01	0.12
Cwwadj:Fly	G(Ia)	-0.31	0.07	-0.45	-0.17
Cwwadj:Fly	P(I)	-0.00	0.02	-0.04	0.03
Cwwadj:Flcrot	E(I)	0.01	0.03	-0.04	0.06
Cwwadj:Flcrot	G(Ia)	-0.00	0.11	-0.22	0.21
Cwwadj:Flcrot	P(I)	0.00	0.02	-0.03	0.04
Cwwadj:Bactst	E(I)	-0.00	0.03	-0.07	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Cwwadj:Bactst	G(Ia)	-0.08	0.11	-0.30	0.14
Cwwadj:Bactst	P(I)	-0.01	0.02	-0.06	0.03
Cwwadj:MycD	E(I)	0.06	0.03	0.00	0.13
Cwwadj:MycD	G(Ia)	0.16	0.14	-0.12	0.43
Cwwadj:MycD	P(I)	0.07	0.02	0.03	0.11
Cwwadj:Bcts	E(I)	0.30	0.06	0.18	0.41
Cwwadj:Bcts	G(Ia)	-0.11	0.03	-0.16	-0.06
Cwwadj:Bcts	P(I)	0.06	0.02	0.02	0.09
Cwwadj:Bctb	E(I)	0.31	0.05	0.21	0.42
Cwwadj:Bctb	G(Ia)	-0.13	0.03	-0.19	-0.08
Cwwadj:Bctb	P(I)	0.06	0.02	0.03	0.10
Cwwadj:Weanwt	E(I)	0.46	0.03	0.41	0.51
Cwwadj:Weanwt	G(Ia)	0.12	0.04	0.03	0.21
Cwwadj:Weanwt	P(I)	0.36	0.02	0.33	0.40
Cwwadj:NLB	E(I)	-0.25	0.03	-0.30	-0.20
Cwwadj:NLB	G(Ia)	0.15	0.04	0.06	0.24
Cwwadj:NLB	P(I)	-0.14	0.02	-0.18	-0.11
Cwwadj:NLW	E(I)	-0.22	0.03	-0.27	-0.17
Cwwadj:NLW	G(Ia)	0.09	0.04	0.01	0.18
Cwwadj:NLW	P(I)	-0.14	0.02	-0.17	-0.10
Cwwadj:Fnpua	E(I)	-0.22	0.03	-0.28	-0.17
Cwwadj:Fnpua	G(Ia)	-0.05	0.04	-0.13	0.04
Cwwadj:Fnpua	P(I)	-0.17	0.02	-0.21	-0.14
Cwwadj:Fnsua	E(I)	-0.03	0.03	-0.09	0.03
Cwwadj:Fnsua	G(Ia)	-0.01	0.04	-0.09	0.06
Cwwadj:Fnsua	P(I)	-0.02	0.02	-0.06	0.01
Cwwadj:Fnppt	E(I)	-0.01	0.03	-0.06	0.05
Cwwadj:Fnppt	G(Ia)	0.06	0.04	-0.02	0.14
Cwwadj:Fnppt	P(I)	0.01	0.02	-0.02	0.05
Cwwadj:Fnst	E(I)	0.20	0.03	0.14	0.26
Cwwadj:Fnst	G(Ia)	0.09	0.04	0.01	0.16
Cwwadj:Fnst	P(I)	0.16	0.02	0.13	0.20
Crimp:Stal	E(I)	0.41	0.21	-0.00	0.82
Crimp:Stal	G(Ia)	-0.58	0.03	-0.63	-0.53
Crimp:Stal	P(I)	-0.28	0.02	-0.32	-0.24
Crimp:Diam	E(I)	0.33	0.18	-0.03	0.68
Crimp:Diam	G(Ia)	-0.44	0.03	-0.49	-0.38
Crimp:Diam	P(I)	-0.20	0.02	-0.23	-0.16
Crimp:Bwt	E(I)	0.66	0.21	0.24	1.07
Crimp:Bwt	G(Ia)	-0.21	0.03	-0.26	-0.15
Crimp:Bwt	P(I)	-0.00	0.02	-0.04	0.04
Crimp:WrN	E(I)	-0.06	0.11	-0.27	0.15
Crimp:WrN	G(Ia)	0.32	0.03	0.26	0.39

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crimp:WrN	P(I)	0.15	0.02	0.11	0.19
Crimp:WrB	E(I)	-0.29	0.12	-0.52	-0.06
Crimp:WrB	G(Ia)	0.54	0.03	0.48	0.60
Crimp:WrB	P(I)	0.23	0.02	0.19	0.27
Crimp:WrT	E(I)	-0.23	0.12	-0.46	-0.00
Crimp:WrT	G(Ia)	0.46	0.03	0.40	0.51
Crimp:WrT	P(I)	0.20	0.02	0.17	0.24
Crimp:Face	E(I)	-0.79	0.19	-1.15	-0.42
Crimp:Face	G(Ia)	0.45	0.02	0.41	0.49
Crimp:Face	P(I)	0.22	0.02	0.18	0.25
Crimp:Gfw	E(I)	0.65	0.24	0.18	1.12
Crimp:Gfw	G(Ia)	-0.60	0.03	-0.66	-0.55
Crimp:Gfw	P(I)	-0.23	0.02	-0.26	-0.20
Crimp:Yld	E(I)	-0.39	0.16	-0.70	-0.08
Crimp:Yld	G(Ia)	-0.36	0.03	-0.41	-0.30
Crimp:Yld	P(I)	-0.27	0.02	-0.30	-0.23
Crimp:Cww	E(I)	0.50	0.22	0.06	0.94
Crimp:Cww	G(Ia)	-0.68	0.02	-0.73	-0.64
Crimp:Cww	P(I)	-0.32	0.02	-0.35	-0.29
Crimp:Staladj	E(I)	0.32	0.25	-0.18	0.82
Crimp:Staladj	G(Ia)	-0.53	0.03	-0.58	-0.48
Crimp:Staladj	P(I)	-0.27	0.02	-0.30	-0.23
Crimp:Gfwadj	E(I)	0.55	0.26	0.04	1.06
Crimp:Gfwadj	G(Ia)	-0.59	0.03	-0.64	-0.54
Crimp:Gfwadj	P(I)	-0.24	0.02	-0.27	-0.20
Crimp:Cwwadj	E(I)	0.56	0.29	-0.01	1.13
Crimp:Cwwadj	G(Ia)	-0.68	0.02	-0.73	-0.63
Crimp:Cwwadj	P(I)	-0.32	0.02	-0.35	-0.28
Crimp:Crimp	E(I)	1.00	0.00	1.00	1.00
Crimp:Crimp	G(Ia)	1.00	0.00	1.00	1.00
Crimp:Crimp	P(I)	1.00	0.00	1.00	1.00
Crimp:Crwvl	E(I)	-0.63	0.06	-0.75	-0.51
Crimp:Crwvl	G(Ia)	-0.99	0.01	-1.00	-0.98
Crimp:Crwvl	P(I)	-0.81	0.01	-0.82	-0.80
Crimp:Crst	E(I)	0.50	0.12	0.26	0.74
Crimp:Crst	G(Ia)	0.92	0.01	0.90	0.94
Crimp:Crst	P(I)	0.79	0.01	0.77	0.81
Crimp:Crstadj	E(I)	0.69	0.13	0.44	0.94
Crimp:Crstadj	G(Ia)	0.92	0.01	0.90	0.94
Crimp:Crstadj	P(I)	0.79	0.01	0.77	0.81
Crimp:Crwvt	E(I)	-0.66	0.14	-0.93	-0.40
Crimp:Crwvt	G(Ia)	-0.89	0.01	-0.92	-0.87
Crimp:Crwvt	P(I)	-0.69	0.01	-0.71	-0.67

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crimp:Dp	E(I)	0.12	0.16	-0.19	0.44
Crimp:Dp	G(Ia)	-0.49	0.09	-0.67	-0.31
Crimp:Dp	P(I)	-0.21	0.04	-0.30	-0.13
Crimp:Ds	E(I)	0.08	0.13	-0.18	0.33
Crimp:Ds	G(Ia)	-0.41	0.11	-0.63	-0.19
Crimp:Ds	P(I)	-0.15	0.04	-0.24	-0.06
Crimp:Dps	E(I)	0.08	0.13	-0.17	0.33
Crimp:Dps	G(Ia)	-0.45	0.11	-0.67	-0.22
Crimp:Dps	P(I)	-0.16	0.04	-0.25	-0.07
Crimp:DpovDs	E(I)	0.11	0.19	-0.27	0.49
Crimp:DpovDs	G(Ia)	-0.25	0.08	-0.41	-0.08
Crimp:DpovDs	P(I)	-0.11	0.04	-0.20	-0.03
Crimp:CVDp	E(I)	0.19	0.12	-0.05	0.42
Crimp:CVDp	G(Ia)	-0.33	0.13	-0.59	-0.08
Crimp:CVDp	P(I)	-0.04	0.05	-0.13	0.05
Crimp:CVDs	E(I)	0.12	0.11	-0.10	0.34
Crimp:CVDs	G(Ia)	-0.68	0.15	-0.97	-0.39
Crimp:CVDs	P(I)	-0.17	0.04	-0.26	-0.09
Crimp:MaxDp	E(I)	0.18	0.15	-0.11	0.47
Crimp:MaxDp	G(Ia)	-0.49	0.10	-0.69	-0.30
Crimp:MaxDp	P(I)	-0.17	0.04	-0.26	-0.09
Crimp:MinDp	E(I)	-0.06	0.09	-0.25	0.12
Crimp:MinDp	G(Ia)	-0.35	0.27	-0.88	0.17
Crimp:MinDp	P(I)	-0.12	0.04	-0.20	-0.03
Crimp:MaxDs	E(I)	0.06	0.12	-0.18	0.30
Crimp:MaxDs	G(Ia)	-0.62	0.13	-0.86	-0.37
Crimp:MaxDs	P(I)	-0.22	0.04	-0.31	-0.14
Crimp:MinDs	E(I)	0.02	0.10	-0.17	0.21
Crimp:MinDs	G(Ia)	-0.17	0.29	-0.74	0.40
Crimp:MinDs	P(I)	-0.02	0.04	-0.11	0.07
Crimp:SDDp	E(I)	0.18	0.14	-0.09	0.46
Crimp:SDDp	G(Ia)	-0.41	0.11	-0.62	-0.20
Crimp:SDDp	P(I)	-0.12	0.04	-0.20	-0.03
Crimp:SDDs	E(I)	0.17	0.13	-0.09	0.42
Crimp:SDDs	G(Ia)	-0.70	0.11	-0.92	-0.49
Crimp:SDDs	P(I)	-0.24	0.04	-0.32	-0.15
Crimp:SDD	E(I)	0.19	0.14	-0.08	0.45
Crimp:SDD	G(Ia)	-0.70	0.11	-0.90	-0.49
Crimp:SDD	P(I)	-0.24	0.04	-0.32	-0.15
Crimp:CVD	E(I)	0.13	0.12	-0.09	0.36
Crimp:CVD	G(Ia)	-0.65	0.14	-0.91	-0.38
Crimp:CVD	P(I)	-0.17	0.04	-0.26	-0.09
Crimp:Gt30Dp	E(I)	0.00	0.58	-1.14	1.14

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crimp:Gt30Dp	G(Ia)	-0.36	0.10	-0.55	-0.16
Crimp:Gt30Dp	P(I)	-0.18	0.04	-0.27	-0.10
Crimp:Gt30Ds	E(I)	0.11	0.12	-0.12	0.33
Crimp:Gt30Ds	G(Ia)	-0.60	0.14	-0.88	-0.32
Crimp:Gt30Ds	P(I)	-0.16	0.04	-0.25	-0.07
Crimp:Gt30D	E(I)	0.09	0.12	-0.14	0.33
Crimp:Gt30D	G(Ia)	-0.60	0.13	-0.85	-0.34
Crimp:Gt30D	P(I)	-0.19	0.04	-0.28	-0.10
Crimp:Fnua	E(I)	0.60	0.13	0.36	0.85
Crimp:Fnua	G(Ia)	-0.40	0.04	-0.47	-0.32
Crimp:Fnua	P(I)	-0.03	0.02	-0.07	0.01
Crimp:Fr	E(I)	0.40	0.11	0.18	0.61
Crimp:Fr	G(Ia)	-0.22	0.04	-0.30	-0.14
Crimp:Fr	P(I)	0.01	0.02	-0.03	0.05
Crimp:Fnt	E(I)	0.76	0.14	0.48	1.03
Crimp:Fnt	G(Ia)	-0.46	0.04	-0.53	-0.39
Crimp:Fnt	P(I)	-0.04	0.02	-0.08	0.00
Crimp:Sarea	E(I)	0.20	0.11	-0.01	0.41
Crimp:Sarea	G(Ia)	-0.18	0.03	-0.24	-0.12
Crimp:Sarea	P(I)	-0.05	0.02	-0.10	-0.01
Crimp:Fd	E(I)	-0.23	0.14	-0.50	0.04
Crimp:Fd	G(Ia)	-0.64	0.04	-0.73	-0.56
Crimp:Fd	P(I)	-0.32	0.02	-0.36	-0.27
Crimp:Fc	E(I)	-0.34	0.24	-0.81	0.13
Crimp:Fc	G(Ia)	0.92	0.02	0.88	0.95
Crimp:Fc	P(I)	0.59	0.02	0.55	0.62
Crimp:Fu	E(I)	-0.30	0.21	-0.71	0.10
Crimp:Fu	G(Ia)	0.54	0.03	0.47	0.60
Crimp:Fu	P(I)	0.24	0.02	0.19	0.28
Crimp:Colour	E(I)	0.17	0.19	-0.20	0.53
Crimp:Colour	G(Ia)	-0.33	0.07	-0.46	-0.19
Crimp:Colour	P(I)	-0.06	0.02	-0.10	-0.02
Crimp:Fly	E(I)	-0.86	0.36	-1.56	-0.15
Crimp:Fly	G(Ia)	0.71	0.07	0.57	0.85
Crimp:Fly	P(I)	0.10	0.02	0.06	0.14
Crimp:Flcrot	E(I)	0.10	0.18	-0.25	0.45
Crimp:Flcrot	G(Ia)	-0.55	0.19	-0.93	-0.17
Crimp:Flcrot	P(I)	-0.07	0.02	-0.11	-0.03
Crimp:Bactst	E(I)	-0.17	0.07	-0.30	-0.04
Crimp:Bactst	G(Ia)	-0.21	0.21	-0.63	0.20
Crimp:Bactst	P(I)	-0.16	0.03	-0.22	-0.09
Crimp:MycD	E(I)	-0.15	0.07	-0.29	-0.02
Crimp:MycD	G(Ia)	0.04	0.22	-0.38	0.47

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crimp:MycD	P(I)	-0.10	0.03	-0.17	-0.03
Crimp:Bcts	E(I)	0.08	0.10	-0.12	0.28
Crimp:Bcts	G(Ia)	-0.26	0.04	-0.34	-0.19
Crimp:Bcts	P(I)	-0.14	0.02	-0.19	-0.10
Crimp:Bctb	E(I)	0.12	0.09	-0.05	0.29
Crimp:Bctb	G(Ia)	-0.30	0.04	-0.38	-0.22
Crimp:Bctb	P(I)	-0.13	0.02	-0.18	-0.09
Crimp:Weanwt	E(I)	0.07	0.06	-0.04	0.18
Crimp:Weanwt	G(Ia)	0.08	0.07	-0.06	0.22
Crimp:Weanwt	P(I)	0.07	0.02	0.02	0.11
Crimp:NLB	E(I)	-0.06	0.16	-0.38	0.26
Crimp:NLB	G(Ia)	-0.12	0.03	-0.19	-0.06
Crimp:NLB	P(I)	-0.07	0.02	-0.11	-0.03
Crimp:NLW	E(I)	-0.08	0.17	-0.41	0.24
Crimp:NLW	G(Ia)	-0.11	0.03	-0.17	-0.04
Crimp:NLW	P(I)	-0.07	0.02	-0.11	-0.03
Crimp:Fnpua	E(I)	0.13	0.11	-0.08	0.34
Crimp:Fnpua	G(Ia)	-0.17	0.03	-0.24	-0.10
Crimp:Fnpua	P(I)	-0.05	0.02	-0.09	-0.01
Crimp:Fnsua	E(I)	0.62	0.13	0.36	0.87
Crimp:Fnsua	G(Ia)	-0.40	0.04	-0.48	-0.33
Crimp:Fnsua	P(I)	-0.03	0.02	-0.07	0.02
Crimp:Fnpt	E(I)	0.27	0.11	0.05	0.48
Crimp:Fnpt	G(Ia)	-0.28	0.03	-0.34	-0.21
Crimp:Fnpt	P(I)	-0.07	0.02	-0.11	-0.03
Crimp:Fnst	E(I)	0.76	0.14	0.48	1.05
Crimp:Fnst	G(Ia)	-0.46	0.04	-0.53	-0.39
Crimp:Fnst	P(I)	-0.04	0.02	-0.08	0.00
Crwvl:Stal	E(I)	-0.06	0.04	-0.14	0.03
Crwvl:Stal	G(Ia)	0.55	0.03	0.48	0.61
Crwvl:Stal	P(I)	0.21	0.02	0.17	0.24
Crwvl:Diam	E(I)	-0.17	0.04	-0.25	-0.09
Crwvl:Diam	G(Ia)	0.48	0.03	0.41	0.55
Crwvl:Diam	P(I)	0.10	0.02	0.07	0.14
Crwvl:Bwt	E(I)	-0.24	0.04	-0.32	-0.16
Crwvl:Bwt	G(Ia)	0.23	0.04	0.16	0.31
Crwvl:Bwt	P(I)	-0.04	0.02	-0.08	-0.00
Crwvl:WrN	E(I)	-0.05	0.05	-0.15	0.04
Crwvl:WrN	G(Ia)	-0.34	0.04	-0.42	-0.27
Crwvl:WrN	P(I)	-0.17	0.02	-0.21	-0.13
Crwvl:WrB	E(I)	0.23	0.05	0.12	0.33
Crwvl:WrB	G(Ia)	-0.57	0.04	-0.64	-0.50
Crwvl:WrB	P(I)	-0.14	0.02	-0.18	-0.10

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvl:WrT	E(I)	0.13	0.05	0.02	0.23
Crwvl:WrT	G(Ia)	-0.49	0.04	-0.56	-0.42
Crwvl:WrT	P(I)	-0.16	0.02	-0.20	-0.12
Crwvl:Face	E(I)	0.57	0.08	0.42	0.72
Crwvl:Face	G(Ia)	-0.41	0.02	-0.46	-0.36
Crwvl:Face	P(I)	-0.05	0.02	-0.09	-0.02
Crwvl:Gfw	E(I)	-0.51	0.05	-0.62	-0.41
Crwvl:Gfw	G(Ia)	0.60	0.03	0.53	0.66
Crwvl:Gfw	P(I)	0.01	0.02	-0.03	0.04
Crwvl:Yld	E(I)	0.18	0.05	0.08	0.27
Crwvl:Yld	G(Ia)	0.38	0.04	0.31	0.45
Crwvl:Yld	P(I)	0.26	0.02	0.22	0.30
Crwvl:Cww	E(I)	-0.44	0.05	-0.54	-0.33
Crwvl:Cww	G(Ia)	0.69	0.03	0.62	0.75
Crwvl:Cww	P(I)	0.11	0.02	0.07	0.14
Crwvl:Staladj	E(I)	0.01	0.05	-0.08	0.10
Crwvl:Staladj	G(Ia)	0.50	0.03	0.44	0.57
Crwvl:Staladj	P(I)	0.23	0.02	0.20	0.27
Crwvl:Gfwadj	E(I)	-0.60	0.05	-0.69	-0.51
Crwvl:Gfwadj	G(Ia)	0.59	0.03	0.52	0.65
Crwvl:Gfwadj	P(I)	-0.09	0.02	-0.12	-0.05
Crwvl:Cwwadj	E(I)	-0.50	0.05	-0.60	-0.41
Crwvl:Cwwadj	G(Ia)	0.68	0.03	0.62	0.75
Crwvl:Cwwadj	P(I)	0.04	0.02	0.01	0.08
Crwvl:Crimp	E(I)	-0.63	0.06	-0.75	-0.51
Crwvl:Crimp	G(Ia)	-0.99	0.01	-1.00	-0.98
Crwvl:Crimp	P(I)	-0.81	0.01	-0.82	-0.80
Crwvl:Crwvl	E(I)	1.00	0.00	1.00	1.00
Crwvl:Crwvl	G(Ia)	1.00	0.00	1.00	1.00
Crwvl:Crwvl	P(I)	1.00	0.00	1.00	1.00
Crwvl:Crst	E(I)	-0.41	0.05	-0.50	-0.32
Crwvl:Crst	G(Ia)	-0.92	0.01	-0.95	-0.90
Crwvl:Crst	P(I)	-0.72	0.01	-0.75	-0.70
Crwvl:Crstadj	E(I)	-0.47	0.04	-0.55	-0.39
Crwvl:Crstadj	G(Ia)	-0.93	0.01	-0.95	-0.90
Crwvl:Crstadj	P(I)	-0.74	0.01	-0.76	-0.72
Crwvl:Crwvt	E(I)	0.75	0.03	0.70	0.80
Crwvl:Crwvt	G(Ia)	0.91	0.01	0.88	0.93
Crwvl:Crwvt	P(I)	0.83	0.01	0.81	0.85
Crwvl:Dp	E(I)	-0.11	0.15	-0.41	0.19
Crwvl:Dp	G(Ia)	0.51	0.09	0.33	0.70
Crwvl:Dp	P(I)	0.22	0.04	0.14	0.30
Crwvl:Ds	E(I)	-0.06	0.12	-0.31	0.18

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvl:Ds	G(Ia)	0.43	0.12	0.20	0.65
Crwvl:Ds	P(I)	0.16	0.04	0.07	0.24
Crwvl:Dps	E(I)	-0.07	0.12	-0.31	0.18
Crwvl:Dps	G(Ia)	0.46	0.12	0.24	0.69
Crwvl:Dps	P(I)	0.17	0.04	0.08	0.25
Crwvl:DpovDs	E(I)	-0.10	0.18	-0.46	0.26
Crwvl:DpovDs	G(Ia)	0.27	0.09	0.10	0.44
Crwvl:DpovDs	P(I)	0.12	0.04	0.04	0.20
Crwvl:CVDp	E(I)	-0.16	0.11	-0.39	0.06
Crwvl:CVDp	G(Ia)	0.29	0.13	0.03	0.54
Crwvl:CVDp	P(I)	0.02	0.04	-0.06	0.11
Crwvl:CVDs	E(I)	-0.10	0.11	-0.31	0.11
Crwvl:CVDs	G(Ia)	0.67	0.15	0.36	0.97
Crwvl:CVDs	P(I)	0.17	0.04	0.08	0.25
Crwvl:MaxDp	E(I)	-0.14	0.14	-0.42	0.14
Crwvl:MaxDp	G(Ia)	0.46	0.10	0.26	0.66
Crwvl:MaxDp	P(I)	0.16	0.04	0.08	0.25
Crwvl:MinDp	E(I)	0.05	0.09	-0.12	0.23
Crwvl:MinDp	G(Ia)	0.34	0.27	-0.19	0.88
Crwvl:MinDp	P(I)	0.10	0.04	0.02	0.19
Crwvl:MaxDs	E(I)	-0.06	0.12	-0.28	0.17
Crwvl:MaxDs	G(Ia)	0.58	0.13	0.33	0.83
Crwvl:MaxDs	P(I)	0.20	0.04	0.11	0.28
Crwvl:MinDs	E(I)	-0.08	0.09	-0.26	0.10
Crwvl:MinDs	G(Ia)	0.33	0.31	-0.28	0.95
Crwvl:MinDs	P(I)	0.01	0.04	-0.08	0.09
Crwvl:SDDp	E(I)	-0.16	0.13	-0.42	0.10
Crwvl:SDDp	G(Ia)	0.39	0.11	0.17	0.60
Crwvl:SDDp	P(I)	0.10	0.04	0.02	0.19
Crwvl:SDDs	E(I)	-0.13	0.12	-0.37	0.11
Crwvl:SDDs	G(Ia)	0.70	0.11	0.47	0.92
Crwvl:SDDs	P(I)	0.24	0.04	0.15	0.32
Crwvl:SDD	E(I)	-0.15	0.13	-0.40	0.10
Crwvl:SDD	G(Ia)	0.69	0.11	0.47	0.90
Crwvl:SDD	P(I)	0.24	0.04	0.15	0.32
Crwvl:CVD	E(I)	-0.11	0.11	-0.33	0.10
Crwvl:CVD	G(Ia)	0.63	0.14	0.36	0.90
Crwvl:CVD	P(I)	0.17	0.04	0.08	0.25
Crwvl:Gt30Dp	E(I)	0.01	0.08	-0.16	0.17
Crwvl:Gt30Dp	G(Ia)	0.37	0.10	0.17	0.57
Crwvl:Gt30Dp	P(I)	0.18	0.04	0.10	0.27
Crwvl:Gt30Ds	E(I)	-0.06	0.11	-0.28	0.15
Crwvl:Gt30Ds	G(Ia)	0.55	0.14	0.27	0.84

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvl:Gt30Ds	P(I)	0.16	0.04	0.08	0.25
Crwvl:Gt30D	E(I)	-0.05	0.12	-0.28	0.18
Crwvl:Gt30D	G(Ia)	0.56	0.13	0.30	0.82
Crwvl:Gt30D	P(I)	0.19	0.04	0.10	0.27
Crwvl:Fnua	E(I)	-0.37	0.06	-0.50	-0.25
Crwvl:Fnua	G(Ia)	0.40	0.05	0.31	0.49
Crwvl:Fnua	P(I)	-0.01	0.02	-0.06	0.04
Crwvl:Fr	E(I)	-0.25	0.06	-0.37	-0.13
Crwvl:Fr	G(Ia)	0.21	0.05	0.12	0.31
Crwvl:Fr	P(I)	-0.04	0.02	-0.09	0.01
Crwvl:Fnt	E(I)	-0.47	0.07	-0.60	-0.34
Crwvl:Fnt	G(Ia)	0.48	0.04	0.40	0.57
Crwvl:Fnt	P(I)	-0.00	0.02	-0.05	0.04
Crwvl:Sarea	E(I)	-0.24	0.07	-0.37	-0.11
Crwvl:Sarea	G(Ia)	0.22	0.04	0.14	0.29
Crwvl:Sarea	P(I)	0.00	0.02	-0.04	0.05
Crwvl:Fd	E(I)	-0.11	0.07	-0.24	0.02
Crwvl:Fd	G(Ia)	0.61	0.05	0.51	0.71
Crwvl:Fd	P(I)	0.17	0.02	0.12	0.22
Crwvl:Fc	E(I)	0.55	0.10	0.35	0.74
Crwvl:Fc	G(Ia)	-0.93	0.02	-0.98	-0.88
Crwvl:Fc	P(I)	-0.36	0.02	-0.40	-0.32
Crwvl:Fu	E(I)	0.20	0.08	0.04	0.36
Crwvl:Fu	G(Ia)	-0.58	0.04	-0.66	-0.50
Crwvl:Fu	P(I)	-0.19	0.03	-0.24	-0.13
Crwvl:Colour	E(I)	-0.03	0.05	-0.13	0.07
Crwvl:Colour	G(Ia)	0.25	0.08	0.09	0.42
Crwvl:Colour	P(I)	0.04	0.02	-0.00	0.09
Crwvl:Fly	E(I)	0.22	0.05	0.12	0.33
Crwvl:Fly	G(Ia)	-0.64	0.08	-0.79	-0.48
Crwvl:Fly	P(I)	-0.06	0.02	-0.10	-0.01
Crwvl:Flcrot	E(I)	-0.01	0.05	-0.11	0.09
Crwvl:Flcrot	G(Ia)	0.44	0.19	0.07	0.81
Crwvl:Flcrot	P(I)	0.05	0.02	0.01	0.10
Crwvl:Bactst	E(I)	0.19	0.07	0.06	0.32
Crwvl:Bactst	G(Ia)	0.26	0.21	-0.16	0.67
Crwvl:Bactst	P(I)	0.18	0.03	0.11	0.25
Crwvl:MycD	E(I)	0.11	0.07	-0.02	0.25
Crwvl:MycD	G(Ia)	0.04	0.17	-0.30	0.37
Crwvl:MycD	P(I)	0.09	0.03	0.02	0.16
Crwvl:Bcts	E(I)	-0.03	0.09	-0.21	0.15
Crwvl:Bcts	G(Ia)	0.29	0.04	0.20	0.38
Crwvl:Bcts	P(I)	0.15	0.02	0.10	0.19

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvl:Bctb	E(I)	-0.05	0.08	-0.20	0.10
Crwvl:Bctb	G(Ia)	0.31	0.05	0.22	0.41
Crwvl:Bctb	P(I)	0.14	0.02	0.09	0.18
Crwvl:Weanwt	E(I)	-0.05	0.05	-0.15	0.05
Crwvl:Weanwt	G(Ia)	-0.08	0.09	-0.24	0.09
Crwvl:Weanwt	P(I)	-0.06	0.02	-0.10	-0.01
Crwvl:NLB	E(I)	0.08	0.04	-0.01	0.17
Crwvl:NLB	G(Ia)	0.10	0.04	0.02	0.19
Crwvl:NLB	P(I)	0.08	0.02	0.04	0.12
Crwvl:NLW	E(I)	0.11	0.04	0.02	0.19
Crwvl:NLW	G(Ia)	0.11	0.04	0.03	0.19
Crwvl:NLW	P(I)	0.10	0.02	0.06	0.14
Crwvl:Fnpua	E(I)	-0.12	0.06	-0.24	0.01
Crwvl:Fnpua	G(Ia)	0.18	0.04	0.10	0.27
Crwvl:Fnpua	P(I)	0.03	0.02	-0.02	0.07
Crwvl:Fnsua	E(I)	-0.37	0.06	-0.50	-0.25
Crwvl:Fnsua	G(Ia)	0.40	0.05	0.31	0.50
Crwvl:Fnsua	P(I)	-0.01	0.02	-0.06	0.03
Crwvl:Fnppt	E(I)	-0.23	0.06	-0.36	-0.11
Crwvl:Fnppt	G(Ia)	0.31	0.04	0.22	0.39
Crwvl:Fnppt	P(I)	0.03	0.02	-0.02	0.07
Crwvl:Fnst	E(I)	-0.47	0.07	-0.60	-0.34
Crwvl:Fnst	G(Ia)	0.48	0.04	0.39	0.57
Crwvl:Fnst	P(I)	-0.00	0.02	-0.05	0.04
Crst:Stal	E(I)	0.95	0.06	0.84	1.07
Crst:Stal	G(Ia)	-0.22	0.04	-0.29	-0.15
Crst:Stal	P(I)	0.31	0.02	0.28	0.35
Crst:Diam	E(I)	0.18	0.06	0.06	0.29
Crst:Diam	G(Ia)	-0.33	0.04	-0.39	-0.26
Crst:Diam	P(I)	-0.08	0.02	-0.12	-0.04
Crst:Bwt	E(I)	0.50	0.06	0.38	0.61
Crst:Bwt	G(Ia)	-0.22	0.04	-0.29	-0.15
Crst:Bwt	P(I)	0.12	0.02	0.08	0.16
Crst:WrN	E(I)	-0.15	0.06	-0.26	-0.04
Crst:WrN	G(Ia)	0.32	0.04	0.24	0.39
Crst:WrN	P(I)	0.06	0.02	0.02	0.10
Crst:WrB	E(I)	-0.30	0.06	-0.42	-0.19
Crst:WrB	G(Ia)	0.51	0.04	0.43	0.58
Crst:WrB	P(I)	0.09	0.02	0.05	0.14
Crst:WrT	E(I)	-0.27	0.06	-0.39	-0.15
Crst:WrT	G(Ia)	0.44	0.04	0.37	0.51
Crst:WrT	P(I)	0.09	0.02	0.05	0.13
Crst:Face	E(I)	-0.51	0.08	-0.66	-0.35

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crst:Face	G(Ia)	0.31	0.02	0.26	0.36
Crst:Face	P(I)	0.04	0.02	0.00	0.08
Crst:Gfw	E(I)	0.54	0.05	0.43	0.64
Crst:Gfw	G(Ia)	-0.39	0.03	-0.46	-0.33
Crst:Gfw	P(I)	0.06	0.02	0.03	0.10
Crst:Yld	E(I)	0.15	0.06	0.03	0.26
Crst:Yld	G(Ia)	-0.38	0.04	-0.45	-0.31
Crst:Yld	P(I)	-0.11	0.02	-0.15	-0.07
Crst:Cww	E(I)	0.59	0.06	0.48	0.70
Crst:Cww	G(Ia)	-0.50	0.03	-0.56	-0.43
Crst:Cww	P(I)	0.02	0.02	-0.01	0.06
Crst:Staladj	E(I)	0.89	0.06	0.78	1.00
Crst:Staladj	G(Ia)	-0.17	0.04	-0.24	-0.09
Crst:Staladj	P(I)	0.32	0.02	0.28	0.36
Crst:Gfwadj	E(I)	0.45	0.05	0.35	0.55
Crst:Gfwadj	G(Ia)	-0.39	0.03	-0.46	-0.32
Crst:Gfwadj	P(I)	0.04	0.02	0.00	0.07
Crst:Cwwadj	E(I)	0.54	0.06	0.43	0.66
Crst:Cwwadj	G(Ia)	-0.50	0.03	-0.56	-0.43
Crst:Cwwadj	P(I)	-0.00	0.02	-0.04	0.04
Crst:Crimp	E(I)	0.50	0.12	0.26	0.74
Crst:Crimp	G(Ia)	0.92	0.01	0.90	0.94
Crst:Crimp	P(I)	0.79	0.01	0.77	0.81
Crst:Crwvl	E(I)	-0.41	0.05	-0.50	-0.32
Crst:Crwvl	G(Ia)	-0.92	0.01	-0.95	-0.90
Crst:Crwvl	P(I)	-0.72	0.01	-0.75	-0.70
Crst:Crst	E(I)	1.00	0.00	1.00	1.00
Crst:Crst	G(Ia)	1.00	0.00	1.00	1.00
Crst:Crst	P(I)	1.00	0.00	1.00	1.00
Crst:Crstadj	E(I)	0.97	0.01	0.95	0.99
Crst:Crstadj	G(Ia)	1.00	0.00	0.99	1.00
Crst:Crstadj	P(I)	0.99	0.00	0.98	0.99
Crst:Crwvt	E(I)	-0.83	0.02	-0.87	-0.79
Crst:Crwvt	G(Ia)	-0.99	0.01	-1.01	-0.98
Crst:Crwvt	P(I)	-0.91	0.01	-0.92	-0.90
Crst:Dp	E(I)	0.18	0.15	-0.11	0.47
Crst:Dp	G(Ia)	-0.63	0.11	-0.84	-0.42
Crst:Dp	P(I)	-0.22	0.04	-0.30	-0.13
Crst:Ds	E(I)	-0.04	0.11	-0.27	0.18
Crst:Ds	G(Ia)	0.10	0.13	-0.16	0.36
Crst:Ds	P(I)	0.02	0.05	-0.07	0.11
Crst:Dps	E(I)	-0.03	0.11	-0.25	0.20
Crst:Dps	G(Ia)	0.04	0.13	-0.22	0.30

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crst:Dps	P(I)	0.00	0.05	-0.09	0.09
Crst:DpovDs	E(I)	0.28	0.19	-0.09	0.64
Crst:DpovDs	G(Ia)	-0.65	0.10	-0.83	-0.46
Crst:DpovDs	P(I)	-0.24	0.04	-0.32	-0.16
Crst:CVDp	E(I)	0.21	0.11	-0.01	0.43
Crst:CVDp	G(Ia)	-0.60	0.15	-0.89	-0.31
Crst:CVDp	P(I)	-0.09	0.05	-0.18	-0.00
Crst:CVDs	E(I)	0.02	0.11	-0.21	0.24
Crst:CVDs	G(Ia)	-0.78	0.16	-1.10	-0.46
Crst:CVDs	P(I)	-0.24	0.04	-0.32	-0.15
Crst:MaxDp	E(I)	0.22	0.14	-0.05	0.49
Crst:MaxDp	G(Ia)	-0.65	0.12	-0.88	-0.42
Crst:MaxDp	P(I)	-0.19	0.04	-0.27	-0.10
Crst:MinDp	E(I)	0.06	0.09	-0.11	0.24
Crst:MinDp	G(Ia)	-0.62	0.34	-1.29	0.05
Crst:MinDp	P(I)	-0.06	0.04	-0.15	0.02
Crst:MaxDs	E(I)	-0.11	0.10	-0.31	0.10
Crst:MaxDs	G(Ia)	-0.34	0.14	-0.61	-0.06
Crst:MaxDs	P(I)	-0.19	0.04	-0.28	-0.10
Crst:MinDs	E(I)	-0.03	0.09	-0.20	0.14
Crst:MinDs	G(Ia)	0.06	0.35	-0.62	0.74
Crst:MinDs	P(I)	-0.01	0.04	-0.10	0.07
Crst:SDDp	E(I)	0.24	0.13	-0.01	0.50
Crst:SDDp	G(Ia)	-0.66	0.12	-0.90	-0.42
Crst:SDDp	P(I)	-0.16	0.04	-0.25	-0.07
Crst:SDDs	E(I)	-0.01	0.08	-0.16	0.15
Crst:SDDs	G(Ia)	-0.50	0.12	-0.74	-0.25
Crst:SDDs	P(I)	-0.21	0.04	-0.29	-0.12
Crst:SDD	E(I)	0.04	0.13	-0.21	0.29
Crst:SDD	G(Ia)	-0.56	0.12	-0.80	-0.33
Crst:SDD	P(I)	-0.22	0.04	-0.30	-0.13
Crst:CVD	E(I)	0.05	0.11	-0.16	0.26
Crst:CVD	G(Ia)	-0.80	0.15	-1.09	-0.50
Crst:CVD	P(I)	-0.24	0.04	-0.33	-0.16
Crst:Gt30Dp	E(I)	0.12	0.13	-0.14	0.38
Crst:Gt30Dp	G(Ia)	-0.62	0.12	-0.85	-0.40
Crst:Gt30Dp	P(I)	-0.22	0.04	-0.31	-0.13
Crst:Gt30Ds	E(I)	-0.01	0.09	-0.18	0.17
Crst:Gt30Ds	G(Ia)	-0.29	0.16	-0.60	0.03
Crst:Gt30Ds	P(I)	-0.10	0.05	-0.19	-0.01
Crst:Gt30D	E(I)	0.02	0.12	-0.21	0.24
Crst:Gt30D	G(Ia)	-0.42	0.15	-0.71	-0.13
Crst:Gt30D	P(I)	-0.14	0.05	-0.23	-0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crst:Fnuu	E(I)	0.20	0.07	0.07	0.34
Crst:Fnuu	G(Ia)	-0.56	0.04	-0.65	-0.48
Crst:Fnuu	P(I)	-0.15	0.02	-0.20	-0.11
Crst:Fr	E(I)	0.05	0.07	-0.08	0.18
Crst:Fr	G(Ia)	-0.23	0.05	-0.32	-0.14
Crst:Fr	P(I)	-0.07	0.02	-0.12	-0.02
Crst:Fnt	E(I)	0.45	0.07	0.30	0.59
Crst:Fnt	G(Ia)	-0.63	0.04	-0.71	-0.54
Crst:Fnt	P(I)	-0.09	0.02	-0.14	-0.05
Crst:Sarea	E(I)	0.55	0.07	0.41	0.69
Crst:Sarea	G(Ia)	-0.21	0.04	-0.28	-0.13
Crst:Sarea	P(I)	0.12	0.02	0.08	0.17
Crst:Fd	E(I)	0.27	0.07	0.13	0.40
Crst:Fd	G(Ia)	-0.49	0.05	-0.59	-0.38
Crst:Fd	P(I)	-0.05	0.03	-0.10	-0.01
Crst:Fc	E(I)	-0.69	0.11	-0.90	-0.48
Crst:Fc	G(Ia)	0.89	0.03	0.84	0.94
Crst:Fc	P(I)	0.30	0.02	0.26	0.34
Crst:Fu	E(I)	-0.23	0.08	-0.39	-0.07
Crst:Fu	G(Ia)	0.44	0.04	0.36	0.53
Crst:Fu	P(I)	0.11	0.03	0.06	0.17
Crst:Colour	E(I)	-0.02	0.05	-0.13	0.09
Crst:Colour	G(Ia)	-0.33	0.08	-0.49	-0.17
Crst:Colour	P(I)	-0.09	0.02	-0.13	-0.04
Crst:Fly	E(I)	-0.15	0.06	-0.26	-0.04
Crst:Fly	G(Ia)	0.51	0.07	0.37	0.66
Crst:Fly	P(I)	0.07	0.02	0.03	0.12
Crst:Flcrot	E(I)	0.05	0.05	-0.06	0.15
Crst:Flcrot	G(Ia)	-0.67	0.24	-1.13	-0.20
Crst:Flcrot	P(I)	-0.07	0.02	-0.11	-0.02
Crst:Bactst	E(I)	-0.12	0.07	-0.25	0.01
Crst:Bactst	G(Ia)	-0.56	0.24	-1.03	-0.08
Crst:Bactst	P(I)	-0.18	0.03	-0.25	-0.11
Crst:MycD	E(I)	-0.06	0.07	-0.19	0.08
Crst:MycD	G(Ia)	-0.34	0.19	-0.72	0.04
Crst:MycD	P(I)	-0.11	0.03	-0.18	-0.04
Crst:Bcts	E(I)	0.07	0.09	-0.11	0.25
Crst:Bcts	G(Ia)	-0.21	0.04	-0.30	-0.13
Crst:Bcts	P(I)	-0.10	0.02	-0.15	-0.05
Crst:Bctb	E(I)	0.10	0.08	-0.05	0.26
Crst:Bctb	G(Ia)	-0.27	0.04	-0.35	-0.18
Crst:Bctb	P(I)	-0.10	0.02	-0.15	-0.06
Crst:Weanwt	E(I)	0.15	0.05	0.05	0.25

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crst:Weanwt	G(Ia)	0.04	0.08	-0.12	0.19
Crst:Weanwt	P(I)	0.11	0.02	0.06	0.15
Crst:NLB	E(I)	-0.09	0.05	-0.19	0.02
Crst:NLB	G(Ia)	-0.01	0.04	-0.09	0.07
Crst:NLB	P(I)	-0.05	0.02	-0.09	-0.01
Crst:NLW	E(I)	-0.02	0.05	-0.12	0.09
Crst:NLW	G(Ia)	-0.08	0.04	-0.16	0.00
Crst:NLW	P(I)	-0.04	0.02	-0.08	0.00
Crst:Fnpua	E(I)	0.14	0.07	0.01	0.28
Crst:Fnpua	G(Ia)	-0.35	0.04	-0.43	-0.27
Crst:Fnpua	P(I)	-0.10	0.02	-0.14	-0.05
Crst:Fnsua	E(I)	0.20	0.07	0.07	0.34
Crst:Fnsua	G(Ia)	-0.56	0.04	-0.65	-0.47
Crst:Fnsua	P(I)	-0.15	0.02	-0.20	-0.10
Crst:Fnpt	E(I)	0.43	0.07	0.29	0.57
Crst:Fnpt	G(Ia)	-0.47	0.04	-0.56	-0.39
Crst:Fnpt	P(I)	-0.03	0.02	-0.07	0.02
Crst:Fnst	E(I)	0.44	0.07	0.29	0.58
Crst:Fnst	G(Ia)	-0.62	0.04	-0.71	-0.54
Crst:Fnst	P(I)	-0.09	0.02	-0.14	-0.05
Crstadj:Stal	E(I)	0.89	0.05	0.78	0.99
Crstadj:Stal	G(Ia)	-0.21	0.04	-0.28	-0.14
Crstadj:Stal	P(I)	0.31	0.02	0.27	0.35
Crstadj:Diam	E(I)	0.20	0.06	0.09	0.31
Crstadj:Diam	G(Ia)	-0.34	0.04	-0.41	-0.27
Crstadj:Diam	P(I)	-0.07	0.02	-0.11	-0.02
Crstadj:Bwt	E(I)	0.44	0.06	0.33	0.55
Crstadj:Bwt	G(Ia)	-0.19	0.04	-0.27	-0.12
Crstadj:Bwt	P(I)	0.12	0.02	0.08	0.16
Crstadj:WrN	E(I)	-0.12	0.05	-0.23	-0.02
Crstadj:WrN	G(Ia)	0.29	0.04	0.21	0.37
Crstadj:WrN	P(I)	0.06	0.02	0.02	0.10
Crstadj:WrB	E(I)	-0.28	0.05	-0.38	-0.17
Crstadj:WrB	G(Ia)	0.49	0.04	0.41	0.57
Crstadj:WrB	P(I)	0.08	0.02	0.04	0.13
Crstadj:WrT	E(I)	-0.24	0.06	-0.35	-0.13
Crstadj:WrT	G(Ia)	0.42	0.04	0.35	0.50
Crstadj:WrT	P(I)	0.08	0.02	0.04	0.12
Crstadj:Face	E(I)	-0.48	0.07	-0.63	-0.34
Crstadj:Face	G(Ia)	0.29	0.02	0.24	0.34
Crstadj:Face	P(I)	0.02	0.02	-0.02	0.06
Crstadj:Gfw	E(I)	0.49	0.05	0.40	0.59
Crstadj:Gfw	G(Ia)	-0.40	0.03	-0.46	-0.33

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crstadj:Gfw	P(I)	0.06	0.02	0.03	0.10
Crstadj:Yld	E(I)	0.14	0.05	0.03	0.24
Crstadj:Yld	G(Ia)	-0.39	0.04	-0.46	-0.31
Crstadj:Yld	P(I)	-0.11	0.02	-0.15	-0.07
Crstadj:Cww	E(I)	0.54	0.05	0.44	0.64
Crstadj:Cww	G(Ia)	-0.50	0.03	-0.57	-0.44
Crstadj:Cww	P(I)	0.02	0.02	-0.01	0.06
Crstadj:Staladj	E(I)	0.84	0.05	0.74	0.94
Crstadj:Staladj	G(Ia)	-0.16	0.04	-0.23	-0.08
Crstadj:Staladj	P(I)	0.33	0.02	0.30	0.37
Crstadj:Gfwadj	E(I)	0.45	0.05	0.36	0.54
Crstadj:Gfwadj	G(Ia)	-0.39	0.04	-0.46	-0.32
Crstadj:Gfwadj	P(I)	0.05	0.02	0.02	0.09
Crstadj:Cwwadj	E(I)	0.52	0.05	0.42	0.63
Crstadj:Cwwadj	G(Ia)	-0.50	0.03	-0.57	-0.44
Crstadj:Cwwadj	P(I)	0.01	0.02	-0.02	0.05
Crstadj:Crimp	E(I)	0.69	0.13	0.44	0.94
Crstadj:Crimp	G(Ia)	0.92	0.01	0.90	0.94
Crstadj:Crimp	P(I)	0.79	0.01	0.77	0.81
Crstadj:Crwvl	E(I)	-0.47	0.04	-0.55	-0.39
Crstadj:Crwvl	G(Ia)	-0.93	0.01	-0.95	-0.90
Crstadj:Crwvl	P(I)	-0.74	0.01	-0.76	-0.72
Crstadj:Crst	E(I)	0.97	0.01	0.95	0.99
Crstadj:Crst	G(Ia)	1.00	0.00	0.99	1.00
Crstadj:Crst	P(I)	0.99	0.00	0.98	0.99
Crstadj:Crstadj	E(I)	1.00	0.00	1.00	1.00
Crstadj:Crstadj	G(Ia)	1.00	0.00	1.00	1.00
Crstadj:Crstadj	P(I)	1.00	0.00	1.00	1.00
Crstadj:Crwvt	E(I)	-0.85	0.02	-0.89	-0.82
Crstadj:Crwvt	G(Ia)	-1.00	0.01	-1.01	-0.98
Crstadj:Crwvt	P(I)	-0.92	0.01	-0.93	-0.91
Crstadj:Dp	E(I)	0.19	0.15	-0.09	0.48
Crstadj:Dp	G(Ia)	-0.65	0.11	-0.86	-0.43
Crstadj:Dp	P(I)	-0.22	0.04	-0.30	-0.13
Crstadj:Ds	E(I)	-0.03	0.12	-0.26	0.19
Crstadj:Ds	G(Ia)	0.10	0.13	-0.16	0.35
Crstadj:Ds	P(I)	0.02	0.05	-0.07	0.11
Crstadj:Dps	E(I)	-0.02	0.11	-0.24	0.20
Crstadj:Dps	G(Ia)	0.04	0.13	-0.22	0.30
Crstadj:Dps	P(I)	0.00	0.05	-0.09	0.09
Crstadj:DpovDs	E(I)	0.29	0.19	-0.08	0.66
Crstadj:DpovDs	G(Ia)	-0.66	0.10	-0.84	-0.47
Crstadj:DpovDs	P(I)	-0.24	0.04	-0.32	-0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crstadj:CVDp	E(I)	0.22	0.11	0.00	0.44
Crstadj:CVDp	G(Ia)	-0.60	0.15	-0.90	-0.31
Crstadj:CVDp	P(I)	-0.09	0.05	-0.18	-0.00
Crstadj:CVDs	E(I)	0.02	0.11	-0.20	0.24
Crstadj:CVDs	G(Ia)	-0.78	0.16	-1.10	-0.46
Crstadj:CVDs	P(I)	-0.24	0.04	-0.32	-0.15
Crstadj:MaxDp	E(I)	0.23	0.14	-0.04	0.50
Crstadj:MaxDp	G(Ia)	-0.65	0.12	-0.88	-0.43
Crstadj:MaxDp	P(I)	-0.19	0.04	-0.27	-0.10
Crstadj:MinDp	E(I)	0.06	0.09	-0.11	0.24
Crstadj:MinDp	G(Ia)	-0.63	0.34	-1.30	0.04
Crstadj:MinDp	P(I)	-0.07	0.04	-0.15	0.02
Crstadj:MaxDs	E(I)	-0.10	0.10	-0.30	0.10
Crstadj:MaxDs	G(Ia)	-0.34	0.14	-0.61	-0.06
Crstadj:MaxDs	P(I)	-0.19	0.04	-0.27	-0.10
Crstadj:MinDs	E(I)	-0.03	0.09	-0.20	0.14
Crstadj:MinDs	G(Ia)	0.04	0.35	-0.66	0.74
Crstadj:MinDs	P(I)	-0.02	0.04	-0.10	0.07
Crstadj:SDDp	E(I)	0.25	0.13	-0.00	0.51
Crstadj:SDDp	G(Ia)	-0.67	0.12	-0.91	-0.42
Crstadj:SDDp	P(I)	-0.16	0.04	-0.25	-0.07
Crstadj:SDDs	E(I)	-0.00	0.01	-0.02	0.02
Crstadj:SDDs	G(Ia)	-0.50	0.12	-0.74	-0.25
Crstadj:SDDs	P(I)	-0.20	0.04	-0.29	-0.12
Crstadj:SDD	E(I)	0.05	0.12	-0.20	0.29
Crstadj:SDD	G(Ia)	-0.56	0.12	-0.80	-0.33
Crstadj:SDD	P(I)	-0.21	0.04	-0.30	-0.13
Crstadj:CVD	E(I)	0.05	0.11	-0.16	0.26
Crstadj:CVD	G(Ia)	-0.80	0.15	-1.10	-0.51
Crstadj:CVD	P(I)	-0.24	0.04	-0.33	-0.16
Crstadj:Gt30Dp	E(I)	0.13	0.13	-0.13	0.40
Crstadj:Gt30Dp	G(Ia)	-0.63	0.12	-0.86	-0.41
Crstadj:Gt30Dp	P(I)	-0.22	0.04	-0.30	-0.13
Crstadj:Gt30Ds	E(I)	-0.00	0.08	-0.15	0.15
Crstadj:Gt30Ds	G(Ia)	-0.28	0.16	-0.60	0.03
Crstadj:Gt30Ds	P(I)	-0.10	0.05	-0.19	-0.01
Crstadj:Gt30D	E(I)	0.02	0.11	-0.20	0.24
Crstadj:Gt30D	G(Ia)	-0.42	0.15	-0.71	-0.13
Crstadj:Gt30D	P(I)	-0.14	0.05	-0.23	-0.05
Crstadj:Fnum	E(I)	0.18	0.06	0.06	0.31
Crstadj:Fnum	G(Ia)	-0.56	0.05	-0.65	-0.47
Crstadj:Fnum	P(I)	-0.15	0.02	-0.19	-0.10
Crstadj:Fr	E(I)	0.03	0.06	-0.09	0.15

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crstadj:Fr	G(Ia)	-0.22	0.05	-0.31	-0.13
Crstadj:Fr	P(I)	-0.07	0.02	-0.12	-0.03
Crstadj:Fnt	E(I)	0.39	0.07	0.25	0.52
Crstadj:Fnt	G(Ia)	-0.61	0.04	-0.69	-0.52
Crstadj:Fnt	P(I)	-0.09	0.02	-0.14	-0.04
Crstadj:Sarea	E(I)	0.47	0.07	0.34	0.59
Crstadj:Sarea	G(Ia)	-0.18	0.04	-0.25	-0.10
Crstadj:Sarea	P(I)	0.12	0.02	0.08	0.17
Crstadj:Fd	E(I)	0.26	0.07	0.13	0.39
Crstadj:Fd	G(Ia)	-0.51	0.05	-0.62	-0.41
Crstadj:Fd	P(I)	-0.06	0.03	-0.11	-0.01
Crstadj:Fc	E(I)	-0.68	0.10	-0.88	-0.48
Crstadj:Fc	G(Ia)	0.88	0.03	0.83	0.93
Crstadj:Fc	P(I)	0.28	0.02	0.23	0.32
Crstadj:Fu	E(I)	-0.25	0.08	-0.40	-0.09
Crstadj:Fu	G(Ia)	0.45	0.04	0.37	0.54
Crstadj:Fu	P(I)	0.10	0.03	0.05	0.16
Crstadj:Colour	E(I)	-0.04	0.05	-0.14	0.06
Crstadj:Colour	G(Ia)	-0.35	0.08	-0.52	-0.18
Crstadj:Colour	P(I)	-0.10	0.02	-0.15	-0.06
Crstadj:Fly	E(I)	-0.15	0.05	-0.26	-0.04
Crstadj:Fly	G(Ia)	0.54	0.07	0.39	0.68
Crstadj:Fly	P(I)	0.07	0.02	0.03	0.11
Crstadj:Flcrot	E(I)	0.04	0.05	-0.06	0.14
Crstadj:Flcrot	G(Ia)	-0.64	0.23	-1.10	-0.18
Crstadj:Flcrot	P(I)	-0.06	0.02	-0.11	-0.02
Crstadj:Bactst	E(I)	-0.12	0.07	-0.25	0.01
Crstadj:Bactst	G(Ia)	-0.56	0.24	-1.03	-0.08
Crstadj:Bactst	P(I)	-0.18	0.03	-0.25	-0.12
Crstadj:MycD	E(I)	-0.06	0.07	-0.19	0.08
Crstadj:MycD	G(Ia)	-0.35	0.19	-0.73	0.03
Crstadj:MycD	P(I)	-0.11	0.03	-0.18	-0.04
Crstadj:Bcts	E(I)	0.08	0.09	-0.10	0.26
Crstadj:Bcts	G(Ia)	-0.23	0.04	-0.31	-0.14
Crstadj:Bcts	P(I)	-0.10	0.02	-0.14	-0.05
Crstadj:Bctb	E(I)	0.12	0.08	-0.03	0.28
Crstadj:Bctb	G(Ia)	-0.28	0.05	-0.37	-0.19
Crstadj:Bctb	P(I)	-0.10	0.02	-0.14	-0.05
Crstadj:Weanwt	E(I)	0.11	0.05	0.01	0.20
Crstadj:Weanwt	G(Ia)	0.07	0.08	-0.09	0.23
Crstadj:Weanwt	P(I)	0.09	0.02	0.05	0.14
Crstadj:NLB	E(I)	-0.07	0.05	-0.17	0.03
Crstadj:NLB	G(Ia)	-0.03	0.04	-0.12	0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crstadj:NLB	P(I)	-0.05	0.02	-0.09	-0.01
Crstadj:NLW	E(I)	-0.01	0.05	-0.11	0.09
Crstadj:NLW	G(Ia)	-0.10	0.04	-0.19	-0.02
Crstadj:NLW	P(I)	-0.05	0.02	-0.09	-0.00
Crstadj:Fnpua	E(I)	0.15	0.06	0.02	0.27
Crstadj:Fnpua	G(Ia)	-0.35	0.04	-0.44	-0.27
Crstadj:Fnpua	P(I)	-0.09	0.02	-0.13	-0.04
Crstadj:Fnsua	E(I)	0.18	0.06	0.06	0.31
Crstadj:Fnsua	G(Ia)	-0.56	0.05	-0.65	-0.47
Crstadj:Fnsua	P(I)	-0.14	0.02	-0.19	-0.10
Crstadj:Fnpnt	E(I)	0.39	0.07	0.26	0.52
Crstadj:Fnpnt	G(Ia)	-0.45	0.04	-0.54	-0.37
Crstadj:Fnpnt	P(I)	-0.02	0.02	-0.06	0.03
Crstadj:Fnst	E(I)	0.38	0.07	0.24	0.51
Crstadj:Fnst	G(Ia)	-0.60	0.04	-0.69	-0.52
Crstadj:Fnst	P(I)	-0.09	0.02	-0.14	-0.05
Crwvt:Stal	E(I)	-0.66	0.04	-0.74	-0.58
Crwvt:Stal	G(Ia)	0.16	0.04	0.08	0.24
Crwvt:Stal	P(I)	-0.30	0.02	-0.34	-0.27
Crwvt:Diam	E(I)	-0.16	0.05	-0.25	-0.07
Crwvt:Diam	G(Ia)	0.35	0.04	0.27	0.43
Crwvt:Diam	P(I)	0.05	0.02	0.01	0.09
Crwvt:Bwt	E(I)	-0.37	0.04	-0.46	-0.29
Crwvt:Bwt	G(Ia)	0.23	0.04	0.15	0.31
Crwvt:Bwt	P(I)	-0.12	0.02	-0.16	-0.08
Crwvt:WrN	E(I)	0.06	0.04	-0.02	0.15
Crwvt:WrN	G(Ia)	-0.32	0.05	-0.41	-0.23
Crwvt:WrN	P(I)	-0.08	0.02	-0.12	-0.04
Crwvt:WrB	E(I)	0.25	0.05	0.16	0.34
Crwvt:WrB	G(Ia)	-0.51	0.04	-0.59	-0.43
Crwvt:WrB	P(I)	-0.06	0.02	-0.10	-0.02
Crwvt:WrT	E(I)	0.20	0.05	0.10	0.29
Crwvt:WrT	G(Ia)	-0.45	0.04	-0.53	-0.37
Crwvt:WrT	P(I)	-0.07	0.02	-0.11	-0.03
Crwvt:Face	E(I)	0.47	0.06	0.35	0.60
Crwvt:Face	G(Ia)	-0.27	0.03	-0.32	-0.21
Crwvt:Face	P(I)	0.04	0.02	0.00	0.08
Crwvt:Gfw	E(I)	-0.51	0.04	-0.59	-0.43
Crwvt:Gfw	G(Ia)	0.35	0.04	0.27	0.43
Crwvt:Gfw	P(I)	-0.15	0.02	-0.19	-0.12
Crwvt:Yld	E(I)	-0.07	0.05	-0.16	0.02
Crwvt:Yld	G(Ia)	0.40	0.04	0.32	0.49
Crwvt:Yld	P(I)	0.12	0.02	0.08	0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvt:Cww	E(I)	-0.53	0.04	-0.61	-0.44
Crwvt:Cww	G(Ia)	0.47	0.04	0.39	0.54
Crwvt:Cww	P(I)	-0.10	0.02	-0.14	-0.07
Crwvt:Staladj	E(I)	-0.64	0.04	-0.72	-0.56
Crwvt:Staladj	G(Ia)	0.10	0.04	0.02	0.19
Crwvt:Staladj	P(I)	-0.32	0.02	-0.36	-0.28
Crwvt:Gfwadj	E(I)	-0.51	0.04	-0.59	-0.44
Crwvt:Gfwadj	G(Ia)	0.35	0.04	0.27	0.43
Crwvt:Gfwadj	P(I)	-0.17	0.02	-0.20	-0.14
Crwvt:Cwwadj	E(I)	-0.54	0.04	-0.62	-0.45
Crwvt:Cwwadj	G(Ia)	0.47	0.04	0.40	0.55
Crwvt:Cwwadj	P(I)	-0.11	0.02	-0.15	-0.07
Crwvt:Crimp	E(I)	-0.66	0.14	-0.93	-0.40
Crwvt:Crimp	G(Ia)	-0.89	0.01	-0.92	-0.87
Crwvt:Crimp	P(I)	-0.69	0.01	-0.71	-0.67
Crwvt:Crwvl	E(I)	0.75	0.03	0.70	0.80
Crwvt:Crwvl	G(Ia)	0.91	0.01	0.88	0.93
Crwvt:Crwvl	P(I)	0.83	0.01	0.81	0.85
Crwvt:Crst	E(I)	-0.83	0.02	-0.87	-0.79
Crwvt:Crst	G(Ia)	-0.99	0.01	-1.01	-0.98
Crwvt:Crst	P(I)	-0.91	0.01	-0.92	-0.90
Crwvt:Crstadj	E(I)	-0.85	0.02	-0.89	-0.82
Crwvt:Crstadj	G(Ia)	-1.00	0.01	-1.01	-0.98
Crwvt:Crstadj	P(I)	-0.92	0.01	-0.93	-0.91
Crwvt:Crwvt	E(I)	1.00	0.00	1.00	1.00
Crwvt:Crwvt	G(Ia)	1.00	0.00	1.00	1.00
Crwvt:Crwvt	P(I)	1.00	0.00	1.00	1.00
Crwvt:Dp	E(I)	-0.19	0.14	-0.46	0.09
Crwvt:Dp	G(Ia)	0.68	0.11	0.46	0.89
Crwvt:Dp	P(I)	0.23	0.04	0.14	0.31
Crwvt:Ds	E(I)	0.01	0.11	-0.20	0.23
Crwvt:Ds	G(Ia)	-0.03	0.13	-0.29	0.23
Crwvt:Ds	P(I)	-0.00	0.04	-0.09	0.08
Crwvt:Dps	E(I)	-0.00	0.12	-0.24	0.23
Crwvt:Dps	G(Ia)	0.03	0.13	-0.23	0.30
Crwvt:Dps	P(I)	0.01	0.04	-0.07	0.10
Crwvt:DpovDs	E(I)	-0.25	0.18	-0.60	0.11
Crwvt:DpovDs	G(Ia)	0.65	0.10	0.46	0.84
Crwvt:DpovDs	P(I)	0.24	0.04	0.16	0.32
Crwvt:CVDp	E(I)	-0.20	0.11	-0.41	0.01
Crwvt:CVDp	G(Ia)	0.63	0.15	0.33	0.93
Crwvt:CVDp	P(I)	0.10	0.04	0.02	0.19
Crwvt:CVDs	E(I)	-0.03	0.10	-0.23	0.17

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvt:CVDs	G(Ia)	0.79	0.17	0.45	1.12
Crwvt:CVDs	P(I)	0.22	0.04	0.14	0.31
Crwvt:MaxDp	E(I)	-0.20	0.13	-0.45	0.06
Crwvt:MaxDp	G(Ia)	0.67	0.12	0.44	0.90
Crwvt:MaxDp	P(I)	0.20	0.04	0.11	0.28
Crwvt:MinDp	E(I)	-0.06	0.09	-0.22	0.11
Crwvt:MinDp	G(Ia)	0.65	0.35	-0.04	1.33
Crwvt:MinDp	P(I)	0.07	0.04	-0.02	0.15
Crwvt:MaxDs	E(I)	0.04	0.10	-0.15	0.23
Crwvt:MaxDs	G(Ia)	0.38	0.15	0.09	0.66
Crwvt:MaxDs	P(I)	0.16	0.04	0.07	0.24
Crwvt:MinDs	E(I)	0.02	0.08	-0.14	0.19
Crwvt:MinDs	G(Ia)	0.09	0.33	-0.55	0.73
Crwvt:MinDs	P(I)	0.03	0.04	-0.05	0.12
Crwvt:SDDp	E(I)	-0.23	0.13	-0.48	0.02
Crwvt:SDDp	G(Ia)	0.69	0.12	0.44	0.93
Crwvt:SDDp	P(I)	0.17	0.04	0.08	0.25
Crwvt:SDDs	E(I)	-0.02	0.12	-0.26	0.21
Crwvt:SDDs	G(Ia)	0.55	0.13	0.29	0.80
Crwvt:SDDs	P(I)	0.20	0.04	0.12	0.29
Crwvt:SDD	E(I)	-0.07	0.12	-0.30	0.17
Crwvt:SDD	G(Ia)	0.61	0.12	0.37	0.86
Crwvt:SDD	P(I)	0.21	0.04	0.13	0.30
Crwvt:CVD	E(I)	-0.06	0.10	-0.26	0.15
Crwvt:CVD	G(Ia)	0.81	0.16	0.50	1.11
Crwvt:CVD	P(I)	0.23	0.04	0.15	0.32
Crwvt:Gt30Dp	E(I)	-0.13	0.13	-0.38	0.13
Crwvt:Gt30Dp	G(Ia)	0.66	0.12	0.43	0.89
Crwvt:Gt30Dp	P(I)	0.22	0.04	0.14	0.31
Crwvt:Gt30Ds	E(I)	0.00	0.08	-0.15	0.15
Crwvt:Gt30Ds	G(Ia)	0.29	0.16	-0.03	0.61
Crwvt:Gt30Ds	P(I)	0.09	0.04	0.01	0.18
Crwvt:Gt30D	E(I)	-0.02	0.11	-0.24	0.19
Crwvt:Gt30D	G(Ia)	0.43	0.15	0.13	0.72
Crwvt:Gt30D	P(I)	0.13	0.04	0.05	0.22
Crwvt:Fnu	E(I)	-0.16	0.05	-0.26	-0.06
Crwvt:Fnu	G(Ia)	0.58	0.05	0.48	0.68
Crwvt:Fnu	P(I)	0.12	0.02	0.07	0.16
Crwvt:Fr	E(I)	-0.07	0.05	-0.16	0.03
Crwvt:Fr	G(Ia)	0.25	0.05	0.14	0.35
Crwvt:Fr	P(I)	0.05	0.02	0.00	0.09
Crwvt:Fnt	E(I)	-0.33	0.05	-0.43	-0.22
Crwvt:Fnt	G(Ia)	0.64	0.05	0.54	0.74

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvt:Fnt	P(I)	0.07	0.02	0.02	0.11
Crwvt:Sarea	E(I)	-0.41	0.05	-0.51	-0.31
Crwvt:Sarea	G(Ia)	0.21	0.04	0.13	0.29
Crwvt:Sarea	P(I)	-0.13	0.02	-0.18	-0.09
Crwvt:Fd	E(I)	-0.23	0.05	-0.33	-0.12
Crwvt:Fd	G(Ia)	0.43	0.06	0.32	0.54
Crwvt:Fd	P(I)	0.01	0.02	-0.04	0.06
Crwvt:Fc	E(I)	0.62	0.08	0.47	0.78
Crwvt:Fc	G(Ia)	-0.87	0.03	-0.93	-0.82
Crwvt:Fc	P(I)	-0.20	0.02	-0.24	-0.16
Crwvt:Fu	E(I)	0.22	0.06	0.10	0.35
Crwvt:Fu	G(Ia)	-0.46	0.05	-0.55	-0.36
Crwvt:Fu	P(I)	-0.08	0.03	-0.13	-0.02
Crwvt:Colour	E(I)	0.04	0.04	-0.03	0.12
Crwvt:Colour	G(Ia)	0.29	0.09	0.10	0.47
Crwvt:Colour	P(I)	0.09	0.02	0.04	0.13
Crwvt:Fly	E(I)	0.09	0.04	0.01	0.17
Crwvt:Fly	G(Ia)	-0.46	0.08	-0.62	-0.31
Crwvt:Fly	P(I)	-0.05	0.02	-0.09	-0.00
Crwvt:Flcrot	E(I)	-0.03	0.04	-0.10	0.05
Crwvt:Flcrot	G(Ia)	0.61	0.24	0.14	1.08
Crwvt:Flcrot	P(I)	0.05	0.02	0.01	0.09
Crwvt:Bactst	E(I)	0.17	0.06	0.04	0.29
Crwvt:Bactst	G(Ia)	0.59	0.25	0.10	1.08
Crwvt:Bactst	P(I)	0.22	0.03	0.16	0.29
Crwvt:MycD	E(I)	0.03	0.07	-0.10	0.16
Crwvt:MycD	G(Ia)	0.38	0.21	-0.02	0.79
Crwvt:MycD	P(I)	0.10	0.03	0.03	0.16
Crwvt:Bcts	E(I)	-0.06	0.09	-0.23	0.12
Crwvt:Bcts	G(Ia)	0.27	0.05	0.18	0.36
Crwvt:Bcts	P(I)	0.12	0.02	0.08	0.17
Crwvt:Bctb	E(I)	-0.08	0.07	-0.22	0.07
Crwvt:Bctb	G(Ia)	0.31	0.05	0.21	0.40
Crwvt:Bctb	P(I)	0.12	0.02	0.07	0.17
Crwvt:Weanwt	E(I)	-0.11	0.05	-0.21	-0.02
Crwvt:Weanwt	G(Ia)	-0.01	0.08	-0.17	0.15
Crwvt:Weanwt	P(I)	-0.08	0.02	-0.13	-0.03
Crwvt:NLB	E(I)	0.08	0.04	0.00	0.17
Crwvt:NLB	G(Ia)	-0.00	0.06	-0.12	0.12
Crwvt:NLB	P(I)	0.05	0.02	0.01	0.09
Crwvt:NLW	E(I)	0.04	0.04	-0.04	0.13
Crwvt:NLW	G(Ia)	0.08	0.05	-0.01	0.18
Crwvt:NLW	P(I)	0.06	0.02	0.02	0.10

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvt:Fnpua	E(I)	-0.10	0.05	-0.20	0.00
Crwvt:Fnpua	G(Ia)	0.35	0.05	0.26	0.44
Crwvt:Fnpua	P(I)	0.08	0.02	0.04	0.13
Crwvt:Fnsua	E(I)	-0.16	0.05	-0.26	-0.06
Crwvt:Fnsua	G(Ia)	0.58	0.05	0.48	0.68
Crwvt:Fnsua	P(I)	0.12	0.02	0.07	0.16
Crwvt:Fnpt	E(I)	-0.30	0.05	-0.40	-0.20
Crwvt:Fnpt	G(Ia)	0.47	0.05	0.37	0.57
Crwvt:Fnpt	P(I)	0.01	0.02	-0.03	0.06
Crwvt:Fnst	E(I)	-0.32	0.05	-0.42	-0.21
Crwvt:Fnst	G(Ia)	0.64	0.05	0.54	0.73
Crwvt:Fnst	P(I)	0.07	0.02	0.02	0.11
Dp:Stal	E(I)	0.09	0.09	-0.08	0.26
Dp:Stal	G(Ia)	-0.19	0.05	-0.30	-0.08
Dp:Stal	P(I)	-0.05	0.03	-0.12	0.01
Dp:Diam	E(I)	0.63	0.08	0.48	0.78
Dp:Diam	G(Ia)	0.14	0.05	0.05	0.24
Dp:Diam	P(I)	0.37	0.03	0.31	0.42
Dp:Bwt	E(I)	0.13	0.07	-0.02	0.27
Dp:Bwt	G(Ia)	-0.26	0.07	-0.40	-0.12
Dp:Bwt	P(I)	-0.03	0.03	-0.09	0.04
Dp:WrN	E(I)	0.37	0.08	0.21	0.53
Dp:WrN	G(Ia)	-0.21	0.05	-0.31	-0.10
Dp:WrN	P(I)	0.07	0.03	0.01	0.13
Dp:WrB	E(I)	0.28	0.08	0.13	0.42
Dp:WrB	G(Ia)	-0.05	0.06	-0.17	0.07
Dp:WrB	P(I)	0.12	0.03	0.06	0.18
Dp:WrT	E(I)	0.37	0.08	0.21	0.53
Dp:WrT	G(Ia)	-0.14	0.05	-0.25	-0.03
Dp:WrT	P(I)	0.11	0.03	0.04	0.17
Dp:Face	E(I)	-0.62	0.09	-0.80	-0.45
Dp:Face	G(Ia)	0.53	0.04	0.45	0.60
Dp:Face	P(I)	0.07	0.03	0.01	0.12
Dp:Gfw	E(I)	0.20	0.08	0.05	0.35
Dp:Gfw	G(Ia)	0.03	0.06	-0.08	0.13
Dp:Gfw	P(I)	0.12	0.03	0.05	0.18
Dp:Yld	E(I)	0.03	0.08	-0.12	0.19
Dp:Yld	G(Ia)	-0.19	0.06	-0.31	-0.07
Dp:Yld	P(I)	-0.07	0.03	-0.13	-0.00
Dp:Cww	E(I)	0.18	0.08	0.03	0.34
Dp:Cww	G(Ia)	-0.01	0.06	-0.12	0.10
Dp:Cww	P(I)	0.09	0.03	0.03	0.15
Dp:Staladj	E(I)	0.09	0.09	-0.08	0.26

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dp:Staladj	G(Ia)	-0.19	0.05	-0.30	-0.09
Dp:Staladj	P(I)	-0.05	0.03	-0.12	0.01
Dp:Gfwadj	E(I)	0.20	0.08	0.05	0.34
Dp:Gfwadj	G(Ia)	0.02	0.06	-0.10	0.13
Dp:Gfwadj	P(I)	0.11	0.03	0.05	0.18
Dp:Cwwadj	E(I)	0.19	0.08	0.04	0.34
Dp:Cwwadj	G(Ia)	-0.04	0.06	-0.16	0.08
Dp:Cwwadj	P(I)	0.08	0.03	0.02	0.15
Dp:Crimp	E(I)	0.12	0.16	-0.19	0.44
Dp:Crimp	G(Ia)	-0.49	0.09	-0.67	-0.31
Dp:Crimp	P(I)	-0.21	0.04	-0.30	-0.13
Dp:Crwvl	E(I)	-0.11	0.15	-0.41	0.19
Dp:Crwvl	G(Ia)	0.51	0.09	0.33	0.70
Dp:Crwvl	P(I)	0.22	0.04	0.14	0.30
Dp:Crst	E(I)	0.18	0.15	-0.11	0.47
Dp:Crst	G(Ia)	-0.63	0.11	-0.84	-0.42
Dp:Crst	P(I)	-0.22	0.04	-0.30	-0.13
Dp:Crstadj	E(I)	0.19	0.15	-0.09	0.48
Dp:Crstadj	G(Ia)	-0.65	0.11	-0.86	-0.43
Dp:Crstadj	P(I)	-0.22	0.04	-0.30	-0.13
Dp:Crwvt	E(I)	-0.19	0.14	-0.46	0.09
Dp:Crwvt	G(Ia)	0.68	0.11	0.46	0.89
Dp:Crwvt	P(I)	0.23	0.04	0.14	0.31
Dp:Dp	E(I)	1.00	0.00	1.00	1.00
Dp:Dp	G(Ia)	1.00	0.00	1.00	1.00
Dp:Dp	P(I)	1.00	0.00	1.00	1.00
Dp:Ds	E(I)	0.78	0.07	0.65	0.91
Dp:Ds	G(Ia)	-0.09	0.06	-0.22	0.03
Dp:Ds	P(I)	0.38	0.03	0.32	0.43
Dp:Dps	E(I)	0.81	0.06	0.69	0.93
Dp:Dps	G(Ia)	-0.00	0.15	-0.30	0.29
Dp:Dps	P(I)	0.44	0.03	0.39	0.50
Dp:DpovDs	E(I)	0.65	0.08	0.49	0.80
Dp:DpovDs	G(Ia)	0.87	0.02	0.82	0.91
Dp:DpovDs	P(I)	0.76	0.02	0.72	0.79
Dp:CVDp	E(I)	-0.02	0.08	-0.17	0.14
Dp:CVDp	G(Ia)	0.55	0.06	0.43	0.68
Dp:CVDp	P(I)	0.22	0.03	0.16	0.28
Dp:CVDs	E(I)	-0.04	0.07	-0.18	0.11
Dp:CVDs	G(Ia)	0.52	0.07	0.37	0.66
Dp:CVDs	P(I)	0.17	0.03	0.11	0.24
Dp:MaxDp	E(I)	0.72	0.04	0.64	0.80
Dp:MaxDp	G(Ia)	0.95	0.02	0.91	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dp:MaxDp	P(I)	0.84	0.01	0.81	0.87
Dp:MinDp	E(I)	0.50	0.05	0.39	0.60
Dp:MinDp	G(Ia)	0.63	0.17	0.30	0.95
Dp:MinDp	P(I)	0.44	0.03	0.38	0.50
Dp:MaxDs	E(I)	0.45	0.06	0.34	0.57
Dp:MaxDs	G(Ia)	0.36	0.08	0.21	0.51
Dp:MaxDs	P(I)	0.40	0.03	0.34	0.46
Dp:MinDs	E(I)	0.16	0.06	0.04	0.28
Dp:MinDs	G(Ia)	-0.19	0.18	-0.55	0.16
Dp:MinDs	P(I)	0.08	0.03	0.01	0.14
Dp:SDDp	E(I)	0.46	0.06	0.34	0.58
Dp:SDDp	G(Ia)	0.85	0.03	0.78	0.92
Dp:SDDp	P(I)	0.66	0.02	0.61	0.70
Dp:SDDs	E(I)	0.45	0.07	0.32	0.59
Dp:SDDs	G(Ia)	0.34	0.05	0.24	0.45
Dp:SDDs	P(I)	0.40	0.03	0.34	0.46
Dp:SDD	E(I)	0.50	0.06	0.38	0.63
Dp:SDD	G(Ia)	0.47	0.05	0.38	0.57
Dp:SDD	P(I)	0.49	0.03	0.43	0.54
Dp:CVD	E(I)	-0.02	0.08	-0.17	0.13
Dp:CVD	G(Ia)	0.60	0.07	0.46	0.73
Dp:CVD	P(I)	0.23	0.03	0.16	0.29
Dp:Gt30Dp	E(I)	0.79	0.03	0.73	0.86
Dp:Gt30Dp	G(Ia)	0.95	0.02	0.91	0.99
Dp:Gt30Dp	P(I)	0.87	0.01	0.85	0.90
Dp:Gt30Ds	E(I)	0.47	0.06	0.35	0.59
Dp:Gt30Ds	G(Ia)	0.24	0.07	0.11	0.37
Dp:Gt30Ds	P(I)	0.37	0.03	0.31	0.43
Dp:Gt30D	E(I)	0.60	0.05	0.50	0.71
Dp:Gt30D	G(Ia)	0.50	0.05	0.39	0.61
Dp:Gt30D	P(I)	0.55	0.03	0.50	0.60
Dp:Fnu	E(I)	-0.42	0.07	-0.56	-0.28
Dp:Fnu	G(Ia)	0.00	1.34	-2.63	2.63
Dp:Fnu	P(I)	-0.24	0.03	-0.30	-0.17
Dp:Fr	E(I)	-0.11	0.07	-0.25	0.04
Dp:Fr	G(Ia)	-0.13	0.07	-0.27	0.01
Dp:Fr	P(I)	-0.11	0.03	-0.18	-0.05
Dp:Fnt	E(I)	-0.33	0.07	-0.47	-0.20
Dp:Fnt	G(Ia)	-0.11	0.07	-0.25	0.03
Dp:Fnt	P(I)	-0.24	0.03	-0.30	-0.17
Dp:Sarea	E(I)	0.13	0.07	-0.01	0.27
Dp:Sarea	G(Ia)	-0.26	0.07	-0.40	-0.11
Dp:Sarea	P(I)	-0.03	0.03	-0.09	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dp:Fd	E(I)	0.27	0.09	0.08	0.45
Dp:Fd	G(Ia)	0.15	0.13	-0.11	0.41
Dp:Fd	P(I)	0.21	0.04	0.13	0.30
Dp:Fc	E(I)	0.25	0.11	0.04	0.46
Dp:Fc	G(Ia)	-0.32	0.09	-0.51	-0.14
Dp:Fc	P(I)	-0.02	0.04	-0.10	0.06
Dp:Fu	E(I)	0.30	0.11	0.08	0.51
Dp:Fu	G(Ia)	-0.37	0.09	-0.55	-0.18
Dp:Fu	P(I)	-0.02	0.04	-0.10	0.06
Dp:Colour	E(I)	-0.14	0.07	-0.28	-0.00
Dp:Colour	G(Ia)	0.56	0.07	0.42	0.70
Dp:Colour	P(I)	0.13	0.03	0.07	0.19
Dp:Fly	E(I)	-0.22	0.06	-0.35	-0.10
Dp:Fly	G(Ia)	0.29	0.11	0.07	0.51
Dp:Fly	P(I)	-0.07	0.03	-0.13	-0.01
Dp:Flcrot	E(I)	-0.09	0.07	-0.22	0.04
Dp:Flcrot	G(Ia)	0.05	0.08	-0.10	0.21
Dp:Flcrot	P(I)	-0.04	0.03	-0.10	0.03
Dp:Bactst	E(I)	0.00	0.06	-0.11	0.11
Dp:Bactst	G(Ia)	0.34	0.12	0.10	0.57
Dp:Bactst	P(I)	0.08	0.03	0.02	0.15
Dp:MycD	E(I)	-0.03	0.06	-0.15	0.09
Dp:MycD	G(Ia)	0.05	0.18	-0.30	0.39
Dp:MycD	P(I)	-0.01	0.03	-0.07	0.05
Dp:Bcts	E(I)	-0.32	0.18	-0.67	0.02
Dp:Bcts	G(Ia)	0.77	0.03	0.72	0.83
Dp:Bcts	P(I)	0.44	0.02	0.39	0.48
Dp:Bctb	E(I)	-0.18	0.15	-0.48	0.11
Dp:Bctb	G(Ia)	0.70	0.03	0.65	0.76
Dp:Bctb	P(I)	0.42	0.02	0.37	0.47
Dp:Weanwt	E(I)	-0.00	0.06	-0.12	0.11
Dp:Weanwt	G(Ia)	-0.33	0.07	-0.48	-0.19
Dp:Weanwt	P(I)	-0.13	0.03	-0.19	-0.06
Dp:NLB	E(I)	0.04	0.07	-0.09	0.18
Dp:NLB	G(Ia)	0.41	0.08	0.26	0.55
Dp:NLB	P(I)	0.17	0.03	0.11	0.24
Dp:NLW	E(I)	0.02	0.07	-0.11	0.16
Dp:NLW	G(Ia)	0.42	0.07	0.28	0.57
Dp:NLW	P(I)	0.17	0.03	0.11	0.24
Dp:Fnpua	E(I)	-0.21	0.07	-0.34	-0.08
Dp:Fnpua	G(Ia)	-0.03	0.08	-0.18	0.13
Dp:Fnpua	P(I)	-0.14	0.03	-0.20	-0.07
Dp:Fnsua	E(I)	-0.41	0.07	-0.55	-0.28

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dp:Fnsua	G(Ia)	0.00	0.18	-0.35	0.35
Dp:Fnsua	P(I)	-0.23	0.03	-0.30	-0.17
Dp:Fnpt	E(I)	-0.15	0.07	-0.28	-0.02
Dp:Fnpt	G(Ia)	-0.12	0.07	-0.26	0.02
Dp:Fnpt	P(I)	-0.13	0.03	-0.20	-0.07
Dp:Fnst	E(I)	-0.33	0.07	-0.46	-0.20
Dp:Fnst	G(Ia)	-0.11	0.07	-0.25	0.04
Dp:Fnst	P(I)	-0.23	0.03	-0.30	-0.17
Ds:Stal	E(I)	-0.06	0.08	-0.21	0.09
Ds:Stal	G(Ia)	0.36	0.06	0.24	0.49
Ds:Stal	P(I)	0.13	0.03	0.06	0.19
Ds:Diam	E(I)	0.35	0.06	0.22	0.48
Ds:Diam	G(Ia)	0.91	0.04	0.83	0.99
Ds:Diam	P(I)	0.61	0.02	0.57	0.66
Ds:Bwt	E(I)	0.11	0.06	-0.02	0.23
Ds:Bwt	G(Ia)	0.35	0.08	0.20	0.51
Ds:Bwt	P(I)	0.19	0.03	0.13	0.25
Ds:WrN	E(I)	-0.07	0.08	-0.22	0.08
Ds:WrN	G(Ia)	0.47	0.06	0.36	0.59
Ds:WrN	P(I)	0.17	0.03	0.11	0.23
Ds:WrB	E(I)	0.06	0.07	-0.07	0.20
Ds:WrB	G(Ia)	0.43	0.07	0.30	0.55
Ds:WrB	P(I)	0.21	0.03	0.15	0.27
Ds:WrT	E(I)	-0.00	0.20	-0.39	0.39
Ds:WrT	G(Ia)	0.47	0.06	0.36	0.59
Ds:WrT	P(I)	0.21	0.03	0.15	0.27
Ds:Face	E(I)	-0.19	0.07	-0.33	-0.05
Ds:Face	G(Ia)	-0.15	0.04	-0.23	-0.07
Ds:Face	P(I)	-0.16	0.03	-0.22	-0.11
Ds:Gfw	E(I)	-0.07	0.07	-0.21	0.07
Ds:Gfw	G(Ia)	0.69	0.06	0.56	0.81
Ds:Gfw	P(I)	0.24	0.03	0.18	0.30
Ds:Yld	E(I)	-0.07	0.07	-0.21	0.06
Ds:Yld	G(Ia)	0.02	0.07	-0.12	0.16
Ds:Yld	P(I)	-0.04	0.03	-0.10	0.03
Ds:Cww	E(I)	-0.11	0.07	-0.25	0.04
Ds:Cww	G(Ia)	0.63	0.06	0.50	0.75
Ds:Cww	P(I)	0.20	0.03	0.14	0.27
Ds:Staladj	E(I)	-0.05	0.08	-0.21	0.10
Ds:Staladj	G(Ia)	0.36	0.06	0.23	0.48
Ds:Staladj	P(I)	0.13	0.03	0.06	0.19
Ds:Gfwadj	E(I)	-0.07	0.07	-0.21	0.07
Ds:Gfwadj	G(Ia)	0.71	0.06	0.58	0.83

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Ds:Gfwadj	P(I)	0.24	0.03	0.18	0.30
Ds:Cwwadj	E(I)	-0.11	0.07	-0.26	0.03
Ds:Cwwadj	G(Ia)	0.69	0.07	0.56	0.82
Ds:Cwwadj	P(I)	0.21	0.03	0.15	0.28
Ds:Crimp	E(I)	0.08	0.13	-0.18	0.33
Ds:Crimp	G(Ia)	-0.41	0.11	-0.63	-0.19
Ds:Crimp	P(I)	-0.15	0.04	-0.24	-0.06
Ds:Crwvl	E(I)	-0.06	0.12	-0.31	0.18
Ds:Crwvl	G(Ia)	0.43	0.12	0.20	0.65
Ds:Crwvl	P(I)	0.16	0.04	0.07	0.24
Ds:Crst	E(I)	-0.04	0.11	-0.27	0.18
Ds:Crst	G(Ia)	0.10	0.13	-0.16	0.36
Ds:Crst	P(I)	0.02	0.05	-0.07	0.11
Ds:Crstadj	E(I)	-0.03	0.12	-0.26	0.19
Ds:Crstadj	G(Ia)	0.10	0.13	-0.16	0.35
Ds:Crstadj	P(I)	0.02	0.05	-0.07	0.11
Ds:Crwvt	E(I)	0.01	0.11	-0.20	0.23
Ds:Crwvt	G(Ia)	-0.03	0.13	-0.29	0.23
Ds:Crwvt	P(I)	-0.00	0.04	-0.09	0.08
Ds:Dp	E(I)	0.78	0.07	0.65	0.91
Ds:Dp	G(Ia)	-0.09	0.06	-0.22	0.03
Ds:Dp	P(I)	0.38	0.03	0.32	0.43
Ds:Ds	E(I)	1.00	0.00	1.00	1.00
Ds:Ds	G(Ia)	1.00	0.00	1.00	1.00
Ds:Ds	P(I)	1.00	0.00	1.00	1.00
Ds:Dps	E(I)	1.00	0.00	0.99	1.01
Ds:Dps	G(Ia)	1.00	0.00	0.99	1.00
Ds:Dps	P(I)	1.00	0.00	0.99	1.00
Ds:DpovDs	E(I)	0.06	0.14	-0.21	0.33
Ds:DpovDs	G(Ia)	-0.58	0.04	-0.66	-0.49
Ds:DpovDs	P(I)	-0.31	0.03	-0.37	-0.25
Ds:CVDp	E(I)	-0.07	0.07	-0.20	0.07
Ds:CVDp	G(Ia)	0.07	0.08	-0.08	0.22
Ds:CVDp	P(I)	-0.02	0.03	-0.08	0.05
Ds:CVDs	E(I)	-0.39	0.06	-0.51	-0.27
Ds:CVDs	G(Ia)	0.03	0.09	-0.15	0.20
Ds:CVDs	P(I)	-0.25	0.03	-0.31	-0.19
Ds:MaxDp	E(I)	0.54	0.07	0.41	0.68
Ds:MaxDp	G(Ia)	-0.09	0.06	-0.22	0.03
Ds:MaxDp	P(I)	0.26	0.03	0.20	0.32
Ds:MinDp	E(I)	0.33	0.05	0.23	0.44
Ds:MinDp	G(Ia)	0.02	0.13	-0.22	0.27
Ds:MinDp	P(I)	0.25	0.03	0.19	0.32

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Ds:MaxDs	E(I)	0.41	0.05	0.31	0.51
Ds:MaxDs	G(Ia)	0.74	0.08	0.59	0.89
Ds:MaxDs	P(I)	0.49	0.03	0.44	0.55
Ds:MinDs	E(I)	0.24	0.06	0.13	0.35
Ds:MinDs	G(Ia)	-0.02	0.42	-0.85	0.81
Ds:MinDs	P(I)	0.17	0.03	0.11	0.24
Ds:SDDp	E(I)	0.33	0.07	0.18	0.47
Ds:SDDp	G(Ia)	-0.06	0.06	-0.18	0.07
Ds:SDDp	P(I)	0.15	0.03	0.09	0.22
Ds:SDDs	E(I)	0.22	0.07	0.09	0.34
Ds:SDDs	G(Ia)	0.60	0.06	0.48	0.71
Ds:SDDs	P(I)	0.37	0.03	0.31	0.43
Ds:SDD	E(I)	0.25	0.07	0.12	0.38
Ds:SDD	G(Ia)	0.54	0.06	0.42	0.65
Ds:SDD	P(I)	0.37	0.03	0.31	0.43
Ds:CVD	E(I)	-0.38	0.06	-0.50	-0.26
Ds:CVD	G(Ia)	-0.01	0.07	-0.14	0.12
Ds:CVD	P(I)	-0.25	0.03	-0.31	-0.18
Ds:Gt30Dp	E(I)	0.44	0.07	0.30	0.58
Ds:Gt30Dp	G(Ia)	-0.07	0.07	-0.19	0.06
Ds:Gt30Dp	P(I)	0.22	0.03	0.15	0.28
Ds:Gt30Ds	E(I)	0.58	0.05	0.49	0.67
Ds:Gt30Ds	G(Ia)	0.77	0.05	0.66	0.87
Ds:Gt30Ds	P(I)	0.64	0.02	0.60	0.69
Ds:Gt30D	E(I)	0.62	0.05	0.53	0.71
Ds:Gt30D	G(Ia)	0.65	0.06	0.54	0.75
Ds:Gt30D	P(I)	0.63	0.02	0.58	0.67
Ds:Fnu	E(I)	-0.40	0.06	-0.51	-0.29
Ds:Fnu	G(Ia)	-0.73	0.06	-0.85	-0.61
Ds:Fnu	P(I)	-0.52	0.03	-0.57	-0.46
Ds:Fr	E(I)	-0.23	0.06	-0.36	-0.11
Ds:Fr	G(Ia)	-0.12	0.08	-0.28	0.03
Ds:Fr	P(I)	-0.19	0.03	-0.26	-0.13
Ds:Fnt	E(I)	-0.31	0.06	-0.42	-0.20
Ds:Fnt	G(Ia)	-0.69	0.07	-0.83	-0.55
Ds:Fnt	P(I)	-0.43	0.03	-0.49	-0.38
Ds:Sarea	E(I)	0.12	0.06	-0.01	0.24
Ds:Sarea	G(Ia)	0.34	0.08	0.18	0.49
Ds:Sarea	P(I)	0.19	0.03	0.13	0.26
Ds:Fd	E(I)	0.28	0.09	0.11	0.45
Ds:Fd	G(Ia)	0.01	0.10	-0.19	0.22
Ds:Fd	P(I)	0.19	0.04	0.10	0.27
Ds:Fc	E(I)	0.03	0.09	-0.15	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Ds:Fc	G(Ia)	0.72	0.09	0.54	0.89
Ds:Fc	P(I)	0.33	0.04	0.26	0.41
Ds:Fu	E(I)	0.07	0.10	-0.12	0.26
Ds:Fu	G(Ia)	0.67	0.09	0.50	0.84
Ds:Fu	P(I)	0.34	0.04	0.26	0.41
Ds:Colour	E(I)	0.08	0.06	-0.04	0.21
Ds:Colour	G(Ia)	-0.17	0.08	-0.33	-0.02
Ds:Colour	P(I)	-0.00	0.03	-0.07	0.06
Ds:Fly	E(I)	-0.15	0.06	-0.26	-0.04
Ds:Fly	G(Ia)	0.11	0.12	-0.13	0.35
Ds:Fly	P(I)	-0.08	0.03	-0.14	-0.02
Ds:Flcrot	E(I)	-0.09	0.06	-0.21	0.03
Ds:Flcrot	G(Ia)	-0.17	0.09	-0.34	0.01
Ds:Flcrot	P(I)	-0.11	0.03	-0.17	-0.05
Ds:Bactst	E(I)	-0.02	0.06	-0.13	0.10
Ds:Bactst	G(Ia)	-0.06	0.13	-0.31	0.19
Ds:Bactst	P(I)	-0.02	0.03	-0.09	0.04
Ds:MycD	E(I)	-0.03	0.06	-0.14	0.07
Ds:MycD	G(Ia)	0.11	0.20	-0.28	0.49
Ds:MycD	P(I)	-0.01	0.03	-0.07	0.05
Ds:Bcts	E(I)	0.06	0.13	-0.19	0.32
Ds:Bcts	G(Ia)	-0.15	0.04	-0.23	-0.07
Ds:Bcts	P(I)	-0.07	0.03	-0.13	-0.02
Ds:Bctb	E(I)	0.12	0.12	-0.12	0.35
Ds:Bctb	G(Ia)	-0.14	0.04	-0.22	-0.07
Ds:Bctb	P(I)	-0.05	0.03	-0.10	0.00
Ds:Weanwt	E(I)	-0.01	0.06	-0.14	0.11
Ds:Weanwt	G(Ia)	0.04	0.08	-0.12	0.20
Ds:Weanwt	P(I)	0.00	0.03	-0.06	0.07
Ds:NLB	E(I)	0.17	0.06	0.05	0.30
Ds:NLB	G(Ia)	-0.16	0.09	-0.33	0.02
Ds:NLB	P(I)	0.07	0.03	0.00	0.13
Ds:NLW	E(I)	0.18	0.06	0.06	0.31
Ds:NLW	G(Ia)	-0.23	0.09	-0.40	-0.06
Ds:NLW	P(I)	0.04	0.03	-0.02	0.11
Ds:Fnpua	E(I)	-0.15	0.06	-0.26	-0.03
Ds:Fnpua	G(Ia)	-0.46	0.09	-0.63	-0.28
Ds:Fnpua	P(I)	-0.24	0.03	-0.30	-0.18
Ds:Fnsua	E(I)	-0.40	0.06	-0.51	-0.29
Ds:Fnsua	G(Ia)	-0.72	0.06	-0.84	-0.60
Ds:Fnsua	P(I)	-0.51	0.03	-0.57	-0.46
Ds:Fnpnt	E(I)	-0.11	0.06	-0.23	0.01
Ds:Fnpnt	G(Ia)	-0.31	0.08	-0.47	-0.15

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Ds:Fnpt	P(I)	-0.17	0.03	-0.24	-0.11
Ds:Fnst	E(I)	-0.31	0.06	-0.42	-0.20
Ds:Fnst	G(Ia)	-0.69	0.07	-0.83	-0.55
Ds:Fnst	P(I)	-0.43	0.03	-0.49	-0.38
Dps:Stal	E(I)	-0.05	0.08	-0.20	0.09
Dps:Stal	G(Ia)	0.35	0.06	0.23	0.48
Dps:Stal	P(I)	0.12	0.03	0.06	0.19
Dps:Diam	E(I)	0.38	0.06	0.26	0.50
Dps:Diam	G(Ia)	0.93	0.04	0.85	1.01
Dps:Diam	P(I)	0.63	0.02	0.58	0.67
Dps:Bwt	E(I)	0.11	0.06	-0.01	0.23
Dps:Bwt	G(Ia)	0.33	0.08	0.17	0.49
Dps:Bwt	P(I)	0.18	0.03	0.12	0.25
Dps:WrN	E(I)	-0.04	0.07	-0.19	0.10
Dps:WrN	G(Ia)	0.45	0.06	0.33	0.57
Dps:WrN	P(I)	0.17	0.03	0.11	0.23
Dps:WrB	E(I)	0.08	0.07	-0.06	0.21
Dps:WrB	G(Ia)	0.42	0.07	0.29	0.55
Dps:WrB	P(I)	0.21	0.03	0.15	0.27
Dps:WrT	E(I)	0.02	0.07	-0.12	0.16
Dps:WrT	G(Ia)	0.46	0.06	0.34	0.58
Dps:WrT	P(I)	0.21	0.03	0.15	0.27
Dps:Face	E(I)	-0.23	0.07	-0.37	-0.09
Dps:Face	G(Ia)	-0.10	0.04	-0.19	-0.02
Dps:Face	P(I)	-0.16	0.03	-0.21	-0.11
Dps:Gfw	E(I)	-0.06	0.07	-0.19	0.08
Dps:Gfw	G(Ia)	0.69	0.07	0.56	0.82
Dps:Gfw	P(I)	0.24	0.03	0.18	0.30
Dps:Yld	E(I)	-0.07	0.07	-0.20	0.07
Dps:Yld	G(Ia)	-0.00	0.07	-0.14	0.13
Dps:Yld	P(I)	-0.04	0.03	-0.11	0.02
Dps:Cww	E(I)	-0.09	0.07	-0.23	0.05
Dps:Cww	G(Ia)	0.63	0.06	0.50	0.75
Dps:Cww	P(I)	0.20	0.03	0.14	0.26
Dps:Staladj	E(I)	-0.05	0.08	-0.20	0.10
Dps:Staladj	G(Ia)	0.35	0.06	0.22	0.47
Dps:Staladj	P(I)	0.12	0.03	0.06	0.19
Dps:Gfwadj	E(I)	-0.06	0.07	-0.20	0.08
Dps:Gfwadj	G(Ia)	0.71	0.07	0.58	0.85
Dps:Gfwadj	P(I)	0.24	0.03	0.18	0.31
Dps:Cwwadj	E(I)	-0.10	0.07	-0.24	0.05
Dps:Cwwadj	G(Ia)	0.69	0.07	0.55	0.82
Dps:Cwwadj	P(I)	0.21	0.03	0.15	0.28

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dps:Crimp	E(I)	0.08	0.13	-0.17	0.33
Dps:Crimp	G(Ia)	-0.45	0.11	-0.67	-0.22
Dps:Crimp	P(I)	-0.16	0.04	-0.25	-0.07
Dps:Crwvl	E(I)	-0.07	0.12	-0.31	0.18
Dps:Crwvl	G(Ia)	0.46	0.12	0.24	0.69
Dps:Crwvl	P(I)	0.17	0.04	0.08	0.25
Dps:Crst	E(I)	-0.03	0.11	-0.25	0.20
Dps:Crst	G(Ia)	0.04	0.13	-0.22	0.30
Dps:Crst	P(I)	0.00	0.05	-0.09	0.09
Dps:Crstadj	E(I)	-0.02	0.11	-0.24	0.20
Dps:Crstadj	G(Ia)	0.04	0.13	-0.22	0.30
Dps:Crstadj	P(I)	0.00	0.05	-0.09	0.09
Dps:Crwvt	E(I)	-0.00	0.12	-0.24	0.23
Dps:Crwvt	G(Ia)	0.03	0.13	-0.23	0.30
Dps:Crwvt	P(I)	0.01	0.04	-0.07	0.10
Dps:Dp	E(I)	0.81	0.06	0.69	0.93
Dps:Dp	G(Ia)	-0.00	0.15	-0.30	0.29
Dps:Dp	P(I)	0.44	0.03	0.39	0.50
Dps:Ds	E(I)	1.00	0.00	0.99	1.01
Dps:Ds	G(Ia)	1.00	0.00	0.99	1.00
Dps:Ds	P(I)	1.00	0.00	0.99	1.00
Dps:Dps	E(I)	1.00	0.00	1.00	1.00
Dps:Dps	G(Ia)	1.00	0.00	1.00	1.00
Dps:Dps	P(I)	1.00	0.00	1.00	1.00
Dps:DpovDs	E(I)	0.11	0.13	-0.15	0.36
Dps:DpovDs	G(Ia)	-0.50	0.05	-0.59	-0.41
Dps:DpovDs	P(I)	-0.24	0.03	-0.31	-0.18
Dps:CVDp	E(I)	-0.06	0.07	-0.19	0.06
Dps:CVDp	G(Ia)	0.12	0.08	-0.03	0.28
Dps:CVDp	P(I)	0.00	0.03	-0.06	0.07
Dps:CVDs	E(I)	-0.38	0.06	-0.50	-0.26
Dps:CVDs	G(Ia)	0.08	0.09	-0.10	0.25
Dps:CVDs	P(I)	-0.23	0.03	-0.29	-0.16
Dps:MaxDp	E(I)	0.57	0.07	0.44	0.70
Dps:MaxDp	G(Ia)	-0.01	0.08	-0.16	0.15
Dps:MaxDp	P(I)	0.32	0.03	0.26	0.38
Dps:MinDp	E(I)	0.35	0.05	0.25	0.45
Dps:MinDp	G(Ia)	0.07	0.16	-0.24	0.39
Dps:MinDp	P(I)	0.28	0.03	0.22	0.34
Dps:MaxDs	E(I)	0.42	0.05	0.32	0.51
Dps:MaxDs	G(Ia)	0.78	0.08	0.62	0.93
Dps:MaxDs	P(I)	0.51	0.03	0.46	0.56
Dps:MinDs	E(I)	0.24	0.05	0.13	0.34

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dps:MinDs	G(Ia)	-0.04	0.26	-0.56	0.48
Dps:MinDs	P(I)	0.18	0.03	0.11	0.24
Dps:SDDp	E(I)	0.34	0.07	0.20	0.48
Dps:SDDp	G(Ia)	0.02	0.06	-0.10	0.14
Dps:SDDp	P(I)	0.20	0.03	0.14	0.26
Dps:SDDs	E(I)	0.23	0.06	0.11	0.36
Dps:SDDs	G(Ia)	0.63	0.06	0.51	0.75
Dps:SDDs	P(I)	0.39	0.03	0.33	0.45
Dps:SDD	E(I)	0.27	0.06	0.15	0.40
Dps:SDD	G(Ia)	0.59	0.06	0.47	0.70
Dps:SDD	P(I)	0.40	0.03	0.34	0.46
Dps:CVD	E(I)	-0.36	0.06	-0.48	-0.24
Dps:CVD	G(Ia)	0.05	0.09	-0.12	0.21
Dps:CVD	P(I)	-0.22	0.03	-0.28	-0.16
Dps:Gt30Dp	E(I)	0.48	0.07	0.34	0.61
Dps:Gt30Dp	G(Ia)	0.02	0.06	-0.10	0.14
Dps:Gt30Dp	P(I)	0.28	0.03	0.22	0.34
Dps:Gt30Ds	E(I)	0.58	0.04	0.50	0.67
Dps:Gt30Ds	G(Ia)	0.79	0.06	0.68	0.90
Dps:Gt30Ds	P(I)	0.65	0.02	0.60	0.69
Dps:Gt30D	E(I)	0.63	0.04	0.55	0.72
Dps:Gt30D	G(Ia)	0.69	0.05	0.59	0.80
Dps:Gt30D	P(I)	0.65	0.02	0.61	0.69
Dps:Fnu	E(I)	-0.41	0.05	-0.52	-0.31
Dps:Fnu	G(Ia)	-0.74	0.06	-0.86	-0.62
Dps:Fnu	P(I)	-0.52	0.03	-0.58	-0.47
Dps:Fr	E(I)	-0.24	0.06	-0.36	-0.12
Dps:Fr	G(Ia)	-0.15	0.08	-0.31	0.01
Dps:Fr	P(I)	-0.21	0.03	-0.27	-0.15
Dps:Fnt	E(I)	-0.32	0.06	-0.43	-0.21
Dps:Fnt	G(Ia)	-0.71	0.07	-0.85	-0.57
Dps:Fnt	P(I)	-0.44	0.03	-0.50	-0.39
Dps:Sarea	E(I)	0.12	0.06	-0.00	0.24
Dps:Sarea	G(Ia)	0.32	0.08	0.16	0.48
Dps:Sarea	P(I)	0.18	0.03	0.12	0.25
Dps:Fd	E(I)	0.27	0.08	0.11	0.44
Dps:Fd	G(Ia)	0.03	0.13	-0.22	0.29
Dps:Fd	P(I)	0.20	0.04	0.11	0.28
Dps:Fc	E(I)	0.05	0.09	-0.13	0.23
Dps:Fc	G(Ia)	0.71	0.09	0.52	0.89
Dps:Fc	P(I)	0.33	0.04	0.25	0.40
Dps:Fu	E(I)	0.08	0.10	-0.10	0.27
Dps:Fu	G(Ia)	0.65	0.09	0.47	0.83

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Dps:Fu	P(I)	0.33	0.04	0.25	0.41
Dps:Colour	E(I)	0.07	0.06	-0.05	0.19
Dps:Colour	G(Ia)	-0.13	0.08	-0.29	0.04
Dps:Colour	P(I)	0.01	0.03	-0.06	0.07
Dps:Fly	E(I)	-0.15	0.06	-0.26	-0.05
Dps:Fly	G(Ia)	0.13	0.13	-0.11	0.38
Dps:Fly	P(I)	-0.08	0.03	-0.15	-0.02
Dps:Flcrot	E(I)	-0.09	0.06	-0.20	0.03
Dps:Flcrot	G(Ia)	-0.17	0.09	-0.35	0.01
Dps:Flcrot	P(I)	-0.11	0.03	-0.17	-0.04
Dps:Bactst	E(I)	-0.01	0.06	-0.12	0.10
Dps:Bactst	G(Ia)	-0.04	0.13	-0.30	0.22
Dps:Bactst	P(I)	-0.02	0.03	-0.08	0.05
Dps:MycD	E(I)	-0.03	0.05	-0.14	0.07
Dps:MycD	G(Ia)	0.10	0.21	-0.30	0.50
Dps:MycD	P(I)	-0.01	0.03	-0.08	0.05
Dps:Bcts	E(I)	0.04	0.13	-0.21	0.28
Dps:Bcts	G(Ia)	-0.08	0.04	-0.16	-0.00
Dps:Bcts	P(I)	-0.04	0.03	-0.09	0.02
Dps:Bctb	E(I)	0.09	0.12	-0.13	0.32
Dps:Bctb	G(Ia)	-0.08	0.04	-0.16	-0.00
Dps:Bctb	P(I)	-0.02	0.03	-0.07	0.03
Dps:Weanwt	E(I)	-0.02	0.06	-0.14	0.11
Dps:Weanwt	G(Ia)	0.01	0.09	-0.16	0.18
Dps:Weanwt	P(I)	-0.01	0.03	-0.07	0.06
Dps:NLB	E(I)	0.17	0.06	0.05	0.29
Dps:NLB	G(Ia)	-0.12	0.09	-0.30	0.06
Dps:NLB	P(I)	0.08	0.03	0.01	0.14
Dps:NLW	E(I)	0.18	0.06	0.05	0.30
Dps:NLW	G(Ia)	-0.19	0.09	-0.36	-0.02
Dps:NLW	P(I)	0.06	0.03	-0.01	0.12
Dps:Fnpua	E(I)	-0.15	0.06	-0.26	-0.03
Dps:Fnpua	G(Ia)	-0.45	0.09	-0.63	-0.28
Dps:Fnpua	P(I)	-0.23	0.03	-0.29	-0.17
Dps:Fnsua	E(I)	-0.41	0.05	-0.52	-0.31
Dps:Fnsua	G(Ia)	-0.73	0.06	-0.85	-0.61
Dps:Fnsua	P(I)	-0.52	0.03	-0.57	-0.47
Dps:Fnppt	E(I)	-0.11	0.06	-0.22	0.01
Dps:Fnppt	G(Ia)	-0.32	0.08	-0.48	-0.15
Dps:Fnppt	P(I)	-0.17	0.03	-0.23	-0.11
Dps:Fnst	E(I)	-0.32	0.06	-0.43	-0.22
Dps:Fnst	G(Ia)	-0.71	0.07	-0.85	-0.56
Dps:Fnst	P(I)	-0.44	0.03	-0.50	-0.39

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
DpovDs:Stal	E(I)	0.19	0.14	-0.08	0.46
DpovDs:Stal	G(Ia)	-0.34	0.04	-0.42	-0.25
DpovDs:Stal	P(I)	-0.15	0.03	-0.21	-0.09
DpovDs:Diam	E(I)	0.58	0.15	0.28	0.88
DpovDs:Diam	G(Ia)	-0.33	0.04	-0.41	-0.24
DpovDs:Diam	P(I)	-0.05	0.03	-0.11	0.02
DpovDs:Bwt	E(I)	0.06	0.12	-0.17	0.29
DpovDs:Bwt	G(Ia)	-0.39	0.06	-0.50	-0.28
DpovDs:Bwt	P(I)	-0.17	0.03	-0.23	-0.10
DpovDs:WrN	E(I)	0.60	0.13	0.34	0.86
DpovDs:WrN	G(Ia)	-0.38	0.04	-0.46	-0.29
DpovDs:WrN	P(I)	-0.04	0.03	-0.10	0.02
DpovDs:WrB	E(I)	0.33	0.12	0.10	0.55
DpovDs:WrB	G(Ia)	-0.23	0.05	-0.32	-0.13
DpovDs:WrB	P(I)	-0.01	0.03	-0.08	0.05
DpovDs:WrT	E(I)	0.53	0.13	0.27	0.78
DpovDs:WrT	G(Ia)	-0.32	0.04	-0.41	-0.24
DpovDs:WrT	P(I)	-0.03	0.03	-0.09	0.03
DpovDs:Face	E(I)	-0.69	0.14	-0.98	-0.41
DpovDs:Face	G(Ia)	0.52	0.03	0.46	0.57
DpovDs:Face	P(I)	0.19	0.03	0.14	0.24
DpovDs:Gfw	E(I)	0.40	0.13	0.15	0.65
DpovDs:Gfw	G(Ia)	-0.31	0.05	-0.40	-0.22
DpovDs:Gfw	P(I)	-0.05	0.03	-0.11	0.02
DpovDs:Yld	E(I)	0.13	0.12	-0.11	0.37
DpovDs:Yld	G(Ia)	-0.17	0.05	-0.27	-0.07
DpovDs:Yld	P(I)	-0.05	0.03	-0.11	0.01
DpovDs:Cww	E(I)	0.40	0.13	0.14	0.66
DpovDs:Cww	G(Ia)	-0.31	0.04	-0.40	-0.22
DpovDs:Cww	P(I)	-0.06	0.03	-0.12	0.00
DpovDs:Staladj	E(I)	0.18	0.14	-0.10	0.45
DpovDs:Staladj	G(Ia)	-0.33	0.04	-0.42	-0.25
DpovDs:Staladj	P(I)	-0.15	0.03	-0.22	-0.09
DpovDs:Gfwadj	E(I)	0.39	0.13	0.14	0.64
DpovDs:Gfwadj	G(Ia)	-0.32	0.05	-0.42	-0.23
DpovDs:Gfwadj	P(I)	-0.05	0.03	-0.11	0.01
DpovDs:Cwwadj	E(I)	0.42	0.13	0.15	0.68
DpovDs:Cwwadj	G(Ia)	-0.36	0.05	-0.46	-0.27
DpovDs:Cwwadj	P(I)	-0.07	0.03	-0.13	-0.00
DpovDs:Crimp	E(I)	0.11	0.19	-0.27	0.49
DpovDs:Crimp	G(Ia)	-0.25	0.08	-0.41	-0.08
DpovDs:Crimp	P(I)	-0.11	0.04	-0.20	-0.03
DpovDs:Crvl	E(I)	-0.10	0.18	-0.46	0.26

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
DpovDs:Crwvl	G(Ia)	0.27	0.09	0.10	0.44
DpovDs:Crwvl	P(I)	0.12	0.04	0.04	0.20
DpovDs:Crst	E(I)	0.28	0.19	-0.09	0.64
DpovDs:Crst	G(Ia)	-0.65	0.10	-0.83	-0.46
DpovDs:Crst	P(I)	-0.24	0.04	-0.32	-0.16
DpovDs:Crstadj	E(I)	0.29	0.19	-0.08	0.66
DpovDs:Crstadj	G(Ia)	-0.66	0.10	-0.84	-0.47
DpovDs:Crstadj	P(I)	-0.24	0.04	-0.32	-0.16
DpovDs:Crwvt	E(I)	-0.25	0.18	-0.60	0.11
DpovDs:Crwvt	G(Ia)	0.65	0.10	0.46	0.84
DpovDs:Crwvt	P(I)	0.24	0.04	0.16	0.32
DpovDs:Dp	E(I)	0.65	0.08	0.49	0.80
DpovDs:Dp	G(Ia)	0.87	0.02	0.82	0.91
DpovDs:Dp	P(I)	0.76	0.02	0.72	0.79
DpovDs:Ds	E(I)	0.06	0.14	-0.21	0.33
DpovDs:Ds	G(Ia)	-0.58	0.04	-0.66	-0.49
DpovDs:Ds	P(I)	-0.31	0.03	-0.37	-0.25
DpovDs:Dps	E(I)	0.11	0.13	-0.15	0.36
DpovDs:Dps	G(Ia)	-0.50	0.05	-0.59	-0.41
DpovDs:Dps	P(I)	-0.24	0.03	-0.31	-0.18
DpovDs:DpovDs	E(I)	1.00	0.00	1.00	1.00
DpovDs:DpovDs	G(Ia)	1.00	0.00	1.00	1.00
DpovDs:DpovDs	P(I)	1.00	0.00	1.00	1.00
DpovDs:CVDp	E(I)	0.02	0.10	-0.17	0.21
DpovDs:CVDp	G(Ia)	0.44	0.05	0.34	0.54
DpovDs:CVDp	P(I)	0.24	0.03	0.17	0.30
DpovDs:CVDs	E(I)	0.46	0.10	0.26	0.66
DpovDs:CVDs	G(Ia)	0.39	0.05	0.28	0.49
DpovDs:CVDs	P(I)	0.35	0.03	0.30	0.41
DpovDs:MaxDp	E(I)	0.48	0.09	0.30	0.66
DpovDs:MaxDp	G(Ia)	0.83	0.03	0.78	0.89
DpovDs:MaxDp	P(I)	0.67	0.02	0.63	0.71
DpovDs:MinDp	E(I)	0.38	0.09	0.20	0.57
DpovDs:MinDp	G(Ia)	0.50	0.16	0.20	0.81
DpovDs:MinDp	P(I)	0.27	0.03	0.21	0.33
DpovDs:MaxDs	E(I)	0.26	0.11	0.05	0.48
DpovDs:MaxDs	G(Ia)	-0.08	0.07	-0.22	0.06
DpovDs:MaxDs	P(I)	0.07	0.03	0.01	0.13
DpovDs:MinDs	E(I)	-0.04	0.10	-0.23	0.15
DpovDs:MinDs	G(Ia)	-0.14	0.13	-0.40	0.12
DpovDs:MinDs	P(I)	-0.05	0.03	-0.11	0.02
DpovDs:SDDp	E(I)	0.31	0.11	0.10	0.52
DpovDs:SDDp	G(Ia)	0.74	0.03	0.68	0.80

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
DpovDs:SDDp	P(I)	0.56	0.02	0.51	0.61
DpovDs:SDDs	E(I)	0.51	0.13	0.27	0.76
DpovDs:SDDs	G(Ia)	-0.04	0.05	-0.13	0.06
DpovDs:SDDs	P(I)	0.15	0.03	0.09	0.21
DpovDs:SDD	E(I)	0.54	0.12	0.30	0.78
DpovDs:SDD	G(Ia)	0.10	0.05	0.01	0.19
DpovDs:SDD	P(I)	0.24	0.03	0.17	0.30
DpovDs:CVD	E(I)	0.47	0.10	0.28	0.66
DpovDs:CVD	G(Ia)	0.48	0.05	0.38	0.57
DpovDs:CVD	P(I)	0.41	0.03	0.35	0.46
DpovDs:Gt30Dp	E(I)	0.68	0.08	0.52	0.83
DpovDs:Gt30Dp	G(Ia)	0.82	0.03	0.77	0.87
DpovDs:Gt30Dp	P(I)	0.72	0.02	0.68	0.76
DpovDs:Gt30Ds	E(I)	0.11	0.12	-0.12	0.33
DpovDs:Gt30Ds	G(Ia)	-0.20	0.06	-0.32	-0.09
DpovDs:Gt30Ds	P(I)	-0.06	0.03	-0.12	0.01
DpovDs:Gt30D	E(I)	0.25	0.11	0.03	0.47
DpovDs:Gt30D	G(Ia)	0.07	0.05	-0.03	0.18
DpovDs:Gt30D	P(I)	0.13	0.03	0.06	0.19
DpovDs:Fnuu	E(I)	-0.20	0.12	-0.45	0.04
DpovDs:Fnuu	G(Ia)	0.36	0.06	0.26	0.47
DpovDs:Fnuu	P(I)	0.11	0.03	0.05	0.18
DpovDs:Fr	E(I)	0.11	0.12	-0.12	0.34
DpovDs:Fr	G(Ia)	-0.03	0.06	-0.15	0.08
DpovDs:Fr	P(I)	0.02	0.03	-0.04	0.09
DpovDs:Fnt	E(I)	-0.18	0.12	-0.41	0.05
DpovDs:Fnt	G(Ia)	0.25	0.06	0.13	0.37
DpovDs:Fnt	P(I)	0.05	0.03	-0.01	0.12
DpovDs:Sarea	E(I)	0.06	0.12	-0.18	0.30
DpovDs:Sarea	G(Ia)	-0.40	0.06	-0.51	-0.29
DpovDs:Sarea	P(I)	-0.17	0.03	-0.23	-0.11
DpovDs:Fd	E(I)	0.11	0.19	-0.27	0.50
DpovDs:Fd	G(Ia)	0.11	0.10	-0.08	0.31
DpovDs:Fd	P(I)	0.08	0.04	-0.00	0.16
DpovDs:Fc	E(I)	0.47	0.26	-0.04	0.97
DpovDs:Fc	G(Ia)	-0.55	0.07	-0.67	-0.42
DpovDs:Fc	P(I)	-0.22	0.04	-0.29	-0.14
DpovDs:Fu	E(I)	0.53	0.27	-0.01	1.06
DpovDs:Fu	G(Ia)	-0.57	0.07	-0.70	-0.44
DpovDs:Fu	P(I)	-0.23	0.04	-0.30	-0.15
DpovDs:Colour	E(I)	-0.36	0.12	-0.60	-0.11
DpovDs:Colour	G(Ia)	0.53	0.06	0.42	0.65
DpovDs:Colour	P(I)	0.13	0.03	0.06	0.19

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
DpovDs:Fly	E(I)	-0.17	0.10	-0.36	0.03
DpovDs:Fly	G(Ia)	0.18	0.09	0.01	0.34
DpovDs:Fly	P(I)	-0.01	0.03	-0.07	0.05
DpovDs:Flcrot	E(I)	-0.03	0.11	-0.24	0.19
DpovDs:Flcrot	G(Ia)	0.11	0.06	-0.01	0.24
DpovDs:Flcrot	P(I)	0.04	0.03	-0.03	0.10
DpovDs:Bactst	E(I)	0.03	0.10	-0.16	0.22
DpovDs:Bactst	G(Ia)	0.31	0.09	0.12	0.49
DpovDs:Bactst	P(I)	0.11	0.03	0.04	0.17
DpovDs:MycD	E(I)	0.00	0.11	-0.21	0.21
DpovDs:MycD	G(Ia)	-0.01	0.14	-0.27	0.26
DpovDs:MycD	P(I)	-0.00	0.03	-0.06	0.06
DpovDs:Bcts	E(I)	-0.53	0.29	-1.11	0.05
DpovDs:Bcts	G(Ia)	0.71	0.02	0.66	0.75
DpovDs:Bcts	P(I)	0.51	0.02	0.46	0.55
DpovDs:Bctb	E(I)	-0.38	0.25	-0.86	0.11
DpovDs:Bctb	G(Ia)	0.65	0.02	0.61	0.69
DpovDs:Bctb	P(I)	0.48	0.02	0.43	0.52
DpovDs:Weanwt	E(I)	0.04	0.11	-0.18	0.26
DpovDs:Weanwt	G(Ia)	-0.32	0.06	-0.44	-0.21
DpovDs:Weanwt	P(I)	-0.14	0.03	-0.20	-0.07
DpovDs:NLB	E(I)	-0.15	0.12	-0.37	0.08
DpovDs:NLB	G(Ia)	0.42	0.06	0.30	0.54
DpovDs:NLB	P(I)	0.14	0.03	0.07	0.20
DpovDs:NLW	E(I)	-0.20	0.12	-0.43	0.04
DpovDs:NLW	G(Ia)	0.47	0.06	0.36	0.59
DpovDs:NLW	P(I)	0.15	0.03	0.09	0.21
DpovDs:Fnpua	E(I)	-0.16	0.11	-0.37	0.06
DpovDs:Fnpua	G(Ia)	0.19	0.07	0.06	0.32
DpovDs:Fnpua	P(I)	0.02	0.03	-0.05	0.08
DpovDs:Fnsua	E(I)	-0.20	0.12	-0.44	0.04
DpovDs:Fnsua	G(Ia)	0.36	0.05	0.25	0.47
DpovDs:Fnsua	P(I)	0.11	0.03	0.05	0.18
DpovDs:Fnppt	E(I)	-0.11	0.11	-0.33	0.10
DpovDs:Fnppt	G(Ia)	0.04	0.06	-0.08	0.15
DpovDs:Fnppt	P(I)	-0.02	0.03	-0.09	0.04
DpovDs:Fnst	E(I)	-0.17	0.12	-0.40	0.06
DpovDs:Fnst	G(Ia)	0.25	0.06	0.13	0.37
DpovDs:Fnst	P(I)	0.05	0.03	-0.01	0.12
CVDp:Stal	E(I)	-0.15	0.07	-0.29	-0.01
CVDp:Stal	G(Ia)	0.05	0.07	-0.09	0.19
CVDp:Stal	P(I)	-0.07	0.03	-0.13	-0.00
CVDp:Diam	E(I)	-0.07	0.08	-0.22	0.09

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDp:Diam	G(Ia)	0.30	0.06	0.18	0.43
CVDp:Diam	P(I)	0.09	0.03	0.03	0.16
CVDp:Bwt	E(I)	-0.04	0.06	-0.16	0.08
CVDp:Bwt	G(Ia)	0.04	0.09	-0.14	0.23
CVDp:Bwt	P(I)	-0.02	0.03	-0.08	0.05
CVDp:WrN	E(I)	0.22	0.07	0.09	0.36
CVDp:WrN	G(Ia)	-0.01	0.07	-0.15	0.13
CVDp:WrN	P(I)	0.12	0.03	0.06	0.19
CVDp:WrB	E(I)	0.25	0.06	0.13	0.38
CVDp:WrB	G(Ia)	-0.06	0.08	-0.21	0.09
CVDp:WrB	P(I)	0.14	0.03	0.07	0.20
CVDp:WrT	E(I)	0.27	0.07	0.14	0.41
CVDp:WrT	G(Ia)	-0.04	0.07	-0.17	0.10
CVDp:WrT	P(I)	0.14	0.03	0.08	0.21
CVDp:Face	E(I)	-0.44	0.08	-0.58	-0.29
CVDp:Face	G(Ia)	0.56	0.05	0.46	0.67
CVDp:Face	P(I)	0.06	0.03	0.01	0.11
CVDp:Gfw	E(I)	-0.01	0.07	-0.14	0.12
CVDp:Gfw	G(Ia)	0.15	0.07	0.01	0.30
CVDp:Gfw	P(I)	0.05	0.03	-0.01	0.11
CVDp:Yld	E(I)	-0.08	0.06	-0.20	0.05
CVDp:Yld	G(Ia)	-0.26	0.08	-0.41	-0.11
CVDp:Yld	P(I)	-0.14	0.03	-0.21	-0.08
CVDp:Cww	E(I)	-0.03	0.07	-0.17	0.10
CVDp:Cww	G(Ia)	0.03	0.07	-0.11	0.17
CVDp:Cww	P(I)	-0.01	0.03	-0.07	0.05
CVDp:Staladj	E(I)	-0.14	0.07	-0.29	-0.00
CVDp:Staladj	G(Ia)	0.05	0.07	-0.09	0.19
CVDp:Staladj	P(I)	-0.07	0.03	-0.13	0.00
CVDp:Gfwadj	E(I)	0.00	0.06	-0.11	0.12
CVDp:Gfwadj	G(Ia)	0.15	0.08	0.00	0.30
CVDp:Gfwadj	P(I)	0.06	0.03	-0.01	0.12
CVDp:Cwwadj	E(I)	-0.02	0.07	-0.16	0.11
CVDp:Cwwadj	G(Ia)	0.03	0.08	-0.13	0.18
CVDp:Cwwadj	P(I)	-0.01	0.03	-0.07	0.06
CVDp:Crimp	E(I)	0.19	0.12	-0.05	0.42
CVDp:Crimp	G(Ia)	-0.33	0.13	-0.59	-0.08
CVDp:Crimp	P(I)	-0.04	0.05	-0.13	0.05
CVDp:Crwvl	E(I)	-0.16	0.11	-0.39	0.06
CVDp:Crwvl	G(Ia)	0.29	0.13	0.03	0.54
CVDp:Crwvl	P(I)	0.02	0.04	-0.06	0.11
CVDp:Crst	E(I)	0.21	0.11	-0.01	0.43
CVDp:Crst	G(Ia)	-0.60	0.15	-0.89	-0.31

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDp:Crst	P(I)	-0.09	0.05	-0.18	-0.00
CVDp:Crstadj	E(I)	0.22	0.11	0.00	0.44
CVDp:Crstadj	G(Ia)	-0.60	0.15	-0.90	-0.31
CVDp:Crstadj	P(I)	-0.09	0.05	-0.18	-0.00
CVDp:Crwvt	E(I)	-0.20	0.11	-0.41	0.01
CVDp:Crwvt	G(Ia)	0.63	0.15	0.33	0.93
CVDp:Crwvt	P(I)	0.10	0.04	0.02	0.19
CVDp:Dp	E(I)	-0.02	0.08	-0.17	0.14
CVDp:Dp	G(Ia)	0.55	0.06	0.43	0.68
CVDp:Dp	P(I)	0.22	0.03	0.16	0.28
CVDp:Ds	E(I)	-0.07	0.07	-0.20	0.07
CVDp:Ds	G(Ia)	0.07	0.08	-0.08	0.22
CVDp:Ds	P(I)	-0.02	0.03	-0.08	0.05
CVDp:Dps	E(I)	-0.06	0.07	-0.19	0.06
CVDp:Dps	G(Ia)	0.12	0.08	-0.03	0.28
CVDp:Dps	P(I)	0.00	0.03	-0.06	0.07
CVDp:DpovDs	E(I)	0.02	0.10	-0.17	0.21
CVDp:DpovDs	G(Ia)	0.44	0.05	0.34	0.54
CVDp:DpovDs	P(I)	0.24	0.03	0.17	0.30
CVDp:CVDp	E(I)	1.00	0.00	1.00	1.00
CVDp:CVDp	G(Ia)	1.00	0.00	1.00	1.00
CVDp:CVDp	P(I)	1.00	0.00	1.00	1.00
CVDp:CVDs	E(I)	0.19	0.06	0.08	0.31
CVDp:CVDs	G(Ia)	0.43	0.09	0.27	0.60
CVDp:CVDs	P(I)	0.27	0.03	0.21	0.33
CVDp:MaxDp	E(I)	0.41	0.06	0.30	0.53
CVDp:MaxDp	G(Ia)	0.74	0.05	0.63	0.84
CVDp:MaxDp	P(I)	0.54	0.03	0.49	0.59
CVDp:MinDp	E(I)	-0.50	0.05	-0.59	-0.41
CVDp:MinDp	G(Ia)	-0.03	0.13	-0.28	0.21
CVDp:MinDp	P(I)	-0.40	0.03	-0.46	-0.34
CVDp:MaxDs	E(I)	0.05	0.06	-0.06	0.16
CVDp:MaxDs	G(Ia)	0.51	0.11	0.30	0.73
CVDp:MaxDs	P(I)	0.17	0.03	0.11	0.24
CVDp:MinDs	E(I)	0.06	0.05	-0.05	0.16
CVDp:MinDs	G(Ia)	-0.49	0.24	-0.95	-0.02
CVDp:MinDs	P(I)	-0.02	0.03	-0.09	0.04
CVDp:SDDp	E(I)	0.85	0.03	0.80	0.91
CVDp:SDDp	G(Ia)	0.88	0.03	0.83	0.94
CVDp:SDDp	P(I)	0.86	0.01	0.83	0.88
CVDp:SDDs	E(I)	0.17	0.06	0.04	0.29
CVDp:SDDs	G(Ia)	0.34	0.07	0.20	0.48
CVDp:SDDs	P(I)	0.23	0.03	0.17	0.29

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDp:SDD	E(I)	0.28	0.06	0.16	0.40
CVDp:SDD	G(Ia)	0.46	0.07	0.33	0.59
CVDp:SDD	P(I)	0.35	0.03	0.29	0.41
CVDp:CVD	E(I)	0.31	0.06	0.20	0.42
CVDp:CVD	G(Ia)	0.54	0.08	0.39	0.69
CVDp:CVD	P(I)	0.38	0.03	0.32	0.44
CVDp:Gt30Dp	E(I)	0.20	0.07	0.07	0.32
CVDp:Gt30Dp	G(Ia)	0.69	0.06	0.57	0.81
CVDp:Gt30Dp	P(I)	0.39	0.03	0.33	0.45
CVDp:Gt30Ds	E(I)	0.06	0.06	-0.06	0.18
CVDp:Gt30Ds	G(Ia)	0.24	0.09	0.07	0.42
CVDp:Gt30Ds	P(I)	0.12	0.03	0.05	0.18
CVDp:Gt30D	E(I)	0.09	0.06	-0.03	0.21
CVDp:Gt30D	G(Ia)	0.43	0.09	0.27	0.60
CVDp:Gt30D	P(I)	0.20	0.03	0.14	0.26
CVDp:Fnua	E(I)	-0.02	0.06	-0.15	0.10
CVDp:Fnua	G(Ia)	-0.16	0.09	-0.33	0.01
CVDp:Fnua	P(I)	-0.07	0.03	-0.13	-0.00
CVDp:Fr	E(I)	0.00	0.06	-0.12	0.13
CVDp:Fr	G(Ia)	-0.17	0.09	-0.35	0.01
CVDp:Fr	P(I)	-0.05	0.03	-0.12	0.02
CVDp:Fnt	E(I)	-0.02	0.06	-0.13	0.10
CVDp:Fnt	G(Ia)	-0.21	0.10	-0.40	-0.02
CVDp:Fnt	P(I)	-0.07	0.03	-0.14	-0.01
CVDp:Sarea	E(I)	-0.04	0.06	-0.16	0.08
CVDp:Sarea	G(Ia)	0.03	0.09	-0.15	0.21
CVDp:Sarea	P(I)	-0.02	0.03	-0.08	0.05
CVDp:Fd	E(I)	0.05	0.08	-0.11	0.20
CVDp:Fd	G(Ia)	0.01	0.18	-0.34	0.36
CVDp:Fd	P(I)	0.04	0.05	-0.05	0.13
CVDp:Fc	E(I)	0.21	0.08	0.05	0.38
CVDp:Fc	G(Ia)	0.11	0.14	-0.17	0.39
CVDp:Fc	P(I)	0.18	0.04	0.09	0.26
CVDp:Fu	E(I)	0.07	0.09	-0.10	0.24
CVDp:Fu	G(Ia)	0.30	0.15	0.01	0.60
CVDp:Fu	P(I)	0.14	0.04	0.05	0.22
CVDp:Colour	E(I)	-0.08	0.06	-0.20	0.03
CVDp:Colour	G(Ia)	0.25	0.09	0.07	0.42
CVDp:Colour	P(I)	0.02	0.03	-0.05	0.08
CVDp:Fly	E(I)	-0.02	0.05	-0.13	0.08
CVDp:Fly	G(Ia)	0.25	0.13	-0.01	0.51
CVDp:Fly	P(I)	0.03	0.03	-0.03	0.10
CVDp:Flcrot	E(I)	0.11	0.06	-0.01	0.22

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDp:Flcrot	G(Ia)	-0.04	0.10	-0.24	0.16
CVDp:Flcrot	P(I)	0.06	0.03	-0.00	0.13
CVDp:Bactst	E(I)	-0.06	0.05	-0.16	0.05
CVDp:Bactst	G(Ia)	0.07	0.15	-0.22	0.36
CVDp:Bactst	P(I)	-0.03	0.03	-0.10	0.03
CVDp:MycD	E(I)	0.02	0.05	-0.08	0.13
CVDp:MycD	G(Ia)	-0.23	0.22	-0.66	0.21
CVDp:MycD	P(I)	-0.01	0.03	-0.08	0.05
CVDp:Bcts	E(I)	-0.35	0.15	-0.64	-0.06
CVDp:Bcts	G(Ia)	0.70	0.04	0.61	0.78
CVDp:Bcts	P(I)	0.28	0.03	0.23	0.33
CVDp:Bctb	E(I)	-0.50	0.14	-0.78	-0.22
CVDp:Bctb	G(Ia)	0.75	0.04	0.66	0.84
CVDp:Bctb	P(I)	0.25	0.03	0.20	0.30
CVDp:Weanwt	E(I)	0.08	0.06	-0.04	0.20
CVDp:Weanwt	G(Ia)	-0.43	0.09	-0.61	-0.24
CVDp:Weanwt	P(I)	-0.07	0.03	-0.14	-0.01
CVDp:NLB	E(I)	-0.12	0.06	-0.24	-0.00
CVDp:NLB	G(Ia)	0.27	0.10	0.08	0.46
CVDp:NLB	P(I)	-0.01	0.03	-0.07	0.06
CVDp:NLW	E(I)	-0.15	0.06	-0.27	-0.03
CVDp:NLW	G(Ia)	0.29	0.10	0.11	0.48
CVDp:NLW	P(I)	-0.02	0.03	-0.08	0.05
CVDp:Fnpua	E(I)	0.10	0.06	-0.02	0.21
CVDp:Fnpua	G(Ia)	-0.10	0.11	-0.31	0.11
CVDp:Fnpua	P(I)	0.04	0.03	-0.02	0.11
CVDp:Fnsua	E(I)	-0.03	0.06	-0.15	0.09
CVDp:Fnsua	G(Ia)	-0.16	0.09	-0.33	0.01
CVDp:Fnsua	P(I)	-0.07	0.03	-0.14	-0.01
CVDp:Fnpt	E(I)	0.10	0.06	-0.01	0.22
CVDp:Fnpt	G(Ia)	-0.10	0.10	-0.29	0.09
CVDp:Fnpt	P(I)	0.04	0.03	-0.02	0.11
CVDp:Fnst	E(I)	-0.02	0.06	-0.14	0.09
CVDp:Fnst	G(Ia)	-0.21	0.10	-0.40	-0.02
CVDp:Fnst	P(I)	-0.08	0.03	-0.14	-0.01
CVDs:Stal	E(I)	-0.17	0.07	-0.31	-0.04
CVDs:Stal	G(Ia)	-0.09	0.08	-0.23	0.06
CVDs:Stal	P(I)	-0.14	0.03	-0.20	-0.07
CVDs:Diam	E(I)	-0.06	0.07	-0.21	0.08
CVDs:Diam	G(Ia)	0.14	0.07	0.00	0.28
CVDs:Diam	P(I)	0.02	0.03	-0.04	0.09
CVDs:Bwt	E(I)	-0.18	0.06	-0.29	-0.06
CVDs:Bwt	G(Ia)	-0.00	0.08	-0.16	0.15

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDs:Bwt	P(I)	-0.13	0.03	-0.19	-0.06
CVDs:WrN	E(I)	0.21	0.07	0.08	0.35
CVDs:WrN	G(Ia)	-0.24	0.07	-0.38	-0.09
CVDs:WrN	P(I)	0.04	0.03	-0.03	0.10
CVDs:WrB	E(I)	0.25	0.06	0.12	0.37
CVDs:WrB	G(Ia)	-0.38	0.09	-0.55	-0.21
CVDs:WrB	P(I)	0.03	0.03	-0.03	0.10
CVDs:WrT	E(I)	0.26	0.07	0.13	0.40
CVDs:WrT	G(Ia)	-0.32	0.08	-0.47	-0.17
CVDs:WrT	P(I)	0.04	0.03	-0.03	0.10
CVDs:Face	E(I)	-0.26	0.07	-0.40	-0.12
CVDs:Face	G(Ia)	0.50	0.05	0.39	0.61
CVDs:Face	P(I)	0.09	0.03	0.04	0.14
CVDs:Gfw	E(I)	-0.02	0.06	-0.15	0.10
CVDs:Gfw	G(Ia)	0.05	0.08	-0.10	0.21
CVDs:Gfw	P(I)	0.00	0.03	-0.06	0.07
CVDs:Yld	E(I)	-0.07	0.06	-0.19	0.05
CVDs:Yld	G(Ia)	-0.30	0.09	-0.47	-0.13
CVDs:Yld	P(I)	-0.14	0.03	-0.21	-0.08
CVDs:Cww	E(I)	-0.06	0.06	-0.19	0.07
CVDs:Cww	G(Ia)	-0.04	0.08	-0.19	0.11
CVDs:Cww	P(I)	-0.05	0.03	-0.12	0.01
CVDs:Staladj	E(I)	-0.18	0.07	-0.32	-0.05
CVDs:Staladj	G(Ia)	-0.08	0.07	-0.23	0.07
CVDs:Staladj	P(I)	-0.14	0.03	-0.21	-0.08
CVDs:Gfwadj	E(I)	-0.02	0.06	-0.14	0.10
CVDs:Gfwadj	G(Ia)	0.04	0.08	-0.12	0.20
CVDs:Gfwadj	P(I)	-0.00	0.03	-0.07	0.06
CVDs:Cwwadj	E(I)	-0.05	0.07	-0.18	0.08
CVDs:Cwwadj	G(Ia)	-0.07	0.08	-0.23	0.10
CVDs:Cwwadj	P(I)	-0.06	0.03	-0.12	0.01
CVDs:Crimp	E(I)	0.12	0.11	-0.10	0.34
CVDs:Crimp	G(Ia)	-0.68	0.15	-0.97	-0.39
CVDs:Crimp	P(I)	-0.17	0.04	-0.26	-0.09
CVDs:Crwvl	E(I)	-0.10	0.11	-0.31	0.11
CVDs:Crwvl	G(Ia)	0.67	0.15	0.36	0.97
CVDs:Crwvl	P(I)	0.17	0.04	0.08	0.25
CVDs:Crst	E(I)	0.02	0.11	-0.21	0.24
CVDs:Crst	G(Ia)	-0.78	0.16	-1.10	-0.46
CVDs:Crst	P(I)	-0.24	0.04	-0.32	-0.15
CVDs:Crstadj	E(I)	0.02	0.11	-0.20	0.24
CVDs:Crstadj	G(Ia)	-0.78	0.16	-1.10	-0.46
CVDs:Crstadj	P(I)	-0.24	0.04	-0.32	-0.15

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDs:Crwvt	E(I)	-0.03	0.10	-0.23	0.17
CVDs:Crwvt	G(Ia)	0.79	0.17	0.45	1.12
CVDs:Crwvt	P(I)	0.22	0.04	0.14	0.31
CVDs:Dp	E(I)	-0.04	0.07	-0.18	0.11
CVDs:Dp	G(Ia)	0.52	0.07	0.37	0.66
CVDs:Dp	P(I)	0.17	0.03	0.11	0.24
CVDs:Ds	E(I)	-0.39	0.06	-0.51	-0.27
CVDs:Ds	G(Ia)	0.03	0.09	-0.15	0.20
CVDs:Ds	P(I)	-0.25	0.03	-0.31	-0.19
CVDs:Dps	E(I)	-0.38	0.06	-0.50	-0.26
CVDs:Dps	G(Ia)	0.08	0.09	-0.10	0.25
CVDs:Dps	P(I)	-0.23	0.03	-0.29	-0.16
CVDs:DpovDs	E(I)	0.46	0.10	0.26	0.66
CVDs:DpovDs	G(Ia)	0.39	0.05	0.28	0.49
CVDs:DpovDs	P(I)	0.35	0.03	0.30	0.41
CVDs:CVDp	E(I)	0.19	0.06	0.08	0.31
CVDs:CVDp	G(Ia)	0.43	0.09	0.27	0.60
CVDs:CVDp	P(I)	0.27	0.03	0.21	0.33
CVDs:CVDs	E(I)	1.00	0.00	1.00	1.00
CVDs:CVDs	G(Ia)	1.00	0.00	1.00	1.00
CVDs:CVDs	P(I)	1.00	0.00	1.00	1.00
CVDs:MaxDp	E(I)	0.01	0.06	-0.11	0.13
CVDs:MaxDp	G(Ia)	0.52	0.07	0.38	0.67
CVDs:MaxDp	P(I)	0.20	0.03	0.13	0.26
CVDs:MinDp	E(I)	-0.04	0.05	-0.15	0.06
CVDs:MinDp	G(Ia)	0.19	0.25	-0.29	0.67
CVDs:MinDp	P(I)	-0.01	0.03	-0.08	0.05
CVDs:MaxDs	E(I)	0.28	0.05	0.18	0.38
CVDs:MaxDs	G(Ia)	0.64	0.10	0.43	0.84
CVDs:MaxDs	P(I)	0.36	0.03	0.30	0.42
CVDs:MinDs	E(I)	-0.15	0.05	-0.25	-0.06
CVDs:MinDs	G(Ia)	-0.56	0.23	-1.01	-0.11
CVDs:MinDs	P(I)	-0.20	0.03	-0.26	-0.13
CVDs:SDDp	E(I)	0.10	0.07	-0.03	0.23
CVDs:SDDp	G(Ia)	0.55	0.07	0.41	0.69
CVDs:SDDp	P(I)	0.26	0.03	0.20	0.32
CVDs:SDDs	E(I)	0.80	0.03	0.73	0.86
CVDs:SDDs	G(Ia)	0.81	0.04	0.74	0.89
CVDs:SDDs	P(I)	0.80	0.02	0.76	0.83
CVDs:SDD	E(I)	0.76	0.03	0.70	0.83
CVDs:SDD	G(Ia)	0.85	0.04	0.77	0.93
CVDs:SDD	P(I)	0.78	0.02	0.75	0.82
CVDs:CVD	E(I)	0.99	0.01	0.98	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDs:CVD	G(Ia)	0.99	0.01	0.97	1.01
CVDs:CVD	P(I)	0.99	0.00	0.98	1.00
CVDs:Gt30Dp	E(I)	-0.02	0.07	-0.16	0.13
CVDs:Gt30Dp	G(Ia)	0.60	0.08	0.46	0.75
CVDs:Gt30Dp	P(I)	0.21	0.03	0.15	0.27
CVDs:Gt30Ds	E(I)	0.15	0.06	0.04	0.26
CVDs:Gt30Ds	G(Ia)	0.62	0.09	0.44	0.80
CVDs:Gt30Ds	P(I)	0.28	0.03	0.22	0.34
CVDs:Gt30D	E(I)	0.12	0.06	0.00	0.23
CVDs:Gt30D	G(Ia)	0.73	0.09	0.55	0.91
CVDs:Gt30D	P(I)	0.30	0.03	0.23	0.36
CVDs:Fnua	E(I)	0.12	0.06	-0.00	0.24
CVDs:Fnua	G(Ia)	0.04	0.09	-0.14	0.23
CVDs:Fnua	P(I)	0.10	0.03	0.03	0.16
CVDs:Fr	E(I)	0.16	0.06	0.05	0.28
CVDs:Fr	G(Ia)	-0.29	0.10	-0.49	-0.09
CVDs:Fr	P(I)	0.03	0.03	-0.03	0.10
CVDs:Fnt	E(I)	0.04	0.06	-0.07	0.16
CVDs:Fnt	G(Ia)	0.04	0.10	-0.17	0.24
CVDs:Fnt	P(I)	0.04	0.03	-0.02	0.11
CVDs:Sarea	E(I)	-0.17	0.06	-0.28	-0.05
CVDs:Sarea	G(Ia)	-0.02	0.09	-0.20	0.16
CVDs:Sarea	P(I)	-0.13	0.03	-0.19	-0.06
CVDs:Fd	E(I)	-0.20	0.08	-0.36	-0.03
CVDs:Fd	G(Ia)	0.33	0.20	-0.06	0.71
CVDs:Fd	P(I)	-0.06	0.05	-0.15	0.03
CVDs:Fc	E(I)	0.41	0.09	0.23	0.60
CVDs:Fc	G(Ia)	-0.47	0.13	-0.72	-0.22
CVDs:Fc	P(I)	0.08	0.04	-0.01	0.16
CVDs:Fu	E(I)	0.33	0.10	0.15	0.52
CVDs:Fu	G(Ia)	-0.41	0.12	-0.65	-0.17
CVDs:Fu	P(I)	0.05	0.04	-0.04	0.13
CVDs:Colour	E(I)	-0.10	0.06	-0.22	0.01
CVDs:Colour	G(Ia)	0.73	0.10	0.54	0.93
CVDs:Colour	P(I)	0.14	0.03	0.07	0.20
CVDs:Fly	E(I)	0.05	0.05	-0.05	0.15
CVDs:Fly	G(Ia)	0.50	0.14	0.21	0.78
CVDs:Fly	P(I)	0.13	0.03	0.07	0.20
CVDs:Flcrot	E(I)	0.08	0.06	-0.03	0.19
CVDs:Flcrot	G(Ia)	0.16	0.11	-0.05	0.37
CVDs:Flcrot	P(I)	0.10	0.03	0.04	0.17
CVDs:Bactst	E(I)	0.06	0.05	-0.04	0.16
CVDs:Bactst	G(Ia)	-0.19	0.16	-0.51	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVDs:Bactst	P(I)	0.01	0.03	-0.05	0.08
CVDs:MycD	E(I)	0.05	0.05	-0.05	0.15
CVDs:MycD	G(Ia)	-0.16	0.24	-0.64	0.32
CVDs:MycD	P(I)	0.02	0.03	-0.04	0.09
CVDs:Bcts	E(I)	-0.29	0.13	-0.55	-0.03
CVDs:Bcts	G(Ia)	0.51	0.05	0.41	0.61
CVDs:Bcts	P(I)	0.17	0.03	0.11	0.22
CVDs:Bctb	E(I)	-0.36	0.12	-0.60	-0.12
CVDs:Bctb	G(Ia)	0.52	0.05	0.42	0.62
CVDs:Bctb	P(I)	0.14	0.03	0.09	0.19
CVDs:Weanwt	E(I)	-0.04	0.06	-0.16	0.07
CVDs:Weanwt	G(Ia)	-0.10	0.10	-0.30	0.10
CVDs:Weanwt	P(I)	-0.06	0.03	-0.13	0.01
CVDs:NLB	E(I)	-0.04	0.06	-0.15	0.07
CVDs:NLB	G(Ia)	0.22	0.11	0.01	0.43
CVDs:NLB	P(I)	0.03	0.03	-0.04	0.10
CVDs:NLW	E(I)	-0.07	0.06	-0.19	0.04
CVDs:NLW	G(Ia)	0.47	0.10	0.27	0.67
CVDs:NLW	P(I)	0.08	0.03	0.01	0.14
CVDs:Fnpua	E(I)	-0.01	0.06	-0.13	0.10
CVDs:Fnpua	G(Ia)	0.34	0.11	0.11	0.56
CVDs:Fnpua	P(I)	0.07	0.03	0.01	0.14
CVDs:Fnsua	E(I)	0.12	0.06	0.00	0.24
CVDs:Fnsua	G(Ia)	0.03	0.09	-0.15	0.21
CVDs:Fnsua	P(I)	0.09	0.03	0.03	0.16
CVDs:Fnpt	E(I)	-0.05	0.06	-0.17	0.06
CVDs:Fnpt	G(Ia)	0.29	0.10	0.09	0.49
CVDs:Fnpt	P(I)	0.04	0.03	-0.02	0.10
CVDs:Fnst	E(I)	0.05	0.06	-0.07	0.16
CVDs:Fnst	G(Ia)	0.02	0.10	-0.18	0.22
CVDs:Fnst	P(I)	0.04	0.03	-0.03	0.11
MaxDp:Stal	E(I)	0.07	0.08	-0.09	0.24
MaxDp:Stal	G(Ia)	-0.17	0.06	-0.28	-0.06
MaxDp:Stal	P(I)	-0.05	0.03	-0.11	0.02
MaxDp:Diam	E(I)	0.44	0.08	0.29	0.60
MaxDp:Diam	G(Ia)	0.16	0.05	0.07	0.26
MaxDp:Diam	P(I)	0.29	0.03	0.23	0.35
MaxDp:Bwt	E(I)	0.04	0.07	-0.10	0.18
MaxDp:Bwt	G(Ia)	-0.15	0.07	-0.30	-0.00
MaxDp:Bwt	P(I)	-0.03	0.03	-0.10	0.03
MaxDp:WrN	E(I)	0.37	0.08	0.21	0.53
MaxDp:WrN	G(Ia)	-0.15	0.06	-0.26	-0.04
MaxDp:WrN	P(I)	0.11	0.03	0.05	0.17

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDp:WrB	E(I)	0.32	0.07	0.17	0.46
MaxDp:WrB	G(Ia)	-0.06	0.06	-0.18	0.06
MaxDp:WrB	P(I)	0.15	0.03	0.08	0.21
MaxDp:WrT	E(I)	0.39	0.08	0.24	0.55
MaxDp:WrT	G(Ia)	-0.11	0.06	-0.22	-0.00
MaxDp:WrT	P(I)	0.14	0.03	0.08	0.20
MaxDp:Face	E(I)	-0.70	0.09	-0.88	-0.53
MaxDp:Face	G(Ia)	0.58	0.04	0.49	0.66
MaxDp:Face	P(I)	0.04	0.03	-0.01	0.10
MaxDp:Gfw	E(I)	0.11	0.07	-0.03	0.26
MaxDp:Gfw	G(Ia)	0.03	0.06	-0.08	0.14
MaxDp:Gfw	P(I)	0.08	0.03	0.01	0.14
MaxDp:Yld	E(I)	-0.01	0.07	-0.15	0.13
MaxDp:Yld	G(Ia)	-0.19	0.06	-0.32	-0.07
MaxDp:Yld	P(I)	-0.09	0.03	-0.15	-0.02
MaxDp:Cww	E(I)	0.09	0.08	-0.06	0.24
MaxDp:Cww	G(Ia)	-0.02	0.06	-0.14	0.09
MaxDp:Cww	P(I)	0.04	0.03	-0.03	0.10
MaxDp:Staladj	E(I)	0.10	0.08	-0.07	0.26
MaxDp:Staladj	G(Ia)	-0.19	0.06	-0.30	-0.08
MaxDp:Staladj	P(I)	-0.04	0.03	-0.11	0.02
MaxDp:Gfwadj	E(I)	0.13	0.07	-0.02	0.27
MaxDp:Gfwadj	G(Ia)	0.03	0.06	-0.09	0.15
MaxDp:Gfwadj	P(I)	0.08	0.03	0.02	0.15
MaxDp:Cwwadj	E(I)	0.11	0.08	-0.04	0.26
MaxDp:Cwwadj	G(Ia)	-0.03	0.06	-0.15	0.09
MaxDp:Cwwadj	P(I)	0.05	0.03	-0.02	0.11
MaxDp:Crimp	E(I)	0.18	0.15	-0.11	0.47
MaxDp:Crimp	G(Ia)	-0.49	0.10	-0.69	-0.30
MaxDp:Crimp	P(I)	-0.17	0.04	-0.26	-0.09
MaxDp:Crwvl	E(I)	-0.14	0.14	-0.42	0.14
MaxDp:Crwvl	G(Ia)	0.46	0.10	0.26	0.66
MaxDp:Crwvl	P(I)	0.16	0.04	0.08	0.25
MaxDp:Crst	E(I)	0.22	0.14	-0.05	0.49
MaxDp:Crst	G(Ia)	-0.65	0.12	-0.88	-0.42
MaxDp:Crst	P(I)	-0.19	0.04	-0.27	-0.10
MaxDp:Crstadj	E(I)	0.23	0.14	-0.04	0.50
MaxDp:Crstadj	G(Ia)	-0.65	0.12	-0.88	-0.43
MaxDp:Crstadj	P(I)	-0.19	0.04	-0.27	-0.10
MaxDp:Crwvt	E(I)	-0.20	0.13	-0.45	0.06
MaxDp:Crwvt	G(Ia)	0.67	0.12	0.44	0.90
MaxDp:Crwvt	P(I)	0.20	0.04	0.11	0.28
MaxDp:Dp	E(I)	0.72	0.04	0.64	0.80

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDp:Dp	G(Ia)	0.95	0.02	0.91	1.00
MaxDp:Dp	P(I)	0.84	0.01	0.81	0.87
MaxDp:Ds	E(I)	0.54	0.07	0.41	0.68
MaxDp:Ds	G(Ia)	-0.09	0.06	-0.22	0.03
MaxDp:Ds	P(I)	0.26	0.03	0.20	0.32
MaxDp:Dps	E(I)	0.57	0.07	0.44	0.70
MaxDp:Dps	G(Ia)	-0.01	0.08	-0.16	0.15
MaxDp:Dps	P(I)	0.32	0.03	0.26	0.38
MaxDp:DpovDs	E(I)	0.48	0.09	0.30	0.66
MaxDp:DpovDs	G(Ia)	0.83	0.03	0.78	0.89
MaxDp:DpovDs	P(I)	0.67	0.02	0.63	0.71
MaxDp:CVDp	E(I)	0.41	0.06	0.30	0.53
MaxDp:CVDp	G(Ia)	0.74	0.05	0.63	0.84
MaxDp:CVDp	P(I)	0.54	0.03	0.49	0.59
MaxDp:CVDs	E(I)	0.01	0.06	-0.11	0.13
MaxDp:CVDs	G(Ia)	0.52	0.07	0.38	0.67
MaxDp:CVDs	P(I)	0.20	0.03	0.13	0.26
MaxDp:MaxDp	E(I)	1.00	0.00	1.00	1.00
MaxDp:MaxDp	G(Ia)	1.00	0.00	1.00	1.00
MaxDp:MaxDp	P(I)	1.00	0.00	1.00	1.00
MaxDp:MinDp	E(I)	0.29	0.06	0.18	0.40
MaxDp:MinDp	G(Ia)	0.49	0.18	0.14	0.84
MaxDp:MinDp	P(I)	0.28	0.03	0.22	0.34
MaxDp:MaxDs	E(I)	0.37	0.06	0.25	0.49
MaxDp:MaxDs	G(Ia)	0.40	0.08	0.25	0.56
MaxDp:MaxDs	P(I)	0.36	0.03	0.30	0.42
MaxDp:MinDs	E(I)	0.15	0.06	0.03	0.27
MaxDp:MinDs	G(Ia)	-0.38	0.20	-0.77	0.02
MaxDp:MinDs	P(I)	0.04	0.03	-0.02	0.11
MaxDp:SDDp	E(I)	0.72	0.04	0.64	0.80
MaxDp:SDDp	G(Ia)	0.95	0.02	0.90	1.00
MaxDp:SDDp	P(I)	0.83	0.01	0.80	0.86
MaxDp:SDDs	E(I)	0.35	0.07	0.22	0.49
MaxDp:SDDs	G(Ia)	0.34	0.06	0.23	0.45
MaxDp:SDDs	P(I)	0.35	0.03	0.29	0.41
MaxDp:SDD	E(I)	0.44	0.06	0.32	0.57
MaxDp:SDD	G(Ia)	0.49	0.05	0.39	0.58
MaxDp:SDD	P(I)	0.46	0.03	0.41	0.52
MaxDp:CVD	E(I)	0.07	0.07	-0.06	0.21
MaxDp:CVD	G(Ia)	0.62	0.07	0.49	0.76
MaxDp:CVD	P(I)	0.29	0.03	0.22	0.35
MaxDp:Gt30Dp	E(I)	0.65	0.05	0.56	0.74
MaxDp:Gt30Dp	G(Ia)	0.94	0.03	0.88	0.99

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDp:Gt30Dp	P(I)	0.79	0.02	0.75	0.82
MaxDp:Gt30Ds	E(I)	0.36	0.06	0.23	0.48
MaxDp:Gt30Ds	G(Ia)	0.23	0.07	0.09	0.37
MaxDp:Gt30Ds	P(I)	0.30	0.03	0.24	0.36
MaxDp:Gt30D	E(I)	0.47	0.06	0.36	0.58
MaxDp:Gt30D	G(Ia)	0.49	0.06	0.37	0.61
MaxDp:Gt30D	P(I)	0.47	0.03	0.41	0.52
MaxDp:Fnua	E(I)	-0.30	0.07	-0.44	-0.16
MaxDp:Fnua	G(Ia)	0.00	0.10	-0.19	0.20
MaxDp:Fnua	P(I)	-0.18	0.03	-0.24	-0.11
MaxDp:Fr	E(I)	-0.14	0.07	-0.27	-0.00
MaxDp:Fr	G(Ia)	-0.09	0.07	-0.23	0.06
MaxDp:Fr	P(I)	-0.12	0.03	-0.18	-0.05
MaxDp:Fnt	E(I)	-0.25	0.07	-0.38	-0.12
MaxDp:Fnt	G(Ia)	-0.07	0.08	-0.22	0.08
MaxDp:Fnt	P(I)	-0.18	0.03	-0.24	-0.11
MaxDp:Sarea	E(I)	0.04	0.07	-0.10	0.18
MaxDp:Sarea	G(Ia)	-0.14	0.07	-0.29	0.00
MaxDp:Sarea	P(I)	-0.03	0.03	-0.09	0.04
MaxDp:Fd	E(I)	0.16	0.09	-0.01	0.34
MaxDp:Fd	G(Ia)	0.07	0.16	-0.24	0.38
MaxDp:Fd	P(I)	0.14	0.05	0.05	0.22
MaxDp:Fc	E(I)	0.32	0.10	0.13	0.52
MaxDp:Fc	G(Ia)	-0.34	0.11	-0.57	-0.12
MaxDp:Fc	P(I)	0.05	0.04	-0.03	0.13
MaxDp:Fu	E(I)	0.29	0.10	0.10	0.49
MaxDp:Fu	G(Ia)	-0.30	0.11	-0.52	-0.08
MaxDp:Fu	P(I)	0.05	0.04	-0.04	0.13
MaxDp:Colour	E(I)	-0.19	0.07	-0.33	-0.05
MaxDp:Colour	G(Ia)	0.58	0.08	0.43	0.73
MaxDp:Colour	P(I)	0.10	0.03	0.04	0.17
MaxDp:Fly	E(I)	-0.19	0.06	-0.31	-0.07
MaxDp:Fly	G(Ia)	0.31	0.12	0.09	0.54
MaxDp:Fly	P(I)	-0.05	0.03	-0.11	0.01
MaxDp:Flcrot	E(I)	-0.03	0.07	-0.16	0.10
MaxDp:Flcrot	G(Ia)	0.10	0.08	-0.07	0.26
MaxDp:Flcrot	P(I)	0.01	0.03	-0.05	0.08
MaxDp:Bactst	E(I)	-0.03	0.06	-0.16	0.09
MaxDp:Bactst	G(Ia)	0.33	0.12	0.09	0.58
MaxDp:Bactst	P(I)	0.05	0.03	-0.01	0.12
MaxDp:MycD	E(I)	-0.02	0.06	-0.13	0.10
MaxDp:MycD	G(Ia)	0.01	0.19	-0.37	0.38
MaxDp:MycD	P(I)	-0.01	0.03	-0.07	0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDp:Bcts	E(I)	-0.45	0.19	-0.82	-0.09
MaxDp:Bcts	G(Ia)	0.85	0.03	0.79	0.91
MaxDp:Bcts	P(I)	0.44	0.02	0.39	0.48
MaxDp:Bctb	E(I)	-0.41	0.16	-0.73	-0.09
MaxDp:Bctb	G(Ia)	0.82	0.03	0.76	0.87
MaxDp:Bctb	P(I)	0.42	0.02	0.37	0.46
MaxDp:Weanwt	E(I)	0.02	0.07	-0.12	0.16
MaxDp:Weanwt	G(Ia)	-0.39	0.08	-0.54	-0.24
MaxDp:Weanwt	P(I)	-0.13	0.03	-0.20	-0.07
MaxDp:NLB	E(I)	0.01	0.06	-0.11	0.13
MaxDp:NLB	G(Ia)	0.43	0.08	0.27	0.58
MaxDp:NLB	P(I)	0.16	0.03	0.09	0.22
MaxDp:NLW	E(I)	-0.02	0.07	-0.15	0.12
MaxDp:NLW	G(Ia)	0.43	0.08	0.28	0.58
MaxDp:NLW	P(I)	0.15	0.03	0.08	0.21
MaxDp:Fnpua	E(I)	-0.04	0.07	-0.17	0.09
MaxDp:Fnpua	G(Ia)	-0.08	0.08	-0.24	0.09
MaxDp:Fnpua	P(I)	-0.05	0.03	-0.11	0.01
MaxDp:Fnsua	E(I)	-0.31	0.07	-0.44	-0.17
MaxDp:Fnsua	G(Ia)	0.01	0.08	-0.15	0.17
MaxDp:Fnsua	P(I)	-0.18	0.03	-0.24	-0.11
MaxDp:Fnpt	E(I)	-0.00	0.06	-0.11	0.11
MaxDp:Fnpt	G(Ia)	-0.14	0.08	-0.29	0.01
MaxDp:Fnpt	P(I)	-0.05	0.03	-0.11	0.01
MaxDp:Fnst	E(I)	-0.26	0.07	-0.39	-0.13
MaxDp:Fnst	G(Ia)	-0.06	0.08	-0.21	0.09
MaxDp:Fnst	P(I)	-0.18	0.03	-0.24	-0.12
MinDp:Stal	E(I)	0.22	0.06	0.09	0.34
MinDp:Stal	G(Ia)	-0.74	0.18	-1.09	-0.39
MinDp:Stal	P(I)	-0.01	0.03	-0.07	0.06
MinDp:Diam	E(I)	0.26	0.06	0.14	0.39
MinDp:Diam	G(Ia)	0.03	0.11	-0.19	0.24
MinDp:Diam	P(I)	0.17	0.03	0.11	0.24
MinDp:Bwt	E(I)	0.08	0.05	-0.02	0.19
MinDp:Bwt	G(Ia)	-0.49	0.19	-0.87	-0.11
MinDp:Bwt	P(I)	-0.01	0.03	-0.08	0.05
MinDp:WrN	E(I)	-0.01	0.06	-0.13	0.11
MinDp:WrN	G(Ia)	0.41	0.16	0.10	0.72
MinDp:WrN	P(I)	0.07	0.03	0.01	0.13
MinDp:WrB	E(I)	0.04	0.06	-0.07	0.15
MinDp:WrB	G(Ia)	0.55	0.18	0.19	0.90
MinDp:WrB	P(I)	0.13	0.03	0.06	0.19
MinDp:WrT	E(I)	0.02	0.06	-0.10	0.14

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDp:WrT	G(Ia)	0.50	0.17	0.18	0.83
MinDp:WrT	P(I)	0.11	0.03	0.04	0.17
MinDp:Face	E(I)	-0.08	0.06	-0.20	0.04
MinDp:Face	G(Ia)	0.18	0.11	-0.03	0.40
MinDp:Face	P(I)	-0.00	0.03	-0.05	0.05
MinDp:Gfw	E(I)	0.11	0.05	0.00	0.22
MinDp:Gfw	G(Ia)	0.04	0.15	-0.26	0.34
MinDp:Gfw	P(I)	0.09	0.03	0.02	0.15
MinDp:Yld	E(I)	0.08	0.06	-0.03	0.19
MinDp:Yld	G(Ia)	-0.35	0.20	-0.73	0.04
MinDp:Yld	P(I)	0.00	0.03	-0.06	0.07
MinDp:Cww	E(I)	0.13	0.06	0.02	0.24
MinDp:Cww	G(Ia)	-0.04	0.17	-0.38	0.30
MinDp:Cww	P(I)	0.09	0.03	0.02	0.15
MinDp:Staladj	E(I)	0.22	0.06	0.10	0.35
MinDp:Staladj	G(Ia)	-0.74	0.18	-1.09	-0.39
MinDp:Staladj	P(I)	-0.01	0.03	-0.07	0.06
MinDp:Gfwadj	E(I)	0.10	0.06	-0.01	0.21
MinDp:Gfwadj	G(Ia)	-0.06	0.15	-0.35	0.23
MinDp:Gfwadj	P(I)	0.06	0.03	-0.00	0.13
MinDp:Cwwadj	E(I)	0.13	0.06	0.01	0.24
MinDp:Cwwadj	G(Ia)	-0.07	0.15	-0.37	0.23
MinDp:Cwwadj	P(I)	0.08	0.03	0.01	0.14
MinDp:Crimp	E(I)	-0.06	0.09	-0.25	0.12
MinDp:Crimp	G(Ia)	-0.35	0.27	-0.88	0.17
MinDp:Crimp	P(I)	-0.12	0.04	-0.20	-0.03
MinDp:Crwvl	E(I)	0.05	0.09	-0.12	0.23
MinDp:Crwvl	G(Ia)	0.34	0.27	-0.19	0.88
MinDp:Crwvl	P(I)	0.10	0.04	0.02	0.19
MinDp:Crst	E(I)	0.06	0.09	-0.11	0.24
MinDp:Crst	G(Ia)	-0.62	0.34	-1.29	0.05
MinDp:Crst	P(I)	-0.06	0.04	-0.15	0.02
MinDp:Crstadj	E(I)	0.06	0.09	-0.11	0.24
MinDp:Crstadj	G(Ia)	-0.63	0.34	-1.30	0.04
MinDp:Crstadj	P(I)	-0.07	0.04	-0.15	0.02
MinDp:Crwvt	E(I)	-0.06	0.09	-0.22	0.11
MinDp:Crwvt	G(Ia)	0.65	0.35	-0.04	1.33
MinDp:Crwvt	P(I)	0.07	0.04	-0.02	0.15
MinDp:Dp	E(I)	0.50	0.05	0.39	0.60
MinDp:Dp	G(Ia)	0.63	0.17	0.30	0.95
MinDp:Dp	P(I)	0.44	0.03	0.38	0.50
MinDp:Ds	E(I)	0.33	0.05	0.23	0.44
MinDp:Ds	G(Ia)	0.02	0.13	-0.22	0.27

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDp:Ds	P(I)	0.25	0.03	0.19	0.32
MinDp:Dps	E(I)	0.35	0.05	0.25	0.45
MinDp:Dps	G(Ia)	0.07	0.16	-0.24	0.39
MinDp:Dps	P(I)	0.28	0.03	0.22	0.34
MinDp:DpovDs	E(I)	0.38	0.09	0.20	0.57
MinDp:DpovDs	G(Ia)	0.50	0.16	0.20	0.81
MinDp:DpovDs	P(I)	0.27	0.03	0.21	0.33
MinDp:CVDp	E(I)	-0.50	0.05	-0.59	-0.41
MinDp:CVDp	G(Ia)	-0.03	0.13	-0.28	0.21
MinDp:CVDp	P(I)	-0.40	0.03	-0.46	-0.34
MinDp:CVDs	E(I)	-0.04	0.05	-0.15	0.06
MinDp:CVDs	G(Ia)	0.19	0.25	-0.29	0.67
MinDp:CVDs	P(I)	-0.01	0.03	-0.08	0.05
MinDp:MaxDp	E(I)	0.29	0.06	0.18	0.40
MinDp:MaxDp	G(Ia)	0.49	0.18	0.14	0.84
MinDp:MaxDp	P(I)	0.28	0.03	0.22	0.34
MinDp:MinDp	E(I)	1.00	0.00	1.00	1.00
MinDp:MinDp	G(Ia)	1.00	0.00	1.00	1.00
MinDp:MinDp	P(I)	1.00	0.00	1.00	1.00
MinDp:MaxDs	E(I)	0.19	0.05	0.09	0.28
MinDp:MaxDs	G(Ia)	0.19	0.25	-0.30	0.69
MinDp:MaxDs	P(I)	0.18	0.03	0.12	0.25
MinDp:MinDs	E(I)	0.03	0.05	-0.06	0.11
MinDp:MinDs	G(Ia)	0.38	0.53	-0.66	1.42
MinDp:MinDs	P(I)	0.05	0.03	-0.02	0.11
MinDp:SDDp	E(I)	-0.23	0.06	-0.35	-0.11
MinDp:SDDp	G(Ia)	0.33	0.21	-0.08	0.74
MinDp:SDDp	P(I)	-0.11	0.03	-0.17	-0.04
MinDp:SDDs	E(I)	0.16	0.06	0.05	0.27
MinDp:SDDs	G(Ia)	0.18	0.18	-0.18	0.54
MinDp:SDDs	P(I)	0.15	0.03	0.08	0.21
MinDp:SDD	E(I)	0.12	0.06	0.01	0.23
MinDp:SDD	G(Ia)	0.24	0.19	-0.13	0.61
MinDp:SDD	P(I)	0.12	0.03	0.06	0.19
MinDp:CVD	E(I)	-0.10	0.05	-0.20	0.00
MinDp:CVD	G(Ia)	0.22	0.24	-0.25	0.69
MinDp:CVD	P(I)	-0.05	0.03	-0.12	0.01
MinDp:Gt30Dp	E(I)	0.25	0.06	0.14	0.36
MinDp:Gt30Dp	G(Ia)	0.55	0.19	0.18	0.93
MinDp:Gt30Dp	P(I)	0.26	0.03	0.20	0.33
MinDp:Gt30Ds	E(I)	0.17	0.05	0.07	0.27
MinDp:Gt30Ds	G(Ia)	0.25	0.22	-0.19	0.68
MinDp:Gt30Ds	P(I)	0.17	0.03	0.10	0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDp:Gt30D	E(I)	0.21	0.05	0.11	0.31
MinDp:Gt30D	G(Ia)	0.37	0.22	-0.05	0.80
MinDp:Gt30D	P(I)	0.22	0.03	0.15	0.28
MinDp:Fnua	E(I)	-0.16	0.05	-0.26	-0.06
MinDp:Fnua	G(Ia)	0.04	0.21	-0.37	0.46
MinDp:Fnua	P(I)	-0.12	0.03	-0.19	-0.05
MinDp:Fr	E(I)	0.00	0.05	-0.10	0.10
MinDp:Fr	G(Ia)	0.44	0.20	0.04	0.83
MinDp:Fr	P(I)	0.07	0.03	0.00	0.14
MinDp:Fnt	E(I)	-0.11	0.05	-0.22	-0.01
MinDp:Fnt	G(Ia)	-0.15	0.19	-0.53	0.23
MinDp:Fnt	P(I)	-0.12	0.03	-0.18	-0.05
MinDp:Sarea	E(I)	0.08	0.05	-0.02	0.18
MinDp:Sarea	G(Ia)	-0.53	0.22	-0.95	-0.10
MinDp:Sarea	P(I)	-0.01	0.03	-0.08	0.05
MinDp:Fd	E(I)	0.11	0.07	-0.03	0.25
MinDp:Fd	G(Ia)	0.16	0.40	-0.62	0.95
MinDp:Fd	P(I)	0.11	0.05	0.02	0.20
MinDp:Fc	E(I)	0.01	0.08	-0.14	0.16
MinDp:Fc	G(Ia)	0.38	0.31	-0.23	1.00
MinDp:Fc	P(I)	0.07	0.04	-0.01	0.15
MinDp:Fu	E(I)	0.09	0.08	-0.07	0.24
MinDp:Fu	G(Ia)	0.14	0.27	-0.39	0.67
MinDp:Fu	P(I)	0.09	0.04	0.00	0.17
MinDp:Colour	E(I)	0.01	0.05	-0.08	0.11
MinDp:Colour	G(Ia)	0.46	0.24	-0.02	0.94
MinDp:Colour	P(I)	0.07	0.03	0.00	0.13
MinDp:Fly	E(I)	-0.09	0.05	-0.18	-0.00
MinDp:Fly	G(Ia)	-0.01	0.19	-0.38	0.35
MinDp:Fly	P(I)	-0.08	0.03	-0.15	-0.02
MinDp:Flcrot	E(I)	-0.01	0.05	-0.11	0.09
MinDp:Flcrot	G(Ia)	-0.24	0.26	-0.75	0.26
MinDp:Flcrot	P(I)	-0.04	0.03	-0.10	0.03
MinDp:Bactst	E(I)	-0.02	0.05	-0.11	0.07
MinDp:Bactst	G(Ia)	0.50	0.40	-0.27	1.28
MinDp:Bactst	P(I)	0.02	0.03	-0.04	0.09
MinDp:MycD	E(I)	-0.02	0.04	-0.11	0.07
MinDp:MycD	G(Ia)	0.34	0.57	-0.78	1.46
MinDp:MycD	P(I)	-0.00	0.03	-0.07	0.06
MinDp:Bcts	E(I)	0.08	0.10	-0.12	0.28
MinDp:Bcts	G(Ia)	0.36	0.13	0.12	0.61
MinDp:Bcts	P(I)	0.11	0.03	0.05	0.16
MinDp:Bctb	E(I)	0.11	0.09	-0.08	0.29

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDp:Bctb	G(Ia)	0.29	0.11	0.06	0.51
MinDp:Bctb	P(I)	0.10	0.03	0.05	0.16
MinDp:Weanwt	E(I)	-0.03	0.05	-0.13	0.07
MinDp:Weanwt	G(Ia)	-0.57	0.25	-1.05	-0.08
MinDp:Weanwt	P(I)	-0.09	0.03	-0.16	-0.03
MinDp:NLB	E(I)	0.07	0.05	-0.03	0.17
MinDp:NLB	G(Ia)	0.52	0.26	0.01	1.03
MinDp:NLB	P(I)	0.12	0.03	0.06	0.19
MinDp:NLW	E(I)	0.09	0.05	-0.01	0.19
MinDp:NLW	G(Ia)	0.55	0.25	0.06	1.04
MinDp:NLW	P(I)	0.14	0.03	0.08	0.21
MinDp:Fnpua	E(I)	-0.16	0.05	-0.26	-0.07
MinDp:Fnpua	G(Ia)	-0.33	0.22	-0.76	0.09
MinDp:Fnpua	P(I)	-0.18	0.03	-0.25	-0.12
MinDp:Fnsua	E(I)	-0.15	0.05	-0.26	-0.05
MinDp:Fnsua	G(Ia)	0.07	0.21	-0.35	0.49
MinDp:Fnsua	P(I)	-0.11	0.03	-0.18	-0.05
MinDp:Fnppt	E(I)	-0.14	0.05	-0.23	-0.04
MinDp:Fnppt	G(Ia)	-0.49	0.21	-0.90	-0.09
MinDp:Fnppt	P(I)	-0.18	0.03	-0.24	-0.12
MinDp:Fnst	E(I)	-0.11	0.05	-0.21	-0.01
MinDp:Fnst	G(Ia)	-0.13	0.20	-0.53	0.27
MinDp:Fnst	P(I)	-0.11	0.03	-0.17	-0.04
MaxDs:Stal	E(I)	-0.21	0.07	-0.34	-0.09
MaxDs:Stal	G(Ia)	0.20	0.09	0.01	0.39
MaxDs:Stal	P(I)	-0.08	0.03	-0.14	-0.01
MaxDs:Diam	E(I)	0.20	0.06	0.08	0.33
MaxDs:Diam	G(Ia)	0.80	0.08	0.65	0.96
MaxDs:Diam	P(I)	0.39	0.03	0.33	0.44
MaxDs:Bwt	E(I)	-0.01	0.06	-0.12	0.10
MaxDs:Bwt	G(Ia)	0.20	0.12	-0.04	0.43
MaxDs:Bwt	P(I)	0.04	0.03	-0.03	0.11
MaxDs:WrN	E(I)	0.11	0.06	-0.01	0.24
MaxDs:WrN	G(Ia)	0.29	0.08	0.12	0.45
MaxDs:WrN	P(I)	0.16	0.03	0.10	0.22
MaxDs:WrB	E(I)	0.20	0.06	0.08	0.31
MaxDs:WrB	G(Ia)	0.22	0.09	0.04	0.40
MaxDs:WrB	P(I)	0.20	0.03	0.14	0.26
MaxDs:WrT	E(I)	0.18	0.06	0.05	0.30
MaxDs:WrT	G(Ia)	0.27	0.08	0.10	0.43
MaxDs:WrT	P(I)	0.20	0.03	0.14	0.26
MaxDs:Face	E(I)	-0.23	0.07	-0.36	-0.11
MaxDs:Face	G(Ia)	0.29	0.07	0.16	0.42

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDs:Face	P(I)	-0.02	0.03	-0.07	0.04
MaxDs:Gfw	E(I)	0.01	0.06	-0.10	0.12
MaxDs:Gfw	G(Ia)	0.61	0.09	0.42	0.79
MaxDs:Gfw	P(I)	0.18	0.03	0.12	0.25
MaxDs:Yld	E(I)	-0.11	0.06	-0.23	0.01
MaxDs:Yld	G(Ia)	-0.21	0.10	-0.41	-0.01
MaxDs:Yld	P(I)	-0.14	0.03	-0.20	-0.07
MaxDs:Cww	E(I)	-0.05	0.06	-0.17	0.07
MaxDs:Cww	G(Ia)	0.48	0.09	0.30	0.66
MaxDs:Cww	P(I)	0.11	0.03	0.05	0.17
MaxDs:Staladj	E(I)	-0.22	0.07	-0.35	-0.09
MaxDs:Staladj	G(Ia)	0.19	0.09	0.01	0.37
MaxDs:Staladj	P(I)	-0.08	0.03	-0.15	-0.02
MaxDs:Gfwadj	E(I)	0.01	0.06	-0.10	0.13
MaxDs:Gfwadj	G(Ia)	0.63	0.10	0.44	0.82
MaxDs:Gfwadj	P(I)	0.19	0.03	0.13	0.25
MaxDs:Cwwadj	E(I)	-0.04	0.06	-0.17	0.08
MaxDs:Cwwadj	G(Ia)	0.51	0.10	0.32	0.71
MaxDs:Cwwadj	P(I)	0.12	0.03	0.05	0.19
MaxDs:Crimp	E(I)	0.06	0.12	-0.18	0.30
MaxDs:Crimp	G(Ia)	-0.62	0.13	-0.86	-0.37
MaxDs:Crimp	P(I)	-0.22	0.04	-0.31	-0.14
MaxDs:Crwvl	E(I)	-0.06	0.12	-0.28	0.17
MaxDs:Crwvl	G(Ia)	0.58	0.13	0.33	0.83
MaxDs:Crwvl	P(I)	0.20	0.04	0.11	0.28
MaxDs:Crst	E(I)	-0.11	0.10	-0.31	0.10
MaxDs:Crst	G(Ia)	-0.34	0.14	-0.61	-0.06
MaxDs:Crst	P(I)	-0.19	0.04	-0.28	-0.10
MaxDs:Crstadj	E(I)	-0.10	0.10	-0.30	0.10
MaxDs:Crstadj	G(Ia)	-0.34	0.14	-0.61	-0.06
MaxDs:Crstadj	P(I)	-0.19	0.04	-0.27	-0.10
MaxDs:Crwvt	E(I)	0.04	0.10	-0.15	0.23
MaxDs:Crwvt	G(Ia)	0.38	0.15	0.09	0.66
MaxDs:Crwvt	P(I)	0.16	0.04	0.07	0.24
MaxDs:Dp	E(I)	0.45	0.06	0.34	0.57
MaxDs:Dp	G(Ia)	0.36	0.08	0.21	0.51
MaxDs:Dp	P(I)	0.40	0.03	0.34	0.46
MaxDs:Ds	E(I)	0.41	0.05	0.31	0.51
MaxDs:Ds	G(Ia)	0.74	0.08	0.59	0.89
MaxDs:Ds	P(I)	0.49	0.03	0.44	0.55
MaxDs:Dps	E(I)	0.42	0.05	0.32	0.51
MaxDs:Dps	G(Ia)	0.78	0.08	0.62	0.93
MaxDs:Dps	P(I)	0.51	0.03	0.46	0.56

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDs:DpovDs	E(I)	0.26	0.11	0.05	0.48
MaxDs:DpovDs	G(Ia)	-0.08	0.07	-0.22	0.06
MaxDs:DpovDs	P(I)	0.07	0.03	0.01	0.13
MaxDs:CVDp	E(I)	0.05	0.06	-0.06	0.16
MaxDs:CVDp	G(Ia)	0.51	0.11	0.30	0.73
MaxDs:CVDp	P(I)	0.17	0.03	0.11	0.24
MaxDs:CVDs	E(I)	0.28	0.05	0.18	0.38
MaxDs:CVDs	G(Ia)	0.64	0.10	0.43	0.84
MaxDs:CVDs	P(I)	0.36	0.03	0.30	0.42
MaxDs:MaxDp	E(I)	0.37	0.06	0.25	0.49
MaxDs:MaxDp	G(Ia)	0.40	0.08	0.25	0.56
MaxDs:MaxDp	P(I)	0.36	0.03	0.30	0.42
MaxDs:MinDp	E(I)	0.19	0.05	0.09	0.28
MaxDs:MinDp	G(Ia)	0.19	0.25	-0.30	0.69
MaxDs:MinDp	P(I)	0.18	0.03	0.12	0.25
MaxDs:MaxDs	E(I)	1.00	0.00	1.00	1.00
MaxDs:MaxDs	G(Ia)	1.00	0.00	1.00	1.00
MaxDs:MaxDs	P(I)	1.00	0.00	1.00	1.00
MaxDs:MinDs	E(I)	0.09	0.05	-0.00	0.19
MaxDs:MinDs	G(Ia)	-0.36	0.29	-0.93	0.22
MaxDs:MinDs	P(I)	0.04	0.03	-0.02	0.11
MaxDs:SDDp	E(I)	0.26	0.06	0.14	0.38
MaxDs:SDDp	G(Ia)	0.46	0.08	0.30	0.62
MaxDs:SDDp	P(I)	0.31	0.03	0.25	0.37
MaxDs:SDDs	E(I)	0.56	0.04	0.47	0.64
MaxDs:SDDs	G(Ia)	0.92	0.06	0.80	1.05
MaxDs:SDDs	P(I)	0.65	0.02	0.60	0.69
MaxDs:SDD	E(I)	0.56	0.04	0.48	0.65
MaxDs:SDD	G(Ia)	0.93	0.06	0.81	1.05
MaxDs:SDD	P(I)	0.65	0.02	0.61	0.70
MaxDs:CVD	E(I)	0.28	0.05	0.18	0.38
MaxDs:CVD	G(Ia)	0.63	0.10	0.44	0.83
MaxDs:CVD	P(I)	0.37	0.03	0.31	0.43
MaxDs:Gt30Dp	E(I)	0.27	0.06	0.16	0.39
MaxDs:Gt30Dp	G(Ia)	0.45	0.08	0.29	0.61
MaxDs:Gt30Dp	P(I)	0.32	0.03	0.26	0.38
MaxDs:Gt30Ds	E(I)	0.43	0.04	0.34	0.52
MaxDs:Gt30Ds	G(Ia)	0.95	0.09	0.78	1.12
MaxDs:Gt30Ds	P(I)	0.55	0.03	0.50	0.60
MaxDs:Gt30D	E(I)	0.44	0.04	0.35	0.53
MaxDs:Gt30D	G(Ia)	0.96	0.08	0.80	1.13
MaxDs:Gt30D	P(I)	0.57	0.03	0.52	0.62
MaxDs:Fnuu	E(I)	-0.17	0.06	-0.28	-0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDs:Fnua	G(Ia)	-0.48	0.11	-0.69	-0.27
MaxDs:Fnua	P(I)	-0.25	0.03	-0.31	-0.18
MaxDs:Fr	E(I)	-0.02	0.06	-0.13	0.09
MaxDs:Fr	G(Ia)	-0.24	0.12	-0.47	-0.00
MaxDs:Fr	P(I)	-0.07	0.03	-0.14	-0.00
MaxDs:Fnt	E(I)	-0.15	0.05	-0.26	-0.05
MaxDs:Fnt	G(Ia)	-0.50	0.12	-0.73	-0.26
MaxDs:Fnt	P(I)	-0.23	0.03	-0.29	-0.17
MaxDs:Sarea	E(I)	-0.00	0.06	-0.13	0.12
MaxDs:Sarea	G(Ia)	0.17	0.12	-0.06	0.40
MaxDs:Sarea	P(I)	0.04	0.03	-0.03	0.11
MaxDs:Fd	E(I)	0.07	0.07	-0.08	0.21
MaxDs:Fd	G(Ia)	0.26	0.28	-0.28	0.81
MaxDs:Fd	P(I)	0.10	0.05	0.01	0.19
MaxDs:Fc	E(I)	0.21	0.08	0.05	0.36
MaxDs:Fc	G(Ia)	0.38	0.17	0.05	0.71
MaxDs:Fc	P(I)	0.24	0.04	0.16	0.32
MaxDs:Fu	E(I)	0.24	0.08	0.09	0.40
MaxDs:Fu	G(Ia)	0.33	0.16	0.01	0.65
MaxDs:Fu	P(I)	0.25	0.04	0.17	0.33
MaxDs:Colour	E(I)	-0.02	0.06	-0.13	0.09
MaxDs:Colour	G(Ia)	0.33	0.12	0.10	0.55
MaxDs:Colour	P(I)	0.06	0.03	-0.00	0.13
MaxDs:Fly	E(I)	-0.05	0.05	-0.15	0.05
MaxDs:Fly	G(Ia)	0.37	0.18	0.02	0.71
MaxDs:Fly	P(I)	0.02	0.03	-0.05	0.08
MaxDs:Flcrot	E(I)	0.07	0.05	-0.04	0.17
MaxDs:Flcrot	G(Ia)	-0.08	0.13	-0.33	0.18
MaxDs:Flcrot	P(I)	0.04	0.03	-0.03	0.10
MaxDs:Bactst	E(I)	-0.02	0.05	-0.11	0.08
MaxDs:Bactst	G(Ia)	-0.06	0.19	-0.42	0.31
MaxDs:Bactst	P(I)	-0.02	0.03	-0.09	0.04
MaxDs:MycD	E(I)	0.02	0.05	-0.08	0.11
MaxDs:MycD	G(Ia)	-0.08	0.29	-0.63	0.48
MaxDs:MycD	P(I)	0.01	0.03	-0.06	0.07
MaxDs:Bcts	E(I)	-0.10	0.12	-0.33	0.13
MaxDs:Bcts	G(Ia)	0.32	0.06	0.21	0.44
MaxDs:Bcts	P(I)	0.10	0.03	0.05	0.16
MaxDs:Bctb	E(I)	-0.10	0.11	-0.31	0.11
MaxDs:Bctb	G(Ia)	0.33	0.06	0.22	0.44
MaxDs:Bctb	P(I)	0.11	0.03	0.05	0.16
MaxDs:Weanwt	E(I)	-0.03	0.06	-0.14	0.08
MaxDs:Weanwt	G(Ia)	-0.09	0.12	-0.32	0.15

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MaxDs:Weanwt	P(I)	-0.05	0.03	-0.11	0.02
MaxDs:NLB	E(I)	0.00	0.05	-0.10	0.11
MaxDs:NLB	G(Ia)	0.09	0.13	-0.16	0.33
MaxDs:NLB	P(I)	0.02	0.03	-0.04	0.09
MaxDs:NLW	E(I)	0.02	0.05	-0.08	0.13
MaxDs:NLW	G(Ia)	0.18	0.12	-0.06	0.41
MaxDs:NLW	P(I)	0.06	0.03	-0.01	0.12
MaxDs:Fnpua	E(I)	-0.13	0.05	-0.23	-0.03
MaxDs:Fnpua	G(Ia)	-0.18	0.13	-0.44	0.08
MaxDs:Fnpua	P(I)	-0.14	0.03	-0.21	-0.08
MaxDs:Fnsua	E(I)	-0.17	0.06	-0.28	-0.06
MaxDs:Fnsua	G(Ia)	-0.49	0.11	-0.70	-0.28
MaxDs:Fnsua	P(I)	-0.25	0.03	-0.31	-0.18
MaxDs:Fnppt	E(I)	-0.12	0.05	-0.23	-0.02
MaxDs:Fnppt	G(Ia)	-0.12	0.12	-0.36	0.11
MaxDs:Fnppt	P(I)	-0.12	0.03	-0.19	-0.06
MaxDs:Fnst	E(I)	-0.15	0.05	-0.25	-0.04
MaxDs:Fnst	G(Ia)	-0.50	0.12	-0.74	-0.27
MaxDs:Fnst	P(I)	-0.23	0.03	-0.29	-0.16
MinDs:Stal	E(I)	-0.02	0.06	-0.14	0.10
MinDs:Stal	G(Ia)	0.20	0.16	-0.12	0.52
MinDs:Stal	P(I)	0.02	0.03	-0.04	0.09
MinDs:Diam	E(I)	0.16	0.06	0.04	0.29
MinDs:Diam	G(Ia)	0.02	0.12	-0.22	0.26
MinDs:Diam	P(I)	0.11	0.03	0.04	0.17
MinDs:Bwt	E(I)	0.12	0.05	0.02	0.22
MinDs:Bwt	G(Ia)	-0.34	0.23	-0.78	0.11
MinDs:Bwt	P(I)	0.05	0.03	-0.01	0.12
MinDs:WrN	E(I)	0.07	0.06	-0.05	0.18
MinDs:WrN	G(Ia)	0.27	0.17	-0.06	0.60
MinDs:WrN	P(I)	0.09	0.03	0.03	0.16
MinDs:WrB	E(I)	-0.09	0.06	-0.20	0.02
MinDs:WrB	G(Ia)	0.60	0.23	0.15	1.05
MinDs:WrB	P(I)	0.03	0.03	-0.04	0.09
MinDs:WrT	E(I)	-0.01	0.06	-0.14	0.11
MinDs:WrT	G(Ia)	0.45	0.19	0.07	0.82
MinDs:WrT	P(I)	0.07	0.03	0.00	0.13
MinDs:Face	E(I)	0.05	0.06	-0.07	0.17
MinDs:Face	G(Ia)	-0.34	0.14	-0.61	-0.07
MinDs:Face	P(I)	-0.04	0.03	-0.09	0.01
MinDs:Gfw	E(I)	0.04	0.05	-0.07	0.15
MinDs:Gfw	G(Ia)	0.21	0.17	-0.13	0.54
MinDs:Gfw	P(I)	0.06	0.03	0.00	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDs:Yld	E(I)	0.02	0.06	-0.09	0.13
MinDs:Yld	G(Ia)	-0.14	0.19	-0.52	0.23
MinDs:Yld	P(I)	-0.01	0.03	-0.07	0.06
MinDs:Cww	E(I)	0.05	0.06	-0.06	0.16
MinDs:Cww	G(Ia)	0.16	0.16	-0.16	0.48
MinDs:Cww	P(I)	0.06	0.03	-0.00	0.12
MinDs:Staladj	E(I)	-0.02	0.06	-0.14	0.10
MinDs:Staladj	G(Ia)	0.19	0.16	-0.12	0.49
MinDs:Staladj	P(I)	0.02	0.03	-0.04	0.09
MinDs:Gfwadj	E(I)	0.04	0.05	-0.06	0.15
MinDs:Gfwadj	G(Ia)	0.34	0.17	0.01	0.67
MinDs:Gfwadj	P(I)	0.09	0.03	0.03	0.15
MinDs:Cwwadj	E(I)	0.05	0.06	-0.06	0.16
MinDs:Cwwadj	G(Ia)	0.29	0.17	-0.04	0.62
MinDs:Cwwadj	P(I)	0.09	0.03	0.02	0.16
MinDs:Crimp	E(I)	0.02	0.10	-0.17	0.21
MinDs:Crimp	G(Ia)	-0.17	0.29	-0.74	0.40
MinDs:Crimp	P(I)	-0.02	0.04	-0.11	0.07
MinDs:Crwvl	E(I)	-0.08	0.09	-0.26	0.10
MinDs:Crwvl	G(Ia)	0.33	0.31	-0.28	0.95
MinDs:Crwvl	P(I)	0.01	0.04	-0.08	0.09
MinDs:Crst	E(I)	-0.03	0.09	-0.20	0.14
MinDs:Crst	G(Ia)	0.06	0.35	-0.62	0.74
MinDs:Crst	P(I)	-0.01	0.04	-0.10	0.07
MinDs:Crstadj	E(I)	-0.03	0.09	-0.20	0.14
MinDs:Crstadj	G(Ia)	0.04	0.35	-0.66	0.74
MinDs:Crstadj	P(I)	-0.02	0.04	-0.10	0.07
MinDs:Crwvt	E(I)	0.02	0.08	-0.14	0.19
MinDs:Crwvt	G(Ia)	0.09	0.33	-0.55	0.73
MinDs:Crwvt	P(I)	0.03	0.04	-0.05	0.12
MinDs:Dp	E(I)	0.16	0.06	0.04	0.28
MinDs:Dp	G(Ia)	-0.19	0.18	-0.55	0.16
MinDs:Dp	P(I)	0.08	0.03	0.01	0.14
MinDs:Ds	E(I)	0.24	0.06	0.13	0.35
MinDs:Ds	G(Ia)	-0.02	0.42	-0.85	0.81
MinDs:Ds	P(I)	0.17	0.03	0.11	0.24
MinDs:Dps	E(I)	0.24	0.05	0.13	0.34
MinDs:Dps	G(Ia)	-0.04	0.26	-0.56	0.48
MinDs:Dps	P(I)	0.18	0.03	0.11	0.24
MinDs:DpovDs	E(I)	-0.04	0.10	-0.23	0.15
MinDs:DpovDs	G(Ia)	-0.14	0.13	-0.40	0.12
MinDs:DpovDs	P(I)	-0.05	0.03	-0.11	0.02
MinDs:CVDp	E(I)	0.06	0.05	-0.05	0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDs:CVDp	G(Ia)	-0.49	0.24	-0.95	-0.02
MinDs:CVDp	P(I)	-0.02	0.03	-0.09	0.04
MinDs:CVDs	E(I)	-0.15	0.05	-0.25	-0.06
MinDs:CVDs	G(Ia)	-0.56	0.23	-1.01	-0.11
MinDs:CVDs	P(I)	-0.20	0.03	-0.26	-0.13
MinDs:MaxDp	E(I)	0.15	0.06	0.03	0.27
MinDs:MaxDp	G(Ia)	-0.38	0.20	-0.77	0.02
MinDs:MaxDp	P(I)	0.04	0.03	-0.02	0.11
MinDs:MinDp	E(I)	0.03	0.05	-0.06	0.11
MinDs:MinDp	G(Ia)	0.38	0.53	-0.66	1.42
MinDs:MinDp	P(I)	0.05	0.03	-0.02	0.11
MinDs:MaxDs	E(I)	0.09	0.05	-0.00	0.19
MinDs:MaxDs	G(Ia)	-0.36	0.29	-0.93	0.22
MinDs:MaxDs	P(I)	0.04	0.03	-0.02	0.11
MinDs:MinDs	E(I)	1.00	0.00	1.00	1.00
MinDs:MinDs	G(Ia)	1.00	0.00	1.00	1.00
MinDs:MinDs	P(I)	1.00	0.00	1.00	1.00
MinDs:SDDp	E(I)	0.15	0.06	0.03	0.27
MinDs:SDDp	G(Ia)	-0.45	0.21	-0.86	-0.05
MinDs:SDDp	P(I)	0.03	0.03	-0.04	0.09
MinDs:SDDs	E(I)	-0.03	0.06	-0.14	0.08
MinDs:SDDs	G(Ia)	-0.46	0.20	-0.86	-0.06
MinDs:SDDs	P(I)	-0.10	0.03	-0.16	-0.03
MinDs:SDD	E(I)	-0.01	0.06	-0.11	0.10
MinDs:SDD	G(Ia)	-0.50	0.21	-0.91	-0.09
MinDs:SDD	P(I)	-0.08	0.03	-0.15	-0.02
MinDs:CVD	E(I)	-0.14	0.05	-0.24	-0.04
MinDs:CVD	G(Ia)	-0.58	0.23	-1.03	-0.14
MinDs:CVD	P(I)	-0.19	0.03	-0.25	-0.12
MinDs:Gt30Dp	E(I)	0.15	0.06	0.03	0.26
MinDs:Gt30Dp	G(Ia)	-0.23	0.19	-0.60	0.14
MinDs:Gt30Dp	P(I)	0.07	0.03	-0.00	0.13
MinDs:Gt30Ds	E(I)	0.13	0.05	0.03	0.23
MinDs:Gt30Ds	G(Ia)	-0.30	0.25	-0.78	0.19
MinDs:Gt30Ds	P(I)	0.07	0.03	0.00	0.14
MinDs:Gt30D	E(I)	0.15	0.05	0.05	0.25
MinDs:Gt30D	G(Ia)	-0.34	0.25	-0.82	0.14
MinDs:Gt30D	P(I)	0.08	0.03	0.01	0.14
MinDs:Fnuua	E(I)	-0.12	0.05	-0.23	-0.02
MinDs:Fnuua	G(Ia)	0.00	3.72	-7.29	7.29
MinDs:Fnuua	P(I)	-0.10	0.03	-0.16	-0.03
MinDs:Fr	E(I)	-0.01	0.05	-0.11	0.09
MinDs:Fr	G(Ia)	-0.21	0.19	-0.59	0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDs:Fr	P(I)	-0.04	0.03	-0.11	0.02
MinDs:Fnt	E(I)	-0.07	0.05	-0.17	0.03
MinDs:Fnt	G(Ia)	-0.10	0.19	-0.48	0.28
MinDs:Fnt	P(I)	-0.07	0.03	-0.13	-0.00
MinDs:Sarea	E(I)	0.12	0.05	0.02	0.22
MinDs:Sarea	G(Ia)	-0.27	0.20	-0.67	0.13
MinDs:Sarea	P(I)	0.06	0.03	-0.01	0.12
MinDs:Fd	E(I)	0.07	0.07	-0.07	0.21
MinDs:Fd	G(Ia)	-0.27	0.25	-0.76	0.23
MinDs:Fd	P(I)	0.01	0.04	-0.08	0.09
MinDs:Fc	E(I)	0.05	0.08	-0.10	0.21
MinDs:Fc	G(Ia)	0.07	0.15	-0.21	0.36
MinDs:Fc	P(I)	0.06	0.04	-0.02	0.14
MinDs:Fu	E(I)	0.08	0.08	-0.08	0.24
MinDs:Fu	G(Ia)	0.08	0.15	-0.20	0.36
MinDs:Fu	P(I)	0.08	0.04	-0.00	0.16
MinDs:Colour	E(I)	0.06	0.05	-0.04	0.16
MinDs:Colour	G(Ia)	-0.58	0.24	-1.06	-0.11
MinDs:Colour	P(I)	-0.03	0.03	-0.10	0.03
MinDs:Fly	E(I)	0.02	0.05	-0.07	0.11
MinDs:Fly	G(Ia)	-0.66	0.34	-1.33	0.00
MinDs:Fly	P(I)	-0.04	0.03	-0.10	0.02
MinDs:Flcrot	E(I)	0.04	0.05	-0.06	0.13
MinDs:Flcrot	G(Ia)	-0.69	0.27	-1.22	-0.15
MinDs:Flcrot	P(I)	-0.05	0.03	-0.12	0.01
MinDs:Bactst	E(I)	-0.04	0.05	-0.13	0.05
MinDs:Bactst	G(Ia)	0.09	0.38	-0.65	0.83
MinDs:Bactst	P(I)	-0.03	0.03	-0.10	0.04
MinDs:MycD	E(I)	-0.01	0.04	-0.10	0.08
MinDs:MycD	G(Ia)	-0.10	0.48	-1.05	0.86
MinDs:MycD	P(I)	-0.02	0.03	-0.08	0.05
MinDs:Bcts	E(I)	0.21	0.11	-0.00	0.41
MinDs:Bcts	G(Ia)	-0.45	0.15	-0.74	-0.15
MinDs:Bcts	P(I)	-0.03	0.03	-0.09	0.03
MinDs:Bctb	E(I)	0.26	0.10	0.06	0.45
MinDs:Bctb	G(Ia)	-0.52	0.16	-0.84	-0.20
MinDs:Bctb	P(I)	-0.02	0.03	-0.08	0.03
MinDs:Weanwt	E(I)	0.02	0.05	-0.08	0.12
MinDs:Weanwt	G(Ia)	0.11	0.23	-0.34	0.55
MinDs:Weanwt	P(I)	0.03	0.03	-0.03	0.10
MinDs:NLB	E(I)	-0.00	0.05	-0.10	0.10
MinDs:NLB	G(Ia)	0.12	0.25	-0.36	0.61
MinDs:NLB	P(I)	0.01	0.03	-0.05	0.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MinDs:NLW	E(I)	0.02	0.05	-0.08	0.12
MinDs:NLW	G(Ia)	0.06	0.23	-0.40	0.52
MinDs:NLW	P(I)	0.02	0.03	-0.04	0.09
MinDs:Fnpua	E(I)	-0.09	0.05	-0.19	0.00
MinDs:Fnpua	G(Ia)	0.13	0.25	-0.36	0.61
MinDs:Fnpua	P(I)	-0.06	0.03	-0.13	-0.00
MinDs:Fnsua	E(I)	-0.12	0.05	-0.23	-0.02
MinDs:Fnsua	G(Ia)	-0.01	0.14	-0.29	0.27
MinDs:Fnsua	P(I)	-0.10	0.03	-0.16	-0.03
MinDs:Fnppt	E(I)	-0.05	0.05	-0.15	0.04
MinDs:Fnppt	G(Ia)	0.01	0.26	-0.50	0.52
MinDs:Fnppt	P(I)	-0.04	0.03	-0.11	0.02
MinDs:Fnst	E(I)	-0.06	0.05	-0.16	0.04
MinDs:Fnst	G(Ia)	-0.12	0.21	-0.53	0.30
MinDs:Fnst	P(I)	-0.07	0.03	-0.13	-0.00
SDDp:Stal	E(I)	-0.04	0.08	-0.20	0.12
SDDp:Stal	G(Ia)	-0.12	0.06	-0.23	-0.01
SDDp:Stal	P(I)	-0.08	0.03	-0.14	-0.02
SDDp:Diam	E(I)	0.25	0.08	0.09	0.41
SDDp:Diam	G(Ia)	0.22	0.05	0.12	0.32
SDDp:Diam	P(I)	0.23	0.03	0.17	0.29
SDDp:Bwt	E(I)	0.04	0.07	-0.10	0.18
SDDp:Bwt	G(Ia)	-0.14	0.07	-0.29	0.01
SDDp:Bwt	P(I)	-0.03	0.03	-0.09	0.04
SDDp:WrN	E(I)	0.39	0.08	0.23	0.54
SDDp:WrN	G(Ia)	-0.11	0.06	-0.22	-0.00
SDDp:WrN	P(I)	0.14	0.03	0.08	0.20
SDDp:WrB	E(I)	0.36	0.07	0.22	0.51
SDDp:WrB	G(Ia)	-0.12	0.06	-0.24	0.01
SDDp:WrB	P(I)	0.15	0.03	0.08	0.21
SDDp:WrT	E(I)	0.43	0.08	0.28	0.58
SDDp:WrT	G(Ia)	-0.12	0.06	-0.23	-0.01
SDDp:WrT	P(I)	0.16	0.03	0.09	0.22
SDDp:Face	E(I)	-0.67	0.09	-0.85	-0.50
SDDp:Face	G(Ia)	0.63	0.04	0.54	0.71
SDDp:Face	P(I)	0.08	0.03	0.03	0.13
SDDp:Gfw	E(I)	0.12	0.07	-0.02	0.26
SDDp:Gfw	G(Ia)	0.01	0.06	-0.10	0.13
SDDp:Gfw	P(I)	0.07	0.03	0.01	0.13
SDDp:Yld	E(I)	-0.05	0.07	-0.20	0.09
SDDp:Yld	G(Ia)	-0.26	0.06	-0.38	-0.13
SDDp:Yld	P(I)	-0.14	0.03	-0.21	-0.08
SDDp:Cww	E(I)	0.09	0.08	-0.06	0.24

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDp:Cww	G(Ia)	-0.07	0.06	-0.18	0.04
SDDp:Cww	P(I)	0.01	0.03	-0.05	0.08
SDDp:Staladj	E(I)	-0.03	0.08	-0.19	0.12
SDDp:Staladj	G(Ia)	-0.13	0.06	-0.24	-0.02
SDDp:Staladj	P(I)	-0.08	0.03	-0.15	-0.01
SDDp:Gfwadj	E(I)	0.13	0.07	-0.01	0.27
SDDp:Gfwadj	G(Ia)	0.03	0.06	-0.09	0.15
SDDp:Gfwadj	P(I)	0.09	0.03	0.02	0.15
SDDp:Cwwadj	E(I)	0.10	0.08	-0.05	0.25
SDDp:Cwwadj	G(Ia)	-0.06	0.06	-0.19	0.06
SDDp:Cwwadj	P(I)	0.03	0.03	-0.04	0.09
SDDp:Crimp	E(I)	0.18	0.14	-0.09	0.46
SDDp:Crimp	G(Ia)	-0.41	0.11	-0.62	-0.20
SDDp:Crimp	P(I)	-0.12	0.04	-0.20	-0.03
SDDp:Crwvl	E(I)	-0.16	0.13	-0.42	0.10
SDDp:Crwvl	G(Ia)	0.39	0.11	0.17	0.60
SDDp:Crwvl	P(I)	0.10	0.04	0.02	0.19
SDDp:Crst	E(I)	0.24	0.13	-0.01	0.50
SDDp:Crst	G(Ia)	-0.66	0.12	-0.90	-0.42
SDDp:Crst	P(I)	-0.16	0.04	-0.25	-0.07
SDDp:Crstadj	E(I)	0.25	0.13	-0.00	0.51
SDDp:Crstadj	G(Ia)	-0.67	0.12	-0.91	-0.42
SDDp:Crstadj	P(I)	-0.16	0.04	-0.25	-0.07
SDDp:Crwvt	E(I)	-0.23	0.13	-0.48	0.02
SDDp:Crwvt	G(Ia)	0.69	0.12	0.44	0.93
SDDp:Crwvt	P(I)	0.17	0.04	0.08	0.25
SDDp:Dp	E(I)	0.46	0.06	0.34	0.58
SDDp:Dp	G(Ia)	0.85	0.03	0.78	0.92
SDDp:Dp	P(I)	0.66	0.02	0.61	0.70
SDDp:Ds	E(I)	0.33	0.07	0.18	0.47
SDDp:Ds	G(Ia)	-0.06	0.06	-0.18	0.07
SDDp:Ds	P(I)	0.15	0.03	0.09	0.22
SDDp:Dps	E(I)	0.34	0.07	0.20	0.48
SDDp:Dps	G(Ia)	0.02	0.06	-0.10	0.14
SDDp:Dps	P(I)	0.20	0.03	0.14	0.26
SDDp:DpovDs	E(I)	0.31	0.11	0.10	0.52
SDDp:DpovDs	G(Ia)	0.74	0.03	0.68	0.80
SDDp:DpovDs	P(I)	0.56	0.02	0.51	0.61
SDDp:CVDp	E(I)	0.85	0.03	0.80	0.91
SDDp:CVDp	G(Ia)	0.88	0.03	0.83	0.94
SDDp:CVDp	P(I)	0.86	0.01	0.83	0.88
SDDp:CVDs	E(I)	0.10	0.07	-0.03	0.23
SDDp:CVDs	G(Ia)	0.55	0.07	0.41	0.69

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDp:CVDs	P(I)	0.26	0.03	0.20	0.32
SDDp:MaxDp	E(I)	0.72	0.04	0.64	0.80
SDDp:MaxDp	G(Ia)	0.95	0.02	0.90	1.00
SDDp:MaxDp	P(I)	0.83	0.01	0.80	0.86
SDDp:MinDp	E(I)	-0.23	0.06	-0.35	-0.11
SDDp:MinDp	G(Ia)	0.33	0.21	-0.08	0.74
SDDp:MinDp	P(I)	-0.11	0.03	-0.17	-0.04
SDDp:MaxDs	E(I)	0.26	0.06	0.14	0.38
SDDp:MaxDs	G(Ia)	0.46	0.08	0.30	0.62
SDDp:MaxDs	P(I)	0.31	0.03	0.25	0.37
SDDp:MinDs	E(I)	0.15	0.06	0.03	0.27
SDDp:MinDs	G(Ia)	-0.45	0.21	-0.86	-0.05
SDDp:MinDs	P(I)	0.03	0.03	-0.04	0.09
SDDp:SDDp	E(I)	1.00	0.00	1.00	1.00
SDDp:SDDp	G(Ia)	1.00	0.00	1.00	1.00
SDDp:SDDp	P(I)	1.00	0.00	1.00	1.00
SDDp:SDDs	E(I)	0.32	0.07	0.18	0.45
SDDp:SDDs	G(Ia)	0.37	0.06	0.26	0.48
SDDp:SDDs	P(I)	0.34	0.03	0.28	0.40
SDDp:SDD	E(I)	0.45	0.06	0.32	0.57
SDDp:SDD	G(Ia)	0.52	0.05	0.42	0.61
SDDp:SDD	P(I)	0.48	0.03	0.42	0.53
SDDp:CVD	E(I)	0.21	0.07	0.09	0.34
SDDp:CVD	G(Ia)	0.66	0.06	0.53	0.78
SDDp:CVD	P(I)	0.38	0.03	0.32	0.44
SDDp:Gt30Dp	E(I)	0.56	0.05	0.46	0.66
SDDp:Gt30Dp	G(Ia)	0.92	0.03	0.86	0.99
SDDp:Gt30Dp	P(I)	0.73	0.02	0.70	0.77
SDDp:Gt30Ds	E(I)	0.26	0.07	0.13	0.39
SDDp:Gt30Ds	G(Ia)	0.25	0.07	0.11	0.39
SDDp:Gt30Ds	P(I)	0.25	0.03	0.19	0.31
SDDp:Gt30D	E(I)	0.36	0.06	0.24	0.48
SDDp:Gt30D	G(Ia)	0.50	0.06	0.38	0.63
SDDp:Gt30D	P(I)	0.41	0.03	0.35	0.46
SDDp:Fnu	E(I)	-0.24	0.07	-0.37	-0.10
SDDp:Fnu	G(Ia)	-0.06	0.07	-0.19	0.08
SDDp:Fnu	P(I)	-0.16	0.03	-0.23	-0.10
SDDp:Fr	E(I)	-0.05	0.07	-0.19	0.08
SDDp:Fr	G(Ia)	-0.12	0.07	-0.27	0.02
SDDp:Fr	P(I)	-0.08	0.03	-0.14	-0.01
SDDp:Fnt	E(I)	-0.18	0.07	-0.31	-0.05
SDDp:Fnt	G(Ia)	-0.15	0.08	-0.30	0.00
SDDp:Fnt	P(I)	-0.17	0.03	-0.23	-0.10

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDp:Sarea	E(I)	0.04	0.07	-0.09	0.18
SDDp:Sarea	G(Ia)	-0.15	0.07	-0.30	-0.00
SDDp:Sarea	P(I)	-0.03	0.03	-0.09	0.04
SDDp:Fd	E(I)	0.16	0.08	-0.00	0.32
SDDp:Fd	G(Ia)	0.06	0.18	-0.29	0.40
SDDp:Fd	P(I)	0.13	0.05	0.04	0.22
SDDp:Fc	E(I)	0.32	0.09	0.15	0.49
SDDp:Fc	G(Ia)	-0.20	0.13	-0.46	0.05
SDDp:Fc	P(I)	0.13	0.04	0.05	0.21
SDDp:Fu	E(I)	0.22	0.09	0.04	0.40
SDDp:Fu	G(Ia)	-0.13	0.13	-0.37	0.12
SDDp:Fu	P(I)	0.09	0.04	0.01	0.18
SDDp:Colour	E(I)	-0.15	0.07	-0.29	-0.02
SDDp:Colour	G(Ia)	0.52	0.08	0.37	0.66
SDDp:Colour	P(I)	0.10	0.03	0.04	0.17
SDDp:Fly	E(I)	-0.15	0.06	-0.27	-0.02
SDDp:Fly	G(Ia)	0.38	0.12	0.15	0.61
SDDp:Fly	P(I)	-0.00	0.03	-0.06	0.06
SDDp:Flcrot	E(I)	0.03	0.07	-0.10	0.16
SDDp:Flcrot	G(Ia)	0.05	0.08	-0.11	0.21
SDDp:Flcrot	P(I)	0.03	0.03	-0.03	0.10
SDDp:Bactst	E(I)	-0.05	0.06	-0.17	0.08
SDDp:Bactst	G(Ia)	0.23	0.12	-0.01	0.47
SDDp:Bactst	P(I)	0.02	0.03	-0.04	0.09
SDDp:MycD	E(I)	0.02	0.06	-0.10	0.13
SDDp:MycD	G(Ia)	-0.02	0.18	-0.36	0.33
SDDp:MycD	P(I)	0.01	0.03	-0.06	0.07
SDDp:Bcts	E(I)	-0.46	0.18	-0.82	-0.10
SDDp:Bcts	G(Ia)	0.85	0.03	0.79	0.91
SDDp:Bcts	P(I)	0.44	0.02	0.39	0.49
SDDp:Bctb	E(I)	-0.52	0.17	-0.85	-0.19
SDDp:Bctb	G(Ia)	0.85	0.03	0.79	0.91
SDDp:Bctb	P(I)	0.41	0.02	0.37	0.46
SDDp:Weanwt	E(I)	0.07	0.07	-0.06	0.21
SDDp:Weanwt	G(Ia)	-0.44	0.08	-0.59	-0.29
SDDp:Weanwt	P(I)	-0.12	0.03	-0.18	-0.05
SDDp:NLB	E(I)	-0.09	0.07	-0.22	0.04
SDDp:NLB	G(Ia)	0.38	0.08	0.22	0.54
SDDp:NLB	P(I)	0.08	0.03	0.01	0.14
SDDp:NLW	E(I)	-0.14	0.07	-0.27	-0.00
SDDp:NLW	G(Ia)	0.42	0.08	0.27	0.57
SDDp:NLW	P(I)	0.07	0.03	0.00	0.13
SDDp:Fnpua	E(I)	-0.02	0.06	-0.14	0.11

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDp:Fnpua	G(Ia)	-0.11	0.09	-0.28	0.05
SDDp:Fnpua	P(I)	-0.05	0.03	-0.11	0.02
SDDp:Fnsua	E(I)	-0.24	0.07	-0.38	-0.10
SDDp:Fnsua	G(Ia)	-0.05	0.07	-0.19	0.09
SDDp:Fnsua	P(I)	-0.16	0.03	-0.23	-0.10
SDDp:Fnpt	E(I)	0.02	0.07	-0.11	0.15
SDDp:Fnpt	G(Ia)	-0.17	0.08	-0.32	-0.02
SDDp:Fnpt	P(I)	-0.05	0.03	-0.11	0.02
SDDp:Fnst	E(I)	-0.19	0.07	-0.32	-0.06
SDDp:Fnst	G(Ia)	-0.14	0.08	-0.29	0.01
SDDp:Fnst	P(I)	-0.17	0.03	-0.23	-0.10
SDDs:Stal	E(I)	-0.19	0.08	-0.34	-0.04
SDDs:Stal	G(Ia)	0.10	0.06	-0.02	0.23
SDDs:Stal	P(I)	-0.06	0.03	-0.12	0.01
SDDs:Diam	E(I)	0.14	0.08	-0.01	0.29
SDDs:Diam	G(Ia)	0.61	0.05	0.51	0.71
SDDs:Diam	P(I)	0.36	0.03	0.30	0.42
SDDs:Bwt	E(I)	-0.11	0.07	-0.24	0.02
SDDs:Bwt	G(Ia)	0.19	0.08	0.03	0.36
SDDs:Bwt	P(I)	-0.01	0.03	-0.07	0.06
SDDs:WrN	E(I)	0.19	0.07	0.04	0.33
SDDs:WrN	G(Ia)	0.08	0.06	-0.04	0.19
SDDs:WrN	P(I)	0.14	0.03	0.08	0.20
SDDs:WrB	E(I)	0.30	0.07	0.17	0.44
SDDs:WrB	G(Ia)	-0.07	0.07	-0.20	0.07
SDDs:WrB	P(I)	0.15	0.03	0.09	0.21
SDDs:WrT	E(I)	0.28	0.07	0.14	0.43
SDDs:WrT	G(Ia)	0.01	0.06	-0.10	0.12
SDDs:WrT	P(I)	0.16	0.03	0.10	0.22
SDDs:Face	E(I)	-0.37	0.08	-0.53	-0.22
SDDs:Face	G(Ia)	0.28	0.04	0.20	0.37
SDDs:Face	P(I)	-0.02	0.03	-0.07	0.03
SDDs:Gfw	E(I)	-0.05	0.07	-0.19	0.08
SDDs:Gfw	G(Ia)	0.40	0.06	0.28	0.53
SDDs:Gfw	P(I)	0.13	0.03	0.07	0.20
SDDs:Yld	E(I)	-0.14	0.07	-0.28	-0.01
SDDs:Yld	G(Ia)	-0.22	0.07	-0.36	-0.08
SDDs:Yld	P(I)	-0.17	0.03	-0.24	-0.11
SDDs:Cww	E(I)	-0.12	0.07	-0.26	0.02
SDDs:Cww	G(Ia)	0.30	0.06	0.18	0.43
SDDs:Cww	P(I)	0.06	0.03	-0.00	0.12
SDDs:Staladj	E(I)	-0.20	0.08	-0.35	-0.05
SDDs:Staladj	G(Ia)	0.11	0.06	-0.02	0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDs:Staladj	P(I)	-0.06	0.03	-0.13	0.00
SDDs:Gfwadj	E(I)	-0.05	0.07	-0.19	0.09
SDDs:Gfwadj	G(Ia)	0.41	0.07	0.28	0.54
SDDs:Gfwadj	P(I)	0.14	0.03	0.07	0.20
SDDs:Cwwadj	E(I)	-0.12	0.07	-0.26	0.02
SDDs:Cwwadj	G(Ia)	0.32	0.07	0.19	0.46
SDDs:Cwwadj	P(I)	0.06	0.03	-0.00	0.13
SDDs:Crimp	E(I)	0.17	0.13	-0.09	0.42
SDDs:Crimp	G(Ia)	-0.70	0.11	-0.92	-0.49
SDDs:Crimp	P(I)	-0.24	0.04	-0.32	-0.15
SDDs:Crwvl	E(I)	-0.13	0.12	-0.37	0.11
SDDs:Crwvl	G(Ia)	0.70	0.11	0.47	0.92
SDDs:Crwvl	P(I)	0.24	0.04	0.15	0.32
SDDs:Crst	E(I)	-0.01	0.08	-0.16	0.15
SDDs:Crst	G(Ia)	-0.50	0.12	-0.74	-0.25
SDDs:Crst	P(I)	-0.21	0.04	-0.29	-0.12
SDDs:Crstadj	E(I)	-0.00	0.01	-0.02	0.02
SDDs:Crstadj	G(Ia)	-0.50	0.12	-0.74	-0.25
SDDs:Crstadj	P(I)	-0.20	0.04	-0.29	-0.12
SDDs:Crwvt	E(I)	-0.02	0.12	-0.26	0.21
SDDs:Crwvt	G(Ia)	0.55	0.13	0.29	0.80
SDDs:Crwvt	P(I)	0.20	0.04	0.12	0.29
SDDs:Dp	E(I)	0.45	0.07	0.32	0.59
SDDs:Dp	G(Ia)	0.34	0.05	0.24	0.45
SDDs:Dp	P(I)	0.40	0.03	0.34	0.46
SDDs:Ds	E(I)	0.22	0.07	0.09	0.34
SDDs:Ds	G(Ia)	0.60	0.06	0.48	0.71
SDDs:Ds	P(I)	0.37	0.03	0.31	0.43
SDDs:Dps	E(I)	0.23	0.06	0.11	0.36
SDDs:Dps	G(Ia)	0.63	0.06	0.51	0.75
SDDs:Dps	P(I)	0.39	0.03	0.33	0.45
SDDs:DpovDs	E(I)	0.51	0.13	0.27	0.76
SDDs:DpovDs	G(Ia)	-0.04	0.05	-0.13	0.06
SDDs:DpovDs	P(I)	0.15	0.03	0.09	0.21
SDDs:CVDp	E(I)	0.17	0.06	0.04	0.29
SDDs:CVDp	G(Ia)	0.34	0.07	0.20	0.48
SDDs:CVDp	P(I)	0.23	0.03	0.17	0.29
SDDs:CVDs	E(I)	0.80	0.03	0.73	0.86
SDDs:CVDs	G(Ia)	0.81	0.04	0.74	0.89
SDDs:CVDs	P(I)	0.80	0.02	0.76	0.83
SDDs:MaxDp	E(I)	0.35	0.07	0.22	0.49
SDDs:MaxDp	G(Ia)	0.34	0.06	0.23	0.45
SDDs:MaxDp	P(I)	0.35	0.03	0.29	0.41

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDs:MinDp	E(I)	0.16	0.06	0.05	0.27
SDDs:MinDp	G(Ia)	0.18	0.18	-0.18	0.54
SDDs:MinDp	P(I)	0.15	0.03	0.08	0.21
SDDs:MaxDs	E(I)	0.56	0.04	0.47	0.64
SDDs:MaxDs	G(Ia)	0.92	0.06	0.80	1.05
SDDs:MaxDs	P(I)	0.65	0.02	0.60	0.69
SDDs:MinDs	E(I)	-0.03	0.06	-0.14	0.08
SDDs:MinDs	G(Ia)	-0.46	0.20	-0.86	-0.06
SDDs:MinDs	P(I)	-0.10	0.03	-0.16	-0.03
SDDs:SDDp	E(I)	0.32	0.07	0.18	0.45
SDDs:SDDp	G(Ia)	0.37	0.06	0.26	0.48
SDDs:SDDp	P(I)	0.34	0.03	0.28	0.40
SDDs:SDDs	E(I)	1.00	0.00	1.00	1.00
SDDs:SDDs	G(Ia)	1.00	0.00	1.00	1.00
SDDs:SDDs	P(I)	1.00	0.00	1.00	1.00
SDDs:SDD	E(I)	0.99	0.01	0.97	1.00
SDDs:SDD	G(Ia)	0.99	0.01	0.97	1.00
SDDs:SDD	P(I)	0.99	0.00	0.98	0.99
SDDs:CVD	E(I)	0.80	0.03	0.73	0.86
SDDs:CVD	G(Ia)	0.78	0.04	0.70	0.86
SDDs:CVD	P(I)	0.79	0.02	0.75	0.82
SDDs:Gt30Dp	E(I)	0.28	0.07	0.14	0.41
SDDs:Gt30Dp	G(Ia)	0.42	0.06	0.31	0.53
SDDs:Gt30Dp	P(I)	0.34	0.03	0.28	0.40
SDDs:Gt30Ds	E(I)	0.54	0.05	0.45	0.63
SDDs:Gt30Ds	G(Ia)	0.94	0.05	0.84	1.04
SDDs:Gt30Ds	P(I)	0.67	0.02	0.63	0.72
SDDs:Gt30D	E(I)	0.53	0.05	0.45	0.62
SDDs:Gt30D	G(Ia)	0.95	0.05	0.85	1.05
SDDs:Gt30D	P(I)	0.68	0.02	0.63	0.72
SDDs:Fnu	E(I)	-0.11	0.06	-0.24	0.02
SDDs:Fnu	G(Ia)	-0.37	0.07	-0.52	-0.23
SDDs:Fnu	P(I)	-0.20	0.03	-0.27	-0.14
SDDs:Fr	E(I)	0.02	0.07	-0.11	0.15
SDDs:Fr	G(Ia)	-0.27	0.08	-0.43	-0.11
SDDs:Fr	P(I)	-0.08	0.03	-0.14	-0.01
SDDs:Fnt	E(I)	-0.13	0.06	-0.26	-0.01
SDDs:Fnt	G(Ia)	-0.35	0.08	-0.52	-0.19
SDDs:Fnt	P(I)	-0.21	0.03	-0.27	-0.14
SDDs:Sarea	E(I)	-0.10	0.07	-0.22	0.03
SDDs:Sarea	G(Ia)	0.19	0.08	0.03	0.35
SDDs:Sarea	P(I)	0.00	0.03	-0.06	0.07
SDDs:Fd	E(I)	0.04	0.10	-0.15	0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDs:Fd	G(Ia)	0.27	0.15	-0.02	0.56
SDDs:Fd	P(I)	0.11	0.05	0.02	0.20
SDDs:Fc	E(I)	0.48	0.10	0.29	0.68
SDDs:Fc	G(Ia)	-0.01	0.16	-0.31	0.30
SDDs:Fc	P(I)	0.26	0.04	0.18	0.34
SDDs:Fu	E(I)	0.42	0.10	0.22	0.62
SDDs:Fu	G(Ia)	0.03	0.09	-0.13	0.20
SDDs:Fu	P(I)	0.24	0.04	0.16	0.32
SDDs:Colour	E(I)	-0.05	0.06	-0.18	0.08
SDDs:Colour	G(Ia)	0.51	0.08	0.35	0.67
SDDs:Colour	P(I)	0.14	0.03	0.08	0.20
SDDs:Fly	E(I)	-0.05	0.06	-0.17	0.06
SDDs:Fly	G(Ia)	0.46	0.12	0.22	0.71
SDDs:Fly	P(I)	0.07	0.03	0.00	0.13
SDDs:Flcrot	E(I)	0.00	0.06	-0.12	0.12
SDDs:Flcrot	G(Ia)	0.06	0.09	-0.11	0.24
SDDs:Flcrot	P(I)	0.02	0.03	-0.04	0.09
SDDs:Bactst	E(I)	0.05	0.06	-0.07	0.16
SDDs:Bactst	G(Ia)	-0.16	0.13	-0.42	0.10
SDDs:Bactst	P(I)	0.00	0.04	-0.07	0.07
SDDs:MycD	E(I)	0.03	0.06	-0.08	0.14
SDDs:MycD	G(Ia)	-0.03	0.20	-0.43	0.36
SDDs:MycD	P(I)	0.02	0.03	-0.04	0.08
SDDs:Bets	E(I)	-0.29	0.14	-0.57	-0.01
SDDs:Bets	G(Ia)	0.30	0.04	0.23	0.38
SDDs:Bets	P(I)	0.10	0.03	0.05	0.16
SDDs:Bctb	E(I)	-0.32	0.13	-0.58	-0.06
SDDs:Bctb	G(Ia)	0.31	0.04	0.24	0.38
SDDs:Bctb	P(I)	0.09	0.03	0.04	0.14
SDDs:Weanwt	E(I)	-0.07	0.06	-0.20	0.05
SDDs:Weanwt	G(Ia)	-0.01	0.08	-0.17	0.14
SDDs:Weanwt	P(I)	-0.05	0.03	-0.12	0.01
SDDs:NLB	E(I)	0.07	0.06	-0.05	0.19
SDDs:NLB	G(Ia)	0.06	0.09	-0.10	0.23
SDDs:NLB	P(I)	0.07	0.03	0.00	0.13
SDDs:NLW	E(I)	0.04	0.06	-0.08	0.16
SDDs:NLW	G(Ia)	0.22	0.08	0.06	0.38
SDDs:NLW	P(I)	0.10	0.03	0.03	0.16
SDDs:Fnpua	E(I)	-0.10	0.06	-0.21	0.02
SDDs:Fnpua	G(Ia)	-0.01	0.09	-0.18	0.16
SDDs:Fnpua	P(I)	-0.07	0.03	-0.13	-0.00
SDDs:Fnsua	E(I)	-0.11	0.07	-0.23	0.02
SDDs:Fnsua	G(Ia)	-0.38	0.07	-0.53	-0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDDs:Fnsua	P(I)	-0.21	0.03	-0.27	-0.14
SDDs:Fnpt	E(I)	-0.11	0.06	-0.23	0.01
SDDs:Fnpt	G(Ia)	0.04	0.09	-0.13	0.21
SDDs:Fnpt	P(I)	-0.06	0.03	-0.12	0.00
SDDs:Fnst	E(I)	-0.13	0.06	-0.25	-0.01
SDDs:Fnst	G(Ia)	-0.37	0.08	-0.53	-0.21
SDDs:Fnst	P(I)	-0.21	0.03	-0.27	-0.14
SDD:Stal	E(I)	-0.18	0.08	-0.33	-0.03
SDD:Stal	G(Ia)	0.08	0.06	-0.05	0.20
SDD:Stal	P(I)	-0.06	0.03	-0.13	0.00
SDD:Diam	E(I)	0.17	0.08	0.03	0.32
SDD:Diam	G(Ia)	0.61	0.05	0.51	0.71
SDD:Diam	P(I)	0.38	0.03	0.33	0.44
SDD:Bwt	E(I)	-0.10	0.07	-0.23	0.03
SDD:Bwt	G(Ia)	0.16	0.08	-0.00	0.32
SDD:Bwt	P(I)	-0.01	0.03	-0.07	0.06
SDD:WrN	E(I)	0.23	0.07	0.09	0.38
SDD:WrN	G(Ia)	0.05	0.06	-0.06	0.16
SDD:WrN	P(I)	0.15	0.03	0.08	0.21
SDD:WrB	E(I)	0.34	0.07	0.21	0.48
SDD:WrB	G(Ia)	-0.09	0.07	-0.22	0.05
SDD:WrB	P(I)	0.16	0.03	0.10	0.23
SDD:WrT	E(I)	0.33	0.07	0.19	0.48
SDD:WrT	G(Ia)	-0.02	0.06	-0.14	0.11
SDD:WrT	P(I)	0.17	0.03	0.11	0.23
SDD:Face	E(I)	-0.46	0.08	-0.62	-0.30
SDD:Face	G(Ia)	0.37	0.04	0.28	0.45
SDD:Face	P(I)	-0.00	0.03	-0.06	0.05
SDD:Gfw	E(I)	-0.04	0.07	-0.17	0.10
SDD:Gfw	G(Ia)	0.38	0.06	0.25	0.50
SDD:Gfw	P(I)	0.14	0.03	0.08	0.20
SDD:Yld	E(I)	-0.14	0.07	-0.27	-0.00
SDD:Yld	G(Ia)	-0.25	0.07	-0.38	-0.12
SDD:Yld	P(I)	-0.18	0.03	-0.25	-0.12
SDD:Cww	E(I)	-0.11	0.07	-0.25	0.04
SDD:Cww	G(Ia)	0.27	0.06	0.14	0.39
SDD:Cww	P(I)	0.06	0.03	-0.01	0.12
SDD:Staladj	E(I)	-0.19	0.08	-0.34	-0.04
SDD:Staladj	G(Ia)	0.08	0.06	-0.04	0.20
SDD:Staladj	P(I)	-0.07	0.03	-0.13	-0.00
SDD:Gfwadj	E(I)	-0.03	0.07	-0.17	0.11
SDD:Gfwadj	G(Ia)	0.39	0.06	0.26	0.51
SDD:Gfwadj	P(I)	0.14	0.03	0.08	0.20

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDD:Cwwadj	E(I)	-0.10	0.07	-0.25	0.04
SDD:Cwwadj	G(Ia)	0.29	0.07	0.16	0.42
SDD:Cwwadj	P(I)	0.06	0.03	-0.00	0.13
SDD:Crimp	E(I)	0.19	0.14	-0.08	0.45
SDD:Crimp	G(Ia)	-0.70	0.11	-0.90	-0.49
SDD:Crimp	P(I)	-0.24	0.04	-0.32	-0.15
SDD:Crwvl	E(I)	-0.15	0.13	-0.40	0.10
SDD:Crwvl	G(Ia)	0.69	0.11	0.47	0.90
SDD:Crwvl	P(I)	0.24	0.04	0.15	0.32
SDD:Crst	E(I)	0.04	0.13	-0.21	0.29
SDD:Crst	G(Ia)	-0.56	0.12	-0.80	-0.33
SDD:Crst	P(I)	-0.22	0.04	-0.30	-0.13
SDD:Crstadj	E(I)	0.05	0.12	-0.20	0.29
SDD:Crstadj	G(Ia)	-0.56	0.12	-0.80	-0.33
SDD:Crstadj	P(I)	-0.21	0.04	-0.30	-0.13
SDD:Crwvt	E(I)	-0.07	0.12	-0.30	0.17
SDD:Crwvt	G(Ia)	0.61	0.12	0.37	0.86
SDD:Crwvt	P(I)	0.21	0.04	0.13	0.30
SDD:Dp	E(I)	0.50	0.06	0.38	0.63
SDD:Dp	G(Ia)	0.47	0.05	0.38	0.57
SDD:Dp	P(I)	0.49	0.03	0.43	0.54
SDD:Ds	E(I)	0.25	0.07	0.12	0.38
SDD:Ds	G(Ia)	0.54	0.06	0.42	0.65
SDD:Ds	P(I)	0.37	0.03	0.31	0.43
SDD:Dps	E(I)	0.27	0.06	0.15	0.40
SDD:Dps	G(Ia)	0.59	0.06	0.47	0.70
SDD:Dps	P(I)	0.40	0.03	0.34	0.46
SDD:DpovDs	E(I)	0.54	0.12	0.30	0.78
SDD:DpovDs	G(Ia)	0.10	0.05	0.01	0.19
SDD:DpovDs	P(I)	0.24	0.03	0.17	0.30
SDD:CVDp	E(I)	0.28	0.06	0.16	0.40
SDD:CVDp	G(Ia)	0.46	0.07	0.33	0.59
SDD:CVDp	P(I)	0.35	0.03	0.29	0.41
SDD:CVDs	E(I)	0.76	0.03	0.70	0.83
SDD:CVDs	G(Ia)	0.85	0.04	0.77	0.93
SDD:CVDs	P(I)	0.78	0.02	0.75	0.82
SDD:MaxDp	E(I)	0.44	0.06	0.32	0.57
SDD:MaxDp	G(Ia)	0.49	0.05	0.39	0.58
SDD:MaxDp	P(I)	0.46	0.03	0.41	0.52
SDD:MinDp	E(I)	0.12	0.06	0.01	0.23
SDD:MinDp	G(Ia)	0.24	0.19	-0.13	0.61
SDD:MinDp	P(I)	0.12	0.03	0.06	0.19
SDD:MaxDs	E(I)	0.56	0.04	0.48	0.65

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDD:MaxDs	G(Ia)	0.93	0.06	0.81	1.05
SDD:MaxDs	P(I)	0.65	0.02	0.61	0.70
SDD:MinDs	E(I)	-0.01	0.06	-0.11	0.10
SDD:MinDs	G(Ia)	-0.50	0.21	-0.91	-0.09
SDD:MinDs	P(I)	-0.08	0.03	-0.15	-0.02
SDD:SDDp	E(I)	0.45	0.06	0.32	0.57
SDD:SDDp	G(Ia)	0.52	0.05	0.42	0.61
SDD:SDDp	P(I)	0.48	0.03	0.42	0.53
SDD:SDDs	E(I)	0.99	0.01	0.97	1.00
SDD:SDDs	G(Ia)	0.99	0.01	0.97	1.00
SDD:SDDs	P(I)	0.99	0.00	0.98	0.99
SDD:SDD	E(I)	1.00	0.00	1.00	1.00
SDD:SDD	G(Ia)	1.00	0.00	1.00	1.00
SDD:SDD	P(I)	1.00	0.00	1.00	1.00
SDD:CVD	E(I)	0.78	0.03	0.72	0.85
SDD:CVD	G(Ia)	0.83	0.04	0.76	0.91
SDD:CVD	P(I)	0.80	0.02	0.76	0.83
SDD:Gt30Dp	E(I)	0.36	0.07	0.23	0.49
SDD:Gt30Dp	G(Ia)	0.55	0.05	0.45	0.65
SDD:Gt30Dp	P(I)	0.44	0.03	0.39	0.50
SDD:Gt30Ds	E(I)	0.55	0.05	0.46	0.64
SDD:Gt30Ds	G(Ia)	0.91	0.05	0.81	1.01
SDD:Gt30Ds	P(I)	0.67	0.02	0.63	0.71
SDD:Gt30D	E(I)	0.56	0.04	0.48	0.65
SDD:Gt30D	G(Ia)	0.96	0.05	0.87	1.06
SDD:Gt30D	P(I)	0.70	0.02	0.66	0.74
SDD:Fnu	E(I)	-0.15	0.07	-0.28	-0.02
SDD:Fnu	G(Ia)	-0.36	0.07	-0.51	-0.22
SDD:Fnu	P(I)	-0.23	0.03	-0.29	-0.16
SDD:Fr	E(I)	-0.01	0.06	-0.14	0.11
SDD:Fr	G(Ia)	-0.28	0.08	-0.44	-0.12
SDD:Fr	P(I)	-0.11	0.03	-0.17	-0.04
SDD:Fnt	E(I)	-0.16	0.06	-0.28	-0.04
SDD:Fnt	G(Ia)	-0.36	0.08	-0.52	-0.20
SDD:Fnt	P(I)	-0.23	0.03	-0.29	-0.16
SDD:Sarea	E(I)	-0.08	0.07	-0.21	0.05
SDD:Sarea	G(Ia)	0.15	0.08	-0.01	0.31
SDD:Sarea	P(I)	0.00	0.03	-0.07	0.07
SDD:Fd	E(I)	0.06	0.10	-0.13	0.24
SDD:Fd	G(Ia)	0.24	0.15	-0.05	0.53
SDD:Fd	P(I)	0.11	0.05	0.02	0.20
SDD:Fc	E(I)	0.52	0.10	0.33	0.71
SDD:Fc	G(Ia)	-0.03	0.10	-0.23	0.18

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDD:Fc	P(I)	0.27	0.04	0.19	0.35
SDD:Fu	E(I)	0.44	0.10	0.25	0.64
SDD:Fu	G(Ia)	0.03	0.08	-0.14	0.19
SDD:Fu	P(I)	0.25	0.04	0.17	0.33
SDD:Colour	E(I)	-0.07	0.07	-0.20	0.06
SDD:Colour	G(Ia)	0.56	0.08	0.41	0.72
SDD:Colour	P(I)	0.15	0.03	0.09	0.22
SDD:Fly	E(I)	-0.07	0.06	-0.19	0.04
SDD:Fly	G(Ia)	0.49	0.12	0.25	0.73
SDD:Fly	P(I)	0.06	0.03	-0.00	0.13
SDD:Flcrot	E(I)	0.01	0.06	-0.11	0.13
SDD:Flcrot	G(Ia)	0.05	0.09	-0.12	0.23
SDD:Flcrot	P(I)	0.02	0.03	-0.04	0.09
SDD:Bactst	E(I)	0.04	0.06	-0.07	0.16
SDD:Bactst	G(Ia)	-0.12	0.13	-0.37	0.13
SDD:Bactst	P(I)	0.00	0.03	-0.06	0.07
SDD:MycD	E(I)	0.03	0.06	-0.08	0.14
SDD:MycD	G(Ia)	-0.03	0.20	-0.42	0.35
SDD:MycD	P(I)	0.02	0.03	-0.04	0.09
SDD:Bcts	E(I)	-0.34	0.15	-0.64	-0.05
SDD:Bcts	G(Ia)	0.43	0.04	0.35	0.50
SDD:Bcts	P(I)	0.17	0.03	0.11	0.22
SDD:Bctb	E(I)	-0.39	0.14	-0.66	-0.11
SDD:Bctb	G(Ia)	0.43	0.04	0.36	0.50
SDD:Bctb	P(I)	0.15	0.03	0.10	0.20
SDD:Weanwt	E(I)	-0.06	0.06	-0.19	0.06
SDD:Weanwt	G(Ia)	-0.08	0.08	-0.24	0.08
SDD:Weanwt	P(I)	-0.07	0.03	-0.13	-0.00
SDD:NLB	E(I)	0.06	0.06	-0.07	0.18
SDD:NLB	G(Ia)	0.14	0.08	-0.03	0.30
SDD:NLB	P(I)	0.08	0.03	0.02	0.15
SDD:NLW	E(I)	0.02	0.06	-0.10	0.14
SDD:NLW	G(Ia)	0.28	0.08	0.12	0.44
SDD:NLW	P(I)	0.11	0.03	0.04	0.17
SDD:Fnpua	E(I)	-0.06	0.06	-0.18	0.06
SDD:Fnpua	G(Ia)	-0.03	0.09	-0.20	0.15
SDD:Fnpua	P(I)	-0.05	0.03	-0.12	0.01
SDD:Fnsua	E(I)	-0.15	0.07	-0.27	-0.02
SDD:Fnsua	G(Ia)	-0.37	0.07	-0.51	-0.22
SDD:Fnsua	P(I)	-0.23	0.03	-0.29	-0.16
SDD:Fnpt	E(I)	-0.07	0.06	-0.19	0.05
SDD:Fnpt	G(Ia)	0.01	0.09	-0.16	0.18
SDD:Fnpt	P(I)	-0.04	0.03	-0.11	0.02

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
SDD:Fnst	E(I)	-0.16	0.06	-0.28	-0.04
SDD:Fnst	G(Ia)	-0.37	0.08	-0.53	-0.21
SDD:Fnst	P(I)	-0.23	0.03	-0.29	-0.17
CVD:Stal	E(I)	-0.17	0.07	-0.30	-0.03
CVD:Stal	G(Ia)	-0.11	0.07	-0.25	0.04
CVD:Stal	P(I)	-0.14	0.03	-0.21	-0.08
CVD:Diam	E(I)	-0.05	0.08	-0.20	0.10
CVD:Diam	G(Ia)	0.15	0.07	0.02	0.29
CVD:Diam	P(I)	0.04	0.03	-0.03	0.10
CVD:Bwt	E(I)	-0.17	0.06	-0.29	-0.05
CVD:Bwt	G(Ia)	-0.03	0.09	-0.21	0.15
CVD:Bwt	P(I)	-0.13	0.03	-0.19	-0.06
CVD:WrN	E(I)	0.25	0.07	0.11	0.38
CVD:WrN	G(Ia)	-0.25	0.07	-0.39	-0.11
CVD:WrN	P(I)	0.05	0.03	-0.02	0.11
CVD:WrB	E(I)	0.28	0.07	0.15	0.41
CVD:WrB	G(Ia)	-0.38	0.08	-0.54	-0.22
CVD:WrB	P(I)	0.04	0.03	-0.02	0.11
CVD:WrT	E(I)	0.30	0.07	0.16	0.44
CVD:WrT	G(Ia)	-0.33	0.07	-0.47	-0.18
CVD:WrT	P(I)	0.05	0.03	-0.01	0.11
CVD:Face	E(I)	-0.32	0.07	-0.46	-0.17
CVD:Face	G(Ia)	0.56	0.05	0.46	0.66
CVD:Face	P(I)	0.10	0.03	0.05	0.15
CVD:Gfw	E(I)	-0.02	0.06	-0.14	0.11
CVD:Gfw	G(Ia)	0.04	0.08	-0.11	0.19
CVD:Gfw	P(I)	0.00	0.03	-0.06	0.07
CVD:Yld	E(I)	-0.07	0.06	-0.19	0.05
CVD:Yld	G(Ia)	-0.32	0.08	-0.48	-0.16
CVD:Yld	P(I)	-0.15	0.03	-0.22	-0.09
CVD:Cww	E(I)	-0.05	0.07	-0.18	0.08
CVD:Cww	G(Ia)	-0.06	0.07	-0.21	0.08
CVD:Cww	P(I)	-0.06	0.03	-0.12	0.01
CVD:Staladj	E(I)	-0.18	0.07	-0.32	-0.04
CVD:Staladj	G(Ia)	-0.10	0.07	-0.24	0.04
CVD:Staladj	P(I)	-0.14	0.03	-0.21	-0.08
CVD:Gfwadj	E(I)	-0.01	0.06	-0.14	0.11
CVD:Gfwadj	G(Ia)	0.02	0.08	-0.13	0.18
CVD:Gfwadj	P(I)	0.00	0.03	-0.06	0.07
CVD:Cwwadj	E(I)	-0.04	0.07	-0.17	0.09
CVD:Cwwadj	G(Ia)	-0.08	0.08	-0.24	0.07
CVD:Cwwadj	P(I)	-0.06	0.03	-0.12	0.01
CVD:Crimp	E(I)	0.13	0.12	-0.09	0.36

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVD:Crimp	G(Ia)	-0.65	0.14	-0.91	-0.38
CVD:Crimp	P(I)	-0.17	0.04	-0.26	-0.09
CVD:Crwvl	E(I)	-0.11	0.11	-0.33	0.10
CVD:Crwvl	G(Ia)	0.63	0.14	0.36	0.90
CVD:Crwvl	P(I)	0.17	0.04	0.08	0.25
CVD:Crst	E(I)	0.05	0.11	-0.16	0.26
CVD:Crst	G(Ia)	-0.80	0.15	-1.09	-0.50
CVD:Crst	P(I)	-0.24	0.04	-0.33	-0.16
CVD:Crstadj	E(I)	0.05	0.11	-0.16	0.26
CVD:Crstadj	G(Ia)	-0.80	0.15	-1.10	-0.51
CVD:Crstadj	P(I)	-0.24	0.04	-0.33	-0.16
CVD:Crwvt	E(I)	-0.06	0.10	-0.26	0.15
CVD:Crwvt	G(Ia)	0.81	0.16	0.50	1.11
CVD:Crwvt	P(I)	0.23	0.04	0.15	0.32
CVD:Dp	E(I)	-0.02	0.08	-0.17	0.13
CVD:Dp	G(Ia)	0.60	0.07	0.46	0.73
CVD:Dp	P(I)	0.23	0.03	0.16	0.29
CVD:Ds	E(I)	-0.38	0.06	-0.50	-0.26
CVD:Ds	G(Ia)	-0.01	0.07	-0.14	0.12
CVD:Ds	P(I)	-0.25	0.03	-0.31	-0.18
CVD:Dps	E(I)	-0.36	0.06	-0.48	-0.24
CVD:Dps	G(Ia)	0.05	0.09	-0.12	0.21
CVD:Dps	P(I)	-0.22	0.03	-0.28	-0.16
CVD:DpovDs	E(I)	0.47	0.10	0.28	0.66
CVD:DpovDs	G(Ia)	0.48	0.05	0.38	0.57
CVD:DpovDs	P(I)	0.41	0.03	0.35	0.46
CVD:CVDp	E(I)	0.31	0.06	0.20	0.42
CVD:CVDp	G(Ia)	0.54	0.08	0.39	0.69
CVD:CVDp	P(I)	0.38	0.03	0.32	0.44
CVD:CVDs	E(I)	0.99	0.01	0.98	1.00
CVD:CVDs	G(Ia)	0.99	0.01	0.97	1.01
CVD:CVDs	P(I)	0.99	0.00	0.98	1.00
CVD:MaxDp	E(I)	0.07	0.07	-0.06	0.21
CVD:MaxDp	G(Ia)	0.62	0.07	0.49	0.76
CVD:MaxDp	P(I)	0.29	0.03	0.22	0.35
CVD:MinDp	E(I)	-0.10	0.05	-0.20	0.00
CVD:MinDp	G(Ia)	0.22	0.24	-0.25	0.69
CVD:MinDp	P(I)	-0.05	0.03	-0.12	0.01
CVD:MaxDs	E(I)	0.28	0.05	0.18	0.38
CVD:MaxDs	G(Ia)	0.63	0.10	0.44	0.83
CVD:MaxDs	P(I)	0.37	0.03	0.31	0.43
CVD:MinDs	E(I)	-0.14	0.05	-0.24	-0.04
CVD:MinDs	G(Ia)	-0.58	0.23	-1.03	-0.14

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVD:MinDs	P(I)	-0.19	0.03	-0.25	-0.12
CVD:SDDp	E(I)	0.21	0.07	0.09	0.34
CVD:SDDp	G(Ia)	0.66	0.06	0.53	0.78
CVD:SDDp	P(I)	0.38	0.03	0.32	0.44
CVD:SDDs	E(I)	0.80	0.03	0.73	0.86
CVD:SDDs	G(Ia)	0.78	0.04	0.70	0.86
CVD:SDDs	P(I)	0.79	0.02	0.75	0.82
CVD:SDD	E(I)	0.78	0.03	0.72	0.85
CVD:SDD	G(Ia)	0.83	0.04	0.76	0.91
CVD:SDD	P(I)	0.80	0.02	0.76	0.83
CVD:CVD	E(I)	1.00	0.00	1.00	1.00
CVD:CVD	G(Ia)	1.00	0.00	1.00	1.00
CVD:CVD	P(I)	1.00	0.00	1.00	1.00
CVD:Gt30Dp	E(I)	0.03	0.07	-0.10	0.16
CVD:Gt30Dp	G(Ia)	0.69	0.07	0.55	0.83
CVD:Gt30Dp	P(I)	0.28	0.03	0.22	0.34
CVD:Gt30Ds	E(I)	0.15	0.06	0.04	0.27
CVD:Gt30Ds	G(Ia)	0.58	0.09	0.40	0.75
CVD:Gt30Ds	P(I)	0.28	0.03	0.22	0.34
CVD:Gt30D	E(I)	0.14	0.06	0.02	0.25
CVD:Gt30D	G(Ia)	0.72	0.09	0.56	0.89
CVD:Gt30D	P(I)	0.31	0.03	0.25	0.38
CVD:Fnuu	E(I)	0.10	0.06	-0.02	0.22
CVD:Fnuu	G(Ia)	0.04	0.09	-0.13	0.22
CVD:Fnuu	P(I)	0.08	0.03	0.01	0.15
CVD:Fr	E(I)	0.14	0.06	0.02	0.26
CVD:Fr	G(Ia)	-0.29	0.10	-0.48	-0.10
CVD:Fr	P(I)	0.01	0.03	-0.05	0.08
CVD:Fnt	E(I)	0.03	0.06	-0.09	0.15
CVD:Fnt	G(Ia)	0.02	0.10	-0.17	0.21
CVD:Fnt	P(I)	0.03	0.03	-0.04	0.09
CVD:Sarea	E(I)	-0.16	0.06	-0.27	-0.04
CVD:Sarea	G(Ia)	-0.04	0.09	-0.22	0.14
CVD:Sarea	P(I)	-0.12	0.03	-0.19	-0.06
CVD:Fd	E(I)	-0.19	0.09	-0.35	-0.02
CVD:Fd	G(Ia)	0.28	0.19	-0.09	0.65
CVD:Fd	P(I)	-0.06	0.05	-0.15	0.03
CVD:Fc	E(I)	0.44	0.09	0.26	0.63
CVD:Fc	G(Ia)	-0.47	0.13	-0.72	-0.22
CVD:Fc	P(I)	0.09	0.04	0.01	0.18
CVD:Fu	E(I)	0.35	0.10	0.16	0.54
CVD:Fu	G(Ia)	-0.39	0.12	-0.63	-0.16
CVD:Fu	P(I)	0.06	0.04	-0.03	0.14

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
CVD:Colour	E(I)	-0.11	0.06	-0.23	0.01
CVD:Colour	G(Ia)	0.74	0.10	0.55	0.93
CVD:Colour	P(I)	0.14	0.03	0.08	0.20
CVD:Fly	E(I)	0.04	0.05	-0.07	0.14
CVD:Fly	G(Ia)	0.51	0.14	0.23	0.78
CVD:Fly	P(I)	0.13	0.03	0.07	0.19
CVD:Flcrot	E(I)	0.09	0.06	-0.02	0.20
CVD:Flcrot	G(Ia)	0.14	0.10	-0.06	0.34
CVD:Flcrot	P(I)	0.10	0.03	0.04	0.17
CVD:Bactst	E(I)	0.05	0.05	-0.05	0.16
CVD:Bactst	G(Ia)	-0.16	0.15	-0.46	0.14
CVD:Bactst	P(I)	0.01	0.03	-0.05	0.08
CVD:MycD	E(I)	0.06	0.05	-0.04	0.16
CVD:MycD	G(Ia)	-0.16	0.23	-0.62	0.30
CVD:MycD	P(I)	0.03	0.03	-0.04	0.09
CVD:Bcts	E(I)	-0.34	0.14	-0.61	-0.06
CVD:Bcts	G(Ia)	0.60	0.05	0.51	0.69
CVD:Bcts	P(I)	0.21	0.03	0.16	0.27
CVD:Bctb	E(I)	-0.42	0.13	-0.68	-0.17
CVD:Bctb	G(Ia)	0.61	0.05	0.52	0.70
CVD:Bctb	P(I)	0.18	0.03	0.13	0.24
CVD:Weanwt	E(I)	-0.03	0.06	-0.15	0.08
CVD:Weanwt	G(Ia)	-0.16	0.10	-0.35	0.03
CVD:Weanwt	P(I)	-0.07	0.03	-0.13	-0.00
CVD:NLB	E(I)	-0.05	0.06	-0.17	0.06
CVD:NLB	G(Ia)	0.26	0.10	0.07	0.46
CVD:NLB	P(I)	0.04	0.03	-0.03	0.10
CVD:NLW	E(I)	-0.09	0.06	-0.21	0.02
CVD:NLW	G(Ia)	0.50	0.10	0.31	0.69
CVD:NLW	P(I)	0.08	0.03	0.01	0.14
CVD:Fnpua	E(I)	0.02	0.06	-0.09	0.13
CVD:Fnpua	G(Ia)	0.29	0.11	0.08	0.51
CVD:Fnpua	P(I)	0.09	0.03	0.02	0.15
CVD:Fnsua	E(I)	0.10	0.06	-0.02	0.22
CVD:Fnsua	G(Ia)	0.03	0.09	-0.15	0.20
CVD:Fnsua	P(I)	0.08	0.03	0.01	0.14
CVD:Fnppt	E(I)	-0.01	0.06	-0.13	0.10
CVD:Fnppt	G(Ia)	0.24	0.10	0.05	0.43
CVD:Fnppt	P(I)	0.06	0.03	-0.01	0.12
CVD:Fnst	E(I)	0.03	0.06	-0.08	0.15
CVD:Fnst	G(Ia)	0.00	0.09	-0.18	0.19
CVD:Fnst	P(I)	0.02	0.03	-0.04	0.09
Gt30Dp:Stal	E(I)	0.07	0.08	-0.09	0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Dp:Stal	G(Ia)	-0.21	0.06	-0.33	-0.10
Gt30Dp:Stal	P(I)	-0.07	0.03	-0.13	-0.00
Gt30Dp:Diam	E(I)	0.46	0.08	0.30	0.61
Gt30Dp:Diam	G(Ia)	0.19	0.05	0.09	0.29
Gt30Dp:Diam	P(I)	0.32	0.03	0.26	0.38
Gt30Dp:Bwt	E(I)	0.06	0.07	-0.07	0.20
Gt30Dp:Bwt	G(Ia)	-0.32	0.08	-0.46	-0.17
Gt30Dp:Bwt	P(I)	-0.08	0.03	-0.14	-0.01
Gt30Dp:WrN	E(I)	0.27	0.08	0.11	0.42
Gt30Dp:WrN	G(Ia)	-0.12	0.06	-0.23	-0.01
Gt30Dp:WrN	P(I)	0.08	0.03	0.01	0.14
Gt30Dp:WrB	E(I)	0.23	0.07	0.09	0.38
Gt30Dp:WrB	G(Ia)	-0.07	0.06	-0.19	0.05
Gt30Dp:WrB	P(I)	0.10	0.03	0.03	0.16
Gt30Dp:WrT	E(I)	0.28	0.08	0.13	0.44
Gt30Dp:WrT	G(Ia)	-0.10	0.06	-0.21	0.01
Gt30Dp:WrT	P(I)	0.09	0.03	0.03	0.16
Gt30Dp:Face	E(I)	-0.77	0.09	-0.95	-0.59
Gt30Dp:Face	G(Ia)	0.61	0.04	0.53	0.69
Gt30Dp:Face	P(I)	0.03	0.03	-0.02	0.08
Gt30Dp:Gfw	E(I)	0.15	0.07	0.00	0.29
Gt30Dp:Gfw	G(Ia)	-0.01	0.06	-0.13	0.12
Gt30Dp:Gfw	P(I)	0.08	0.03	0.02	0.14
Gt30Dp:Yld	E(I)	0.11	0.08	-0.04	0.26
Gt30Dp:Yld	G(Ia)	-0.33	0.07	-0.46	-0.20
Gt30Dp:Yld	P(I)	-0.08	0.03	-0.14	-0.01
Gt30Dp:Cww	E(I)	0.17	0.08	0.02	0.32
Gt30Dp:Cww	G(Ia)	-0.09	0.06	-0.21	0.02
Gt30Dp:Cww	P(I)	0.05	0.03	-0.02	0.11
Gt30Dp:Staladj	E(I)	0.07	0.08	-0.10	0.23
Gt30Dp:Staladj	G(Ia)	-0.21	0.06	-0.32	-0.10
Gt30Dp:Staladj	P(I)	-0.07	0.03	-0.13	-0.00
Gt30Dp:Gfwadj	E(I)	0.15	0.07	0.01	0.29
Gt30Dp:Gfwadj	G(Ia)	0.00	0.05	-0.10	0.11
Gt30Dp:Gfwadj	P(I)	0.08	0.03	0.02	0.15
Gt30Dp:Cwwadj	E(I)	0.17	0.08	0.02	0.32
Gt30Dp:Cwwadj	G(Ia)	-0.09	0.06	-0.22	0.03
Gt30Dp:Cwwadj	P(I)	0.05	0.03	-0.01	0.12
Gt30Dp:Crimp	E(I)	0.00	0.58	-1.14	1.14
Gt30Dp:Crimp	G(Ia)	-0.36	0.10	-0.55	-0.16
Gt30Dp:Crimp	P(I)	-0.18	0.04	-0.27	-0.10
Gt30Dp:Crwvl	E(I)	0.01	0.08	-0.16	0.17
Gt30Dp:Crwvl	G(Ia)	0.37	0.10	0.17	0.57

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Dp:Crwvl	P(I)	0.18	0.04	0.10	0.27
Gt30Dp:Crst	E(I)	0.12	0.13	-0.14	0.38
Gt30Dp:Crst	G(Ia)	-0.62	0.12	-0.85	-0.40
Gt30Dp:Crst	P(I)	-0.22	0.04	-0.31	-0.13
Gt30Dp:Crstadj	E(I)	0.13	0.13	-0.13	0.40
Gt30Dp:Crstadj	G(Ia)	-0.63	0.12	-0.86	-0.41
Gt30Dp:Crstadj	P(I)	-0.22	0.04	-0.30	-0.13
Gt30Dp:Crwvt	E(I)	-0.13	0.13	-0.38	0.13
Gt30Dp:Crwvt	G(Ia)	0.66	0.12	0.43	0.89
Gt30Dp:Crwvt	P(I)	0.22	0.04	0.14	0.31
Gt30Dp:Dp	E(I)	0.79	0.03	0.73	0.86
Gt30Dp:Dp	G(Ia)	0.95	0.02	0.91	0.99
Gt30Dp:Dp	P(I)	0.87	0.01	0.85	0.90
Gt30Dp:Ds	E(I)	0.44	0.07	0.30	0.58
Gt30Dp:Ds	G(Ia)	-0.07	0.07	-0.19	0.06
Gt30Dp:Ds	P(I)	0.22	0.03	0.15	0.28
Gt30Dp:Dps	E(I)	0.48	0.07	0.34	0.61
Gt30Dp:Dps	G(Ia)	0.02	0.06	-0.10	0.14
Gt30Dp:Dps	P(I)	0.28	0.03	0.22	0.34
Gt30Dp:DpovDs	E(I)	0.68	0.08	0.52	0.83
Gt30Dp:DpovDs	G(Ia)	0.82	0.03	0.77	0.87
Gt30Dp:DpovDs	P(I)	0.72	0.02	0.68	0.76
Gt30Dp:CVDp	E(I)	0.20	0.07	0.07	0.32
Gt30Dp:CVDp	G(Ia)	0.69	0.06	0.57	0.81
Gt30Dp:CVDp	P(I)	0.39	0.03	0.33	0.45
Gt30Dp:CVDs	E(I)	-0.02	0.07	-0.16	0.13
Gt30Dp:CVDs	G(Ia)	0.60	0.08	0.46	0.75
Gt30Dp:CVDs	P(I)	0.21	0.03	0.15	0.27
Gt30Dp:MaxDp	E(I)	0.65	0.05	0.56	0.74
Gt30Dp:MaxDp	G(Ia)	0.94	0.03	0.88	0.99
Gt30Dp:MaxDp	P(I)	0.79	0.02	0.75	0.82
Gt30Dp:MinDp	E(I)	0.25	0.06	0.14	0.36
Gt30Dp:MinDp	G(Ia)	0.55	0.19	0.18	0.93
Gt30Dp:MinDp	P(I)	0.26	0.03	0.20	0.33
Gt30Dp:MaxDs	E(I)	0.27	0.06	0.16	0.39
Gt30Dp:MaxDs	G(Ia)	0.45	0.08	0.29	0.61
Gt30Dp:MaxDs	P(I)	0.32	0.03	0.26	0.38
Gt30Dp:MinDs	E(I)	0.15	0.06	0.03	0.26
Gt30Dp:MinDs	G(Ia)	-0.23	0.19	-0.60	0.14
Gt30Dp:MinDs	P(I)	0.07	0.03	-0.00	0.13
Gt30Dp:SDDp	E(I)	0.56	0.05	0.46	0.66
Gt30Dp:SDDp	G(Ia)	0.92	0.03	0.86	0.99
Gt30Dp:SDDp	P(I)	0.73	0.02	0.70	0.77

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Dp:SDDs	E(I)	0.28	0.07	0.14	0.41
Gt30Dp:SDDs	G(Ia)	0.42	0.06	0.31	0.53
Gt30Dp:SDDs	P(I)	0.34	0.03	0.28	0.40
Gt30Dp:SDD	E(I)	0.36	0.07	0.23	0.49
Gt30Dp:SDD	G(Ia)	0.55	0.05	0.45	0.65
Gt30Dp:SDD	P(I)	0.44	0.03	0.39	0.50
Gt30Dp:CVD	E(I)	0.03	0.07	-0.10	0.16
Gt30Dp:CVD	G(Ia)	0.69	0.07	0.55	0.83
Gt30Dp:CVD	P(I)	0.28	0.03	0.22	0.34
Gt30Dp:Gt30Dp	E(I)	1.00	0.00	1.00	1.00
Gt30Dp:Gt30Dp	G(Ia)	1.00	0.00	1.00	1.00
Gt30Dp:Gt30Dp	P(I)	1.00	0.00	1.00	1.00
Gt30Dp:Gt30Ds	E(I)	0.36	0.06	0.24	0.49
Gt30Dp:Gt30Ds	G(Ia)	0.29	0.07	0.15	0.42
Gt30Dp:Gt30Ds	P(I)	0.33	0.03	0.27	0.39
Gt30Dp:Gt30D	E(I)	0.56	0.05	0.45	0.66
Gt30Dp:Gt30D	G(Ia)	0.56	0.06	0.45	0.67
Gt30Dp:Gt30D	P(I)	0.55	0.03	0.50	0.60
Gt30Dp:Fnuu	E(I)	-0.28	0.07	-0.42	-0.15
Gt30Dp:Fnuu	G(Ia)	-0.05	0.07	-0.19	0.09
Gt30Dp:Fnuu	P(I)	-0.19	0.03	-0.25	-0.12
Gt30Dp:Fr	E(I)	-0.07	0.07	-0.20	0.07
Gt30Dp:Fr	G(Ia)	-0.15	0.07	-0.30	-0.01
Gt30Dp:Fr	P(I)	-0.10	0.03	-0.16	-0.03
Gt30Dp:Fnt	E(I)	-0.22	0.07	-0.35	-0.09
Gt30Dp:Fnt	G(Ia)	-0.20	0.08	-0.35	-0.05
Gt30Dp:Fnt	P(I)	-0.21	0.03	-0.27	-0.14
Gt30Dp:Sarea	E(I)	0.06	0.07	-0.07	0.20
Gt30Dp:Sarea	G(Ia)	-0.31	0.08	-0.46	-0.16
Gt30Dp:Sarea	P(I)	-0.08	0.03	-0.14	-0.01
Gt30Dp:Fd	E(I)	0.07	0.09	-0.10	0.24
Gt30Dp:Fd	G(Ia)	0.22	0.17	-0.13	0.56
Gt30Dp:Fd	P(I)	0.11	0.05	0.02	0.20
Gt30Dp:Fc	E(I)	0.30	0.10	0.11	0.48
Gt30Dp:Fc	G(Ia)	-0.29	0.12	-0.53	-0.06
Gt30Dp:Fc	P(I)	0.07	0.04	-0.01	0.15
Gt30Dp:Fu	E(I)	0.30	0.10	0.10	0.49
Gt30Dp:Fu	G(Ia)	-0.30	0.12	-0.53	-0.07
Gt30Dp:Fu	P(I)	0.06	0.04	-0.03	0.15
Gt30Dp:Colour	E(I)	-0.12	0.07	-0.25	0.02
Gt30Dp:Colour	G(Ia)	0.58	0.08	0.43	0.73
Gt30Dp:Colour	P(I)	0.14	0.03	0.08	0.21
Gt30Dp:Fly	E(I)	-0.16	0.06	-0.28	-0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Dp:Fly	G(Ia)	0.35	0.12	0.12	0.58
Gt30Dp:Fly	P(I)	-0.02	0.03	-0.08	0.04
Gt30Dp:Flcrot	E(I)	-0.01	0.07	-0.14	0.12
Gt30Dp:Flcrot	G(Ia)	0.00	0.08	-0.16	0.17
Gt30Dp:Flcrot	P(I)	-0.01	0.03	-0.07	0.06
Gt30Dp:Bactst	E(I)	-0.02	0.06	-0.15	0.10
Gt30Dp:Bactst	G(Ia)	0.26	0.12	0.02	0.50
Gt30Dp:Bactst	P(I)	0.04	0.03	-0.02	0.11
Gt30Dp:MycD	E(I)	-0.03	0.06	-0.15	0.08
Gt30Dp:MycD	G(Ia)	0.05	0.18	-0.32	0.41
Gt30Dp:MycD	P(I)	-0.02	0.03	-0.08	0.05
Gt30Dp:Bcts	E(I)	-0.41	0.18	-0.76	-0.06
Gt30Dp:Bcts	G(Ia)	0.82	0.03	0.76	0.88
Gt30Dp:Bcts	P(I)	0.42	0.02	0.37	0.47
Gt30Dp:Bctb	E(I)	-0.41	0.16	-0.72	-0.10
Gt30Dp:Bctb	G(Ia)	0.78	0.03	0.72	0.84
Gt30Dp:Bctb	P(I)	0.39	0.02	0.34	0.43
Gt30Dp:Weanwt	E(I)	0.04	0.07	-0.10	0.17
Gt30Dp:Weanwt	G(Ia)	-0.42	0.08	-0.57	-0.27
Gt30Dp:Weanwt	P(I)	-0.13	0.03	-0.19	-0.06
Gt30Dp:NLB	E(I)	-0.03	0.07	-0.17	0.10
Gt30Dp:NLB	G(Ia)	0.43	0.08	0.27	0.58
Gt30Dp:NLB	P(I)	0.13	0.03	0.06	0.19
Gt30Dp:NLW	E(I)	-0.07	0.07	-0.21	0.06
Gt30Dp:NLW	G(Ia)	0.50	0.08	0.35	0.65
Gt30Dp:NLW	P(I)	0.13	0.03	0.07	0.20
Gt30Dp:Fnpua	E(I)	-0.12	0.06	-0.24	0.01
Gt30Dp:Fnpua	G(Ia)	-0.04	0.08	-0.21	0.12
Gt30Dp:Fnpua	P(I)	-0.09	0.03	-0.15	-0.02
Gt30Dp:Fnsua	E(I)	-0.28	0.07	-0.42	-0.15
Gt30Dp:Fnsua	G(Ia)	-0.05	0.07	-0.18	0.09
Gt30Dp:Fnsua	P(I)	-0.18	0.03	-0.25	-0.12
Gt30Dp:Fnppt	E(I)	-0.07	0.07	-0.20	0.06
Gt30Dp:Fnppt	G(Ia)	-0.16	0.08	-0.31	-0.01
Gt30Dp:Fnppt	P(I)	-0.10	0.03	-0.16	-0.04
Gt30Dp:Fnst	E(I)	-0.22	0.07	-0.35	-0.09
Gt30Dp:Fnst	G(Ia)	-0.20	0.08	-0.35	-0.05
Gt30Dp:Fnst	P(I)	-0.21	0.03	-0.27	-0.14
Gt30Ds:Stal	E(I)	-0.06	0.07	-0.19	0.08
Gt30Ds:Stal	G(Ia)	0.10	0.08	-0.05	0.25
Gt30Ds:Stal	P(I)	0.00	0.03	-0.06	0.07
Gt30Ds:Diam	E(I)	0.34	0.06	0.22	0.46
Gt30Ds:Diam	G(Ia)	0.74	0.06	0.63	0.85

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Ds:Diam	P(I)	0.49	0.03	0.43	0.54
Gt30Ds:Bwt	E(I)	-0.06	0.06	-0.18	0.06
Gt30Ds:Bwt	G(Ia)	0.19	0.10	-0.00	0.39
Gt30Ds:Bwt	P(I)	0.01	0.03	-0.05	0.08
Gt30Ds:WrN	E(I)	0.08	0.07	-0.05	0.21
Gt30Ds:WrN	G(Ia)	0.21	0.07	0.07	0.35
Gt30Ds:WrN	P(I)	0.13	0.03	0.06	0.19
Gt30Ds:WrB	E(I)	0.20	0.06	0.08	0.32
Gt30Ds:WrB	G(Ia)	0.15	0.08	-0.00	0.31
Gt30Ds:WrB	P(I)	0.18	0.03	0.12	0.24
Gt30Ds:WrT	E(I)	0.16	0.07	0.03	0.29
Gt30Ds:WrT	G(Ia)	0.19	0.07	0.05	0.33
Gt30Ds:WrT	P(I)	0.17	0.03	0.11	0.23
Gt30Ds:Face	E(I)	-0.11	0.07	-0.25	0.02
Gt30Ds:Face	G(Ia)	0.10	0.05	-0.00	0.20
Gt30Ds:Face	P(I)	-0.01	0.03	-0.06	0.04
Gt30Ds:Gfw	E(I)	0.01	0.06	-0.10	0.12
Gt30Ds:Gfw	G(Ia)	0.55	0.08	0.40	0.70
Gt30Ds:Gfw	P(I)	0.19	0.03	0.13	0.25
Gt30Ds:Yld	E(I)	-0.10	0.06	-0.23	0.02
Gt30Ds:Yld	G(Ia)	-0.21	0.09	-0.38	-0.04
Gt30Ds:Yld	P(I)	-0.14	0.03	-0.20	-0.07
Gt30Ds:Cww	E(I)	-0.04	0.07	-0.17	0.09
Gt30Ds:Cww	G(Ia)	0.43	0.08	0.28	0.58
Gt30Ds:Cww	P(I)	0.13	0.03	0.06	0.19
Gt30Ds:Staladj	E(I)	-0.06	0.07	-0.20	0.08
Gt30Ds:Staladj	G(Ia)	0.11	0.08	-0.04	0.26
Gt30Ds:Staladj	P(I)	0.00	0.03	-0.06	0.07
Gt30Ds:Gfwadj	E(I)	0.01	0.06	-0.10	0.12
Gt30Ds:Gfwadj	G(Ia)	0.56	0.08	0.40	0.71
Gt30Ds:Gfwadj	P(I)	0.20	0.03	0.13	0.26
Gt30Ds:Cwwadj	E(I)	-0.04	0.07	-0.17	0.09
Gt30Ds:Cwwadj	G(Ia)	0.48	0.08	0.31	0.64
Gt30Ds:Cwwadj	P(I)	0.14	0.03	0.07	0.20
Gt30Ds:Crimp	E(I)	0.11	0.12	-0.12	0.33
Gt30Ds:Crimp	G(Ia)	-0.60	0.14	-0.88	-0.32
Gt30Ds:Crimp	P(I)	-0.16	0.04	-0.25	-0.07
Gt30Ds:Crwvl	E(I)	-0.06	0.11	-0.28	0.15
Gt30Ds:Crwvl	G(Ia)	0.55	0.14	0.27	0.84
Gt30Ds:Crwvl	P(I)	0.16	0.04	0.08	0.25
Gt30Ds:Crst	E(I)	-0.01	0.09	-0.18	0.17
Gt30Ds:Crst	G(Ia)	-0.29	0.16	-0.60	0.03
Gt30Ds:Crst	P(I)	-0.10	0.05	-0.19	-0.01

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Ds:Crstadj	E(I)	-0.00	0.08	-0.15	0.15
Gt30Ds:Crstadj	G(Ia)	-0.28	0.16	-0.60	0.03
Gt30Ds:Crstadj	P(I)	-0.10	0.05	-0.19	-0.01
Gt30Ds:Crwvt	E(I)	0.00	0.08	-0.15	0.15
Gt30Ds:Crwvt	G(Ia)	0.29	0.16	-0.03	0.61
Gt30Ds:Crwvt	P(I)	0.09	0.04	0.01	0.18
Gt30Ds:Dp	E(I)	0.47	0.06	0.35	0.59
Gt30Ds:Dp	G(Ia)	0.24	0.07	0.11	0.37
Gt30Ds:Dp	P(I)	0.37	0.03	0.31	0.43
Gt30Ds:Ds	E(I)	0.58	0.05	0.49	0.67
Gt30Ds:Ds	G(Ia)	0.77	0.05	0.66	0.87
Gt30Ds:Ds	P(I)	0.64	0.02	0.60	0.69
Gt30Ds:Dps	E(I)	0.58	0.04	0.50	0.67
Gt30Ds:Dps	G(Ia)	0.79	0.06	0.68	0.90
Gt30Ds:Dps	P(I)	0.65	0.02	0.60	0.69
Gt30Ds:DpovDs	E(I)	0.11	0.12	-0.12	0.33
Gt30Ds:DpovDs	G(Ia)	-0.20	0.06	-0.32	-0.09
Gt30Ds:DpovDs	P(I)	-0.06	0.03	-0.12	0.01
Gt30Ds:CVDp	E(I)	0.06	0.06	-0.06	0.18
Gt30Ds:CVDp	G(Ia)	0.24	0.09	0.07	0.42
Gt30Ds:CVDp	P(I)	0.12	0.03	0.05	0.18
Gt30Ds:CVDs	E(I)	0.15	0.06	0.04	0.26
Gt30Ds:CVDs	G(Ia)	0.62	0.09	0.44	0.80
Gt30Ds:CVDs	P(I)	0.28	0.03	0.22	0.34
Gt30Ds:MaxDp	E(I)	0.36	0.06	0.23	0.48
Gt30Ds:MaxDp	G(Ia)	0.23	0.07	0.09	0.37
Gt30Ds:MaxDp	P(I)	0.30	0.03	0.24	0.36
Gt30Ds:MinDp	E(I)	0.17	0.05	0.07	0.27
Gt30Ds:MinDp	G(Ia)	0.25	0.22	-0.19	0.68
Gt30Ds:MinDp	P(I)	0.17	0.03	0.10	0.23
Gt30Ds:MaxDs	E(I)	0.43	0.04	0.34	0.52
Gt30Ds:MaxDs	G(Ia)	0.95	0.09	0.78	1.12
Gt30Ds:MaxDs	P(I)	0.55	0.03	0.50	0.60
Gt30Ds:MinDs	E(I)	0.13	0.05	0.03	0.23
Gt30Ds:MinDs	G(Ia)	-0.30	0.25	-0.78	0.19
Gt30Ds:MinDs	P(I)	0.07	0.03	0.00	0.14
Gt30Ds:SDDp	E(I)	0.26	0.07	0.13	0.39
Gt30Ds:SDDp	G(Ia)	0.25	0.07	0.11	0.39
Gt30Ds:SDDp	P(I)	0.25	0.03	0.19	0.31
Gt30Ds:SDDs	E(I)	0.54	0.05	0.45	0.63
Gt30Ds:SDDs	G(Ia)	0.94	0.05	0.84	1.04
Gt30Ds:SDDs	P(I)	0.67	0.02	0.63	0.72
Gt30Ds:SDD	E(I)	0.55	0.05	0.46	0.64

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Ds:SDD	G(Ia)	0.91	0.05	0.81	1.01
Gt30Ds:SDD	P(I)	0.67	0.02	0.63	0.71
Gt30Ds:CVD	E(I)	0.15	0.06	0.04	0.27
Gt30Ds:CVD	G(Ia)	0.58	0.09	0.40	0.75
Gt30Ds:CVD	P(I)	0.28	0.03	0.22	0.34
Gt30Ds:Gt30Dp	E(I)	0.36	0.06	0.24	0.49
Gt30Ds:Gt30Dp	G(Ia)	0.29	0.07	0.15	0.42
Gt30Ds:Gt30Dp	P(I)	0.33	0.03	0.27	0.39
Gt30Ds:Gt30Ds	E(I)	1.00	0.00	1.00	1.00
Gt30Ds:Gt30Ds	G(Ia)	1.00	0.00	1.00	1.00
Gt30Ds:Gt30Ds	P(I)	1.00	0.00	1.00	1.00
Gt30Ds:Gt30D	E(I)	0.97	0.01	0.95	0.99
Gt30Ds:Gt30D	G(Ia)	0.95	0.02	0.92	0.99
Gt30Ds:Gt30D	P(I)	0.97	0.01	0.95	0.98
Gt30Ds:Fnua	E(I)	-0.25	0.06	-0.36	-0.14
Gt30Ds:Fnua	G(Ia)	-0.50	0.09	-0.67	-0.33
Gt30Ds:Fnua	P(I)	-0.32	0.03	-0.38	-0.26
Gt30Ds:Fr	E(I)	-0.14	0.06	-0.26	-0.03
Gt30Ds:Fr	G(Ia)	-0.18	0.10	-0.37	0.01
Gt30Ds:Fr	P(I)	-0.15	0.03	-0.22	-0.09
Gt30Ds:Fnt	E(I)	-0.25	0.05	-0.36	-0.14
Gt30Ds:Fnt	G(Ia)	-0.48	0.09	-0.67	-0.30
Gt30Ds:Fnt	P(I)	-0.32	0.03	-0.38	-0.25
Gt30Ds:Sarea	E(I)	-0.05	0.06	-0.17	0.06
Gt30Ds:Sarea	G(Ia)	0.19	0.10	-0.01	0.39
Gt30Ds:Sarea	P(I)	0.01	0.03	-0.05	0.08
Gt30Ds:Fd	E(I)	0.06	0.09	-0.11	0.24
Gt30Ds:Fd	G(Ia)	0.16	0.16	-0.16	0.47
Gt30Ds:Fd	P(I)	0.09	0.05	-0.00	0.18
Gt30Ds:Fc	E(I)	0.23	0.09	0.05	0.42
Gt30Ds:Fc	G(Ia)	0.15	0.10	-0.04	0.34
Gt30Ds:Fc	P(I)	0.20	0.04	0.12	0.28
Gt30Ds:Fu	E(I)	0.23	0.10	0.04	0.42
Gt30Ds:Fu	G(Ia)	0.20	0.10	0.01	0.38
Gt30Ds:Fu	P(I)	0.22	0.04	0.14	0.30
Gt30Ds:Colour	E(I)	0.00	0.04	-0.08	0.09
Gt30Ds:Colour	G(Ia)	0.37	0.10	0.18	0.56
Gt30Ds:Colour	P(I)	0.11	0.03	0.04	0.17
Gt30Ds:Fly	E(I)	-0.05	0.05	-0.16	0.05
Gt30Ds:Fly	G(Ia)	0.40	0.15	0.11	0.69
Gt30Ds:Fly	P(I)	0.03	0.03	-0.03	0.10
Gt30Ds:Flcrot	E(I)	-0.04	0.06	-0.16	0.07
Gt30Ds:Flcrot	G(Ia)	0.03	0.11	-0.19	0.24

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Ds:Flcrot	P(I)	-0.03	0.03	-0.09	0.04
Gt30Ds:Bactst	E(I)	0.00	0.05	-0.10	0.11
Gt30Ds:Bactst	G(Ia)	-0.04	0.16	-0.34	0.27
Gt30Ds:Bactst	P(I)	-0.00	0.03	-0.07	0.06
Gt30Ds:MycD	E(I)	-0.00	0.05	-0.10	0.10
Gt30Ds:MycD	G(Ia)	0.05	0.23	-0.41	0.51
Gt30Ds:MycD	P(I)	0.01	0.03	-0.06	0.07
Gt30Ds:Bcts	E(I)	-0.08	0.12	-0.33	0.16
Gt30Ds:Bcts	G(Ia)	0.25	0.05	0.16	0.34
Gt30Ds:Bcts	P(I)	0.10	0.03	0.05	0.16
Gt30Ds:Bctb	E(I)	-0.03	0.12	-0.26	0.19
Gt30Ds:Bctb	G(Ia)	0.25	0.05	0.16	0.34
Gt30Ds:Bctb	P(I)	0.11	0.03	0.06	0.17
Gt30Ds:Weanwt	E(I)	-0.03	0.06	-0.14	0.08
Gt30Ds:Weanwt	G(Ia)	-0.01	0.10	-0.21	0.18
Gt30Ds:Weanwt	P(I)	-0.02	0.03	-0.09	0.04
Gt30Ds:NLB	E(I)	0.07	0.06	-0.04	0.18
Gt30Ds:NLB	G(Ia)	-0.03	0.11	-0.24	0.18
Gt30Ds:NLB	P(I)	0.04	0.03	-0.02	0.11
Gt30Ds:NLW	E(I)	0.02	0.06	-0.09	0.14
Gt30Ds:NLW	G(Ia)	0.09	0.10	-0.10	0.29
Gt30Ds:NLW	P(I)	0.04	0.03	-0.02	0.11
Gt30Ds:Fnpua	E(I)	-0.09	0.05	-0.20	0.02
Gt30Ds:Fnpua	G(Ia)	-0.21	0.11	-0.43	0.01
Gt30Ds:Fnpua	P(I)	-0.12	0.03	-0.18	-0.06
Gt30Ds:Fnsua	E(I)	-0.25	0.06	-0.36	-0.14
Gt30Ds:Fnsua	G(Ia)	-0.50	0.09	-0.66	-0.33
Gt30Ds:Fnsua	P(I)	-0.32	0.03	-0.38	-0.26
Gt30Ds:Fnpt	E(I)	-0.11	0.06	-0.22	0.00
Gt30Ds:Fnpt	G(Ia)	-0.13	0.10	-0.33	0.06
Gt30Ds:Fnpt	P(I)	-0.11	0.03	-0.18	-0.05
Gt30Ds:Fnst	E(I)	-0.25	0.05	-0.36	-0.14
Gt30Ds:Fnst	G(Ia)	-0.49	0.09	-0.67	-0.30
Gt30Ds:Fnst	P(I)	-0.32	0.03	-0.38	-0.25
Gt30D:Stal	E(I)	-0.04	0.07	-0.18	0.10
Gt30D:Stal	G(Ia)	0.05	0.07	-0.10	0.19
Gt30D:Stal	P(I)	-0.01	0.03	-0.07	0.06
Gt30D:Diam	E(I)	0.42	0.06	0.30	0.54
Gt30D:Diam	G(Ia)	0.71	0.05	0.61	0.82
Gt30D:Diam	P(I)	0.53	0.03	0.48	0.58
Gt30D:Bwt	E(I)	-0.04	0.06	-0.16	0.08
Gt30D:Bwt	G(Ia)	0.07	0.10	-0.12	0.26
Gt30D:Bwt	P(I)	-0.01	0.03	-0.07	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30D:WrN	E(I)	0.13	0.07	-0.01	0.26
Gt30D:WrN	G(Ia)	0.13	0.07	-0.00	0.27
Gt30D:WrN	P(I)	0.13	0.03	0.06	0.19
Gt30D:WrB	E(I)	0.22	0.06	0.10	0.34
Gt30D:WrB	G(Ia)	0.09	0.08	-0.06	0.24
Gt30D:WrB	P(I)	0.17	0.03	0.11	0.24
Gt30D:WrT	E(I)	0.20	0.07	0.07	0.33
Gt30D:WrT	G(Ia)	0.12	0.07	-0.02	0.26
Gt30D:WrT	P(I)	0.17	0.03	0.10	0.23
Gt30D:Face	E(I)	-0.28	0.07	-0.42	-0.14
Gt30D:Face	G(Ia)	0.28	0.05	0.18	0.38
Gt30D:Face	P(I)	-0.01	0.03	-0.06	0.04
Gt30D:Gfw	E(I)	0.03	0.06	-0.09	0.15
Gt30D:Gfw	G(Ia)	0.48	0.07	0.33	0.62
Gt30D:Gfw	P(I)	0.19	0.03	0.13	0.25
Gt30D:Yld	E(I)	-0.06	0.06	-0.19	0.06
Gt30D:Yld	G(Ia)	-0.30	0.08	-0.46	-0.14
Gt30D:Yld	P(I)	-0.14	0.03	-0.21	-0.08
Gt30D:Cww	E(I)	-0.01	0.07	-0.15	0.13
Gt30D:Cww	G(Ia)	0.34	0.07	0.20	0.49
Gt30D:Cww	P(I)	0.12	0.03	0.06	0.18
Gt30D:Staladj	E(I)	-0.05	0.07	-0.19	0.10
Gt30D:Staladj	G(Ia)	0.05	0.07	-0.09	0.20
Gt30D:Staladj	P(I)	-0.01	0.03	-0.07	0.06
Gt30D:Gfwadj	E(I)	0.03	0.06	-0.09	0.16
Gt30D:Gfwadj	G(Ia)	0.50	0.08	0.35	0.64
Gt30D:Gfwadj	P(I)	0.19	0.03	0.13	0.26
Gt30D:Cwwadj	E(I)	-0.01	0.07	-0.15	0.14
Gt30D:Cwwadj	G(Ia)	0.38	0.08	0.23	0.54
Gt30D:Cwwadj	P(I)	0.13	0.03	0.07	0.20
Gt30D:Crimp	E(I)	0.09	0.12	-0.14	0.33
Gt30D:Crimp	G(Ia)	-0.60	0.13	-0.85	-0.34
Gt30D:Crimp	P(I)	-0.19	0.04	-0.28	-0.10
Gt30D:Crwvl	E(I)	-0.05	0.12	-0.28	0.18
Gt30D:Crwvl	G(Ia)	0.56	0.13	0.30	0.82
Gt30D:Crwvl	P(I)	0.19	0.04	0.10	0.27
Gt30D:Crst	E(I)	0.02	0.12	-0.21	0.24
Gt30D:Crst	G(Ia)	-0.42	0.15	-0.71	-0.13
Gt30D:Crst	P(I)	-0.14	0.05	-0.23	-0.05
Gt30D:Crstadj	E(I)	0.02	0.11	-0.20	0.24
Gt30D:Crstadj	G(Ia)	-0.42	0.15	-0.71	-0.13
Gt30D:Crstadj	P(I)	-0.14	0.05	-0.23	-0.05
Gt30D:Crwvt	E(I)	-0.02	0.11	-0.24	0.19

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30D:Crwvt	G(Ia)	0.43	0.15	0.13	0.72
Gt30D:Crwvt	P(I)	0.13	0.04	0.05	0.22
Gt30D:Dp	E(I)	0.60	0.05	0.50	0.71
Gt30D:Dp	G(Ia)	0.50	0.05	0.39	0.61
Gt30D:Dp	P(I)	0.55	0.03	0.50	0.60
Gt30D:Ds	E(I)	0.62	0.05	0.53	0.71
Gt30D:Ds	G(Ia)	0.65	0.06	0.54	0.75
Gt30D:Ds	P(I)	0.63	0.02	0.58	0.67
Gt30D:Dps	E(I)	0.63	0.04	0.55	0.72
Gt30D:Dps	G(Ia)	0.69	0.05	0.59	0.80
Gt30D:Dps	P(I)	0.65	0.02	0.61	0.69
Gt30D:DpovDs	E(I)	0.25	0.11	0.03	0.47
Gt30D:DpovDs	G(Ia)	0.07	0.05	-0.03	0.18
Gt30D:DpovDs	P(I)	0.13	0.03	0.06	0.19
Gt30D:CVDp	E(I)	0.09	0.06	-0.03	0.21
Gt30D:CVDp	G(Ia)	0.43	0.09	0.27	0.60
Gt30D:CVDp	P(I)	0.20	0.03	0.14	0.26
Gt30D:CVDs	E(I)	0.12	0.06	0.00	0.23
Gt30D:CVDs	G(Ia)	0.73	0.09	0.55	0.91
Gt30D:CVDs	P(I)	0.30	0.03	0.23	0.36
Gt30D:MaxDp	E(I)	0.47	0.06	0.36	0.58
Gt30D:MaxDp	G(Ia)	0.49	0.06	0.37	0.61
Gt30D:MaxDp	P(I)	0.47	0.03	0.41	0.52
Gt30D:MinDp	E(I)	0.21	0.05	0.11	0.31
Gt30D:MinDp	G(Ia)	0.37	0.22	-0.05	0.80
Gt30D:MinDp	P(I)	0.22	0.03	0.15	0.28
Gt30D:MaxDs	E(I)	0.44	0.04	0.35	0.53
Gt30D:MaxDs	G(Ia)	0.96	0.08	0.80	1.13
Gt30D:MaxDs	P(I)	0.57	0.03	0.52	0.62
Gt30D:MinDs	E(I)	0.15	0.05	0.05	0.25
Gt30D:MinDs	G(Ia)	-0.34	0.25	-0.82	0.14
Gt30D:MinDs	P(I)	0.08	0.03	0.01	0.14
Gt30D:SDDp	E(I)	0.36	0.06	0.24	0.48
Gt30D:SDDp	G(Ia)	0.50	0.06	0.38	0.63
Gt30D:SDDp	P(I)	0.41	0.03	0.35	0.46
Gt30D:SDDs	E(I)	0.53	0.05	0.45	0.62
Gt30D:SDDs	G(Ia)	0.95	0.05	0.85	1.05
Gt30D:SDDs	P(I)	0.68	0.02	0.63	0.72
Gt30D:SDD	E(I)	0.56	0.04	0.48	0.65
Gt30D:SDD	G(Ia)	0.96	0.05	0.87	1.06
Gt30D:SDD	P(I)	0.70	0.02	0.66	0.74
Gt30D:CVD	E(I)	0.14	0.06	0.02	0.25
Gt30D:CVD	G(Ia)	0.72	0.09	0.56	0.89

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30D:CVD	P(I)	0.31	0.03	0.25	0.38
Gt30D:Gt30Dp	E(I)	0.56	0.05	0.45	0.66
Gt30D:Gt30Dp	G(Ia)	0.56	0.06	0.45	0.67
Gt30D:Gt30Dp	P(I)	0.55	0.03	0.50	0.60
Gt30D:Gt30Ds	E(I)	0.97	0.01	0.95	0.99
Gt30D:Gt30Ds	G(Ia)	0.95	0.02	0.92	0.99
Gt30D:Gt30Ds	P(I)	0.97	0.01	0.95	0.98
Gt30D:Gt30D	E(I)	1.00	0.00	1.00	1.00
Gt30D:Gt30D	G(Ia)	1.00	0.00	1.00	1.00
Gt30D:Gt30D	P(I)	1.00	0.00	1.00	1.00
Gt30D:Fnuua	E(I)	-0.29	0.06	-0.40	-0.18
Gt30D:Fnuua	G(Ia)	-0.46	0.08	-0.62	-0.30
Gt30D:Fnuua	P(I)	-0.35	0.03	-0.41	-0.29
Gt30D:Fr	E(I)	-0.17	0.06	-0.29	-0.05
Gt30D:Fr	G(Ia)	-0.24	0.09	-0.42	-0.06
Gt30D:Fr	P(I)	-0.19	0.03	-0.25	-0.13
Gt30D:Fnt	E(I)	-0.28	0.05	-0.39	-0.18
Gt30D:Fnt	G(Ia)	-0.50	0.09	-0.67	-0.33
Gt30D:Fnt	P(I)	-0.35	0.03	-0.41	-0.28
Gt30D:Sarea	E(I)	-0.04	0.06	-0.15	0.08
Gt30D:Sarea	G(Ia)	0.07	0.10	-0.12	0.26
Gt30D:Sarea	P(I)	-0.00	0.03	-0.07	0.06
Gt30D:Fd	E(I)	0.06	0.09	-0.11	0.24
Gt30D:Fd	G(Ia)	0.21	0.16	-0.11	0.53
Gt30D:Fd	P(I)	0.10	0.05	0.01	0.19
Gt30D:Fc	E(I)	0.28	0.09	0.10	0.47
Gt30D:Fc	G(Ia)	0.05	0.10	-0.14	0.24
Gt30D:Fc	P(I)	0.19	0.04	0.11	0.27
Gt30D:Fu	E(I)	0.28	0.09	0.09	0.46
Gt30D:Fu	G(Ia)	0.10	0.10	-0.09	0.29
Gt30D:Fu	P(I)	0.20	0.04	0.12	0.28
Gt30D:Colour	E(I)	-0.02	0.06	-0.14	0.10
Gt30D:Colour	G(Ia)	0.50	0.09	0.32	0.68
Gt30D:Colour	P(I)	0.13	0.03	0.07	0.19
Gt30D:Fly	E(I)	-0.08	0.05	-0.19	0.02
Gt30D:Fly	G(Ia)	0.47	0.15	0.18	0.76
Gt30D:Fly	P(I)	0.03	0.03	-0.04	0.09
Gt30D:Flcrot	E(I)	-0.04	0.06	-0.15	0.07
Gt30D:Flcrot	G(Ia)	0.02	0.11	-0.20	0.23
Gt30D:Flcrot	P(I)	-0.03	0.03	-0.09	0.04
Gt30D:Bactst	E(I)	-0.00	0.05	-0.11	0.10
Gt30D:Bactst	G(Ia)	0.03	0.15	-0.27	0.33
Gt30D:Bactst	P(I)	0.00	0.03	-0.06	0.07

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30D:MycD	E(I)	-0.01	0.05	-0.11	0.09
Gt30D:MycD	G(Ia)	0.05	0.23	-0.40	0.50
Gt30D:MycD	P(I)	0.00	0.03	-0.06	0.07
Gt30D:Bcts	E(I)	-0.16	0.13	-0.42	0.09
Gt30D:Bcts	G(Ia)	0.47	0.05	0.38	0.55
Gt30D:Bcts	P(I)	0.19	0.03	0.14	0.24
Gt30D:Bctb	E(I)	-0.13	0.12	-0.36	0.10
Gt30D:Bctb	G(Ia)	0.45	0.04	0.37	0.54
Gt30D:Bctb	P(I)	0.19	0.03	0.14	0.24
Gt30D:Weanwt	E(I)	-0.02	0.06	-0.14	0.09
Gt30D:Weanwt	G(Ia)	-0.13	0.10	-0.32	0.06
Gt30D:Weanwt	P(I)	-0.05	0.03	-0.12	0.01
Gt30D:NLB	E(I)	0.06	0.06	-0.06	0.17
Gt30D:NLB	G(Ia)	0.11	0.10	-0.08	0.31
Gt30D:NLB	P(I)	0.07	0.03	0.01	0.14
Gt30D:NLW	E(I)	0.01	0.06	-0.10	0.12
Gt30D:NLW	G(Ia)	0.25	0.10	0.06	0.44
Gt30D:NLW	P(I)	0.08	0.03	0.01	0.14
Gt30D:Fnpua	E(I)	-0.09	0.06	-0.20	0.02
Gt30D:Fnpua	G(Ia)	-0.19	0.11	-0.40	0.02
Gt30D:Fnpua	P(I)	-0.11	0.03	-0.18	-0.05
Gt30D:Fnsua	E(I)	-0.30	0.06	-0.41	-0.18
Gt30D:Fnsua	G(Ia)	-0.46	0.08	-0.62	-0.30
Gt30D:Fnsua	P(I)	-0.35	0.03	-0.41	-0.29
Gt30D:Fnppt	E(I)	-0.09	0.06	-0.20	0.02
Gt30D:Fnppt	G(Ia)	-0.15	0.10	-0.34	0.03
Gt30D:Fnppt	P(I)	-0.11	0.03	-0.17	-0.04
Gt30D:Fnst	E(I)	-0.28	0.05	-0.39	-0.18
Gt30D:Fnst	G(Ia)	-0.50	0.09	-0.68	-0.33
Gt30D:Fnst	P(I)	-0.35	0.03	-0.41	-0.29
Fnua:Stal	E(I)	-0.19	0.03	-0.25	-0.13
Fnua:Stal	G(Ia)	-0.13	0.04	-0.20	-0.06
Fnua:Stal	P(I)	-0.17	0.02	-0.20	-0.14
Fnua:Diam	E(I)	-0.47	0.03	-0.53	-0.42
Fnua:Diam	G(Ia)	-0.58	0.03	-0.63	-0.52
Fnua:Diam	P(I)	-0.51	0.01	-0.53	-0.48
Fnua:Bwt	E(I)	-0.23	0.03	-0.29	-0.17
Fnua:Bwt	G(Ia)	-0.21	0.04	-0.28	-0.15
Fnua:Bwt	P(I)	-0.23	0.02	-0.26	-0.19
Fnua:WrN	E(I)	0.03	0.03	-0.03	0.10
Fnua:WrN	G(Ia)	-0.09	0.04	-0.17	-0.02
Fnua:WrN	P(I)	-0.01	0.02	-0.04	0.03
Fnua:WrB	E(I)	0.07	0.03	0.00	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnua:WrB	G(Ia)	-0.14	0.04	-0.21	-0.07
Fnua:WrB	P(I)	-0.00	0.02	-0.04	0.03
Fnua:WrT	E(I)	0.06	0.03	-0.00	0.13
Fnua:WrT	G(Ia)	-0.13	0.03	-0.20	-0.07
Fnua:WrT	P(I)	-0.01	0.02	-0.04	0.03
Fnua:Face	E(I)	0.13	0.05	0.04	0.23
Fnua:Face	G(Ia)	0.09	0.03	0.04	0.14
Fnua:Face	P(I)	0.10	0.02	0.06	0.13
Fnua:Gfw	E(I)	-0.04	0.03	-0.10	0.03
Fnua:Gfw	G(Ia)	-0.20	0.04	-0.27	-0.12
Fnua:Gfw	P(I)	-0.09	0.02	-0.12	-0.05
Fnua:Yld	E(I)	-0.06	0.03	-0.12	0.01
Fnua:Yld	G(Ia)	0.42	0.03	0.36	0.49
Fnua:Yld	P(I)	0.12	0.02	0.09	0.15
Fnua:Cww	E(I)	-0.05	0.03	-0.11	0.01
Fnua:Cww	G(Ia)	0.01	0.04	-0.07	0.08
Fnua:Cww	P(I)	-0.03	0.02	-0.07	0.00
Fnua:Staladj	E(I)	-0.18	0.03	-0.23	-0.12
Fnua:Staladj	G(Ia)	-0.15	0.04	-0.22	-0.07
Fnua:Staladj	P(I)	-0.17	0.02	-0.20	-0.13
Fnua:Gfwadj	E(I)	-0.03	0.03	-0.09	0.03
Fnua:Gfwadj	G(Ia)	-0.21	0.04	-0.28	-0.14
Fnua:Gfwadj	P(I)	-0.09	0.02	-0.12	-0.05
Fnua:Cwwadj	E(I)	-0.04	0.03	-0.10	0.02
Fnua:Cwwadj	G(Ia)	-0.02	0.04	-0.09	0.06
Fnua:Cwwadj	P(I)	-0.03	0.02	-0.07	0.00
Fnua:Crimp	E(I)	0.60	0.13	0.36	0.85
Fnua:Crimp	G(Ia)	-0.40	0.04	-0.47	-0.32
Fnua:Crimp	P(I)	-0.03	0.02	-0.07	0.01
Fnua:Crwvl	E(I)	-0.37	0.06	-0.50	-0.25
Fnua:Crwvl	G(Ia)	0.40	0.05	0.31	0.49
Fnua:Crwvl	P(I)	-0.01	0.02	-0.06	0.04
Fnua:Crst	E(I)	0.20	0.07	0.07	0.34
Fnua:Crst	G(Ia)	-0.56	0.04	-0.65	-0.48
Fnua:Crst	P(I)	-0.15	0.02	-0.20	-0.11
Fnua:Crstadj	E(I)	0.18	0.06	0.06	0.31
Fnua:Crstadj	G(Ia)	-0.56	0.05	-0.65	-0.47
Fnua:Crstadj	P(I)	-0.15	0.02	-0.19	-0.10
Fnua:Crwvt	E(I)	-0.16	0.05	-0.26	-0.06
Fnua:Crwvt	G(Ia)	0.58	0.05	0.48	0.68
Fnua:Crwvt	P(I)	0.12	0.02	0.07	0.16
Fnua:Dp	E(I)	-0.42	0.07	-0.56	-0.28
Fnua:Dp	G(Ia)	0.00	1.34	-2.63	2.63

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnua:Dp	P(I)	-0.24	0.03	-0.30	-0.17
Fnua:Ds	E(I)	-0.40	0.06	-0.51	-0.29
Fnua:Ds	G(Ia)	-0.73	0.06	-0.85	-0.61
Fnua:Ds	P(I)	-0.52	0.03	-0.57	-0.46
Fnua:Dps	E(I)	-0.41	0.05	-0.52	-0.31
Fnua:Dps	G(Ia)	-0.74	0.06	-0.86	-0.62
Fnua:Dps	P(I)	-0.52	0.03	-0.58	-0.47
Fnua:DpovDs	E(I)	-0.20	0.12	-0.45	0.04
Fnua:DpovDs	G(Ia)	0.36	0.06	0.26	0.47
Fnua:DpovDs	P(I)	0.11	0.03	0.05	0.18
Fnua:CVDp	E(I)	-0.02	0.06	-0.15	0.10
Fnua:CVDp	G(Ia)	-0.16	0.09	-0.33	0.01
Fnua:CVDp	P(I)	-0.07	0.03	-0.13	-0.00
Fnua:CVDs	E(I)	0.12	0.06	-0.00	0.24
Fnua:CVDs	G(Ia)	0.04	0.09	-0.14	0.23
Fnua:CVDs	P(I)	0.10	0.03	0.03	0.16
Fnua:MaxDp	E(I)	-0.30	0.07	-0.44	-0.16
Fnua:MaxDp	G(Ia)	0.00	0.10	-0.19	0.20
Fnua:MaxDp	P(I)	-0.18	0.03	-0.24	-0.11
Fnua:MinDp	E(I)	-0.16	0.05	-0.26	-0.06
Fnua:MinDp	G(Ia)	0.04	0.21	-0.37	0.46
Fnua:MinDp	P(I)	-0.12	0.03	-0.19	-0.05
Fnua:MaxDs	E(I)	-0.17	0.06	-0.28	-0.06
Fnua:MaxDs	G(Ia)	-0.48	0.11	-0.69	-0.27
Fnua:MaxDs	P(I)	-0.25	0.03	-0.31	-0.18
Fnua:MinDs	E(I)	-0.12	0.05	-0.23	-0.02
Fnua:MinDs	G(Ia)	0.00	3.72	-7.29	7.29
Fnua:MinDs	P(I)	-0.10	0.03	-0.16	-0.03
Fnua:SDDp	E(I)	-0.24	0.07	-0.37	-0.10
Fnua:SDDp	G(Ia)	-0.06	0.07	-0.19	0.08
Fnua:SDDp	P(I)	-0.16	0.03	-0.23	-0.10
Fnua:SDDs	E(I)	-0.11	0.06	-0.24	0.02
Fnua:SDDs	G(Ia)	-0.37	0.07	-0.52	-0.23
Fnua:SDDs	P(I)	-0.20	0.03	-0.27	-0.14
Fnua:SDD	E(I)	-0.15	0.07	-0.28	-0.02
Fnua:SDD	G(Ia)	-0.36	0.07	-0.51	-0.22
Fnua:SDD	P(I)	-0.23	0.03	-0.29	-0.16
Fnua:CVD	E(I)	0.10	0.06	-0.02	0.22
Fnua:CVD	G(Ia)	0.04	0.09	-0.13	0.22
Fnua:CVD	P(I)	0.08	0.03	0.01	0.15
Fnua:Gt30Dp	E(I)	-0.28	0.07	-0.42	-0.15
Fnua:Gt30Dp	G(Ia)	-0.05	0.07	-0.19	0.09
Fnua:Gt30Dp	P(I)	-0.19	0.03	-0.25	-0.12

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnua:Gt30Ds	E(I)	-0.25	0.06	-0.36	-0.14
Fnua:Gt30Ds	G(Ia)	-0.50	0.09	-0.67	-0.33
Fnua:Gt30Ds	P(I)	-0.32	0.03	-0.38	-0.26
Fnua:Gt30D	E(I)	-0.29	0.06	-0.40	-0.18
Fnua:Gt30D	G(Ia)	-0.46	0.08	-0.62	-0.30
Fnua:Gt30D	P(I)	-0.35	0.03	-0.41	-0.29
Fnua:Fnua	E(I)	1.00	0.00	1.00	1.00
Fnua:Fnua	G(Ia)	1.00	0.00	1.00	1.00
Fnua:Fnua	P(I)	1.00	0.00	1.00	1.00
Fnua:Fr	E(I)	0.52	0.02	0.47	0.56
Fnua:Fr	G(Ia)	0.49	0.03	0.43	0.56
Fnua:Fr	P(I)	0.51	0.01	0.48	0.54
Fnua:Fnt	E(I)	0.89	0.01	0.87	0.91
Fnua:Fnt	G(Ia)	0.88	0.01	0.86	0.91
Fnua:Fnt	P(I)	0.89	0.01	0.88	0.90
Fnua:Sarea	E(I)	-0.23	0.03	-0.29	-0.17
Fnua:Sarea	G(Ia)	-0.22	0.04	-0.29	-0.14
Fnua:Sarea	P(I)	-0.23	0.02	-0.26	-0.19
Fnua:Fd	E(I)	0.05	0.03	-0.01	0.11
Fnua:Fd	G(Ia)	-0.16	0.06	-0.27	-0.05
Fnua:Fd	P(I)	-0.00	0.02	-0.04	0.04
Fnua:Fc	E(I)	-0.08	0.05	-0.17	0.01
Fnua:Fc	G(Ia)	-0.51	0.03	-0.57	-0.46
Fnua:Fc	P(I)	-0.27	0.02	-0.30	-0.23
Fnua:Fu	E(I)	-0.08	0.03	-0.14	-0.01
Fnua:Fu	G(Ia)	-0.38	0.04	-0.46	-0.30
Fnua:Fu	P(I)	-0.18	0.02	-0.21	-0.14
Fnua:Colour	E(I)	-0.02	0.03	-0.08	0.03
Fnua:Colour	G(Ia)	0.23	0.06	0.12	0.34
Fnua:Colour	P(I)	0.03	0.02	-0.00	0.07
Fnua:Fly	E(I)	-0.01	0.03	-0.07	0.04
Fnua:Fly	G(Ia)	0.20	0.08	0.05	0.35
Fnua:Fly	P(I)	0.02	0.02	-0.01	0.06
Fnua:Flcrot	E(I)	-0.00	0.03	-0.06	0.05
Fnua:Flcrot	G(Ia)	0.46	0.19	0.08	0.84
Fnua:Flcrot	P(I)	0.04	0.02	-0.00	0.07
Fnua:Bactst	E(I)	0.02	0.04	-0.05	0.09
Fnua:Bactst	G(Ia)	0.19	0.13	-0.06	0.43
Fnua:Bactst	P(I)	0.04	0.02	-0.00	0.09
Fnua:MycD	E(I)	0.02	0.03	-0.05	0.09
Fnua:MycD	G(Ia)	0.08	0.25	-0.42	0.57
Fnua:MycD	P(I)	0.02	0.02	-0.02	0.07
Fnua:Bcts	E(I)	-0.11	0.05	-0.21	-0.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnua:Bcts	G(Ia)	0.04	0.03	-0.01	0.10
Fnua:Bcts	P(I)	-0.03	0.02	-0.06	0.01
Fnua:Bctb	E(I)	-0.14	0.05	-0.25	-0.04
Fnua:Bctb	G(Ia)	0.07	0.03	0.02	0.13
Fnua:Bctb	P(I)	-0.03	0.02	-0.06	0.01
Fnua:Weanwt	E(I)	0.09	0.03	0.03	0.16
Fnua:Weanwt	G(Ia)	-0.48	0.05	-0.58	-0.37
Fnua:Weanwt	P(I)	-0.07	0.02	-0.11	-0.03
Fnua:NLB	E(I)	-0.16	0.03	-0.22	-0.11
Fnua:NLB	G(Ia)	0.15	0.05	0.05	0.25
Fnua:NLB	P(I)	-0.08	0.02	-0.12	-0.05
Fnua:NLW	E(I)	-0.14	0.03	-0.20	-0.09
Fnua:NLW	G(Ia)	0.22	0.05	0.11	0.32
Fnua:NLW	P(I)	-0.06	0.02	-0.09	-0.02
Fnua:Fnpua	E(I)	0.45	0.02	0.40	0.49
Fnua:Fnpua	G(Ia)	0.48	0.04	0.40	0.56
Fnua:Fnpua	P(I)	0.45	0.01	0.42	0.48
Fnua:Fnsua	E(I)	1.00	0.00	1.00	1.00
Fnua:Fnsua	G(Ia)	1.00	0.00	1.00	1.00
Fnua:Fnsua	P(I)	1.00	0.00	1.00	1.00
Fnua:Fnppt	E(I)	0.36	0.03	0.31	0.42
Fnua:Fnppt	G(Ia)	0.33	0.04	0.25	0.41
Fnua:Fnppt	P(I)	0.35	0.02	0.32	0.39
Fnua:Fnst	E(I)	0.89	0.01	0.87	0.91
Fnua:Fnst	G(Ia)	0.89	0.01	0.86	0.92
Fnua:Fnst	P(I)	0.89	0.01	0.88	0.90
Fr:Stal	E(I)	-0.07	0.03	-0.13	-0.01
Fr:Stal	G(Ia)	-0.25	0.04	-0.32	-0.18
Fr:Stal	P(I)	-0.13	0.02	-0.17	-0.10
Fr:Diam	E(I)	-0.42	0.03	-0.48	-0.36
Fr:Diam	G(Ia)	-0.20	0.03	-0.26	-0.14
Fr:Diam	P(I)	-0.33	0.02	-0.36	-0.30
Fr:Bwt	E(I)	0.06	0.03	-0.00	0.12
Fr:Bwt	G(Ia)	-0.11	0.04	-0.18	-0.04
Fr:Bwt	P(I)	0.00	0.02	-0.03	0.04
Fr:WrN	E(I)	0.05	0.03	-0.02	0.11
Fr:WrN	G(Ia)	0.35	0.04	0.28	0.42
Fr:WrN	P(I)	0.15	0.02	0.11	0.18
Fr:WrB	E(I)	0.13	0.03	0.07	0.19
Fr:WrB	G(Ia)	0.20	0.03	0.13	0.27
Fr:WrB	P(I)	0.16	0.02	0.12	0.19
Fr:WrT	E(I)	0.10	0.03	0.04	0.17
Fr:WrT	G(Ia)	0.27	0.03	0.20	0.33

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fr:WrT	P(I)	0.16	0.02	0.13	0.19
Fr:Face	E(I)	0.02	0.05	-0.07	0.12
Fr:Face	G(Ia)	0.09	0.03	0.04	0.14
Fr:Face	P(I)	0.05	0.02	0.02	0.09
Fr:Gfw	E(I)	0.18	0.03	0.12	0.25
Fr:Gfw	G(Ia)	0.02	0.04	-0.05	0.09
Fr:Gfw	P(I)	0.13	0.02	0.10	0.16
Fr:Yld	E(I)	0.02	0.03	-0.05	0.08
Fr:Yld	G(Ia)	0.11	0.03	0.05	0.17
Fr:Yld	P(I)	0.05	0.02	0.02	0.09
Fr:Cww	E(I)	0.19	0.03	0.13	0.25
Fr:Cww	G(Ia)	0.06	0.04	-0.01	0.13
Fr:Cww	P(I)	0.15	0.02	0.12	0.18
Fr:Staladj	E(I)	-0.08	0.03	-0.14	-0.02
Fr:Staladj	G(Ia)	-0.25	0.04	-0.32	-0.17
Fr:Staladj	P(I)	-0.13	0.02	-0.17	-0.10
Fr:Gfwadj	E(I)	0.18	0.03	0.12	0.24
Fr:Gfwadj	G(Ia)	0.02	0.04	-0.05	0.09
Fr:Gfwadj	P(I)	0.13	0.02	0.09	0.16
Fr:Cwwadj	E(I)	0.18	0.03	0.12	0.24
Fr:Cwwadj	G(Ia)	0.07	0.04	-0.01	0.14
Fr:Cwwadj	P(I)	0.15	0.02	0.11	0.18
Fr:Crimp	E(I)	0.40	0.11	0.18	0.61
Fr:Crimp	G(Ia)	-0.22	0.04	-0.30	-0.14
Fr:Crimp	P(I)	0.01	0.02	-0.03	0.05
Fr:Crwvl	E(I)	-0.25	0.06	-0.37	-0.13
Fr:Crwvl	G(Ia)	0.21	0.05	0.12	0.31
Fr:Crwvl	P(I)	-0.04	0.02	-0.09	0.01
Fr:Crst	E(I)	0.05	0.07	-0.08	0.18
Fr:Crst	G(Ia)	-0.23	0.05	-0.32	-0.14
Fr:Crst	P(I)	-0.07	0.02	-0.12	-0.02
Fr:Crstadj	E(I)	0.03	0.06	-0.09	0.15
Fr:Crstadj	G(Ia)	-0.22	0.05	-0.31	-0.13
Fr:Crstadj	P(I)	-0.07	0.02	-0.12	-0.03
Fr:Crwvt	E(I)	-0.07	0.05	-0.16	0.03
Fr:Crwvt	G(Ia)	0.25	0.05	0.14	0.35
Fr:Crwvt	P(I)	0.05	0.02	0.00	0.09
Fr:Dp	E(I)	-0.11	0.07	-0.25	0.04
Fr:Dp	G(Ia)	-0.13	0.07	-0.27	0.01
Fr:Dp	P(I)	-0.11	0.03	-0.18	-0.05
Fr:Ds	E(I)	-0.23	0.06	-0.36	-0.11
Fr:Ds	G(Ia)	-0.12	0.08	-0.28	0.03
Fr:Ds	P(I)	-0.19	0.03	-0.26	-0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fr:Dps	E(I)	-0.24	0.06	-0.36	-0.12
Fr:Dps	G(Ia)	-0.15	0.08	-0.31	0.01
Fr:Dps	P(I)	-0.21	0.03	-0.27	-0.15
Fr:DpovDs	E(I)	0.11	0.12	-0.12	0.34
Fr:DpovDs	G(Ia)	-0.03	0.06	-0.15	0.08
Fr:DpovDs	P(I)	0.02	0.03	-0.04	0.09
Fr:CVDp	E(I)	0.00	0.06	-0.12	0.13
Fr:CVDp	G(Ia)	-0.17	0.09	-0.35	0.01
Fr:CVDp	P(I)	-0.05	0.03	-0.12	0.02
Fr:CVDs	E(I)	0.16	0.06	0.05	0.28
Fr:CVDs	G(Ia)	-0.29	0.10	-0.49	-0.09
Fr:CVDs	P(I)	0.03	0.03	-0.03	0.10
Fr:MaxDp	E(I)	-0.14	0.07	-0.27	-0.00
Fr:MaxDp	G(Ia)	-0.09	0.07	-0.23	0.06
Fr:MaxDp	P(I)	-0.12	0.03	-0.18	-0.05
Fr:MinDp	E(I)	0.00	0.05	-0.10	0.10
Fr:MinDp	G(Ia)	0.44	0.20	0.04	0.83
Fr:MinDp	P(I)	0.07	0.03	0.00	0.14
Fr:MaxDs	E(I)	-0.02	0.06	-0.13	0.09
Fr:MaxDs	G(Ia)	-0.24	0.12	-0.47	-0.00
Fr:MaxDs	P(I)	-0.07	0.03	-0.14	-0.00
Fr:MinDs	E(I)	-0.01	0.05	-0.11	0.09
Fr:MinDs	G(Ia)	-0.21	0.19	-0.59	0.16
Fr:MinDs	P(I)	-0.04	0.03	-0.11	0.02
Fr:SDDp	E(I)	-0.05	0.07	-0.19	0.08
Fr:SDDp	G(Ia)	-0.12	0.07	-0.27	0.02
Fr:SDDp	P(I)	-0.08	0.03	-0.14	-0.01
Fr:SDDs	E(I)	0.02	0.07	-0.11	0.15
Fr:SDDs	G(Ia)	-0.27	0.08	-0.43	-0.11
Fr:SDDs	P(I)	-0.08	0.03	-0.14	-0.01
Fr:SDD	E(I)	-0.01	0.06	-0.14	0.11
Fr:SDD	G(Ia)	-0.28	0.08	-0.44	-0.12
Fr:SDD	P(I)	-0.11	0.03	-0.17	-0.04
Fr:CVD	E(I)	0.14	0.06	0.02	0.26
Fr:CVD	G(Ia)	-0.29	0.10	-0.48	-0.10
Fr:CVD	P(I)	0.01	0.03	-0.05	0.08
Fr:Gt30Dp	E(I)	-0.07	0.07	-0.20	0.07
Fr:Gt30Dp	G(Ia)	-0.15	0.07	-0.30	-0.01
Fr:Gt30Dp	P(I)	-0.10	0.03	-0.16	-0.03
Fr:Gt30Ds	E(I)	-0.14	0.06	-0.26	-0.03
Fr:Gt30Ds	G(Ia)	-0.18	0.10	-0.37	0.01
Fr:Gt30Ds	P(I)	-0.15	0.03	-0.22	-0.09
Fr:Gt30D	E(I)	-0.17	0.06	-0.29	-0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fr:Gt30D	G(Ia)	-0.24	0.09	-0.42	-0.06
Fr:Gt30D	P(I)	-0.19	0.03	-0.25	-0.13
Fr:Fnuu	E(I)	0.52	0.02	0.47	0.56
Fr:Fnuu	G(Ia)	0.49	0.03	0.43	0.56
Fr:Fnuu	P(I)	0.51	0.01	0.48	0.54
Fr:Fr	E(I)	1.00	0.00	1.00	1.00
Fr:Fr	G(Ia)	1.00	0.00	1.00	1.00
Fr:Fr	P(I)	1.00	0.00	1.00	1.00
Fr:Fnt	E(I)	0.54	0.02	0.50	0.59
Fr:Fnt	G(Ia)	0.43	0.03	0.36	0.49
Fr:Fnt	P(I)	0.51	0.01	0.48	0.54
Fr:Sarea	E(I)	0.05	0.03	-0.01	0.12
Fr:Sarea	G(Ia)	-0.11	0.04	-0.18	-0.04
Fr:Sarea	P(I)	0.00	0.02	-0.03	0.04
Fr:Fd	E(I)	0.09	0.03	0.03	0.15
Fr:Fd	G(Ia)	0.07	0.06	-0.04	0.18
Fr:Fd	P(I)	0.08	0.02	0.05	0.12
Fr:Fc	E(I)	-0.14	0.05	-0.23	-0.05
Fr:Fc	G(Ia)	-0.06	0.03	-0.12	-0.00
Fr:Fc	P(I)	-0.10	0.02	-0.14	-0.06
Fr:Fu	E(I)	-0.11	0.04	-0.18	-0.04
Fr:Fu	G(Ia)	0.06	0.04	-0.02	0.14
Fr:Fu	P(I)	-0.05	0.02	-0.09	-0.02
Fr:Colour	E(I)	-0.06	0.03	-0.12	-0.00
Fr:Colour	G(Ia)	0.18	0.06	0.07	0.29
Fr:Colour	P(I)	-0.00	0.02	-0.04	0.03
Fr:Fly	E(I)	0.02	0.03	-0.04	0.07
Fr:Fly	G(Ia)	-0.01	0.08	-0.16	0.14
Fr:Fly	P(I)	0.01	0.02	-0.02	0.05
Fr:Flcrot	E(I)	-0.00	0.03	-0.06	0.05
Fr:Flcrot	G(Ia)	0.20	0.16	-0.12	0.52
Fr:Flcrot	P(I)	0.01	0.02	-0.02	0.05
Fr:Bactst	E(I)	-0.00	0.04	-0.08	0.07
Fr:Bactst	G(Ia)	0.29	0.12	0.05	0.53
Fr:Bactst	P(I)	0.04	0.02	-0.00	0.09
Fr:MycD	E(I)	0.02	0.04	-0.05	0.09
Fr:MycD	G(Ia)	0.43	0.30	-0.16	1.03
Fr:MycD	P(I)	0.05	0.02	0.01	0.10
Fr:Bcts	E(I)	-0.05	0.05	-0.16	0.06
Fr:Bcts	G(Ia)	-0.02	0.03	-0.07	0.04
Fr:Bcts	P(I)	-0.03	0.02	-0.07	0.01
Fr:Bctb	E(I)	-0.08	0.05	-0.19	0.02
Fr:Bctb	G(Ia)	0.02	0.03	-0.04	0.07

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fr:Bctb	P(I)	-0.03	0.02	-0.06	0.01
Fr:Weanwt	E(I)	0.26	0.03	0.20	0.33
Fr:Weanwt	G(Ia)	-0.49	0.05	-0.59	-0.38
Fr:Weanwt	P(I)	0.04	0.02	0.00	0.08
Fr:NLB	E(I)	-0.17	0.03	-0.22	-0.11
Fr:NLB	G(Ia)	0.08	0.05	-0.02	0.18
Fr:NLB	P(I)	-0.10	0.02	-0.14	-0.07
Fr:NLW	E(I)	-0.15	0.03	-0.21	-0.10
Fr:NLW	G(Ia)	0.12	0.05	0.02	0.22
Fr:NLW	P(I)	-0.08	0.02	-0.12	-0.05
Fr:Fnpua	E(I)	-0.43	0.02	-0.48	-0.38
Fr:Fnpua	G(Ia)	-0.52	0.04	-0.60	-0.45
Fr:Fnpua	P(I)	-0.45	0.01	-0.48	-0.42
Fr:Fnsua	E(I)	0.55	0.02	0.51	0.60
Fr:Fnsua	G(Ia)	0.53	0.03	0.47	0.59
Fr:Fnsua	P(I)	0.55	0.01	0.52	0.57
Fr:Fnpt	E(I)	-0.41	0.03	-0.46	-0.37
Fr:Fnpt	G(Ia)	-0.53	0.04	-0.60	-0.46
Fr:Fnpt	P(I)	-0.45	0.01	-0.48	-0.42
Fr:Fnst	E(I)	0.58	0.02	0.53	0.62
Fr:Fnst	G(Ia)	0.47	0.03	0.40	0.53
Fr:Fnst	P(I)	0.54	0.01	0.52	0.57
Fnt:Stal	E(I)	-0.07	0.03	-0.13	-0.01
Fnt:Stal	G(Ia)	-0.06	0.04	-0.14	0.01
Fnt:Stal	P(I)	-0.07	0.02	-0.11	-0.04
Fnt:Diam	E(I)	-0.38	0.03	-0.44	-0.32
Fnt:Diam	G(Ia)	-0.51	0.03	-0.56	-0.45
Fnt:Diam	P(I)	-0.42	0.02	-0.45	-0.39
Fnt:Bwt	E(I)	0.21	0.03	0.15	0.27
Fnt:Bwt	G(Ia)	0.26	0.03	0.20	0.33
Fnt:Bwt	P(I)	0.22	0.02	0.19	0.26
Fnt:WrN	E(I)	0.14	0.03	0.08	0.20
Fnt:WrN	G(Ia)	-0.29	0.04	-0.36	-0.22
Fnt:WrN	P(I)	-0.01	0.02	-0.04	0.03
Fnt:WrB	E(I)	0.18	0.03	0.12	0.24
Fnt:WrB	G(Ia)	-0.34	0.04	-0.41	-0.26
Fnt:WrB	P(I)	0.00	0.02	-0.03	0.04
Fnt:WrT	E(I)	0.19	0.03	0.12	0.25
Fnt:WrT	G(Ia)	-0.33	0.03	-0.40	-0.27
Fnt:WrT	P(I)	-0.00	0.02	-0.04	0.03
Fnt:Face	E(I)	0.12	0.05	0.02	0.22
Fnt:Face	G(Ia)	-0.07	0.03	-0.12	-0.02
Fnt:Face	P(I)	0.02	0.02	-0.02	0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnt:Gfw	E(I)	0.22	0.03	0.16	0.28
Fnt:Gfw	G(Ia)	-0.10	0.04	-0.17	-0.02
Fnt:Gfw	P(I)	0.11	0.02	0.08	0.15
Fnt:Yld	E(I)	-0.03	0.03	-0.10	0.04
Fnt:Yld	G(Ia)	0.43	0.03	0.37	0.49
Fnt:Yld	P(I)	0.14	0.02	0.11	0.18
Fnt:Cww	E(I)	0.21	0.03	0.15	0.26
Fnt:Cww	G(Ia)	0.11	0.04	0.03	0.18
Fnt:Cww	P(I)	0.17	0.02	0.14	0.21
Fnt:Staladj	E(I)	-0.07	0.03	-0.13	-0.01
Fnt:Staladj	G(Ia)	-0.08	0.04	-0.16	-0.00
Fnt:Staladj	P(I)	-0.07	0.02	-0.11	-0.04
Fnt:Gfwadj	E(I)	0.20	0.03	0.14	0.26
Fnt:Gfwadj	G(Ia)	-0.11	0.04	-0.19	-0.04
Fnt:Gfwadj	P(I)	0.10	0.02	0.07	0.13
Fnt:Cwwadj	E(I)	0.20	0.03	0.14	0.26
Fnt:Cwwadj	G(Ia)	0.09	0.04	0.01	0.16
Fnt:Cwwadj	P(I)	0.16	0.02	0.13	0.20
Fnt:Crimp	E(I)	0.76	0.14	0.48	1.03
Fnt:Crimp	G(Ia)	-0.46	0.04	-0.53	-0.39
Fnt:Crimp	P(I)	-0.04	0.02	-0.08	0.00
Fnt:Crwvl	E(I)	-0.47	0.07	-0.60	-0.34
Fnt:Crwvl	G(Ia)	0.48	0.04	0.40	0.57
Fnt:Crwvl	P(I)	-0.00	0.02	-0.05	0.04
Fnt:Crst	E(I)	0.45	0.07	0.30	0.59
Fnt:Crst	G(Ia)	-0.63	0.04	-0.71	-0.54
Fnt:Crst	P(I)	-0.09	0.02	-0.14	-0.05
Fnt:Crstadj	E(I)	0.39	0.07	0.25	0.52
Fnt:Crstadj	G(Ia)	-0.61	0.04	-0.69	-0.52
Fnt:Crstadj	P(I)	-0.09	0.02	-0.14	-0.04
Fnt:Crwvt	E(I)	-0.33	0.05	-0.43	-0.22
Fnt:Crwvt	G(Ia)	0.64	0.05	0.54	0.74
Fnt:Crwvt	P(I)	0.07	0.02	0.02	0.11
Fnt:Dp	E(I)	-0.33	0.07	-0.47	-0.20
Fnt:Dp	G(Ia)	-0.11	0.07	-0.25	0.03
Fnt:Dp	P(I)	-0.24	0.03	-0.30	-0.17
Fnt:Ds	E(I)	-0.31	0.06	-0.42	-0.20
Fnt:Ds	G(Ia)	-0.69	0.07	-0.83	-0.55
Fnt:Ds	P(I)	-0.43	0.03	-0.49	-0.38
Fnt:Dps	E(I)	-0.32	0.06	-0.43	-0.21
Fnt:Dps	G(Ia)	-0.71	0.07	-0.85	-0.57
Fnt:Dps	P(I)	-0.44	0.03	-0.50	-0.39
Fnt:DpovDs	E(I)	-0.18	0.12	-0.41	0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnt:DpovDs	G(Ia)	0.25	0.06	0.13	0.37
Fnt:DpovDs	P(I)	0.05	0.03	-0.01	0.12
Fnt:CVDp	E(I)	-0.02	0.06	-0.13	0.10
Fnt:CVDp	G(Ia)	-0.21	0.10	-0.40	-0.02
Fnt:CVDp	P(I)	-0.07	0.03	-0.14	-0.01
Fnt:CVDs	E(I)	0.04	0.06	-0.07	0.16
Fnt:CVDs	G(Ia)	0.04	0.10	-0.17	0.24
Fnt:CVDs	P(I)	0.04	0.03	-0.02	0.11
Fnt:MaxDp	E(I)	-0.25	0.07	-0.38	-0.12
Fnt:MaxDp	G(Ia)	-0.07	0.08	-0.22	0.08
Fnt:MaxDp	P(I)	-0.18	0.03	-0.24	-0.11
Fnt:MinDp	E(I)	-0.11	0.05	-0.22	-0.01
Fnt:MinDp	G(Ia)	-0.15	0.19	-0.53	0.23
Fnt:MinDp	P(I)	-0.12	0.03	-0.18	-0.05
Fnt:MaxDs	E(I)	-0.15	0.05	-0.26	-0.05
Fnt:MaxDs	G(Ia)	-0.50	0.12	-0.73	-0.26
Fnt:MaxDs	P(I)	-0.23	0.03	-0.29	-0.17
Fnt:MinDs	E(I)	-0.07	0.05	-0.17	0.03
Fnt:MinDs	G(Ia)	-0.10	0.19	-0.48	0.28
Fnt:MinDs	P(I)	-0.07	0.03	-0.13	-0.00
Fnt:SDDp	E(I)	-0.18	0.07	-0.31	-0.05
Fnt:SDDp	G(Ia)	-0.15	0.08	-0.30	0.00
Fnt:SDDp	P(I)	-0.17	0.03	-0.23	-0.10
Fnt:SDDs	E(I)	-0.13	0.06	-0.26	-0.01
Fnt:SDDs	G(Ia)	-0.35	0.08	-0.52	-0.19
Fnt:SDDs	P(I)	-0.21	0.03	-0.27	-0.14
Fnt:SDD	E(I)	-0.16	0.06	-0.28	-0.04
Fnt:SDD	G(Ia)	-0.36	0.08	-0.52	-0.20
Fnt:SDD	P(I)	-0.23	0.03	-0.29	-0.16
Fnt:CVD	E(I)	0.03	0.06	-0.09	0.15
Fnt:CVD	G(Ia)	0.02	0.10	-0.17	0.21
Fnt:CVD	P(I)	0.03	0.03	-0.04	0.09
Fnt:Gt30Dp	E(I)	-0.22	0.07	-0.35	-0.09
Fnt:Gt30Dp	G(Ia)	-0.20	0.08	-0.35	-0.05
Fnt:Gt30Dp	P(I)	-0.21	0.03	-0.27	-0.14
Fnt:Gt30Ds	E(I)	-0.25	0.05	-0.36	-0.14
Fnt:Gt30Ds	G(Ia)	-0.48	0.09	-0.67	-0.30
Fnt:Gt30Ds	P(I)	-0.32	0.03	-0.38	-0.25
Fnt:Gt30D	E(I)	-0.28	0.05	-0.39	-0.18
Fnt:Gt30D	G(Ia)	-0.50	0.09	-0.67	-0.33
Fnt:Gt30D	P(I)	-0.35	0.03	-0.41	-0.28
Fnt:Fnua	E(I)	0.89	0.01	0.87	0.91
Fnt:Fnua	G(Ia)	0.88	0.01	0.86	0.91

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnt:Fnu	P(I)	0.89	0.01	0.88	0.90
Fnt:Fr	E(I)	0.54	0.02	0.50	0.59
Fnt:Fr	G(Ia)	0.43	0.03	0.36	0.49
Fnt:Fr	P(I)	0.51	0.01	0.48	0.54
Fnt:Fnt	E(I)	1.00	0.00	1.00	1.00
Fnt:Fnt	G(Ia)	1.00	0.00	1.00	1.00
Fnt:Fnt	P(I)	1.00	0.00	1.00	1.00
Fnt:Sarea	E(I)	0.21	0.03	0.15	0.27
Fnt:Sarea	G(Ia)	0.27	0.04	0.20	0.34
Fnt:Sarea	P(I)	0.23	0.02	0.19	0.26
Fnt:Fd	E(I)	0.13	0.03	0.07	0.19
Fnt:Fd	G(Ia)	-0.14	0.06	-0.25	-0.03
Fnt:Fd	P(I)	0.06	0.02	0.02	0.10
Fnt:Fc	E(I)	0.01	0.05	-0.08	0.11
Fnt:Fc	G(Ia)	-0.55	0.03	-0.60	-0.49
Fnt:Fc	P(I)	-0.25	0.02	-0.28	-0.21
Fnt:Fu	E(I)	-0.05	0.04	-0.12	0.02
Fnt:Fu	G(Ia)	-0.37	0.04	-0.45	-0.30
Fnt:Fu	P(I)	-0.16	0.02	-0.20	-0.13
Fnt:Colour	E(I)	-0.06	0.03	-0.12	-0.00
Fnt:Colour	G(Ia)	0.18	0.05	0.07	0.29
Fnt:Colour	P(I)	-0.00	0.02	-0.04	0.03
Fnt:Fly	E(I)	-0.02	0.03	-0.08	0.03
Fnt:Fly	G(Ia)	0.28	0.08	0.13	0.43
Fnt:Fly	P(I)	0.03	0.02	-0.01	0.07
Fnt:Flcrot	E(I)	-0.02	0.03	-0.07	0.03
Fnt:Flcrot	G(Ia)	0.37	0.18	0.02	0.71
Fnt:Flcrot	P(I)	0.02	0.02	-0.02	0.05
Fnt:Bactst	E(I)	-0.03	0.04	-0.10	0.04
Fnt:Bactst	G(Ia)	0.33	0.13	0.07	0.59
Fnt:Bactst	P(I)	0.02	0.02	-0.02	0.07
Fnt:MycD	E(I)	-0.01	0.03	-0.07	0.06
Fnt:MycD	G(Ia)	0.15	0.27	-0.39	0.68
Fnt:MycD	P(I)	0.00	0.02	-0.04	0.05
Fnt:Bcts	E(I)	-0.08	0.05	-0.18	0.03
Fnt:Bcts	G(Ia)	0.03	0.03	-0.03	0.09
Fnt:Bcts	P(I)	-0.02	0.02	-0.06	0.02
Fnt:Bctb	E(I)	-0.10	0.05	-0.20	0.00
Fnt:Bctb	G(Ia)	0.04	0.03	-0.02	0.10
Fnt:Bctb	P(I)	-0.02	0.02	-0.06	0.01
Fnt:Weanwt	E(I)	0.31	0.03	0.25	0.37
Fnt:Weanwt	G(Ia)	-0.19	0.05	-0.29	-0.08
Fnt:Weanwt	P(I)	0.17	0.02	0.14	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnt:NLB	E(I)	-0.22	0.03	-0.27	-0.16
Fnt:NLB	G(Ia)	0.05	0.05	-0.05	0.15
Fnt:NLB	P(I)	-0.15	0.02	-0.18	-0.11
Fnt:NLW	E(I)	-0.20	0.03	-0.25	-0.14
Fnt:NLW	G(Ia)	0.13	0.05	0.04	0.23
Fnt:NLW	P(I)	-0.12	0.02	-0.15	-0.08
Fnt:Fnpua	E(I)	0.32	0.03	0.27	0.37
Fnt:Fnpua	G(Ia)	0.45	0.04	0.37	0.53
Fnt:Fnpua	P(I)	0.35	0.02	0.32	0.38
Fnt:Fnsua	E(I)	0.90	0.01	0.88	0.92
Fnt:Fnsua	G(Ia)	0.88	0.01	0.85	0.91
Fnt:Fnsua	P(I)	0.89	0.01	0.88	0.90
Fnt:Fnppt	E(I)	0.42	0.02	0.37	0.47
Fnt:Fnppt	G(Ia)	0.53	0.04	0.46	0.60
Fnt:Fnppt	P(I)	0.45	0.01	0.42	0.48
Fnt:Fnst	E(I)	1.00	0.00	1.00	1.00
Fnt:Fnst	G(Ia)	1.00	0.00	1.00	1.00
Fnt:Fnst	P(I)	1.00	0.00	1.00	1.00
Sarea:Stal	E(I)	0.26	0.03	0.20	0.32
Sarea:Stal	G(Ia)	0.10	0.03	0.04	0.17
Sarea:Stal	P(I)	0.20	0.02	0.17	0.24
Sarea:Diam	E(I)	0.21	0.03	0.14	0.28
Sarea:Diam	G(Ia)	0.15	0.03	0.09	0.21
Sarea:Diam	P(I)	0.18	0.02	0.15	0.22
Sarea:Bwt	E(I)	1.00	0.00	1.00	1.00
Sarea:Bwt	G(Ia)	1.00	0.00	1.00	1.00
Sarea:Bwt	P(I)	1.00	0.00	1.00	1.00
Sarea:WrN	E(I)	0.25	0.03	0.19	0.32
Sarea:WrN	G(Ia)	-0.38	0.03	-0.45	-0.31
Sarea:WrN	P(I)	0.02	0.02	-0.01	0.06
Sarea:WrB	E(I)	0.28	0.03	0.21	0.35
Sarea:WrB	G(Ia)	-0.39	0.03	-0.46	-0.33
Sarea:WrB	P(I)	0.03	0.02	-0.00	0.06
Sarea:WrT	E(I)	0.30	0.03	0.23	0.37
Sarea:WrT	G(Ia)	-0.39	0.03	-0.46	-0.33
Sarea:WrT	P(I)	0.03	0.02	-0.00	0.06
Sarea:Face	E(I)	-0.07	0.05	-0.17	0.03
Sarea:Face	G(Ia)	-0.30	0.02	-0.34	-0.25
Sarea:Face	P(I)	-0.18	0.02	-0.21	-0.15
Sarea:Gfw	E(I)	0.58	0.03	0.53	0.63
Sarea:Gfw	G(Ia)	0.23	0.03	0.17	0.29
Sarea:Gfw	P(I)	0.45	0.01	0.42	0.48
Sarea:Yld	E(I)	0.05	0.04	-0.02	0.12

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Sarea:Yld	G(Ia)	-0.01	0.03	-0.07	0.05
Sarea:Yld	P(I)	0.03	0.02	-0.01	0.06
Sarea:Cww	E(I)	0.58	0.03	0.53	0.63
Sarea:Cww	G(Ia)	0.22	0.03	0.16	0.28
Sarea:Cww	P(I)	0.45	0.01	0.42	0.48
Sarea:Staladj	E(I)	0.23	0.03	0.17	0.29
Sarea:Staladj	G(Ia)	0.12	0.03	0.05	0.18
Sarea:Staladj	P(I)	0.19	0.02	0.16	0.23
Sarea:Gfwadj	E(I)	0.53	0.03	0.48	0.59
Sarea:Gfwadj	G(Ia)	0.23	0.03	0.17	0.29
Sarea:Gfwadj	P(I)	0.42	0.02	0.39	0.45
Sarea:Cwwadj	E(I)	0.54	0.03	0.48	0.59
Sarea:Cwwadj	G(Ia)	0.22	0.03	0.16	0.29
Sarea:Cwwadj	P(I)	0.43	0.02	0.40	0.46
Sarea:Crimp	E(I)	0.20	0.11	-0.01	0.41
Sarea:Crimp	G(Ia)	-0.18	0.03	-0.24	-0.12
Sarea:Crimp	P(I)	-0.05	0.02	-0.10	-0.01
Sarea:Crwvl	E(I)	-0.24	0.07	-0.37	-0.11
Sarea:Crwvl	G(Ia)	0.22	0.04	0.14	0.29
Sarea:Crwvl	P(I)	0.00	0.02	-0.04	0.05
Sarea:Crst	E(I)	0.55	0.07	0.41	0.69
Sarea:Crst	G(Ia)	-0.21	0.04	-0.28	-0.13
Sarea:Crst	P(I)	0.12	0.02	0.08	0.17
Sarea:Crstadj	E(I)	0.47	0.07	0.34	0.59
Sarea:Crstadj	G(Ia)	-0.18	0.04	-0.25	-0.10
Sarea:Crstadj	P(I)	0.12	0.02	0.08	0.17
Sarea:Crwvt	E(I)	-0.41	0.05	-0.51	-0.31
Sarea:Crwvt	G(Ia)	0.21	0.04	0.13	0.29
Sarea:Crwvt	P(I)	-0.13	0.02	-0.18	-0.09
Sarea:Dp	E(I)	0.13	0.07	-0.01	0.27
Sarea:Dp	G(Ia)	-0.26	0.07	-0.40	-0.11
Sarea:Dp	P(I)	-0.03	0.03	-0.09	0.04
Sarea:Ds	E(I)	0.12	0.06	-0.01	0.24
Sarea:Ds	G(Ia)	0.34	0.08	0.18	0.49
Sarea:Ds	P(I)	0.19	0.03	0.13	0.26
Sarea:Dps	E(I)	0.12	0.06	-0.00	0.24
Sarea:Dps	G(Ia)	0.32	0.08	0.16	0.48
Sarea:Dps	P(I)	0.18	0.03	0.12	0.25
Sarea:DpovDs	E(I)	0.06	0.12	-0.18	0.30
Sarea:DpovDs	G(Ia)	-0.40	0.06	-0.51	-0.29
Sarea:DpovDs	P(I)	-0.17	0.03	-0.23	-0.11
Sarea:CVDp	E(I)	-0.04	0.06	-0.16	0.08
Sarea:CVDp	G(Ia)	0.03	0.09	-0.15	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Sarea:CVDp	P(I)	-0.02	0.03	-0.08	0.05
Sarea:CVDs	E(I)	-0.17	0.06	-0.28	-0.05
Sarea:CVDs	G(Ia)	-0.02	0.09	-0.20	0.16
Sarea:CVDs	P(I)	-0.13	0.03	-0.19	-0.06
Sarea:MaxDp	E(I)	0.04	0.07	-0.10	0.18
Sarea:MaxDp	G(Ia)	-0.14	0.07	-0.29	0.00
Sarea:MaxDp	P(I)	-0.03	0.03	-0.09	0.04
Sarea:MinDp	E(I)	0.08	0.05	-0.02	0.18
Sarea:MinDp	G(Ia)	-0.53	0.22	-0.95	-0.10
Sarea:MinDp	P(I)	-0.01	0.03	-0.08	0.05
Sarea:MaxDs	E(I)	-0.00	0.06	-0.13	0.12
Sarea:MaxDs	G(Ia)	0.17	0.12	-0.06	0.40
Sarea:MaxDs	P(I)	0.04	0.03	-0.03	0.11
Sarea:MinDs	E(I)	0.12	0.05	0.02	0.22
Sarea:MinDs	G(Ia)	-0.27	0.20	-0.67	0.13
Sarea:MinDs	P(I)	0.06	0.03	-0.01	0.12
Sarea:SDDp	E(I)	0.04	0.07	-0.09	0.18
Sarea:SDDp	G(Ia)	-0.15	0.07	-0.30	-0.00
Sarea:SDDp	P(I)	-0.03	0.03	-0.09	0.04
Sarea:SDDs	E(I)	-0.10	0.07	-0.22	0.03
Sarea:SDDs	G(Ia)	0.19	0.08	0.03	0.35
Sarea:SDDs	P(I)	0.00	0.03	-0.06	0.07
Sarea:SDD	E(I)	-0.08	0.07	-0.21	0.05
Sarea:SDD	G(Ia)	0.15	0.08	-0.01	0.31
Sarea:SDD	P(I)	0.00	0.03	-0.07	0.07
Sarea:CVD	E(I)	-0.16	0.06	-0.27	-0.04
Sarea:CVD	G(Ia)	-0.04	0.09	-0.22	0.14
Sarea:CVD	P(I)	-0.12	0.03	-0.19	-0.06
Sarea:Gt30Dp	E(I)	0.06	0.07	-0.07	0.20
Sarea:Gt30Dp	G(Ia)	-0.31	0.08	-0.46	-0.16
Sarea:Gt30Dp	P(I)	-0.08	0.03	-0.14	-0.01
Sarea:Gt30Ds	E(I)	-0.05	0.06	-0.17	0.06
Sarea:Gt30Ds	G(Ia)	0.19	0.10	-0.01	0.39
Sarea:Gt30Ds	P(I)	0.01	0.03	-0.05	0.08
Sarea:Gt30D	E(I)	-0.04	0.06	-0.15	0.08
Sarea:Gt30D	G(Ia)	0.07	0.10	-0.12	0.26
Sarea:Gt30D	P(I)	-0.00	0.03	-0.07	0.06
Sarea:Fnu	E(I)	-0.23	0.03	-0.29	-0.17
Sarea:Fnu	G(Ia)	-0.22	0.04	-0.29	-0.14
Sarea:Fnu	P(I)	-0.23	0.02	-0.26	-0.19
Sarea:Fr	E(I)	0.05	0.03	-0.01	0.12
Sarea:Fr	G(Ia)	-0.11	0.04	-0.18	-0.04
Sarea:Fr	P(I)	0.00	0.02	-0.03	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Sarea:Fnt	E(I)	0.21	0.03	0.15	0.27
Sarea:Fnt	G(Ia)	0.27	0.04	0.20	0.34
Sarea:Fnt	P(I)	0.23	0.02	0.19	0.26
Sarea:Sarea	E(I)	1.00	0.00	1.00	1.00
Sarea:Sarea	G(Ia)	1.00	0.00	1.00	1.00
Sarea:Sarea	P(I)	1.00	0.00	1.00	1.00
Sarea:Fd	E(I)	0.19	0.03	0.13	0.26
Sarea:Fd	G(Ia)	0.00	0.04	-0.08	0.08
Sarea:Fd	P(I)	0.14	0.02	0.10	0.17
Sarea:Fc	E(I)	0.24	0.05	0.14	0.34
Sarea:Fc	G(Ia)	-0.13	0.03	-0.18	-0.07
Sarea:Fc	P(I)	0.05	0.02	0.01	0.08
Sarea:Fu	E(I)	0.09	0.04	0.01	0.16
Sarea:Fu	G(Ia)	-0.04	0.04	-0.11	0.03
Sarea:Fu	P(I)	0.04	0.02	-0.00	0.08
Sarea:Colour	E(I)	-0.07	0.03	-0.13	-0.01
Sarea:Colour	G(Ia)	-0.06	0.05	-0.16	0.04
Sarea:Colour	P(I)	-0.07	0.02	-0.10	-0.03
Sarea:Fly	E(I)	-0.04	0.03	-0.09	0.02
Sarea:Fly	G(Ia)	0.24	0.07	0.10	0.38
Sarea:Fly	P(I)	0.02	0.02	-0.02	0.05
Sarea:Flcrot	E(I)	-0.04	0.03	-0.09	0.02
Sarea:Flcrot	G(Ia)	-0.17	0.15	-0.45	0.12
Sarea:Flcrot	P(I)	-0.04	0.02	-0.08	-0.01
Sarea:Bactst	E(I)	-0.11	0.04	-0.18	-0.04
Sarea:Bactst	G(Ia)	0.33	0.13	0.07	0.59
Sarea:Bactst	P(I)	-0.04	0.02	-0.09	0.00
Sarea:MycD	E(I)	-0.07	0.03	-0.14	-0.00
Sarea:MycD	G(Ia)	0.17	0.28	-0.38	0.73
Sarea:MycD	P(I)	-0.05	0.02	-0.09	-0.00
Sarea:Bcts	E(I)	0.02	0.05	-0.08	0.12
Sarea:Bcts	G(Ia)	-0.01	0.03	-0.07	0.05
Sarea:Bcts	P(I)	0.00	0.02	-0.03	0.04
Sarea:Bctb	E(I)	0.06	0.05	-0.04	0.16
Sarea:Bctb	G(Ia)	-0.06	0.03	-0.12	0.00
Sarea:Bctb	P(I)	-0.00	0.02	-0.04	0.04
Sarea:Weanwt	E(I)	0.50	0.03	0.45	0.55
Sarea:Weanwt	G(Ia)	0.73	0.04	0.65	0.80
Sarea:Weanwt	P(I)	0.56	0.01	0.53	0.59
Sarea:NLB	E(I)	-0.13	0.03	-0.18	-0.07
Sarea:NLB	G(Ia)	-0.22	0.04	-0.31	-0.14
Sarea:NLB	P(I)	-0.15	0.02	-0.18	-0.12
Sarea:NLW	E(I)	-0.13	0.03	-0.19	-0.07

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Sarea:NLW	G(Ia)	-0.18	0.05	-0.26	-0.09
Sarea:NLW	P(I)	-0.14	0.02	-0.17	-0.10
Sarea:Fnpua	E(I)	-0.29	0.03	-0.35	-0.23
Sarea:Fnpua	G(Ia)	-0.07	0.04	-0.15	0.01
Sarea:Fnpua	P(I)	-0.22	0.02	-0.25	-0.19
Sarea:Fnsua	E(I)	-0.23	0.03	-0.29	-0.17
Sarea:Fnsua	G(Ia)	-0.22	0.04	-0.29	-0.14
Sarea:Fnsua	P(I)	-0.22	0.02	-0.26	-0.19
Sarea:Fnpnt	E(I)	0.13	0.03	0.07	0.19
Sarea:Fnpnt	G(Ia)	0.41	0.04	0.34	0.49
Sarea:Fnpnt	P(I)	0.22	0.02	0.18	0.25
Sarea:Fnst	E(I)	0.21	0.03	0.15	0.27
Sarea:Fnst	G(Ia)	0.25	0.04	0.18	0.32
Sarea:Fnst	P(I)	0.22	0.02	0.19	0.26
Fd:Stal	E(I)	0.16	0.03	0.10	0.22
Fd:Stal	G(Ia)	0.42	0.05	0.32	0.53
Fd:Stal	P(I)	0.22	0.02	0.18	0.26
Fd:Diam	E(I)	0.06	0.03	-0.01	0.13
Fd:Diam	G(Ia)	0.27	0.05	0.17	0.36
Fd:Diam	P(I)	0.12	0.02	0.08	0.15
Fd:Bwt	E(I)	0.19	0.03	0.12	0.25
Fd:Bwt	G(Ia)	0.01	0.05	-0.08	0.11
Fd:Bwt	P(I)	0.13	0.02	0.10	0.17
Fd:WrN	E(I)	0.16	0.03	0.09	0.22
Fd:WrN	G(Ia)	0.19	0.05	0.09	0.29
Fd:WrN	P(I)	0.16	0.02	0.12	0.20
Fd:WrB	E(I)	0.22	0.03	0.15	0.28
Fd:WrB	G(Ia)	0.13	0.05	0.04	0.23
Fd:WrB	P(I)	0.19	0.02	0.15	0.22
Fd:WrT	E(I)	0.22	0.03	0.16	0.29
Fd:WrT	G(Ia)	0.16	0.05	0.07	0.25
Fd:WrT	P(I)	0.20	0.02	0.16	0.23
Fd:Face	E(I)	-0.12	0.05	-0.22	-0.01
Fd:Face	G(Ia)	-0.13	0.04	-0.20	-0.05
Fd:Face	P(I)	-0.10	0.02	-0.14	-0.06
Fd:Gfw	E(I)	0.17	0.03	0.11	0.23
Fd:Gfw	G(Ia)	0.51	0.05	0.41	0.61
Fd:Gfw	P(I)	0.25	0.02	0.22	0.29
Fd:Yld	E(I)	-0.04	0.04	-0.11	0.03
Fd:Yld	G(Ia)	-0.15	0.05	-0.24	-0.06
Fd:Yld	P(I)	-0.07	0.02	-0.11	-0.03
Fd:Cww	E(I)	0.15	0.03	0.09	0.21
Fd:Cww	G(Ia)	0.43	0.05	0.33	0.53

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fd:Cww	P(I)	0.22	0.02	0.18	0.25
Fd:Staladj	E(I)	0.15	0.03	0.10	0.21
Fd:Staladj	G(Ia)	0.42	0.06	0.32	0.53
Fd:Staladj	P(I)	0.22	0.02	0.18	0.25
Fd:Gfwadj	E(I)	0.15	0.03	0.09	0.21
Fd:Gfwadj	G(Ia)	0.50	0.05	0.40	0.60
Fd:Gfwadj	P(I)	0.24	0.02	0.20	0.27
Fd:Cwwadj	E(I)	0.14	0.03	0.08	0.20
Fd:Cwwadj	G(Ia)	0.43	0.06	0.32	0.54
Fd:Cwwadj	P(I)	0.21	0.02	0.17	0.24
Fd:Crimp	E(I)	-0.23	0.14	-0.50	0.04
Fd:Crimp	G(Ia)	-0.64	0.04	-0.73	-0.56
Fd:Crimp	P(I)	-0.32	0.02	-0.36	-0.27
Fd:Crwvl	E(I)	-0.11	0.07	-0.24	0.02
Fd:Crwvl	G(Ia)	0.61	0.05	0.51	0.71
Fd:Crwvl	P(I)	0.17	0.02	0.12	0.22
Fd:Crst	E(I)	0.27	0.07	0.13	0.40
Fd:Crst	G(Ia)	-0.49	0.05	-0.59	-0.38
Fd:Crst	P(I)	-0.05	0.03	-0.10	-0.01
Fd:Crstadj	E(I)	0.26	0.07	0.13	0.39
Fd:Crstadj	G(Ia)	-0.51	0.05	-0.62	-0.41
Fd:Crstadj	P(I)	-0.06	0.03	-0.11	-0.01
Fd:Crwvt	E(I)	-0.23	0.05	-0.33	-0.12
Fd:Crwvt	G(Ia)	0.43	0.06	0.32	0.54
Fd:Crwvt	P(I)	0.01	0.02	-0.04	0.06
Fd:Dp	E(I)	0.27	0.09	0.08	0.45
Fd:Dp	G(Ia)	0.15	0.13	-0.11	0.41
Fd:Dp	P(I)	0.21	0.04	0.13	0.30
Fd:Ds	E(I)	0.28	0.09	0.11	0.45
Fd:Ds	G(Ia)	0.01	0.10	-0.19	0.22
Fd:Ds	P(I)	0.19	0.04	0.10	0.27
Fd:Dps	E(I)	0.27	0.08	0.11	0.44
Fd:Dps	G(Ia)	0.03	0.13	-0.22	0.29
Fd:Dps	P(I)	0.20	0.04	0.11	0.28
Fd:DpovDs	E(I)	0.11	0.19	-0.27	0.50
Fd:DpovDs	G(Ia)	0.11	0.10	-0.08	0.31
Fd:DpovDs	P(I)	0.08	0.04	-0.00	0.16
Fd:CVDp	E(I)	0.05	0.08	-0.11	0.20
Fd:CVDp	G(Ia)	0.01	0.18	-0.34	0.36
Fd:CVDp	P(I)	0.04	0.05	-0.05	0.13
Fd:CVDs	E(I)	-0.20	0.08	-0.36	-0.03
Fd:CVDs	G(Ia)	0.33	0.20	-0.06	0.71
Fd:CVDs	P(I)	-0.06	0.05	-0.15	0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fd:MaxDp	E(I)	0.16	0.09	-0.01	0.34
Fd:MaxDp	G(Ia)	0.07	0.16	-0.24	0.38
Fd:MaxDp	P(I)	0.14	0.05	0.05	0.22
Fd:MinDp	E(I)	0.11	0.07	-0.03	0.25
Fd:MinDp	G(Ia)	0.16	0.40	-0.62	0.95
Fd:MinDp	P(I)	0.11	0.05	0.02	0.20
Fd:MaxDs	E(I)	0.07	0.07	-0.08	0.21
Fd:MaxDs	G(Ia)	0.26	0.28	-0.28	0.81
Fd:MaxDs	P(I)	0.10	0.05	0.01	0.19
Fd:MinDs	E(I)	0.07	0.07	-0.07	0.21
Fd:MinDs	G(Ia)	-0.27	0.25	-0.76	0.23
Fd:MinDs	P(I)	0.01	0.04	-0.08	0.09
Fd:SDDp	E(I)	0.16	0.08	-0.00	0.32
Fd:SDDp	G(Ia)	0.06	0.18	-0.29	0.40
Fd:SDDp	P(I)	0.13	0.05	0.04	0.22
Fd:SDDs	E(I)	0.04	0.10	-0.15	0.23
Fd:SDDs	G(Ia)	0.27	0.15	-0.02	0.56
Fd:SDDs	P(I)	0.11	0.05	0.02	0.20
Fd:SDD	E(I)	0.06	0.10	-0.13	0.24
Fd:SDD	G(Ia)	0.24	0.15	-0.05	0.53
Fd:SDD	P(I)	0.11	0.05	0.02	0.20
Fd:CVD	E(I)	-0.19	0.09	-0.35	-0.02
Fd:CVD	G(Ia)	0.28	0.19	-0.09	0.65
Fd:CVD	P(I)	-0.06	0.05	-0.15	0.03
Fd:Gt30Dp	E(I)	0.07	0.09	-0.10	0.24
Fd:Gt30Dp	G(Ia)	0.22	0.17	-0.13	0.56
Fd:Gt30Dp	P(I)	0.11	0.05	0.02	0.20
Fd:Gt30Ds	E(I)	0.06	0.09	-0.11	0.24
Fd:Gt30Ds	G(Ia)	0.16	0.16	-0.16	0.47
Fd:Gt30Ds	P(I)	0.09	0.05	-0.00	0.18
Fd:Gt30D	E(I)	0.06	0.09	-0.11	0.24
Fd:Gt30D	G(Ia)	0.21	0.16	-0.11	0.53
Fd:Gt30D	P(I)	0.10	0.05	0.01	0.19
Fd:Fnua	E(I)	0.05	0.03	-0.01	0.11
Fd:Fnua	G(Ia)	-0.16	0.06	-0.27	-0.05
Fd:Fnua	P(I)	-0.00	0.02	-0.04	0.04
Fd:Fr	E(I)	0.09	0.03	0.03	0.15
Fd:Fr	G(Ia)	0.07	0.06	-0.04	0.18
Fd:Fr	P(I)	0.08	0.02	0.05	0.12
Fd:Fnt	E(I)	0.13	0.03	0.07	0.19
Fd:Fnt	G(Ia)	-0.14	0.06	-0.25	-0.03
Fd:Fnt	P(I)	0.06	0.02	0.02	0.10
Fd:Sarea	E(I)	0.19	0.03	0.13	0.26

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fd:Sarea	G(Ia)	0.00	0.04	-0.08	0.08
Fd:Sarea	P(I)	0.14	0.02	0.10	0.17
Fd:Fd	E(I)	1.00	0.00	1.00	1.00
Fd:Fd	G(Ia)	1.00	0.00	1.00	1.00
Fd:Fd	P(I)	1.00	0.00	1.00	1.00
Fd:Fc	E(I)	0.28	0.04	0.20	0.37
Fd:Fc	G(Ia)	-0.12	0.04	-0.21	-0.04
Fd:Fc	P(I)	0.11	0.02	0.08	0.15
Fd:Fu	E(I)	0.29	0.03	0.23	0.35
Fd:Fu	G(Ia)	0.18	0.05	0.08	0.28
Fd:Fu	P(I)	0.25	0.02	0.22	0.29
Fd:Colour	E(I)	-0.00	0.03	-0.06	0.06
Fd:Colour	G(Ia)	-0.02	0.07	-0.16	0.13
Fd:Colour	P(I)	-0.00	0.02	-0.04	0.03
Fd:Fly	E(I)	0.07	0.03	0.01	0.12
Fd:Fly	G(Ia)	-0.29	0.09	-0.47	-0.12
Fd:Fly	P(I)	0.01	0.02	-0.03	0.04
Fd:Flcrot	E(I)	0.00	0.03	-0.05	0.06
Fd:Flcrot	G(Ia)	0.07	0.24	-0.40	0.55
Fd:Flcrot	P(I)	0.01	0.02	-0.03	0.05
Fd:Bactst	E(I)	-0.01	0.04	-0.09	0.07
Fd:Bactst	G(Ia)	-0.34	0.19	-0.72	0.04
Fd:Bactst	P(I)	-0.05	0.03	-0.10	0.00
Fd:MycD	E(I)	-0.01	0.04	-0.09	0.07
Fd:MycD	G(Ia)	0.00	0.24	-0.47	0.48
Fd:MycD	P(I)	-0.01	0.03	-0.06	0.04
Fd:Bcts	E(I)	0.10	0.05	0.01	0.19
Fd:Bcts	G(Ia)	0.02	0.05	-0.07	0.12
Fd:Bcts	P(I)	0.07	0.02	0.03	0.11
Fd:Bctb	E(I)	0.12	0.05	0.03	0.21
Fd:Bctb	G(Ia)	0.01	0.05	-0.08	0.11
Fd:Bctb	P(I)	0.08	0.02	0.03	0.12
Fd:Weanwt	E(I)	-0.05	0.03	-0.11	0.02
Fd:Weanwt	G(Ia)	0.08	0.07	-0.07	0.22
Fd:Weanwt	P(I)	-0.02	0.02	-0.06	0.02
Fd:NLB	E(I)	-0.05	0.03	-0.11	0.01
Fd:NLB	G(Ia)	0.28	0.07	0.14	0.42
Fd:NLB	P(I)	0.01	0.02	-0.02	0.05
Fd:NLW	E(I)	-0.03	0.03	-0.09	0.03
Fd:NLW	G(Ia)	0.21	0.07	0.07	0.35
Fd:NLW	P(I)	0.02	0.02	-0.02	0.06
Fd:Fnpua	E(I)	-0.02	0.03	-0.08	0.03
Fd:Fnpua	G(Ia)	-0.30	0.07	-0.43	-0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fd:Fnpua	P(I)	-0.08	0.02	-0.12	-0.04
Fd:Fnsua	E(I)	0.05	0.03	-0.01	0.11
Fd:Fnsua	G(Ia)	-0.15	0.06	-0.26	-0.04
Fd:Fnsua	P(I)	0.00	0.02	-0.04	0.04
Fd:Fnpt	E(I)	0.05	0.03	-0.01	0.11
Fd:Fnpt	G(Ia)	-0.29	0.06	-0.41	-0.16
Fd:Fnpt	P(I)	-0.03	0.02	-0.06	0.01
Fd:Fnst	E(I)	0.13	0.03	0.07	0.19
Fd:Fnst	G(Ia)	-0.13	0.06	-0.24	-0.02
Fd:Fnst	P(I)	0.06	0.02	0.02	0.10
Fc:Stal	E(I)	0.03	0.05	-0.06	0.13
Fc:Stal	G(Ia)	-0.44	0.03	-0.50	-0.38
Fc:Stal	P(I)	-0.19	0.02	-0.22	-0.15
Fc:Diam	E(I)	0.62	0.05	0.54	0.71
Fc:Diam	G(Ia)	0.13	0.02	0.08	0.18
Fc:Diam	P(I)	0.35	0.02	0.32	0.38
Fc:Bwt	E(I)	0.24	0.05	0.15	0.34
Fc:Bwt	G(Ia)	-0.13	0.03	-0.19	-0.08
Fc:Bwt	P(I)	0.05	0.02	0.01	0.08
Fc:WrN	E(I)	0.17	0.04	0.08	0.25
Fc:WrN	G(Ia)	0.61	0.02	0.56	0.66
Fc:WrN	P(I)	0.38	0.02	0.34	0.41
Fc:WrB	E(I)	0.10	0.05	0.01	0.19
Fc:WrB	G(Ia)	0.73	0.02	0.68	0.77
Fc:WrB	P(I)	0.42	0.02	0.38	0.45
Fc:WrT	E(I)	0.12	0.05	0.03	0.22
Fc:WrT	G(Ia)	0.69	0.02	0.65	0.74
Fc:WrT	P(I)	0.42	0.02	0.39	0.45
Fc:Face	E(I)	-0.44	0.08	-0.60	-0.29
Fc:Face	G(Ia)	0.23	0.02	0.19	0.27
Fc:Face	P(I)	0.02	0.02	-0.01	0.06
Fc:Gfw	E(I)	0.38	0.05	0.29	0.47
Fc:Gfw	G(Ia)	-0.15	0.03	-0.20	-0.09
Fc:Gfw	P(I)	0.11	0.02	0.08	0.15
Fc:Yld	E(I)	-0.28	0.05	-0.37	-0.18
Fc:Yld	G(Ia)	-0.47	0.02	-0.51	-0.42
Fc:Yld	P(I)	-0.38	0.02	-0.41	-0.34
Fc:Cww	E(I)	0.26	0.05	0.16	0.35
Fc:Cww	G(Ia)	-0.38	0.03	-0.43	-0.32
Fc:Cww	P(I)	-0.05	0.02	-0.09	-0.01
Fc:Staladj	E(I)	-0.02	0.05	-0.11	0.07
Fc:Staladj	G(Ia)	-0.40	0.03	-0.46	-0.34
Fc:Staladj	P(I)	-0.19	0.02	-0.22	-0.15

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fc:Gfwadj	E(I)	0.31	0.05	0.22	0.40
Fc:Gfwadj	G(Ia)	-0.11	0.03	-0.17	-0.05
Fc:Gfwadj	P(I)	0.11	0.02	0.07	0.14
Fc:Cwwadj	E(I)	0.20	0.05	0.11	0.29
Fc:Cwwadj	G(Ia)	-0.35	0.03	-0.41	-0.29
Fc:Cwwadj	P(I)	-0.06	0.02	-0.09	-0.02
Fc:Crimp	E(I)	-0.34	0.24	-0.81	0.13
Fc:Crimp	G(Ia)	0.92	0.02	0.88	0.95
Fc:Crimp	P(I)	0.59	0.02	0.55	0.62
Fc:Crwvl	E(I)	0.55	0.10	0.35	0.74
Fc:Crwvl	G(Ia)	-0.93	0.02	-0.98	-0.88
Fc:Crwvl	P(I)	-0.36	0.02	-0.40	-0.32
Fc:Crst	E(I)	-0.69	0.11	-0.90	-0.48
Fc:Crst	G(Ia)	0.89	0.03	0.84	0.94
Fc:Crst	P(I)	0.30	0.02	0.26	0.34
Fc:Crstadj	E(I)	-0.68	0.10	-0.88	-0.48
Fc:Crstadj	G(Ia)	0.88	0.03	0.83	0.93
Fc:Crstadj	P(I)	0.28	0.02	0.23	0.32
Fc:Crwvt	E(I)	0.62	0.08	0.47	0.78
Fc:Crwvt	G(Ia)	-0.87	0.03	-0.93	-0.82
Fc:Crwvt	P(I)	-0.20	0.02	-0.24	-0.16
Fc:Dp	E(I)	0.25	0.11	0.04	0.46
Fc:Dp	G(Ia)	-0.32	0.09	-0.51	-0.14
Fc:Dp	P(I)	-0.02	0.04	-0.10	0.06
Fc:Ds	E(I)	0.03	0.09	-0.15	0.21
Fc:Ds	G(Ia)	0.72	0.09	0.54	0.89
Fc:Ds	P(I)	0.33	0.04	0.26	0.41
Fc:Dps	E(I)	0.05	0.09	-0.13	0.23
Fc:Dps	G(Ia)	0.71	0.09	0.52	0.89
Fc:Dps	P(I)	0.33	0.04	0.25	0.40
Fc:DpovDs	E(I)	0.47	0.26	-0.04	0.97
Fc:DpovDs	G(Ia)	-0.55	0.07	-0.67	-0.42
Fc:DpovDs	P(I)	-0.22	0.04	-0.29	-0.14
Fc:CVDp	E(I)	0.21	0.08	0.05	0.38
Fc:CVDp	G(Ia)	0.11	0.14	-0.17	0.39
Fc:CVDp	P(I)	0.18	0.04	0.09	0.26
Fc:CVDs	E(I)	0.41	0.09	0.23	0.60
Fc:CVDs	G(Ia)	-0.47	0.13	-0.72	-0.22
Fc:CVDs	P(I)	0.08	0.04	-0.01	0.16
Fc:MaxDp	E(I)	0.32	0.10	0.13	0.52
Fc:MaxDp	G(Ia)	-0.34	0.11	-0.57	-0.12
Fc:MaxDp	P(I)	0.05	0.04	-0.03	0.13
Fc:MinDp	E(I)	0.01	0.08	-0.14	0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fc:MinDp	G(Ia)	0.38	0.31	-0.23	1.00
Fc:MinDp	P(I)	0.07	0.04	-0.01	0.15
Fc:MaxDs	E(I)	0.21	0.08	0.05	0.36
Fc:MaxDs	G(Ia)	0.38	0.17	0.05	0.71
Fc:MaxDs	P(I)	0.24	0.04	0.16	0.32
Fc:MinDs	E(I)	0.05	0.08	-0.10	0.21
Fc:MinDs	G(Ia)	0.07	0.15	-0.21	0.36
Fc:MinDs	P(I)	0.06	0.04	-0.02	0.14
Fc:SDDp	E(I)	0.32	0.09	0.15	0.49
Fc:SDDp	G(Ia)	-0.20	0.13	-0.46	0.05
Fc:SDDp	P(I)	0.13	0.04	0.05	0.21
Fc:SDDs	E(I)	0.48	0.10	0.29	0.68
Fc:SDDs	G(Ia)	-0.01	0.16	-0.31	0.30
Fc:SDDs	P(I)	0.26	0.04	0.18	0.34
Fc:SDD	E(I)	0.52	0.10	0.33	0.71
Fc:SDD	G(Ia)	-0.03	0.10	-0.23	0.18
Fc:SDD	P(I)	0.27	0.04	0.19	0.35
Fc:CVD	E(I)	0.44	0.09	0.26	0.63
Fc:CVD	G(Ia)	-0.47	0.13	-0.72	-0.22
Fc:CVD	P(I)	0.09	0.04	0.01	0.18
Fc:Gt30Dp	E(I)	0.30	0.10	0.11	0.48
Fc:Gt30Dp	G(Ia)	-0.29	0.12	-0.53	-0.06
Fc:Gt30Dp	P(I)	0.07	0.04	-0.01	0.15
Fc:Gt30Ds	E(I)	0.23	0.09	0.05	0.42
Fc:Gt30Ds	G(Ia)	0.15	0.10	-0.04	0.34
Fc:Gt30Ds	P(I)	0.20	0.04	0.12	0.28
Fc:Gt30D	E(I)	0.28	0.09	0.10	0.47
Fc:Gt30D	G(Ia)	0.05	0.10	-0.14	0.24
Fc:Gt30D	P(I)	0.19	0.04	0.11	0.27
Fc:Fnu	E(I)	-0.08	0.05	-0.17	0.01
Fc:Fnu	G(Ia)	-0.51	0.03	-0.57	-0.46
Fc:Fnu	P(I)	-0.27	0.02	-0.30	-0.23
Fc:Fr	E(I)	-0.14	0.05	-0.23	-0.05
Fc:Fr	G(Ia)	-0.06	0.03	-0.12	-0.00
Fc:Fr	P(I)	-0.10	0.02	-0.14	-0.06
Fc:Fnt	E(I)	0.01	0.05	-0.08	0.11
Fc:Fnt	G(Ia)	-0.55	0.03	-0.60	-0.49
Fc:Fnt	P(I)	-0.25	0.02	-0.28	-0.21
Fc:Sarea	E(I)	0.24	0.05	0.14	0.34
Fc:Sarea	G(Ia)	-0.13	0.03	-0.18	-0.07
Fc:Sarea	P(I)	0.05	0.02	0.01	0.08
Fc:Fd	E(I)	0.28	0.04	0.20	0.37
Fc:Fd	G(Ia)	-0.12	0.04	-0.21	-0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fc:Fd	P(I)	0.11	0.02	0.08	0.15
Fc:Fc	E(I)	1.00	0.00	1.00	1.00
Fc:Fc	G(Ia)	1.00	0.00	1.00	1.00
Fc:Fc	P(I)	1.00	0.00	1.00	1.00
Fc:Fu	E(I)	0.67	0.03	0.61	0.73
Fc:Fu	G(Ia)	0.82	0.02	0.79	0.85
Fc:Fu	P(I)	0.72	0.01	0.69	0.74
Fc:Colour	E(I)	0.12	0.04	0.04	0.21
Fc:Colour	G(Ia)	-0.14	0.05	-0.24	-0.04
Fc:Colour	P(I)	0.03	0.02	-0.01	0.07
Fc:Fly	E(I)	-0.11	0.04	-0.19	-0.02
Fc:Fly	G(Ia)	0.38	0.06	0.26	0.51
Fc:Fly	P(I)	0.04	0.02	-0.00	0.08
Fc:Flcrot	E(I)	0.08	0.04	-0.00	0.16
Fc:Flcrot	G(Ia)	-0.62	0.30	-1.22	-0.03
Fc:Flcrot	P(I)	-0.01	0.02	-0.05	0.02
Fc:Bactst	E(I)	0.00	0.05	-0.10	0.11
Fc:Bactst	G(Ia)	-0.29	0.12	-0.52	-0.05
Fc:Bactst	P(I)	-0.05	0.03	-0.11	-0.00
Fc:MycD	E(I)	-0.07	0.05	-0.17	0.03
Fc:MycD	G(Ia)	0.23	0.14	-0.03	0.50
Fc:MycD	P(I)	-0.00	0.03	-0.06	0.05
Fc:Bcts	E(I)	0.16	0.06	0.04	0.27
Fc:Bcts	G(Ia)	-0.01	0.03	-0.07	0.05
Fc:Bcts	P(I)	0.06	0.02	0.02	0.10
Fc:Bctb	E(I)	0.18	0.06	0.06	0.30
Fc:Bctb	G(Ia)	-0.02	0.03	-0.08	0.04
Fc:Bctb	P(I)	0.07	0.02	0.03	0.11
Fc:Weanwt	E(I)	-0.17	0.05	-0.26	-0.08
Fc:Weanwt	G(Ia)	0.21	0.04	0.13	0.30
Fc:Weanwt	P(I)	-0.01	0.02	-0.06	0.03
Fc:NLB	E(I)	0.00	0.04	-0.08	0.09
Fc:NLB	G(Ia)	0.03	0.04	-0.05	0.10
Fc:NLB	P(I)	0.01	0.02	-0.03	0.05
Fc:NLW	E(I)	-0.00	0.04	-0.08	0.08
Fc:NLW	G(Ia)	-0.07	0.04	-0.15	-0.00
Fc:NLW	P(I)	-0.03	0.02	-0.07	0.01
Fc:Fnpua	E(I)	0.03	0.04	-0.06	0.11
Fc:Fnpua	G(Ia)	-0.44	0.04	-0.52	-0.37
Fc:Fnpua	P(I)	-0.15	0.02	-0.19	-0.11
Fc:Fnsua	E(I)	-0.09	0.05	-0.17	0.00
Fc:Fnsua	G(Ia)	-0.50	0.03	-0.56	-0.45
Fc:Fnsua	P(I)	-0.27	0.02	-0.30	-0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fc:Fnpt	E(I)	0.12	0.05	0.03	0.21
Fc:Fnpt	G(Ia)	-0.47	0.03	-0.53	-0.40
Fc:Fnpt	P(I)	-0.13	0.02	-0.16	-0.09
Fc:Fnst	E(I)	0.01	0.05	-0.09	0.11
Fc:Fnst	G(Ia)	-0.54	0.03	-0.59	-0.48
Fc:Fnst	P(I)	-0.25	0.02	-0.28	-0.21
Fu:Stal	E(I)	-0.06	0.04	-0.13	0.01
Fu:Stal	G(Ia)	-0.36	0.04	-0.44	-0.29
Fu:Stal	P(I)	-0.17	0.02	-0.20	-0.13
Fu:Diam	E(I)	0.38	0.04	0.31	0.45
Fu:Diam	G(Ia)	0.25	0.03	0.19	0.31
Fu:Diam	P(I)	0.33	0.02	0.30	0.36
Fu:Bwt	E(I)	0.08	0.04	0.01	0.16
Fu:Bwt	G(Ia)	-0.04	0.04	-0.11	0.03
Fu:Bwt	P(I)	0.03	0.02	-0.00	0.07
Fu:WrN	E(I)	0.22	0.03	0.15	0.28
Fu:WrN	G(Ia)	0.63	0.03	0.56	0.69
Fu:WrN	P(I)	0.37	0.02	0.33	0.40
Fu:WrB	E(I)	0.19	0.04	0.12	0.26
Fu:WrB	G(Ia)	0.70	0.03	0.64	0.76
Fu:WrB	P(I)	0.39	0.02	0.36	0.42
Fu:WrT	E(I)	0.21	0.04	0.14	0.28
Fu:WrT	G(Ia)	0.68	0.03	0.63	0.74
Fu:WrT	P(I)	0.40	0.02	0.36	0.43
Fu:Face	E(I)	-0.06	0.06	-0.18	0.05
Fu:Face	G(Ia)	0.03	0.03	-0.02	0.08
Fu:Face	P(I)	-0.01	0.02	-0.05	0.03
Fu:Gfw	E(I)	0.25	0.04	0.18	0.32
Fu:Gfw	G(Ia)	-0.00	0.04	-0.08	0.07
Fu:Gfw	P(I)	0.16	0.02	0.12	0.19
Fu:Yld	E(I)	-0.26	0.04	-0.33	-0.19
Fu:Yld	G(Ia)	-0.43	0.03	-0.49	-0.37
Fu:Yld	P(I)	-0.33	0.02	-0.37	-0.30
Fu:Cww	E(I)	0.14	0.04	0.07	0.21
Fu:Cww	G(Ia)	-0.23	0.04	-0.30	-0.15
Fu:Cww	P(I)	0.01	0.02	-0.03	0.05
Fu:Staladj	E(I)	-0.09	0.03	-0.16	-0.02
Fu:Staladj	G(Ia)	-0.33	0.04	-0.41	-0.25
Fu:Staladj	P(I)	-0.17	0.02	-0.21	-0.13
Fu:Gfwadj	E(I)	0.20	0.04	0.13	0.27
Fu:Gfwadj	G(Ia)	0.03	0.04	-0.04	0.11
Fu:Gfwadj	P(I)	0.14	0.02	0.11	0.18
Fu:Cwwadj	E(I)	0.11	0.04	0.04	0.18

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fu:Cwwadj	G(Ia)	-0.21	0.04	-0.29	-0.12
Fu:Cwwadj	P(I)	0.00	0.02	-0.04	0.04
Fu:Crimp	E(I)	-0.30	0.21	-0.71	0.10
Fu:Crimp	G(Ia)	0.54	0.03	0.47	0.60
Fu:Crimp	P(I)	0.24	0.02	0.19	0.28
Fu:Crwvl	E(I)	0.20	0.08	0.04	0.36
Fu:Crwvl	G(Ia)	-0.58	0.04	-0.66	-0.50
Fu:Crwvl	P(I)	-0.19	0.03	-0.24	-0.13
Fu:Crst	E(I)	-0.23	0.08	-0.39	-0.07
Fu:Crst	G(Ia)	0.44	0.04	0.36	0.53
Fu:Crst	P(I)	0.11	0.03	0.06	0.17
Fu:Crstadj	E(I)	-0.25	0.08	-0.40	-0.09
Fu:Crstadj	G(Ia)	0.45	0.04	0.37	0.54
Fu:Crstadj	P(I)	0.10	0.03	0.05	0.16
Fu:Crwvt	E(I)	0.22	0.06	0.10	0.35
Fu:Crwvt	G(Ia)	-0.46	0.05	-0.55	-0.36
Fu:Crwvt	P(I)	-0.08	0.03	-0.13	-0.02
Fu:Dp	E(I)	0.30	0.11	0.08	0.51
Fu:Dp	G(Ia)	-0.37	0.09	-0.55	-0.18
Fu:Dp	P(I)	-0.02	0.04	-0.10	0.06
Fu:Ds	E(I)	0.07	0.10	-0.12	0.26
Fu:Ds	G(Ia)	0.67	0.09	0.50	0.84
Fu:Ds	P(I)	0.34	0.04	0.26	0.41
Fu:Dps	E(I)	0.08	0.10	-0.10	0.27
Fu:Dps	G(Ia)	0.65	0.09	0.47	0.83
Fu:Dps	P(I)	0.33	0.04	0.25	0.41
Fu:DpovDs	E(I)	0.53	0.27	-0.01	1.06
Fu:DpovDs	G(Ia)	-0.57	0.07	-0.70	-0.44
Fu:DpovDs	P(I)	-0.23	0.04	-0.30	-0.15
Fu:CVDp	E(I)	0.07	0.09	-0.10	0.24
Fu:CVDp	G(Ia)	0.30	0.15	0.01	0.60
Fu:CVDp	P(I)	0.14	0.04	0.05	0.22
Fu:CVDs	E(I)	0.33	0.10	0.15	0.52
Fu:CVDs	G(Ia)	-0.41	0.12	-0.65	-0.17
Fu:CVDs	P(I)	0.05	0.04	-0.04	0.13
Fu:MaxDp	E(I)	0.29	0.10	0.10	0.49
Fu:MaxDp	G(Ia)	-0.30	0.11	-0.52	-0.08
Fu:MaxDp	P(I)	0.05	0.04	-0.04	0.13
Fu:MinDp	E(I)	0.09	0.08	-0.07	0.24
Fu:MinDp	G(Ia)	0.14	0.27	-0.39	0.67
Fu:MinDp	P(I)	0.09	0.04	0.00	0.17
Fu:MaxDs	E(I)	0.24	0.08	0.09	0.40
Fu:MaxDs	G(Ia)	0.33	0.16	0.01	0.65

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fu:MaxDs	P(I)	0.25	0.04	0.17	0.33
Fu:MinDs	E(I)	0.08	0.08	-0.08	0.24
Fu:MinDs	G(Ia)	0.08	0.15	-0.20	0.36
Fu:MinDs	P(I)	0.08	0.04	-0.00	0.16
Fu:SDDp	E(I)	0.22	0.09	0.04	0.40
Fu:SDDp	G(Ia)	-0.13	0.13	-0.37	0.12
Fu:SDDp	P(I)	0.09	0.04	0.01	0.18
Fu:SDDs	E(I)	0.42	0.10	0.22	0.62
Fu:SDDs	G(Ia)	0.03	0.09	-0.13	0.20
Fu:SDDs	P(I)	0.24	0.04	0.16	0.32
Fu:SDD	E(I)	0.44	0.10	0.25	0.64
Fu:SDD	G(Ia)	0.03	0.08	-0.14	0.19
Fu:SDD	P(I)	0.25	0.04	0.17	0.33
Fu:CVD	E(I)	0.35	0.10	0.16	0.54
Fu:CVD	G(Ia)	-0.39	0.12	-0.63	-0.16
Fu:CVD	P(I)	0.06	0.04	-0.03	0.14
Fu:Gt30Dp	E(I)	0.30	0.10	0.10	0.49
Fu:Gt30Dp	G(Ia)	-0.30	0.12	-0.53	-0.07
Fu:Gt30Dp	P(I)	0.06	0.04	-0.03	0.15
Fu:Gt30Ds	E(I)	0.23	0.10	0.04	0.42
Fu:Gt30Ds	G(Ia)	0.20	0.10	0.01	0.38
Fu:Gt30Ds	P(I)	0.22	0.04	0.14	0.30
Fu:Gt30D	E(I)	0.28	0.09	0.09	0.46
Fu:Gt30D	G(Ia)	0.10	0.10	-0.09	0.29
Fu:Gt30D	P(I)	0.20	0.04	0.12	0.28
Fu:Fnuu	E(I)	-0.08	0.03	-0.14	-0.01
Fu:Fnuu	G(Ia)	-0.38	0.04	-0.46	-0.30
Fu:Fnuu	P(I)	-0.18	0.02	-0.21	-0.14
Fu:Fr	E(I)	-0.11	0.04	-0.18	-0.04
Fu:Fr	G(Ia)	0.06	0.04	-0.02	0.14
Fu:Fr	P(I)	-0.05	0.02	-0.09	-0.02
Fu:Fnt	E(I)	-0.05	0.04	-0.12	0.02
Fu:Fnt	G(Ia)	-0.37	0.04	-0.45	-0.30
Fu:Fnt	P(I)	-0.16	0.02	-0.20	-0.13
Fu:Sarea	E(I)	0.09	0.04	0.01	0.16
Fu:Sarea	G(Ia)	-0.04	0.04	-0.11	0.03
Fu:Sarea	P(I)	0.04	0.02	-0.00	0.08
Fu:Fd	E(I)	0.29	0.03	0.23	0.35
Fu:Fd	G(Ia)	0.18	0.05	0.08	0.28
Fu:Fd	P(I)	0.25	0.02	0.22	0.29
Fu:Fc	E(I)	0.67	0.03	0.61	0.73
Fu:Fc	G(Ia)	0.82	0.02	0.79	0.85
Fu:Fc	P(I)	0.72	0.01	0.69	0.74

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fu:Fu	E(I)	1.00	0.00	1.00	1.00
Fu:Fu	G(Ia)	1.00	0.00	1.00	1.00
Fu:Fu	P(I)	1.00	0.00	1.00	1.00
Fu:Colour	E(I)	0.06	0.03	-0.01	0.12
Fu:Colour	G(Ia)	-0.06	0.07	-0.19	0.07
Fu:Colour	P(I)	0.03	0.02	-0.01	0.07
Fu:Fly	E(I)	-0.07	0.03	-0.14	-0.01
Fu:Fly	G(Ia)	0.30	0.08	0.14	0.46
Fu:Fly	P(I)	0.00	0.02	-0.04	0.04
Fu:Flcrot	E(I)	0.03	0.03	-0.03	0.09
Fu:Flcrot	G(Ia)	-0.14	0.22	-0.58	0.30
Fu:Flcrot	P(I)	0.01	0.02	-0.03	0.05
Fu:Bactst	E(I)	0.06	0.05	-0.04	0.15
Fu:Bactst	G(Ia)	-0.43	0.14	-0.71	-0.16
Fu:Bactst	P(I)	-0.04	0.03	-0.09	0.01
Fu:MycD	E(I)	-0.06	0.05	-0.15	0.04
Fu:MycD	G(Ia)	0.19	0.15	-0.10	0.48
Fu:MycD	P(I)	-0.01	0.03	-0.06	0.04
Fu:Bcts	E(I)	0.15	0.05	0.05	0.25
Fu:Bcts	G(Ia)	0.05	0.04	-0.02	0.12
Fu:Bcts	P(I)	0.10	0.02	0.06	0.14
Fu:Bctb	E(I)	0.15	0.05	0.05	0.25
Fu:Bctb	G(Ia)	0.06	0.03	-0.01	0.13
Fu:Bctb	P(I)	0.11	0.02	0.06	0.15
Fu:Weanwt	E(I)	-0.11	0.04	-0.19	-0.03
Fu:Weanwt	G(Ia)	0.16	0.05	0.06	0.26
Fu:Weanwt	P(I)	-0.02	0.02	-0.06	0.02
Fu:NLB	E(I)	-0.06	0.03	-0.13	0.00
Fu:NLB	G(Ia)	0.17	0.05	0.07	0.27
Fu:NLB	P(I)	0.00	0.02	-0.04	0.04
Fu:NLW	E(I)	-0.05	0.03	-0.12	0.01
Fu:NLW	G(Ia)	0.07	0.05	-0.03	0.16
Fu:NLW	P(I)	-0.02	0.02	-0.06	0.02
Fu:Fnpua	E(I)	0.02	0.03	-0.05	0.08
Fu:Fnpua	G(Ia)	-0.42	0.05	-0.52	-0.32
Fu:Fnpua	P(I)	-0.10	0.02	-0.14	-0.07
Fu:Fnsua	E(I)	-0.08	0.03	-0.15	-0.01
Fu:Fnsua	G(Ia)	-0.37	0.04	-0.45	-0.29
Fu:Fnsua	P(I)	-0.18	0.02	-0.21	-0.14
Fu:Fnpnt	E(I)	0.05	0.03	-0.02	0.12
Fu:Fnpnt	G(Ia)	-0.41	0.05	-0.50	-0.32
Fu:Fnpnt	P(I)	-0.09	0.02	-0.13	-0.05
Fu:Fnst	E(I)	-0.05	0.04	-0.12	0.02

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fu:Fnst	G(Ia)	-0.37	0.04	-0.44	-0.29
Fu:Fnst	P(I)	-0.16	0.02	-0.20	-0.12
Colour:Stal	E(I)	-0.10	0.03	-0.16	-0.05
Colour:Stal	G(Ia)	0.02	0.05	-0.07	0.11
Colour:Stal	P(I)	-0.07	0.02	-0.10	-0.04
Colour:Diam	E(I)	0.03	0.03	-0.03	0.09
Colour:Diam	G(Ia)	0.00	0.04	-0.08	0.08
Colour:Diam	P(I)	0.02	0.02	-0.01	0.05
Colour:Bwt	E(I)	-0.08	0.03	-0.13	-0.03
Colour:Bwt	G(Ia)	-0.09	0.05	-0.18	0.00
Colour:Bwt	P(I)	-0.08	0.02	-0.11	-0.05
Colour:WrN	E(I)	0.08	0.03	0.02	0.13
Colour:WrN	G(Ia)	-0.08	0.04	-0.16	0.01
Colour:WrN	P(I)	0.03	0.02	-0.00	0.07
Colour:WrB	E(I)	0.07	0.03	0.01	0.13
Colour:WrB	G(Ia)	-0.09	0.04	-0.18	-0.01
Colour:WrB	P(I)	0.02	0.02	-0.01	0.06
Colour:WrT	E(I)	0.08	0.03	0.02	0.14
Colour:WrT	G(Ia)	-0.09	0.04	-0.17	-0.01
Colour:WrT	P(I)	0.03	0.02	-0.00	0.06
Colour:Face	E(I)	0.15	0.04	0.07	0.23
Colour:Face	G(Ia)	0.19	0.03	0.13	0.26
Colour:Face	P(I)	0.14	0.02	0.11	0.17
Colour:Gfw	E(I)	-0.03	0.03	-0.08	0.03
Colour:Gfw	G(Ia)	0.24	0.04	0.15	0.32
Colour:Gfw	P(I)	0.04	0.02	0.01	0.07
Colour:Yld	E(I)	-0.09	0.03	-0.14	-0.03
Colour:Yld	G(Ia)	-0.29	0.04	-0.37	-0.21
Colour:Yld	P(I)	-0.14	0.02	-0.17	-0.11
Colour:Cww	E(I)	-0.06	0.03	-0.12	-0.01
Colour:Cww	G(Ia)	0.11	0.05	0.02	0.20
Colour:Cww	P(I)	-0.02	0.02	-0.05	0.01
Colour:Staladj	E(I)	-0.12	0.03	-0.17	-0.06
Colour:Staladj	G(Ia)	0.02	0.05	-0.07	0.12
Colour:Staladj	P(I)	-0.08	0.02	-0.11	-0.04
Colour:Gfwadj	E(I)	-0.03	0.03	-0.08	0.03
Colour:Gfwadj	G(Ia)	0.24	0.05	0.15	0.33
Colour:Gfwadj	P(I)	0.04	0.02	0.01	0.08
Colour:Cwwadj	E(I)	-0.06	0.03	-0.12	-0.01
Colour:Cwwadj	G(Ia)	0.11	0.05	0.02	0.21
Colour:Cwwadj	P(I)	-0.02	0.02	-0.05	0.01
Colour:Crimp	E(I)	0.17	0.19	-0.20	0.53
Colour:Crimp	G(Ia)	-0.33	0.07	-0.46	-0.19

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Colour:Crimp	P(I)	-0.06	0.02	-0.10	-0.02
Colour:Crwvl	E(I)	-0.03	0.05	-0.13	0.07
Colour:Crwvl	G(Ia)	0.25	0.08	0.09	0.42
Colour:Crwvl	P(I)	0.04	0.02	-0.00	0.09
Colour:Crst	E(I)	-0.02	0.05	-0.13	0.09
Colour:Crst	G(Ia)	-0.33	0.08	-0.49	-0.17
Colour:Crst	P(I)	-0.09	0.02	-0.13	-0.04
Colour:Crstadj	E(I)	-0.04	0.05	-0.14	0.06
Colour:Crstadj	G(Ia)	-0.35	0.08	-0.52	-0.18
Colour:Crstadj	P(I)	-0.10	0.02	-0.15	-0.06
Colour:Crwvt	E(I)	0.04	0.04	-0.03	0.12
Colour:Crwvt	G(Ia)	0.29	0.09	0.10	0.47
Colour:Crwvt	P(I)	0.09	0.02	0.04	0.13
Colour:Dp	E(I)	-0.14	0.07	-0.28	-0.00
Colour:Dp	G(Ia)	0.56	0.07	0.42	0.70
Colour:Dp	P(I)	0.13	0.03	0.07	0.19
Colour:Ds	E(I)	0.08	0.06	-0.04	0.21
Colour:Ds	G(Ia)	-0.17	0.08	-0.33	-0.02
Colour:Ds	P(I)	-0.00	0.03	-0.07	0.06
Colour:Dps	E(I)	0.07	0.06	-0.05	0.19
Colour:Dps	G(Ia)	-0.13	0.08	-0.29	0.04
Colour:Dps	P(I)	0.01	0.03	-0.06	0.07
Colour:DpovDs	E(I)	-0.36	0.12	-0.60	-0.11
Colour:DpovDs	G(Ia)	0.53	0.06	0.42	0.65
Colour:DpovDs	P(I)	0.13	0.03	0.06	0.19
Colour:CVDp	E(I)	-0.08	0.06	-0.20	0.03
Colour:CVDp	G(Ia)	0.25	0.09	0.07	0.42
Colour:CVDp	P(I)	0.02	0.03	-0.05	0.08
Colour:CVDs	E(I)	-0.10	0.06	-0.22	0.01
Colour:CVDs	G(Ia)	0.73	0.10	0.54	0.93
Colour:CVDs	P(I)	0.14	0.03	0.07	0.20
Colour:MaxDp	E(I)	-0.19	0.07	-0.33	-0.05
Colour:MaxDp	G(Ia)	0.58	0.08	0.43	0.73
Colour:MaxDp	P(I)	0.10	0.03	0.04	0.17
Colour:MinDp	E(I)	0.01	0.05	-0.08	0.11
Colour:MinDp	G(Ia)	0.46	0.24	-0.02	0.94
Colour:MinDp	P(I)	0.07	0.03	0.00	0.13
Colour:MaxDs	E(I)	-0.02	0.06	-0.13	0.09
Colour:MaxDs	G(Ia)	0.33	0.12	0.10	0.55
Colour:MaxDs	P(I)	0.06	0.03	-0.00	0.13
Colour:MinDs	E(I)	0.06	0.05	-0.04	0.16
Colour:MinDs	G(Ia)	-0.58	0.24	-1.06	-0.11
Colour:MinDs	P(I)	-0.03	0.03	-0.10	0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Colour:SDDp	E(I)	-0.15	0.07	-0.29	-0.02
Colour:SDDp	G(Ia)	0.52	0.08	0.37	0.66
Colour:SDDp	P(I)	0.10	0.03	0.04	0.17
Colour:SDDs	E(I)	-0.05	0.06	-0.18	0.08
Colour:SDDs	G(Ia)	0.51	0.08	0.35	0.67
Colour:SDDs	P(I)	0.14	0.03	0.08	0.20
Colour:SDD	E(I)	-0.07	0.07	-0.20	0.06
Colour:SDD	G(Ia)	0.56	0.08	0.41	0.72
Colour:SDD	P(I)	0.15	0.03	0.09	0.22
Colour:CVD	E(I)	-0.11	0.06	-0.23	0.01
Colour:CVD	G(Ia)	0.74	0.10	0.55	0.93
Colour:CVD	P(I)	0.14	0.03	0.08	0.20
Colour:Gt30Dp	E(I)	-0.12	0.07	-0.25	0.02
Colour:Gt30Dp	G(Ia)	0.58	0.08	0.43	0.73
Colour:Gt30Dp	P(I)	0.14	0.03	0.08	0.21
Colour:Gt30Ds	E(I)	0.00	0.04	-0.08	0.09
Colour:Gt30Ds	G(Ia)	0.37	0.10	0.18	0.56
Colour:Gt30Ds	P(I)	0.11	0.03	0.04	0.17
Colour:Gt30D	E(I)	-0.02	0.06	-0.14	0.10
Colour:Gt30D	G(Ia)	0.50	0.09	0.32	0.68
Colour:Gt30D	P(I)	0.13	0.03	0.07	0.19
Colour:Fnuu	E(I)	-0.02	0.03	-0.08	0.03
Colour:Fnuu	G(Ia)	0.23	0.06	0.12	0.34
Colour:Fnuu	P(I)	0.03	0.02	-0.00	0.07
Colour:Fr	E(I)	-0.06	0.03	-0.12	-0.00
Colour:Fr	G(Ia)	0.18	0.06	0.07	0.29
Colour:Fr	P(I)	-0.00	0.02	-0.04	0.03
Colour:Fnt	E(I)	-0.06	0.03	-0.12	-0.00
Colour:Fnt	G(Ia)	0.18	0.05	0.07	0.29
Colour:Fnt	P(I)	-0.00	0.02	-0.04	0.03
Colour:Sarea	E(I)	-0.07	0.03	-0.13	-0.01
Colour:Sarea	G(Ia)	-0.06	0.05	-0.16	0.04
Colour:Sarea	P(I)	-0.07	0.02	-0.10	-0.03
Colour:Fd	E(I)	-0.00	0.03	-0.06	0.06
Colour:Fd	G(Ia)	-0.02	0.07	-0.16	0.13
Colour:Fd	P(I)	-0.00	0.02	-0.04	0.03
Colour:Fc	E(I)	0.12	0.04	0.04	0.21
Colour:Fc	G(Ia)	-0.14	0.05	-0.24	-0.04
Colour:Fc	P(I)	0.03	0.02	-0.01	0.07
Colour:Fu	E(I)	0.06	0.03	-0.01	0.12
Colour:Fu	G(Ia)	-0.06	0.07	-0.19	0.07
Colour:Fu	P(I)	0.03	0.02	-0.01	0.07
Colour:Colour	E(I)	1.00	0.00	1.00	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Colour:Colour	G(Ia)	1.00	0.00	1.00	1.00
Colour:Colour	P(I)	1.00	0.00	1.00	1.00
Colour:Fly	E(I)	-0.12	0.02	-0.17	-0.08
Colour:Fly	G(Ia)	-0.09	0.09	-0.27	0.09
Colour:Fly	P(I)	-0.12	0.02	-0.15	-0.09
Colour:Flcrot	E(I)	0.03	0.02	-0.02	0.07
Colour:Flcrot	G(Ia)	0.54	0.19	0.18	0.90
Colour:Flcrot	P(I)	0.06	0.02	0.03	0.10
Colour:Bactst	E(I)	0.19	0.03	0.13	0.24
Colour:Bactst	G(Ia)	0.30	0.13	0.04	0.56
Colour:Bactst	P(I)	0.20	0.02	0.16	0.23
Colour:MycD	E(I)	0.19	0.03	0.13	0.24
Colour:MycD	G(Ia)	0.29	0.16	-0.03	0.61
Colour:MycD	P(I)	0.19	0.02	0.15	0.23
Colour:Bets	E(I)	-0.29	0.06	-0.40	-0.17
Colour:Bets	G(Ia)	0.37	0.04	0.30	0.44
Colour:Bets	P(I)	0.03	0.02	-0.00	0.07
Colour:Bctb	E(I)	-0.28	0.05	-0.38	-0.17
Colour:Bctb	G(Ia)	0.38	0.04	0.31	0.45
Colour:Bctb	P(I)	0.03	0.02	-0.00	0.07
Colour:Weanwt	E(I)	-0.02	0.03	-0.07	0.04
Colour:Weanwt	G(Ia)	-0.17	0.06	-0.29	-0.05
Colour:Weanwt	P(I)	-0.05	0.02	-0.09	-0.02
Colour:NLB	E(I)	-0.01	0.02	-0.06	0.04
Colour:NLB	G(Ia)	0.15	0.06	0.03	0.27
Colour:NLB	P(I)	0.02	0.02	-0.01	0.05
Colour:NLW	E(I)	-0.03	0.03	-0.08	0.02
Colour:NLW	G(Ia)	0.22	0.06	0.10	0.34
Colour:NLW	P(I)	0.02	0.02	-0.02	0.05
Colour:Fnpua	E(I)	0.01	0.03	-0.04	0.06
Colour:Fnpua	G(Ia)	0.03	0.06	-0.09	0.15
Colour:Fnpua	P(I)	0.01	0.02	-0.02	0.05
Colour:Fnsua	E(I)	-0.02	0.03	-0.08	0.03
Colour:Fnsua	G(Ia)	0.23	0.06	0.12	0.34
Colour:Fnsua	P(I)	0.03	0.02	-0.00	0.07
Colour:Fnppt	E(I)	-0.01	0.03	-0.07	0.04
Colour:Fnppt	G(Ia)	-0.01	0.06	-0.13	0.10
Colour:Fnppt	P(I)	-0.01	0.02	-0.05	0.02
Colour:Fnst	E(I)	-0.06	0.03	-0.12	-0.00
Colour:Fnst	G(Ia)	0.19	0.05	0.08	0.29
Colour:Fnst	P(I)	-0.00	0.02	-0.04	0.03
Fly:Stal	E(I)	0.13	0.03	0.08	0.18
Fly:Stal	G(Ia)	-0.52	0.07	-0.66	-0.38

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fly:Stal	P(I)	-0.00	0.02	-0.03	0.03
Fly:Diam	E(I)	0.05	0.03	-0.00	0.11
Fly:Diam	G(Ia)	-0.31	0.06	-0.43	-0.19
Fly:Diam	P(I)	-0.03	0.02	-0.06	0.01
Fly:Bwt	E(I)	-0.03	0.03	-0.08	0.03
Fly:Bwt	G(Ia)	0.22	0.07	0.10	0.35
Fly:Bwt	P(I)	0.02	0.02	-0.01	0.05
Fly:WrN	E(I)	0.04	0.03	-0.02	0.09
Fly:WrN	G(Ia)	-0.02	0.06	-0.15	0.10
Fly:WrN	P(I)	0.02	0.02	-0.01	0.06
Fly:WrB	E(I)	0.02	0.03	-0.04	0.07
Fly:WrB	G(Ia)	0.10	0.06	-0.02	0.23
Fly:WrB	P(I)	0.03	0.02	-0.00	0.07
Fly:WrT	E(I)	0.03	0.03	-0.03	0.09
Fly:WrT	G(Ia)	0.04	0.06	-0.07	0.16
Fly:WrT	P(I)	0.03	0.02	-0.00	0.06
Fly:Face	E(I)	-0.12	0.04	-0.20	-0.04
Fly:Face	G(Ia)	0.30	0.05	0.20	0.41
Fly:Face	P(I)	0.01	0.02	-0.02	0.04
Fly:Gfw	E(I)	0.09	0.03	0.03	0.14
Fly:Gfw	G(Ia)	-0.36	0.07	-0.49	-0.23
Fly:Gfw	P(I)	-0.00	0.02	-0.04	0.03
Fly:Yld	E(I)	0.01	0.03	-0.05	0.06
Fly:Yld	G(Ia)	0.00	0.05	-0.10	0.11
Fly:Yld	P(I)	0.00	0.02	-0.03	0.04
Fly:Cww	E(I)	0.08	0.03	0.03	0.14
Fly:Cww	G(Ia)	-0.36	0.07	-0.49	-0.22
Fly:Cww	P(I)	-0.00	0.02	-0.03	0.03
Fly:Staladj	E(I)	0.11	0.03	0.05	0.16
Fly:Staladj	G(Ia)	-0.46	0.07	-0.60	-0.32
Fly:Staladj	P(I)	-0.00	0.02	-0.04	0.03
Fly:Gfwadj	E(I)	0.07	0.03	0.02	0.12
Fly:Gfwadj	G(Ia)	-0.31	0.07	-0.44	-0.18
Fly:Gfwadj	P(I)	-0.00	0.02	-0.04	0.03
Fly:Cwwadj	E(I)	0.07	0.03	0.01	0.12
Fly:Cwwadj	G(Ia)	-0.31	0.07	-0.45	-0.17
Fly:Cwwadj	P(I)	-0.00	0.02	-0.04	0.03
Fly:Crimp	E(I)	-0.86	0.36	-1.56	-0.15
Fly:Crimp	G(Ia)	0.71	0.07	0.57	0.85
Fly:Crimp	P(I)	0.10	0.02	0.06	0.14
Fly:Crwvl	E(I)	0.22	0.05	0.12	0.33
Fly:Crwvl	G(Ia)	-0.64	0.08	-0.79	-0.48
Fly:Crwvl	P(I)	-0.06	0.02	-0.10	-0.01

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fly:Crst	E(I)	-0.15	0.06	-0.26	-0.04
Fly:Crst	G(Ia)	0.51	0.07	0.37	0.66
Fly:Crst	P(I)	0.07	0.02	0.03	0.12
Fly:Crstadj	E(I)	-0.15	0.05	-0.26	-0.04
Fly:Crstadj	G(Ia)	0.54	0.07	0.39	0.68
Fly:Crstadj	P(I)	0.07	0.02	0.03	0.11
Fly:Crwvt	E(I)	0.09	0.04	0.01	0.17
Fly:Crwvt	G(Ia)	-0.46	0.08	-0.62	-0.31
Fly:Crwvt	P(I)	-0.05	0.02	-0.09	-0.00
Fly:Dp	E(I)	-0.22	0.06	-0.35	-0.10
Fly:Dp	G(Ia)	0.29	0.11	0.07	0.51
Fly:Dp	P(I)	-0.07	0.03	-0.13	-0.01
Fly:Ds	E(I)	-0.15	0.06	-0.26	-0.04
Fly:Ds	G(Ia)	0.11	0.12	-0.13	0.35
Fly:Ds	P(I)	-0.08	0.03	-0.14	-0.02
Fly:Dps	E(I)	-0.15	0.06	-0.26	-0.05
Fly:Dps	G(Ia)	0.13	0.13	-0.11	0.38
Fly:Dps	P(I)	-0.08	0.03	-0.15	-0.02
Fly:DpovDs	E(I)	-0.17	0.10	-0.36	0.03
Fly:DpovDs	G(Ia)	0.18	0.09	0.01	0.34
Fly:DpovDs	P(I)	-0.01	0.03	-0.07	0.05
Fly:CVDp	E(I)	-0.02	0.05	-0.13	0.08
Fly:CVDp	G(Ia)	0.25	0.13	-0.01	0.51
Fly:CVDp	P(I)	0.03	0.03	-0.03	0.10
Fly:CVDs	E(I)	0.05	0.05	-0.05	0.15
Fly:CVDs	G(Ia)	0.50	0.14	0.21	0.78
Fly:CVDs	P(I)	0.13	0.03	0.07	0.20
Fly:MaxDp	E(I)	-0.19	0.06	-0.31	-0.07
Fly:MaxDp	G(Ia)	0.31	0.12	0.09	0.54
Fly:MaxDp	P(I)	-0.05	0.03	-0.11	0.01
Fly:MinDp	E(I)	-0.09	0.05	-0.18	-0.00
Fly:MinDp	G(Ia)	-0.01	0.19	-0.38	0.35
Fly:MinDp	P(I)	-0.08	0.03	-0.15	-0.02
Fly:MaxDs	E(I)	-0.05	0.05	-0.15	0.05
Fly:MaxDs	G(Ia)	0.37	0.18	0.02	0.71
Fly:MaxDs	P(I)	0.02	0.03	-0.05	0.08
Fly:MinDs	E(I)	0.02	0.05	-0.07	0.11
Fly:MinDs	G(Ia)	-0.66	0.34	-1.33	0.00
Fly:MinDs	P(I)	-0.04	0.03	-0.10	0.02
Fly:SDDp	E(I)	-0.15	0.06	-0.27	-0.02
Fly:SDDp	G(Ia)	0.38	0.12	0.15	0.61
Fly:SDDp	P(I)	-0.00	0.03	-0.06	0.06
Fly:SDDs	E(I)	-0.05	0.06	-0.17	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fly:SDDs	G(Ia)	0.46	0.12	0.22	0.71
Fly:SDDs	P(I)	0.07	0.03	0.00	0.13
Fly:SDD	E(I)	-0.07	0.06	-0.19	0.04
Fly:SDD	G(Ia)	0.49	0.12	0.25	0.73
Fly:SDD	P(I)	0.06	0.03	-0.00	0.13
Fly:CVD	E(I)	0.04	0.05	-0.07	0.14
Fly:CVD	G(Ia)	0.51	0.14	0.23	0.78
Fly:CVD	P(I)	0.13	0.03	0.07	0.19
Fly:Gt30Dp	E(I)	-0.16	0.06	-0.28	-0.04
Fly:Gt30Dp	G(Ia)	0.35	0.12	0.12	0.58
Fly:Gt30Dp	P(I)	-0.02	0.03	-0.08	0.04
Fly:Gt30Ds	E(I)	-0.05	0.05	-0.16	0.05
Fly:Gt30Ds	G(Ia)	0.40	0.15	0.11	0.69
Fly:Gt30Ds	P(I)	0.03	0.03	-0.03	0.10
Fly:Gt30D	E(I)	-0.08	0.05	-0.19	0.02
Fly:Gt30D	G(Ia)	0.47	0.15	0.18	0.76
Fly:Gt30D	P(I)	0.03	0.03	-0.04	0.09
Fly:Fnu	E(I)	-0.01	0.03	-0.07	0.04
Fly:Fnu	G(Ia)	0.20	0.08	0.05	0.35
Fly:Fnu	P(I)	0.02	0.02	-0.01	0.06
Fly:Fr	E(I)	0.02	0.03	-0.04	0.07
Fly:Fr	G(Ia)	-0.01	0.08	-0.16	0.14
Fly:Fr	P(I)	0.01	0.02	-0.02	0.05
Fly:Fnt	E(I)	-0.02	0.03	-0.08	0.03
Fly:Fnt	G(Ia)	0.28	0.08	0.13	0.43
Fly:Fnt	P(I)	0.03	0.02	-0.01	0.07
Fly:Sarea	E(I)	-0.04	0.03	-0.09	0.02
Fly:Sarea	G(Ia)	0.24	0.07	0.10	0.38
Fly:Sarea	P(I)	0.02	0.02	-0.02	0.05
Fly:Fd	E(I)	0.07	0.03	0.01	0.12
Fly:Fd	G(Ia)	-0.29	0.09	-0.47	-0.12
Fly:Fd	P(I)	0.01	0.02	-0.03	0.04
Fly:Fc	E(I)	-0.11	0.04	-0.19	-0.02
Fly:Fc	G(Ia)	0.38	0.06	0.26	0.51
Fly:Fc	P(I)	0.04	0.02	-0.00	0.08
Fly:Fu	E(I)	-0.07	0.03	-0.14	-0.01
Fly:Fu	G(Ia)	0.30	0.08	0.14	0.46
Fly:Fu	P(I)	0.00	0.02	-0.04	0.04
Fly:Colour	E(I)	-0.12	0.02	-0.17	-0.08
Fly:Colour	G(Ia)	-0.09	0.09	-0.27	0.09
Fly:Colour	P(I)	-0.12	0.02	-0.15	-0.09
Fly:Fly	E(I)	1.00	0.00	1.00	1.00
Fly:Fly	G(Ia)	1.00	0.00	1.00	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fly:Fly	P(I)	1.00	0.00	1.00	1.00
Fly:Flcrot	E(I)	0.01	0.02	-0.03	0.06
Fly:Flcrot	G(Ia)	-0.37	0.23	-0.82	0.09
Fly:Flcrot	P(I)	-0.01	0.02	-0.04	0.03
Fly:Bactst	E(I)	0.18	0.03	0.13	0.23
Fly:Bactst	G(Ia)	0.52	0.23	0.07	0.96
Fly:Bactst	P(I)	0.20	0.02	0.16	0.24
Fly:MycD	E(I)	0.25	0.03	0.20	0.30
Fly:MycD	G(Ia)	0.36	0.26	-0.16	0.87
Fly:MycD	P(I)	0.25	0.02	0.22	0.29
Fly:Bcts	E(I)	0.10	0.05	0.00	0.20
Fly:Bcts	G(Ia)	-0.12	0.09	-0.30	0.06
Fly:Bcts	P(I)	0.03	0.02	-0.01	0.06
Fly:Bctb	E(I)	0.07	0.05	-0.03	0.16
Fly:Bctb	G(Ia)	-0.10	0.09	-0.28	0.08
Fly:Bctb	P(I)	0.02	0.02	-0.02	0.05
Fly:Weanwt	E(I)	-0.01	0.03	-0.06	0.04
Fly:Weanwt	G(Ia)	0.07	0.17	-0.26	0.39
Fly:Weanwt	P(I)	-0.00	0.02	-0.04	0.03
Fly:NLB	E(I)	-0.02	0.02	-0.07	0.03
Fly:NLB	G(Ia)	-0.06	0.09	-0.23	0.11
Fly:NLB	P(I)	-0.03	0.02	-0.06	0.01
Fly:NLW	E(I)	-0.01	0.02	-0.06	0.04
Fly:NLW	G(Ia)	0.04	0.08	-0.12	0.21
Fly:NLW	P(I)	-0.00	0.02	-0.04	0.03
Fly:Fnpua	E(I)	-0.02	0.03	-0.08	0.03
Fly:Fnpua	G(Ia)	0.22	0.09	0.04	0.39
Fly:Fnpua	P(I)	0.01	0.02	-0.02	0.05
Fly:Fnsua	E(I)	-0.01	0.03	-0.07	0.04
Fly:Fnsua	G(Ia)	0.19	0.08	0.04	0.34
Fly:Fnsua	P(I)	0.02	0.02	-0.01	0.06
Fly:Fnppt	E(I)	-0.03	0.03	-0.08	0.02
Fly:Fnppt	G(Ia)	0.29	0.08	0.13	0.45
Fly:Fnppt	P(I)	0.02	0.02	-0.02	0.06
Fly:Fnst	E(I)	-0.02	0.03	-0.08	0.03
Fly:Fnst	G(Ia)	0.27	0.08	0.13	0.42
Fly:Fnst	P(I)	0.03	0.02	-0.01	0.07
Flcrot:Stal	E(I)	-0.01	0.03	-0.06	0.04
Flcrot:Stal	G(Ia)	-0.10	0.11	-0.32	0.11
Flcrot:Stal	P(I)	-0.02	0.02	-0.05	0.01
Flcrot:Diam	E(I)	0.02	0.03	-0.03	0.08
Flcrot:Diam	G(Ia)	-0.20	0.10	-0.41	0.00
Flcrot:Diam	P(I)	-0.01	0.02	-0.04	0.03

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Flcrot:Bwt	E(I)	-0.04	0.03	-0.09	0.01
Flcrot:Bwt	G(Ia)	-0.12	0.11	-0.34	0.10
Flcrot:Bwt	P(I)	-0.04	0.02	-0.08	-0.01
Flcrot:WrN	E(I)	0.04	0.03	-0.02	0.09
Flcrot:WrN	G(Ia)	-0.30	0.11	-0.52	-0.08
Flcrot:WrN	P(I)	-0.01	0.02	-0.04	0.03
Flcrot:WrB	E(I)	0.03	0.03	-0.02	0.09
Flcrot:WrB	G(Ia)	-0.25	0.11	-0.46	-0.03
Flcrot:WrB	P(I)	-0.00	0.02	-0.04	0.03
Flcrot:WrT	E(I)	0.04	0.03	-0.01	0.10
Flcrot:WrT	G(Ia)	-0.28	0.11	-0.48	-0.07
Flcrot:WrT	P(I)	-0.01	0.02	-0.04	0.03
Flcrot:Face	E(I)	0.07	0.04	-0.01	0.15
Flcrot:Face	G(Ia)	-0.33	0.10	-0.52	-0.15
Flcrot:Face	P(I)	-0.01	0.02	-0.05	0.02
Flcrot:Gfw	E(I)	0.01	0.03	-0.04	0.06
Flcrot:Gfw	G(Ia)	-0.20	0.12	-0.43	0.03
Flcrot:Gfw	P(I)	-0.01	0.02	-0.05	0.02
Flcrot:Yld	E(I)	-0.02	0.03	-0.07	0.04
Flcrot:Yld	G(Ia)	0.35	0.12	0.12	0.58
Flcrot:Yld	P(I)	0.03	0.02	-0.00	0.06
Flcrot:Cww	E(I)	0.01	0.03	-0.04	0.06
Flcrot:Cww	G(Ia)	-0.04	0.12	-0.27	0.18
Flcrot:Cww	P(I)	0.00	0.02	-0.03	0.03
Flcrot:Staladj	E(I)	0.00	0.03	-0.05	0.06
Flcrot:Staladj	G(Ia)	-0.14	0.10	-0.34	0.07
Flcrot:Staladj	P(I)	-0.01	0.02	-0.05	0.02
Flcrot:Gfwadj	E(I)	0.01	0.03	-0.04	0.06
Flcrot:Gfwadj	G(Ia)	-0.15	0.10	-0.35	0.06
Flcrot:Gfwadj	P(I)	-0.01	0.02	-0.04	0.02
Flcrot:Cwwadj	E(I)	0.01	0.03	-0.04	0.06
Flcrot:Cwwadj	G(Ia)	-0.00	0.11	-0.22	0.21
Flcrot:Cwwadj	P(I)	0.00	0.02	-0.03	0.04
Flcrot:Crimp	E(I)	0.10	0.18	-0.25	0.45
Flcrot:Crimp	G(Ia)	-0.55	0.19	-0.93	-0.17
Flcrot:Crimp	P(I)	-0.07	0.02	-0.11	-0.03
Flcrot:Crwvl	E(I)	-0.01	0.05	-0.11	0.09
Flcrot:Crwvl	G(Ia)	0.44	0.19	0.07	0.81
Flcrot:Crwvl	P(I)	0.05	0.02	0.01	0.10
Flcrot:Crst	E(I)	0.05	0.05	-0.06	0.15
Flcrot:Crst	G(Ia)	-0.67	0.24	-1.13	-0.20
Flcrot:Crst	P(I)	-0.07	0.02	-0.11	-0.02
Flcrot:Crstadj	E(I)	0.04	0.05	-0.06	0.14

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Flcrot:Crstadj	G(Ia)	-0.64	0.23	-1.10	-0.18
Flcrot:Crstadj	P(I)	-0.06	0.02	-0.11	-0.02
Flcrot:Crwvt	E(I)	-0.03	0.04	-0.10	0.05
Flcrot:Crwvt	G(Ia)	0.61	0.24	0.14	1.08
Flcrot:Crwvt	P(I)	0.05	0.02	0.01	0.09
Flcrot:Dp	E(I)	-0.09	0.07	-0.22	0.04
Flcrot:Dp	G(Ia)	0.05	0.08	-0.10	0.21
Flcrot:Dp	P(I)	-0.04	0.03	-0.10	0.03
Flcrot:Ds	E(I)	-0.09	0.06	-0.21	0.03
Flcrot:Ds	G(Ia)	-0.17	0.09	-0.34	0.01
Flcrot:Ds	P(I)	-0.11	0.03	-0.17	-0.05
Flcrot:Dps	E(I)	-0.09	0.06	-0.20	0.03
Flcrot:Dps	G(Ia)	-0.17	0.09	-0.35	0.01
Flcrot:Dps	P(I)	-0.11	0.03	-0.17	-0.04
Flcrot:DpovDs	E(I)	-0.03	0.11	-0.24	0.19
Flcrot:DpovDs	G(Ia)	0.11	0.06	-0.01	0.24
Flcrot:DpovDs	P(I)	0.04	0.03	-0.03	0.10
Flcrot:CVDp	E(I)	0.11	0.06	-0.01	0.22
Flcrot:CVDp	G(Ia)	-0.04	0.10	-0.24	0.16
Flcrot:CVDp	P(I)	0.06	0.03	-0.00	0.13
Flcrot:CVDs	E(I)	0.08	0.06	-0.03	0.19
Flcrot:CVDs	G(Ia)	0.16	0.11	-0.05	0.37
Flcrot:CVDs	P(I)	0.10	0.03	0.04	0.17
Flcrot:MaxDp	E(I)	-0.03	0.07	-0.16	0.10
Flcrot:MaxDp	G(Ia)	0.10	0.08	-0.07	0.26
Flcrot:MaxDp	P(I)	0.01	0.03	-0.05	0.08
Flcrot:MinDp	E(I)	-0.01	0.05	-0.11	0.09
Flcrot:MinDp	G(Ia)	-0.24	0.26	-0.75	0.26
Flcrot:MinDp	P(I)	-0.04	0.03	-0.10	0.03
Flcrot:MaxDs	E(I)	0.07	0.05	-0.04	0.17
Flcrot:MaxDs	G(Ia)	-0.08	0.13	-0.33	0.18
Flcrot:MaxDs	P(I)	0.04	0.03	-0.03	0.10
Flcrot:MinDs	E(I)	0.04	0.05	-0.06	0.13
Flcrot:MinDs	G(Ia)	-0.69	0.27	-1.22	-0.15
Flcrot:MinDs	P(I)	-0.05	0.03	-0.12	0.01
Flcrot:SDDp	E(I)	0.03	0.07	-0.10	0.16
Flcrot:SDDp	G(Ia)	0.05	0.08	-0.11	0.21
Flcrot:SDDp	P(I)	0.03	0.03	-0.03	0.10
Flcrot:SDDs	E(I)	0.00	0.06	-0.12	0.12
Flcrot:SDDs	G(Ia)	0.06	0.09	-0.11	0.24
Flcrot:SDDs	P(I)	0.02	0.03	-0.04	0.09
Flcrot:SDD	E(I)	0.01	0.06	-0.11	0.13
Flcrot:SDD	G(Ia)	0.05	0.09	-0.12	0.23

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Flcrot:SDD	P(I)	0.02	0.03	-0.04	0.09
Flcrot:CVD	E(I)	0.09	0.06	-0.02	0.20
Flcrot:CVD	G(Ia)	0.14	0.10	-0.06	0.34
Flcrot:CVD	P(I)	0.10	0.03	0.04	0.17
Flcrot:Gt30Dp	E(I)	-0.01	0.07	-0.14	0.12
Flcrot:Gt30Dp	G(Ia)	0.00	0.08	-0.16	0.17
Flcrot:Gt30Dp	P(I)	-0.01	0.03	-0.07	0.06
Flcrot:Gt30Ds	E(I)	-0.04	0.06	-0.16	0.07
Flcrot:Gt30Ds	G(Ia)	0.03	0.11	-0.19	0.24
Flcrot:Gt30Ds	P(I)	-0.03	0.03	-0.09	0.04
Flcrot:Gt30D	E(I)	-0.04	0.06	-0.15	0.07
Flcrot:Gt30D	G(Ia)	0.02	0.11	-0.20	0.23
Flcrot:Gt30D	P(I)	-0.03	0.03	-0.09	0.04
Flcrot:Fnu	E(I)	-0.00	0.03	-0.06	0.05
Flcrot:Fnu	G(Ia)	0.46	0.19	0.08	0.84
Flcrot:Fnu	P(I)	0.04	0.02	-0.00	0.07
Flcrot:Fr	E(I)	-0.00	0.03	-0.06	0.05
Flcrot:Fr	G(Ia)	0.20	0.16	-0.12	0.52
Flcrot:Fr	P(I)	0.01	0.02	-0.02	0.05
Flcrot:Fnt	E(I)	-0.02	0.03	-0.07	0.03
Flcrot:Fnt	G(Ia)	0.37	0.18	0.02	0.71
Flcrot:Fnt	P(I)	0.02	0.02	-0.02	0.05
Flcrot:Sarea	E(I)	-0.04	0.03	-0.09	0.02
Flcrot:Sarea	G(Ia)	-0.17	0.15	-0.45	0.12
Flcrot:Sarea	P(I)	-0.04	0.02	-0.08	-0.01
Flcrot:Fd	E(I)	0.00	0.03	-0.05	0.06
Flcrot:Fd	G(Ia)	0.07	0.24	-0.40	0.55
Flcrot:Fd	P(I)	0.01	0.02	-0.03	0.05
Flcrot:Fc	E(I)	0.08	0.04	-0.00	0.16
Flcrot:Fc	G(Ia)	-0.62	0.30	-1.22	-0.03
Flcrot:Fc	P(I)	-0.01	0.02	-0.05	0.02
Flcrot:Fu	E(I)	0.03	0.03	-0.03	0.09
Flcrot:Fu	G(Ia)	-0.14	0.22	-0.58	0.30
Flcrot:Fu	P(I)	0.01	0.02	-0.03	0.05
Flcrot:Colour	E(I)	0.03	0.02	-0.02	0.07
Flcrot:Colour	G(Ia)	0.54	0.19	0.18	0.90
Flcrot:Colour	P(I)	0.06	0.02	0.03	0.10
Flcrot:Fly	E(I)	0.01	0.02	-0.03	0.06
Flcrot:Fly	G(Ia)	-0.37	0.23	-0.82	0.09
Flcrot:Fly	P(I)	-0.01	0.02	-0.04	0.03
Flcrot:Flcrot	E(I)	1.00	0.00	1.00	1.00
Flcrot:Flcrot	G(Ia)	1.00	0.00	1.00	1.00
Flcrot:Flcrot	P(I)	1.00	0.00	1.00	1.00

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Flcrot:Bactst	E(I)	0.27	0.03	0.22	0.32
Flcrot:Bactst	G(Ia)	0.77	0.14	0.49	1.05
Flcrot:Bactst	P(I)	0.32	0.02	0.28	0.35
Flcrot:MycD	E(I)	0.40	0.03	0.35	0.44
Flcrot:MycD	G(Ia)	0.32	0.15	0.02	0.62
Flcrot:MycD	P(I)	0.38	0.02	0.34	0.41
Flcrot:Bcts	E(I)	-0.04	0.05	-0.14	0.06
Flcrot:Bcts	G(Ia)	0.12	0.05	0.02	0.21
Flcrot:Bcts	P(I)	0.01	0.02	-0.02	0.05
Flcrot:Bctb	E(I)	-0.05	0.05	-0.15	0.04
Flcrot:Bctb	G(Ia)	0.13	0.05	0.03	0.23
Flcrot:Bctb	P(I)	0.01	0.02	-0.02	0.05
Flcrot:Weanwt	E(I)	-0.00	0.03	-0.06	0.05
Flcrot:Weanwt	G(Ia)	-0.17	0.09	-0.35	0.01
Flcrot:Weanwt	P(I)	-0.03	0.02	-0.06	0.01
Flcrot:NLB	E(I)	-0.00	0.02	-0.05	0.04
Flcrot:NLB	G(Ia)	0.09	0.15	-0.20	0.38
Flcrot:NLB	P(I)	0.00	0.02	-0.03	0.04
Flcrot:NLW	E(I)	0.00	0.02	-0.04	0.05
Flcrot:NLW	G(Ia)	0.12	0.15	-0.17	0.40
Flcrot:NLW	P(I)	0.01	0.02	-0.02	0.04
Flcrot:Fnpua	E(I)	-0.00	0.03	-0.05	0.05
Flcrot:Fnpua	G(Ia)	0.36	0.20	-0.03	0.74
Flcrot:Fnpua	P(I)	0.03	0.02	-0.01	0.06
Flcrot:Fnsua	E(I)	-0.00	0.03	-0.06	0.05
Flcrot:Fnsua	G(Ia)	0.45	0.19	0.07	0.83
Flcrot:Fnsua	P(I)	0.04	0.02	-0.00	0.07
Flcrot:Fnpt	E(I)	-0.01	0.03	-0.06	0.04
Flcrot:Fnpt	G(Ia)	0.22	0.18	-0.13	0.57
Flcrot:Fnpt	P(I)	0.01	0.02	-0.03	0.04
Flcrot:Fnst	E(I)	-0.02	0.03	-0.07	0.03
Flcrot:Fnst	G(Ia)	0.37	0.18	0.02	0.71
Flcrot:Fnst	P(I)	0.02	0.02	-0.02	0.05
Bactst:Stal	E(I)	-0.05	0.03	-0.11	0.02
Bactst:Stal	G(Ia)	-0.55	0.14	-0.82	-0.29
Bactst:Stal	P(I)	-0.11	0.02	-0.15	-0.07
Bactst:Diam	E(I)	0.02	0.04	-0.06	0.10
Bactst:Diam	G(Ia)	0.01	0.09	-0.17	0.19
Bactst:Diam	P(I)	0.01	0.02	-0.03	0.05
Bactst:Bwt	E(I)	-0.12	0.03	-0.19	-0.06
Bactst:Bwt	G(Ia)	0.33	0.14	0.04	0.61
Bactst:Bwt	P(I)	-0.06	0.02	-0.10	-0.02
Bactst:WrN	E(I)	-0.01	0.04	-0.08	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bactst:WrN	G(Ia)	-0.19	0.10	-0.39	0.00
Bactst:WrN	P(I)	-0.04	0.02	-0.08	0.00
Bactst:WrB	E(I)	-0.02	0.03	-0.09	0.05
Bactst:WrB	G(Ia)	-0.13	0.10	-0.33	0.08
Bactst:WrB	P(I)	-0.03	0.02	-0.07	0.01
Bactst:WrT	E(I)	-0.02	0.04	-0.09	0.05
Bactst:WrT	G(Ia)	-0.16	0.10	-0.35	0.02
Bactst:WrT	P(I)	-0.04	0.02	-0.08	0.00
Bactst:Face	E(I)	-0.02	0.04	-0.10	0.06
Bactst:Face	G(Ia)	0.24	0.09	0.05	0.42
Bactst:Face	P(I)	0.03	0.02	-0.01	0.07
Bactst:Gfw	E(I)	-0.00	0.03	-0.07	0.06
Bactst:Gfw	G(Ia)	-0.25	0.11	-0.47	-0.03
Bactst:Gfw	P(I)	-0.04	0.02	-0.08	0.00
Bactst:Yld	E(I)	0.03	0.04	-0.04	0.11
Bactst:Yld	G(Ia)	0.33	0.10	0.13	0.53
Bactst:Yld	P(I)	0.07	0.02	0.03	0.11
Bactst:Cww	E(I)	0.01	0.03	-0.05	0.07
Bactst:Cww	G(Ia)	-0.09	0.12	-0.31	0.14
Bactst:Cww	P(I)	-0.00	0.02	-0.04	0.04
Bactst:Staladj	E(I)	-0.05	0.03	-0.12	0.01
Bactst:Staladj	G(Ia)	-0.51	0.11	-0.74	-0.29
Bactst:Staladj	P(I)	-0.12	0.02	-0.16	-0.08
Bactst:Gfwadj	E(I)	-0.01	0.03	-0.08	0.05
Bactst:Gfwadj	G(Ia)	-0.24	0.11	-0.44	-0.03
Bactst:Gfwadj	P(I)	-0.05	0.02	-0.09	-0.00
Bactst:Cwwadj	E(I)	-0.00	0.03	-0.07	0.06
Bactst:Cwwadj	G(Ia)	-0.08	0.11	-0.30	0.14
Bactst:Cwwadj	P(I)	-0.01	0.02	-0.06	0.03
Bactst:Crimp	E(I)	-0.17	0.07	-0.30	-0.04
Bactst:Crimp	G(Ia)	-0.21	0.21	-0.63	0.20
Bactst:Crimp	P(I)	-0.16	0.03	-0.22	-0.09
Bactst:Crwvl	E(I)	0.19	0.07	0.06	0.32
Bactst:Crwvl	G(Ia)	0.26	0.21	-0.16	0.67
Bactst:Crwvl	P(I)	0.18	0.03	0.11	0.25
Bactst:Crst	E(I)	-0.12	0.07	-0.25	0.01
Bactst:Crst	G(Ia)	-0.56	0.24	-1.03	-0.08
Bactst:Crst	P(I)	-0.18	0.03	-0.25	-0.11
Bactst:Crstadj	E(I)	-0.12	0.07	-0.25	0.01
Bactst:Crstadj	G(Ia)	-0.56	0.24	-1.03	-0.08
Bactst:Crstadj	P(I)	-0.18	0.03	-0.25	-0.12
Bactst:Crwvt	E(I)	0.17	0.06	0.04	0.29
Bactst:Crwvt	G(Ia)	0.59	0.25	0.10	1.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bactst:Crwvt	P(I)	0.22	0.03	0.16	0.29
Bactst:Dp	E(I)	0.00	0.06	-0.11	0.11
Bactst:Dp	G(Ia)	0.34	0.12	0.10	0.57
Bactst:Dp	P(I)	0.08	0.03	0.02	0.15
Bactst:Ds	E(I)	-0.02	0.06	-0.13	0.10
Bactst:Ds	G(Ia)	-0.06	0.13	-0.31	0.19
Bactst:Ds	P(I)	-0.02	0.03	-0.09	0.04
Bactst:Dps	E(I)	-0.01	0.06	-0.12	0.10
Bactst:Dps	G(Ia)	-0.04	0.13	-0.30	0.22
Bactst:Dps	P(I)	-0.02	0.03	-0.08	0.05
Bactst:DpovDs	E(I)	0.03	0.10	-0.16	0.22
Bactst:DpovDs	G(Ia)	0.31	0.09	0.12	0.49
Bactst:DpovDs	P(I)	0.11	0.03	0.04	0.17
Bactst:CVDp	E(I)	-0.06	0.05	-0.16	0.05
Bactst:CVDp	G(Ia)	0.07	0.15	-0.22	0.36
Bactst:CVDp	P(I)	-0.03	0.03	-0.10	0.03
Bactst:CVDs	E(I)	0.06	0.05	-0.04	0.16
Bactst:CVDs	G(Ia)	-0.19	0.16	-0.51	0.13
Bactst:CVDs	P(I)	0.01	0.03	-0.05	0.08
Bactst:MaxDp	E(I)	-0.03	0.06	-0.16	0.09
Bactst:MaxDp	G(Ia)	0.33	0.12	0.09	0.58
Bactst:MaxDp	P(I)	0.05	0.03	-0.01	0.12
Bactst:MinDp	E(I)	-0.02	0.05	-0.11	0.07
Bactst:MinDp	G(Ia)	0.50	0.40	-0.27	1.28
Bactst:MinDp	P(I)	0.02	0.03	-0.04	0.09
Bactst:MaxDs	E(I)	-0.02	0.05	-0.11	0.08
Bactst:MaxDs	G(Ia)	-0.06	0.19	-0.42	0.31
Bactst:MaxDs	P(I)	-0.02	0.03	-0.09	0.04
Bactst:MinDs	E(I)	-0.04	0.05	-0.13	0.05
Bactst:MinDs	G(Ia)	0.09	0.38	-0.65	0.83
Bactst:MinDs	P(I)	-0.03	0.03	-0.10	0.04
Bactst:SDDp	E(I)	-0.05	0.06	-0.17	0.08
Bactst:SDDp	G(Ia)	0.23	0.12	-0.01	0.47
Bactst:SDDp	P(I)	0.02	0.03	-0.04	0.09
Bactst:SDDs	E(I)	0.05	0.06	-0.07	0.16
Bactst:SDDs	G(Ia)	-0.16	0.13	-0.42	0.10
Bactst:SDDs	P(I)	0.00	0.04	-0.07	0.07
Bactst:SDD	E(I)	0.04	0.06	-0.07	0.16
Bactst:SDD	G(Ia)	-0.12	0.13	-0.37	0.13
Bactst:SDD	P(I)	0.00	0.03	-0.06	0.07
Bactst:CVD	E(I)	0.05	0.05	-0.05	0.16
Bactst:CVD	G(Ia)	-0.16	0.15	-0.46	0.14
Bactst:CVD	P(I)	0.01	0.03	-0.05	0.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bactst:Gt30Dp	E(I)	-0.02	0.06	-0.15	0.10
Bactst:Gt30Dp	G(Ia)	0.26	0.12	0.02	0.50
Bactst:Gt30Dp	P(I)	0.04	0.03	-0.02	0.11
Bactst:Gt30Ds	E(I)	0.00	0.05	-0.10	0.11
Bactst:Gt30Ds	G(Ia)	-0.04	0.16	-0.34	0.27
Bactst:Gt30Ds	P(I)	-0.00	0.03	-0.07	0.06
Bactst:Gt30D	E(I)	-0.00	0.05	-0.11	0.10
Bactst:Gt30D	G(Ia)	0.03	0.15	-0.27	0.33
Bactst:Gt30D	P(I)	0.00	0.03	-0.06	0.07
Bactst:Fnuu	E(I)	0.02	0.04	-0.05	0.09
Bactst:Fnuu	G(Ia)	0.19	0.13	-0.06	0.43
Bactst:Fnuu	P(I)	0.04	0.02	-0.00	0.09
Bactst:Fr	E(I)	-0.00	0.04	-0.08	0.07
Bactst:Fr	G(Ia)	0.29	0.12	0.05	0.53
Bactst:Fr	P(I)	0.04	0.02	-0.00	0.09
Bactst:Fnt	E(I)	-0.03	0.04	-0.10	0.04
Bactst:Fnt	G(Ia)	0.33	0.13	0.07	0.59
Bactst:Fnt	P(I)	0.02	0.02	-0.02	0.07
Bactst:Sarea	E(I)	-0.11	0.04	-0.18	-0.04
Bactst:Sarea	G(Ia)	0.33	0.13	0.07	0.59
Bactst:Sarea	P(I)	-0.04	0.02	-0.09	0.00
Bactst:Fd	E(I)	-0.01	0.04	-0.09	0.07
Bactst:Fd	G(Ia)	-0.34	0.19	-0.72	0.04
Bactst:Fd	P(I)	-0.05	0.03	-0.10	0.00
Bactst:Fc	E(I)	0.00	0.05	-0.10	0.11
Bactst:Fc	G(Ia)	-0.29	0.12	-0.52	-0.05
Bactst:Fc	P(I)	-0.05	0.03	-0.11	-0.00
Bactst:Fu	E(I)	0.06	0.05	-0.04	0.15
Bactst:Fu	G(Ia)	-0.43	0.14	-0.71	-0.16
Bactst:Fu	P(I)	-0.04	0.03	-0.09	0.01
Bactst:Colour	E(I)	0.19	0.03	0.13	0.24
Bactst:Colour	G(Ia)	0.30	0.13	0.04	0.56
Bactst:Colour	P(I)	0.20	0.02	0.16	0.23
Bactst:Fly	E(I)	0.18	0.03	0.13	0.23
Bactst:Fly	G(Ia)	0.52	0.23	0.07	0.96
Bactst:Fly	P(I)	0.20	0.02	0.16	0.24
Bactst:Flcrot	E(I)	0.27	0.03	0.22	0.32
Bactst:Flcrot	G(Ia)	0.77	0.14	0.49	1.05
Bactst:Flcrot	P(I)	0.32	0.02	0.28	0.35
Bactst:Bactst	E(I)	1.00	0.00	1.00	1.00
Bactst:Bactst	G(Ia)	1.00	0.00	1.00	1.00
Bactst:Bactst	P(I)	1.00	0.00	1.00	1.00
Bactst:MycD	E(I)	0.28	0.02	0.23	0.33

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bactst:MycD	G(Ia)	0.92	0.33	0.27	1.58
Bactst:MycD	P(I)	0.31	0.02	0.27	0.35
Bactst:Bcts	E(I)	-0.32	0.10	-0.51	-0.12
Bactst:Bcts	G(Ia)	0.59	0.09	0.40	0.77
Bactst:Bcts	P(I)	0.05	0.02	0.01	0.09
Bactst:Bctb	E(I)	-0.32	0.08	-0.48	-0.15
Bactst:Bctb	G(Ia)	0.56	0.09	0.38	0.75
Bactst:Bctb	P(I)	0.03	0.02	-0.01	0.07
Bactst:Weanwt	E(I)	-0.02	0.03	-0.08	0.04
Bactst:Weanwt	G(Ia)	-0.17	0.13	-0.42	0.09
Bactst:Weanwt	P(I)	-0.04	0.02	-0.08	0.00
Bactst:NLB	E(I)	0.02	0.03	-0.04	0.08
Bactst:NLB	G(Ia)	0.21	0.14	-0.07	0.49
Bactst:NLB	P(I)	0.04	0.02	-0.00	0.08
Bactst:NLW	E(I)	0.01	0.03	-0.05	0.06
Bactst:NLW	G(Ia)	0.14	0.14	-0.12	0.41
Bactst:NLW	P(I)	0.02	0.02	-0.02	0.06
Bactst:Fnpua	E(I)	0.02	0.03	-0.05	0.08
Bactst:Fnpua	G(Ia)	-0.10	0.15	-0.40	0.20
Bactst:Fnpua	P(I)	0.00	0.02	-0.04	0.05
Bactst:Fnsua	E(I)	0.02	0.04	-0.05	0.09
Bactst:Fnsua	G(Ia)	0.19	0.12	-0.05	0.44
Bactst:Fnsua	P(I)	0.04	0.02	-0.00	0.09
Bactst:Fnppt	E(I)	-0.01	0.03	-0.08	0.05
Bactst:Fnppt	G(Ia)	0.02	0.14	-0.26	0.29
Bactst:Fnppt	P(I)	-0.01	0.02	-0.06	0.04
Bactst:Fnst	E(I)	-0.03	0.04	-0.10	0.04
Bactst:Fnst	G(Ia)	0.34	0.13	0.08	0.60
Bactst:Fnst	P(I)	0.02	0.02	-0.02	0.07
MycD:Stal	E(I)	0.01	0.03	-0.05	0.08
MycD:Stal	G(Ia)	-0.27	0.12	-0.51	-0.03
MycD:Stal	P(I)	-0.03	0.02	-0.07	0.01
MycD:Diam	E(I)	-0.03	0.04	-0.11	0.04
MycD:Diam	G(Ia)	0.03	0.10	-0.17	0.22
MycD:Diam	P(I)	-0.02	0.02	-0.06	0.02
MycD:Bwt	E(I)	-0.09	0.03	-0.15	-0.03
MycD:Bwt	G(Ia)	0.01	0.17	-0.31	0.34
MycD:Bwt	P(I)	-0.07	0.02	-0.11	-0.03
MycD:WrN	E(I)	-0.08	0.04	-0.15	-0.01
MycD:WrN	G(Ia)	0.33	0.12	0.10	0.56
MycD:WrN	P(I)	-0.01	0.02	-0.05	0.03
MycD:WrB	E(I)	-0.09	0.03	-0.16	-0.02
MycD:WrB	G(Ia)	0.41	0.13	0.16	0.66

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MycD:WrB	P(I)	-0.01	0.02	-0.05	0.03
MycD:WrT	E(I)	-0.10	0.04	-0.17	-0.03
MycD:WrT	G(Ia)	0.37	0.12	0.14	0.60
MycD:WrT	P(I)	-0.01	0.02	-0.05	0.03
MycD:Face	E(I)	0.04	0.04	-0.04	0.12
MycD:Face	G(Ia)	0.12	0.09	-0.06	0.30
MycD:Face	P(I)	0.04	0.02	0.00	0.08
MycD:Gfw	E(I)	0.01	0.03	-0.05	0.08
MycD:Gfw	G(Ia)	0.31	0.12	0.07	0.55
MycD:Gfw	P(I)	0.05	0.02	0.01	0.09
MycD:Yld	E(I)	0.11	0.04	0.04	0.18
MycD:Yld	G(Ia)	-0.41	0.12	-0.65	-0.17
MycD:Yld	P(I)	0.01	0.02	-0.03	0.05
MycD:Cww	E(I)	0.06	0.03	-0.00	0.12
MycD:Cww	G(Ia)	0.10	0.12	-0.14	0.34
MycD:Cww	P(I)	0.06	0.02	0.02	0.10
MycD:Staladj	E(I)	0.03	0.03	-0.03	0.10
MycD:Staladj	G(Ia)	-0.29	0.14	-0.56	-0.01
MycD:Staladj	P(I)	-0.01	0.02	-0.05	0.03
MycD:Gfwadj	E(I)	0.02	0.03	-0.04	0.09
MycD:Gfwadj	G(Ia)	0.36	0.15	0.07	0.65
MycD:Gfwadj	P(I)	0.06	0.02	0.02	0.10
MycD:Cwwadj	E(I)	0.06	0.03	0.00	0.13
MycD:Cwwadj	G(Ia)	0.16	0.14	-0.12	0.43
MycD:Cwwadj	P(I)	0.07	0.02	0.03	0.11
MycD:Crimp	E(I)	-0.15	0.07	-0.29	-0.02
MycD:Crimp	G(Ia)	0.04	0.22	-0.38	0.47
MycD:Crimp	P(I)	-0.10	0.03	-0.17	-0.03
MycD:Crwvl	E(I)	0.11	0.07	-0.02	0.25
MycD:Crwvl	G(Ia)	0.04	0.17	-0.30	0.37
MycD:Crwvl	P(I)	0.09	0.03	0.02	0.16
MycD:Crst	E(I)	-0.06	0.07	-0.19	0.08
MycD:Crst	G(Ia)	-0.34	0.19	-0.72	0.04
MycD:Crst	P(I)	-0.11	0.03	-0.18	-0.04
MycD:Crstadj	E(I)	-0.06	0.07	-0.19	0.08
MycD:Crstadj	G(Ia)	-0.35	0.19	-0.73	0.03
MycD:Crstadj	P(I)	-0.11	0.03	-0.18	-0.04
MycD:Crwvt	E(I)	0.03	0.07	-0.10	0.16
MycD:Crwvt	G(Ia)	0.38	0.21	-0.02	0.79
MycD:Crwvt	P(I)	0.10	0.03	0.03	0.16
MycD:Dp	E(I)	-0.03	0.06	-0.15	0.09
MycD:Dp	G(Ia)	0.05	0.18	-0.30	0.39
MycD:Dp	P(I)	-0.01	0.03	-0.07	0.05

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MycD:Ds	E(I)	-0.03	0.06	-0.14	0.07
MycD:Ds	G(Ia)	0.11	0.20	-0.28	0.49
MycD:Ds	P(I)	-0.01	0.03	-0.07	0.05
MycD:Dps	E(I)	-0.03	0.05	-0.14	0.07
MycD:Dps	G(Ia)	0.10	0.21	-0.30	0.50
MycD:Dps	P(I)	-0.01	0.03	-0.08	0.05
MycD:DpovDs	E(I)	0.00	0.11	-0.21	0.21
MycD:DpovDs	G(Ia)	-0.01	0.14	-0.27	0.26
MycD:DpovDs	P(I)	-0.00	0.03	-0.06	0.06
MycD:CVDp	E(I)	0.02	0.05	-0.08	0.13
MycD:CVDp	G(Ia)	-0.23	0.22	-0.66	0.21
MycD:CVDp	P(I)	-0.01	0.03	-0.08	0.05
MycD:CVDs	E(I)	0.05	0.05	-0.05	0.15
MycD:CVDs	G(Ia)	-0.16	0.24	-0.64	0.32
MycD:CVDs	P(I)	0.02	0.03	-0.04	0.09
MycD:MaxDp	E(I)	-0.02	0.06	-0.13	0.10
MycD:MaxDp	G(Ia)	0.01	0.19	-0.37	0.38
MycD:MaxDp	P(I)	-0.01	0.03	-0.07	0.05
MycD:MinDp	E(I)	-0.02	0.04	-0.11	0.07
MycD:MinDp	G(Ia)	0.34	0.57	-0.78	1.46
MycD:MinDp	P(I)	-0.00	0.03	-0.07	0.06
MycD:MaxDs	E(I)	0.02	0.05	-0.08	0.11
MycD:MaxDs	G(Ia)	-0.08	0.29	-0.63	0.48
MycD:MaxDs	P(I)	0.01	0.03	-0.06	0.07
MycD:MinDs	E(I)	-0.01	0.04	-0.10	0.08
MycD:MinDs	G(Ia)	-0.10	0.48	-1.05	0.86
MycD:MinDs	P(I)	-0.02	0.03	-0.08	0.05
MycD:SDDp	E(I)	0.02	0.06	-0.10	0.13
MycD:SDDp	G(Ia)	-0.02	0.18	-0.36	0.33
MycD:SDDp	P(I)	0.01	0.03	-0.06	0.07
MycD:SDDs	E(I)	0.03	0.06	-0.08	0.14
MycD:SDDs	G(Ia)	-0.03	0.20	-0.43	0.36
MycD:SDDs	P(I)	0.02	0.03	-0.04	0.08
MycD:SDD	E(I)	0.03	0.06	-0.08	0.14
MycD:SDD	G(Ia)	-0.03	0.20	-0.42	0.35
MycD:SDD	P(I)	0.02	0.03	-0.04	0.09
MycD:CVD	E(I)	0.06	0.05	-0.04	0.16
MycD:CVD	G(Ia)	-0.16	0.23	-0.62	0.30
MycD:CVD	P(I)	0.03	0.03	-0.04	0.09
MycD:Gt30Dp	E(I)	-0.03	0.06	-0.15	0.08
MycD:Gt30Dp	G(Ia)	0.05	0.18	-0.32	0.41
MycD:Gt30Dp	P(I)	-0.02	0.03	-0.08	0.05
MycD:Gt30Ds	E(I)	-0.00	0.05	-0.10	0.10

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MycD:Gt30Ds	G(Ia)	0.05	0.23	-0.41	0.51
MycD:Gt30Ds	P(I)	0.01	0.03	-0.06	0.07
MycD:Gt30D	E(I)	-0.01	0.05	-0.11	0.09
MycD:Gt30D	G(Ia)	0.05	0.23	-0.40	0.50
MycD:Gt30D	P(I)	0.00	0.03	-0.06	0.07
MycD:Fnua	E(I)	0.02	0.03	-0.05	0.09
MycD:Fnua	G(Ia)	0.08	0.25	-0.42	0.57
MycD:Fnua	P(I)	0.02	0.02	-0.02	0.07
MycD:Fr	E(I)	0.02	0.04	-0.05	0.09
MycD:Fr	G(Ia)	0.43	0.30	-0.16	1.03
MycD:Fr	P(I)	0.05	0.02	0.01	0.10
MycD:Fnt	E(I)	-0.01	0.03	-0.07	0.06
MycD:Fnt	G(Ia)	0.15	0.27	-0.39	0.68
MycD:Fnt	P(I)	0.00	0.02	-0.04	0.05
MycD:Sarea	E(I)	-0.07	0.03	-0.14	-0.00
MycD:Sarea	G(Ia)	0.17	0.28	-0.38	0.73
MycD:Sarea	P(I)	-0.05	0.02	-0.09	-0.00
MycD:Fd	E(I)	-0.01	0.04	-0.09	0.07
MycD:Fd	G(Ia)	0.00	0.24	-0.47	0.48
MycD:Fd	P(I)	-0.01	0.03	-0.06	0.04
MycD:Fc	E(I)	-0.07	0.05	-0.17	0.03
MycD:Fc	G(Ia)	0.23	0.14	-0.03	0.50
MycD:Fc	P(I)	-0.00	0.03	-0.06	0.05
MycD:Fu	E(I)	-0.06	0.05	-0.15	0.04
MycD:Fu	G(Ia)	0.19	0.15	-0.10	0.48
MycD:Fu	P(I)	-0.01	0.03	-0.06	0.04
MycD:Colour	E(I)	0.19	0.03	0.13	0.24
MycD:Colour	G(Ia)	0.29	0.16	-0.03	0.61
MycD:Colour	P(I)	0.19	0.02	0.15	0.23
MycD:Fly	E(I)	0.25	0.03	0.20	0.30
MycD:Fly	G(Ia)	0.36	0.26	-0.16	0.87
MycD:Fly	P(I)	0.25	0.02	0.22	0.29
MycD:Flcrot	E(I)	0.40	0.03	0.35	0.44
MycD:Flcrot	G(Ia)	0.32	0.15	0.02	0.62
MycD:Flcrot	P(I)	0.38	0.02	0.34	0.41
MycD:Bactst	E(I)	0.28	0.02	0.23	0.33
MycD:Bactst	G(Ia)	0.92	0.33	0.27	1.58
MycD:Bactst	P(I)	0.31	0.02	0.27	0.35
MycD:MycD	E(I)	1.00	0.00	1.00	1.00
MycD:MycD	G(Ia)	1.00	0.00	1.00	1.00
MycD:MycD	P(I)	1.00	0.00	1.00	1.00
MycD:Bcts	E(I)	-0.02	0.08	-0.18	0.15
MycD:Bcts	G(Ia)	-0.02	0.08	-0.17	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
MycD:Bcts	P(I)	-0.01	0.02	-0.05	0.03
MycD:Bctb	E(I)	-0.06	0.07	-0.20	0.09
MycD:Bctb	G(Ia)	-0.02	0.08	-0.18	0.13
MycD:Bctb	P(I)	-0.02	0.02	-0.06	0.02
MycD:Weanwt	E(I)	-0.07	0.03	-0.13	-0.02
MycD:Weanwt	G(Ia)	0.17	0.17	-0.16	0.50
MycD:Weanwt	P(I)	-0.05	0.02	-0.09	-0.01
MycD:NLB	E(I)	0.04	0.03	-0.02	0.10
MycD:NLB	G(Ia)	-0.31	0.17	-0.65	0.03
MycD:NLB	P(I)	0.01	0.02	-0.03	0.05
MycD:NLW	E(I)	0.05	0.03	-0.01	0.10
MycD:NLW	G(Ia)	-0.35	0.17	-0.68	-0.02
MycD:NLW	P(I)	0.00	0.02	-0.04	0.04
MycD:Fnpua	E(I)	-0.03	0.03	-0.09	0.04
MycD:Fnpua	G(Ia)	-0.19	0.32	-0.81	0.44
MycD:Fnpua	P(I)	-0.03	0.02	-0.08	0.01
MycD:Fnsua	E(I)	0.02	0.03	-0.04	0.09
MycD:Fnsua	G(Ia)	0.09	0.25	-0.41	0.59
MycD:Fnsua	P(I)	0.03	0.02	-0.02	0.07
MycD:Fnppt	E(I)	-0.05	0.03	-0.11	0.02
MycD:Fnppt	G(Ia)	-0.11	0.28	-0.65	0.43
MycD:Fnppt	P(I)	-0.05	0.02	-0.09	-0.00
MycD:Fnst	E(I)	-0.00	0.03	-0.07	0.06
MycD:Fnst	G(Ia)	0.16	0.27	-0.38	0.69
MycD:Fnst	P(I)	0.01	0.02	-0.04	0.05
Bcts:Stal	E(I)	0.33	0.06	0.21	0.45
Bcts:Stal	G(Ia)	-0.16	0.02	-0.20	-0.11
Bcts:Stal	P(I)	0.03	0.02	-0.00	0.07
Bcts:Diam	E(I)	0.17	0.07	0.04	0.30
Bcts:Diam	G(Ia)	0.09	0.02	0.06	0.13
Bcts:Diam	P(I)	0.11	0.02	0.08	0.15
Bcts:Bwt	E(I)	-0.04	0.06	-0.15	0.07
Bcts:Bwt	G(Ia)	0.03	0.02	-0.02	0.08
Bcts:Bwt	P(I)	-0.00	0.02	-0.04	0.03
Bcts:WrN	E(I)	0.49	0.06	0.36	0.61
Bcts:WrN	G(Ia)	-0.20	0.02	-0.25	-0.16
Bcts:WrN	P(I)	0.05	0.02	0.01	0.08
Bcts:WrB	E(I)	0.44	0.06	0.32	0.56
Bcts:WrB	G(Ia)	-0.21	0.02	-0.26	-0.17
Bcts:WrB	P(I)	0.04	0.02	0.00	0.07
Bcts:WrT	E(I)	0.51	0.07	0.38	0.64
Bcts:WrT	G(Ia)	-0.19	0.02	-0.24	-0.15
Bcts:WrT	P(I)	0.05	0.02	0.02	0.09

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bcts:Face	E(I)	-0.74	0.09	-0.91	-0.57
Bcts:Face	G(Ia)	0.25	0.02	0.22	0.29
Bcts:Face	P(I)	-0.02	0.02	-0.06	0.01
Bcts:Gfw	E(I)	0.29	0.06	0.18	0.40
Bcts:Gfw	G(Ia)	-0.08	0.02	-0.12	-0.03
Bcts:Gfw	P(I)	0.07	0.02	0.03	0.10
Bcts:Yld	E(I)	0.01	0.07	-0.13	0.14
Bcts:Yld	G(Ia)	-0.05	0.02	-0.09	-0.02
Bcts:Yld	P(I)	-0.03	0.02	-0.07	-0.00
Bcts:Cww	E(I)	0.27	0.06	0.16	0.38
Bcts:Cww	G(Ia)	-0.10	0.03	-0.15	-0.05
Bcts:Cww	P(I)	0.05	0.02	0.02	0.09
Bcts:Staladj	E(I)	0.40	0.06	0.28	0.52
Bcts:Staladj	G(Ia)	-0.19	0.02	-0.23	-0.14
Bcts:Staladj	P(I)	0.04	0.02	0.00	0.07
Bcts:Gfwadj	E(I)	0.30	0.06	0.18	0.41
Bcts:Gfwadj	G(Ia)	-0.08	0.02	-0.12	-0.03
Bcts:Gfwadj	P(I)	0.07	0.02	0.03	0.10
Bcts:Cwwadj	E(I)	0.30	0.06	0.18	0.41
Bcts:Cwwadj	G(Ia)	-0.11	0.03	-0.16	-0.06
Bcts:Cwwadj	P(I)	0.06	0.02	0.02	0.09
Bcts:Crimp	E(I)	0.08	0.10	-0.12	0.28
Bcts:Crimp	G(Ia)	-0.26	0.04	-0.34	-0.19
Bcts:Crimp	P(I)	-0.14	0.02	-0.19	-0.10
Bcts:Crwvl	E(I)	-0.03	0.09	-0.21	0.15
Bcts:Crwvl	G(Ia)	0.29	0.04	0.20	0.38
Bcts:Crwvl	P(I)	0.15	0.02	0.10	0.19
Bcts:Crst	E(I)	0.07	0.09	-0.11	0.25
Bcts:Crst	G(Ia)	-0.21	0.04	-0.30	-0.13
Bcts:Crst	P(I)	-0.10	0.02	-0.15	-0.05
Bcts:Crstadj	E(I)	0.08	0.09	-0.10	0.26
Bcts:Crstadj	G(Ia)	-0.23	0.04	-0.31	-0.14
Bcts:Crstadj	P(I)	-0.10	0.02	-0.14	-0.05
Bcts:Crwvt	E(I)	-0.06	0.09	-0.23	0.12
Bcts:Crwvt	G(Ia)	0.27	0.05	0.18	0.36
Bcts:Crwvt	P(I)	0.12	0.02	0.08	0.17
Bcts:Dp	E(I)	-0.32	0.18	-0.67	0.02
Bcts:Dp	G(Ia)	0.77	0.03	0.72	0.83
Bcts:Dp	P(I)	0.44	0.02	0.39	0.48
Bcts:Ds	E(I)	0.06	0.13	-0.19	0.32
Bcts:Ds	G(Ia)	-0.15	0.04	-0.23	-0.07
Bcts:Ds	P(I)	-0.07	0.03	-0.13	-0.02
Bcts:Dps	E(I)	0.04	0.13	-0.21	0.28

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bcts:Dps	G(Ia)	-0.08	0.04	-0.16	-0.00
Bcts:Dps	P(I)	-0.04	0.03	-0.09	0.02
Bcts:DpovDs	E(I)	-0.53	0.29	-1.11	0.05
Bcts:DpovDs	G(Ia)	0.71	0.02	0.66	0.75
Bcts:DpovDs	P(I)	0.51	0.02	0.46	0.55
Bcts:CVDp	E(I)	-0.35	0.15	-0.64	-0.06
Bcts:CVDp	G(Ia)	0.70	0.04	0.61	0.78
Bcts:CVDp	P(I)	0.28	0.03	0.23	0.33
Bcts:CVDs	E(I)	-0.29	0.13	-0.55	-0.03
Bcts:CVDs	G(Ia)	0.51	0.05	0.41	0.61
Bcts:CVDs	P(I)	0.17	0.03	0.11	0.22
Bcts:MaxDp	E(I)	-0.45	0.19	-0.82	-0.09
Bcts:MaxDp	G(Ia)	0.85	0.03	0.79	0.91
Bcts:MaxDp	P(I)	0.44	0.02	0.39	0.48
Bcts:MinDp	E(I)	0.08	0.10	-0.12	0.28
Bcts:MinDp	G(Ia)	0.36	0.13	0.12	0.61
Bcts:MinDp	P(I)	0.11	0.03	0.05	0.16
Bcts:MaxDs	E(I)	-0.10	0.12	-0.33	0.13
Bcts:MaxDs	G(Ia)	0.32	0.06	0.21	0.44
Bcts:MaxDs	P(I)	0.10	0.03	0.05	0.16
Bcts:MinDs	E(I)	0.21	0.11	-0.00	0.41
Bcts:MinDs	G(Ia)	-0.45	0.15	-0.74	-0.15
Bcts:MinDs	P(I)	-0.03	0.03	-0.09	0.03
Bcts:SDDp	E(I)	-0.46	0.18	-0.82	-0.10
Bcts:SDDp	G(Ia)	0.85	0.03	0.79	0.91
Bcts:SDDp	P(I)	0.44	0.02	0.39	0.49
Bcts:SDDs	E(I)	-0.29	0.14	-0.57	-0.01
Bcts:SDDs	G(Ia)	0.30	0.04	0.23	0.38
Bcts:SDDs	P(I)	0.10	0.03	0.05	0.16
Bcts:SDD	E(I)	-0.34	0.15	-0.64	-0.05
Bcts:SDD	G(Ia)	0.43	0.04	0.35	0.50
Bcts:SDD	P(I)	0.17	0.03	0.11	0.22
Bcts:CVD	E(I)	-0.34	0.14	-0.61	-0.06
Bcts:CVD	G(Ia)	0.60	0.05	0.51	0.69
Bcts:CVD	P(I)	0.21	0.03	0.16	0.27
Bcts:Gt30Dp	E(I)	-0.41	0.18	-0.76	-0.06
Bcts:Gt30Dp	G(Ia)	0.82	0.03	0.76	0.88
Bcts:Gt30Dp	P(I)	0.42	0.02	0.37	0.47
Bcts:Gt30Ds	E(I)	-0.08	0.12	-0.33	0.16
Bcts:Gt30Ds	G(Ia)	0.25	0.05	0.16	0.34
Bcts:Gt30Ds	P(I)	0.10	0.03	0.05	0.16
Bcts:Gt30D	E(I)	-0.16	0.13	-0.42	0.09
Bcts:Gt30D	G(Ia)	0.47	0.05	0.38	0.55

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bcts:Gt30D	P(I)	0.19	0.03	0.14	0.24
Bcts:Fnuu	E(I)	-0.11	0.05	-0.21	-0.00
Bcts:Fnuu	G(Ia)	0.04	0.03	-0.01	0.10
Bcts:Fnuu	P(I)	-0.03	0.02	-0.06	0.01
Bcts:Fr	E(I)	-0.05	0.05	-0.16	0.06
Bcts:Fr	G(Ia)	-0.02	0.03	-0.07	0.04
Bcts:Fr	P(I)	-0.03	0.02	-0.07	0.01
Bcts:Fnt	E(I)	-0.08	0.05	-0.18	0.03
Bcts:Fnt	G(Ia)	0.03	0.03	-0.03	0.09
Bcts:Fnt	P(I)	-0.02	0.02	-0.06	0.02
Bcts:Sarea	E(I)	0.02	0.05	-0.08	0.12
Bcts:Sarea	G(Ia)	-0.01	0.03	-0.07	0.05
Bcts:Sarea	P(I)	0.00	0.02	-0.03	0.04
Bcts:Fd	E(I)	0.10	0.05	0.01	0.19
Bcts:Fd	G(Ia)	0.02	0.05	-0.07	0.12
Bcts:Fd	P(I)	0.07	0.02	0.03	0.11
Bcts:Fc	E(I)	0.16	0.06	0.04	0.27
Bcts:Fc	G(Ia)	-0.01	0.03	-0.07	0.05
Bcts:Fc	P(I)	0.06	0.02	0.02	0.10
Bcts:Fu	E(I)	0.15	0.05	0.05	0.25
Bcts:Fu	G(Ia)	0.05	0.04	-0.02	0.12
Bcts:Fu	P(I)	0.10	0.02	0.06	0.14
Bcts:Colour	E(I)	-0.29	0.06	-0.40	-0.17
Bcts:Colour	G(Ia)	0.37	0.04	0.30	0.44
Bcts:Colour	P(I)	0.03	0.02	-0.00	0.07
Bcts:Fly	E(I)	0.10	0.05	0.00	0.20
Bcts:Fly	G(Ia)	-0.12	0.09	-0.30	0.06
Bcts:Fly	P(I)	0.03	0.02	-0.01	0.06
Bcts:Flcrot	E(I)	-0.04	0.05	-0.14	0.06
Bcts:Flcrot	G(Ia)	0.12	0.05	0.02	0.21
Bcts:Flcrot	P(I)	0.01	0.02	-0.02	0.05
Bcts:Bactst	E(I)	-0.32	0.10	-0.51	-0.12
Bcts:Bactst	G(Ia)	0.59	0.09	0.40	0.77
Bcts:Bactst	P(I)	0.05	0.02	0.01	0.09
Bcts:MycD	E(I)	-0.02	0.08	-0.18	0.15
Bcts:MycD	G(Ia)	-0.02	0.08	-0.17	0.13
Bcts:MycD	P(I)	-0.01	0.02	-0.05	0.03
Bcts:Bcts	E(I)	1.00	0.00	1.00	1.00
Bcts:Bcts	G(Ia)	1.00	0.00	1.00	1.00
Bcts:Bcts	P(I)	1.00	0.00	1.00	1.00
Bcts:Bctb	E(I)	0.54	0.05	0.44	0.64
Bcts:Bctb	G(Ia)	0.99	0.01	0.98	1.00
Bcts:Bctb	P(I)	0.89	0.01	0.88	0.90

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bcts:Weanwt	E(I)	0.18	0.05	0.08	0.29
Bcts:Weanwt	G(Ia)	-0.05	0.03	-0.11	0.01
Bcts:Weanwt	P(I)	0.05	0.02	0.02	0.08
Bcts:NLB	E(I)	-0.15	0.05	-0.25	-0.05
Bcts:NLB	G(Ia)	0.08	0.03	0.03	0.14
Bcts:NLB	P(I)	-0.02	0.02	-0.06	0.01
Bcts:NLW	E(I)	-0.26	0.05	-0.36	-0.15
Bcts:NLW	G(Ia)	0.18	0.03	0.13	0.24
Bcts:NLW	P(I)	-0.02	0.02	-0.05	0.02
Bcts:Fnpua	E(I)	0.03	0.05	-0.07	0.13
Bcts:Fnpua	G(Ia)	-0.02	0.04	-0.09	0.05
Bcts:Fnpua	P(I)	0.01	0.02	-0.03	0.04
Bcts:Fnsua	E(I)	-0.11	0.05	-0.22	-0.01
Bcts:Fnsua	G(Ia)	0.04	0.03	-0.01	0.10
Bcts:Fnsua	P(I)	-0.03	0.02	-0.06	0.01
Bcts:Fnpnt	E(I)	0.06	0.05	-0.04	0.16
Bcts:Fnpnt	G(Ia)	-0.03	0.03	-0.10	0.03
Bcts:Fnpnt	P(I)	0.01	0.02	-0.02	0.05
Bcts:Fnst	E(I)	-0.08	0.05	-0.19	0.02
Bcts:Fnst	G(Ia)	0.03	0.03	-0.03	0.09
Bcts:Fnst	P(I)	-0.02	0.02	-0.06	0.02
Bctb:Stal	E(I)	0.32	0.06	0.21	0.43
Bctb:Stal	G(Ia)	-0.19	0.02	-0.24	-0.14
Bctb:Stal	P(I)	0.02	0.02	-0.01	0.06
Bctb:Diam	E(I)	0.17	0.06	0.05	0.28
Bctb:Diam	G(Ia)	0.08	0.02	0.04	0.12
Bctb:Diam	P(I)	0.11	0.02	0.07	0.14
Bctb:Bwt	E(I)	0.03	0.05	-0.08	0.13
Bctb:Bwt	G(Ia)	-0.02	0.03	-0.07	0.03
Bctb:Bwt	P(I)	-0.00	0.02	-0.03	0.03
Bctb:WrN	E(I)	0.44	0.06	0.33	0.56
Bctb:WrN	G(Ia)	-0.19	0.02	-0.23	-0.14
Bctb:WrN	P(I)	0.05	0.02	0.02	0.09
Bctb:WrB	E(I)	0.44	0.06	0.33	0.55
Bctb:WrB	G(Ia)	-0.23	0.02	-0.28	-0.19
Bctb:WrB	P(I)	0.04	0.02	0.01	0.08
Bctb:WrT	E(I)	0.50	0.06	0.38	0.61
Bctb:WrT	G(Ia)	-0.20	0.02	-0.25	-0.16
Bctb:WrT	P(I)	0.06	0.02	0.03	0.09
Bctb:Face	E(I)	-0.67	0.08	-0.82	-0.52
Bctb:Face	G(Ia)	0.24	0.02	0.20	0.28
Bctb:Face	P(I)	-0.03	0.02	-0.06	0.00
Bctb:Gfw	E(I)	0.31	0.05	0.20	0.41

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bctb:Gfw	G(Ia)	-0.10	0.02	-0.15	-0.05
Bctb:Gfw	P(I)	0.07	0.02	0.04	0.10
Bctb:Yld	E(I)	-0.02	0.06	-0.15	0.10
Bctb:Yld	G(Ia)	-0.04	0.02	-0.08	-0.00
Bctb:Yld	P(I)	-0.04	0.02	-0.07	-0.00
Bctb:Cww	E(I)	0.28	0.05	0.18	0.38
Bctb:Cww	G(Ia)	-0.12	0.03	-0.18	-0.07
Bctb:Cww	P(I)	0.06	0.02	0.02	0.09
Bctb:Staladj	E(I)	0.40	0.06	0.29	0.51
Bctb:Staladj	G(Ia)	-0.22	0.02	-0.27	-0.18
Bctb:Staladj	P(I)	0.03	0.02	-0.00	0.06
Bctb:Gfwadj	E(I)	0.33	0.05	0.22	0.43
Bctb:Gfwadj	G(Ia)	-0.11	0.02	-0.15	-0.06
Bctb:Gfwadj	P(I)	0.07	0.02	0.04	0.11
Bctb:Cwwadj	E(I)	0.31	0.05	0.21	0.42
Bctb:Cwwadj	G(Ia)	-0.13	0.03	-0.19	-0.08
Bctb:Cwwadj	P(I)	0.06	0.02	0.03	0.10
Bctb:Crimp	E(I)	0.12	0.09	-0.05	0.29
Bctb:Crimp	G(Ia)	-0.30	0.04	-0.38	-0.22
Bctb:Crimp	P(I)	-0.13	0.02	-0.18	-0.09
Bctb:Crwvl	E(I)	-0.05	0.08	-0.20	0.10
Bctb:Crwvl	G(Ia)	0.31	0.05	0.22	0.41
Bctb:Crwvl	P(I)	0.14	0.02	0.09	0.18
Bctb:Crst	E(I)	0.10	0.08	-0.05	0.26
Bctb:Crst	G(Ia)	-0.27	0.04	-0.35	-0.18
Bctb:Crst	P(I)	-0.10	0.02	-0.15	-0.06
Bctb:Crstadj	E(I)	0.12	0.08	-0.03	0.28
Bctb:Crstadj	G(Ia)	-0.28	0.05	-0.37	-0.19
Bctb:Crstadj	P(I)	-0.10	0.02	-0.14	-0.05
Bctb:Crwvt	E(I)	-0.08	0.07	-0.22	0.07
Bctb:Crwvt	G(Ia)	0.31	0.05	0.21	0.40
Bctb:Crwvt	P(I)	0.12	0.02	0.07	0.17
Bctb:Dp	E(I)	-0.18	0.15	-0.48	0.11
Bctb:Dp	G(Ia)	0.70	0.03	0.65	0.76
Bctb:Dp	P(I)	0.42	0.02	0.37	0.47
Bctb:Ds	E(I)	0.12	0.12	-0.12	0.35
Bctb:Ds	G(Ia)	-0.14	0.04	-0.22	-0.07
Bctb:Ds	P(I)	-0.05	0.03	-0.10	0.00
Bctb:Dps	E(I)	0.09	0.12	-0.13	0.32
Bctb:Dps	G(Ia)	-0.08	0.04	-0.16	-0.00
Bctb:Dps	P(I)	-0.02	0.03	-0.07	0.03
Bctb:DpovDs	E(I)	-0.38	0.25	-0.86	0.11
Bctb:DpovDs	G(Ia)	0.65	0.02	0.61	0.69

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bctb:DpovDs	P(I)	0.48	0.02	0.43	0.52
Bctb:CVDp	E(I)	-0.50	0.14	-0.78	-0.22
Bctb:CVDp	G(Ia)	0.75	0.04	0.66	0.84
Bctb:CVDp	P(I)	0.25	0.03	0.20	0.30
Bctb:CVDs	E(I)	-0.36	0.12	-0.60	-0.12
Bctb:CVDs	G(Ia)	0.52	0.05	0.42	0.62
Bctb:CVDs	P(I)	0.14	0.03	0.09	0.19
Bctb:MaxDp	E(I)	-0.41	0.16	-0.73	-0.09
Bctb:MaxDp	G(Ia)	0.82	0.03	0.76	0.87
Bctb:MaxDp	P(I)	0.42	0.02	0.37	0.46
Bctb:MinDp	E(I)	0.11	0.09	-0.08	0.29
Bctb:MinDp	G(Ia)	0.29	0.11	0.06	0.51
Bctb:MinDp	P(I)	0.10	0.03	0.05	0.16
Bctb:MaxDs	E(I)	-0.10	0.11	-0.31	0.11
Bctb:MaxDs	G(Ia)	0.33	0.06	0.22	0.44
Bctb:MaxDs	P(I)	0.11	0.03	0.05	0.16
Bctb:MinDs	E(I)	0.26	0.10	0.06	0.45
Bctb:MinDs	G(Ia)	-0.52	0.16	-0.84	-0.20
Bctb:MinDs	P(I)	-0.02	0.03	-0.08	0.03
Bctb:SDDp	E(I)	-0.52	0.17	-0.85	-0.19
Bctb:SDDp	G(Ia)	0.85	0.03	0.79	0.91
Bctb:SDDp	P(I)	0.41	0.02	0.37	0.46
Bctb:SDDs	E(I)	-0.32	0.13	-0.58	-0.06
Bctb:SDDs	G(Ia)	0.31	0.04	0.24	0.38
Bctb:SDDs	P(I)	0.09	0.03	0.04	0.14
Bctb:SDD	E(I)	-0.39	0.14	-0.66	-0.11
Bctb:SDD	G(Ia)	0.43	0.04	0.36	0.50
Bctb:SDD	P(I)	0.15	0.03	0.10	0.20
Bctb:CVD	E(I)	-0.42	0.13	-0.68	-0.17
Bctb:CVD	G(Ia)	0.61	0.05	0.52	0.70
Bctb:CVD	P(I)	0.18	0.03	0.13	0.24
Bctb:Gt30Dp	E(I)	-0.41	0.16	-0.72	-0.10
Bctb:Gt30Dp	G(Ia)	0.78	0.03	0.72	0.84
Bctb:Gt30Dp	P(I)	0.39	0.02	0.34	0.43
Bctb:Gt30Ds	E(I)	-0.03	0.12	-0.26	0.19
Bctb:Gt30Ds	G(Ia)	0.25	0.05	0.16	0.34
Bctb:Gt30Ds	P(I)	0.11	0.03	0.06	0.17
Bctb:Gt30D	E(I)	-0.13	0.12	-0.36	0.10
Bctb:Gt30D	G(Ia)	0.45	0.04	0.37	0.54
Bctb:Gt30D	P(I)	0.19	0.03	0.14	0.24
Bctb:Fnua	E(I)	-0.14	0.05	-0.25	-0.04
Bctb:Fnua	G(Ia)	0.07	0.03	0.02	0.13
Bctb:Fnua	P(I)	-0.03	0.02	-0.06	0.01

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bctb:Fr	E(I)	-0.08	0.05	-0.19	0.02
Bctb:Fr	G(Ia)	0.02	0.03	-0.04	0.07
Bctb:Fr	P(I)	-0.03	0.02	-0.06	0.01
Bctb:Fnt	E(I)	-0.10	0.05	-0.20	0.00
Bctb:Fnt	G(Ia)	0.04	0.03	-0.02	0.10
Bctb:Fnt	P(I)	-0.02	0.02	-0.06	0.01
Bctb:Sarea	E(I)	0.06	0.05	-0.04	0.16
Bctb:Sarea	G(Ia)	-0.06	0.03	-0.12	0.00
Bctb:Sarea	P(I)	-0.00	0.02	-0.04	0.04
Bctb:Fd	E(I)	0.12	0.05	0.03	0.21
Bctb:Fd	G(Ia)	0.01	0.05	-0.08	0.11
Bctb:Fd	P(I)	0.08	0.02	0.03	0.12
Bctb:Fc	E(I)	0.18	0.06	0.06	0.30
Bctb:Fc	G(Ia)	-0.02	0.03	-0.08	0.04
Bctb:Fc	P(I)	0.07	0.02	0.03	0.11
Bctb:Fu	E(I)	0.15	0.05	0.05	0.25
Bctb:Fu	G(Ia)	0.06	0.03	-0.01	0.13
Bctb:Fu	P(I)	0.11	0.02	0.06	0.15
Bctb:Colour	E(I)	-0.28	0.05	-0.38	-0.17
Bctb:Colour	G(Ia)	0.38	0.04	0.31	0.45
Bctb:Colour	P(I)	0.03	0.02	-0.00	0.07
Bctb:Fly	E(I)	0.07	0.05	-0.03	0.16
Bctb:Fly	G(Ia)	-0.10	0.09	-0.28	0.08
Bctb:Fly	P(I)	0.02	0.02	-0.02	0.05
Bctb:Flcrot	E(I)	-0.05	0.05	-0.15	0.04
Bctb:Flcrot	G(Ia)	0.13	0.05	0.03	0.23
Bctb:Flcrot	P(I)	0.01	0.02	-0.02	0.05
Bctb:Bactst	E(I)	-0.32	0.08	-0.48	-0.15
Bctb:Bactst	G(Ia)	0.56	0.09	0.38	0.75
Bctb:Bactst	P(I)	0.03	0.02	-0.01	0.07
Bctb:MycD	E(I)	-0.06	0.07	-0.20	0.09
Bctb:MycD	G(Ia)	-0.02	0.08	-0.18	0.13
Bctb:MycD	P(I)	-0.02	0.02	-0.06	0.02
Bctb:Bcts	E(I)	0.54	0.05	0.44	0.64
Bctb:Bcts	G(Ia)	0.99	0.01	0.98	1.00
Bctb:Bcts	P(I)	0.89	0.01	0.88	0.90
Bctb:Bctb	E(I)	1.00	0.00	1.00	1.00
Bctb:Bctb	G(Ia)	1.00	0.00	1.00	1.00
Bctb:Bctb	P(I)	1.00	0.00	1.00	1.00
Bctb:Weanwt	E(I)	0.21	0.05	0.11	0.30
Bctb:Weanwt	G(Ia)	-0.09	0.03	-0.15	-0.04
Bctb:Weanwt	P(I)	0.05	0.02	0.02	0.08
Bctb:NLB	E(I)	-0.14	0.05	-0.23	-0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Bctb:NLB	G(Ia)	0.06	0.03	0.00	0.12
Bctb:NLB	P(I)	-0.03	0.02	-0.07	0.00
Bctb:NLW	E(I)	-0.27	0.05	-0.37	-0.17
Bctb:NLW	G(Ia)	0.17	0.03	0.12	0.23
Bctb:NLW	P(I)	-0.04	0.02	-0.07	-0.00
Bctb:Fnpua	E(I)	0.03	0.05	-0.07	0.12
Bctb:Fnpua	G(Ia)	-0.03	0.04	-0.10	0.04
Bctb:Fnpua	P(I)	0.00	0.02	-0.04	0.04
Bctb:Fnsua	E(I)	-0.15	0.05	-0.25	-0.05
Bctb:Fnsua	G(Ia)	0.08	0.03	0.02	0.13
Bctb:Fnsua	P(I)	-0.03	0.02	-0.06	0.01
Bctb:Fnpnt	E(I)	0.07	0.05	-0.03	0.16
Bctb:Fnpnt	G(Ia)	-0.06	0.03	-0.13	0.00
Bctb:Fnpnt	P(I)	0.00	0.02	-0.03	0.04
Bctb:Fnst	E(I)	-0.10	0.05	-0.20	-0.00
Bctb:Fnst	G(Ia)	0.04	0.03	-0.01	0.10
Bctb:Fnst	P(I)	-0.03	0.02	-0.06	0.01
Weanwt:Stal	E(I)	0.11	0.03	0.05	0.17
Weanwt:Stal	G(Ia)	-0.02	0.04	-0.11	0.06
Weanwt:Stal	P(I)	0.07	0.02	0.04	0.10
Weanwt:Diam	E(I)	-0.10	0.04	-0.17	-0.03
Weanwt:Diam	G(Ia)	0.30	0.04	0.22	0.37
Weanwt:Diam	P(I)	0.04	0.02	0.01	0.08
Weanwt:Bwt	E(I)	0.51	0.02	0.46	0.55
Weanwt:Bwt	G(Ia)	0.73	0.03	0.67	0.80
Weanwt:Bwt	P(I)	0.57	0.01	0.54	0.59
Weanwt:WrN	E(I)	0.13	0.03	0.07	0.20
Weanwt:WrN	G(Ia)	-0.20	0.04	-0.28	-0.13
Weanwt:WrN	P(I)	0.02	0.02	-0.01	0.06
Weanwt:WrB	E(I)	0.10	0.03	0.04	0.16
Weanwt:WrB	G(Ia)	-0.11	0.04	-0.19	-0.02
Weanwt:WrB	P(I)	0.03	0.02	-0.00	0.07
Weanwt:WrT	E(I)	0.12	0.03	0.06	0.19
Weanwt:WrT	G(Ia)	-0.15	0.04	-0.22	-0.07
Weanwt:WrT	P(I)	0.03	0.02	-0.00	0.07
Weanwt:Face	E(I)	0.12	0.04	0.04	0.20
Weanwt:Face	G(Ia)	-0.42	0.03	-0.49	-0.36
Weanwt:Face	P(I)	-0.10	0.02	-0.14	-0.07
Weanwt:Gfw	E(I)	0.47	0.03	0.42	0.52
Weanwt:Gfw	G(Ia)	0.14	0.04	0.06	0.23
Weanwt:Gfw	P(I)	0.37	0.02	0.34	0.40
Weanwt:Yld	E(I)	0.06	0.04	-0.01	0.13
Weanwt:Yld	G(Ia)	-0.05	0.04	-0.12	0.02

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Weanwt:Yld	P(I)	0.02	0.02	-0.01	0.05
Weanwt:Cww	E(I)	0.48	0.03	0.43	0.53
Weanwt:Cww	G(Ia)	0.11	0.05	0.03	0.20
Weanwt:Cww	P(I)	0.38	0.02	0.35	0.41
Weanwt:Staladj	E(I)	0.10	0.03	0.03	0.16
Weanwt:Staladj	G(Ia)	0.00	0.03	-0.07	0.07
Weanwt:Staladj	P(I)	0.06	0.02	0.03	0.10
Weanwt:Gfwadj	E(I)	0.45	0.03	0.39	0.50
Weanwt:Gfwadj	G(Ia)	0.14	0.04	0.06	0.23
Weanwt:Gfwadj	P(I)	0.35	0.02	0.32	0.39
Weanwt:Cwwadj	E(I)	0.46	0.03	0.41	0.51
Weanwt:Cwwadj	G(Ia)	0.12	0.04	0.03	0.21
Weanwt:Cwwadj	P(I)	0.36	0.02	0.33	0.40
Weanwt:Crimp	E(I)	0.07	0.06	-0.04	0.18
Weanwt:Crimp	G(Ia)	0.08	0.07	-0.06	0.22
Weanwt:Crimp	P(I)	0.07	0.02	0.02	0.11
Weanwt:Crwvl	E(I)	-0.05	0.05	-0.15	0.05
Weanwt:Crwvl	G(Ia)	-0.08	0.09	-0.24	0.09
Weanwt:Crwvl	P(I)	-0.06	0.02	-0.10	-0.01
Weanwt:Crst	E(I)	0.15	0.05	0.05	0.25
Weanwt:Crst	G(Ia)	0.04	0.08	-0.12	0.19
Weanwt:Crst	P(I)	0.11	0.02	0.06	0.15
Weanwt:Crstadj	E(I)	0.11	0.05	0.01	0.20
Weanwt:Crstadj	G(Ia)	0.07	0.08	-0.09	0.23
Weanwt:Crstadj	P(I)	0.09	0.02	0.05	0.14
Weanwt:Crwvt	E(I)	-0.11	0.05	-0.21	-0.02
Weanwt:Crwvt	G(Ia)	-0.01	0.08	-0.17	0.15
Weanwt:Crwvt	P(I)	-0.08	0.02	-0.13	-0.03
Weanwt:Dp	E(I)	-0.00	0.06	-0.12	0.11
Weanwt:Dp	G(Ia)	-0.33	0.07	-0.48	-0.19
Weanwt:Dp	P(I)	-0.13	0.03	-0.19	-0.06
Weanwt:Ds	E(I)	-0.01	0.06	-0.14	0.11
Weanwt:Ds	G(Ia)	0.04	0.08	-0.12	0.20
Weanwt:Ds	P(I)	0.00	0.03	-0.06	0.07
Weanwt:Dps	E(I)	-0.02	0.06	-0.14	0.11
Weanwt:Dps	G(Ia)	0.01	0.09	-0.16	0.18
Weanwt:Dps	P(I)	-0.01	0.03	-0.07	0.06
Weanwt:DpovDs	E(I)	0.04	0.11	-0.18	0.26
Weanwt:DpovDs	G(Ia)	-0.32	0.06	-0.44	-0.21
Weanwt:DpovDs	P(I)	-0.14	0.03	-0.20	-0.07
Weanwt:CVDp	E(I)	0.08	0.06	-0.04	0.20
Weanwt:CVDp	G(Ia)	-0.43	0.09	-0.61	-0.24
Weanwt:CVDp	P(I)	-0.07	0.03	-0.14	-0.01

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Weanwt:CVDs	E(I)	-0.04	0.06	-0.16	0.07
Weanwt:CVDs	G(Ia)	-0.10	0.10	-0.30	0.10
Weanwt:CVDs	P(I)	-0.06	0.03	-0.13	0.01
Weanwt:MaxDp	E(I)	0.02	0.07	-0.12	0.16
Weanwt:MaxDp	G(Ia)	-0.39	0.08	-0.54	-0.24
Weanwt:MaxDp	P(I)	-0.13	0.03	-0.20	-0.07
Weanwt:MinDp	E(I)	-0.03	0.05	-0.13	0.07
Weanwt:MinDp	G(Ia)	-0.57	0.25	-1.05	-0.08
Weanwt:MinDp	P(I)	-0.09	0.03	-0.16	-0.03
Weanwt:MaxDs	E(I)	-0.03	0.06	-0.14	0.08
Weanwt:MaxDs	G(Ia)	-0.09	0.12	-0.32	0.15
Weanwt:MaxDs	P(I)	-0.05	0.03	-0.11	0.02
Weanwt:MinDs	E(I)	0.02	0.05	-0.08	0.12
Weanwt:MinDs	G(Ia)	0.11	0.23	-0.34	0.55
Weanwt:MinDs	P(I)	0.03	0.03	-0.03	0.10
Weanwt:SDDp	E(I)	0.07	0.07	-0.06	0.21
Weanwt:SDDp	G(Ia)	-0.44	0.08	-0.59	-0.29
Weanwt:SDDp	P(I)	-0.12	0.03	-0.18	-0.05
Weanwt:SDDs	E(I)	-0.07	0.06	-0.20	0.05
Weanwt:SDDs	G(Ia)	-0.01	0.08	-0.17	0.14
Weanwt:SDDs	P(I)	-0.05	0.03	-0.12	0.01
Weanwt:SDD	E(I)	-0.06	0.06	-0.19	0.06
Weanwt:SDD	G(Ia)	-0.08	0.08	-0.24	0.08
Weanwt:SDD	P(I)	-0.07	0.03	-0.13	-0.00
Weanwt:CVD	E(I)	-0.03	0.06	-0.15	0.08
Weanwt:CVD	G(Ia)	-0.16	0.10	-0.35	0.03
Weanwt:CVD	P(I)	-0.07	0.03	-0.13	-0.00
Weanwt:Gt30Dp	E(I)	0.04	0.07	-0.10	0.17
Weanwt:Gt30Dp	G(Ia)	-0.42	0.08	-0.57	-0.27
Weanwt:Gt30Dp	P(I)	-0.13	0.03	-0.19	-0.06
Weanwt:Gt30Ds	E(I)	-0.03	0.06	-0.14	0.08
Weanwt:Gt30Ds	G(Ia)	-0.01	0.10	-0.21	0.18
Weanwt:Gt30Ds	P(I)	-0.02	0.03	-0.09	0.04
Weanwt:Gt30D	E(I)	-0.02	0.06	-0.14	0.09
Weanwt:Gt30D	G(Ia)	-0.13	0.10	-0.32	0.06
Weanwt:Gt30D	P(I)	-0.05	0.03	-0.12	0.01
Weanwt:Ftua	E(I)	0.09	0.03	0.03	0.16
Weanwt:Ftua	G(Ia)	-0.48	0.05	-0.58	-0.37
Weanwt:Ftua	P(I)	-0.07	0.02	-0.11	-0.03
Weanwt:Fr	E(I)	0.26	0.03	0.20	0.33
Weanwt:Fr	G(Ia)	-0.49	0.05	-0.59	-0.38
Weanwt:Fr	P(I)	0.04	0.02	0.00	0.08
Weanwt:Fnt	E(I)	0.31	0.03	0.25	0.37

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Weanwt:Fnt	G(Ia)	-0.19	0.05	-0.29	-0.08
Weanwt:Fnt	P(I)	0.17	0.02	0.14	0.21
Weanwt:Sarea	E(I)	0.50	0.03	0.45	0.55
Weanwt:Sarea	G(Ia)	0.73	0.04	0.65	0.80
Weanwt:Sarea	P(I)	0.56	0.01	0.53	0.59
Weanwt:Fd	E(I)	-0.05	0.03	-0.11	0.02
Weanwt:Fd	G(Ia)	0.08	0.07	-0.07	0.22
Weanwt:Fd	P(I)	-0.02	0.02	-0.06	0.02
Weanwt:Fc	E(I)	-0.17	0.05	-0.26	-0.08
Weanwt:Fc	G(Ia)	0.21	0.04	0.13	0.30
Weanwt:Fc	P(I)	-0.01	0.02	-0.06	0.03
Weanwt:Fu	E(I)	-0.11	0.04	-0.19	-0.03
Weanwt:Fu	G(Ia)	0.16	0.05	0.06	0.26
Weanwt:Fu	P(I)	-0.02	0.02	-0.06	0.02
Weanwt:Colour	E(I)	-0.02	0.03	-0.07	0.04
Weanwt:Colour	G(Ia)	-0.17	0.06	-0.29	-0.05
Weanwt:Colour	P(I)	-0.05	0.02	-0.09	-0.02
Weanwt:Fly	E(I)	-0.01	0.03	-0.06	0.04
Weanwt:Fly	G(Ia)	0.07	0.17	-0.26	0.39
Weanwt:Fly	P(I)	-0.00	0.02	-0.04	0.03
Weanwt:Flcrot	E(I)	-0.00	0.03	-0.06	0.05
Weanwt:Flcrot	G(Ia)	-0.17	0.09	-0.35	0.01
Weanwt:Flcrot	P(I)	-0.03	0.02	-0.06	0.01
Weanwt:Bactst	E(I)	-0.02	0.03	-0.08	0.04
Weanwt:Bactst	G(Ia)	-0.17	0.13	-0.42	0.09
Weanwt:Bactst	P(I)	-0.04	0.02	-0.08	0.00
Weanwt:MycD	E(I)	-0.07	0.03	-0.13	-0.02
Weanwt:MycD	G(Ia)	0.17	0.17	-0.16	0.50
Weanwt:MycD	P(I)	-0.05	0.02	-0.09	-0.01
Weanwt:Bcts	E(I)	0.18	0.05	0.08	0.29
Weanwt:Bcts	G(Ia)	-0.05	0.03	-0.11	0.01
Weanwt:Bcts	P(I)	0.05	0.02	0.02	0.08
Weanwt:Bctb	E(I)	0.21	0.05	0.11	0.30
Weanwt:Bctb	G(Ia)	-0.09	0.03	-0.15	-0.04
Weanwt:Bctb	P(I)	0.05	0.02	0.02	0.08
Weanwt:Weanwt	E(I)	1.00	0.00	1.00	1.00
Weanwt:Weanwt	G(Ia)	1.00	0.00	1.00	1.00
Weanwt:Weanwt	P(I)	1.00	0.00	1.00	1.00
Weanwt:NLB	E(I)	-0.38	0.02	-0.43	-0.33
Weanwt:NLB	G(Ia)	-0.46	0.05	-0.55	-0.36
Weanwt:NLB	P(I)	-0.40	0.02	-0.43	-0.37
Weanwt:NLW	E(I)	-0.41	0.02	-0.45	-0.36
Weanwt:NLW	G(Ia)	-0.46	0.04	-0.54	-0.37

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Weanwt:NLW	P(I)	-0.42	0.02	-0.45	-0.39
Weanwt:Fnpua	E(I)	-0.17	0.03	-0.23	-0.11
Weanwt:Fnpua	G(Ia)	0.06	0.06	-0.07	0.18
Weanwt:Fnpua	P(I)	-0.11	0.02	-0.15	-0.08
Weanwt:Fnsua	E(I)	0.11	0.03	0.04	0.17
Weanwt:Fnsua	G(Ia)	-0.49	0.05	-0.59	-0.39
Weanwt:Fnsua	P(I)	-0.06	0.02	-0.10	-0.03
Weanwt:Fnppt	E(I)	0.03	0.03	-0.03	0.09
Weanwt:Fnppt	G(Ia)	0.36	0.06	0.25	0.47
Weanwt:Fnppt	P(I)	0.11	0.02	0.08	0.15
Weanwt:Fnst	E(I)	0.32	0.03	0.25	0.38
Weanwt:Fnst	G(Ia)	-0.21	0.05	-0.32	-0.10
Weanwt:Fnst	P(I)	0.17	0.02	0.13	0.21
NLB:Stal	E(I)	-0.04	0.03	-0.10	0.01
NLB:Stal	G(Ia)	0.27	0.04	0.19	0.36
NLB:Stal	P(I)	0.04	0.02	0.01	0.07
NLB:Diam	E(I)	0.15	0.03	0.09	0.21
NLB:Diam	G(Ia)	-0.03	0.04	-0.10	0.05
NLB:Diam	P(I)	0.09	0.02	0.06	0.12
NLB:Bwt	E(I)	-0.13	0.03	-0.19	-0.08
NLB:Bwt	G(Ia)	-0.23	0.04	-0.31	-0.15
NLB:Bwt	P(I)	-0.16	0.02	-0.19	-0.12
NLB:WrN	E(I)	-0.18	0.03	-0.24	-0.13
NLB:WrN	G(Ia)	0.10	0.04	0.02	0.18
NLB:WrN	P(I)	-0.10	0.02	-0.13	-0.07
NLB:WrB	E(I)	-0.24	0.03	-0.29	-0.18
NLB:WrB	G(Ia)	0.17	0.04	0.09	0.25
NLB:WrB	P(I)	-0.12	0.02	-0.15	-0.09
NLB:WrT	E(I)	-0.23	0.03	-0.29	-0.18
NLB:WrT	G(Ia)	0.14	0.04	0.06	0.21
NLB:WrT	P(I)	-0.12	0.02	-0.15	-0.08
NLB:Face	E(I)	-0.13	0.04	-0.21	-0.05
NLB:Face	G(Ia)	0.10	0.03	0.04	0.16
NLB:Face	P(I)	-0.02	0.02	-0.06	0.01
NLB:Gfw	E(I)	-0.25	0.03	-0.30	-0.20
NLB:Gfw	G(Ia)	0.13	0.04	0.05	0.21
NLB:Gfw	P(I)	-0.14	0.02	-0.17	-0.11
NLB:Yld	E(I)	-0.05	0.03	-0.10	0.01
NLB:Yld	G(Ia)	0.05	0.04	-0.02	0.12
NLB:Yld	P(I)	-0.02	0.02	-0.05	0.02
NLB:Cww	E(I)	-0.26	0.03	-0.31	-0.21
NLB:Cww	G(Ia)	0.15	0.04	0.07	0.24
NLB:Cww	P(I)	-0.15	0.02	-0.18	-0.12

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLB:Staladj	E(I)	-0.04	0.03	-0.10	0.01
NLB:Staladj	G(Ia)	0.29	0.04	0.20	0.37
NLB:Staladj	P(I)	0.05	0.02	0.01	0.08
NLB:Gfwadj	E(I)	-0.24	0.03	-0.29	-0.19
NLB:Gfwadj	G(Ia)	0.13	0.04	0.04	0.21
NLB:Gfwadj	P(I)	-0.14	0.02	-0.17	-0.11
NLB:Cwwadj	E(I)	-0.25	0.03	-0.30	-0.20
NLB:Cwwadj	G(Ia)	0.15	0.04	0.06	0.24
NLB:Cwwadj	P(I)	-0.14	0.02	-0.18	-0.11
NLB:Crimp	E(I)	-0.06	0.16	-0.38	0.26
NLB:Crimp	G(Ia)	-0.12	0.03	-0.19	-0.06
NLB:Crimp	P(I)	-0.07	0.02	-0.11	-0.03
NLB:Crwvl	E(I)	0.08	0.04	-0.01	0.17
NLB:Crwvl	G(Ia)	0.10	0.04	0.02	0.19
NLB:Crwvl	P(I)	0.08	0.02	0.04	0.12
NLB:Crst	E(I)	-0.09	0.05	-0.19	0.02
NLB:Crst	G(Ia)	-0.01	0.04	-0.09	0.07
NLB:Crst	P(I)	-0.05	0.02	-0.09	-0.01
NLB:Crstadj	E(I)	-0.07	0.05	-0.17	0.03
NLB:Crstadj	G(Ia)	-0.03	0.04	-0.12	0.05
NLB:Crstadj	P(I)	-0.05	0.02	-0.09	-0.01
NLB:Crwvt	E(I)	0.08	0.04	0.00	0.17
NLB:Crwvt	G(Ia)	-0.00	0.06	-0.12	0.12
NLB:Crwvt	P(I)	0.05	0.02	0.01	0.09
NLB:Dp	E(I)	0.04	0.07	-0.09	0.18
NLB:Dp	G(Ia)	0.41	0.08	0.26	0.55
NLB:Dp	P(I)	0.17	0.03	0.11	0.24
NLB:Ds	E(I)	0.17	0.06	0.05	0.30
NLB:Ds	G(Ia)	-0.16	0.09	-0.33	0.02
NLB:Ds	P(I)	0.07	0.03	0.00	0.13
NLB:Dps	E(I)	0.17	0.06	0.05	0.29
NLB:Dps	G(Ia)	-0.12	0.09	-0.30	0.06
NLB:Dps	P(I)	0.08	0.03	0.01	0.14
NLB:DpovDs	E(I)	-0.15	0.12	-0.37	0.08
NLB:DpovDs	G(Ia)	0.42	0.06	0.30	0.54
NLB:DpovDs	P(I)	0.14	0.03	0.07	0.20
NLB:CVDp	E(I)	-0.12	0.06	-0.24	-0.00
NLB:CVDp	G(Ia)	0.27	0.10	0.08	0.46
NLB:CVDp	P(I)	-0.01	0.03	-0.07	0.06
NLB:CVDs	E(I)	-0.04	0.06	-0.15	0.07
NLB:CVDs	G(Ia)	0.22	0.11	0.01	0.43
NLB:CVDs	P(I)	0.03	0.03	-0.04	0.10
NLB:MaxDp	E(I)	0.01	0.06	-0.11	0.13

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLB:MaxDp	G(Ia)	0.43	0.08	0.27	0.58
NLB:MaxDp	P(I)	0.16	0.03	0.09	0.22
NLB:MinDp	E(I)	0.07	0.05	-0.03	0.17
NLB:MinDp	G(Ia)	0.52	0.26	0.01	1.03
NLB:MinDp	P(I)	0.12	0.03	0.06	0.19
NLB:MaxDs	E(I)	0.00	0.05	-0.10	0.11
NLB:MaxDs	G(Ia)	0.09	0.13	-0.16	0.33
NLB:MaxDs	P(I)	0.02	0.03	-0.04	0.09
NLB:MinDs	E(I)	-0.00	0.05	-0.10	0.10
NLB:MinDs	G(Ia)	0.12	0.25	-0.36	0.61
NLB:MinDs	P(I)	0.01	0.03	-0.05	0.08
NLB:SDDp	E(I)	-0.09	0.07	-0.22	0.04
NLB:SDDp	G(Ia)	0.38	0.08	0.22	0.54
NLB:SDDp	P(I)	0.08	0.03	0.01	0.14
NLB:SDDs	E(I)	0.07	0.06	-0.05	0.19
NLB:SDDs	G(Ia)	0.06	0.09	-0.10	0.23
NLB:SDDs	P(I)	0.07	0.03	0.00	0.13
NLB:SDD	E(I)	0.06	0.06	-0.07	0.18
NLB:SDD	G(Ia)	0.14	0.08	-0.03	0.30
NLB:SDD	P(I)	0.08	0.03	0.02	0.15
NLB:CVD	E(I)	-0.05	0.06	-0.17	0.06
NLB:CVD	G(Ia)	0.26	0.10	0.07	0.46
NLB:CVD	P(I)	0.04	0.03	-0.03	0.10
NLB:Gt30Dp	E(I)	-0.03	0.07	-0.17	0.10
NLB:Gt30Dp	G(Ia)	0.43	0.08	0.27	0.58
NLB:Gt30Dp	P(I)	0.13	0.03	0.06	0.19
NLB:Gt30Ds	E(I)	0.07	0.06	-0.04	0.18
NLB:Gt30Ds	G(Ia)	-0.03	0.11	-0.24	0.18
NLB:Gt30Ds	P(I)	0.04	0.03	-0.02	0.11
NLB:Gt30D	E(I)	0.06	0.06	-0.06	0.17
NLB:Gt30D	G(Ia)	0.11	0.10	-0.08	0.31
NLB:Gt30D	P(I)	0.07	0.03	0.01	0.14
NLB:Fnua	E(I)	-0.16	0.03	-0.22	-0.11
NLB:Fnua	G(Ia)	0.15	0.05	0.05	0.25
NLB:Fnua	P(I)	-0.08	0.02	-0.12	-0.05
NLB:Fr	E(I)	-0.17	0.03	-0.22	-0.11
NLB:Fr	G(Ia)	0.08	0.05	-0.02	0.18
NLB:Fr	P(I)	-0.10	0.02	-0.14	-0.07
NLB:Fnt	E(I)	-0.22	0.03	-0.27	-0.16
NLB:Fnt	G(Ia)	0.05	0.05	-0.05	0.15
NLB:Fnt	P(I)	-0.15	0.02	-0.18	-0.11
NLB:Sarea	E(I)	-0.13	0.03	-0.18	-0.07
NLB:Sarea	G(Ia)	-0.22	0.04	-0.31	-0.14

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLB:Sarea	P(I)	-0.15	0.02	-0.18	-0.12
NLB:Fd	E(I)	-0.05	0.03	-0.11	0.01
NLB:Fd	G(Ia)	0.28	0.07	0.14	0.42
NLB:Fd	P(I)	0.01	0.02	-0.02	0.05
NLB:Fc	E(I)	0.00	0.04	-0.08	0.09
NLB:Fc	G(Ia)	0.03	0.04	-0.05	0.10
NLB:Fc	P(I)	0.01	0.02	-0.03	0.05
NLB:Fu	E(I)	-0.06	0.03	-0.13	0.00
NLB:Fu	G(Ia)	0.17	0.05	0.07	0.27
NLB:Fu	P(I)	0.00	0.02	-0.04	0.04
NLB:Colour	E(I)	-0.01	0.02	-0.06	0.04
NLB:Colour	G(Ia)	0.15	0.06	0.03	0.27
NLB:Colour	P(I)	0.02	0.02	-0.01	0.05
NLB:Fly	E(I)	-0.02	0.02	-0.07	0.03
NLB:Fly	G(Ia)	-0.06	0.09	-0.23	0.11
NLB:Fly	P(I)	-0.03	0.02	-0.06	0.01
NLB:Flcrot	E(I)	-0.00	0.02	-0.05	0.04
NLB:Flcrot	G(Ia)	0.09	0.15	-0.20	0.38
NLB:Flcrot	P(I)	0.00	0.02	-0.03	0.04
NLB:Bactst	E(I)	0.02	0.03	-0.04	0.08
NLB:Bactst	G(Ia)	0.21	0.14	-0.07	0.49
NLB:Bactst	P(I)	0.04	0.02	-0.00	0.08
NLB:MycD	E(I)	0.04	0.03	-0.02	0.10
NLB:MycD	G(Ia)	-0.31	0.17	-0.65	0.03
NLB:MycD	P(I)	0.01	0.02	-0.03	0.05
NLB:Bcts	E(I)	-0.15	0.05	-0.25	-0.05
NLB:Bcts	G(Ia)	0.08	0.03	0.03	0.14
NLB:Bcts	P(I)	-0.02	0.02	-0.06	0.01
NLB:Bctb	E(I)	-0.14	0.05	-0.23	-0.04
NLB:Bctb	G(Ia)	0.06	0.03	0.00	0.12
NLB:Bctb	P(I)	-0.03	0.02	-0.07	0.00
NLB:Weanwt	E(I)	-0.38	0.02	-0.43	-0.33
NLB:Weanwt	G(Ia)	-0.46	0.05	-0.55	-0.36
NLB:Weanwt	P(I)	-0.40	0.02	-0.43	-0.37
NLB:NLB	E(I)	1.00	0.00	1.00	1.00
NLB:NLB	G(Ia)	1.00	0.00	1.00	1.00
NLB:NLB	P(I)	1.00	0.00	1.00	1.00
NLB:NLW	E(I)	0.74	0.01	0.72	0.77
NLB:NLW	G(Ia)	0.98	0.03	0.93	1.03
NLB:NLW	P(I)	0.79	0.01	0.77	0.81
NLB:Fnpua	E(I)	0.03	0.03	-0.02	0.09
NLB:Fnpua	G(Ia)	0.00	0.06	-0.11	0.12
NLB:Fnpua	P(I)	0.03	0.02	-0.01	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLB:Fnsua	E(I)	-0.17	0.03	-0.22	-0.11
NLB:Fnsua	G(Ia)	0.16	0.05	0.05	0.26
NLB:Fnsua	P(I)	-0.09	0.02	-0.12	-0.05
NLB:Fnpt	E(I)	-0.02	0.03	-0.08	0.03
NLB:Fnpt	G(Ia)	-0.11	0.05	-0.22	-0.01
NLB:Fnpt	P(I)	-0.04	0.02	-0.08	-0.01
NLB:Fnst	E(I)	-0.22	0.03	-0.27	-0.16
NLB:Fnst	G(Ia)	0.06	0.05	-0.04	0.16
NLB:Fnst	P(I)	-0.15	0.02	-0.18	-0.12
NLW:Stal	E(I)	0.03	0.03	-0.03	0.08
NLW:Stal	G(Ia)	0.14	0.04	0.06	0.22
NLW:Stal	P(I)	0.06	0.02	0.03	0.09
NLW:Diam	E(I)	0.15	0.03	0.09	0.20
NLW:Diam	G(Ia)	-0.05	0.04	-0.12	0.02
NLW:Diam	P(I)	0.08	0.02	0.05	0.11
NLW:Bwt	E(I)	-0.13	0.03	-0.18	-0.08
NLW:Bwt	G(Ia)	-0.20	0.04	-0.28	-0.12
NLW:Bwt	P(I)	-0.15	0.02	-0.18	-0.12
NLW:WrN	E(I)	-0.16	0.03	-0.21	-0.10
NLW:WrN	G(Ia)	0.01	0.04	-0.06	0.09
NLW:WrN	P(I)	-0.10	0.02	-0.14	-0.07
NLW:WrB	E(I)	-0.18	0.03	-0.24	-0.13
NLW:WrB	G(Ia)	0.02	0.04	-0.06	0.10
NLW:WrB	P(I)	-0.12	0.02	-0.15	-0.09
NLW:WrT	E(I)	-0.19	0.03	-0.25	-0.14
NLW:WrT	G(Ia)	0.02	0.04	-0.05	0.09
NLW:WrT	P(I)	-0.12	0.02	-0.15	-0.09
NLW:Face	E(I)	-0.18	0.04	-0.26	-0.10
NLW:Face	G(Ia)	0.21	0.03	0.15	0.27
NLW:Face	P(I)	-0.01	0.02	-0.04	0.02
NLW:Gfw	E(I)	-0.21	0.03	-0.26	-0.16
NLW:Gfw	G(Ia)	0.09	0.04	0.01	0.17
NLW:Gfw	P(I)	-0.13	0.02	-0.16	-0.10
NLW:Yld	E(I)	-0.03	0.03	-0.09	0.02
NLW:Yld	G(Ia)	0.03	0.04	-0.04	0.10
NLW:Yld	P(I)	-0.01	0.02	-0.05	0.02
NLW:Cww	E(I)	-0.22	0.03	-0.27	-0.16
NLW:Cww	G(Ia)	0.10	0.04	0.02	0.18
NLW:Cww	P(I)	-0.13	0.02	-0.16	-0.10
NLW:Staladj	E(I)	0.03	0.03	-0.03	0.08
NLW:Staladj	G(Ia)	0.14	0.04	0.06	0.22
NLW:Staladj	P(I)	0.06	0.02	0.03	0.09
NLW:Gfwadj	E(I)	-0.22	0.03	-0.27	-0.16

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLW:Gfwadj	G(Ia)	0.08	0.04	-0.00	0.16
NLW:Gfwadj	P(I)	-0.13	0.02	-0.16	-0.10
NLW:Cwwadj	E(I)	-0.22	0.03	-0.27	-0.17
NLW:Cwwadj	G(Ia)	0.09	0.04	0.01	0.18
NLW:Cwwadj	P(I)	-0.14	0.02	-0.17	-0.10
NLW:Crimp	E(I)	-0.08	0.17	-0.41	0.24
NLW:Crimp	G(Ia)	-0.11	0.03	-0.17	-0.04
NLW:Crimp	P(I)	-0.07	0.02	-0.11	-0.03
NLW:Crwvl	E(I)	0.11	0.04	0.02	0.19
NLW:Crwvl	G(Ia)	0.11	0.04	0.03	0.19
NLW:Crwvl	P(I)	0.10	0.02	0.06	0.14
NLW:Crst	E(I)	-0.02	0.05	-0.12	0.09
NLW:Crst	G(Ia)	-0.08	0.04	-0.16	0.00
NLW:Crst	P(I)	-0.04	0.02	-0.08	0.00
NLW:Crstadj	E(I)	-0.01	0.05	-0.11	0.09
NLW:Crstadj	G(Ia)	-0.10	0.04	-0.19	-0.02
NLW:Crstadj	P(I)	-0.05	0.02	-0.09	-0.00
NLW:Crwvt	E(I)	0.04	0.04	-0.04	0.13
NLW:Crwvt	G(Ia)	0.08	0.05	-0.01	0.18
NLW:Crwvt	P(I)	0.06	0.02	0.02	0.10
NLW:Dp	E(I)	0.02	0.07	-0.11	0.16
NLW:Dp	G(Ia)	0.42	0.07	0.28	0.57
NLW:Dp	P(I)	0.17	0.03	0.11	0.24
NLW:Ds	E(I)	0.18	0.06	0.06	0.31
NLW:Ds	G(Ia)	-0.23	0.09	-0.40	-0.06
NLW:Ds	P(I)	0.04	0.03	-0.02	0.11
NLW:Dps	E(I)	0.18	0.06	0.05	0.30
NLW:Dps	G(Ia)	-0.19	0.09	-0.36	-0.02
NLW:Dps	P(I)	0.06	0.03	-0.01	0.12
NLW:DpovDs	E(I)	-0.20	0.12	-0.43	0.04
NLW:DpovDs	G(Ia)	0.47	0.06	0.36	0.59
NLW:DpovDs	P(I)	0.15	0.03	0.09	0.21
NLW:CVDp	E(I)	-0.15	0.06	-0.27	-0.03
NLW:CVDp	G(Ia)	0.29	0.10	0.11	0.48
NLW:CVDp	P(I)	-0.02	0.03	-0.08	0.05
NLW:CVDs	E(I)	-0.07	0.06	-0.19	0.04
NLW:CVDs	G(Ia)	0.47	0.10	0.27	0.67
NLW:CVDs	P(I)	0.08	0.03	0.01	0.14
NLW:MaxDp	E(I)	-0.02	0.07	-0.15	0.12
NLW:MaxDp	G(Ia)	0.43	0.08	0.28	0.58
NLW:MaxDp	P(I)	0.15	0.03	0.08	0.21
NLW:MinDp	E(I)	0.09	0.05	-0.01	0.19
NLW:MinDp	G(Ia)	0.55	0.25	0.06	1.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLW:MinDp	P(I)	0.14	0.03	0.08	0.21
NLW:MaxDs	E(I)	0.02	0.05	-0.08	0.13
NLW:MaxDs	G(Ia)	0.18	0.12	-0.06	0.41
NLW:MaxDs	P(I)	0.06	0.03	-0.01	0.12
NLW:MinDs	E(I)	0.02	0.05	-0.08	0.12
NLW:MinDs	G(Ia)	0.06	0.23	-0.40	0.52
NLW:MinDs	P(I)	0.02	0.03	-0.04	0.09
NLW:SDDp	E(I)	-0.14	0.07	-0.27	-0.00
NLW:SDDp	G(Ia)	0.42	0.08	0.27	0.57
NLW:SDDp	P(I)	0.07	0.03	0.00	0.13
NLW:SDDs	E(I)	0.04	0.06	-0.08	0.16
NLW:SDDs	G(Ia)	0.22	0.08	0.06	0.38
NLW:SDDs	P(I)	0.10	0.03	0.03	0.16
NLW:SDD	E(I)	0.02	0.06	-0.10	0.14
NLW:SDD	G(Ia)	0.28	0.08	0.12	0.44
NLW:SDD	P(I)	0.11	0.03	0.04	0.17
NLW:CVD	E(I)	-0.09	0.06	-0.21	0.02
NLW:CVD	G(Ia)	0.50	0.10	0.31	0.69
NLW:CVD	P(I)	0.08	0.03	0.01	0.14
NLW:Gt30Dp	E(I)	-0.07	0.07	-0.21	0.06
NLW:Gt30Dp	G(Ia)	0.50	0.08	0.35	0.65
NLW:Gt30Dp	P(I)	0.13	0.03	0.07	0.20
NLW:Gt30Ds	E(I)	0.02	0.06	-0.09	0.14
NLW:Gt30Ds	G(Ia)	0.09	0.10	-0.10	0.29
NLW:Gt30Ds	P(I)	0.04	0.03	-0.02	0.11
NLW:Gt30D	E(I)	0.01	0.06	-0.10	0.12
NLW:Gt30D	G(Ia)	0.25	0.10	0.06	0.44
NLW:Gt30D	P(I)	0.08	0.03	0.01	0.14
NLW:Fnu	E(I)	-0.14	0.03	-0.20	-0.09
NLW:Fnu	G(Ia)	0.22	0.05	0.11	0.32
NLW:Fnu	P(I)	-0.06	0.02	-0.09	-0.02
NLW:Fr	E(I)	-0.15	0.03	-0.21	-0.10
NLW:Fr	G(Ia)	0.12	0.05	0.02	0.22
NLW:Fr	P(I)	-0.08	0.02	-0.12	-0.05
NLW:Fnt	E(I)	-0.20	0.03	-0.25	-0.14
NLW:Fnt	G(Ia)	0.13	0.05	0.04	0.23
NLW:Fnt	P(I)	-0.12	0.02	-0.15	-0.08
NLW:Sarea	E(I)	-0.13	0.03	-0.19	-0.07
NLW:Sarea	G(Ia)	-0.18	0.05	-0.26	-0.09
NLW:Sarea	P(I)	-0.14	0.02	-0.17	-0.10
NLW:Fd	E(I)	-0.03	0.03	-0.09	0.03
NLW:Fd	G(Ia)	0.21	0.07	0.07	0.35
NLW:Fd	P(I)	0.02	0.02	-0.02	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLW:Fc	E(I)	-0.00	0.04	-0.08	0.08
NLW:Fc	G(Ia)	-0.07	0.04	-0.15	-0.00
NLW:Fc	P(I)	-0.03	0.02	-0.07	0.01
NLW:Fu	E(I)	-0.05	0.03	-0.12	0.01
NLW:Fu	G(Ia)	0.07	0.05	-0.03	0.16
NLW:Fu	P(I)	-0.02	0.02	-0.06	0.02
NLW:Colour	E(I)	-0.03	0.03	-0.08	0.02
NLW:Colour	G(Ia)	0.22	0.06	0.10	0.34
NLW:Colour	P(I)	0.02	0.02	-0.02	0.05
NLW:Fly	E(I)	-0.01	0.02	-0.06	0.04
NLW:Fly	G(Ia)	0.04	0.08	-0.12	0.21
NLW:Fly	P(I)	-0.00	0.02	-0.04	0.03
NLW:Flcrot	E(I)	0.00	0.02	-0.04	0.05
NLW:Flcrot	G(Ia)	0.12	0.15	-0.17	0.40
NLW:Flcrot	P(I)	0.01	0.02	-0.02	0.04
NLW:Bactst	E(I)	0.01	0.03	-0.05	0.06
NLW:Bactst	G(Ia)	0.14	0.14	-0.12	0.41
NLW:Bactst	P(I)	0.02	0.02	-0.02	0.06
NLW:MycD	E(I)	0.05	0.03	-0.01	0.10
NLW:MycD	G(Ia)	-0.35	0.17	-0.68	-0.02
NLW:MycD	P(I)	0.00	0.02	-0.04	0.04
NLW:Bcts	E(I)	-0.26	0.05	-0.36	-0.15
NLW:Bcts	G(Ia)	0.18	0.03	0.13	0.24
NLW:Bcts	P(I)	-0.02	0.02	-0.05	0.02
NLW:Bctb	E(I)	-0.27	0.05	-0.37	-0.17
NLW:Bctb	G(Ia)	0.17	0.03	0.12	0.23
NLW:Bctb	P(I)	-0.04	0.02	-0.07	-0.00
NLW:Weanwt	E(I)	-0.41	0.02	-0.45	-0.36
NLW:Weanwt	G(Ia)	-0.46	0.04	-0.54	-0.37
NLW:Weanwt	P(I)	-0.42	0.02	-0.45	-0.39
NLW:NLB	E(I)	0.74	0.01	0.72	0.77
NLW:NLB	G(Ia)	0.98	0.03	0.93	1.03
NLW:NLB	P(I)	0.79	0.01	0.77	0.81
NLW:NLW	E(I)	1.00	0.00	1.00	1.00
NLW:NLW	G(Ia)	1.00	0.00	1.00	1.00
NLW:NLW	P(I)	1.00	0.00	1.00	1.00
NLW:Fnpua	E(I)	0.04	0.03	-0.01	0.09
NLW:Fnpua	G(Ia)	0.02	0.06	-0.10	0.13
NLW:Fnpua	P(I)	0.04	0.02	0.00	0.07
NLW:Fnsua	E(I)	-0.15	0.03	-0.20	-0.09
NLW:Fnsua	G(Ia)	0.22	0.05	0.12	0.32
NLW:Fnsua	P(I)	-0.06	0.02	-0.09	-0.02
NLW:Fnpt	E(I)	-0.01	0.03	-0.07	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
NLW:Fnppt	G(Ia)	-0.08	0.05	-0.18	0.03
NLW:Fnppt	P(I)	-0.03	0.02	-0.06	0.01
NLW:Fnst	E(I)	-0.20	0.03	-0.26	-0.15
NLW:Fnst	G(Ia)	0.14	0.05	0.04	0.24
NLW:Fnst	P(I)	-0.12	0.02	-0.15	-0.08
Fnpua:Stal	E(I)	-0.11	0.03	-0.16	-0.05
Fnpua:Stal	G(Ia)	0.12	0.04	0.03	0.20
Fnpua:Stal	P(I)	-0.04	0.02	-0.08	-0.01
Fnpua:Diam	E(I)	-0.09	0.03	-0.15	-0.03
Fnpua:Diam	G(Ia)	-0.35	0.04	-0.43	-0.28
Fnpua:Diam	P(I)	-0.17	0.02	-0.20	-0.14
Fnpua:Bwt	E(I)	-0.28	0.03	-0.33	-0.22
Fnpua:Bwt	G(Ia)	-0.07	0.04	-0.15	0.01
Fnpua:Bwt	P(I)	-0.22	0.02	-0.25	-0.18
Fnpua:WrN	E(I)	-0.03	0.03	-0.08	0.03
Fnpua:WrN	G(Ia)	-0.42	0.04	-0.50	-0.33
Fnpua:WrN	P(I)	-0.14	0.02	-0.17	-0.10
Fnpua:WrB	E(I)	-0.06	0.03	-0.12	0.00
Fnpua:WrB	G(Ia)	-0.30	0.04	-0.38	-0.22
Fnpua:WrB	P(I)	-0.13	0.02	-0.16	-0.09
Fnpua:WrT	E(I)	-0.04	0.03	-0.10	0.02
Fnpua:WrT	G(Ia)	-0.37	0.04	-0.44	-0.29
Fnpua:WrT	P(I)	-0.14	0.02	-0.17	-0.11
Fnpua:Face	E(I)	0.09	0.05	-0.00	0.18
Fnpua:Face	G(Ia)	-0.00	0.03	-0.06	0.06
Fnpua:Face	P(I)	0.04	0.02	0.01	0.07
Fnpua:Gfw	E(I)	-0.23	0.03	-0.28	-0.17
Fnpua:Gfw	G(Ia)	-0.18	0.04	-0.26	-0.10
Fnpua:Gfw	P(I)	-0.21	0.02	-0.25	-0.18
Fnpua:Yld	E(I)	-0.05	0.03	-0.11	0.01
Fnpua:Yld	G(Ia)	0.31	0.04	0.24	0.39
Fnpua:Yld	P(I)	0.07	0.02	0.03	0.10
Fnpua:Cww	E(I)	-0.24	0.03	-0.30	-0.18
Fnpua:Cww	G(Ia)	-0.02	0.04	-0.11	0.06
Fnpua:Cww	P(I)	-0.18	0.02	-0.21	-0.14
Fnpua:Staladj	E(I)	-0.09	0.03	-0.15	-0.03
Fnpua:Staladj	G(Ia)	0.09	0.05	0.00	0.18
Fnpua:Staladj	P(I)	-0.04	0.02	-0.07	-0.01
Fnpua:Gfwadj	E(I)	-0.21	0.03	-0.27	-0.16
Fnpua:Gfwadj	G(Ia)	-0.20	0.04	-0.28	-0.11
Fnpua:Gfwadj	P(I)	-0.21	0.02	-0.24	-0.17
Fnpua:Cwwadj	E(I)	-0.22	0.03	-0.28	-0.17
Fnpua:Cwwadj	G(Ia)	-0.05	0.04	-0.13	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpua:Cwwadj	P(I)	-0.17	0.02	-0.21	-0.14
Fnpua:Crimp	E(I)	0.13	0.11	-0.08	0.34
Fnpua:Crimp	G(Ia)	-0.17	0.03	-0.24	-0.10
Fnpua:Crimp	P(I)	-0.05	0.02	-0.09	-0.01
Fnpua:Crwvl	E(I)	-0.12	0.06	-0.24	0.01
Fnpua:Crwvl	G(Ia)	0.18	0.04	0.10	0.27
Fnpua:Crwvl	P(I)	0.03	0.02	-0.02	0.07
Fnpua:Crst	E(I)	0.14	0.07	0.01	0.28
Fnpua:Crst	G(Ia)	-0.35	0.04	-0.43	-0.27
Fnpua:Crst	P(I)	-0.10	0.02	-0.14	-0.05
Fnpua:Crstadj	E(I)	0.15	0.06	0.02	0.27
Fnpua:Crstadj	G(Ia)	-0.35	0.04	-0.44	-0.27
Fnpua:Crstadj	P(I)	-0.09	0.02	-0.13	-0.04
Fnpua:Crwvt	E(I)	-0.10	0.05	-0.20	0.00
Fnpua:Crwvt	G(Ia)	0.35	0.05	0.26	0.44
Fnpua:Crwvt	P(I)	0.08	0.02	0.04	0.13
Fnpua:Dp	E(I)	-0.21	0.07	-0.34	-0.08
Fnpua:Dp	G(Ia)	-0.03	0.08	-0.18	0.13
Fnpua:Dp	P(I)	-0.14	0.03	-0.20	-0.07
Fnpua:Ds	E(I)	-0.15	0.06	-0.26	-0.03
Fnpua:Ds	G(Ia)	-0.46	0.09	-0.63	-0.28
Fnpua:Ds	P(I)	-0.24	0.03	-0.30	-0.18
Fnpua:Dps	E(I)	-0.15	0.06	-0.26	-0.03
Fnpua:Dps	G(Ia)	-0.45	0.09	-0.63	-0.28
Fnpua:Dps	P(I)	-0.23	0.03	-0.29	-0.17
Fnpua:DpovDs	E(I)	-0.16	0.11	-0.37	0.06
Fnpua:DpovDs	G(Ia)	0.19	0.07	0.06	0.32
Fnpua:DpovDs	P(I)	0.02	0.03	-0.05	0.08
Fnpua:CVDp	E(I)	0.10	0.06	-0.02	0.21
Fnpua:CVDp	G(Ia)	-0.10	0.11	-0.31	0.11
Fnpua:CVDp	P(I)	0.04	0.03	-0.02	0.11
Fnpua:CVDs	E(I)	-0.01	0.06	-0.13	0.10
Fnpua:CVDs	G(Ia)	0.34	0.11	0.11	0.56
Fnpua:CVDs	P(I)	0.07	0.03	0.01	0.14
Fnpua:MaxDp	E(I)	-0.04	0.07	-0.17	0.09
Fnpua:MaxDp	G(Ia)	-0.08	0.08	-0.24	0.09
Fnpua:MaxDp	P(I)	-0.05	0.03	-0.11	0.01
Fnpua:MinDp	E(I)	-0.16	0.05	-0.26	-0.07
Fnpua:MinDp	G(Ia)	-0.33	0.22	-0.76	0.09
Fnpua:MinDp	P(I)	-0.18	0.03	-0.25	-0.12
Fnpua:MaxDs	E(I)	-0.13	0.05	-0.23	-0.03
Fnpua:MaxDs	G(Ia)	-0.18	0.13	-0.44	0.08
Fnpua:MaxDs	P(I)	-0.14	0.03	-0.21	-0.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpua:MinDs	E(I)	-0.09	0.05	-0.19	0.00
Fnpua:MinDs	G(Ia)	0.13	0.25	-0.36	0.61
Fnpua:MinDs	P(I)	-0.06	0.03	-0.13	-0.00
Fnpua:SDDp	E(I)	-0.02	0.06	-0.14	0.11
Fnpua:SDDp	G(Ia)	-0.11	0.09	-0.28	0.05
Fnpua:SDDp	P(I)	-0.05	0.03	-0.11	0.02
Fnpua:SDDs	E(I)	-0.10	0.06	-0.21	0.02
Fnpua:SDDs	G(Ia)	-0.01	0.09	-0.18	0.16
Fnpua:SDDs	P(I)	-0.07	0.03	-0.13	-0.00
Fnpua:SDD	E(I)	-0.06	0.06	-0.18	0.06
Fnpua:SDD	G(Ia)	-0.03	0.09	-0.20	0.15
Fnpua:SDD	P(I)	-0.05	0.03	-0.12	0.01
Fnpua:CVD	E(I)	0.02	0.06	-0.09	0.13
Fnpua:CVD	G(Ia)	0.29	0.11	0.08	0.51
Fnpua:CVD	P(I)	0.09	0.03	0.02	0.15
Fnpua:Gt30Dp	E(I)	-0.12	0.06	-0.24	0.01
Fnpua:Gt30Dp	G(Ia)	-0.04	0.08	-0.21	0.12
Fnpua:Gt30Dp	P(I)	-0.09	0.03	-0.15	-0.02
Fnpua:Gt30Ds	E(I)	-0.09	0.05	-0.20	0.02
Fnpua:Gt30Ds	G(Ia)	-0.21	0.11	-0.43	0.01
Fnpua:Gt30Ds	P(I)	-0.12	0.03	-0.18	-0.06
Fnpua:Gt30D	E(I)	-0.09	0.06	-0.20	0.02
Fnpua:Gt30D	G(Ia)	-0.19	0.11	-0.40	0.02
Fnpua:Gt30D	P(I)	-0.11	0.03	-0.18	-0.05
Fnpua:Fnu	E(I)	0.45	0.02	0.40	0.49
Fnpua:Fnu	G(Ia)	0.48	0.04	0.40	0.56
Fnpua:Fnu	P(I)	0.45	0.01	0.42	0.48
Fnpua:Fr	E(I)	-0.43	0.02	-0.48	-0.38
Fnpua:Fr	G(Ia)	-0.52	0.04	-0.60	-0.45
Fnpua:Fr	P(I)	-0.45	0.01	-0.48	-0.42
Fnpua:Fnt	E(I)	0.32	0.03	0.27	0.37
Fnpua:Fnt	G(Ia)	0.45	0.04	0.37	0.53
Fnpua:Fnt	P(I)	0.35	0.02	0.32	0.38
Fnpua:Sarea	E(I)	-0.29	0.03	-0.35	-0.23
Fnpua:Sarea	G(Ia)	-0.07	0.04	-0.15	0.01
Fnpua:Sarea	P(I)	-0.22	0.02	-0.25	-0.19
Fnpua:Fd	E(I)	-0.02	0.03	-0.08	0.03
Fnpua:Fd	G(Ia)	-0.30	0.07	-0.43	-0.16
Fnpua:Fd	P(I)	-0.08	0.02	-0.12	-0.04
Fnpua:Fc	E(I)	0.03	0.04	-0.06	0.11
Fnpua:Fc	G(Ia)	-0.44	0.04	-0.52	-0.37
Fnpua:Fc	P(I)	-0.15	0.02	-0.19	-0.11
Fnpua:Fu	E(I)	0.02	0.03	-0.05	0.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpua:Fu	G(Ia)	-0.42	0.05	-0.52	-0.32
Fnpua:Fu	P(I)	-0.10	0.02	-0.14	-0.07
Fnpua:Colour	E(I)	0.01	0.03	-0.04	0.06
Fnpua:Colour	G(Ia)	0.03	0.06	-0.09	0.15
Fnpua:Colour	P(I)	0.01	0.02	-0.02	0.05
Fnpua:Fly	E(I)	-0.02	0.03	-0.08	0.03
Fnpua:Fly	G(Ia)	0.22	0.09	0.04	0.39
Fnpua:Fly	P(I)	0.01	0.02	-0.02	0.05
Fnpua:Flcrot	E(I)	-0.00	0.03	-0.05	0.05
Fnpua:Flcrot	G(Ia)	0.36	0.20	-0.03	0.74
Fnpua:Flcrot	P(I)	0.03	0.02	-0.01	0.06
Fnpua:Bactst	E(I)	0.02	0.03	-0.05	0.08
Fnpua:Bactst	G(Ia)	-0.10	0.15	-0.40	0.20
Fnpua:Bactst	P(I)	0.00	0.02	-0.04	0.05
Fnpua:MycD	E(I)	-0.03	0.03	-0.09	0.04
Fnpua:MycD	G(Ia)	-0.19	0.32	-0.81	0.44
Fnpua:MycD	P(I)	-0.03	0.02	-0.08	0.01
Fnpua:Bets	E(I)	0.03	0.05	-0.07	0.13
Fnpua:Bets	G(Ia)	-0.02	0.04	-0.09	0.05
Fnpua:Bets	P(I)	0.01	0.02	-0.03	0.04
Fnpua:Bctb	E(I)	0.03	0.05	-0.07	0.12
Fnpua:Bctb	G(Ia)	-0.03	0.04	-0.10	0.04
Fnpua:Bctb	P(I)	0.00	0.02	-0.04	0.04
Fnpua:Weanwt	E(I)	-0.17	0.03	-0.23	-0.11
Fnpua:Weanwt	G(Ia)	0.06	0.06	-0.07	0.18
Fnpua:Weanwt	P(I)	-0.11	0.02	-0.15	-0.08
Fnpua:NLB	E(I)	0.03	0.03	-0.02	0.09
Fnpua:NLB	G(Ia)	0.00	0.06	-0.11	0.12
Fnpua:NLB	P(I)	0.03	0.02	-0.01	0.06
Fnpua:NLW	E(I)	0.04	0.03	-0.01	0.09
Fnpua:NLW	G(Ia)	0.02	0.06	-0.10	0.13
Fnpua:NLW	P(I)	0.04	0.02	0.00	0.07
Fnpua:Fnpua	E(I)	1.00	0.00	1.00	1.00
Fnpua:Fnpua	G(Ia)	1.00	0.00	1.00	1.00
Fnpua:Fnpua	P(I)	1.00	0.00	1.00	1.00
Fnpua:Fnsua	E(I)	0.40	0.02	0.35	0.45
Fnpua:Fnsua	G(Ia)	0.45	0.04	0.37	0.53
Fnpua:Fnsua	P(I)	0.41	0.02	0.38	0.44
Fnpua:Fnppt	E(I)	0.91	0.01	0.89	0.93
Fnpua:Fnppt	G(Ia)	0.88	0.02	0.85	0.91
Fnpua:Fnppt	P(I)	0.90	0.01	0.89	0.91
Fnpua:Fnst	E(I)	0.28	0.03	0.23	0.33
Fnpua:Fnst	G(Ia)	0.42	0.04	0.34	0.50

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpua:Fnst	P(I)	0.31	0.02	0.28	0.35
Fnsua:Stal	E(I)	-0.19	0.03	-0.25	-0.13
Fnsua:Stal	G(Ia)	-0.14	0.04	-0.21	-0.06
Fnsua:Stal	P(I)	-0.17	0.02	-0.21	-0.14
Fnsua:Diam	E(I)	-0.48	0.03	-0.53	-0.43
Fnsua:Diam	G(Ia)	-0.57	0.03	-0.62	-0.52
Fnsua:Diam	P(I)	-0.51	0.01	-0.54	-0.48
Fnsua:Bwt	E(I)	-0.22	0.03	-0.28	-0.16
Fnsua:Bwt	G(Ia)	-0.22	0.04	-0.29	-0.15
Fnsua:Bwt	P(I)	-0.22	0.02	-0.25	-0.19
Fnsua:WrN	E(I)	0.04	0.03	-0.02	0.10
Fnsua:WrN	G(Ia)	-0.08	0.04	-0.15	-0.00
Fnsua:WrN	P(I)	-0.00	0.02	-0.03	0.03
Fnsua:WrB	E(I)	0.07	0.03	0.01	0.13
Fnsua:WrB	G(Ia)	-0.13	0.04	-0.20	-0.06
Fnsua:WrB	P(I)	0.00	0.02	-0.03	0.04
Fnsua:WrT	E(I)	0.07	0.03	0.00	0.13
Fnsua:WrT	G(Ia)	-0.12	0.03	-0.19	-0.05
Fnsua:WrT	P(I)	0.00	0.02	-0.03	0.03
Fnsua:Face	E(I)	0.13	0.05	0.04	0.23
Fnsua:Face	G(Ia)	0.09	0.03	0.04	0.14
Fnsua:Face	P(I)	0.10	0.02	0.06	0.13
Fnsua:Gfw	E(I)	-0.02	0.03	-0.09	0.04
Fnsua:Gfw	G(Ia)	-0.19	0.04	-0.26	-0.12
Fnsua:Gfw	P(I)	-0.08	0.02	-0.11	-0.04
Fnsua:Yld	E(I)	-0.05	0.03	-0.12	0.01
Fnsua:Yld	G(Ia)	0.42	0.03	0.35	0.48
Fnsua:Yld	P(I)	0.12	0.02	0.09	0.15
Fnsua:Cww	E(I)	-0.04	0.03	-0.10	0.02
Fnsua:Cww	G(Ia)	0.01	0.04	-0.07	0.08
Fnsua:Cww	P(I)	-0.02	0.02	-0.06	0.01
Fnsua:Staladj	E(I)	-0.17	0.03	-0.23	-0.12
Fnsua:Staladj	G(Ia)	-0.16	0.04	-0.23	-0.08
Fnsua:Staladj	P(I)	-0.17	0.02	-0.20	-0.13
Fnsua:Gfwadj	E(I)	-0.02	0.03	-0.08	0.04
Fnsua:Gfwadj	G(Ia)	-0.20	0.04	-0.28	-0.13
Fnsua:Gfwadj	P(I)	-0.08	0.02	-0.11	-0.04
Fnsua:Cwwadj	E(I)	-0.03	0.03	-0.09	0.03
Fnsua:Cwwadj	G(Ia)	-0.01	0.04	-0.09	0.06
Fnsua:Cwwadj	P(I)	-0.02	0.02	-0.06	0.01
Fnsua:Crimp	E(I)	0.62	0.13	0.36	0.87
Fnsua:Crimp	G(Ia)	-0.40	0.04	-0.48	-0.33
Fnsua:Crimp	P(I)	-0.03	0.02	-0.07	0.02

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnsua:Crwvl	E(I)	-0.37	0.06	-0.50	-0.25
Fnsua:Crwvl	G(Ia)	0.40	0.05	0.31	0.50
Fnsua:Crwvl	P(I)	-0.01	0.02	-0.06	0.03
Fnsua:Crst	E(I)	0.20	0.07	0.07	0.34
Fnsua:Crst	G(Ia)	-0.56	0.04	-0.65	-0.47
Fnsua:Crst	P(I)	-0.15	0.02	-0.20	-0.10
Fnsua:Crstadj	E(I)	0.18	0.06	0.06	0.31
Fnsua:Crstadj	G(Ia)	-0.56	0.05	-0.65	-0.47
Fnsua:Crstadj	P(I)	-0.14	0.02	-0.19	-0.10
Fnsua:Crwvt	E(I)	-0.16	0.05	-0.26	-0.06
Fnsua:Crwvt	G(Ia)	0.58	0.05	0.48	0.68
Fnsua:Crwvt	P(I)	0.12	0.02	0.07	0.16
Fnsua:Dp	E(I)	-0.41	0.07	-0.55	-0.28
Fnsua:Dp	G(Ia)	0.00	0.18	-0.35	0.35
Fnsua:Dp	P(I)	-0.23	0.03	-0.30	-0.17
Fnsua:Ds	E(I)	-0.40	0.06	-0.51	-0.29
Fnsua:Ds	G(Ia)	-0.72	0.06	-0.84	-0.60
Fnsua:Ds	P(I)	-0.51	0.03	-0.57	-0.46
Fnsua:Dps	E(I)	-0.41	0.05	-0.52	-0.31
Fnsua:Dps	G(Ia)	-0.73	0.06	-0.85	-0.61
Fnsua:Dps	P(I)	-0.52	0.03	-0.57	-0.47
Fnsua:DpovDs	E(I)	-0.20	0.12	-0.44	0.04
Fnsua:DpovDs	G(Ia)	0.36	0.05	0.25	0.47
Fnsua:DpovDs	P(I)	0.11	0.03	0.05	0.18
Fnsua:CVDp	E(I)	-0.03	0.06	-0.15	0.09
Fnsua:CVDp	G(Ia)	-0.16	0.09	-0.33	0.01
Fnsua:CVDp	P(I)	-0.07	0.03	-0.14	-0.01
Fnsua:CVDs	E(I)	0.12	0.06	0.00	0.24
Fnsua:CVDs	G(Ia)	0.03	0.09	-0.15	0.21
Fnsua:CVDs	P(I)	0.09	0.03	0.03	0.16
Fnsua:MaxDp	E(I)	-0.31	0.07	-0.44	-0.17
Fnsua:MaxDp	G(Ia)	0.01	0.08	-0.15	0.17
Fnsua:MaxDp	P(I)	-0.18	0.03	-0.24	-0.11
Fnsua:MinDp	E(I)	-0.15	0.05	-0.26	-0.05
Fnsua:MinDp	G(Ia)	0.07	0.21	-0.35	0.49
Fnsua:MinDp	P(I)	-0.11	0.03	-0.18	-0.05
Fnsua:MaxDs	E(I)	-0.17	0.06	-0.28	-0.06
Fnsua:MaxDs	G(Ia)	-0.49	0.11	-0.70	-0.28
Fnsua:MaxDs	P(I)	-0.25	0.03	-0.31	-0.18
Fnsua:MinDs	E(I)	-0.12	0.05	-0.23	-0.02
Fnsua:MinDs	G(Ia)	-0.01	0.14	-0.29	0.27
Fnsua:MinDs	P(I)	-0.10	0.03	-0.16	-0.03
Fnsua:SDDp	E(I)	-0.24	0.07	-0.38	-0.10

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnsua:SDDp	G(Ia)	-0.05	0.07	-0.19	0.09
Fnsua:SDDp	P(I)	-0.16	0.03	-0.23	-0.10
Fnsua:SDDs	E(I)	-0.11	0.07	-0.23	0.02
Fnsua:SDDs	G(Ia)	-0.38	0.07	-0.53	-0.23
Fnsua:SDDs	P(I)	-0.21	0.03	-0.27	-0.14
Fnsua:SDD	E(I)	-0.15	0.07	-0.27	-0.02
Fnsua:SDD	G(Ia)	-0.37	0.07	-0.51	-0.22
Fnsua:SDD	P(I)	-0.23	0.03	-0.29	-0.16
Fnsua:CVD	E(I)	0.10	0.06	-0.02	0.22
Fnsua:CVD	G(Ia)	0.03	0.09	-0.15	0.20
Fnsua:CVD	P(I)	0.08	0.03	0.01	0.14
Fnsua:Gt30Dp	E(I)	-0.28	0.07	-0.42	-0.15
Fnsua:Gt30Dp	G(Ia)	-0.05	0.07	-0.18	0.09
Fnsua:Gt30Dp	P(I)	-0.18	0.03	-0.25	-0.12
Fnsua:Gt30Ds	E(I)	-0.25	0.06	-0.36	-0.14
Fnsua:Gt30Ds	G(Ia)	-0.50	0.09	-0.66	-0.33
Fnsua:Gt30Ds	P(I)	-0.32	0.03	-0.38	-0.26
Fnsua:Gt30D	E(I)	-0.30	0.06	-0.41	-0.18
Fnsua:Gt30D	G(Ia)	-0.46	0.08	-0.62	-0.30
Fnsua:Gt30D	P(I)	-0.35	0.03	-0.41	-0.29
Fnsua:Fnu	E(I)	1.00	0.00	1.00	1.00
Fnsua:Fnu	G(Ia)	1.00	0.00	1.00	1.00
Fnsua:Fnu	P(I)	1.00	0.00	1.00	1.00
Fnsua:Fr	E(I)	0.55	0.02	0.51	0.60
Fnsua:Fr	G(Ia)	0.53	0.03	0.47	0.59
Fnsua:Fr	P(I)	0.55	0.01	0.52	0.57
Fnsua:Fnt	E(I)	0.90	0.01	0.88	0.92
Fnsua:Fnt	G(Ia)	0.88	0.01	0.85	0.91
Fnsua:Fnt	P(I)	0.89	0.01	0.88	0.90
Fnsua:Sarea	E(I)	-0.23	0.03	-0.29	-0.17
Fnsua:Sarea	G(Ia)	-0.22	0.04	-0.29	-0.14
Fnsua:Sarea	P(I)	-0.22	0.02	-0.26	-0.19
Fnsua:Fd	E(I)	0.05	0.03	-0.01	0.11
Fnsua:Fd	G(Ia)	-0.15	0.06	-0.26	-0.04
Fnsua:Fd	P(I)	0.00	0.02	-0.04	0.04
Fnsua:Fc	E(I)	-0.09	0.05	-0.17	0.00
Fnsua:Fc	G(Ia)	-0.50	0.03	-0.56	-0.45
Fnsua:Fc	P(I)	-0.27	0.02	-0.30	-0.23
Fnsua:Fu	E(I)	-0.08	0.03	-0.15	-0.01
Fnsua:Fu	G(Ia)	-0.37	0.04	-0.45	-0.29
Fnsua:Fu	P(I)	-0.18	0.02	-0.21	-0.14
Fnsua:Colour	E(I)	-0.02	0.03	-0.08	0.03
Fnsua:Colour	G(Ia)	0.23	0.06	0.12	0.34

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnsua:Colour	P(I)	0.03	0.02	-0.00	0.07
Fnsua:Fly	E(I)	-0.01	0.03	-0.07	0.04
Fnsua:Fly	G(Ia)	0.19	0.08	0.04	0.34
Fnsua:Fly	P(I)	0.02	0.02	-0.01	0.06
Fnsua:Flcrot	E(I)	-0.00	0.03	-0.06	0.05
Fnsua:Flcrot	G(Ia)	0.45	0.19	0.07	0.83
Fnsua:Flcrot	P(I)	0.04	0.02	-0.00	0.07
Fnsua:Bactst	E(I)	0.02	0.04	-0.05	0.09
Fnsua:Bactst	G(Ia)	0.19	0.12	-0.05	0.44
Fnsua:Bactst	P(I)	0.04	0.02	-0.00	0.09
Fnsua:MycD	E(I)	0.02	0.03	-0.04	0.09
Fnsua:MycD	G(Ia)	0.09	0.25	-0.41	0.59
Fnsua:MycD	P(I)	0.03	0.02	-0.02	0.07
Fnsua:Bcts	E(I)	-0.11	0.05	-0.22	-0.01
Fnsua:Bcts	G(Ia)	0.04	0.03	-0.01	0.10
Fnsua:Bcts	P(I)	-0.03	0.02	-0.06	0.01
Fnsua:Bctb	E(I)	-0.15	0.05	-0.25	-0.05
Fnsua:Bctb	G(Ia)	0.08	0.03	0.02	0.13
Fnsua:Bctb	P(I)	-0.03	0.02	-0.06	0.01
Fnsua:Weanwt	E(I)	0.11	0.03	0.04	0.17
Fnsua:Weanwt	G(Ia)	-0.49	0.05	-0.59	-0.39
Fnsua:Weanwt	P(I)	-0.06	0.02	-0.10	-0.03
Fnsua:NLB	E(I)	-0.17	0.03	-0.22	-0.11
Fnsua:NLB	G(Ia)	0.16	0.05	0.05	0.26
Fnsua:NLB	P(I)	-0.09	0.02	-0.12	-0.05
Fnsua:NLW	E(I)	-0.15	0.03	-0.20	-0.09
Fnsua:NLW	G(Ia)	0.22	0.05	0.12	0.32
Fnsua:NLW	P(I)	-0.06	0.02	-0.09	-0.02
Fnsua:Fnpua	E(I)	0.40	0.02	0.35	0.45
Fnsua:Fnpua	G(Ia)	0.45	0.04	0.37	0.53
Fnsua:Fnpua	P(I)	0.41	0.02	0.38	0.44
Fnsua:Fnsua	E(I)	1.00	0.00	1.00	1.00
Fnsua:Fnsua	G(Ia)	1.00	0.00	1.00	1.00
Fnsua:Fnsua	P(I)	1.00	0.00	1.00	1.00
Fnsua:Fnppt	E(I)	0.32	0.03	0.27	0.38
Fnsua:Fnppt	G(Ia)	0.30	0.04	0.22	0.38
Fnsua:Fnppt	P(I)	0.32	0.02	0.28	0.35
Fnsua:Fnst	E(I)	0.90	0.01	0.88	0.92
Fnsua:Fnst	G(Ia)	0.89	0.01	0.86	0.92
Fnsua:Fnst	P(I)	0.90	0.01	0.88	0.91
Fnppt:Stal	E(I)	0.00	0.03	-0.06	0.06
Fnppt:Stal	G(Ia)	0.16	0.04	0.08	0.24
Fnppt:Stal	P(I)	0.05	0.02	0.01	0.08

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpt:Diam	E(I)	-0.01	0.03	-0.07	0.05
Fnpt:Diam	G(Ia)	-0.25	0.04	-0.32	-0.18
Fnpt:Diam	P(I)	-0.09	0.02	-0.12	-0.06
Fnpt:Bwt	E(I)	0.12	0.03	0.06	0.18
Fnpt:Bwt	G(Ia)	0.41	0.04	0.33	0.48
Fnpt:Bwt	P(I)	0.21	0.02	0.18	0.24
Fnpt:WrN	E(I)	0.07	0.03	0.01	0.13
Fnpt:WrN	G(Ia)	-0.58	0.04	-0.66	-0.50
Fnpt:WrN	P(I)	-0.13	0.02	-0.16	-0.10
Fnpt:WrB	E(I)	0.05	0.03	-0.01	0.11
Fnpt:WrB	G(Ia)	-0.48	0.04	-0.56	-0.40
Fnpt:WrB	P(I)	-0.12	0.02	-0.15	-0.08
Fnpt:WrT	E(I)	0.07	0.03	0.01	0.14
Fnpt:WrT	G(Ia)	-0.54	0.04	-0.61	-0.47
Fnpt:WrT	P(I)	-0.13	0.02	-0.16	-0.09
Fnpt:Face	E(I)	0.07	0.05	-0.03	0.16
Fnpt:Face	G(Ia)	-0.15	0.03	-0.20	-0.10
Fnpt:Face	P(I)	-0.04	0.02	-0.07	-0.00
Fnpt:Gfw	E(I)	0.00	0.03	-0.06	0.07
Fnpt:Gfw	G(Ia)	-0.06	0.04	-0.14	0.01
Fnpt:Gfw	P(I)	-0.02	0.02	-0.05	0.02
Fnpt:Yld	E(I)	-0.02	0.03	-0.09	0.04
Fnpt:Yld	G(Ia)	0.29	0.03	0.22	0.36
Fnpt:Yld	P(I)	0.08	0.02	0.05	0.12
Fnpt:Cww	E(I)	-0.01	0.03	-0.06	0.05
Fnpt:Cww	G(Ia)	0.08	0.04	0.00	0.16
Fnpt:Cww	P(I)	0.02	0.02	-0.01	0.06
Fnpt:Staladj	E(I)	0.01	0.03	-0.05	0.07
Fnpt:Staladj	G(Ia)	0.15	0.04	0.07	0.23
Fnpt:Staladj	P(I)	0.05	0.02	0.01	0.08
Fnpt:Gfwadj	E(I)	-0.00	0.03	-0.06	0.06
Fnpt:Gfwadj	G(Ia)	-0.08	0.04	-0.16	0.00
Fnpt:Gfwadj	P(I)	-0.02	0.02	-0.06	0.01
Fnpt:Cwwadj	E(I)	-0.01	0.03	-0.06	0.05
Fnpt:Cwwadj	G(Ia)	0.06	0.04	-0.02	0.14
Fnpt:Cwwadj	P(I)	0.01	0.02	-0.02	0.05
Fnpt:Crimp	E(I)	0.27	0.11	0.05	0.48
Fnpt:Crimp	G(Ia)	-0.28	0.03	-0.34	-0.21
Fnpt:Crimp	P(I)	-0.07	0.02	-0.11	-0.03
Fnpt:Crwvl	E(I)	-0.23	0.06	-0.36	-0.11
Fnpt:Crwvl	G(Ia)	0.31	0.04	0.22	0.39
Fnpt:Crwvl	P(I)	0.03	0.02	-0.02	0.07
Fnpt:Crst	E(I)	0.43	0.07	0.29	0.57

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpt:Crst	G(Ia)	-0.47	0.04	-0.56	-0.39
Fnpt:Crst	P(I)	-0.03	0.02	-0.07	0.02
Fnpt:Crstadj	E(I)	0.39	0.07	0.26	0.52
Fnpt:Crstadj	G(Ia)	-0.45	0.04	-0.54	-0.37
Fnpt:Crstadj	P(I)	-0.02	0.02	-0.06	0.03
Fnpt:Crwvt	E(I)	-0.30	0.05	-0.40	-0.20
Fnpt:Crwvt	G(Ia)	0.47	0.05	0.37	0.57
Fnpt:Crwvt	P(I)	0.01	0.02	-0.03	0.06
Fnpt:Dp	E(I)	-0.15	0.07	-0.28	-0.02
Fnpt:Dp	G(Ia)	-0.12	0.07	-0.26	0.02
Fnpt:Dp	P(I)	-0.13	0.03	-0.20	-0.07
Fnpt:Ds	E(I)	-0.11	0.06	-0.23	0.01
Fnpt:Ds	G(Ia)	-0.31	0.08	-0.47	-0.15
Fnpt:Ds	P(I)	-0.17	0.03	-0.24	-0.11
Fnpt:Dps	E(I)	-0.11	0.06	-0.22	0.01
Fnpt:Dps	G(Ia)	-0.32	0.08	-0.48	-0.15
Fnpt:Dps	P(I)	-0.17	0.03	-0.23	-0.11
Fnpt:DpovDs	E(I)	-0.11	0.11	-0.33	0.10
Fnpt:DpovDs	G(Ia)	0.04	0.06	-0.08	0.15
Fnpt:DpovDs	P(I)	-0.02	0.03	-0.09	0.04
Fnpt:CVDp	E(I)	0.10	0.06	-0.01	0.22
Fnpt:CVDp	G(Ia)	-0.10	0.10	-0.29	0.09
Fnpt:CVDp	P(I)	0.04	0.03	-0.02	0.11
Fnpt:CVDs	E(I)	-0.05	0.06	-0.17	0.06
Fnpt:CVDs	G(Ia)	0.29	0.10	0.09	0.49
Fnpt:CVDs	P(I)	0.04	0.03	-0.02	0.10
Fnpt:MaxDp	E(I)	-0.00	0.06	-0.11	0.11
Fnpt:MaxDp	G(Ia)	-0.14	0.08	-0.29	0.01
Fnpt:MaxDp	P(I)	-0.05	0.03	-0.11	0.01
Fnpt:MinDp	E(I)	-0.14	0.05	-0.23	-0.04
Fnpt:MinDp	G(Ia)	-0.49	0.21	-0.90	-0.09
Fnpt:MinDp	P(I)	-0.18	0.03	-0.24	-0.12
Fnpt:MaxDs	E(I)	-0.12	0.05	-0.23	-0.02
Fnpt:MaxDs	G(Ia)	-0.12	0.12	-0.36	0.11
Fnpt:MaxDs	P(I)	-0.12	0.03	-0.19	-0.06
Fnpt:MinDs	E(I)	-0.05	0.05	-0.15	0.04
Fnpt:MinDs	G(Ia)	0.01	0.26	-0.50	0.52
Fnpt:MinDs	P(I)	-0.04	0.03	-0.11	0.02
Fnpt:SDDp	E(I)	0.02	0.07	-0.11	0.15
Fnpt:SDDp	G(Ia)	-0.17	0.08	-0.32	-0.02
Fnpt:SDDp	P(I)	-0.05	0.03	-0.11	0.02
Fnpt:SDDs	E(I)	-0.11	0.06	-0.23	0.01
Fnpt:SDDs	G(Ia)	0.04	0.09	-0.13	0.21

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpt:SDDs	P(I)	-0.06	0.03	-0.12	0.00
Fnpt:SDD	E(I)	-0.07	0.06	-0.19	0.05
Fnpt:SDD	G(Ia)	0.01	0.09	-0.16	0.18
Fnpt:SDD	P(I)	-0.04	0.03	-0.11	0.02
Fnpt:CVD	E(I)	-0.01	0.06	-0.13	0.10
Fnpt:CVD	G(Ia)	0.24	0.10	0.05	0.43
Fnpt:CVD	P(I)	0.06	0.03	-0.01	0.12
Fnpt:Gt30Dp	E(I)	-0.07	0.07	-0.20	0.06
Fnpt:Gt30Dp	G(Ia)	-0.16	0.08	-0.31	-0.01
Fnpt:Gt30Dp	P(I)	-0.10	0.03	-0.16	-0.04
Fnpt:Gt30Ds	E(I)	-0.11	0.06	-0.22	0.00
Fnpt:Gt30Ds	G(Ia)	-0.13	0.10	-0.33	0.06
Fnpt:Gt30Ds	P(I)	-0.11	0.03	-0.18	-0.05
Fnpt:Gt30D	E(I)	-0.09	0.06	-0.20	0.02
Fnpt:Gt30D	G(Ia)	-0.15	0.10	-0.34	0.03
Fnpt:Gt30D	P(I)	-0.11	0.03	-0.17	-0.04
Fnpt:Fnuu	E(I)	0.36	0.03	0.31	0.42
Fnpt:Fnuu	G(Ia)	0.33	0.04	0.25	0.41
Fnpt:Fnuu	P(I)	0.35	0.02	0.32	0.39
Fnpt:Fr	E(I)	-0.41	0.03	-0.46	-0.37
Fnpt:Fr	G(Ia)	-0.53	0.04	-0.60	-0.46
Fnpt:Fr	P(I)	-0.45	0.01	-0.48	-0.42
Fnpt:Fnt	E(I)	0.42	0.02	0.37	0.47
Fnpt:Fnt	G(Ia)	0.53	0.04	0.46	0.60
Fnpt:Fnt	P(I)	0.45	0.01	0.42	0.48
Fnpt:Sarea	E(I)	0.13	0.03	0.07	0.19
Fnpt:Sarea	G(Ia)	0.41	0.04	0.34	0.49
Fnpt:Sarea	P(I)	0.22	0.02	0.18	0.25
Fnpt:Fd	E(I)	0.05	0.03	-0.01	0.11
Fnpt:Fd	G(Ia)	-0.29	0.06	-0.41	-0.16
Fnpt:Fd	P(I)	-0.03	0.02	-0.06	0.01
Fnpt:Fc	E(I)	0.12	0.05	0.03	0.21
Fnpt:Fc	G(Ia)	-0.47	0.03	-0.53	-0.40
Fnpt:Fc	P(I)	-0.13	0.02	-0.16	-0.09
Fnpt:Fu	E(I)	0.05	0.03	-0.02	0.12
Fnpt:Fu	G(Ia)	-0.41	0.05	-0.50	-0.32
Fnpt:Fu	P(I)	-0.09	0.02	-0.13	-0.05
Fnpt:Colour	E(I)	-0.01	0.03	-0.07	0.04
Fnpt:Colour	G(Ia)	-0.01	0.06	-0.13	0.10
Fnpt:Colour	P(I)	-0.01	0.02	-0.05	0.02
Fnpt:Fly	E(I)	-0.03	0.03	-0.08	0.02
Fnpt:Fly	G(Ia)	0.29	0.08	0.13	0.45
Fnpt:Fly	P(I)	0.02	0.02	-0.02	0.06

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnpt:Flcrot	E(I)	-0.01	0.03	-0.06	0.04
Fnpt:Flcrot	G(Ia)	0.22	0.18	-0.13	0.57
Fnpt:Flcrot	P(I)	0.01	0.02	-0.03	0.04
Fnpt:Bactst	E(I)	-0.01	0.03	-0.08	0.05
Fnpt:Bactst	G(Ia)	0.02	0.14	-0.26	0.29
Fnpt:Bactst	P(I)	-0.01	0.02	-0.06	0.04
Fnpt:MycD	E(I)	-0.05	0.03	-0.11	0.02
Fnpt:MycD	G(Ia)	-0.11	0.28	-0.65	0.43
Fnpt:MycD	P(I)	-0.05	0.02	-0.09	-0.00
Fnpt:Bcts	E(I)	0.06	0.05	-0.04	0.16
Fnpt:Bcts	G(Ia)	-0.03	0.03	-0.10	0.03
Fnpt:Bcts	P(I)	0.01	0.02	-0.02	0.05
Fnpt:Bctb	E(I)	0.07	0.05	-0.03	0.16
Fnpt:Bctb	G(Ia)	-0.06	0.03	-0.13	0.00
Fnpt:Bctb	P(I)	0.00	0.02	-0.03	0.04
Fnpt:Weanwt	E(I)	0.03	0.03	-0.03	0.09
Fnpt:Weanwt	G(Ia)	0.36	0.06	0.25	0.47
Fnpt:Weanwt	P(I)	0.11	0.02	0.08	0.15
Fnpt:NLB	E(I)	-0.02	0.03	-0.08	0.03
Fnpt:NLB	G(Ia)	-0.11	0.05	-0.22	-0.01
Fnpt:NLB	P(I)	-0.04	0.02	-0.08	-0.01
Fnpt:NLW	E(I)	-0.01	0.03	-0.07	0.04
Fnpt:NLW	G(Ia)	-0.08	0.05	-0.18	0.03
Fnpt:NLW	P(I)	-0.03	0.02	-0.06	0.01
Fnpt:Fnpua	E(I)	0.91	0.01	0.89	0.93
Fnpt:Fnpua	G(Ia)	0.88	0.02	0.85	0.91
Fnpt:Fnpua	P(I)	0.90	0.01	0.89	0.91
Fnpt:Fnsua	E(I)	0.32	0.03	0.27	0.38
Fnpt:Fnsua	G(Ia)	0.30	0.04	0.22	0.38
Fnpt:Fnsua	P(I)	0.32	0.02	0.28	0.35
Fnpt:Fnpt	E(I)	1.00	0.00	1.00	1.00
Fnpt:Fnpt	G(Ia)	1.00	0.00	1.00	1.00
Fnpt:Fnpt	P(I)	1.00	0.00	1.00	1.00
Fnpt:Fnst	E(I)	0.38	0.03	0.33	0.43
Fnpt:Fnst	G(Ia)	0.50	0.04	0.43	0.57
Fnpt:Fnst	P(I)	0.41	0.02	0.38	0.44
Fnst:Stal	E(I)	-0.08	0.03	-0.14	-0.01
Fnst:Stal	G(Ia)	-0.07	0.04	-0.15	-0.00
Fnst:Stal	P(I)	-0.08	0.02	-0.11	-0.04
Fnst:Diam	E(I)	-0.39	0.03	-0.44	-0.33
Fnst:Diam	G(Ia)	-0.51	0.03	-0.56	-0.45
Fnst:Diam	P(I)	-0.43	0.02	-0.46	-0.40
Fnst:Bwt	E(I)	0.20	0.03	0.14	0.26

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnst:Bwt	G(Ia)	0.25	0.03	0.18	0.32
Fnst:Bwt	P(I)	0.22	0.02	0.19	0.25
Fnst:WrN	E(I)	0.14	0.03	0.08	0.20
Fnst:WrN	G(Ia)	-0.27	0.04	-0.34	-0.20
Fnst:WrN	P(I)	0.00	0.02	-0.03	0.04
Fnst:WrB	E(I)	0.18	0.03	0.12	0.24
Fnst:WrB	G(Ia)	-0.32	0.04	-0.39	-0.25
Fnst:WrB	P(I)	0.01	0.02	-0.03	0.04
Fnst:WrT	E(I)	0.19	0.03	0.12	0.25
Fnst:WrT	G(Ia)	-0.32	0.04	-0.39	-0.25
Fnst:WrT	P(I)	0.01	0.02	-0.03	0.04
Fnst:Face	E(I)	0.12	0.05	0.02	0.22
Fnst:Face	G(Ia)	-0.07	0.03	-0.12	-0.02
Fnst:Face	P(I)	0.02	0.02	-0.02	0.05
Fnst:Gfw	E(I)	0.22	0.03	0.16	0.28
Fnst:Gfw	G(Ia)	-0.10	0.04	-0.17	-0.02
Fnst:Gfw	P(I)	0.12	0.02	0.08	0.15
Fnst:Yld	E(I)	-0.03	0.03	-0.10	0.04
Fnst:Yld	G(Ia)	0.43	0.03	0.36	0.49
Fnst:Yld	P(I)	0.14	0.02	0.11	0.17
Fnst:Cww	E(I)	0.21	0.03	0.15	0.27
Fnst:Cww	G(Ia)	0.10	0.04	0.03	0.18
Fnst:Cww	P(I)	0.18	0.02	0.14	0.21
Fnst:Staladj	E(I)	-0.07	0.03	-0.13	-0.01
Fnst:Staladj	G(Ia)	-0.09	0.04	-0.16	-0.01
Fnst:Staladj	P(I)	-0.08	0.02	-0.11	-0.04
Fnst:Gfwadj	E(I)	0.21	0.03	0.15	0.27
Fnst:Gfwadj	G(Ia)	-0.11	0.04	-0.18	-0.04
Fnst:Gfwadj	P(I)	0.10	0.02	0.07	0.14
Fnst:Cwwadj	E(I)	0.20	0.03	0.14	0.26
Fnst:Cwwadj	G(Ia)	0.09	0.04	0.01	0.16
Fnst:Cwwadj	P(I)	0.16	0.02	0.13	0.20
Fnst:Crimp	E(I)	0.76	0.14	0.48	1.05
Fnst:Crimp	G(Ia)	-0.46	0.04	-0.53	-0.39
Fnst:Crimp	P(I)	-0.04	0.02	-0.08	0.00
Fnst:Crwvl	E(I)	-0.47	0.07	-0.60	-0.34
Fnst:Crwvl	G(Ia)	0.48	0.04	0.39	0.57
Fnst:Crwvl	P(I)	-0.00	0.02	-0.05	0.04
Fnst:Crst	E(I)	0.44	0.07	0.29	0.58
Fnst:Crst	G(Ia)	-0.62	0.04	-0.71	-0.54
Fnst:Crst	P(I)	-0.09	0.02	-0.14	-0.05
Fnst:Crstadj	E(I)	0.38	0.07	0.24	0.51
Fnst:Crstadj	G(Ia)	-0.60	0.04	-0.69	-0.52

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnst:Crstadj	P(I)	-0.09	0.02	-0.14	-0.05
Fnst:Crwvt	E(I)	-0.32	0.05	-0.42	-0.21
Fnst:Crwvt	G(Ia)	0.64	0.05	0.54	0.73
Fnst:Crwvt	P(I)	0.07	0.02	0.02	0.11
Fnst:Dp	E(I)	-0.33	0.07	-0.46	-0.20
Fnst:Dp	G(Ia)	-0.11	0.07	-0.25	0.04
Fnst:Dp	P(I)	-0.23	0.03	-0.30	-0.17
Fnst:Ds	E(I)	-0.31	0.06	-0.42	-0.20
Fnst:Ds	G(Ia)	-0.69	0.07	-0.83	-0.55
Fnst:Ds	P(I)	-0.43	0.03	-0.49	-0.38
Fnst:Dps	E(I)	-0.32	0.06	-0.43	-0.22
Fnst:Dps	G(Ia)	-0.71	0.07	-0.85	-0.56
Fnst:Dps	P(I)	-0.44	0.03	-0.50	-0.39
Fnst:DpovDs	E(I)	-0.17	0.12	-0.40	0.06
Fnst:DpovDs	G(Ia)	0.25	0.06	0.13	0.37
Fnst:DpovDs	P(I)	0.05	0.03	-0.01	0.12
Fnst:CVDp	E(I)	-0.02	0.06	-0.14	0.09
Fnst:CVDp	G(Ia)	-0.21	0.10	-0.40	-0.02
Fnst:CVDp	P(I)	-0.08	0.03	-0.14	-0.01
Fnst:CVDs	E(I)	0.05	0.06	-0.07	0.16
Fnst:CVDs	G(Ia)	0.02	0.10	-0.18	0.22
Fnst:CVDs	P(I)	0.04	0.03	-0.03	0.11
Fnst:MaxDp	E(I)	-0.26	0.07	-0.39	-0.13
Fnst:MaxDp	G(Ia)	-0.06	0.08	-0.21	0.09
Fnst:MaxDp	P(I)	-0.18	0.03	-0.24	-0.12
Fnst:MinDp	E(I)	-0.11	0.05	-0.21	-0.01
Fnst:MinDp	G(Ia)	-0.13	0.20	-0.53	0.27
Fnst:MinDp	P(I)	-0.11	0.03	-0.17	-0.04
Fnst:MaxDs	E(I)	-0.15	0.05	-0.25	-0.04
Fnst:MaxDs	G(Ia)	-0.50	0.12	-0.74	-0.27
Fnst:MaxDs	P(I)	-0.23	0.03	-0.29	-0.16
Fnst:MinDs	E(I)	-0.06	0.05	-0.16	0.04
Fnst:MinDs	G(Ia)	-0.12	0.21	-0.53	0.30
Fnst:MinDs	P(I)	-0.07	0.03	-0.13	-0.00
Fnst:SDDp	E(I)	-0.19	0.07	-0.32	-0.06
Fnst:SDDp	G(Ia)	-0.14	0.08	-0.29	0.01
Fnst:SDDp	P(I)	-0.17	0.03	-0.23	-0.10
Fnst:SDDs	E(I)	-0.13	0.06	-0.25	-0.01
Fnst:SDDs	G(Ia)	-0.37	0.08	-0.53	-0.21
Fnst:SDDs	P(I)	-0.21	0.03	-0.27	-0.14
Fnst:SDD	E(I)	-0.16	0.06	-0.28	-0.04
Fnst:SDD	G(Ia)	-0.37	0.08	-0.53	-0.21
Fnst:SDD	P(I)	-0.23	0.03	-0.29	-0.17

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnst:CVD	E(I)	0.03	0.06	-0.08	0.15
Fnst:CVD	G(Ia)	0.00	0.09	-0.18	0.19
Fnst:CVD	P(I)	0.02	0.03	-0.04	0.09
Fnst:Gt30Dp	E(I)	-0.22	0.07	-0.35	-0.09
Fnst:Gt30Dp	G(Ia)	-0.20	0.08	-0.35	-0.05
Fnst:Gt30Dp	P(I)	-0.21	0.03	-0.27	-0.14
Fnst:Gt30Ds	E(I)	-0.25	0.05	-0.36	-0.14
Fnst:Gt30Ds	G(Ia)	-0.49	0.09	-0.67	-0.30
Fnst:Gt30Ds	P(I)	-0.32	0.03	-0.38	-0.25
Fnst:Gt30D	E(I)	-0.28	0.05	-0.39	-0.18
Fnst:Gt30D	G(Ia)	-0.50	0.09	-0.68	-0.33
Fnst:Gt30D	P(I)	-0.35	0.03	-0.41	-0.29
Fnst:Fnu	E(I)	0.89	0.01	0.87	0.91
Fnst:Fnu	G(Ia)	0.89	0.01	0.86	0.92
Fnst:Fnu	P(I)	0.89	0.01	0.88	0.90
Fnst:Fr	E(I)	0.58	0.02	0.53	0.62
Fnst:Fr	G(Ia)	0.47	0.03	0.40	0.53
Fnst:Fr	P(I)	0.54	0.01	0.52	0.57
Fnst:Fnt	E(I)	1.00	0.00	1.00	1.00
Fnst:Fnt	G(Ia)	1.00	0.00	1.00	1.00
Fnst:Fnt	P(I)	1.00	0.00	1.00	1.00
Fnst:Sarea	E(I)	0.21	0.03	0.15	0.27
Fnst:Sarea	G(Ia)	0.25	0.04	0.18	0.32
Fnst:Sarea	P(I)	0.22	0.02	0.19	0.26
Fnst:Fd	E(I)	0.13	0.03	0.07	0.19
Fnst:Fd	G(Ia)	-0.13	0.06	-0.24	-0.02
Fnst:Fd	P(I)	0.06	0.02	0.02	0.10
Fnst:Fc	E(I)	0.01	0.05	-0.09	0.11
Fnst:Fc	G(Ia)	-0.54	0.03	-0.59	-0.48
Fnst:Fc	P(I)	-0.25	0.02	-0.28	-0.21
Fnst:Fu	E(I)	-0.05	0.04	-0.12	0.02
Fnst:Fu	G(Ia)	-0.37	0.04	-0.44	-0.29
Fnst:Fu	P(I)	-0.16	0.02	-0.20	-0.12
Fnst:Colour	E(I)	-0.06	0.03	-0.12	-0.00
Fnst:Colour	G(Ia)	0.19	0.05	0.08	0.29
Fnst:Colour	P(I)	-0.00	0.02	-0.04	0.03
Fnst:Fly	E(I)	-0.02	0.03	-0.08	0.03
Fnst:Fly	G(Ia)	0.27	0.08	0.13	0.42
Fnst:Fly	P(I)	0.03	0.02	-0.01	0.07
Fnst:Flcrot	E(I)	-0.02	0.03	-0.07	0.03
Fnst:Flcrot	G(Ia)	0.37	0.18	0.02	0.71
Fnst:Flcrot	P(I)	0.02	0.02	-0.02	0.05
Fnst:Bactst	E(I)	-0.03	0.04	-0.10	0.04

Continued on next page

Table 23 – *Continued from previous page*

Traitpair	Component	Estimate	StdErr	CI95lo	CI95hi
Fnst:Bactst	G(Ia)	0.34	0.13	0.08	0.60
Fnst:Bactst	P(I)	0.02	0.02	-0.02	0.07
Fnst:MycD	E(I)	-0.00	0.03	-0.07	0.06
Fnst:MycD	G(Ia)	0.16	0.27	-0.38	0.69
Fnst:MycD	P(I)	0.01	0.02	-0.04	0.05
Fnst:Bcts	E(I)	-0.08	0.05	-0.19	0.02
Fnst:Bcts	G(Ia)	0.03	0.03	-0.03	0.09
Fnst:Bcts	P(I)	-0.02	0.02	-0.06	0.02
Fnst:Bctb	E(I)	-0.10	0.05	-0.20	-0.00
Fnst:Bctb	G(Ia)	0.04	0.03	-0.01	0.10
Fnst:Bctb	P(I)	-0.03	0.02	-0.06	0.01
Fnst:Weanwt	E(I)	0.32	0.03	0.25	0.38
Fnst:Weanwt	G(Ia)	-0.21	0.05	-0.32	-0.10
Fnst:Weanwt	P(I)	0.17	0.02	0.13	0.21
Fnst:NLB	E(I)	-0.22	0.03	-0.27	-0.16
Fnst:NLB	G(Ia)	0.06	0.05	-0.04	0.16
Fnst:NLB	P(I)	-0.15	0.02	-0.18	-0.12
Fnst:NLW	E(I)	-0.20	0.03	-0.26	-0.15
Fnst:NLW	G(Ia)	0.14	0.05	0.04	0.24
Fnst:NLW	P(I)	-0.12	0.02	-0.15	-0.08
Fnst:Fnpua	E(I)	0.28	0.03	0.23	0.33
Fnst:Fnpua	G(Ia)	0.42	0.04	0.34	0.50
Fnst:Fnpua	P(I)	0.31	0.02	0.28	0.35
Fnst:Fnsua	E(I)	0.90	0.01	0.88	0.92
Fnst:Fnsua	G(Ia)	0.89	0.01	0.86	0.92
Fnst:Fnsua	P(I)	0.90	0.01	0.88	0.91
Fnst:Fnpt	E(I)	0.38	0.03	0.33	0.43
Fnst:Fnpt	G(Ia)	0.50	0.04	0.43	0.57
Fnst:Fnpt	P(I)	0.41	0.02	0.38	0.44
Fnst:Fnst	E(I)	1.00	0.00	1.00	1.00
Fnst:Fnst	G(Ia)	1.00	0.00	1.00	1.00
Fnst:Fnst	P(I)	1.00	0.00	1.00	1.00

The symbols E(I), G(Ia), and P(I) in the components column indicate whether the correlation is environmental, additive genetic, or phenotypic. The symbol (I) is there to indicate that these correlations are based on variation of effects operating in individuals, not effects of maternal genes or maternal environment. There were no maternal genetic or environmental components fitted in this analysis. The columns CI95lo and CI95hi represent the lower and upper limits of a 95 percent confidence interval for the correlation estimate. The column labelled Estimate is a point estimate and should be at the center of the confidence limits.

This is a huge table occupying 219 pages. It is considered important to have the environmental, genetic and phenotypic estimates presented side-by-side. It represents three correlation matrices of order 56. These are of course symmetric, but we present all traitpairs for each trait so there is duplication. For example you can find Stal:Bwt and also Bwt:Stal, and the estimates will be the same.

We will just take note of a few interesting cases

- the genetic correlation between Dp and Ds is effectively zero, but the environmental correlation is strong positive. It seems environmental factors affect all fibres equally, but genetic factors act independently on primary and secondary follicles.
- the genetic correlation between Dp and Cww is effectively zero, but the genetic correlation between Ds and Cww is high. Similarly the genetic correlation between SDDp and Cww is near zero and the genetic correlation between SDDs and Cww is medium. Selection for Cww will increase the mean and SD of diameter, but it will come from the secondary fibres, not the primaries.
- follicle curvature has a negative genetic correlation with Dp and a strong positive genetic correlation with Ds.
- birthcoat hairines has a strong positive genetic correlation with Dp and a weak negative genetic correlation with Ds

5.4.3 Proportion of phenotypic variance due to each component

We calculate the proportion of variance for both the environmental and additive genetic components. These are presented in Table 24. The additive genetic component, as a proportion, is conventionally referred to as heritability.

Table 24: Estimates of proportion of phenotypic variance due to each component, with standard errors and confidence limits, for 56 skin and wool traits

Trait	Component	Estimate	StdErr	CI95lo	CI95hi
Stal	VarE(I)	0.644	0.012	0.620	0.668
Stal	VarG(Ia)	0.356	0.012	0.332	0.380
Stal	VarP(I)	1.000	0.000	1.000	1.000
Diam	VarE(I)	0.551	0.013	0.525	0.576
Diam	VarG(Ia)	0.449	0.013	0.424	0.475
Diam	VarP(I)	1.000	0.000	1.000	1.000
Bwt	VarE(I)	0.651	0.012	0.627	0.675
Bwt	VarG(Ia)	0.349	0.012	0.324	0.373
Bwt	VarP(I)	1.000	0.000	1.000	1.000
WrN	VarE(I)	0.597	0.013	0.572	0.622

Continued on next page

Table 24 – *Continued from previous page*

Trait	Component	Estimate	StdErr	CI95lo	CI95hi
WrN	VarG(Ia)	0.403	0.013	0.378	0.428
WrN	VarP(I)	1.000	0.000	1.000	1.000
WrB	VarE(I)	0.602	0.013	0.577	0.627
WrB	VarG(Ia)	0.398	0.013	0.373	0.423
WrB	VarP(I)	1.000	0.000	1.000	1.000
WrT	VarE(I)	0.551	0.013	0.526	0.576
WrT	VarG(Ia)	0.449	0.013	0.423	0.474
WrT	VarP(I)	1.000	0.000	1.000	1.000
Face	VarE(I)	0.289	0.015	0.259	0.320
Face	VarG(Ia)	0.711	0.015	0.680	0.741
Face	VarP(I)	1.000	0.000	1.000	1.000
Gfw	VarE(I)	0.640	0.012	0.616	0.664
Gfw	VarG(Ia)	0.360	0.012	0.336	0.384
Gfw	VarP(I)	1.000	0.000	1.000	1.000
Yld	VarE(I)	0.543	0.013	0.518	0.569
Yld	VarG(Ia)	0.457	0.013	0.431	0.482
Yld	VarP(I)	1.000	0.000	1.000	1.000
Cww	VarE(I)	0.658	0.012	0.634	0.682
Cww	VarG(Ia)	0.342	0.012	0.318	0.366
Cww	VarP(I)	1.000	0.000	1.000	1.000
Staladj	VarE(I)	0.645	0.012	0.620	0.669
Staladj	VarG(Ia)	0.355	0.012	0.331	0.380
Staladj	VarP(I)	1.000	0.000	1.000	1.000
Gfwadj	VarE(I)	0.646	0.012	0.622	0.671
Gfwadj	VarG(Ia)	0.354	0.012	0.329	0.378
Gfwadj	VarP(I)	1.000	0.000	1.000	1.000
Cwwadj	VarE(I)	0.671	0.012	0.647	0.695
Cwwadj	VarG(Ia)	0.329	0.012	0.305	0.353
Cwwadj	VarP(I)	1.000	0.000	1.000	1.000
Crimp	VarE(I)	0.032	0.024	-0.015	0.080
Crimp	VarG(Ia)	0.968	0.024	0.920	1.016
Crimp	VarP(I)	1.000	0.000	1.000	1.000
Crwvl	VarE(I)	0.428	0.019	0.392	0.465
Crwvl	VarG(Ia)	0.572	0.019	0.535	0.608
Crwvl	VarP(I)	1.000	0.000	1.000	1.000
Crst	VarE(I)	0.335	0.021	0.293	0.377
Crst	VarG(Ia)	0.665	0.021	0.623	0.707
Crst	VarP(I)	1.000	0.000	1.000	1.000
Crstadj	VarE(I)	0.380	0.021	0.339	0.421
Crstadj	VarG(Ia)	0.620	0.021	0.579	0.661
Crstadj	VarP(I)	1.000	0.000	1.000	1.000
Crwvt	VarE(I)	0.524	0.019	0.488	0.561
Crwvt	VarG(Ia)	0.476	0.019	0.439	0.512

Continued on next page

Table 24 – *Continued from previous page*

Trait	Component	Estimate	StdErr	CI95lo	CI95hi
Crwvt	VarP(I)	1.000	0.000	1.000	1.000
Dp	VarE(I)	0.485	0.031	0.423	0.546
Dp	VarG(Ia)	0.515	0.031	0.454	0.577
Dp	VarP(I)	1.000	0.000	1.000	1.000
Ds	VarE(I)	0.590	0.030	0.531	0.649
Ds	VarG(Ia)	0.410	0.030	0.351	0.469
Ds	VarP(I)	1.000	0.000	1.000	1.000
Dps	VarE(I)	0.616	0.030	0.558	0.675
Dps	VarG(Ia)	0.384	0.030	0.325	0.442
Dps	VarP(I)	1.000	0.000	1.000	1.000
DpovDs	VarE(I)	0.188	0.036	0.118	0.259
DpovDs	VarG(Ia)	0.812	0.036	0.741	0.882
DpovDs	VarP(I)	1.000	0.000	1.000	1.000
CVDp	VarE(I)	0.665	0.029	0.607	0.723
CVDp	VarG(Ia)	0.335	0.030	0.277	0.393
CVDp	VarP(I)	1.000	0.000	1.000	1.000
CVDs	VarE(I)	0.719	0.029	0.662	0.776
CVDs	VarG(Ia)	0.281	0.029	0.224	0.338
CVDs	VarP(I)	1.000	0.000	1.000	1.000
MaxDp	VarE(I)	0.515	0.031	0.454	0.576
MaxDp	VarG(Ia)	0.485	0.031	0.424	0.546
MaxDp	VarP(I)	1.000	0.000	1.000	1.000
MinDp	VarE(I)	0.946	0.029	0.890	1.002
MinDp	VarG(Ia)	0.054	0.029	-0.002	0.110
MinDp	VarP(I)	1.000	0.000	1.000	1.000
MaxDs	VarE(I)	0.799	0.029	0.743	0.855
MaxDs	VarG(Ia)	0.201	0.029	0.144	0.257
MaxDs	VarP(I)	1.000	0.000	1.000	1.000
MinDs	VarE(I)	0.943	0.028	0.887	0.998
MinDs	VarG(Ia)	0.057	0.028	0.002	0.113
MinDs	VarP(I)	1.000	0.000	1.000	1.000
SDDp	VarE(I)	0.510	0.031	0.449	0.570
SDDp	VarG(Ia)	0.490	0.031	0.429	0.551
SDDp	VarP(I)	1.000	0.000	1.000	1.000
SDDs	VarE(I)	0.588	0.030	0.529	0.647
SDDs	VarG(Ia)	0.412	0.030	0.353	0.471
SDDs	VarP(I)	1.000	0.000	1.000	1.000
SDD	VarE(I)	0.575	0.030	0.515	0.634
SDD	VarG(Ia)	0.425	0.030	0.366	0.485
SDD	VarP(I)	1.000	0.000	1.000	1.000
CVD	VarE(I)	0.693	0.029	0.635	0.750
CVD	VarG(Ia)	0.307	0.029	0.250	0.365
CVD	VarP(I)	1.000	0.000	1.000	1.000

Continued on next page

Table 24 – *Continued from previous page*

Trait	Component	Estimate	StdErr	CI95lo	CI95hi
Gt30Dp	VarE(I)	0.526	0.031	0.465	0.586
Gt30Dp	VarG(Ia)	0.474	0.031	0.414	0.535
Gt30Dp	VarP(I)	1.000	0.000	1.000	1.000
Gt30Ds	VarE(I)	0.719	0.029	0.662	0.776
Gt30Ds	VarG(Ia)	0.281	0.029	0.224	0.338
Gt30Ds	VarP(I)	1.000	0.000	1.000	1.000
Gt30D	VarE(I)	0.699	0.029	0.642	0.756
Gt30D	VarG(Ia)	0.301	0.029	0.244	0.358
Gt30D	VarP(I)	1.000	0.000	1.000	1.000
Fnua	VarE(I)	0.708	0.013	0.683	0.734
Fnua	VarG(Ia)	0.292	0.013	0.266	0.317
Fnua	VarP(I)	1.000	0.000	1.000	1.000
Fr	VarE(I)	0.694	0.013	0.668	0.720
Fr	VarG(Ia)	0.306	0.013	0.280	0.332
Fr	VarP(I)	1.000	0.000	1.000	1.000
Fnt	VarE(I)	0.697	0.013	0.671	0.722
Fnt	VarG(Ia)	0.303	0.013	0.278	0.329
Fnt	VarP(I)	1.000	0.000	1.000	1.000
Sarea	VarE(I)	0.644	0.013	0.618	0.670
Sarea	VarG(Ia)	0.356	0.013	0.330	0.382
Sarea	VarP(I)	1.000	0.000	1.000	1.000
Fd	VarE(I)	0.821	0.014	0.794	0.849
Fd	VarG(Ia)	0.179	0.014	0.151	0.206
Fd	VarP(I)	1.000	0.000	1.000	1.000
Fc	VarE(I)	0.362	0.018	0.327	0.396
Fc	VarG(Ia)	0.638	0.018	0.604	0.673
Fc	VarP(I)	1.000	0.000	1.000	1.000
Fu	VarE(I)	0.637	0.015	0.607	0.666
Fu	VarG(Ia)	0.363	0.015	0.334	0.393
Fu	VarP(I)	1.000	0.000	1.000	1.000
Colour	VarE(I)	0.828	0.012	0.805	0.852
Colour	VarG(Ia)	0.172	0.012	0.148	0.195
Colour	VarP(I)	1.000	0.000	1.000	1.000
Fly	VarE(I)	0.907	0.012	0.884	0.930
Fly	VarG(Ia)	0.093	0.012	0.070	0.116
Fly	VarP(I)	1.000	0.000	1.000	1.000
Flcrot	VarE(I)	0.969	0.012	0.946	0.992
Flcrot	VarG(Ia)	0.031	0.012	0.008	0.054
Flcrot	VarP(I)	1.000	0.000	1.000	1.000
Bactst	VarE(I)	0.954	0.015	0.924	0.984
Bactst	VarG(Ia)	0.046	0.015	0.016	0.076
Bactst	VarP(I)	1.000	0.000	1.000	1.000
MycD	VarE(I)	0.961	0.015	0.932	0.991

Continued on next page

Table 24 – *Continued from previous page*

Trait	Component	Estimate	StdErr	CI95lo	CI95hi
MycD	VarG(Ia)	0.039	0.015	0.009	0.068
MycD	VarP(I)	1.000	0.000	1.000	1.000
Bcts	VarE(I)	0.207	0.018	0.172	0.242
Bcts	VarG(Ia)	0.793	0.018	0.758	0.828
Bcts	VarP(I)	1.000	0.000	1.000	1.000
Bctb	VarE(I)	0.244	0.017	0.210	0.278
Bctb	VarG(Ia)	0.756	0.017	0.722	0.790
Bctb	VarP(I)	1.000	0.000	1.000	1.000
Weanwt	VarE(I)	0.764	0.013	0.738	0.790
Weanwt	VarG(Ia)	0.236	0.013	0.210	0.262
Weanwt	VarP(I)	1.000	0.000	1.000	1.000
NLB	VarE(I)	0.800	0.011	0.778	0.823
NLB	VarG(Ia)	0.200	0.011	0.177	0.222
NLB	VarP(I)	1.000	0.000	1.000	1.000
NLW	VarE(I)	0.788	0.011	0.766	0.811
NLW	VarG(Ia)	0.212	0.011	0.189	0.234
NLW	VarP(I)	1.000	0.000	1.000	1.000
Fnpua	VarE(I)	0.780	0.013	0.755	0.805
Fnpua	VarG(Ia)	0.220	0.013	0.195	0.245
Fnpua	VarP(I)	1.000	0.000	1.000	1.000
Fnsua	VarE(I)	0.707	0.013	0.682	0.733
Fnsua	VarG(Ia)	0.293	0.013	0.267	0.318
Fnsua	VarP(I)	1.000	0.000	1.000	1.000
Fnpt	VarE(I)	0.742	0.013	0.717	0.767
Fnpt	VarG(Ia)	0.258	0.013	0.233	0.283
Fnpt	VarP(I)	1.000	0.000	1.000	1.000
Fnst	VarE(I)	0.698	0.013	0.672	0.723
Fnst	VarG(Ia)	0.302	0.013	0.277	0.328
Fnst	VarP(I)	1.000	0.000	1.000	1.000

Most measured wool traits have a heritability of between 0.35 and 0.5. There is an exceptional estimate for crimp frequency (0.97) and this will have to be investigated as the heritability of follicle curvature (Fc) is much lower (0.63). The heritability estimates for Fnu and Fr are slightly low at around 0.3. The scores (Colour, Fly, Flcrot, Bactst, MycD) have low heritabilities, and this reflects the low incidences for these traits. Birthcoat hairiness (Bcts and Bctb) is highly heritable. Twinning (NLB and NLW) is around 0.2 for heritability.

6 Discussion

It should be clear from the correlations (especially those commented on in the results section) that the diameters of primary and secondary fibres are under

independent genetic control. This should not be surprising. The large changes in Dp without much change in Ds which have occurred during Merino evolution (Jackson (2017) [8]) indicate that this must be the case.

As a selection experiment, the AB32 flock leaves a lot to be desired. The data are too incomplete for a proper analysis, and the initial choice of Fd as a selection criterion for 'large vigorous follicles' was a misjudgement, as its measurement technique is flawed as indicated by its low heritability (17 percent). What we can recover from this experiment is a very valuable dataset of measurements on primary and secondary fibres.

The data from visual scores of flystrike, fleece rot, etc, need to be used with caution. The incidence of these phenomena was low.

The traits NLB and NLW can be regarded as the reproduction rate component of fitness. So correlations with other traits indicate which traits are associated with fitness. The interesting genetic correlations are 0.41 with Dp and -0.16 with Ds. In other words the 'fittest ' sheep have coarse primaries and fine secondaries - like wild sheep. We have no data on the 'survival' component of fitness, but the correlations with birthcoat score might be considered indicative, on the presumption that hairy birthcoat lambs survive better. Most deaths in domestic sheep are in lambs before weaning. We have no data on longevity or adult deaths.

References

- [1] Chapman, R.E. (1965) The ovine arrector pili musculature and crimp formation in wool. In "Biology of the Skin and Hair Growth" Angus and Robertson, Sydney, Ed. A.G. Lyne and B.F. Short. pp 201-232
- [2] Horio, M. and Kondo, T. (1953) Text. Res. J. 23:373
- [3] Jackson, N., Nay T. and Turner, Helen Newton (1975) Response to selection in Australian Merino sheep. VII Phenotypic and genetic parameters for some wool follicle characteristics and their correlation with wool and body traits. Aust. J. Agric. Res. 26:937-57
- [4] Jackson, N. and Watts, J.E. (2016) Staple crimp formation in the fleece of Merino sheep. Report available from the authors as a pdf document.
- [5] Jackson, N. and Watts J.E. (2016) Can we predict intrinsic fibre curvature from follicle curvature score? Report available from the author as a pdf document.
- [6] Jackson, N. (2015) An Overview of the R package dmm. From <http://cran.r-project.org/package=dmm> Or <https://github.com/cran/dmm>
- [7] Jackson, N. Lax, J. and Wilson, R.L.(1986) Sex and selection for fleece weight in Merino sheep. Zeitschrift fur Tierzuchtung und Zuchtungsbiologie. Bd. 103:97-115

- [8] Jackson, N. (2017) What are the defining characteristics of a primitive sheep relative to a modern Merino sheep? <https://github.com/nevillejackson/atavistic-sheep/tree/master/mev-rewrite/supplementary/primitive/primitive.pdf>
- [9] Moore, G.P.M, Jackson, N. and Lax, J. (1989) Evidence of a unique developmental mechanism specifying follicle density and fibre size in sheep selected for single skin and fleece characters. *Genetical Research*. 53:57-62
- [10] Nagorcka, B.N. (1981) Theoretical mechanism for crimp. *Aust J. Biol. Sci.* 34: 189-209
- [11] Onions, W.J. (1962) *Wool: an introduction to its properties, varieties, uses and production*. Ernest Benn limited, London, 1962
- [12] Rendel, J.M. and Nay, T. (1978) Selection for high and low ratio and high and low primary density in Merino sheep. *Aust. J. Agric. Res.* 29:1077-86
- [13] R Core Team (2013). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-07-0, URL <http://www.R-project.org/>.
- [14] Searle, S.R., Casella, G., and McCulloch, C.E. (1992) *Variance Components*. John Wiley and Sons, New York.
- [15] Swan, P.G. (1993) Objective measurement of fibre crimp curvature and the bulk compressional properties of Australian wools. PhD Thesis, University of NSW, March 1993
- [16] Watson, N., Jackson, N. and Whiteley, K.J. (1977) Inheritance of the resistance to compression property of Australian Merino wool and its genetic correlation with follicle curvature and various wool and body characters. *Aust. J. Agric. Res.* 28:1083-94
- [17] Wolak, M.E. (2014) *nadiv: an R package to create relatedness matrices for estimating non-additive genetic variances in animal models*. *Methods in Ecology and Evolution* 3:792-796.