


A claimed success rate does not predict whether a jailbreak still works

Replayed as carrier mechanisms in deployment, under a judge calibrated to under-count, almost all of them collapse.



Reproduction falls an order of magnitude as the target hardens, and grey-literature techniques fall faster than paper-sourced ones:

	works on ≥ 1 of 5 panel models	frozen open-weight anchor	most robust model
arXiv-sourced	51.9%	13.9%	8.9%
grey-lit	36.5%	7.2%	1.8%

Pooled 40.5% $\rightarrow$ 9.0% $\rightarrow$ 3.7%. Spearman between claimed and measured rate is $\rho = -0.10$ (95% CI $[-0.37, +0.17]$, $n = 56$): no usable signal. The $\sim 5\times$ source gap on hard targets is consistent and growing.