

Document filename: Document1					
Directorate / Programme	Integrated Urgent Care	Project	Urgent Care		
Document Reference					
Project Manager	Tony Yates	Status	Final		
Owner	Tony Yates	Version	2.0		
Author	Sufyan Patel	Version issue date	24/11/2016		

# **Document Management Revision History**

Version	Date	Summary of Changes
0.1	05/01/2012	First Version for comment
0.2	21/02/2012	Added final triage disposition code Added Additional Information section Completed missing xPaths
0.3	04/05/2012	Guidance on Chief complaint
1.0	04/10/2013	Rebranded HSCIC & made Final
2.0	24/11/2016	Added callback content Added the Clinical Discriminators section Amended guidance on the location class

# **Reviewers**

This document must be reviewed by the following people: author to indicate reviewers

Reviewer name	Title / Responsibility	Date	Version
Kevin Sprague	Interoperability Team Lead	11/08/2011	0.1
Kevin Sprague	Interoperability Team Lead	04/10/2013	1.0

# **Approved by**

This document must be approved by the following people: author to indicate approvers

Name	Signature	Title	Date	Version
Richard Kavanagh		Interoperability Development Manager	11/08/2011	0.1

# **Glossary of Terms**

Term / Abbreviation	What it stands for
CDA	Clinical Document Architecture (a HL7 standard for Clinical Documents)
Participation	The involvement of a role in an act
Role	A responsibility or part played by an entity
DCE UUID	Distributed Computing Environment Universally Unique Identifier - is an identifier standard used in software construction
XML	Extensible Markup Language - is a general-purpose specification for creating custom markup languages
DMS	Domain Message Specification (sometimes called a pack) is the message specification(s) offered by Connecting for Health for a domain (such as Integrated Urgent Care)
PDS	Patient Demographic Service – the NHS patient database

#### **Document Control:**

The controlled copy of this document is maintained in the HSCIC corporate network. Any copies of this document held outside of that area, in whatever format (e.g. paper, email attachment), are considered to have passed out of control and should be checked for currency and validity.

# **Contents**

1 In	troduction	5
1.1	Purpose of Document	5
	uidance for creating an NHS Integrated Urgent Care Ambulance equest	5
2.1	HL7 V3 Reminder	5
2.2	Populating the Ambulance Request Message	5

# 1 Introduction

# 1.1 Purpose of Document

This document provides guidance for creating an Integrated Urgent Care Ambulance Request message. The document includes the information that an Integrated Urgent Care system needs to supply to create the request.

# 2 Guidance for creating an Integrated Urgent Care Ambulance Request

# 2.1 HL7 V3 Reminder

A note to remind developers that the Integrated Urgent Care Ambulance Request is NOT a CDA document. Therefore, there is no concept of "on-the-wire" and "conformance" schemas. The schema provided for the Integrated Urgent Care Ambulance Request is BOTH the conformance and on-the-wire schema.

# 2.2 Populating the Ambulance Request Message

This section documents the various Integrated Urgent Care Ambulance Request classes and concepts, and what data is required to populate the message. For the optionality of each data item, consult the Integrated Urgent Care Ambulance Request model. Further guidance on data values is given on the associated model tabular view.

Class: AmbulanceRequest		Acts as a header for the Am	bulance Request	
Data Item	Business relevance	Value Guidance	Xpath	Example
classCode	None, a fixed value	Always <b>FIXED</b> to "PCPR"	/AmbulanceRequest/@classCode	<pre><ambulancerequest classcode="PCPR " moodcode="RQO"></ambulancerequest></pre>
moodCode	None, a fixed value	Always <b>FIXED</b> to "RQO"	/AmbulanceRequest/@moodCode	<ambulancerequest classcode="PCPR " moodcode="RQO"></ambulancerequest>
id/@root	A unique identifier for the request. Must be a DCE UUID	A generated DCE UUID	/AmbulanceRequest /id/@root	<id root="B709A442-3CF4-476E-8377-&lt;br&gt;376500E829C8"></id>
code/@code code/@codeSystem	Depends on whether the request is an interim request (before the 111 case is complete), or a final request (with a complete NHS 111 triage)	If the request is an interim request then Always FIXED Code "828791000000100" CodeSystem "2.16.840.1.113883.2.1.3.2.4.15"  If the request is a final request then Always FIXED Code "828801000000101" CodeSystem "2.16.840.1.113883.2.1.3.2.4.15"	/AmbulanceRequest/code/@code /AmbulanceRequest/code/@codeSystem	<code code="TBA" codesystem="2.16.840.1.113883.2.1.3.2.4.15"></code>
effectiveTime/@value	The date and time the request was produced	The system date/time when the request was produced. This can be to any precision, but to the second is recommended	/AmbulanceRequest/effectiveTime/@value	<effectivetime value="201105192000"></effectivetime>

i t		Contains the document author details. NOTE t is expected that author details will conform to the AuthorPersonUniversal conformance profile only.		Includes classes Author; assignedAuthor; representedOrganization; assignedperson	
Data Item	Business relevance	Value Guidance	Xpath		Example
author/typeCode	None – a fixed code	Always FIXED to "AUT"	/AmbulanceRequest/autho	or/@typeCode	<author contextcontrolcode="OP" typecode="AUT"></author>
author/contextControlCode	None – a fixed code	Always FIXED to "OP"	/AmbulanceRequest/autho	or/@contextControlCode	<author contextcontrolcode="OP" typecode="AUT"></author>
author/functionCode/@code author/functionCode/@codeSy stem author/functionCode/@dispaly Name	None – a fixed code	Always FIXED Code "OA" codeSystem "2.16.840.1.113883.2.1.3 .2.4.17.178" dispalyname "Originating Author"	/AmbulanceRequest/author/functionCode/@code /AmbulanceRequest/author/functionCode/@codeSystem /AmbulanceRequest/author/functionCode/@displayName		<functioncode <br="" code="OA">displayName="Originating Author" codeSystem="2.16.840.1.113883.2 .1.3.2.4.17.178"/&gt;</functioncode>
author/time/@time	The date/time the document was authored	The system date/time the request was authored	/AmbulanceRequest/autho	or/time/@value	<time value="201105192000"></time>
author/contentId/@root author/contentId/@extension	Varies according to the type of author. Assuming person Universal author only	Assuming Author Person Universal template only Always FIXED Root "2.16.840.1.113883.2.1.3 .2.4.18.16" Extension "COCD_TP145200GB01 #AssignedAuthor"	/AmbulanceRequest/author/npfitlc:contentId/@extension		<npfitlc:contentid root="2.16.840.1.113883.2.1.3.2.4. 18.16" extension="COCD_TP145200GB01 #AssignedAuthor"/&gt;</npfitlc:contentid 
COCD_TP145200GB01.AssignedAut	None – a	Always FIXED to ASSIGNED	/AmbulanceRequest/autho @classCode	or/COCD_TP145200GB01.AssignedAuthor/	<cocd_tp145200gb01.assigned Author classCode="ASSIGNED"&gt;</cocd_tp145200gb01.assigned 

hor/classCode	fixed value			
COCD_TP145200GB01.AssignedAut hor/id/@root COCD_TP145200GB01.AssignedAut hor/id/@extension	Identifiers to indicate the author – this might be an SDS identifier (by preference) , or a local one (or both)	A code system identifier such as "1.2.826.0.1285.0.2.0.65" for an SDS identifier, or "2.16.840.1.113883.2.1.3 .2.4.18.24" for a local identifier, and the identifying code	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/id/@root /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/id/@extension	<id>root="2.16.840.1.113883.2.1.3.2.4. 18.24" extension="100"/&gt;</id>
COCD_TP145200GB01.AssignedAut hor/code/@code COCD_TP145200GB01.AssignedAut hor/code/@codeSystem COCD_TP145200GB01.AssignedAut hor/code/@displayName	A code that describes the author's job role – this might be from SDS (by preference), or a local code	A code system identifier such as "2.16.840.1.113883.2.1.3 .2.4.17.196" for an SDS Job Role code, or a local code system and a code from that code system	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/code/@code  /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/code/@codeSystem  /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/code/@displayName	<pre><code code="OOH02" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.196" displayname="Nurse Practitioner"></code></pre>
COCD_TP145200GB01.AssignedAut hor/addr/@use  COCD_TP145200GB01.AssignedAut hor/addr/streetAddressLine[1 5]  COCD_TP145200GB01.AssignedAut hor/addr/postalCode	The address of the author	An address for the author – maybe from SDS. Use attribute will be fixed to "WP" (work place). For consistency, only have street addressline and postcode as well as the fixed use attribute	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/addr/@use /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/addr/streetAddressLine /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/addr/postalCode	<addr use="WP"> <streetaddressline>The   Hospital</streetaddressline> <streetaddressline>Hospital   Road</streetaddressline> <postalcode>CB1   1AA</postalcode> </addr>
COCD_TP145200GB01.AssignedAut hor/telecom/@value	Phone or email details of the author – maybe	Author's telecom details. Can be a telephone number, email address etc. Fix the "use" attribute to "EC" (emergency contact)	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/telecom/@value	<telecom value="tel:01234567890&lt;br">use="EC"/&gt;</telecom>

	from SDS			
COCD_TP145200GB01.AssignedAut hor/templateId/@root COCD_TP145200GB01.AssignedAut hor/templateId/@extension	None – a fixed value	Always FIXED to  Root "2.16.840.1.113883.2.1.3 .2.4.18.2"  Extension "COCD_TP145200GB01 #AssignedAuthor"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/templateId/@root /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/templateId/@extension	<templateid root="2.16.840.1.113883.2.1.3.2.4. 18.2" extension="COCD_TP145200GB01 #AssignedAuthor"/&gt;</templateid 
assignedPerson/@classCode	None – a fixed code	Always FIXED to "PSN"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/@classCode	<assignedperson classCode="PSN" determinerCode="INSTANCE"&gt;</assignedperson 
assignedPerson/determinerCo de	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/@determinerCode	<assignedperson classCode="PSN" determinerCode="INSTANCE"&gt;</assignedperson 
assignedPerson/name/prefix assignedPerson/name/given assignedPerson/name/surnam e	The name of the author	The name of the author – maybe from SDS. In structured format of prefix, given name and family name	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/name/prefix /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/name/given /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/name/family	<name> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></name>
assignedPerson/templateId/@root assignedPerson/templateId/@extension	None – a fixed code	Always FIXED to  Root "2.16.840.1.113883.2.1.3 .2.4.18.2"  Extension  "COCD_TP145200GB01 #assignedPerson"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/templateId/@root /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/assignedPerson/templateId/@extension	<templateid root="2.16.840.1.113883.2.1.3.2.4. 18.2" extension="COCD_TP145200GB01 #assignedPerson"/&gt;</templateid 
representedOrganization/class Code	None – a fixed code	Always FIXED to "ORG"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/@classCode	<pre><representedorganization classcode="ORG" determinercode="INSTANCE"></representedorganization></pre>
representedOrganization/deter minerCode	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/@determinerCode	<pre><representedorganization classcode="ORG" determinercode="INSTANCE"></representedorganization></pre>

	_		_		
27	IA	4	n	$\mathbf{n}$	

		If a city and a sect FIVED	/A b - d D d	
representedOrganization/id/@ro ot representedOrganization/id/@extension	Either the organisation site code (preferred), or the organisation code of	If a site code, root FIXED to "2.16.840.1.113883.2.1.3 .2.4.19.2"  If an org code, root FIXED to "2.16.840.1.113883.2.1.3 .2.4.19.1"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/id/@root /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/id/@extension	<id root="2.16.840.1.113883.2.1.3.2.4.19 .2" extension="5L399"/&gt;</id 
representedOrganization/nam e	The organisatio n name associated with the code	Name associated with the code in the "id" attribute	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/name	<name>Chelmsford Trust NHS 111 site</name>
representedOrganization/temp lateId	None – a fixed code	Always FIXED to Root "2.16.840.1.113883.2.1.3 .2.4.18.2" Extension "COCD_TP145200GB01 #representedOrganizatio n"	/AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/templateId/@root /AmbulanceRequest/author/COCD_TP145200GB01.AssignedAuthor/representedOrganization/templateId/@extension	<pre><templateid extension="COCD_TP145200GB01 #representedOrganization" root="2.16.840.1.113883.2.1.3.2.4. 18.2"></templateid></pre>

Concept: recipient – Ambulance Request has only a primary recipient – the ambulance organisation  Recipient details – This doc that for an ambulance reque always organisations (i.e. the		uest, recipients are		
Data Item	Business relevance	Value Guidance	Xpath	Example
InformationRecipient/typeCod e	None, a fixed value	Always a FIXED value.  For information recipient  "PRPC"  For trackers "TRC"	/AmbulanceRequest/informationRecipient/@typeCode	<pre><informationrecipient typecode="PRCP"></informationrecipient></pre>

InformationRecipient/npfitlc:co ntentId/@root InformationRecipient/npfitlc:co ntentId/@extension	None, a fixed value	Always a FIXED value (with the assumption that we always send to an ambulance org)  Root is always "2.16.840.1.113883.2.1.3.2. 4.18.16  Extension is always "COCD_TP145203GB02# IntendedRecipient"	/AmbulanceRequest/informationRecipient/npfitlc:contentId/@root /AmbulanceRequest/informationRecipient/npfitlc:contentId/@extensio n	<pre><npfitlc:contentid extension="COCD_TP145203GB02 #COCD_TP145203GB02.Intended Recipient" root="2.16.840.1.113883.2.1.3.2.4. 18.16"></npfitlc:contentid></pre>
COCD_TP145203GB02.Inten dedRecipient/@classCode	None, a fixed value	Always FIXED to "ASSIGNED"	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/@classCode	<cocd_tp145203gb02.intended Recipient classCode="ASSIGNED"&gt;</cocd_tp145203gb02.intended 
COCD_TP145203GB02.Inten dedRecipient/templateId	None, a fixed value	Always FIXED  Root "2.16.840.1.113883.2.1.3.2. 4.18.2"  Extension "COCD_TP145203GB02#C OCD_TP145203GB02.Inte ndedRecipient"	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/templateId/@extension /AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/templateId/@root	<templateid extension="COCD_TP145203GB02 #COCD_TP145203GB02.Intended Recipient" root="2.16.840.1.113883.2.1.3.2.4. 18.2"/&gt;</templateid 
COCD_TP145203GB02.Inten dedRecipient/telecom/@value COCD_TP145203GB02.Inten dedRecipient/telecom/@use	The contact details for the recipient	NOT REQUIRED	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/telecom/@use /AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/telecom/@value	DO NOT USE
representedOrganization/@classCode	None – a fixed value	Always FIXED to "ORG"	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/@classCode	<receivedorganization classCode="ORG" determinerCode="INSTANCE"&gt;</receivedorganization 
representedOrganization/@de terminerCode	None – a fixed value	Always FIXED to "INSTANCE"	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/@determinerCode	<receivedorganization classCode="ORG" determinerCode="INSTANCE"&gt;</receivedorganization 
representedOrganization/id/@ root representedOrganization/id/@	An identifier from ODS for the receiving	Either the ODS site code, or the ODS organisation code For site, root "2.16.840.1.113883.2.1.3.2.	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/id/@extension /AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/id/@root	<pre><id extension="AMB123" root="2.16.840.1.113883.2.1.3.2.4. 19.2"></id></pre>

extension	organisati on	4.19.2" For organisation, root "2.16.840.1.113883.2.1.3.2. 4.19.1" Extension is the ODS code		
representedOrganization/nam e	The name of the organisati on	The name of the organisation as supplied by ODS associated with the id attribute above	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/name	<name>Chelmsford East Ambulance Service</name>
representedOrganization/temp lateId/@root representedOrganization/temp lateId/@extension	None – a fixed value	Always FIXED  Root "2.16.840.1.113883.2.1.3.2. 4.18.2"  Extension "COCD_TP145203GB02#r epresentedOrganization"	/AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/templateId/@extension /AmbulanceRequest/informationRecipient[1]/COCD_TP145203GB02. IntendedRecipient/receivedOrganization/templateId/@root	<templateid extension="COCD_TP145203GB02 #representedOrganization" root="2.16.840.1.113883.2.1.3.2.4. 18.2"/&gt;</templateid 
representedOrganization/stan dardIndustryClassCode/@cod e representedOrganization/stan dardIndustryClassCode/@cod eSystem representedOrganization/stan dardIndustryClassCode/@disp layName	DO NOT USE	DO NOT USE	DO NOT USE	DO NOT USE

request. ti		An ambulance may have been requested part way through a triage, in which case this interim request may be replaced by a further request with full triage details			
Data Item	Business relevance	Value	Guidance	Xpath	Example

replacementOf/@typeCode	None – a fixed value	Always FIXED to "RPLC"	/AmbulanceRequest/replacementOf/@typeCode	<replacementof typeCode="RPLC"&gt;</replacementof 
priorPreviousAmbulanceRequest/@classCode	None – a fixed value	Always FIXED to "PCPR"	/AmbulanceRequest/replacementOf/priorPreviousAmbulanceRequest /@classCode	<pre><priref <pre=""><priref< pre=""><pre><pre><pre>classCode="PCPR" moodCode="RQO"&gt;</pre></pre></pre></priref<></priref></pre>
priorPreviousAmbulanceRequ est/@moodCode	None – a fixed value	Always FIXED to "RQO"	/AmbulanceRequest/replacementOf/priorPreviousAmbulanceRequest /@moodCode	<pre><priref <pre=""><priref< pre=""><pre><pre><pre>classCode="PCPR" moodCode="RQO"&gt;</pre></pre></pre></priref<></priref></pre>
priorPreviousAmbulanceRequ est/id/@root	This is the id of the request being replaced by this request	If this is a replacement for a previous request, this is the id of the previous request.	/AmbulanceRequest/replacementOf/priorPreviousAmbulanceRequest /id/@root	<pre><id root="7D7B58E0-AE1A-11DB- 9865-B18E1E0994CD"></id></pre>

Concept: ambulance priority type			s is the nationally agreed code indicating the ency of the ambulance request		
Data Item	Business relevanc e	Value Guidance	Xpath	Example	
reason/@typeCode	None – a fixed value	Always FIXED to "RSOI	N" /AmbulanceRequest/reason/@typeCode	<reason typecode="RSON"></reason>	
reason/seperatableInd/@value	None – a fixed value	Always FIXED to "false"	'AmbulanceRequest/reason/seperatableInd/@value	<seperatableind value="false"></seperatableind>	
justifyingTriageOutcode/@clas sCode	None – a fixed value	Always FIXED to "OBS"	'AmbulanceRequest/reason/justifyingTriageOutcome/@classCode	<pre><justifyingtriageoutcome classcode="OBS" moodcode="EVN"></justifyingtriageoutcome></pre>	

justifyingTriageOutcode/@mo odCode	None – a fixed value	Always FIXED to "EVN"	/AmbulanceRequest/reason/justifyingTriageOutcome/@moodCode	<pre><justifyingtriageoutcome classcode="OBS" moodcode="EVN"></justifyingtriageoutcome></pre>
justifyingTriageOutcode/code/ @code justifyingTriageOutcode/code/ @codeSystem justifyingTriageOutcode/code/ @displayName	None – a fixed value	Always FIXED  Code="TO"  CodeSystem=" 2.16.840.1.113883.2.1.3.2. 4.17.328"  displayName=" Triage Outcome"	/AmbulanceRequest/reason/justifyingTriageOutcome/code/@code /AmbulanceRequest/reason/justifyingTriageOutcome/code/@cod eSy stem /AmbulanceRequest/reason/justifyingTriageOutcome/code/@dis play Name	<pre><code code="TO" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.328" displayname="Triage Outcome"></code></pre>
justifyingTriageOutcode/value/ @code justifyingTriageOutcode/code/ @codeSystem	This is the ambulance priority code generated (or requested from) the request originating system	A code from the AmbulancePriorityType vocab  Code is priority type codeSystem is FIXED to "2.16.840.1.113883.2.1.3.2.4.17.329"  The Ambulance Priority is not constrained to only use the suggested vocabulary. If using an alternative vocabulary then: - codeSystem is FIXED to "2.16.840.1.113883.2.1.3.2.4.17.539" - The code shall contain the code from the alternative vocab.	/AmbulanceRequest/reason/justifyingTriageOutcome/value/@code /AmbulanceRequest/reason/justifyingTriageOutcome/value/@cod eSystem  Note: The receiving ambulance service must understand the same Ambulance Priority vocab as was used by the sending service. If the receiving service does not understand the vocab specified in the message, the message can either be accepted with an appropriate priority type being selected (to be defined by the service), or the message can be rejected with an appropriate message to indicate the reason for the rejection.	<pre><value code="RED2" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.329"></value></pre>

Concept: triage disposition	tri	nis is the final code reac age system (for pathway is will be the final Dx co	ys, for example,	
Data Item	Business relevanc e	Value Guidance	Xpath	Example
pertinentInformation6/@typeC ode	None – a fixed value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation6/@typeCode	<pre><pertinentinformation6 typecode="PERT"></pertinentinformation6></pre>
pertinentInformation6/seperata bleInd/@value	None – a fixed value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation6/seperatableInd/@value	<seperatableind value="false"></seperatableind>
pertinentTriageDisposition/@cl assCode	None – a fixed value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /@classCode	<pre><pertinenttriagedisposition classcode="OBS" moodcode="EVN"></pertinenttriagedisposition></pre>
pertinentTriageDisposition/@ moodCode	None – a fixed value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /@moodCode	<pre><pertinenttriagedisposition classcode="OBS" moodcode="EVN"></pertinenttriagedisposition></pre>
pertinentTriageDisposition/cod e/@code pertinentTriageDisposition/cod e/@code	None – a fixed value	Always FIXED to code="TD" codeSystem="2.16.840.1.1 13883.2.1.3.2.4.17.419"	/AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /code/@code /AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /code/@codeSystem	<code <br="" code="TD">codeSystem="2.16.840.1.113883.2 .1.3.2.4.17.419"/&gt;</code>
pertinentTriageDisposition/val ue/@code pertinentTriageDisposition/val ue/@codeSystem pertinentTriageDisposition/val ue/@displayName	The triage disposition code	This is the final disposition code from the triage system. Read the model tabular view for the value of codeSystem, but this will probably be the same as the example here	/AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /value/@code /AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /value/@codeSystem /AmbulanceRequest/pertinentInformation6/pertinentTriageDisposition /value/@displayName	<pre><value code="Dx009" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.414" displayname="Blood loss - urgent care required"></value></pre>

Concept: EncounterEvent  Contains details of where the 12 took place, when it took place, 7 reference, patient details and in details			ace, 111 case		
Data Item	Business relevance e	-	Xpath		Example
pertinentInformation/@typeCod e	None – a fixed code	Always FIXED to "PERT"	/AmbulanceRequest/perti	nentInformation5/@typeCode	<pre><pertinentinformation5 typecode="PERT"></pertinentinformation5></pre>
pertinentInformation/seperatableInd/@value	None – a fixed code	Always FIXED To  "false"	/AmbulanceReques	st/pertinentInformation5/seperatableInd/@valu	<pre><seperatableind value="false"></seperatableind></pre>
pertinentEncounterEvent/@cla ssCode	None – a fixed code	Always FIXED to "ENC"	/AmbulanceRequesent/ @classCode	st/pertinentInformation5/pertinentEncounterEv	< pertinentEncounterEvent classCode="ENC" moodCode="EVN">
pertinentEncounterEvent/@m oodCode	None – a fixed code	Always FIXED to "EVN"	/AmbulanceRequesent/ @moodCode	st/pertinentInformation5/pertinentEncounterEv	< pertinentEncounterEvent classCode="ENC" moodCode="EVN">
pertinentEncounterEvent/effect iveTime/low/@value pertinentEncounterEvent/effect iveTime/high/@value	None – a fixed code	Contains the start and end time of the NHS 111 case.  The low value (start of the NH 111 case should always be present. The High value (end time of the case) may not be present	vent/e ffectiveTime /AmbulanceRequer vent/e ffectiveTime	st/pertinentInformation5/pertinentEncounterE	<effectivetime> <low value="20112112930"></low> <high value="201112211001"></high> </effectivetime>

27/11/2016	27/	<b>11</b>	/20	16	
------------	-----	-----------	-----	----	--

pertinentEncounterEvent/id/@ extension  pertinentEncounterEvent/id/@ extension	Summary	The first XML element id is the Journey Identifier which is mandatory and populated as below:  The XML attribute root shall contain the OID  "2.16.840.1.113883.2.1.3.2.4.18.49"  The XML attribute extension shall contain the UUID created by the first system in the patient's journey.  As well as the Journey Identifier, there MUST be at least one of the following identifiers:  For the unique case reference  Root  "2.16.840.1.113883.2.1.3.2.4.18.34"  For local case identifier  Root  "2.16.840.1.113883.2.1.3.2.4.18.35"  Extension (in each case) is the actual code	/AmbulanceRequest/componentOf/encompassingEncounter/id[1]/@e xtension	<id>root="2.16.840.1.113883.2.1.3 .2.4.18.49" extension="J665"/&gt; <id extension="NHS111- 234567890" root="2.16.840.1.113883.2.1.3 .2.4. 18.34"></id></id>
	case text produced by the sending system	agreed format, if no local agreement exists, the text should be plain text (text & carriage returns)	vent/t ext	Patient: Joe Bloggs Disposition: Ambulance called Reason: Big red spots

	•		•			
Location Details – when NOT using the Gazetteer (whatever address details are gathered should be sent)						
Location/@typeCode	None – a fixed code	Always FIXED to "LOC"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/@typeCode	<location typecode="LOC"></location>		
Location/contentId/@root Location/contentId/@exte nsion	None – a fixed code	Always FIXED  Root "2.16.840.1.113883.2.1. 3.2. 4.18.16"  Extension "COCD_TP145222GB02#H	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/npfitlc:contentId/@root /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/npfitlc:contentId/@extension	<pre><npfitlc:contentid extension="COCD_TP145222GB0.#HealthCareFacility" root="2.16.840.1.113883.2.1.3.2.4. 18.16"></npfitlc:contentid></pre>		
COCD_TP145222GB02.H ealt hCareFacility/@classCode	None – a fixed code	Always FIXED to "ISDLOC"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/@classCode	<pre>&lt; COCD_TP145222GB02.healthCare Facility classCode="ISDLOC"&gt;</pre>		
COCD_TP145222GB02.H ealt hCareFacility/id	None – fix to null flavour as shown	As there is no location identifier when not using a gazetteer, fix id to a nullFlavor of "NA"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/id/@nullflavor="NA"	<id nullflavor="NA"></id>		
COCD_TP145222GB02.H ealt hCareFacility/templateId/@ roo t  COCD_TP145222GB01.H ealt hCareFacility/templateId/@ext ension	None – a fixed code	Always FIXED  Root "2.16.840.1.113883.2.1. 3.2. 4.18.2"  Extension "COCD_TP145222GB02 #H ealthCareFacility"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/templateId/@root/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/templateId/@extension	<pre><templateid extension="COCD_TP145222GB02 #HealthCareFacility" root="2.16.840.1.113883.2.1.3.2.4. 18.2"></templateid></pre>		
COCD_TP145222GB02.H ealt hCareFacility/code/@code COCD_TP145222GB01.H ealt hCareFacility/code/@code Sys tem  COCD_TP145222GB01.H ealt hCareFacility/code/@displ ayN ame	A code to represent the incident location type. If this is not coded, this information may just appear in the text summary	A code to represent the incident location type. Any code from any code system may be used, but the codeSystem must be supplied	/AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/code/@code /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/code/@codeSystem /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/code/@displayName	<code code="313161000000107" codesystem="2.16.840.1.113883.2 .1.3.2.4.15" displayname="Example Care Setting"></code>		

#### 27/11/2016

	3	in oare Ambalance it		
Location/@classCode	None – a fixed code	Always FIXED to "PLC"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/@classCode	<pre><location classcode="PLC" determinercode="INSTANCE"></location></pre>
Location/@determinerCod e	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/@determinerCode	<li><location <br="" classcode="PLC">determinerCode="INSTANCE"&gt;</location></li>
Location/name	The name of the location (informati on that doesn't fit in addr)	Use this for additional location details that don't fit in the structure of addr below. This is free text. If there is no information for this attribute put <name nullflavor="NI"></name>	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/name	<name>Some details about the incident location</name>
Location/addr/@use Location/addr/streetAddressLine Location/addr/postalCode Location/addr/desc Location/addr/additionalLocator Location/addr/addressKey	The address details of the 111 incident.  Use Street Address Lines and postcode for postal address.  Use desc for textual description of location.  Use additionalLocator for Eastings and Northings coordinates  Use addressKey for address key such as UPRN or PAF key	111 incident location details, as recorded on the 111 system  The "use" attribute will be fixed to "PHYS" (physical location)  NOTE: a notation of X (for easting) and Y (for northing) is used to transmit the coordinates	/AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/@use /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/streetAddressLine /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/postalCode /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/desc /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/additionalLocator /AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/addressKey	<addr use="PHYS"></addr>
location/templateId/@root location/templateId/@extensi n	o fixed code	Always FIXED  Root 2.16.840.1.113883.2.1.3.2. 4.18.2"  Extension  COCD_TP145222GB01#I ocation"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/templateld/@root /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/templateld/@extension	<pre><templateid extension="COCD_TP145222GB01 #location" root="2.16.840.1.113883.2.1.3.2.4. 18.2"></templateid></pre>

Guidance for Creation of an in	itegrated or	gent care Ambulance N	equest	27/11/2010			
Location Details – when using the Gazetteer (property identifier and X & Y coordinates (i.e. eastings and northings) need to be sent)							
Location/@typeCode	None – a fixed code	Always FIXED to "LOC"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/I ocation/@typeCode	<location typecode="LOC"></location>			
Location/contentId/@root Location/contentId/@extensio n	None – a fixed code	Always FIXED  Root "2.16.840.1.113883.2.1.3.2. 4.18.16"  Extension "COCD_TP145222GB02#H ealthCareFacility"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/npfitlc:contentId/@root /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/npfitlc:contentId/@extension	<pre><npfitlc:contentid extension="COCD_TP145222GB02#HealthCareFacility" root="2.16.840.1.113883.2.1.3.2.4. 18.16"></npfitlc:contentid></pre>			
COCD_TP145222GB02.Healt hCareFacility/@classCode	None – a fixed code	Always FIXED to "ISDLOC"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/@classCode	COCD_TP145222GB01.healthCare Facility classCode="ISDLOC">			
COCD_TP145222GB02.Healt hCareFacility/id	Holds the property keys from the gazetteer	Up to 3 keys may be available:  Unique Property Reference Number is always present and has OID 2.16.840.1.113883.2.1 .3.2.4.18.41 (and should be the first id in	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/id/@root /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/id/@extension	<pre><id extension="10013039952" root="2.16.840.1.113883.2.1.3.2.4. 18.41"></id> <id extension="osgb100000227444254 42" root="2.16.840.1.113883.2.1.3.2.4. 18.42"></id></pre>			
		the list)  Unique identifier provided by Ordnance Survey may be present, and has OID 2.16.840.1.113883.2.1 .3.2.4.18.42  Royal Mail Unique Delivery Point Reference Number may be present, and has OID 2.16.840.1.113883.2.1 .3.2.4.18.43		<id><id extension="8786415" root="2.16.840.1.113883.2.1.3.2.4. 18.43"></id></id>			

27	11	1	12	n	1	G
	, ,		ız	u		T

		-		
COCD_TP145222GB02.Healt hCareFacility/templateId/@roo t COCD_TP145222GB01.Healt hCareFacility/templateId/@ext ension	None – a fixed code	Always FIXED  Root "2.16.840.1.113883.2.1.3.2. 4.18.2"  Extension "COCD_TP145222GB02#H ealthCareFacility"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/templateId/@root/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/templateId/@extension	<pre><templateid extension="COCD_TP145222GB02 #HealthCareFacility" root="2.16.840.1.113883.2.1.3.2.4. 18.2"></templateid></pre>
COCD_TP145222GB02.Healt hCareFacility/code/@code	Optional & not			
COCD_TP145222GB01.Healt hCareFacility/code/@codeSys tem	required to be sent			
COCD_TP145222GB01.Healt hCareFacility/code/@displayN ame				
Location/@classCode	None – a fixed code	Always FIXED to "PLC"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/@classCode	<location <br="" classcode="PLC">determinerCode="INSTANCE"&gt;</location>
Location/@determinerCode	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/@determinerCode	<location <br="" classcode="PLC">determinerCode="INSTANCE"&gt;</location>
Location/name	Required in model, but no	There is no information for this attribute when using the gazetteer, so put <name nullflavor="NI"></name>	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/name/@nullFlavor	<name nullflavor="NI"></name>

27	11	4	12	n	4	6
211	, ,	- 1	ız	u	ш	τ

Location/addr/additionalLocato r	The address details of	111 incident eastings and northings from the gazetteer	/AmbulanceRequest/componentOf/encompassingEncounter/location/healthCareFacility/location/addr/additionalLocator	<addr> <additionallocator>X292686,Y936</additionallocator></addr>
	the 111 incident.	The "use" attribute will be fixed to "PHYS" (physical location)		24 
	We only need the easting and northings details from the gazetteer in addressL ocator	NOTE: a notation of X (for easting) and Y (for northing) is used to transmit the coordinates		
location/templateId/@root location/templateId/@extensio n	None – a fixed code	Always FIXED  Root "2.16.840.1.113883.2.1.3.2. 4.18.2"  Extension "COCD_TP145222GB01#l ocation"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/templateld/@root  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/location/COCD_TP145222GB01.HealthCareFacility/location/templateld/@extension	<templateid extension="COCD_TP145222GB01 #location" root="2.16.840.1.113883.2.1.3.2.4. 18.2"/&gt;</templateid 

Patient Details						
recordTarget/@typeCode	None, a fixed value	Always <b>FIXED</b> to "RCT"		'RCT" /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/@typeCode		<recordtarget contextcontrolcode="OP" typecode="RCT"></recordtarget>
recordTarget/@contextControl Code	None – a fixed	Always FIXED t	o "OP"		nceRequest/pertinentInformation5/pertinentEncounterEvent/r rget/@contextControlCode	<pre><recordtarget contextcontrolcode="OP" typecode="RCT"></recordtarget></pre>
	code					
recordTarget/contentId/@root recordTarget/contentId/@exte nsion	None – a fix	ked code	Root "2.16.840.1. 2.1.3.2. 4.18.16"  Extension "COCD_TP1	113883.	/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/npfitlc:contentId/@root /AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/npfitlc:contentId/@extension	<pre><npfitlo:contentid extension="COCD_TP145201GB #PatientRole" root="2.16.840.1.113883.2.1.3.2.4 18.16"></npfitlo:contentid></pre>
patientRole/@classCode	None, a fix	ed value	B01#P Always FIXED to "PAT"		/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/@classC ode	<pre><patientrole classcode="PAT"></patientrole></pre>
patientRole/id/@root patientRole/id/@extension patientRole/id/@assigningAut horityName	The patient This is the NHS number. If a available, a patient ider used	patient's this is not	A verified NI number and "2.16.840.1."  OR  An unverified number and "2.16.840.1."  2.16.840.1." 2.16.840.1." 2.13.2. 4.18.23"  OR  A local patie identifier and OID	the OID 113883. d NHS I the OID 113883.	/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/npfitlc:contentId/@root /AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/npfitlc:contentId/@extension	<id assigningauthorityname="RA9:S0 UTH DEVON HEALTHCARE NH FOUNDATION TRUST" extension="993254128" root="2.16.840.1.113883.2.1.3.2.4 18.24"></id>

Guidance for Creation of an Int	tegrated Urgent Care A	mbulance Request		27/11/2016
patientRole/addr/@use	A set of addresse s associate d with the	Address associated with the	/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/addr	<addr use="PHYS"> <streetaddressline>2, Brancaster</streetaddressline></addr>
patientRole/addr/streetAddres sLine[15]	patient. The "use" attribute	patient as recorded by the system – maybe from PDS	/@use	Road
patientRole/addr/postalCode	states the address usage (such as "H" for	(note this is not the incident location	/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r	<postalcode>ME5 FL5</postalcode>
patientRole/addr/desc	home, or PHYs for physical address)		ecordTarget/COCD_TP145201GB01.PatientRole/addr/stre etAddress Line[1]	<pre><desc>Follow the high street and turn left by Boots</desc></pre>
patientRole/addr/additionalLoc ator	priysical address)		/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/addr	<additionallocator>+38.265789- 85.623415</additionallocator>
			/postalCode	
			/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/addr	
			/desc	
			/AmbulanceRequest/pertinentInformation5/pertinentEncoun terEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/addr/addi	
			tionalLocator	
•	TIC COTILLOC	number assiociated with tient, suffixed by tel:. The	/AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/recordTarget/COCD_TP145201GB01.Pati	<pre><telecom use="EC" value="tel:01634 775667"></telecom></pre>
e pa	atient as "use" a	attribute may be "EC" – ency contact;	entRole/telecom/@value	433-2072
N	IUS III	ome "MC" –	/AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/recordTarget/COCD_TP145201GB01.Pati entRole/telecom/@use	
e sy	ystem. mobile	e tabular view for more	entitole/teleconi/ @ use	
	details			
	contac	s deemed the preferred t for the NHS111 nter, set the use attribute to emergency contact)		

27	11	4	12	n	4	6
211	, ,	- 1	ız	u	ш	τ

Guidance for Creation of an	integrated orgent (	Pare Ambulance Nequest		21/11/2010
patientRole/templateId/@root patientRole/templateId/@ext e nsion	None – a fixed value	Always FIXED to  Root "2.16.840.1.113883.2.1.3.2 .4.18.2"  Extension "COCD_TP145201GB01#P atientRole"	/AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/templ ateld/@root  /AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/templ ateld/@exten sion	<pre><templateid extension="COCD_TP145201GB0 #PatientRole" root="2.16.840.1.113883.2.1.3.2.4. 18.2"></templateid></pre>
patientPatient/@classCode	None – a fixed code	Always FIXED to "PSN"	/AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patien tPatient/@cla ssCode	<pre><patient classcode="PSN" determinercode="INSTANCE"></patient></pre>
patientPatient/determinerCod e	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patie ntPatient/@de terminerCode	<pre><patient classcode="PSN" determinercode="INSTANCE"></patient></pre>
patientPatient/name/pref ix patientPatient/name/give n	The name of the patient (use	The name of the patient split into prefix, given names and family name. If not possible, then an	/AmbulanceRequest/pertinentInformation5/pertinentEnc ounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/nam e/prefix	<name> <pre><pre><pre><pre><pre><pre><pre>family&gt;Joe</pre></pre></pre></pre></pre></pre></pre></name>

and a Definite to	1	unatrusturad nations name		rainon Plaga dairen
patientPatient/name/family	structured	unstructured patient name		<given>Bloggs</given>
	name format)		/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r	
	ioimai)		ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/name/family	OR
				<name>Mr Joe Bloggs</name>
			/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/nam e/given	
patientPatient	None – a	Always FIXED to	/AmbulanceRequest/recordTarget/patientRole/patient/templateId/@ro	<templateid< td=""></templateid<>
/templateId/@root	fixed	Root	ot	extension="COCD_TP145201GB01 #patientPatient"
patientPatient	vaue	"2.16.840.1.113883.2.1.3.2 .4.18.2"	/AmbulanceRequest/recordTarget/patientRole/patient/templateId/@e xtension	root="2.16.840.1.113883.2.1.3.2.4.
/templateId/@extension			Action	18.2"/>
		Extension "COCD_TP145201GB01#p		
		atientPatient"		
patientPatient	The	The patient's gender	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r	<administrativegendercode< td=""></administrativegendercode<>
/administrativeGenderCode/@	gender of	(maybe from PDS). Values taken from the Sex	ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/administrativeGenderCode/@code	codeSystem="2.16.840.1.113883.2 .1.3.2.4.16.25"
code	the	vocabulary		
patient/ patientPatient	patient	codeSystem fixed to	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/admi	displayName="Male"
/@codeSystem		"2.16.840.1.113883.2.1.3.2.	nistrativeGenderCode/@codeSystem	code="1"/>
patientPatient		4.16.25"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r	
/administrativeGenderCode/@			ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/administrativeGenderCode/@displayName	
displayName				
patientPatient	The date	The patient's date of birth	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r	          
/birthTime/@value	of birth of	(maybe from PDS)	ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/birth Time/@value	
	the		Time e value	
	patient to the			
	precision			
	held			
providerOrganization/@classC	None – a	Always FIXED to "ORG"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>
ode	fixed		ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganization/@classCode	classCode="ORG" determinerCode="INSTANCE">
	value		1// 50/4000000	dolonimerous- inorance >
providerOrganization/@deter	None – a	Always FIXED to	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>

minerCode	fixed value	"INSTANCE"	ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganization/@determinerCode	classCode="ORG" determinerCode="INSTANCE">
providerOrganization/id/@root providerOrganization/id/@exte nsion	The code of the GP Practice the patient is registered with	The GP Practice ODS code with the OID "2.16.840.1.113883.2.1.3.2.4.19.1" (this may come from PDS)	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/id/@root  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/id/@extension	<id extension="V396F" root="2.16.840.1.113883.2.1.3.2.4. 19.1"></id>
providerOrganization/name	The name of the GP Practice the patient is registered with	GP Practice name (this may come from PDS)	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/name	<name>Medway Medical Practice</name>
providerOrganization/telecom/ @value roviderOrganization/telecom/ @use	Contact details of the GP Practice	GP Practice contact details, with usage (probably WP – work place)  (this may come from PDS)	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/telecom/@value  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/telecom/@use	<pre><telecom use="WP" value="tel:01634 111222"></telecom></pre>
providerOrganization/templatel d/@root providerOrganization/templatel d/@extension	None – a fixed value	Always FIXED to  Root "2.16.840.1.113883.2.1.3.2 .4.18.2"  Extension  "COCD_TP145201GB01#p roviderOrganization"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/templateId/@root  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/templateId/@extension	<templateid root="2.16.840.1.113883.2.1.3.2.4. 18.2" extension="COCD_TP145201GB01 #providerOrganization"/&gt;</templateid 
providerOrganization/addr/@u se providerOrganization /addr/streetAddressLine[15] providerOrganization/addr/pos talCode	Address of the patient's registered GP Practice	Address of GP Practice (this may come from PDS)	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/addr/@use  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/addr/streetAddressLine[1]  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio	<addr use="WP"> <streetaddressline>Springer     Street</streetaddressline> <postalcode>ME5     5TY</postalcode> </addr>

			n/addr/postalCode	
providerOrganization /standardIndustryClassCode/ @code providerOrganization /standardIndustryClassCode/ @displayName providerOrganization /standardIndustryClassCode/ @codeSystem	None – a fixed value	Always FIXED value to say this class refers to a GP Practice Code "001" displayName "GP Practice" codeSystem "2.16.840.1.113883.2.1.3.2. 4.17.289"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/standardIndustryClassCode/@code  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/standardIndustryClassCode/@codeSystem  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/providerOrganizatio n/standardIndustryClassCode/@displayName	<standardindustryclasscode code="001" displayName="GP Practice" codeSystem="2.16.840.1.113883.2 .1.3.2.4.17.289"/&gt;</standardindustryclasscode 
languageCommunication/lang uageCode/@code	A code to represent the language used by the patient	A code from the HumanLanguage vocab	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/languageCode/@code  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/languageCode/@codeSystem	<languagecode <br="" code="en">codeSystem="2.16.840.1.113883.2 .1.3.2.4.17.70" /&gt;</languagecode>
languageCommunication/mod eCode/@code languageCommunication/mod eCode/@codeSystem languageCommunication/mod eCode/@displayName	The mode in which the patient can communi cate in the language	A code from the Language ability mode vocab  OR  Another vocabulary for which codes and codesystem identifier is known	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/modeCode/@code  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/modeCode/@codeSystem	<modecode <br="" code="RSP">codeSystem="2.16.840.1.113883.5 .60" displayName="Received Spoken"/&gt;</modecode>
languageCommunication/proficiencyLevelCode	code (such as spoken, written)  The proficienc y level of the	A code from the Language ability proficiency vocab  OR  Another vocabulary for	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/modeCode/@displayName  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/proficiencyLevelCode/@code	<pre><pre><pre><pre><pre><pre><pre>code="F" codeSystem="2.16.840.1.113883.5 .61"</pre></pre></pre></pre></pre></pre></pre>

	patient in the language	which codes and codesystem identifier is known	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/proficiencyLevelCode/@codeSystem  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/proficiencyLevelCode/@displayName	displayName="Fair"/>
languageCommunication/prefe renceInd/@value	Indicates whether this language is the patient's preferred language	Either a boolean (true/false), or a null falvour of unknown like this <pre>cpreferenceInd nullFlavor="UNK"/&gt;</pre>	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/preferenceInd/@value	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>
languageCommunication/temp lateId	None – a fixed value	Always FIXED to  Root "2.16.840.1.113883.2.1.3.2 .4.18.2"  Extension  "COCD_TP145201GB01#I anguageCommunication"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/templateId/@root  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/r ecordTarget/COCD_TP145201GB01.PatientRole/patientPatient/lang uageCommunication/templateId/@extension	<templateid extension="COCD_TP145201GB01 #languageCommunication" root="2.16.840.1.113883.2.1.3.2.4. 18.2"/&gt;</templateid 
Informant details	l			
informant/typeCode	None – a FIXED code	Always FIXED to "INF"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/@typeCode	<informant contextcontrolcode="OP" typecode="INF"></informant>
informant/contextControlCode	None – a FIXED code	Always FIXED to "OP"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/@contextControlCode	<pre><informant contextcontrolcode="OP" typecode="INF"></informant></pre>
informant/contentId/@root informant/contentId/@extension	None – a FIXED code	Assuming RelatedEntity Always FIXED  Root "2.16.840.1.113883.2.1.3.2.	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/npfitlc:contentId/@root /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/npfitlc:contentId/@extension	<pre><npfitlc:contentid extension="COCD_TP145007UK03 #RelatedEntity" root="2.16.840.1.113883.2.1.3.2.4. 18.16"></npfitlc:contentid></pre>

		4.40.40"		T
		4.18.16"		
		Extension "COCD_TP145007UK03#R elatedEntity"		
COCD_TP145007UK03.Relat edEntity/@classCode	None – a FIXED code	Always FIXED to "PRS"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/@classCode	<relatedentity classcode="PRS"></relatedentity>
COCD_TP145007UK03.relate dEntity/code/@code	A code to represent the	A code from the CDAPersonRelationshipTy pe vocab	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/code/@code	<code <br="" code="01">codeSystem="2.16.840.1.113883.2 .1.3.2.4.16.45"</code>
COCD_TP145007UK03.relate dEntity/code/@codeSystem	relationsh ip	codeSystem FIXED to "2.16.840.1.113883.2.1.3.2. 4.16.45"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/code/@codeSystem	displayName="Spouse"/>
COCD_TP145007UK03.relate dEntity/code/@displayName	the informant & patient		/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/code/@displayName	
	& patient		mornani/COCD_11 145007 OROS.RelatedEntity/Code/ @ displayName	
COCD_TP145007UK03.relate dEntity/addr/@use	An address	Informants address	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/addr/@use	<addr use="HP"> <streetaddressline>43 Summers</streetaddressline></addr>
COCD_TP145007UK03.relate dEntity /addr/streetAddressLine[15]	associate d with the informant		/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/addr/streetAddressLine[1]	Avenue <streetaddressline>Somerset Street</streetaddressline>
COCD_TP145007UK03.relate				<pre><postalcode>ME5 7TY</postalcode></pre>
dEntity/addr/postalCode			/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/addr/postalCode	
COCD_TP145007UK03.relate dEntity/telecom/@value	A phone number of	Call back details of an informant.	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/telecom/@value	<telecom <br="" value="tel:07886554123">use="MC"/&gt;</telecom>
COCD_TP145007UK03.relate dEntity/telecom/@use	the informant. This is a callback	If this is deemed the preferred contact for the NHS111 encounter, set the use attribute to "EC" (emergency contact)	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/telecom/@use	
	phone number for the			
	event			

COCD_TP145007UK03.relate dEntity/templateId/@root COCD_TP145007UK03.relate dEntity/templateId/@extension	None – a fixed value	Always FIXED to  Root "2.16.840.1.113883.2.1.3.2 .4.18.2"  Extension "COCD_TP145007UK03#R elatedEntity"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/templateId/@root  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/templateId/@extension	<templateid extension="COCD_TP145007UK03 #RelatedEntity" root="2.16.840.1.113883.2.1.3.2.4. 18.2"/&gt;</templateid 
relationshipHolder/classCode	None – a fixed code	Always FIXED to "PSN"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/relationshipHolder/@classCode	<relatedperson classcode="PSN" determinercode="INSTANCE"></relatedperson>
relationshipHolder/determiner Code	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/relationshipHolder/@determinerCode	<pre><relatedperson classcode="PSN" determinercode="INSTANCE"></relatedperson></pre>
relationshipHolder/name/prefix relationshipHolder/name/given relationshipHolder/name/famil y	The name of the informant	Informant name preferably in structured format	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/relationshipHolder/name	< name> <pre> <pre> <pre> <pre> <pre>  <pre>  <pre></pre></pre></pre></pre></pre></pre></pre>
relationshipHolder/templateId/ @root relationshipHolder/templateId/ @extension	None – a fixed code	Always FIXED to  Root "2.16.840.1.113883.2.1.3.2 .4.18.2"  Extension "COCD_TP145007UK03#r elationshipHolder"	/AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/relationshipHolder/templateId/@root  /AmbulanceRequest/pertinentInformation5/pertinentEncounterEvent/informant/COCD_TP145007UK03.RelatedEntity/relationshipHolder/templateId/@extension	<pre><templateid extension="COCD_TP145007UK03 #relationshipHolder" root="2.16.840.1.113883.2.1.3.2.4. 18.2"></templateid></pre>

Concept: 5 flags: trauma; fire; scene safe; police; trapped		Contains details of 5 flags that should be populated by the 111 system			
Data Item	Busine	Value	Guidance	Xpath	Example

	ss relevan ce			
Trauma Flag				
pertinentInformation/@typeCo de	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation/@typeCode	<pre><pertinentinformation typecode="PERT"></pertinentinformation></pre>
pertinentInformation/seperatab leInd/@value	None – FIXED value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation/seperatableInd/@value	<seperatableind value="false"></seperatableind>
pertinentTraumaFlag/@classC ode	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation/pertinentTraumaFlag/@classCode	<pre><pertinenttraumaflag classcode="OBS" moodcode="EVN"></pertinenttraumaflag></pre>
pertinentTraumaFlag/@mood Code	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation/pertinentTraumaFlag/@mo odCode	<pre><pertinenttraumaflag classcode="OBS" moodcode="EVN"></pertinenttraumaflag></pre>
pertinentTraumaFlag/code/@c ode pertinentTraumaFlag/code/@c odeSystem	None – FIXED value	Code FIXED to "TM"  CodeSystem FIXED to  "2.16.840.1.113883.2.1.3.2. 4.17.327"	/AmbulanceRequest/pertinentInformation/pertinentTraumaFlag/code/@code  /AmbulanceRequest/pertinentInformation/pertinentTraumaFlag/code/@codeSystem	<code <br="" code="TM">codeSystem="2.16.840.1.113883.2 .1.3.2.4.17.327"/&gt;</code>
pertinentTraumaFlag/value/@value		Either "true" or "false" to indicate that the patient has suffered trauma	/AmbulanceRequest/pertinentInformation/pertinentTraumaFlag/value/ @value	<value value="false"></value>
Fire Flag				
pertinentInformation1/@typeC ode	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation1/@typeCode	<pre><pertinentinformation typecode="PERT"></pertinentinformation></pre>
pertinentInformation1/seperata bleInd/@value	None – FIXED value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation1/seperatableInd/@value	<seperatableind value="false"></seperatableind>

pertinentFireFlag/@classCode	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation1/pertinentFireFlag/@class Code	<pre><pertinentfireflag classcode="OBS" moodcode="EVN"></pertinentfireflag></pre>
pertinentFireFlag/@moodCod e	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation1/pertinentFireFlag/@mood Code	<pre><pertinentfireflag classcode="OBS" moodcode="EVN"></pertinentfireflag></pre>
pertinentFireFlag/code/@code pertinentFireFlag/code/@code System	None – FIXED value	Code FIXED to "FR"  CodeSystem FIXED to  "2.16.840.1.113883.2.1.3.2. 4.17.327"	/AmbulanceRequest/pertinentInformation1/pertinentFireFlag/code/@c ode /AmbulanceRequest/pertinentInformation1/pertinentFireFlag/code/@c odeSystem	<code code="FR" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.327"></code>
pertinentFireFlag/value/@valu e		Either "true" or "false" to indicate that there is a risk of fire at the incident location	/AmbulanceRequest/pertinentInformation1/pertinentFireFlag/value/@value	<value value="false"></value>
Scene Safe Flag				
pertinentInformation2/@typeC ode	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation2/@typeCode	<pre><pertinentinformation typecode="PERT"></pertinentinformation></pre>
pertinentInformation2/seperata bleInd/@value	None – FIXED value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation2/seperatableInd/@value	<seperatableind value="false"></seperatableind>
pertinentSceneSafeFlag/@cla ssCode	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation2/pertinentSceneSafeFlag/ @classCode	<pre><pertinentscenesafeflag classcode="OBS" moodcode="EVN"></pertinentscenesafeflag></pre>
pertinentSceneSafeFlag/@mo odCode	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation2/pertinentSceneSafeFlag/ @moodCode	<pre><pertinentscenesafeflag classcode="OBS" moodcode="EVN"></pertinentscenesafeflag></pre>
pertinentSceneSafeFlag/code/ @code pertinentSceneSafeFlag/code/ @codeSystem	None – FIXED value	Code FIXED to "SC"  CodeSystem FIXED to  "2.16.840.1.113883.2.1.3.2. 4.17.327"	/AmbulanceRequest/pertinentInformation2/pertinentSceneSafeFlag/c ode/@code /AmbulanceRequest/pertinentInformation2/pertinentSceneSafeFlag/c ode/@codeSystem	<code <br="" code="SC">codeSystem="2.16.840.1.113883.2 .1.3.2.4.17.327"/&gt;</code>
pertinentSceneSafeFlag/value/ @value		Either "true" or "false" to indicate that the scene is safe	/AmbulanceRequest/pertinentInformation2/pertinentSceneSafeFlag/v alue/@value	<value value="false"></value>

Police Flag				
pertinentInformation3/@typeC ode	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation3/@typeCode	<pre><pertinentinformation typecode="PERT"></pertinentinformation></pre>
pertinentInformation3/seperata bleInd/@value	None – FIXED value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation3/seperatableInd/@value	<seperatableind value="false"></seperatableind>
pertinentPoliceFlag/@classCo de	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation3/pertinentPoliceFlag/@classCode	<pre><pertinentpoliceflag classcode="OBS" moodcode="EVN"></pertinentpoliceflag></pre>
pertinentPoliceFlag/@moodCo de	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation3/pertinentPoliceFlag/@moodCode	<pre><pertinentpoliceflag classcode="OBS" moodcode="EVN"></pertinentpoliceflag></pre>
pertinentPoliceFlag/code/@co de pertinentPoliceFlag/code/@co deSystem	None – FIXED value	Code FIXED to "PL"  CodeSystem FIXED to  "2.16.840.1.113883.2.1.3.2. 4.17.327"	/AmbulanceRequest/pertinentInformation3/pertinentPoliceFlag/code/@code /AmbulanceRequest/pertinentInformation3/pertinentPoliceFlag/code/@codeSystem	<code code="PL" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.327"></code>
pertinentPoliceFlag/value/@va lue		Either "true" or "false" to indicate that police are required (or are present) at the scene	/AmbulanceRequest/pertinentInformation3/pertinentPoliceFlag/value/ @value	<value value="false"></value>
Trapped Flag				
pertinentInformation4/@typeC ode	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation4/@typeCode	<pre><pertinentinformation typecode="PERT"></pertinentinformation></pre>
pertinentInformation4/seperata bleInd/@value	None – FIXED value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation4/seperatableInd/@value	<seperatableind value="false"></seperatableind>
pertinentTrappedFlag/@class Code	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation4/pertinentTrappedFlag/@cl assCode	<pre><pertinenttrappedflag classcode="OBS" moodcode="EVN"></pertinenttrappedflag></pre>

pertinentTrappedFlag/@mood Code	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation4/pertinentTrappedFlag/@moodCode	<pre><pertinenttrappedflag classcode="OBS" moodcode="EVN"></pertinenttrappedflag></pre>
pertinentTrappedFlag/code/@code pertinentTrappedFlag/code/@codeSystem	None – FIXED value	Code FIXED to "TR"  CodeSystem FIXED to  "2.16.840.1.113883.2.1.3.2. 4.17.327"	/AmbulanceRequest/pertinentInformation4/pertinentTrappedFlag/cod e/@code  /AmbulanceRequest/pertinentInformation4/pertinentTrappedFlag/cod e/@codeSystem	<pre><code code="TR" codesystem="2.16.840.1.113883.2 .1.3.2.4.17.327"></code></pre>
pertinentTrappedFlag/value/@ value		Either "true" or "false" to indicate that the patient is trapped	/AmbulanceRequest/pertinentInformation4/pertinentTrappedFlag/value/@value	<value value="false"></value>

Concept: Additional Informati	on	ambulance service. I following "SPN" Special Patier "LAI" Location Acces "OAN" Other Additio	ss Information nal Notes ason for Call – Chief Complaint	
Data Item	Business relevance	Value Guidance	Xpath	Example
pertinentInformation7/@typeC ode	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation peCode	n7/@ty <pertinentinformation typeCode="PERT"&gt;</pertinentinformation 
pertinentInformation7/seperata bleInd/@value	None – FIXED value	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation eratableInd/@value	n7/sep <seperatableind value="false"></seperatableind>

pertinentAdditionalNotes/@cla ssCode	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation7/pertinentAdditionalNotes/ @classCode	<pre><pertinentadditionalnotes classcode="OBS" moodcode="EVN"></pertinentadditionalnotes></pre>
pertinentAdditionalNotes/@mo odCode	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation7/pertinentAdditionalNotes/ @moodCode	<pre><pertinentadditionalnotes classcode="OBS" moodcode="EVN"></pertinentadditionalnotes></pre>
pertinentAdditionalNotes/code/ @code pertinentAdditionalNotes/code/ @codeSystem	CodeSyst em is always FIXED	Code is a code from the NHS111AdditionalInformati on vocab  CodeSystem FIXED to "2.16.840.1.113883.2.1.3.2.4.17.422"	/AmbulanceRequest/pertinentInformation7/pertinentAdditionalNotes/c ode/@code /AmbulanceRequest/pertinentInformation7/pertinentAdditionalNotes/c ode/@codeSystem	1) <code <br="" code="SPN">codeSystem="2.16.840.1.113 883.2.1.3.2.4.17.422"/&gt; 2) <code <br="" code="RAT">codeSystem="2.16.840.1.113 883.2.1.3.2.4.17.422"/&gt;</code></code>
pertinentAdditionalNotes/text		The Additional information text	/AmbulanceRequest/pertinentInformation7/pertinentAdditionalNotes/t ext	<text>The Patient has a history of violence towards healthcare professionals</text>

Callback details						
Data Item	Business relevance	Value Guidance	Xpath	Example		
callBackContact /typeCode	None – a FIXED code	Always FIXED to "CALLBCK"	/AmbulanceRequest/callBackContact/@typeCode	<callbackcontact contextcontrolcode="&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;callBackContact&lt;br&gt;/contextControlCode&lt;/td&gt;&lt;td&gt;None – a FIXED code&lt;/td&gt;&lt;td&gt;Always FIXED to " op"<="" td="" typecode="CALLBCK"><td>/AmbulanceRequest/callBackContact/@contextControlCode</td><td><informant contextcontrolcode=" OP" typecode="INF"></informant></td></callbackcontact>	/AmbulanceRequest/callBackContact/@contextControlCode	<informant contextcontrolcode=" OP" typecode="INF"></informant>

callBackContact /contentId/@root callBackContact/contentId/@ext ension	Always a FIXED value (with the assumption that we always send to an ambulance org)  Root is always "2.16.840.1.11388 3.2.1.3.2.4.18.16"  Extension is always "COCD_TP145212 GB02# Workgroup"	Workgroup Always FIXED Root "2.16.840.1.113883.2. 1.3.2.4.18.16"  Extension "COCD_ TP145212GB02#Workgroup"	/AmbulanceRequest/callBackContact/contentId/@root /AmbulanceRequest/callBackContact/contentId/@extension	<npfitlc:contentid extension=" COCD_TP145212GB02 #Workgroup" root=" 2.16.840.1.113883.2.1.3.2.4.1 8.16"></npfitlc:contentid>
callBackContact /noteText	Additional text associated with the callback	Use this for any additional details about the call back such as "Press 3 for direct access" etc	/AmbulanceRequest/ callBackContact/noteText	<notetext xsi:type="ST">Choose direct dial 3 for direct line</notetext>
COCD_ TP145212GB02 .Workgroup/@classCode	None – a FIXED code	Always FIXED to "ASSIGNED"	/AmbulanceRequest/ callBackContact /COCD_TP145212GB02.Workgroup/ @classCode	<cocd_tp145212gb02.workgr oup classCode="ASSIGNED"&gt;</cocd_tp145212gb02.workgr 
COCD_TP145212GB02.Workgr oup/id/@root COCD_ TP145212GB02.Workgroup /id/@extension	Identifiers to indicate the workgroup – this might be an SDS identifier (by preference), or a local one.	When using an SDS identifier then:  The XML attribute root shall be the OID " 1.2.826.0.1285.0.2.0.109 "  The XML attribute extension shall be the SDS workgroup code.  When using a local identifier and an OID is not available on the sending system then:  The XML attribute root shall be the OID " 2.16.840.1.113883.2.1.3. 2.4.18.24 "  The XML attribute extension shall be the local workgroup identifier The XML attribute assigned Authority Name shall contain the assigning organisation in the format of	/AmbulanceRequest/ callBackContact /COCD_TP145212GB02.Workgroup/id/@root /AmbulanceRequest/ callBackContact /COCD_TP145212GB02.Workgroup/id/@extension	<id>root="1.2.826.0.1285.0.2.0.109" extension="102016294985"/&gt;</id>

		ODSCode:ODSName		
COCD_ TP145212GB02.Workgroup /code/@code COCD_ TP145212GB02. Workgroup/code/@codeSystem COCD_ TP145212GB02.Workgroup	A code to represent the call back contact.	A code to represent the contact for the call back.	/AmbulanceRequest/callBackContact /COCD_TP145212GB02.Workgroup/code/@code  /AmbulanceRequest/callBackContact /COCD_TP145212GB02.Workgroup/code/@codeSystem  /AmbulanceRequest/callBackContact /COCD_TP145212GB02.Workgroup/code/@displayName	<pre><code code="01" codesystem="2.16.840.1.113883 .2.1.3.2.4.17.266" displayname="Call Centre"></code></pre>
/code/@displayName COCD_ TP145212GB02.Workgroup/telec om	The contact telephone number for the call back contact.	The XML attribute value of the XML element telecom should contain the telephone / fax number or an email address prefixed by the type of contact and a colon.	/AmbulanceRequest/callBackContact /COCD_TP145212GB02.Workgroup/telecom	<telecom value="tel:08001111111"/&gt;</telecom 
COCD_ TP145212GB02.Workgroup /templateId/@root COCD_ TP145212GB02.Workgroup /templateId/@extension	None – a fixed code	Always FIXED to Root "2.16.840.1.113883.2.1.3 .2.4.18.2" Extension "COCD_TP145212GB02 #Workgroup"	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.Workgroup/templateId/@root  /AmbulanceRequest/callBackContact /COCD_TP145212GB02.Workgroup/templateId/@extension	<templateid root="2.16.840.1.113883.2.1.3.2. 4.18.2" extension="COCD_TP145212GB 02#Workgroup"/&gt;</templateid 
assignedPerson/@classCode	None – a fixed code	Always FIXED to "PSN"	/AmbulanceRequest/ callBackContact/COCD_TP145212GB02.AssignedAuthor/assignedPerson/@classCo de	<assignedperson classcode="PSN" determinercode="INSTAN CF"></assignedperson>
assignedPerson/determinerCod e	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/ callBackContact/COCD_TP145212GB02.AssignedAuthor/assignedPerson/@determinerCode	<assignedperson classcode="PSN" determinercode="INSTAN CE"></assignedperson>
assignedPerson/name/prefix assignedPerson/name/given assignedPerson/name/surname	The name of the author	The name of the author – maybe from SDS. In structured format of prefix, given name and family name	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/assi gnedPerson/name/prefix  /AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/assi gnedPerson/name/given  /AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/assi gnedPerson/name/family	<name> <pre><name> <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre></name></pre></name>
assignedPerson/templateId/@root assignedPerson/templateId/@extension	None – a fixed code	Always FIXED to  Root "2.16.840.1.113883.2. 1.3.2.4.18.2" Extension "COCD_TP145212G B02 #assignedPerson"	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/assi gnedPerson/templateId/@root /AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/assi gnedPerson/templateId/@extension	<templateid root="2.16.840.1.113883.2.1. 3.2.4. 18.2" extension="COCD_TP145212G B02 #assignedPerson"/&gt;</templateid 

representedOrganization/classC ode	None – a fixed code	Always FIXED to "ORG"	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/representedOrganization/@classCode	<pre><representedorganization classcode="ORG" determinercode="IN STANCE"></representedorganization></pre>
representedOrganization/deter minerCode	None – a fixed code	Always FIXED to "INSTANCE"	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/representedOrganization/@determinerCode	<pre><representedorganization <="" classcode="ORG" pre=""></representedorganization></pre>
representedOrganization/id/@root t representedOrganization/id/@extension	Either the organisation site code (preferred), or the organisation code of the author	If a site code, root FIXED to "2.16.840.1.113883.2.1. 3.2.4.19.2" If an org code, root FIXED to "2.16.840.1.113883.2. 1.3 .2.4.19.1" Plus the actual code	/AmbulanceRequest/callBackContact/COCD_ TP145212GB02.AssignedAuthor/representedOrganization/id/@root /AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/representedOrganization/id/@extension	<id root="2.16.840.1.113883.2.1.3.2 .4.19.2" extension="5L399"/&gt;</id 
representedOrganization/name	The organisation name associated with the code	Name associated with the code in the "id" attribute	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/repres entedOrganization/name	<name>Chelmsford Trust NHS 111 site</name>
representedOrganization/templa teld	None – a fixed code	Always FIXED to  Root "2.16.840.1.113883.2. 1.3 .2.4.18.2" Extension "COCD_TP145212G B02 #representedOrganiz ation"	/AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/repr esentedOrganization/templateId/@root  /AmbulanceRequest/callBackContact/COCD_TP145212GB02.AssignedAuthor/repr esentedOrganization/templateId/@extension	<templateid root="2.16.840.1.113883.2.1. 3.2.4. 18.2" extension="COCD_TP145212G B02 #representedOrganization"/&gt;</templateid 

Clinical Discriminator				
Data Item	Business Relevance	Value Guidance	XPath	Example
pertinentInformation9/@typeCode	None – FIXED value	Always FIXED to "PERT"	/AmbulanceRequest/pertinentInformation9/@typeC ode	<pre><pertinentinformation9 typecode="PERT"></pertinentinformation9></pre>

#### 27/11/2016

nesting at the forms of the Office of the the test of		•	/AmahadanaaDamaaat/namtiraaat/namtiraaat/namtiraaat/	a a manatala la la división de la selli
pertinentInformation9/seperatableInd/@value	None – FIXED	Always FIXED to "false"	/AmbulanceRequest/pertinentInformation9/seperata bleInd@value	<seperatableind value="false"></seperatableind>
pertinentInformation9/pertinentClinicalDiscriminator@classCode	None – FIXED value	Always FIXED to "OBS"	/AmbulanceRequest/pertinentInformation9/ pertinentClinicalDiscriminator@classCode	<clinicaldiscriminator classCode="OBS" moodCode="EVN"&gt;</clinicaldiscriminator 
pertinentInformation9/pertinentClinicalDiscriminator@moodCode	None – FIXED value	Always FIXED to "EVN"	/AmbulanceRequest/pertinentInformation9/ pertinentClinicalDiscriminator@moodCode	<clinicaldiscriminator classCode="OBS" moodCode="EVN"&gt;</clinicaldiscriminator 
pertinentInformation9/pertinentClinicalDiscriminator/code@code pertinentInformation9/pertinentClinicalDiscriminator/code@codeSystem	None – FIXED value	The code attribute is fixed to "CD".  The codeSystem attribute is fixed to "2.16.840.1.113883.2.1.3.2 .4.17.540"	/AmbulanceRequest/pertinentInformation9/ pertinentClinicalDiscriminator/code@code AmbulanceRequest/pertinentInformation9/ pertinentClinicalDiscriminator/code/codeSystem	<code <br="" code="CD">codeSystem="2.16. 840.1.113883.2.1.3. 2.4.17.540"/&gt;</code>
pertinentInformation9/pertinentClinicalDiscriminator/value		xsi:type fixed to "CV"  If using a SNOMED CT terminology:  CodeSystem FIXED to "2.16.840.1.113883.2.1.3. 2.4.15"  If using a concept from NHS Pathways: CodeSystem FIXED to "2.16.840.1.113883.2.1.3.2 .4.24"  If using another codeset/terminology: CodeSystem FIXED to "2.16.840.1.113883.2.1 .3.2.4.25"	/AmbulanceRequest/ pertinentInformation9/ pertinentClinicalDiscriminator/value	<value code="22298006" codesystem="2.16.840.1.113883.2.1.3 .2.4.15" displayname="Myocardial infarction" xsi:type="CV"></value> <value code="123456" codesystem="2.16.840.1.113883.2.1. 3.2.4.24" displayname="Heart Attack" xsi:type="CV"></value>