
## Diesel Fuel Rtx®-5

(direct injection)



Standards used are Diesel Fuel #2 Composite Standard (cat.# 31093)

30m, 0.53mm ID, 1.0µm Rtx\*-5 (cat.# 10255) Direct injection of a DRO standard Conc.: 500ng/µL

Oven temp.: 40°C (hold 2 min.) to 310°C @ 12°C/min. (hold 10 min.)

Inj. / det. temp.: 280°C / 310°C
Carrier gas: helium @ 65cm/sec.
FID sensitivity: 8 x 10<sup>-11</sup> AFS

Restek Corporation 110 Benner Circle Bellefonte, PA 16823 814-353-1300 • 800-356-1688 • Fax: 814-353-1309 • www.restekcorp.com