

# LASER THICKNESS GAUGES

### Models 170, 172


Non-Contacting Laser Gauges for Sheet Thickness Measurement

### **Applications:**

- Calendered rubber sheet
- Calendered vinyl sheet
- Opaque extruded sheet

#### **Features:**

- Non-contacting measurement
- Non-nuclear measurement
- High-precision measurement
- Dynamic compensation for gap changes or roll runout
- Compact, rugged and easily maintainable





NDC's laser gauges are designed for continuous on-line thickness measurement of web products. The thickness measurement technique is based on distance triangulation computation of a laser beam. The gauges compensate for any changes in the measurement gap or the distance to a roll with an integrated precision inductive radio frequency proximity sensor.

#### **Laser Thickness Gauge Model 170**

This gauge utilizes a single laser that measures off a reference roll. The laser source emits a coherent laser beam which is reflected off the top surface of the product and focused onto a linear optical receiver that precisely measures the beam position. The laser is located in the center of an inductive radio frequency proximity sensor that measures the distance between the single-sided laser and a reference roll.

#### **Dual Laser Thickness Gauge Model 172**

Two laser sensors measure the product on opposite sides. Each laser source emits a coherent laser beam which is reflected off the top and bottom surfaces of the web and focused onto linear optical receivers that precisely measure each beam position. A single inductive radio frequency proximity sensor continuously measures the distance between the top and bottom lasers. The product thickness is calculated as the difference between the sum of the laser distances and the proximity sensor.

## **Technical Specifications**

#### **Specifications**

Laser Measurement Rate: 16kHz Measurement Acquisition Rate: 50Hz

**Head Dimensions:** 157 x 165 x 216 (6.2 x 6.5 x

8.5in). Two heads (top/bottom)

for 172 sensor

**Operating Temperature:** 0-50°C (32-122°F)


Sensor Cooling: Water cooling required

Construction: 5mm (0.2in) thick aluminum

housing with stainless steel allen head fasteners. Exposed surfaces are powder coated, sealed with quick-disconnect

electrical connectors. IP64


(DIN 40050) rating





Model	170	172
Туре	1-Sided	2-Sided
Range <sup>1</sup>	1mm - 18mm (0.7in)	1mm - 15mm (0.6in)
Air Gap <sup>2</sup>	23mm (0.9in)	26mm (1.0in)
Resolution	0.5 micron	0.5 micron
Repeatability ± 2-sigma	±10microns (0.4mils)	±10microns (0.4mils)

- <sup>1</sup> Stated measurement ranges are intended to reflect the typical product thicknesses for which satisfactory performance is obtained. It may be possible to make acceptable product measurement outside these limits; in these cases, please consult with NDC Marketing regarding your product and measurement requirements.
- <sup>2</sup> For other measurement gaps, please consult NDC Technologies.





\* Static repeatability is measured with a static gauge using stationary samples. Dynamic accuracy and repeatability is a function of product presentation, scanner condition, backing roll metallurgy and other factors. Please contact NDC for a repeatability estimate for your product.

NDC is represented in over 60 countries worldwide. ISO9001:2008 www.ndc.com

spectris

NDC Technologies Inc. Tel: +1 626 960 3300 Email: info@ndc.com

NDC Technologies Ltd
Tel: +44 1621 852244
Email: enquiries@ndc.com

NDC Technologies sa

Tel: +32 4 239 90 10 Email: sales@ndcinfrared.be

NDC Beta LaserMike

Tel: +1 937 233 9935 Email: sales@betalasermike.com NDC China

Tel: +86 20 2887 3860 Email: info@ndcinfrared.com.cn

NDC Japan

Tel: +81 3 3255 8157 Email: ndcjapan@ndc.com NDC Germany

Tel: +49 1801 977112 Email: ndcgermany@ndc.com

**NDC** Italy

Tel: +39 0331 454 207 Email: ndcitaly@ndc.com NDC Singapore

Tel: +65 91994120 Email: apacsales@ndc.com

NDC India

Tel: +91 9890800697 Email: ndcindia@ndc.com

In line with its policy of continuous improvement, NDC reserves the right to revise or replace its products or services without prior notice. The information contained in this document may not represent the latest specification and is for indicative purposes only.

