Khronos Native Platform Graphics Interface (EGL Version 1.3) (December 4, 2006)

Editor: Jon Leech

Copyright (c) 2002-2006 The Khronos Group Inc. All Rights Reserved.

This specification is protected by copyright laws and contains material proprietary to the Khronos Group, Inc. It or any components may not be reproduced, republished, distributed, transmitted, displayed, broadcast or otherwise exploited in any manner without the express prior written permission of Khronos Group. You may use this specification for implementing the functionality therein, without altering or removing any trademark, copyright or other notice from the specification, but the receipt or possession of this specification does not convey any rights to reproduce, disclose, or distribute its contents, or to manufacture, use, or sell anything that it may describe, in whole or in part.

Khronos Group grants express permission to any current Promoter, Contributor or Adopter member of Khronos to copy and redistribute UNMODIFIED versions of this specification in any fashion, provided that NO CHARGE is made for the specification and the latest available update of the specification for any version of the API is used whenever possible. Such distributed specification may be reformatted AS LONG AS the contents of the specification are not changed in any way. The specification may be incorporated into a product that is sold as long as such product includes significant independent work developed by the seller. A link to the current version of this specification on the Khronos Group web-site should be included whenever possible with specification distributions.

Khronos Group makes no, and expressly disclaims any, representations or warranties, express or implied, regarding this specification, including, without limitation, any implied warranties of merchantability or fitness for a particular purpose or non-infringement of any intellectual property. Khronos Group makes no, and expressly disclaims any, warranties, express or implied, regarding the correctness, accuracy, completeness, timeliness, and reliability of the specification. Under no circumstances will the Khronos Group, or any of its Promoters, Contributors or Members or their respective partners, officers, directors, employees, agents or representatives be liable for any damages, whether direct, indirect, special or consequential damages for lost revenues, lost profits, or otherwise, arising from or in connection with these materials.

This document is a derivative work of "OpenGL[®] Graphics with the X Window System (Version 1.4)". Silicon Graphics, Inc. owns, and reserves all rights in, the latter document.

Khronos is a trademark of The Khronos Group Inc. OpenGL is a registered trademark, and OpenGL ES is a trademark, of Silicon Graphics, Inc.

Contents

1	Ove	rview		1
2	EGI	. Opera	ation	2
	2.1	Native	Window System and Rendering APIs	2
		2.1.1	Scalar Types	2
		2.1.2	Displays	3
	2.2	Render	ring Contexts and Drawing Surfaces	3
		2.2.1	Using Rendering Contexts	4
		2.2.2	Rendering Models	4
		2.2.3	Interaction With Native Rendering	5
	2.3	Direct	Rendering and Address Spaces	6
	2.4		State	6
		2.4.1	OpenGL ES Texture Objects	7
		2.4.2	OpenGL ES Vertex Buffer Objects	7
	2.5	Multip	ole Threads	7
	2.6	Power	Management	8
3	3 EGL Functions and Errors			
	3.1	Errors		9
	3.2	Initiali	zation	11
	3.3	EGL V	Versioning	12
	3.4	Config	guration Management	13
		3.4.1	Querying Configurations	19
		3.4.2	Lifetime of Configurations	23
		3.4.3	Querying Configuration Attributes	23
	3.5	Render	ring Surfaces	24
		3.5.1	Creating On-Screen Rendering Surfaces	24
		3.5.2	Creating Off-Screen Rendering Surfaces	25
		3.5.3	Binding Off-Screen Rendering Surfaces To Client Buffers	28

ii CONTENTS

		3.5.4	Creating Native Pixmap Rendering Surfaces	30
		3.5.5	Destroying Rendering Surfaces	31
		3.5.6	Surface Attributes	31
	3.6	Render	ring to Textures	34
		3.6.1	Binding a Surface to a OpenGL ES Texture	34
		3.6.2	Releasing a Surface from an OpenGL ES Texture	36
		3.6.3	Implementation Caveats	37
	3.7	Render	ring Contexts	37
		3.7.1	Creating Rendering Contexts	38
		3.7.2	Destroying Rendering Contexts	39
		3.7.3	Binding Contexts and Drawables	40
		3.7.4	Context Queries	42
	3.8	Synchr	ronization Primitives	44
	3.9	Posting	g the Color Buffer	45
		3.9.1	Posting to a Window	45
		3.9.2	Copying to a Native Pixmap	46
		3.9.3	Posting Semantics	46
		3.9.4	Posting Errors	47
	3.10	Obtain	ing Extension Function Pointers	48
	3.11	Releas	ing Thread State	49
4	Exte	nding I	EGL	50
5	EGL	. Versio	ons, Header Files, and Enumerants	51
	5.1		r Files	51
	5.2		le-Time Version Detection	52
	5.3	_	erant Values and Header Portability	52
6	Glos	sary		53
A	Vers	ion 1.0		55
	A.1	Ackno	wledgements	55
В	Vers	ion 1.1		57
,	B.1		on 1.1.2	57
			wledgements	57
C		ion 1.2		59
	C.1	Ackno	wledgements	59

CC	ONTENTS	iii
D	Version 1.3 D.1 Acknowledgements	61 61
	Index of EGL Commands	64

List of Tables

3.1	EGLConfig attributes	14
3.2	Types of surfaces supported by an EGLConfig	16
3.3	Types of client APIs supported by an EGLConfig	17
3.4	Default values and match criteria for EGLConfig attributes	22
3.5	Queryable surface attributes and types	32
3.6	Size of texture components	35
D.1	Renamed tokens	62

Chapter 1

Overview

This document describes EGL, an interface between rendering APIs such as OpenGL ES or OpenVG (referred to collectively as *client APIs*) and an underlying native platform window system. It refers to concepts discussed in the OpenGL ES and OpenVG specifications, and should be read together with those documents. EGL uses OpenGL ES conventions for naming entry points and macros.

EGL provides mechanisms for creating rendering surfaces onto which client APIs can draw, creating graphics contexts for client APIs, and synchronizing drawing by client APIs as well as native platform rendering APIs. EGL does not explicitly support remote or *indirect* rendering, unlike the similar GLX API.

Chapter 2

EGL Operation

2.1 Native Window System and Rendering APIs

EGL is intended to be implementable on multiple operating systems (such as Symbian, embedded Linux, Unix, and Windows) and *native window systems* (such as X and Microsoft Windows). Implementations may also choose to allow rendering into specific types of EGL *surfaces* via other supported *native rendering APIs*, such as Xlib or GDI. Native rendering is described in more detail in section 2.2.3.

To the extent possible, EGL itself is independent of definitions and concepts specific to any native window system or rendering API. However, there are a few places where native concepts must be mapped into EGL-specific concepts, including the definition of the *display* on which graphics are drawn, and the definition of native windows and pixmaps which can also support client API rendering.

2.1.1 Scalar Types

EGLBoolean is an integral type representing a boolean value, and should only take on the values EGL_TRUE (1) and EGL_FALSE (0). If boolean parameters passed to EGL take on other values, behavior is undefined, although typically any non-zero value will be interpreted as EGL_TRUE.

EGLint is an integral type used because EGL may need to represent scalar values larger than the native platform "int" type. All legal attribute names and values, whether their type is boolean, bitmask, enumerant (symbolic constant), integer, handle, or other, may be converted to and from EGLint without loss of information.

2.1.2 Displays

Most EGL calls include an EGLDisplay parameter. This represents the abstract display on which graphics are drawn. In most environments a display corresponds to a single physical screen. The initialization routines described in section 3.2 include a method for querying a *default display*, and platform-specific EGL extensions may be defined to obtain other displays.

2.2 Rendering Contexts and Drawing Surfaces

The OpenGL ES and OpenVG specifications are intentionally vague on how a *rendering context* (e.g. the state machine defined by a client API) is created. One of the purposes of EGL is to provide a means to create client API rendering contexts (henceforth simply referred to as *contexts*), and associate them with drawing surfaces.

EGL defines several types of drawing surfaces collectively referred to as EGLSurfaces. These include *windows*, used for onscreen rendering; *pbuffers*, used for offscreen rendering; and *pixmaps*, used for offscreen rendering into buffers that may be accessed through native APIs. EGL windows and pixmaps are tied to native window system windows and pixmaps.

EGLSurfaces are created with respect to an EGLConfig. The EGLConfig describes the depth of the color buffer components and the types, quantities and sizes of the *ancillary buffers* (i.e., the depth, multisample, and stencil buffers).

Ancillary buffers are associated with an EGLSurface, not with a context. If several contexts are all writing to the same surface, they will share those buffers. Rendering operations to one window never affect the unobscured pixels of another window, or the corresponding pixels of ancillary buffers of that window.

Contexts for different client APIs all share the color buffer of a surface, but ancillary buffers are not necessarily meaningful for every client API. In particular, depth, multisample, and stencil buffers are currently used only by OpenGL ES.

A context can be used with any EGLSurface that it is *compatible* with (subject to the restrictions discussed in the section on address space). A surface and context are compatible if

- They support the same type of color buffer (RGB or luminance).
- They have color buffers and ancillary buffers of the same depth.

Depth is measured per-component. For example, color buffers in RGB565 and RGBA4444 formats have the same aggregate depth of 16 bits/pixel, but are not compatible because their per-component depths are different.

Ancillary buffers not meaningful to a client API do not affect compatibility; for example, a surface with both color and stencil buffers will be compatible with an OpenVG context so long as the color buffers associated with the contexts are of the same depth. The stencil buffer is irrelevant because OpenVG does not use it.

- The surface was created with respect to an EGLConfig supporting client API rendering of the same type as the API type of the context (in environments supporting multiple client APIs).
- They were created with respect to the same EGLDisplay (in environments supporting multiple displays).

As long as the compatibility constraint and the address space requirement are satisfied, clients can render into the same EGLSurface using different contexts. It is also possible to use a single context to render into multiple EGLSurfaces.

2.2.1 Using Rendering Contexts

OpenGL ES defines both client state and server state. Thus an OpenGL ES context consists of two parts: one to hold the client state and one to hold the server state. OpenVG does not separate client and server state.

Both the OpenGL ES and OpenVG client APIs rely on an *implicit* context used by all entry points, rather than passing an explicit context parameter. The implicit context for each API is set with EGL calls (see section 3.7.3). The implicit contexts used by these APIs are called *current contexts*.

Each thread can have at most one current rendering context for each supported client API; for example, there may be both a current OpenGL ES context and a current OpenVG context in an implementation supporting both of these APIs. In addition, a context can be current to only one thread at a time. The client is responsible for creating contexts and surfaces.

2.2.2 Rendering Models

EGL and OpenGL ES supports two rendering models: back buffered and single buffered.

Back buffered rendering is used by window and pbuffer surfaces. Memory for the color buffer used during rendering is allocated and owned by EGL. When the client is finished drawing a frame, the back buffer may be copied to a visible window using **eglSwapBuffers**. Pbuffer surfaces have a back buffer but no associated window, so the back buffer need not be copied.

Single buffered rendering is used by pixmap surfaces. Memory for the color buffer is specified at surface creation time in the form of a native pixmap, and client APIs are required to use that memory during rendering. When the client is finished drawing a frame, the native pixmap contains the final image. Pixmap surfaces typically do not support multisampling, since the native pixmap used as the color buffer is unlikely to provide space to store multisample information.

Some client APIs, such as OpenVG, also support single buffered rendering to window surfaces. This behavior can be selected when creating the window surface, as defined in section 3.5.1. When mixing use of client APIs which do not support single buffered rendering into windows, like OpenGL ES, with client APIs which do support it, back color buffers and visible window contents must be kept consistent when binding window surfaces to contexts for each API type (see section 3.7.3).

Both back and single buffered surfaces may also be copied to a specified native pixmap using **eglCopyBuffers**.

Window Resizing

EGL window surfaces need to be resized when their corresponding native window is resized. Implementations typically use hooks into the OS and native window system to perform this resizing on demand, transparently to the client. Some implementations may instead define an EGL extension giving explicit control of surface resizing.

Implementations which cannot resize EGL window surfaces on demand must instead respond to native window size changes in **eglSwapBuffers** (see section 3.9.3).

2.2.3 Interaction With Native Rendering

Native rendering will always be supported by pixmap surfaces (to the extent that native rendering APIs can draw to native pixmaps). Pixmap surfaces are typically used when mixing native and client API rendering is desirable, since there is no need to move data between the back buffer visible to the client APIs and the native pixmap visible to native rendering APIs. However, pixmap surfaces may, for the same reason, have restricted capabilities and performance relative to window and pbuffer surfaces.

Native rendering will not be supported by pbuffer surfaces, since the color buffers of pbuffers are allocated internally by EGL and are not accessible through any other means.

Native rendering may be supported by window surfaces, but only if the native window system has a compatible rendering model allowing it to share the back color buffer, or if single buffered rendering to the window surface is being done.

When both native rendering APIs and client APIs are drawing into the same underlying surface, no guarantees are placed on the relative order of completion of operations in the different rendering streams other than those provided by the synchronization primitives discussed in section 3.8.

Some state is shared between client APIs and the underlying native window system and rendering APIs, including color buffer values in window and pixmap surfaces.

2.3 Direct Rendering and Address Spaces

EGL is assumed to support only *direct* rendering, unlike similar APIs such as GLX. EGL objects and related context state cannot be used outside of the *address space* in which they are created. In a single-threaded environment, each process has its own address space. In a multi-threaded environment, all threads may share the same virtual address space; however, this capability is not required, and implementations may choose to restrict their address space to be per-thread even in an environment supporting multiple application threads.

Context state, including both the client and server state of OpenGL ES contexts, exists in the client's address space; this state cannot be shared by a client in another process.

Support of indirect rendering (in those environments where this concept makes sense) may have the effect of relaxing these limits on sharing. However, such support is beyond the scope of this document.

2.4 Shared State

Most context state is small. However, some types are of state are potentially large and/or expensive to copy, in which case it may be desirable for multiple contexts to share such state rather than replicating it in each context. Such state may only be shared between different contexts of the same API type; that is, two OpenGL ES contexts may share state, or two OpenVG contexts, but an OpenGL ES context and an OpenVG context cannot share state.

EGL provides for sharing certain types of context state among contexts existing in a single address space. OpenGL ES contexts may share *texture objects*, *shader and program objects*, and *vertex buffer objects*. OpenVG contexts may share *images*, *paint objects*, and *paths*. Additional types of state may be shared in future

revisions of client APIs where such types of state (for example, display lists) are defined and where such sharing makes sense.

2.4.1 OpenGL ES Texture Objects

OpenGL ES texture state can be encapsulated in a named texture object. A texture object is created by binding an unused name to one of the supported texture targets (GL_TEXTURE_2D, GL_TEXTURE_3D, or GL_TEXTURE_CUBE_MAP) of an OpenGL ES context. When a texture object is bound, OpenGL ES operations on the target to which it is bound affect the bound texture object, and queries of the target to which it is bound return state from the bound texture object.

OpenGL ES makes no attempt to synchronize access to texture objects. If a texture object is bound to more than one context, then it is up to the programmer to ensure that the contents of the object are not being changed via one context while another context is using the texture object for rendering. The results of changing a texture object while another context is using it are undefined.

All modifications to shared context state as a result of executing **glBindTexture** are atomic. Also, a texture object will not be deleted while it is still bound to any context.

2.4.2 OpenGL ES Vertex Buffer Objects

Vertex buffer objects (VBOs) were introduced in OpenGL ES 1.1. If a VBO is bound to more than one context, then it is up to the programmer to ensure that the contents of the object are not being changed via one context while another context is using the VBO for rendering. The results of changing a VBO while another context is using it are undefined.

All modifications to shared context state as a result of executing **glBindBuffer** are atomic. Also, a VBO will not be deleted while it is still bound to any context.

2.5 Multiple Threads

EGL and its client APIs must be threadsafe. Interrupt routines may not share a context with their main thread.

EGL guarantees sequentiality within a command stream for each of its client APIs such as OpenGL ES and OpenVG, but not between these APIs and native APIs which may also be rendering into the same surface. It is possible, for example, that a native drawing command issued by a single threaded client after an OpenGL ES command might be executed before that OpenGL ES command.

Client API commands are not guaranteed to be atomic. Some such commands might otherwise impair interactive use of the windowing system by the user. For instance, rendering a large texture mapped polygon on a system with no graphics hardware, or drawing a large OpenGL ES vertex array, could prevent a user from popping up a menu soon enough to be usable.

Synchronization is in the hands of the client. It can be maintained at moderate cost with the judicious use of commands such as **glFinish**, **vgFinish**, **eglWait-Client**, and **eglWaitNative**, as well as (if they exist) synchronization commands present in native rendering APIs. Client API and native rendering can be done in parallel so long as the client does not preclude it with explicit synchronization calls.

Some performance degradation may be experienced if needless switching between client APIs and native rendering is done.

2.6 Power Management

Power management events can occur asynchronously while an application is running. When the system returns from the power management event the EGLContext will be invalidated, and all subsequent client API calls will have no effect (as if no context is bound).

Following a power management event, calls to **eglSwapBuffers**, **eglCopy-Buffers**, or **eglMakeCurrent** will indicate failure by returning EGL_FALSE. The error EGL_CONTEXT_LOST will be returned if a power management event has occurred.

On detection of this error, the application must destroy all contexts (by calling **eglDestroyContext** for each context). To continue rendering the application must recreate any contexts it requires, and subsequently restore any client API state and objects it wishes to use.

Any EGLSurfaces that the application has created need not be destroyed following a power management event, but their contents will be invalid.

Note that not all implementations can be made to generate power management events, and developers should continue to refer to platform-specific documentation in this area. We expected continued work in platform-specific extensions to enable more control over power management issues, including event detection, scope and nature of resource loss, behavior of EGL and client API calls under resource loss, and recommended techniques for recovering from events. Future versions of EGL may incorporate additional functionality in this area.

Chapter 3

EGL Functions and Errors

3.1 Errors

Where possible, when an EGL function fails it has no side effects.

EGL functions usually return an indicator of success or failure; either an EGLBoolean EGL_TRUE or EGL_FALSE value, or in the form of an out-of-band return value indicating failure, such as returning EGL_NO_CONTEXT instead of a requested context handle. Additional information about the success or failure of the **most recent** EGL function called in a specific thread, in the form of an error code, can be obtained by calling

```
EGLint eglGetError();
```

The error codes that may be returned from **eglGetError**, and their meanings, are:

EGL_SUCCESS

Function succeeded.

EGL_NOT_INITIALIZED

EGL is not initialized, or could not be initialized, for the specified display.

EGL_BAD_ACCESS

EGL cannot access a requested resource (for example, a context is bound in another thread).

EGL_BAD_ALLOC

EGL failed to allocate resources for the requested operation.

EGL_BAD_ATTRIBUTE

An unrecognized attribute or attribute value was passed in an attribute list.

EGL_BAD_CONTEXT

An EGLContext argument does not name a valid EGLContext.

EGL_BAD_CONFIG

An EGLConfig argument does not name a valid EGLConfig.

EGL_BAD_CURRENT_SURFACE

The current surface of the calling thread is a window, pbuffer, or pixmap that is no longer valid.

EGL_BAD_DISPLAY

An EGLDisplay argument does not name a valid EGLDisplay; or, EGL is not initialized on the specified EGLDisplay.

EGL_BAD_SURFACE

An EGLSurface argument does not name a valid surface (window, pbuffer, or pixmap) configured for rendering.

EGL_BAD_MATCH

Arguments are inconsistent; for example, an otherwise valid context requires buffers (e.g. depth or stencil) not allocated by an otherwise valid surface.

EGL_BAD_PARAMETER

One or more argument values are invalid.

EGL_BAD_NATIVE_PIXMAP

An EGLNativePixmapType argument does not refer to a valid native pixmap.

EGL_BAD_NATIVE_WINDOW

An EGLNativeWindowType argument does not refer to a valid native window.

EGL_CONTEXT_LOST

A power management event has occurred. The application must destroy all contexts and reinitialise client API state and objects to continue rendering, as described in section 2.6.

When there is no status to return (in other words, when **eglGetError** is called as the first EGL call in a thread, or immediately after calling **eglReleaseThread**), EGL_SUCCESS will be returned.

Some specific error codes that may be generated by a failed EGL function, and their meanings, are described together with each function. However, not all possible errors are described with each function. Errors whose meanings are identical across many functions (such as returning EGL_BAD_DISPLAY or EGL_NOT_INITIALIZED for an unsuitable EGLDisplay argument) may not be described repeatedly.

EGL normally checks the validity of objects passed into it, but detecting invalid native objects (pixmaps, windows, and displays) may not always be possible. Specifying such invalid handles may result in undefined behavior, although implementations should generate EGL_BAD_NATIVE_PIXMAP and EGL_BAD_NATIVE_WINDOW errors if possible.

3.2 Initialization

Initialization must be performed once for each display prior to calling most other EGL or client API functions. A display can be obtained by calling

```
EGLDisplay eglGetDisplay(EGLNativeDisplayType
  display_id);
```

The type and format of <code>display_id</code> are implementation-specific, and it describes a specific display provided by the system EGL is running on. For example, an EGL implementation under X windows would require <code>display_id</code> to be an X <code>Display</code>, while an implementation under Microsoft Windows would require <code>display_id</code> to be a Windows Device Context. If <code>display_id</code> is <code>EGL_DEFAULT_DISPLAY</code>, a <code>default display</code> is returned.

If no display matching *display_id* is available, EGL_NO_DISPLAY is returned; no error condition is raised in this case.

EGL may be initialized on a display by calling

```
EGLBoolean eglInitialize(EGLDisplay dpy, EGLint
*major, EGLint *minor);
```

EGL_TRUE is returned on success, and *major* and *minor* are updated with the major and minor version numbers of the EGL implementation (for example, in an EGL 1.2 implementation, the values of *major and *minor would be 1 and 2, respectively). *major* and *minor* are not updated if they are specified as NULL.

EGL_FALSE is returned on failure and *major* and *minor* are not updated. An EGL_BAD_DISPLAY error is generated if the *dpy* argument does not refer to a valid

EGLDisplay. An EGL_NOT_INITIALIZED error is generated if EGL cannot be initialized for an otherwise valid dpy.

Initializing an already-initialized display is allowed, but the only effect of such a call is to return EGL_TRUE and update the EGL version numbers. An initialized display may be used from other threads in the same address space without being initalized again in those threads.

To release resources associated with use of EGL and client APIs on a display, call

```
EGLBoolean eglTerminate (EGLDisplay dpy);
```

Termination marks **all** EGL-specific resources associated with the specified display for deletion. If contexts or surfaces created with respect to *dpy* are *current* (see section 3.7.3) to any thread, then they are not actually released while they remain current. Such contexts and surfaces will be destroyed, and all future references to them will become invalid, as soon as any otherwise valid **eglMakeCurrent** call is made from the thread they are bound to.

eglTerminate returns EGL_TRUE on success.

If the *dpy* argument does not refer to a valid EGLDisplay, EGL_FALSE is returned, and an EGL_BAD_DISPLAY error is generated.

Termination of a display that has already been terminated, or has not yet been initialized, is allowed, but the only effect of such a call is to return EGL_TRUE, since there are no EGL resources associated with the display to release. A terminated display may be re-initialized by calling **eglInitialize** again. When re-initializing a terminated display, resources which were marked for deletion as a result of the earlier termination remain so marked, and references to them are not valid.

3.3 EGL Versioning

```
const char *eglQueryString(EGLDisplay dpy, EGLint
    name);
```

eglQueryString returns a pointer to a static, zero-terminated string describing some aspect of the EGL implementation running on the specified display. *name* may be one of EGL_CLIENT_APIS, EGL_EXTENSIONS, EGL_VENDOR, or EGL_VERSION.

The EGL_CLIENT_APIS string describes which client rendering APIs are supported. It is zero-terminated and contains a space-separated list of API names, which must include at least one of ``OpenGL_ES'' or ``OpenVG''.

The EGL_EXTENSIONS string describes which EGL extensions are supported by the EGL implementation running on the specified display. The string is zero-terminated and contains a space-separated list of extension names; extension names themselves do not contain spaces. If there are no extensions to EGL, then the empty string is returned.

The format and contents of the EGL_VENDOR string is implementation dependent.

The format of the EGL_VERSION string is:

<major_version.minor_version><space><vendor_specific_info>

Both the major and minor portions of the version number are numeric. Their values must match the *major* and *minor* values returned by **eglInitialize** (see section 3.2). The vendor-specific information is optional; if present, its format and contents are implementation specific.

On failure, NULL is returned. An EGL_NOT_INITIALIZED error is generated if EGL is not initialized for *dpy*. An EGL_BAD_PARAMETER error is generated if *name* is not one of the values described above.

3.4 Configuration Management

An EGLConfig describes the format, type and size of the color buffers and ancillary buffers for an EGLSurface. If the EGLSurface is a window, then the EGLConfig describing it may have an associated native *visual type*.

Names of EGLConfig attributes are shown in Table 3.1. These names may be passed to **eglChooseConfig** to specify required attribute properties.

EGL_CONFIG_ID is a unique integer identifying different EGLConfigs. Configuration IDs must be small positive integers starting at 1 and ID assignment should be compact; that is, if there are N EGLConfigs defined by the EGL implementation, their configuration IDs should be in the range [1,N]. Small gaps in the sequence are allowed, but should only occur when removing configurations defined in previous revisions of an EGL implementation.

Buffer Descriptions and Attributes

Attributes controlling the creation of the various buffers that may be contained by an EGLSurface are described below. Attribute values include the *depth* of these buffers, expressed in bits/pixel component. If the depth of a buffer in an EGLConfig is zero, then an EGLSurface created with respect to that EGLConfig will not contain the corresponding buffer.

Attribute	Type	Notes	
EGL_BUFFER_SIZE	integer	depth of the color buffer	
EGL_RED_SIZE	integer	bits of Red in the color buffer	
EGL_GREEN_SIZE	integer	bits of Green in the color buffer	
EGL_BLUE_SIZE	integer	bits of Blue in the color buffer	
EGL_LUMINANCE_SIZE	integer	bits of Luminance in the color buffer	
EGL_ALPHA_SIZE	integer	bits of Alpha in the color buffer	
EGL_ALPHA_MASK_SIZE	integer	bits of Alpha Mask in the mask buffer	
EGL_BIND_TO_TEXTURE_RGB	boolean	True if bindable to RGB textures.	
EGL_BIND_TO_TEXTURE_RGBA	boolean	True if bindable to RGBA textures.	
EGL_COLOR_BUFFER_TYPE	enum	color buffer type	
EGL_CONFIG_CAVEAT	enum	any caveats for the configuration	
EGL_CONFIG_ID	integer	unique EGLConfig identifier	
EGL_CONFORMANT	bitmask	whether contexts created with this	
		config are conformant	
EGL_DEPTH_SIZE	integer	bits of Z in the depth buffer	
EGL_LEVEL	integer	frame buffer level	
EGL_MAX_PBUFFER_WIDTH	integer		
EGL_MAX_PBUFFER_HEIGHT	integer		
EGL_MAX_PBUFFER_PIXELS	integer	maximum size of pbuffer	
EGL_MAX_SWAP_INTERVAL	integer	maximum swap interval	
EGL_MIN_SWAP_INTERVAL	integer	minimum swap interval	
EGL_NATIVE_RENDERABLE	boolean	EGL_TRUE if native rendering	
		APIs can render to surface	
EGL_NATIVE_VISUAL_ID	integer	handle of corresponding	
		native visual	
EGL_NATIVE_VISUAL_TYPE	integer	native visual type of the	
		associated visual	
EGL_RENDERABLE_TYPE	bitmask	which client rendering	
		APIs are supported.	
EGL_SAMPLE_BUFFERS	integer	number of multisample buffers	
EGL_SAMPLES	integer	number of samples per pixel	
EGL_STENCIL_SIZE	integer	bits of Stencil in the stencil buffer	
EGL_SURFACE_TYPE bitmask which types of EGL surfaces			
		are supported.	
EGL_TRANSPARENT_TYPE	enum	type of transparency supported	
EGL_TRANSPARENT_RED_VALUE	integer	transparent red value	
EGL_TRANSPARENT_GREEN_VALUE	integer	transparent green value	
EGL_TRANSPARENT_BLUE_VALUE	integer	transparent blue value	

Table 3.1: EGL Config attributes. Version 1.3 - December 4, 2006

With the exception of the color buffer, most buffers are used only by one client API . The depth, multisample, and stencil buffers are specific to OpenGL ES , while the alpha mask buffer is specific to OpenVG . To conserve resources, implementations may delay creation of buffers until they are needed by EGL or a client API . For example, if an EGLConfig describes an alpha mask buffer with depth greater than zero, that buffer need not be allocated by a surface until an OpenVG context is bound to that surface.

The *color buffer* is shared by all client APIs rendering to a surface, and contains pixel color values.

EGL_COLOR_BUFFER_TYPE indicates the color buffer type, and must be either EGL_RGB_BUFFER for an RGB color buffer, or EGL_LUMINANCE_BUFFER for a luminance color buffer. For an RGB buffer, EGL_RED_SIZE, EGL_GREEN_SIZE, EGL_BLUE_SIZE must be non-zero, and EGL_LUMINANCE_SIZE must be zero. For a luminance buffer, EGL_RED_SIZE, EGL_GREEN_SIZE, EGL_BLUE_SIZE must be zero, and EGL_LUMINANCE_SIZE must be non-zero. For both RGB and luminance color buffers, EGL_ALPHA_SIZE may be zero or non-zero (the latter indicates the existence of a *destination alpha* buffer).

If OpenGL ES rendering is supported for a luminance color buffer (as described by the value of the EGL_RENDERABLE_TYPE attribute, described below), it is treated as RGB rendering with the value of GL_RED_BITS equal to EGL_LUMINANCE_SIZE and the values of GL_GREEN_BITS and GL_BLUE_BITS equal to zero. The red component of fragments is written to the luminance channel of the color buffer, the green and blue components are discarded, and the alpha component is written to the alpha channel of the color buffer (if present).

EGL_BUFFER_SIZE gives the total depth of the color buffer in bits. For an RGB color buffer, the depth is the sum of EGL_RED_SIZE, EGL_GREEN_SIZE, EGL_BLUE_SIZE, and EGL_ALPHA_SIZE. For a luminance color buffer, the depth is the sum of EGL_LUMINANCE_SIZE and EGL_ALPHA_SIZE.

The $alpha\ mask\ buffer$ is used only by OpenVG . EGL_ALPHA_MASK_SIZE indicates the depth of this buffer.

The $depth\ buffer$ is used only by OpenGL ES . It contains fragment depth (Z) information generated during rasterization. EGL_DEPTH_SIZE indicates the depth of this buffer in bits.

The $\it stencil \it buffer$ is used only by OpenGL ES . It contains fragment stencil information generated during rasterization. EGL_STENCIL_SIZE indicates the depth of this buffer in bits.

The *multisample buffer* is used only by OpenGL ES . It contains multisample information (color values, and possibly stencil and depth values) generated by multisample rasterization. The format of the multisample buffer is not specified, and its contents are not directly accessible. Only the existence of the multisample

EGL Token Name	Description
EGL_WINDOW_BIT	EGLConfig supports windows
EGL_PIXMAP_BIT	EGLConfig supports pixmaps
EGL_PBUFFER_BIT	EGLConfig supports pbuffers
EGL_VG_COLORSPACE_LINEAR_BIT	EGLConfig supports OpenVG
	rendering in linear colorspace
EGL_VG_ALPHA_FORMAT_PRE_BIT	EGLConfig supports OpenVG
	rendering with premultiplied alpha

Table 3.2: Types of surfaces supported by an EGLConfig

buffer, together with the number of samples it contains, are exposed by EGL.

EGL_SAMPLE_BUFFERS indicates the number of multisample buffers, which must be zero or one. EGL_SAMPLES gives the number of samples per pixel; if EGL_SAMPLE_BUFFERS is zero, then EGL_SAMPLES will also be zero. If EGL_SAMPLE_BUFFERS is one, then the number of color, depth, and stencil bits for each sample in the multisample buffer are as specified by the EGL_*_SIZE attributes.

There are no single-sample depth or stencil buffers for a multisample EGLConfig; the only depth and stencil buffers are those in the multisample buffer. If the color samples in the multisample buffer store fewer bits than are stored in the color buffers, this fact will not be reported accurately. Presumably a compression scheme is being employed, and is expected to maintain an aggregate resolution equal to that of the color buffers.

Other EGLConfig Attribute Descriptions

EGL_SURFACE_TYPE is a mask indicating the surface types that can be created with the corresponding EGLConfig (the config is said to *support* these surface types). The valid bit settings are shown in Table 3.2.

For example, an EGLConfig for which the value of the EGL_SURFACE_TYPE attribute is

EGL_WINDOW_BIT | EGL_PIXMAP_BIT | EGL_PBUFFER_BIT

can be used to create any type of EGL surface, while an EGLConfig for which this attribute value is EGL_WINDOW_BIT cannot be used to create a pbuffer or pixmap.

If EGL_VG_COLORSPACE_LINEAR_BIT is set in EGL_SURFACE_TYPE, then the EGL_VG_COLORSPACE attribute may be set to EGL_VG_COLORSPACE_LINEAR when creating a window, pixmap, or pbuffer surface (see section 3.5).

If EGL_VG_ALPHA_FORMAT_PRE_BIT is set in EGL_SURFACE_TYPE, then the

EGL Token Name	Client API and Version Supported
EGL_OPENGL_ES_BIT	OpenGL ES 1.x
EGL_OPENGL_ES2_BIT	OpenGL ES 2.x
EGL_OPENVG_BIT	OpenVG 1.x

Table 3.3: Types of client APIs supported by an EGLConfig

EGL_VG_ALPHA_FORMAT attribute may be set to EGL_VG_ALPHA_FORMAT_PRE when creating a window, pixmap, or pbuffer surface (see section 3.5).

EGL_RENDERABLE_TYPE is a mask indicating which client APIs can render into a surface created with respect to an EGLConfig. The valid bit settings are shown in Table 3.3.

Creation of a client API context based on an EGLConfig will fail unless the EGLConfig's EGL_RENDERABLE_TYPE attribute include the bit corresponding to that API and version.

EGL_NATIVE_RENDERABLE is an EGLBoolean indicating whether the native window system can be used to render into a surface created with the EGLConfig. Constraints on native rendering are discussed in more detail in sections 2.2.2 and 2.2.3.

If an EGLConfig supports windows then it may have an associated native visual. EGL_NATIVE_VISUAL_ID specifies an identifier for this visual, and EGL_NATIVE_VISUAL_TYPE specifies its type. If an EGLConfig does not support windows, or if there is no associated native visual type, then querying EGL_NATIVE_VISUAL_ID will return 0 and querying EGL_NATIVE_VISUAL_TYPE will return EGL_NONE.

The interpretation of the native visual identifier and type is platform-dependent. For example, if the native window system is X, then the identifier will be the XID of an X Visual.

The EGL_CONFIG_CAVEAT attribute may be set to one of the following values: EGL_NONE, EGL_SLOW_CONFIG or EGL_NON_CONFORMANT_CONFIG. If the attribute is set to EGL_NONE then the configuration has no caveats; if it is set to EGL_SLOW_CONFIG then rendering to a surface with this configuration may run at reduced performance (for example, the hardware may not support the color buffer depths described by the configuration); if it is set to EGL_NON_CONFORMANT_CONFIG then rendering to a surface with this configuration will not pass the required OpenGL ES conformance tests (note that EGL_NON_CONFORMANT_CONFIG is obsolete, and the same information can be obtained from the EGL_CONFORMANT attribute on a per-client-API basis, not just for

OpenGL ES).

OpenGL ES conformance requires that a set of EGLConfigs supporting certain defined minimum attributes (such as the number, type, and depth of supported buffers) be supplied by any conformant implementation. Those requirements are documented only in the conformance specification.

EGL_CONFORMANT is a mask indicating if a client API context created with respect to the corresponding EGLConfig will pass the required conformance tests for that API. The valid bit settings are the same as for EGL_RENDERABLE_TYPE, as defined in table 3.3, but the presence or absence of each client API bit determines whether the corresponding context will be conformant or non-conformant. ¹

EGL_TRANSPARENT_TYPE indicates whether or not a configuration supports transparency. If the attribute is set to EGL_NONE then windows created with the EGLConfig will not have any transparent pixels. If the attribute is EGL_TRANSPARENT_RGB, then the EGLConfig supports transparency; a transparent pixel will be drawn when the red, green and blue values which are read from the framebuffer are equal to EGL_TRANSPARENT_RED_VALUE, EGL_TRANSPARENT_BLUE_VALUE, respectively.

If EGL_TRANSPARENT_TYPE is EGL_NONE, then the values for EGL_TRANSPARENT_RED_VALUE, EGL_TRANSPARENT_GREEN_VALUE, and EGL_TRANSPARENT_BLUE_VALUE are undefined. Otherwise, they are interpreted as integer framebuffer values between 0 and the maximum framebuffer value for the component. For example, EGL_TRANSPARENT_RED_VALUE will range between 0 and $2^{\rm EGL_RED_SIZE}-1$.

EGL_MAX_PBUFFER_WIDTH and EGL_MAX_PBUFFER_HEIGHT indicate the maximum width and height that can be passed into **eglCreatePbufferSurface**, and EGL_MAX_PBUFFER_PIXELS indicates the maximum number of pixels (width times height) for a pbuffer surface. Note that an implementation may return a value for EGL_MAX_PBUFFER_PIXELS that is less than the maximum width times the maximum height. The value for EGL_MAX_PBUFFER_PIXELS is static and assumes that no other pbuffers or native resources are contending for the framebuffer memory. Thus it may not be possible to allocate a pbuffer of the size given by EGL_MAX_PBUFFER_PIXELS.

EGL_MAX_SWAP_INTERVAL is the maximum value that can be passed to **eglSwapInterval**, and indicates the number of swap intervals that will elapse before a buffer swap takes place after calling **eglSwapBuffers**. Larger values will be silently clamped to this value.

¹Most EGLConfigs should be conformant for all supported client APIs . Conformance requirements limit the number of non-conformant configs that an implementation can define.

EGL_MIN_SWAP_INTERVAL is the minimum value that can be passed to **eglSwapInterval**, and indicates the number of swap intervals that will elapse before a buffer swap takes place after calling **eglSwapBuffers**. Smaller values will be silently clamped to this value.

EGL_BIND_TO_TEXTURE_RGB and EGL_BIND_TO_TEXTURE_RGBA are booleans indicating whether the color buffers of a pbuffer created with the EGLConfig can be bound to an OpenGL ES RGB or RGBA texture respectively. Currently only pbuffers can be bound as textures, so these attributes may only be EGL_TRUE if the value of the EGL_SURFACE_TYPE attribute includes EGL_PBUFFER_BIT. It is possible to bind a RGBA visual to a RGB texture, in which case the values in the alpha component of the visual are ignored when the color buffer is used as a RGB texture.

Implementations may choose not to support EGL_BIND_TO_TEXTURE_RGB for RGBA visuals.

3.4.1 Querying Configurations

Use

```
EGLBoolean eglGetConfigs(EGLDisplay dpy,
    EGLConfig *configs, EGLint config_size,
    EGLint *num_config);
```

to get the list of all EGLConfigs that are available on the specified display. configs is a pointer to a buffer containing $config_size$ elements. On success, EGL_TRUE is returned. The number of configurations is returned in num_config , and elements 0 through $num_config - 1$ of configs are filled in with the valid EGLConfigs. No more than $config_size$ EGLConfigs will be returned even if more are available on the specified display. However, if **eglGetConfigs** is called with configs = NULL, then no configurations are returned, but the total number of configurations available will be returned in num_config .

On failure, EGL_FALSE is returned. An EGL_NOT_INITIALIZED error is generated if EGL is not initialized on *dpy*. An EGL_BAD_PARAMETER error is generated if *num_config* is NULL.

Use

```
EGLBoolean eglChooseConfig(EGLDisplay dpy, const
EGLint *attrib_list, EGLConfig *configs,
EGLint config_size, EGLint *num_config);
```

to get EGLConfigs that match a list of attributes. The return value and the meaning of *configs*, *config_size*, and *num_config* are the same as for **eglGetConfigs**. However, only configurations matching *attrib_list*, as discussed below, will be returned.

On failure, EGL_FALSE is returned. An EGL_BAD_ATTRIBUTE error is generated if *attrib_list* contains an undefined EGL attribute or an attribute value that is unrecognized or out of range.

All attribute names in *attrib_list* are immediately followed by the corresponding desired value. The list is terminated with EGL_NONE. If an attribute is not specified in *attrib_list*, then the default value (listed in Table 3.4) is used (it is said to be specified implicitly). If EGL_DONT_CARE is specified as an attribute value, then the attribute will not be checked. EGL_DONT_CARE may be specified for all attributes except EGL_LEVEL. If *attrib_list* is NULL or empty (first attribute is EGL_NONE), then selection and sorting of EGLConfigs is done according to the default criteria in Tables 3.4 and 3.1, as described below under **Selection** and **Sorting**.

Selection of EGLConfigs

Attributes are matched in an attribute-specific manner, as shown in the "Selection Critera" column of table 3.4. The criteria listed in the table have the following meanings:

AtLeast Only EGLConfigs with an attribute value that meets or exceeds the specified value are selected.

Exact Only EGLConfigs whose attribute value equals the specified value are matched.

Mask Only EGLConfigs for which the bits set in the attribute value include all the bits that are set in the specified value are selected (additional bits might be set in the attribute value).

Special As described for the specific attribute.

Some of the attributes must match the specified value exactly; others, such as EGL_RED_SIZE, must meet or exceed the specified minimum values.

To retrieve an EGLConfig given its unique integer ID, use the EGL_CONFIG_ID attribute. When EGL_CONFIG_ID is specified, all other attributes are ignored, and only the EGLConfig with the given ID is returned.

If EGL_MAX_PBUFFER_WIDTH, EGL_MAX_PBUFFER_HEIGHT, EGL_MAX_PBUFFER_PIXELS, or EGL_NATIVE_VISUAL_ID are specified in *attrib_list*, then they are ignored (however, if present, these attributes must still be

followed by an attribute value in *attrib_list*). If EGL_SURFACE_TYPE is specified in *attrib_list* and the mask that follows does not have EGL_WINDOW_BIT set, or if there are no native visual types, then the EGL_NATIVE_VISUAL_TYPE attribute is ignored.

If <code>EGL_TRANSPARENT_TYPE</code> is set to <code>EGL_NONE</code> in <code>attrib_list</code>, then the <code>EGL_TRANSPARENT_RED_VALUE</code>, <code>EGL_TRANSPARENT_GREEN_VALUE</code>, and <code>EGL_TRANSPARENT_BLUE_VALUE</code> attributes are ignored.

If EGL_MATCH_NATIVE_PIXMAP is specified in *attrib_list*, it must be followed by an attribute value which is the handle of a valid native pixmap. Only EGLConfigs which support rendering to that pixmap will match this attribute².

If no EGLConfig matching the attribute list exists, then the call succeeds, but *num_config* is set to 0.

Sorting of EGLConfigs

If more than one matching EGLConfig is found, then a list of EGLConfigs is returned. The list is sorted by proceeding in ascending order of the "Sort Priority" column of table 3.4. That is, configurations that are not ordered by a lower numbered rule are sorted by the next higher numbered rule.

Sorting for each rule is either numerically *Smaller* or *Larger* as described in the "Sort Order" column, or a *Special* sort order as described for each sort rule below:

1. *Special*: by EGL_CONFIG_CAVEAT where the precedence is EGL_NONE, EGL_SLOW_CONFIG, EGL_NON_CONFORMANT_CONFIG.

2. Special:

by EGL_COLOR_BUFFER_TYPE where the precedence is EGL_RGB_BUFFER, EGL_LUMINANCE_BUFFER.

3. *Special*: by larger *total* number of color bits (for an RGB color buffer, this is the sum of EGL_RED_SIZE, EGL_GREEN_SIZE, EGL_BLUE_SIZE, and EGL_ALPHA_SIZE; for a luminance color buffer, the sum of EGL_LUMINANCE_SIZE and EGL_ALPHA_SIZE) ³. If the requested number of bits in *attrib_list* for a particular color component is 0 or EGL_DONT_CARE, then the number of bits for that component is not considered.

² The special match criteria for EGL_MATCH_NATIVE_PIXMAP was introduced due to the difficulty of determining an EGLConfig equivalent to a native pixmap using only color component depths.

³This rule places configs with deeper color buffers first in the list returned by **eglChooseConfig**. Applications may find this counterintuitive, and need to perform additional processing on the list of configs to find one best matching their requirements. For example, specifying RGBA depths of 5651 could return a list whose first config has a depth of 8888.

EGL_BUFFER_SIZE 0 AtLeast Smaller 4 EGL_RED_SIZE 0 AtLeast Special 3 EGL_GREEN_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_LUMINANCE_SIZE 0 AtLeast Special 3 EGL_ALPHA_SIZE 0 AtLeast Special 3 EGL_ALPHA_MASK_SIZE 0 AtLeast Special 3 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None 2 EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1	Attribute	Default	Selection	Sort	Sort
EGL_RED_SIZE 0 AtLeast Special 3 EGL_GREEN_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_LUMINANCE_SIZE 0 AtLeast Special 3 EGL_ALPHA_SIZE 0 AtLeast Special 3 EGL_ALPHA_MSK_SIZE 0 Atleast Special 3 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 EXACT None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_DONT_CARE Exact Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_SUFFERS 0 AtLeast Smaller 6 EGL_SENENCIL_SIZE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None			Criteria	Order	Priority
EGL_RED_SIZE 0 AtLeast Special 3 EGL_GREEN_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_LUMINANCE_SIZE 0 AtLeast Special 3 EGL_ALPHA_SIZE 0 AtLeast Special 3 EGL_ALPHA_MSK_SIZE 0 Atleast Special 3 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 EXACT None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_DONT_CARE Exact Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_SUFFERS 0 AtLeast Smaller 6 EGL_SENENCIL_SIZE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None					
EGL_GREEN_SIZE 0 AtLeast Special 3 EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_LUMINANCE_SIZE 0 AtLeast Special 3 EGL_ALPHA_SIZE 0 AtLeast Special 3 EGL_ALPHA_MSK_SIZE 0 AtLeast Special 3 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact Special 1 EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 Exact None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_RENDERABLE.TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_DONT_CARE Exact Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_TRANSPARENT_TYPE EGL_	EGL_BUFFER_SIZE	0	AtLeast	Smaller	4
EGL_BLUE_SIZE 0 AtLeast Special 3 EGL_LUMINANCE_SIZE 0 AtLeast Special 3 EGL_ALPHA_SIZE 0 AtLeast Special 3 EGL_ALPHA_MASK_SIZE 0 AtLeast Smaller 9 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None 2 EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 Exact None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SUFFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_MONE Exact None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_	EGL_RED_SIZE	0	AtLeast	Special	3
EGL_LUMINANCE_SIZE 0 AlLeast Special 3 EGL_ALPHA_SIZE 0 AlLeast Special 3 EGL_ALPHA_MASK_SIZE 0 AlLeast Smaller 9 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None 2 EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None 11 (last EGL_DEPTH_SIZE 0 AlLeast Smaller 7 EGL_LEVEL 0 Exact None 11 (last None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MAIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_SAMPLE_BUFFERS 0 AlLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AlLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AlLeast Smaller 6 EGL_SAMPLE_SUFFERS 0 AlLeast Smaller 6 EGL_SIENCIL_SIZE 0 AlLeast Smaller 8 EGL_SURFACE_TYPE EGL_DONT_CARE Exact None EGL_SURFACE_TYPE EGL_NONE EXACT None EGL_TRANSPARENT_TYPE EGL_NONE EXACT None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DO	EGL_GREEN_SIZE	0	AtLeast	Special	3
EGL_ALPHA_SIZE 0 AtLeast Special 3 EGL_ALPHA_MASK_SIZE 0 AtLeast Smaller 9 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None 2 EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None 2 EGL_LEVEL 0 EACH None EGL_MONE EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None 2 EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_SAMPLES 0 AtLeast Special 10 EGL_SAMPLES 0 AtLeast None EGL_SAMPLES 0 AtLeast Special 10 EGL_RENDERABLE_TYPE EGL_DONT_CARE Exact None EGL_SAMPLES 0 AtLEAST Smaller 5 EGL_SAMPLES 0 AtLEAST Smaller 5 EGL_SAMPLES 0 AtLEAST Smaller 6 EGL_SIENCIL_SIZE 0 AtLEAST Smaller 6 EGL_SIENCIL_SIZE 0 AtLEAST Smaller 8 EGL_SURFACE_TYPE EGL_MONE Exact None EGL_TRANSPARENT_TYPE EGL_NONE EXACT None EGL_TRANSPARENT_TYPE EGL_NONE EXACT None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None	EGL_BLUE_SIZE	0	AtLeast	Special	3
EGL_ALPHA_MASK_SIZE 0 AtLeast Smaller 9 EGL_BIND_TO_TEXTURE_RGB EGL_DONT_CARE Exact None EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None 2 EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None 11 (last EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 Exact None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact None EGL_RENDERABLE_TYPE EGL_DONT_CARE Exact Special 10 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 6 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_DONT_CARE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None	EGL_LUMINANCE_SIZE	0	AtLeast	Special	3
EGL_BIND_TO_TEXTURE_RGBA EGL_BIND_TO_TEXTURE_RGBA EGL_BIND_TO_TEXTURE_RGBA EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact Special EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 EXACT None EGL_MATCH_NATIVE_PIXMAP EGL_NONE EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE EGL_NATIVE_RENDERABLE EGL_DONT_CARE EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 6 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_SURFACE_TYPE EGL_NONE EGL_SURFACE_TYPE EGL_NONE EGL_TRANSPARENT_TYPE EGL_DONT_CARE EXACT NONE EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE EXACT NONE EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE EXACT NONE EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE EXACT NONE EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE EXACT NONE	EGL_ALPHA_SIZE	0	AtLeast	Special	3
EGL_BIND_TO_TEXTURE_RGBA EGL_DONT_CARE Exact None EGL_COLOR_BUFFER_TYPE EGL_RGB_BUFFER Exact None EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Special 1 EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 Exact None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None	EGL_ALPHA_MASK_SIZE	0	AtLeast	Smaller	9
EGL_COLOR_BUFFER_TYPE	EGL_BIND_TO_TEXTURE_RGB	EGL_DONT_CARE	Exact	None	
EGL_CONFIG_CAVEAT EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFIG_ID EGL_DONT_CARE Exact Smaller 11 (last EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_DEPTH_SIZE 0 EGL_DEPTH_SIZE 0 EGL_NONE Special None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 6 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_SURFACE_TYPE EGL_NONE EXACT None EGL_TRANSPARENT_TYPE EGL_NONE EXACT None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None	EGL_BIND_TO_TEXTURE_RGBA	EGL_DONT_CARE	Exact	None	
EGL_CONFIG_ID EGL_DONT_CARE EGL_CONFORMANT O Mask None EGL_DEPTH_SIZE O AtLeast Smaller 7 EGL_LEVEL O EGL_MATCH_NATIVE_PIXMAP EGL_DONT_CARE EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE EGL_NATIVE_RENDERABLE EGL_DONT_CARE EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT EGL_SAMPLE_BUFFERS O AtLeast Smaller EGL_SAMPLES O AtLeast Smaller EGL_STENCIL_SIZE O AtLeast EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_DONT_CARE EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE EXACT None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE EXACT None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE EXACT None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE EXACT None	EGL_COLOR_BUFFER_TYPE	EGL_RGB_BUFFER	Exact	None	2
EGL_CONFORMANT 0 Mask None EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 Exact None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_CONFIG_CAVEAT	EGL_DONT_CARE	Exact	Special	1
EGL_DEPTH_SIZE 0 AtLeast Smaller 7 EGL_LEVEL 0 Exact None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_CONFIG_ID	EGL_DONT_CARE	Exact	Smaller	11 (last)
EGL_LEVEL 0 EXACT None EGL_MATCH_NATIVE_PIXMAP EGL_NONE Special None EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_CONFORMANT	0	Mask	None	
EGL_MATCH_NATIVE_PIXMAP EGL_MONE EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE EXACT None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_DEPTH_SIZE	0	AtLeast	Smaller	7
EGL_MAX_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_LEVEL	0	Exact	None	
EGL_MIN_SWAP_INTERVAL EGL_DONT_CARE Exact None EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_MATCH_NATIVE_PIXMAP	EGL_NONE	Special	None	
EGL_NATIVE_RENDERABLE EGL_DONT_CARE Exact None EGL_NATIVE_VISUAL_TYPE EGL_DONT_CARE Exact Special 10 EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_MAX_SWAP_INTERVAL	EGL_DONT_CARE	Exact	None	
EGL_NATIVE_VISUAL_TYPE	EGL_MIN_SWAP_INTERVAL	EGL_DONT_CARE	Exact	None	
EGL_RENDERABLE_TYPE EGL_OPENGL_ES_BIT Mask None EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 5 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_NATIVE_RENDERABLE	EGL_DONT_CARE	Exact	None	
EGL_SAMPLE_BUFFERS 0 AtLeast Smaller 6 EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_NATIVE_VISUAL_TYPE	EGL_DONT_CARE	Exact	Special	10
EGL_SAMPLES 0 AtLeast Smaller 6 EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_RENDERABLE_TYPE	EGL_OPENGL_ES_BIT	Mask	None	
EGL_STENCIL_SIZE 0 AtLeast Smaller 8 EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_SAMPLE_BUFFERS	0	AtLeast	Smaller	5
EGL_SURFACE_TYPE EGL_WINDOW_BIT Mask None EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_SAMPLES	0	AtLeast	Smaller	6
EGL_TRANSPARENT_TYPE EGL_NONE Exact None EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_STENCIL_SIZE	0	AtLeast	Smaller	8
EGL_TRANSPARENT_RED_VALUE EGL_DONT_CARE Exact None EGL_TRANSPARENT_GREEN_VALUE EGL_DONT_CARE Exact None	EGL_SURFACE_TYPE	EGL_WINDOW_BIT	Mask	None	
EGL_TRANSPARENT_GREEN_VALUE	EGL_TRANSPARENT_TYPE	EGL_NONE	Exact	None	
	EGL_TRANSPARENT_RED_VALUE	EGL_DONT_CARE	Exact	None	
EGL_TRANSPARENT_BLUE_VALUE	EGL_TRANSPARENT_GREEN_VALUE	EGL_DONT_CARE	Exact	None	
	EGL_TRANSPARENT_BLUE_VALUE	EGL_DONT_CARE	Exact	None	

Table 3.4: Default values and match criteria for EGLConfig attributes.

- 4. Smaller EGL_BUFFER_SIZE.
- 5. Smaller EGL_SAMPLE_BUFFERS.
- 6. *Smaller* EGL_SAMPLES.
- 7. Smaller EGL_DEPTH_SIZE.
- 8. Smaller EGL_STENCIL_SIZE.
- 9. Smaller EGL_ALPHA_MASK_SIZE.
- 10. *Special*: by EGL_NATIVE_VISUAL_TYPE (the actual sort order is implementation-defined, depending on the meaning of native visual types).
- 11. *Smaller* EGL_CONFIG_ID (this is always the last sorting rule, and guarantees a unique ordering).

EGL_CONFIGS are not sorted with respect to the parameters EGL_BIND_TO_TEXTURE_RGB, EGL_BIND_TO_TEXTURE_RGBA, EGL_CONFORMANT, EGL_LEVEL, EGL_NATIVE_RENDERABLE, EGL_MAX_SWAP_INTERVAL, EGL_MIN_SWAP_INTERVAL, EGL_RENDERABLE_TYPE, EGL_SURFACE_TYPE, EGL_TRANSPARENT_TYPE, EGL_TRANSPARENT_RED_VALUE, EGL_TRANSPARENT_GREEN_VALUE, and EGL_TRANSPARENT_BLUE_VALUE.

3.4.2 Lifetime of Configurations

Configuration handles (EGLConfigs) returned by eglGetConfigs and egl-ChooseConfig remain valid so long as the EGLDisplay from which the handles were obtained is not terminated. Implementations supporting a large number of different configurations, where it might be burdensome to instantiate data structures for each configuration so queried (but never used), may choose to return handles encoding sufficient information to instantiate the corresponding configurations dynamically, when needed to create EGL resources or query configuration attributes.

3.4.3 Querying Configuration Attributes

To get the value of an EGLConfig attribute, use

```
EGLBoolean eglGetConfigAttrib(EGLDisplay dpy,
    EGLConfig config, EGLint attribute, EGLint
    *value);
```

If **eglGetConfigAttrib** succeeds then it returns EGL_TRUE and the value for the specified attribute is returned in *value*. Otherwise it returns EGL_FALSE. If *attribute* is not a valid attribute then EGL_BAD_ATTRIBUTE is generated.

Refer to Table 3.1 and Table 3.4 for a list of valid EGL attributes.

3.5 Rendering Surfaces

3.5.1 Creating On-Screen Rendering Surfaces

To create an on-screen rendering surface, first create a native platform window with attributes corresponding to the desired EGLConfig (e.g. with the same color depth, with other constraints specific to the platform). Using the platform-specific type EGLNativeWindowType, which is the type of a handle to that native window, then call:

```
EGLSurface eglCreateWindowSurface (EGLDisplay dpy, EGLConfig config, EGLNativeWindowType win, const EGLint *attrib_list);
```

eglCreateWindowSurface creates an onscreen EGLSurface and returns a handle to it. Any EGL context created with a compatible EGLConfig can be used to render into this surface.

attrib_list specifies a list of attributes for the window. The list has the same structure as described for **eglChooseConfig**. Attributes that can be specified in attrib_list include EGL_RENDER_BUFFER, EGL_VG_COLORSPACE, and EGL_VG_ALPHA_FORMAT.

It is possible that some platforms will define additional attributes specific to those environments, as an EGL extension.

attrib_list may be NULL or empty (first attribute is EGL_NONE), in which case all attributes assumes their default value as described below.

EGL_RENDER_BUFFER specifies which buffer should be used for client API rendering to the window, as described in section 2.2.2. If its value is EGL_SINGLE_BUFFER, then client APIs should render directly into the visible window. If its value is EGL_BACK_BUFFER, then all client APIs should render into the back buffer. The default value of EGL_RENDER_BUFFER is EGL_BACK_BUFFER.

Client APIs may not be able to respect the requested rendering buffer. To determine the actual buffer being rendered to by a context, call **eglQueryContext** (see section 3.7.4).

EGL_VG_COLORSPACE specifies the *color space* used by OpenVG when rendering to the

surface. If its value is EGL_VG_COLORSPACE_sRGB, then a non-linear, perceptually uniform color space is assumed, with a corresponding VGImageFormat of form VG_s*. If its value is EGL_VG_COLORSPACE_LINEAR, then a linear color space is assumed, with a corresponding VGImageFormat of form VG_l*. The default value of EGL_VG_COLORSPACE is EGL_VG_COLORSPACE_sRGB.

EGL_VG_ALPHA_FORMAT specifies how alpha values are interpreted by OpenVG when rendering to the surface. If its value is EGL_VG_ALPHA_FORMAT_NONPRE, then alpha values are not premultipled. If its value is EGL_VG_ALPHA_FORMAT_PRE, then alpha values are premultiplied. The default value of EGL_VG_ALPHA_FORMAT is EGL_VG_ALPHA_FORMAT_NONPRE.

Note that the <code>EGL_VG_COLORSPACE</code> and <code>EGL_VG_ALPHA_FORMAT</code> attributes are used only by <code>OpenVG</code> . <code>EGL</code> itself, and other client APIs such as <code>OpenGL</code> ES , do not distinguish multiple colorspace models. Refer to section 11.2 of the <code>OpenVG</code> 1.0 specification for more information.

On failure **eglCreateWindowSurface** returns EGL_NO_SURFACE. If the attributes of *win* do not correspond to *config*, then an EGL_BAD_MATCH error is generated. If *config* does not support rendering to windows (the EGL_SURFACE_TYPE attribute does not contain EGL_WINDOW_BIT), an EGL_BAD_MATCH error is generated. If *config* does not support the colorspace or alpha format attributes specified in *attrib_list* (as defined for **eglCreateWindowSurface**), an EGL_BAD_MATCH error is generated. If *config* is not a valid EGLConfig, an EGL_BAD_CONFIG error is generated. If *win* is not a valid native window handle, then an EGL_BAD_NATIVE_WINDOW error should be generated. If there is already an EGLConfig associated with *win* (as a result of a previous **eglCreateWindow-Surface** call), then an EGL_BAD_ALLOC error is generated. Finally, if the implementation cannot allocate resources for the new EGL window, an EGL_BAD_ALLOC error is generated.

3.5.2 Creating Off-Screen Rendering Surfaces

EGL supports off-screen rendering surfaces in pbuffers. Pbuffers differ from windows in the following ways:

- 1. Pbuffers are typically allocated in offscreen (non-visible) graphics memory and are intended only for accelerated offscreen rendering. Allocation can fail if there are insufficient graphics resources (implementations are not required to virtualize framebuffer memory). Clients should deallocate pbuffers when they are no longer in use, since graphics memory is often a scarce resource.
- 2. Pbuffers are EGL resources and have no associated native window or native window type. It may not be possible to render to pbuffers using native

rendering APIs.

To create a pbuffer, call

```
EGLSurface eglCreatePbufferSurface (EGLDisplay dpy,
    EGLConfig config, const EGLint
   *attrib_list);
```

This creates a single pbuffer surface and returns a handle to it.

attrib_list specifies a list of attributes for the pbuffer. The list has the same structure as described for **eglChooseConfig**. Attributes that can be specified in attrib_list include EGL_WIDTH, EGL_HEIGHT, EGL_LARGEST_PBUFFER, EGL_TEXTURE_FORMAT, EGL_TEXTURE_TARGET, EGL_MIPMAP_TEXTURE, EGL_VG_COLORSPACE, and EGL_VG_ALPHA_FORMAT.

It is possible that some platforms will define additional attributes specific to those environments, as an EGL extension.

attrib_list may be NULL or empty (first attribute is EGL_NONE), in which case all the attributes assume their default values as described below.

EGL_WIDTH and EGL_HEIGHT specify the pixel width and height of the rectangular pbuffer. If the value of EGLConfig attribute EGL_TEXTURE_FORMAT is not EGL_NO_TEXTURE, then the pbuffer width and height specify the size of the level zero texture image. The default values for EGL_WIDTH and EGL_HEIGHT are zero.

EGL_TEXTURE_FORMAT specifies the format of the OpenGL ES texture that will be created when a pbuffer is bound to a texture map. It can be set to EGL_TEXTURE_RGB, EGL_TEXTURE_RGBA, or EGL_NO_TEXTURE. The default value of EGL_TEXTURE_FORMAT is EGL_NO_TEXTURE.

EGL_TEXTURE_TARGET specifies the target for the OpenGL ES texture that will be created when the pbuffer is created with a texture format of EGL_TEXTURE_RGB or EGL_TEXTURE_RGBA. The target can be set to EGL_NO_TEXTURE or EGL_TEXTURE_2D. The default value of EGL_TEXTURE_TARGET is EGL_NO_TEXTURE.

EGL_MIPMAP_TEXTURE indicates whether storage for OpenGL ES mipmaps should be allocated. Space for mipmaps will be set aside if the attribute value is EGL_TRUE and EGL_TEXTURE_FORMAT is not EGL_NO_TEXTURE. The default value for EGL_MIPMAP_TEXTURE is EGL_FALSE.

Use EGL_LARGEST_PBUFFER to get the largest available pbuffer when the allocation of the pbuffer would otherwise fail. The width and height of the allocated pbuffer will never exceed the values of EGL_WIDTH and EGL_HEIGHT, respectively. If the pbuffer will be used as a OpenGL ES texture (i.e., the value of EGL_TEXTURE_TARGET is EGL_TEXTURE_2D, and the value of

EGL_TEXTURE_RGBA), then the aspect ratio will be preserved and the new width and height will be valid sizes for the texture target (e.g. if the underlying OpenGL ES implementation does not support non-power-of-two textures, both the width and height will be a power of 2). Use **eglQuerySurface** to retrieve the dimensions of the allocated pbuffer. The default value of EGL_LARGEST_PBUFFER is EGL_FALSE.

EGL_VG_COLORSPACE and EGL_VG_ALPHA_FORMAT have the same meaning and default values as when used with **eglCreateWindowSurface**.

The resulting pbuffer will contain color buffers and ancillary buffers as specified by *config*.

The contents of the depth and stencil buffers may not be preserved when rendering an OpenGL ES texture to the pbuffer and switching which image of the texture is rendered to (e.g., switching from rendering one mipmap level to rendering another).

On failure eglCreatePbufferSurface returns EGL_NO_SURFACE. If the pbuffer could not be created due to insufficient resources, then an EGL_BAD_ALLOC error is generated. If config is not a valid EGLConfig, an EGL_BAD_CONFIG error is generated. If the value specified for either EGL_WIDTH or EGL_HEIGHT is less than zero, an EGL_BAD_PARAMETER error is generated. If config does not support pbuffers, an EGL_BAD_MATCH error is generated. In addition, an EGL_BAD_MATCH error is generated if any of the following conditions are true:

- The EGL_TEXTURE_FORMAT attribute is not EGL_NO_TEXTURE, and EGL_WIDTH and/or EGL_HEIGHT specify an invalid size (e.g., the texture size is not a power of two, and the underlying OpenGL ES implementation does not support non-power-of-two textures).
- The EGL_TEXTURE_FORMAT attribute is EGL_NO_TEXTURE, and EGL_TEXTURE_TARGET is something other than EGL_NO_TEXTURE; or, EGL_TEXTURE_FORMAT is something other than EGL_NO_TEXTURE, and EGL_TEXTURE_TARGET is EGL_NO_TEXTURE.

Finally, an EGL_BAD_ATTRIBUTE error is generated if any of the EGL_TEXTURE_FORMAT, EGL_TEXTURE_TARGET, or EGL_MIPMAP_TEXTURE attributes are specified, but *config* does not support OpenGL ES rendering (e.g. the EGL_RENDERABLE_TYPE attribute does not include at least one of EGL_OPENGL_ES_BIT or EGL_OPENGL_ES2_BIT.

3.5.3 Binding Off-Screen Rendering Surfaces To Client Buffers

Pbuffers may also be created by binding renderable buffers created in client APIs to EGL. Currently, the only client API resources which may be bound in this fashion are OpenVG VGImage objects.

To bind a client API renderable buffer to a pbuffer, call

```
EGLSurface eglCreatePbufferFromClient-
```

```
Buffer (EGLDisplay dpy, EGLenum buftype, EGLClientBuffer buffer, EGLConfig config, const EGLint *attrib_list);
```

This creates a single pbuffer surface bound to the specified *buffer* for part or all of its buffer storage, and returns a handle to it. The width and height of the pbuffer are determined by the width and height of *buffer*.

buftype specifies the type of buffer to be bound. The only allowed value of *buftype* is EGL_OPENVG_IMAGE.

buffer is a client API reference to the buffer to be bound. When buftype is EGL_OPENVG_IMAGE, buffer must be a valid VGImage handle, cast into the type EGLClientBuffer.

attrib_list specifies a list of attributes for the pbuffer. The list has the same structure as described for eglChooseConfig. Attributes that can be specified in attrib_list include EGL_TEXTURE_FORMAT, EGL_TEXTURE_TARGET, and EGL_MIPMAP_TEXTURE. The meaning of these attributes is as described above for eglCreatePbufferSurface. The EGL_VG_COLORSPACE and EGL_VG_ALPHA_FORMAT attributes of the surface are determined by the VGImageFormat of buffer.

attrib_list may be NULL or empty (first attribute is EGL_NONE), in which case all the attributes assume their default values as described above for **eglCreateP-bufferSurface**.

The resulting pbuffer will contain color and ancillary buffers as specified by *config*. Buffers which are present in *buffer* (normally, just the color buffer) will be bound to EGL. Buffers which are not present in *buffer* (such as depth and stencil, if *config* includes those buffers) will be allocated by EGL in the same fashion as for a surface created with **eglCreatePbufferSurface**

On failure **eglCreatePbufferFromClientBuffer** returns EGL_NO_SURFACE. In addition to the errors described above for **eglCreatePbufferSurface**, **eglCreatePbufferFromClientBuffer** may fail and generate errors for the following reasons:

• If *buftype* is not a recognized client API resource type, or if *buffer* is not a valid handle or name of a client API resource of the specified type, an EGL_BAD_PARAMETER error is generated.

- If the buffers contained in *buffer* do not correspond to a proper subset of the buffers described by *config*, and match the bit depths for those buffers specified in *config*, then an EGL_BAD_MATCH error is generated. For example, a VGImage with pixel format VG_1RGBA_8888 corresponds to an EGLConfig with EGL_RED_SIZE, EGL_GREEN_SIZE, EGL_BLUE_SIZE, and EGL_ALPHA_SIZE values of 8.
- There may be additional constraints on which types of buffers may be bound to EGL surfaces, as described in client API specifications. If those constraints are violated, then an EGL_BAD_MATCH error is generated.
- If *buffer* is already bound to another pbuffer, or is in use by a client API as discussed below, an EGL_BAD_ACCESS error is generated.

Lifetime and Usage of Bound Buffers

Binding client API buffers to EGL pbuffers create the possibility of race conditions, and of buffers being deleted through one API while still in use in another API. To avoid these problems, a number of constraints apply to bound client API buffers:

- Bound buffers may be used exclusively by either EGL, or the client API that originally created them.
 - For example, if a VGImage is bound to a pbuffer, and that pbuffer is bound to any client API rendering context, then the VGImage may not be used as the explicit source or destination of any OpenVG operation. Errors resulting from such use are described in client API specifications.
 - Similarly, while a VGImage is in use by OpenVG, the pbuffer it is bound to may not be made current to any client API context, as described in section 3.7.3.
- Binding a buffer creates an additional reference to it, and implementations must respect outstanding references when destroying objects.
 - For example, if a VGImage is bound to a pbuffer, destroying the image with **vgDestroyImage** will not free the underlying buffer, because it is still in use by EGL. However, following **vgDestroyImage** the buffer may only be referred to via the EGL pbuffer handle, since the OpenVG handle to that buffer no longer exists.

Similarly, destroying the pbuffer with **eglDestroySurface** will not free the underlying buffer, because it is still in use by OpenVG . However, following **eglDestroySurface** the buffer may only be referred to via the OpenVG VGImage handle, since the EGL pbuffer handle no longer exists.

3.5.4 Creating Native Pixmap Rendering Surfaces

EGL also supports rendering surfaces whose color buffers are stored in native pixmaps. Pixmaps differ from windows in that they are typically allocated in offscreen (non-visible) graphics or CPU memory. Pixmaps differ from pbuffers in that they do have an associated native pixmap and native pixmap type, and it may be possible to render to pixmaps using APIs other than client APIs .

To create a pixmap rendering surface, first create a native platform pixmap, then select an EGLConfig matching the pixel format of that pixmap (calling eglChooseConfig with an attribute list including EGL_MATCH_NATIVE_PIXMAP returns only EGLConfigs matching the pixmap specified in the attribute list - see section 3.4.1).

Using the platform-specific type EGLNativePixmapType, which is the type of a handle to that native pixmap, then call:

eglCreatePixmapSurface creates an offscreen EGLSurface and returns a handle to it. Any EGL context created with a compatible EGLConfig can be used to render into this surface.

attrib_list specifies a list of attributes for the pixmap. The list has the same structure as described for **eglChooseConfig**. Attributes that can be specified in attrib_list include EGL_VG_COLORSPACE and EGL_VG_ALPHA_FORMAT.

It is possible that some platforms will define additional attributes specific to those environments, as an EGL extension.

attrib_list may be NULL or empty (first attribute is EGL_NONE), in which case all attributes assumes their default value.

EGL_VG_COLORSPACE and EGL_VG_ALPHA_FORMAT have the same meaning and default values as when used with **eglCreateWindowSurface**.

The resulting pixmap surface will contain color and ancillary buffers as specified by *config*. Buffers which are present in *pixmap* (normally, just the color buffer) will be bound to EGL. Buffers which are not present in *pixmap* (such as depth and stencil, if *config* includes those buffers) will be allocated by EGL in the same fashion as for a surface created with **eglCreatePbufferSurface**.

On failure eglCreatePixmapSurface returns EGL_NO_SURFACE. If the attributes of *pixmap* do not correspond to *config*, then an EGL_BAD_MATCH error is generated. If *config* does not support rendering to pixmaps (the EGL_SURFACE_TYPE attribute does not contain EGL_PIXMAP_BIT), an

EGL_BAD_MATCH error is generated. If *config* does not support the colorspace or alpha format attributes specified in *attrib_list* (as defined for **eglCreateWindowSurface**), an EGL_BAD_MATCH error is generated. If *config* is not a valid EGLConfig, an EGL_BAD_CONFIG error is generated. If *pixmap* is not a valid native pixmap handle, then an EGL_BAD_NATIVE_PIXMAP error should be generated. If there is already an EGLSurface associated with *pixmap* (as a result of a previous **eglCreatePixmapSurface** call), then a EGL_BAD_ALLOC error is generated. Finally, if the implementation cannot allocate resources for the new EGL pixmap, an EGL_BAD_ALLOC error is generated.

3.5.5 Destroying Rendering Surfaces

An EGLSurface of any type (window, pbuffer, or pixmap) is destroyed by calling

```
EGLBoolean eglDestroySurface (EGLDisplay dpy, EGLSurface surface);
```

All resources associated with *surface* which were allocated by EGL are marked for deletion as soon as possible. If *surface* is current to any thread (see section 3.7.3), resources are not actually released while the surface remains current. Future references to *surface* remain valid only so long as it is current; it will be destroyed, and all future references to it will become invalid, as soon as any otherwise valid **eglMakeCurrent** call is made from the thread it is bound to.

Resources associated with *surface* but not allocated by EGL, such as native windows, native pixmaps, or client API buffers, are not affected when the surface is destroyed. Only storage actually allocated by EGL is marked for deletion.

Furthermore, resources associated with a pbuffer surface are not released until all color buffers of that pbuffer bound to a OpenGL ES texture object have been released.

eglDestroySurface returns EGL_FALSE on failure. An EGL_BAD_SURFACE error is generated if *surface* is not a valid rendering surface.

3.5.6 Surface Attributes

To set an attribute for an EGLSurface, call

```
EGLBoolean eglSurfaceAttrib (EGLDisplay dpy, EGLSurface surface, EGLint attribute, EGLint value);
```

Version 1.3 - December 4, 2006

Attribute	Type	Description
EGL_VG_ALPHA_FORMAT	enum	Alpha format for OpenVG
EGL_VG_COLORSPACE	enum	Color space for OpenVG
EGL_CONFIG_ID	integer	ID of EGLConfig
		surface was created with
EGL_HEIGHT	integer	Height of surface
EGL_HORIZONTAL_RESOLUTION	integer	Horizontal dot pitch
EGL_LARGEST_PBUFFER	boolean	If true, create largest pbuffer possible
EGL_MIPMAP_TEXTURE	boolean	True if texture has mipmaps
EGL_MIPMAP_LEVEL	integer	Mipmap level to render to
EGL_PIXEL_ASPECT_RATIO	integer	Display aspect ratio
EGL_RENDER_BUFFER	enum	Render buffer
EGL_SWAP_BEHAVIOR	enum	Buffer swap behavior
EGL_TEXTURE_FORMAT	enum	Format of texture: RGB,
		RGBA, or no texture
EGL_TEXTURE_TARGET	enum	Type of texture: 2D or no texture
EGL_VERTICAL_RESOLUTION	integer	Vertical dot pitch
EGL_WIDTH	integer	Width of surface

Table 3.5: Queryable surface attributes and types.

The specified *attribute* of *surface* is set to *value*. Currently only the EGL_MIPMAP_LEVEL attribute can be set.

For OpenGL ES mipmap textures, the EGL_MIPMAP_LEVEL attribute indicates which level of the mipmap should be rendered. If the value of this attribute is outside the range of supported mipmap levels, the closest valid mipmap level is selected for rendering. The default value of this attribute is 0.

If the value of pbuffer attribute EGL_TEXTURE_FORMAT is EGL_NO_TEXTURE, if the value of attribute EGL_TEXTURE_TARGET is EGL_NO_TEXTURE, or if *surface* is not a pbuffer, then attribute EGL_MIPMAP_LEVEL may be set, but has no effect.

If OpenGL ES rendering is not supported by *surface*, then trying to set EGL_MIPMAP_LEVEL will cause an EGL_BAD_PARAMETER error.

To query an attribute associated with an EGLSurface call:

```
EGLBoolean eglQuerySurface(EGLDisplay dpy, EGLSurface surface, EGLint attribute, EGLint *value);
```

Version 1.3 - December 4, 2006

eglQuerySurface returns in *value* the value of *attribute* for *surface*. *attribute* must be set to one of the attributes in table 3.5.

Querying EGL_CONFIG_ID returns the ID of the EGLConfig with respect to which the surface was created.

Querying EGL_LARGEST_PBUFFER for a pbuffer surface returns the same attribute value specified when the surface was created with **eglCreatePbufferSurface**. For a window or pixmap surface, the contents of *value* are not modified.

Querying EGL_WIDTH and EGL_HEIGHT returns respectively the width and height, in pixels, of the surface. For a window or pixmap surface, these values are initially equal to the width and height of the native window or pixmap with respect to which the surface was created. If a native window is resized, the corresponding window surface will eventually be resized by the implementation to match (as discussed in section 3.9.1). If there is a discrepancy because EGL has not yet resized the window surface, the size returned by **eglQuerySurface** will always be that of the EGL surface, not the corresponding native window.

For a pbuffer, they will be the actual allocated size of the pbuffer (which may be less than the requested size if EGL_LARGEST_PBUFFER is EGL_TRUE).

Querying EGL_HORIZONTAL_RESOLUTION and EGL_VERTICAL_RESOLUTION returns respectively the horizontal and vertical dot pitch of the display on which a window surface is visible. The values returned are equal to the actual dot pitch, in pixels/meter, multiplied by the constant value EGL_DISPLAY_SCALING (10000).

Querying EGL_PIXEL_ASPECT_RATIO returns the ratio of pixel width to pixel height, multiplied by EGL_DISPLAY_SCALING. For almost all displays, the returned value will be EGL_DISPLAY_SCALING, indicating an aspect ratio of one (square pixels).

For an offscreen (pbuffer or pixmap) surface, or a surface whose pixel dot pitch or aspect ratio are unknown, querying EGL_HORIZONTAL_RESOLUTION, EGL_VERTICAL_RESOLUTION, and EGL_PIXEL_ASPECT_RATIO will return the constant value EGL_UNKNOWN (-1).

Querying EGL_RENDER_BUFFER returns the buffer which client API rendering is requested to use. For a window surface, this is the same attribute value specified when the surface was created. For a pbuffer surface, it is always EGL_BACK_BUFFER. For a pixmap surface, it is always EGL_SINGLE_BUFFER. To determine the actual buffer being rendered to by a context, call **eglQueryContext** (see section 3.7.4).

Querying EGL_SWAP_BEHAVIOR describes the effect on the color buffer when posting a surface with **eglSwapBuffers** (see section 3.9). A value of EGL_BUFFER_PRESERVED indicates that color buffer contents are unaffected, while a value of EGL_BUFFER_DESTROYED indicates that color buffer contents may be destroyed or changed by the operation.

Querying EGL_TEXTURE_FORMAT, EGL_TEXTURE_TARGET, EGL_MIPMAP_TEXTURE, or EGL_MIPMAP_LEVEL for a non-pbuffer surface is not an error, but *value* is not modified.

eglQuerySurface returns EGL_FALSE on failure and *value* is not updated. If *attribute* is not a valid EGL surface attribute, then an EGL_BAD_ATTRIBUTE error is generated. If *surface* is not a valid EGLSurface then an EGL_BAD_SURFACE error is generated.

3.6 Rendering to Textures

This section describes how to render to an OpenGL ES texture using a pbuffer surface configured for this operation. If a pbuffer surface does not support OpenGL ES rendering, or if OpenGL ES is not implemented on a platform, then calling **eglBindTexImage** or **eglReleaseTexImage** will always generate EGL_BAD_SURFACE errors.

3.6.1 Binding a Surface to a OpenGL ES Texture

The command

```
EGLBoolean eglBindTexImage (EGLDisplay dpy, EGLSurface surface, EGLint buffer);
```

defines a two-dimensional texture image. The texture image consists of the image data in *buffer* for the specified surface, and need not be copied. Currently the only value accepted for *buffer* is EGL_BACK_BUFFER, which indicates the buffer into which OpenGL ES rendering is taking place (this is true even when using a single-buffered surface, such as a pixmap). In future versions of EGL, additional *buffer* values may be allowed to bind textures to other buffers in an EGLSurface.

The texture target, the texture format and the size of the texture components are derived from attributes of the specified *surface*, which must be a pbuffer supporting one of the EGL_BIND_TO_TEXTURE_RGB or EGL_BIND_TO_TEXTURE_RGBA attributes.

Note that any existing images associated with the different mipmap levels of the texture object are freed (it is as if **glTexImage** was called with an image of zero width).

The pbuffer attribute EGL_TEXTURE_FORMAT determines the base internal format of the texture. The component sizes are also determined by pbuffer attributes as shown in table 3.6:

Texture Component	Size
R	EGL_RED_SIZE
G	EGL_GREEN_SIZE
В	EGL_BLUE_SIZE
A	EGL_ALPHA_SIZE

Table 3.6: Size of texture components

The texture target is derived from the EGL_TEXTURE_TARGET attribute of *surface*. If the attribute value is EGL_TEXTURE_2D, then *buffer* defines a texture for the two-dimensional texture object which is bound to the current context (hereafter referred to as the current texture object).

If *dpy* and *surface* are the display and surface for the calling thread's current context, **eglBindTexImage** performs an implicit **glFlush**. For other *surfaces*, **eglBindTexImage** waits for all effects from previously issued client API commands drawing to the surface to complete before defining the texture image, as though **glFinish** were called on the last context to which that surface were bound.

After **eglBindTexImage** is called, the specified *surface* is no longer available for reading or writing. Any read operation, such as **glReadPixels** or **eglCopy-Buffers**, which reads values from any of the surface's color buffers or ancillary buffers will produce indeterminate results. In addition, draw operations that are done to the surface before its color buffer is released from the texture produce indeterminate results. Specifically, if the surface is current to a context and thread then rendering commands will be processed and the context state will be updated, but the surface may or may not be written. **eglSwapBuffers** has no effect if it is called on a bound surface.

Client APIs other than OpenGL ES may be used to render into a surface later bound as a texture. The effects of binding a surface as an OpenGL ES texture when the surface is current to a client API context other than OpenGL ES are generally similar those described above, but there may be additional restrictions. Applications using mixed-mode render-to-texture in this fashion should unbind surfaces from all client API contexts before binding those surfaces as OpenGL ES textures.

Note that the color buffer is bound to a texture object. If the texture object is shared between contexts, then the color buffer is also shared. If a texture object is deleted before **eglReleaseTexImage** is called, then the color buffer is released and the surface is made available for reading and writing.

Texture mipmap levels are automatically generated when all of the following conditions are met while calling **eglBindTexImage**:

- The EGL_MIPMAP_TEXTURE attribute of the pbuffer being bound is EGL_TRUE.
- The OpenGL ES texture parameter GL_GENERATE_MIPMAP is GL_TRUE for the currently bound texture.
- The value of the EGL_MIPMAP_LEVEL attribute of the pbuffer being bound is equal to the value of the texture parameter GL_TEXTURE_BASE_LEVEL.

In this case, additional mipmap levels are generated as described in section 3.8 of the OpenGL ES 1.1 Specification.

It is not an error to call **glTexImage2D** or **glCopyTexImage2D** to replace an image of a texture object that has a color buffer bound to it. However, these calls will cause the color buffer to be released back to the surface and new memory will be allocated for the texture. Note that the color buffer is released even if the image that is being defined is a mipmap level that was not defined by the color buffer.

If **eglBindTexImage** is called and the surface attribute EGL_TEXTURE_FORMAT is set to EGL_NO_TEXTURE, then an EGL_BAD_MATCH error is returned. If *buffer* is already bound to a texture then an EGL_BAD_ACCESS error is returned. If *buffer* is not a valid buffer, then an EGL_BAD_PARAMETER error is generated. If *surface* is not a valid EGLSurface, or is not a pbuffer surface supporting texture binding, then an EGL_BAD_SURFACE error is generated.

eglBindTexImage is ignored if there is no current rendering context.

3.6.2 Releasing a Surface from an OpenGL ES Texture

To release a color buffer that is being used as a texture, call

```
EGLBoolean eglReleaseTexImage (EGLDisplay dpy, EGLSurface surface, EGLint buffer);
```

The specified color buffer is released back to the surface. The surface is made available for reading and writing when it no longer has any color buffers bound as textures.

The contents of the color buffer are undefined when it is first released. In particular, there is no guarantee that the texture image is still present. However, the contents of other color buffers are unaffected by this call. Also, the contents of the depth and stencil buffers are not affected by **eglBindTexImage** and **eglRelease-TexImage**.

If the specified color buffer is no longer bound to a texture (e.g., because the texture object was deleted) then **eglReleaseTexImage** has no effect. No error is generated.

After a color buffer is released from a texture (either explicitly by calling eglReleaseTexImage or implicitly by calling a routine such as glTexImage2D), all texture images that were defined by the color buffer become NULL (it is as if glTexImage was called with an image of zero width).

If **eglReleaseTexImage** is called and the value of surface attribute EGL_TEXTURE_FORMAT is EGL_NO_TEXTURE, then an EGL_BAD_MATCH error is returned. If *buffer* is not a valid buffer (currently only EGL_BACK_BUFFER may be specified), then an EGL_BAD_PARAMETER error is generated. If *surface* is not a valid EGLSurface, or is not a bound pbuffer surface, then an EGL_BAD_SURFACE error is returned.

3.6.3 Implementation Caveats

Developers should note that conformant OpenGL ES implementations are not required to support render to texture; that is, there may be no EGLConfigs supporting the EGL_BIND_TO_TEXTURE_RGB or EGL_BIND_TO_TEXTURE_RGBA attributes. Render to texture is functionally subsumed by the newer framebuffer object extension to OpenGL ES , and may eventually be deprecated.

3.7 Rendering Contexts

EGL provides functions to create and destroy rendering contexts for each supported client API; to query information about rendering contexts; and to bind rendering contexts to surfaces, making them *current*.

At most one context for each supported client API may be current to a particular thread at a given time, and at most one context may be bound to a particular surface at a given time. ⁴ The minimum number of current contexts that must be supported by an EGL implementation is one for each supported client API. ⁵

Only one OpenGL ES context may be current to a particular thread, even if the implementation supports both OpenGL ES 1.x and OpenGL ES 2.x in the same runtime ⁶.

⁴Note that this implies that implementations must allow (for example) both an OpenGL ES and an OpenVG context to be current to the **same** thread, so long as they are drawing to **different** surfaces.

⁵This constraint allows valid implementations which are restricted to supporting only one active rendering thread in a thread group.

⁶This restriction is necessary because many entry points are shared by both versions of OpenGL ES . Determining which library version of OpenGL ES to call into is based on properties of the current OpenGL ES context.

Some of the functions described in this section make use of the *current rendering API*, which is set on a per-thread basis ⁷ by calling

```
EGLBoolean eglBindAPI (EGLenum api);
```

 $\it api$ must specify one of the supported client APIs , either EGL_OPENVG_API or EGL_OPENGL_ES_API.

eglBindAPI returns EGL_FALSE on failure. If *api* is not one of the values specified above, or if the client API specified by *api* is not supported by the implementation, an EGL_BAD_PARAMETER error is generated.

To obtain the value of the current rendering API, call

```
EGLenum eglQueryAPI();
```

The value returned will be one of the valid *api* parameters to **eglBindAPI**, or EGL_NONE.

The initial value of the current rendering API is EGL_OPENGL_ES_API, unless OpenGL ES is not supported by an implementation, in which case the initial value is EGL_NONE. Applications using multiple client APIs are responsible for ensuring the current rendering API is correct before calling the functions eglCreate-Context, eglGetCurrentContext, eglGetCurrentDisplay, eglGetCurrentSurface, eglMakeCurrent (when its ctx parameter is EGL_NO_CONTEXT), eglWaitClient, or eglWaitNative.

3.7.1 Creating Rendering Contexts

To create a rendering context for the current rendering API, call

```
EGLContext eglCreateContext (EGLDisplay dpy,
    EGLConfig config, EGLContext share_context,
    const EGLint *attrib_list);
```

If **eglCreateContext** succeeds, it initializes the context to the initial state defined for the current rendering API, and returns a handle to it. The context can be used to render to any compatible EGLSurface.

Although contexts are specific to a single client API, all contexts created in EGL exist in a single namespace. This allows many EGL calls which manage contexts to avoid use of the current rendering API.

⁷Note that the current rendering API is set on a per-thread basis, but not on a per-EGLDisplay basis. This is because current contexts are bound in the same manner.

If <code>share_context</code> is not <code>EGL_NO_CONTEXT</code>, then all shareable data, as defined by the client API (note that for OpenGL ES , shareable data excludes texture objects named 0) will be shared by <code>share_context</code>, all other contexts <code>share_context</code> already shares with, and the newly created context. An arbitrary number of <code>EGLContexts</code> can share data in this fashion. The OpenGL ES server context state for all sharing contexts must exist in a single address space or an <code>EGL_BAD_MATCH</code> error is generated.

attrib_list specifies a list of attributes for the context. The list has the same structure as described for **eglChooseConfig**. The only attribute that can be specified in attrib_list is EGL_CONTEXT_CLIENT_VERSION, and this attribute may only be specified when creating a OpenGL ES context (e.g. when the current rendering API is EGL_OPENGL_ES_API).

attrib_list may be NULL or empty (first attribute is EGL_NONE), in which case attributes assume their default values as described below.

EGL_CONTEXT_CLIENT_VERSION determines which version of an OpenGL ES context to create. An attribute value of 1 specifies creation of an OpenGL ES 1.x context. An attribute value of 2 specifies creation of an OpenGL ES 2.x context. The default value for EGL_CONTEXT_CLIENT_VERSION is 1.

On failure eglCreateContext returns EGL_NO_CONTEXT. If the current rendering api is EGL_NONE, then an EGL_BAD_MATCH error is generated (this situation can only arise in an implementation which does not support OpenGL ES, and prior to the first call to eglBindAPI). If <code>share_context</code> is neither zero nor a valid context of the same client API type as the newly created context, then an EGL_BAD_CONTEXT error is generated.

If *config* is not a valid EGLConfig, or does not support the requested client API, then an EGL_BAD_CONFIG error is generated (this includes requesting creation of an OpenGL ES 1.x context when the EGL_RENDERABLE_TYPE attribute of *config* does not contain EGL_OPENGL_ES_BIT, or creation of an OpenGL ES 2.x context when the attribute does not contain EGL_OPENGL_ES2_BIT).

If the OpenGL ES server context state for *share_context* exists in an address space that cannot be shared with the newly created context, if *share_context* was created on a different display than the one referenced by *config*, or if the contexts are otherwise incompatible (for example, one context being associated with a hardware device driver and the other with a software renderer), then an EGL_BAD_MATCH error is generated. If the server does not have enough resources to allocate the new context, then an EGL_BAD_ALLOC error is generated.

3.7.2 Destroying Rendering Contexts

A rendering context is destroyed by calling

All resources associated with *ctx* are marked for deletion as soon as possible. If *ctx* is current to any thread (see section 3.7.3), resources are not actually released while the context remains current. Future references to *ctx* remain valid only so long as it is current; it will be destroyed, and all future references to it will become invalid, as soon as any otherwise valid **eglMakeCurrent** call is made from the thread it is bound to).

eglDestroyContext returns EGL_FALSE on failure. An EGL_BAD_CONTEXT error is generated if *ctx* is not a valid context.

3.7.3 Binding Contexts and Drawables

To make a context current, call

```
EGLBoolean eglMakeCurrent (EGLDisplay dpy, EGLSurface draw, EGLSurface read, EGLContext ctx);
```

eglMakeCurrent binds *ctx* to the current rendering thread and to the *draw* and *read* surfaces.

For an OpenGL ES context, *draw* is used for all OpenGL ES operations except for any pixel data read back, which is taken from the frame buffer values of *read*. Note that the same EGLSurface may be specified for both *draw* and *read*.

For an OpenVG context, the same EGLSurface **must** be specified for both *draw* and *read*.

If the calling thread already has a current context of the same client API type as *ctx*, then that context is flushed and marked as no longer current. *ctx* is then made the current context for the calling thread.

eglMakeCurrent returns EGL_FALSE on failure. Errors generated may include:

- If *draw* or *read* are not compatible with *ctx*, then an EGL_BAD_MATCH error is generated.
- If *ctx* is current to some other thread, or if either *draw* or *read* are bound to contexts in another thread, an EGL_BAD_ACCESS error is generated.
- If either *draw* or *read* are pbuffers created with **eglCreatePbufferFrom- ClientBuffer**, and the underlying bound client API buffers are in use by the client API that created them, an EGL_BAD_ACCESS error is generated.

- If ctx is not a valid context, an EGL_BAD_CONTEXT error is generated.
- If either *draw* or *read* are not valid EGL surfaces, an EGL_BAD_SURFACE error is generated.
- If a native window underlying either *draw* or *read* is no longer valid, an EGL_BAD_NATIVE_WINDOW error is generated.
- If *draw* and *read* cannot fit into graphics memory simultaneously, an EGL_BAD_MATCH error is generated.
- If the previous context of the calling thread has unflushed commands, and the
 previous surface is no longer valid, an EGL_BAD_CURRENT_SURFACE error is
 generated.
- If the ancillary buffers for *draw* and *read* cannot be allocated, an EGL_BAD_ALLOC error is generated.
- If a power management event has occurred, an EGL_CONTEXT_LOST error is generated.

Other errors may arise when the context state is inconsistent with the surface state, as described in the following paragraphs.

If *draw* is destroyed after **eglMakeCurrent** is called, then subsequent rendering commands will be processed and the context state will be updated, but the surface contents become undefined. If *read* is destroyed after **eglMakeCurrent** then pixel values read from the framebuffer (e.g., as result of calling **glReadPixels**) are undefined. If a native window or pixmap underlying the *draw* or *read* surfaces is destroyed, rendering and readback are handled as above.

To release the current context without assigning a new one, set ctx to EGL_NO_CONTEXT and set draw and read to EGL_NO_SURFACE. The currently bound context for the client API specified by the current rendering API is flushed and marked as no longer current, and there will be no current context for that client API after **eglMakeCurrent** returns. This is the only case in which **eglMakeCurrent** respects the current rendering API. In all other cases, the client API affected is determined by ctx.

If ctx is EGL_NO_CONTEXT and draw and read are not EGL_NO_SURFACE, or if draw or read are set to EGL_NO_SURFACE and ctx is not EGL_NO_CONTEXT, then an EGL_BAD_MATCH error will be generated.

The first time an OpenGL ES context is made current the viewport and scissor dimensions are set to the size of the draw surface (as though glViewport(0, 0, w, h)) and glScissor(0, 0, w, h) were called, where w and h are the width and height

of the surface, respectively). However, the viewport and scissor dimensions are not modified when *ctx* is subsequently made current. The client is responsible for resetting the viewport and scissor in this case.

Implementations may delay allocation of auxiliary buffers for a surface until they are required by a context (which may result in the EGL_BAD_ALLOC error described above). Once allocated, however, auxiliary buffers and their contents persist until a surface is deleted.

When rendering to a surface containing multisample buffers (created with respect to an EGLConfig whose EGL_SAMPLE_BUFFERS attribute has a value of one), multisample information may be lost when switching rendering between client APIs. Some client APIs may interpret multisample information in different fashions, and some may not perform multisample rendering, even when multisample buffers are available. When multisample information is lost, lower quality images may result. For this reason, applications mixing rendering by multiple client APIs onto the same surface should minimize switching between client APIs. Ideally, each client API rendering to a surface should be made current only once for each frame being rendered.

3.7.4 Context Queries

Several queries exist to return information about contexts.

To get the current context for the current rendering API, call

```
EGLContext eglGetCurrentContext();
```

If there is no current context for the current rendering API, or if the current rendering API is EGL_NONE, then EGL_NO_CONTEXT is returned (this is not an error).

To get the surfaces used for rendering by a current context, call

```
EGLSurface eglGetCurrentSurface (EGLint readdraw);
```

readdraw is either EGL_READ or EGL_DRAW, to return respectively the read or draw surfaces bound to the current context in the calling thread, for the current rendering API.

If there is no current context for the current rendering API, then EGL_NO_SURFACE is returned (this is not an error). If readdraw is neither EGL_READ nor EGL_DRAW, EGL_NO_SURFACE is returned and an EGL_BAD_PARAMETER error is generated.

To get the display associated with a current context, call

```
EGLDisplay eglGetCurrentDisplay(void);
```

The display for the current context in the calling thread, for the current rendering API, is returned. If there is no current context for the current rendering API, EGL_NO_DISPLAY is returned (this is not an error).

To obtain the value of context attributes, use

```
EGLBoolean eglQueryContext(EGLDisplay dpy,
    EGLContext ctx, EGLint attribute, EGLint
    *value);
```

eglQueryContext returns in *value* the value of *attribute* for *ctx*. *attribute* must be set to EGL_CONFIG_ID, EGL_CONTEXT_CLIENT_TYPE, EGL_CONTEXT_CLIENT_VERSION, or EGL_RENDER_BUFFER.

Querying EGL_CONFIG_ID returns the ID of the EGLConfig with respect to which the context was created.

Querying EGL_CONTEXT_CLIENT_TYPE returns the type of client API this context supports (the value of the *api* parameter to **eglBindAPI**).

Querying EGL_CONTEXT_CLIENT_VERSION returns the version of the client API this context supports, as specified at context creation time. The resulting value is only meaningful for an OpenGL ES context.

Querying EGL_RENDER_BUFFER returns the buffer which client API rendering via this context will use. The value returned depends on properties of both the context, and the surface to which the context is bound:

- If the context is bound to a pixmap surface, then EGL_SINGLE_BUFFER will be returned.
- If the context is bound to a pbuffer surface, then EGL_BACK_BUFFER will be returned.
- If the context is bound to a window surface, then either EGL_BACK_BUFFER or EGL_SINGLE_BUFFER may be returned. The value returned depends on both the buffer *requested* by the setting of the EGL_RENDER_BUFFER property of the *surface* (which may be queried by calling **eglQuerySurface** see section 3.5.6), and on the client API (not all client APIs support single-buffer rendering to window surfaces).
- If the context is not bound to a surface, then EGL_NONE will be returned.

eglQueryContext returns EGL_FALSE on failure and *value* is not updated. If *attribute* is not a valid EGL context attribute, then an EGL_BAD_ATTRIBUTE error is generated. If *ctx* is invalid, an EGL_BAD_CONTEXT error is generated.

3.8 Synchronization Primitives

To prevent native rendering API functions from executing until any outstanding client API rendering affecting the same surface is complete, call

```
EGLBoolean eglWaitClient();
```

All rendering calls for the currently bound context, for the current rendering API, made prior to **eglWaitClient**, are guaranteed to be executed before native rendering calls made after **eglWaitClient** which affect the surface associated with that context.

The same result can be achieved using client API -specific calls such as **glFinish** or **vgFinish**.

Clients rendering to single buffered surfaces (e.g. pixmap surfaces) should call **eglWaitClient** before accessing the native pixmap from the client.

eglWaitClient returns EGL_TRUE on success. If there is no current context for the current rendering API, the function has no effect but still returns EGL_TRUE. If the surface associated with the calling thread's current context is no longer valid, EGL_FALSE is returned and an EGL_BAD_CURRENT_SURFACE error is generated.

For backwards compatibility, the function

```
EGLBoolean eglWaitGL (void);
is equivalent to

EGLenum api = eglQueryAPI();
eglBindAPI(EGL_OPENGL_ES_API);
eglWaitClient();
eglBindAPI(api);
```

To prevent a client API command sequence from executing until any outstanding native rendering affecting the same surface is complete, call

```
EGLBoolean eglWaitNative (EGLint engine);
```

Native rendering calls made with the specified marking *engine*, and which affect the surface associated with the calling thread's current context, for the current rendering API, are guaranteed to be executed before client API rendering calls made after **eglWaitNative**. The same result may be (but is not necessarily) achievable using native synchronization calls.

engine denotes a particular marking engine (another drawing API, such as GDI or Xlib) to be waited on. Valid values of engine are defined by EGL extensions specific to implementations, but implementations will always recognize the symbolic constant EGL_CORE_NATIVE_ENGINE, which denotes the most commonly used marking engine other then a client API.

eglWaitNative returns EGL_TRUE on success. If there is no current context, the function has no effect but still returns EGL_TRUE. If the surface does not support native rendering (e.g. pbuffer and in most cases window surfaces), the function has no effect but still returns EGL_TRUE. If the surface associated with the calling thread's current context is no longer valid, EGL_FALSE is returned and an EGL_BAD_CURRENT_SURFACE error is generated. If *engine* does not denote a recognized marking engine, EGL_FALSE is returned and an EGL_BAD_PARAMETER error is generated.

3.9 Posting the Color Buffer

After completing rendering, the contents of the color buffer can be made visible in a native window, or copied to a native pixmap.

3.9.1 Posting to a Window

To post the color buffer to a window, call

```
EGLBoolean eglSwapBuffers(EGLDisplay dpy, EGLSurface surface);
```

If *surface* is a back-buffered window surface, then the color buffer is copied to the native window associated with that surface. If *surface* is a single-buffered window, pixmap, or pbuffer surface, **eglSwapBuffers** has no effect.

The contents of the color buffer of *surface* may be affected by **eglSwapBuffers**, depending on the value of the EGL_SWAP_BEHAVIOR attribute of *surface* (see section 3.5.6).

Native Window Resizing

If the native window corresponding to *surface* has been resized prior to the swap, *surface* must be resized to match. *surface* will normally be resized by the EGL implementation at the time the native window is resized. If the implementation cannot do this transparently to the client, then **eglSwapBuffers** must detect the change and resize *surface* prior to copying its pixels to the native window.

If *surface* shrinks as a result of resizing, some rendered pixels are lost. If *surface* grows, the newly allocated buffer contents are undefined. The resizing behavior described here only maintains consistency of EGL surfaces and native windows; clients are still responsible for detecting window size changes (using platform-specific means) and changing their viewport and scissor regions accordingly.

3.9.2 Copying to a Native Pixmap

To copy the color buffer to a native pixmap, call

```
EGLBoolean eglCopyBuffers(EGLDisplay dpy,
    EGLSurface surface, EGLNativePixmapType
    target);
```

The color buffer is copied to the specified *target*, which must be a valid native pixmap handle.

The mapping of pixels in the color buffer to pixels in the pixmap is platform-dependent, since the native platform pixel coordinate system may differ from that of OpenGL ES .

The color buffer of *surface* is left unchanged after calling **eglCopyBuffers**.

3.9.3 Posting Semantics

surface must be bound to the calling thread's current context, for the current rendering API. This restriction may be lifted in future EGL revisions.

If *dpy* and *surface* are the display and surface for the calling thread's current context, **eglSwapBuffers** and **eglCopyBuffers** perform an implicit flush operation on the context (**glFlush** for an OpenGL ES context, **vgFlush** for an OpenVG context). Subsequent client API commands can be issued immediately, but will not be executed until posting is completed.

The destination of a posting operation (a visible window, for **eglSwapBuffers**, or a native pixmap, for **eglCopyBuffers**) should have the same number of components and component sizes as the color buffer it's being copied from.

In the specific case of a luminance color buffer being posted to an RGB destination, the luminance component value will normally be replicated in each of the red, green, and blue components of the destination. Some implementations may use alternate color-space conversion algorithms to map luminance to red, green, and blue values, so long as the perceptual result is unchanged. Such alternate conversions should be documented by the implementation.

In other cases where this compatibility constraint is not met by the surface and posting destination, implementations may choose to relax the constraint by converting data to the destination format. If they do so, they should define an EGL extension specifying which destination formats are supported, and specifying the conversion arithmetic used.

The function

```
EGLBoolean eglSwapInterval(EGLDisplay dpy, EGLint
interval);
```

specifies the minimum number of video frame periods per buffer swap for the window associated with the current context. The interval takes effect when **eglSwapBuffers** is first called subsequent to the **eglSwapInterval** call. The swap interval has no effect on **eglCopyBuffers**.

The parameter *interval* specifies the minimum number of video frames that are displayed before a buffer swap will occur. The *interval* specified by the function applies to the draw surface bound to the context that is current on the calling thread.

If *interval* is set to a value of 0, buffer swaps are not synchronized to a video frame, and the swap happens as soon as all rendering commands outstanding for the current context are complete. *interval* is silently clamped to minimum and maximum implementation dependent values before being stored; these values are defined by EGLConfig attributes EGL_MIN_SWAP_INTERVAL and EGL_MAX_SWAP_INTERVAL respectively.

The default swap interval is 1.

3.9.4 Posting Errors

eglSwapBuffers and eglCopyBuffers return EGL_FALSE on failure. If *surface* is not a valid EGL surface, an EGL_BAD_SURFACE error is generated. If *surface* is not bound to the calling thread's current context, an EGL_BAD_SURFACE error is generated. If *target* is not a valid native pixmap handle, an EGL_BAD_NATIVE_PIXMAP error should be generated. If the format of *target* is not compatible with the color buffer, or if the size of *target* is not the same as the size of the color buffer, and there is no defined conversion between the source and target formats, an EGL_BAD_MATCH error is generated. If called after a power management event has occurred, a EGL_CONTEXT_LOST error is generated. If eglSwapBuffers is called and the native window associated with *surface* is no longer valid, an EGL_BAD_NATIVE_WINDOW error is generated. If eglCopyBuffers is called and the implementation does not support native pixmaps, an EGL_BAD_NATIVE_PIXMAP error is generated.

eglSwapInterval returns EGL_FALSE on failure. If there is no current context on the calling thread, a EGL_BAD_CONTEXT error is generated. If there is no surface bound to the current context, a EGL_BAD_SURFACE error is generated.

3.10 Obtaining Extension Function Pointers

The client API and EGL extensions which are available to a client may vary at runtime, depending on factors such as the rendering path being used (hardware or software), resources available to the implementation, or updated device drivers. Therefore, the address of extension functions may be queried at runtime. The function

```
void (*eglGetProcAddress(const char
  *procname))();
```

returns the address of the extension function named by *procName*. *procName* must be a NULL-terminated string. The pointer returned should be cast to a function pointer type matching the extension function's definition in that extension specification. A return value of NULL indicates that the specified function does not exist for the implementation.

A non-NULL return value for **eglGetProcAddress** does not guarantee that an extension function is actually supported at runtime. The client must also make a corresponding query, such as **glGetString**(GL_EXTENSIONS) for OpenGL ES extensions; **vgGetString**(VG_EXTENSIONS) for OpenVG extensions; or **eglQueryString**(*dpy*, EGL_EXTENSIONS) for EGL extensions, to determine if an extension is supported by a particular client API context.

Function pointers returned by **eglGetProcAddress** are independent of the display and the currently bound context, and may be used by any context which supports the extension.

eglGetProcAddress may be queried for all of the following functions:

 All EGL and client API extension functions supported by the implementation (whether those extensions are supported by the current context or not).
 This includes any mandatory OpenGL ES extensions.

eglGetProcAddress may not be queried for core (non-extension) functions in EGL or client APIs . For functions that are queryable with **eglGetProcAddress**, implementations may choose to also export those functions statically from the object libraries implementing those functions. However, portable clients cannot rely on this behavior.

3.11 Releasing Thread State

EGL maintains a small amount of per-thread state, including the error status returned by **eglGetError**, the currently bound rendering API defined by **eglBindAPI**, and the current contexts for each supported client API. The overhead of maintaining this state may be objectionable in applications which create and destroy many threads, but only call EGL or client APIs in a few of those threads at any given time.

To return EGL to its state at thread initialization, call

```
EGLBoolean eglReleaseThread (void);
```

EGL_TRUE is returned on success, and the following actions are taken:

- For each client API supported by EGL, if there is a currently bound context, that context is released. This is equivalent to calling **eglMakeCurrent** with *ctx* set to EGL_NO_CONTEXT and both *draw* and *read* set to EGL_NO_SURFACE (see section 3.7.3).
- The current rendering API is reset to its value at thread initialization (see section 3.7).
- Any additional implementation-dependent per-thread state maintained by EGL is marked for deletion as soon as possible.

eglReleaseThread may be called in any thread at any time, and may be called more than once in a single thread. The initialization status of EGL (see section 3.2) is **not** affected by releasing the thread; only per-thread state is affected.

Resources explicitly allocated by calls to EGL, such as contexts, surfaces, and configuration lists, are not affected by **eglReleaseThread**. Such resources belong not to the thread, but to the EGL implementation as a whole.

Applications may call other EGL routines from a thread following **eglRe-leaseThread**, but any such call may reallocate the EGL state previously released. In particular, calling **eglGetError** immediately following a successful call to **eglReleaseThread** should not be done. Such a call will return EGL_SUCCESS - but will also result in reallocating per-thread state.

eglReleaseThread returns EGL_FALSE on failure. There are no defined conditions under which failure will occur. Even if EGL is not initialized on any EGLDisplay, **eglReleaseThread** should succeed. However, platform-dependent failures may be signaled through the value returned from **eglGetError**. Unless the platform-dependent behavior is known, a failed call to **eglReleaseThread** should be assumed to leave the current rendering API, and the currently bound contexts for each supported client API, in an unknown state.

Chapter 4

Extending EGL

EGL implementors may extend EGL by adding new commands or additional enumerated values for existing EGL commands.

New names for EGL functions and enumerated types must clearly indicate whether some particular feature is in the core EGL or is vendor specific. To make a vendor-specific name, append a company identifier (in upper case) and any additional vendor-specific tags (e.g. machine names). For instance, SGI might add new commands and manifest constants of the form **eglNewCommandSGI** and EGL_NEW_DEFINITION_SGI. If two or more vendors agree in good faith to implement the same extension, and to make the specification of that extension publicly available, the procedures and tokens that are defined by the extension can be suffixed by EXT. Extensions approved by supra-vendor organizations use similar identifiers, such as KHR for extensions approved by the Khronos Group).

It is critically important for interoperability that enumerants and entry point names be unique across vendors. The Khronos API Registrar maintains a registry of enumerants, and all shipping enumerant values must be determined by requesting blocks of enumerants from the registry. See

http://www.opengl.org/registry/

for more information on defining extensions.

Chapter 5

EGL Versions, Header Files, and Enumerants

Each version of EGL supports specified client API versions, and all prior versions of those APIs up to that version. For OpenGL ES, such support includes both Common and Common-Lite profiles. EGL 1.0 supports OpenGL ES 1.0, EGL 1.1 supports OpenGL ES 1.1, and EGL 1.2 supports OpenGL ES 2.0 and OpenVG 1.0.

Whether a particular client API is actually available at runtime may depend on additional factors. In most cases, EGL and each client API are provided in separate libraries, and applications must link to the EGL library and to each of the client APIs used by the application. However, details of this procedure vary, and developers must refer to platform-specific documentation.

5.1 Header Files

The EGL specification defines an ISO C language binding. This binding may also be used from C++ code. In these environments, the EGL header file $<\!\!\text{EGL/egl.h}\!>$ provides prototypes for all the EGL entry points, and C preprocessor symbols for all the EGL tokens. C and C++ source code should $\#include <\!\!\text{EGL/egl.h}\!>$ before using any EGL entry points or symbols. 1

Languages other than C and C++ will define the EGL interfaces using other methods, not described in this specification.

The Khronos Implementer's Guidelines describe recommended practice, outline platform-specific issues, and provide other recommendations to people writing EGL implementations. For more details refer to the developer area at:

 $^{^{1}}$ For backwards compatibility, implementations supporting OpenGL ES 1.x must also support the EGL header on the path <GLES/egl.h>.

http://www.khronos.org/

5.2 Compile-Time Version Detection

To allow code to be written portably against future EGL versions, the compile-time environment must make it possible to determine which EGL version interfaces are available. The details of such detection are language-specific and should be specified in the language binding documents for each language. For C and C++ code, the <EGL/egl.h> header defines C preprocessor symbols corresponding to all versions of EGL supported by the implementation:

```
#define EGL_VERSION_1_0 1
#define EGL_VERSION_1_1 1
#define EGL_VERSION_1_2 1
#define EGL_VERSION_1_3 1
```

Future versions of EGL will define additional preprocessor symbols corresponding to the major and minor numbers of those versions.

5.3 Enumerant Values and Header Portability

Enumerant values for EGL tokens are required to be common across all implementations. A reference version of the egl.h header file, including defined values for all EGL enumerants, accompanies this specification and can be downloaded from

http://www.khronos.org/

All platform-specific types, values, and macros used in egl.h are partitioned into a platform header, eglplatform.h, which is automatically included by egl.h. A copy of eglplatform.h providing definitions suitable for many platforms is included along with egl.h. Implementers should need to modify only eglplatform.h, never egl.h.²

 $^{^2}$ Please submit any additions to eglplatform.h made to support new platforms for inclusion in the reference copy.

Chapter 6

Glossary

- **Address Space** the set of objects or memory locations accessible through a single name space. In other words, it is a data region that one or more threads may share through pointers.
- Client an application, which communicates with the underlying EGL implementation and underlying native window system by some path. The application program is referred to as a client of the window system server. To the server, the client is the communication path itself. A program with multiple connections is viewed as multiple clients to the server. The resource lifetimes are controlled by the connection lifetimes, not the application program lifetimes.
- Client API one of the rendering APIs supported by EGL. At present client APIs include only OpenGL ES and OpenVG, but other clients are expected to be added in future versions of EGL. Context creation / management, rendering semantics, and interaction between client APIs are all well-defined by EGL. There is (considerably more limited) support for rendering to EGL surfaces by non-client (native) rendering APIs, and the semantics of such support are more implementation-dependent.
- **Compatible** an OpenGL ES rendering context is compatible with (may be used to render into) a surface if they meet the constraints specified in section 2.2.
- **Connection** a bidirectional byte stream that carries the X (and EGL) protocol between the client and the server. A client typically has only one connection to a server.
- (Rendering) Context an OpenGL ES rendering context. This is a virtual OpenGL ES machine. All OpenGL ES rendering is done with respect to a context.

The state maintained by one rendering context is not affected by another except in case of state that may be explicitly shared at context creation time, such as textures.

- **Current Context** an implicit context used by OpenGL ES and OpenVG, rather than passing a context parameter to each API entry point. The current OpenGL ES and OpenVG contexts are set as defined in section 3.7.3.
- **EGLContext** a handle to a rendering context. OpenGL ES rendering contexts consist of client side state and server side state. Other client APIs do not distinguish between the two types of state.
- (**Drawing**) **Surface** an onscreen or offscreen buffer where pixel values resulting from rendering through OpenGL ES or other APIs are written.
- **Thread** one of a group of execution units all sharing the same address space. Typically, each thread will have its own program counter and stack pointer, but the text and data spaces are visible to each of the threads. A thread that is the only member of its group is equivalent to a process.

Appendix A

Version 1.0

EGL version 1.0, approved on July 23, 2003, is the original version of EGL. EGL was loosely based on GLX 1.3, generalized to be implementable on many different operating systems and window systems and simplified to reflect the needs of embedded devices running OpenGL ES.

A.1 Acknowledgements

EGL 1.0 is the result of the contributions of many people, representing a cross section of the desktop, hand-held, and embedded computer industry. Following is a partial list of contributors, including the company that they represented at the time of their contribution:

Aaftab Munshi, ATI

Andy Methley, Panasonic

Carl Korobkin, 3d4W

Chris Hall, Seaweed Systems

Claude Knaus, Silicon Graphics

David Blythe, 3d4W

Ed Plowman, ARM

Graham Connor, Imagination Technologies

Harri Holopainen, Hybrid Graphics

Jacob Ström, Ericsson

Jani Vaarala, Nokia

Jon Leech, Silicon Graphics

Justin Couch, Yumetech

Kari Pulli, Nokia

Lane Roberts, Symbian

Mark Callow, HI
Mark Tarlton, Motorola
Mike Olivarez, Motorola
Neil Trevett, 3Dlabs
Phil Huxley, Tao Group
Tom Olson, Texas Instruments
Ville Miettinen, Hybrid Graphics

Appendix B

Version 1.1

EGL version 1.1, approved on August 5, 2004, is the second release of EGL. It adds power management and swap control functionality based on vendor extensions from Imagination Technologies, and optional render-to-texture functionality based on the WGL_ARB_render_texture extension defined by the OpenGL ARB for desktop OpenGL.

B.1 Revision 1.1.2

EGL version 1.1.2 (revision 2 of EGL 1.1), approved on November 10, 2004, clarified that vertex buffer objects are shared among contexts in the same fashion as texture objects.

B.2 Acknowledgements

EGL 1.1 is the result of the contributions of many people, representing a cross section of the desktop, hand-held, and embedded computer industry. Following is a partial list of contributors, including the company that they represented at the time of their contribution:

Aaftab Munshi, ATI Andy Methley, Panasonic Axel Mamode, Sony Barthold Lichtenbelt, 3Dlabs Benji Bowman, Imagination Technologies Borgar Ljosland, Falanx Brian Murray, Motorola Bryce Johnstone, Texas Instruments Carlos Sarria, Imagination Technologies

Chris Tremblay, Motorola

Claude Knaus, Esmertec

Clay Montgomery, Nokia

Dan Petersen, Sun

Dan Rice, Sun

David Blythe, HI

David Yoder, Motorola

Doug Twilleager, Sun

Ed Plowman, ARM

Graham Connor, Imagination Technologies

Greg Stoner, Motorola

Hannu Napari, Hybrid

Harri Holopainen, Hybrid

Jacob Ström, Ericsson

Jani Vaarala, Nokia

Jerry Evans, Sun

John Metcalfe, Imagination Technologies

Jon Leech, Silicon Graphics

Kari Pulli, Nokia

Lane Roberts, Symbian

Madhukar Budagavi, Texas Instruments

Mathias Agopian, PalmSource

Mark Callow, HI

Mark Tarlton, Motorola

Mike Olivarez, Motorola

Neil Trevett, 3Dlabs

Nick Triantos, Nvidia

Petri Kero, Hybrid

Petri Nordlund, Bitboys

1 cui Nordiulia, Bitooys

Phil Huxley, Tao Group Remi Arnaud, Sony

Robert Simpson, Bitboys

Tero Sarkkinen, Futuremark

Timo Suoranta, Futuremark

Thomas Tannert, Silicon Graphics

Tomi Aarnio, Nokia

Tom McReynolds, Nvidia

Tom Olson, Texas Instruments

Ville Miettinen, Hybrid Graphics

Appendix C

Version 1.2

EGL version 1.2, approved on July 8, 2005, is the third release of EGL. It adds support for the OpenVG 2D client API, in addition to support for OpenGL ES, and generalizes EGL concepts to enable supporting other client APIs in the future.

C.1 Acknowledgements

EGL 1.2 is the result of the contributions of many people, representing a cross section of the desktop, hand-held, and embedded computer industry. Following is a partial list of contributors, including the company that they represented at the time of their contribution:

Aaftab Munshi, ATI Anu Ramanathan, TI Daniel Rice, Sun Microsystems Espen Aamodt, Falanx Jani Vaarala, Nokia Jon Leech, SGI Jussi Räsänen, Hybrid Graphics Koichi Mori, Nokia

Mark Callow, HI Corporation

Members of the Khronos OpenGL ES Working Group

Members of the Khronos OpenVG Working Group

Michael.Nonweiler, ARM

Neil Trevett, 3Dlabs / NVIDIA

Petri Kero, Hybrid Graphics

Robert Simpson, Bitboys

Simon Fenney, PowerVR

Tom Olson, TI

Appendix D

Version 1.3

EGL version 1.3 was voted out of the OpenKODE Working Group on December 4, 2006, and formally approval by the Khronos Board of Promoters on February 8, 2007. EGL 1.3 is the fourth release of EGL. It adds support for separate OpenGL ES 1.x and 2.x contexts with the EGL_CONTEXT_CLIENT_VERSION attribute to eglCreateContext and the EGL_OPENGL_ES2_BIT in the EGL_RENDERABLE_TYPE attribute, and adds the EGL_MATCH_NATIVE_PIXMAP pseudo-attribute to eglChooseConfig, to allow selecting configs matching specific native pixmaps. The EGL_CONFORMANT attribute was added to indicate if client API contexts will pass the required conformance tests, and the EGL_SURFACE_TYPE attribute was extended with the EGL_VG_COLORSPACE_LINEAR_BIT and EGL_VG_ALPHA_FORMAT_PRE_BIT bitfields to define whether or not linear colorspace and premultiplied alpha format are supported by the OpenVG implementation. For naming consistency, some tokens from EGL 1.2 have been renamed as shown in table D.1. The old names are also retained for backwards compatibility. The specification adds a number of clarifications (but not behavior changes) regarding config sorting, surface resource ownership, multiple client API context versions, and SDK issues.

Finally, the eglplatform.h header is defined to accompany the reference egl.h header provided by Khronos.

D.1 Acknowledgements

EGL 1.3 is the result of the contributions of many people, representing a cross section of the desktop, hand-held, and embedded computer industry. Following is a list of contributors, including the company that they represented at the time of their contribution:

EGL 1.2 Token Name	EGL 1.3 Token Name
EGL_COLORSPACE	EGL_VG_COLORSPACE
EGL_COLORSPACE_LINEAR	EGL_VG_COLORSPACE_LINEAR
EGL_COLORSPACE_sRGB	EGL_VG_COLORSPACE_sRGB
EGL_ALPHA_FORMAT	EGL_VG_ALPHA_FORMAT
EGL_ALPHA_FORMAT_PRE	EGL_VG_ALPHA_FORMAT_PRE
EGL_ALPHA_FORMAT_NONPRE	EGL_VG_ALPHA_FORMAT_NONPRE
NativeDisplayType	EGLNativeDisplayType
NativePixmapType	EGLNativePixmapType
NativeWindowType	EGLNativeWindowType

Table D.1: Renamed tokens

Aaftab Munshi, ATI Daniel Rice, Sun Microsystems Espen Aamodt, Falanx Gary King, NVIDIA Jani Vaarala, Nokia Jasin Bushnaief, Hybrid Graphics Jay Abbott, TAO Jon Kennedy, 3Dlabs Jon Leech Jussi Räsänen, Hybrid Graphics Kalle Raita, Hybrid Graphics Kari Pulli, Nokia Koichi Mori, Nokia Leonardo Estevez, TI Mark Callow, HI Corporation Members of the Khronos OpenGL ES Working Group Members of the Khronos OpenKODE Working Group Members of the Khronos OpenVG Working Group Neil Trevett, NVIDIA Petri Kero, Hybrid Graphics Remi Arnaud, Sony Computer Entertainment Robert J. Simpson, Bitboys Robert Palmer, Symbian Sampo Lappalainen, Hybrid Graphics

Simon Fenney, Imagination Technologies

Version 1.3 - December 4, 2006

Sven Gothel, ATI Teemu Rantalaiho, Hybrid Graphics Tom Olson, TI

Index of EGL Commands

EGL_*_SIZE, 16	EGL_BUFFER_DESTROYED, 33
EGL_ALPHA_FORMAT, 62	EGL_BUFFER_PRESERVED, 33
EGL_ALPHA_FORMAT_NONPRE, 62	EGL_BUFFER_SIZE, 14, 15, 21, 22
EGL_ALPHA_FORMAT_PRE, 62	EGL_CLIENT_APIS, 12
EGL_ALPHA_MASK_SIZE, 14, 15, 22,	EGL_COLOR_BUFFER_TYPE, 14, 15,
23	21, 22
EGL_ALPHA_SIZE, 14, 15, 21, 22, 29,	EGL_COLORSPACE, 62
35	EGL_COLORSPACE_LINEAR, 62
EGL_BACK_BUFFER, 24, 33, 34, 37,	EGL_COLORSPACE_sRGB, 62
43	EGL_CONFIG_CAVEAT, 14, 17, 21, 22
EGL_BAD_ACCESS, 9, 29, 36, 40	EGL_CONFIG_ID, 13, 14, 20, 22, 23,
EGL_BAD_ALLOC, 9, 25, 27, 31, 39,	32, 43
41	EGL_CONFORMANT, 14, 17, 18, 22,
EGL_BAD_ATTRIBUTE, 10, 20, 23, 27,	23, 61
34, 43	EGL_CONTEXT_CLIENT_TYPE, 43
EGL_BAD_CONFIG, 10, 25, 27, 30, 39	EGL_CONTEXT_CLIENT_VERSION,
EGL_BAD_CONTEXT, 10, 39, 40, 43,	39, 43, 61
47	EGL_CONTEXT_LOST, 8, 10, 41, 47
EGL_BAD_CURRENT_SURFACE, 10,	EGL_CORE_NATIVE_ENGINE, 44
41, 44, 45	EGL_DEPTH_SIZE, 14, 15, 22, 23
EGL_BAD_DISPLAY, 10–12	EGL_DISPLAY_SCALING, 33
EGL_BAD_MATCH, 10, 25, 27–30, 36–	EGL_DONT_CARE, 20–22
41, 47	EGL_DRAW, 42
EGL_BAD_NATIVE_PIXMAP, 10, 11,	EGL_EXTENSIONS, 12, 13, 48
31, 47	EGL_FALSE, 2, 8, 9, 11, 19, 20, 23, 26,
EGL_BAD_NATIVE_WINDOW, 10, 11,	27, 31, 34, 38, 40, 43–45, 47,
25, 41, 47	49
EGL_BAD_PARAMETER, 10, 13, 19,	EGL_GREEN_SIZE, 14, 15, 21, 22, 29,
27, 28, 32, 36–38, 42, 45	35
EGL_BAD_SURFACE, 10, 31, 34, 36,	EGL_HEIGHT, 26, 27, 32, 33
37, 40, 47	EGL_HORIZONTAL_RESOLUTION,
EGL_BIND_TO_TEXTURE_RGB, 14,	32, 33
19, 22, 23, 34, 37	EGL_LARGEST_PBUFFER, 26, 27, 32,
EGL_BIND_TO_TEXTURE_RGBA, 14,	33
19, 22, 23, 34, 37	EGL_LEVEL, 14, 20, 22, 23
EGL_BLUE_SIZE, 14, 15, 21, 22, 29, 35	EGL_LUMINANCE_BUFFER, 15, 21

INDEX 65

EGL_LUMINANCE_SIZE, 14, 15, 21,	35
22	EGL_RENDER_BUFFER, 24, 32, 33, 43
EGL_MATCH_NATIVE_PIXMAP, 21,	EGL_RENDERABLE_TYPE, 14, 15,
22, 30, 61	17, 18, 22, 23, 27, 39, 61
EGL_MAX_PBUFFER_HEIGHT, 14,	EGL_RGB_BUFFER, 15, 21, 22
18, 20	EGL_SAMPLE_BUFFERS, 14, 16, 22,
EGL_MAX_PBUFFER_PIXELS, 14, 18,	23, 42
20	EGL_SAMPLES, 14, 16, 22, 23
EGL_MAX_PBUFFER_WIDTH, 14, 18,	EGL_SINGLE_BUFFER, 24, 33, 43
20	EGL_SLOW_CONFIG, 17, 21
EGL_MAX_SWAP_INTERVAL, 14, 18,	EGL_STENCIL_SIZE, 14, 15, 22, 23
22, 23, 47	EGL_SUCCESS, 9, 10, 49
EGL_MIN_SWAP_INTERVAL, 14, 18,	EGL_SURFACE_TYPE, 14, 16, 19, 20,
22, 23, 47	22, 23, 25, 30, 61
EGL_MIPMAP_LEVEL, 31–33, 36	EGL_SWAP_BEHAVIOR, 32, 33, 45
EGL_MIPMAP_TEXTURE, 26–28, 32,	EGL_TEXTURE_2D, 26, 34
33, 35	EGL_TEXTURE_FORMAT, 26–28, 32–
EGL_NATIVE_RENDERABLE, 14, 17,	34, 36, 37
22, 23	EGL_TEXTURE_RGB, 26
EGL_NATIVE_VISUAL_ID, 14, 17, 20	EGL_TEXTURE_RGBA, 26
EGL_NATIVE_VISUAL_TYPE, 14, 17,	EGL_TEXTURE_TARGET, 26–28, 32–
21–23	34
EGL_NEW_DEFINITION_SGI, 50	EGL_TRANSPARENT_BLUE_VALUE,
EGL_NO_CONTEXT, 9, 38, 39, 41, 42,	14, 18, 21–23
49	EGL_TRANSPARENT_GREEN_VALUE
EGL_NO_DISPLAY, 11, 42	14, 18, 21–23
EGL_NO_SURFACE, 25, 27, 28, 30, 41,	EGL_TRANSPARENT_RED_VALUE,
42, 49	14, 18, 21–23
EGL_NO_TEXTURE, 26, 27, 32, 36, 37	EGL_TRANSPARENT_RGB, 18
EGL_NON_CONFORMANT_CONFIG,	EGL_TRANSPARENT_TYPE, 14, 18,
17, 21	21–23
EGL_NONE, 17, 18, 20–22, 24, 26, 28,	EGL_TRUE, 2, 9, 11, 12, 14, 19, 23, 26,
30, 38, 39, 42, 43	33, 35, 44, 45, 49
EGL_NOT_INITIALIZED, 9, 11–13, 19	EGL_UNKNOWN, 33
EGL_OPENGL_ES2_BIT, 17, 27, 39, 61	EGL_VENDOR, 12, 13
EGL_OPENGL_ES_API, 38, 39, 44	EGL_VERSION, 12, 13
EGL_OPENGL_ES_BIT, 17, 22, 27, 39	EGL_VERTICAL_RESOLUTION, 32,
EGL_OPENVG_API, 38	33
EGL_OPENVG_BIT, 17	EGL_VG_ALPHA_FORMAT, 17, 24–
EGL_OPENVG_IMAGE, 28	28, 30, 32, 62
EGL_PBUFFER_BIT, 16, 19	EGL_VG_ALPHA_FORMAT_NONPRE,
EGL_PIXEL_ASPECT_RATIO, 32, 33	25, 62
EGL_PIXMAP_BIT, 16, 30	EGL_VG_ALPHA_FORMAT_PRE, 17,
EGL_READ, 42	25, 62
EGL_RED_SIZE, 14, 15, 18, 20–22, 29,	EGL_VG_ALPHA_FORMAT_PRE_BIT,

66 INDEX

16, 61	eglQuerySurface, 27, 32, 33, 43
EGL_VG_COLORSPACE, 16, 24–28,	eglReleaseTexImage, 34–37
30, 32, 62	eglReleaseThread, 10, 49
EGL_VG_COLORSPACE_LINEAR, 16,	EGLSurface, 3, 4, 8, 10, 13, 24, 30–32,
24, 62	34, 36–38, 40
EGL_VG_COLORSPACE_LINEAR_BIT,	eglSurfaceAttrib, 31
16, 61	eglSwapBuffers, 4, 5, 8, 18, 19, 33, 35,
EGL_VG_COLORSPACE_sRGB, 24, 62	45–47
EGL_WIDTH, 26, 27, 32, 33	eglSwapInterval, 18, 19, 46, 47
EGL_WINDOW_BIT, 16, 20, 22, 25	eglTerminate, 12
eglBindAPI, 38, 39, 43, 44, 48	eglWaitClient, 8, 38, 44
eglBindTexImage, 34–36	eglWaitGL, 44
EGLBoolean, 2, 9, 17	eglWaitNative, 8, 38, 44
eglChooseConfig, 13, 19, 21, 23, 24, 26,	
28, 30, 39, 61	GL_BLUE_BITS, 15
EGLClientBuffer, 28	GL_EXTENSIONS, 48
EGLConfig, 3, 4, 10, 13–27, 29, 30, 32,	GL_GENERATE_MIPMAP, 35
37, 39, 42, 43, 47	GL_GREEN_BITS, 15
EGLContext, 8, 10, 38	GL_RED_BITS, 15
eglCopyBuffers, 5, 8, 35, 46, 47	GL_TEXTURE_2D, 7
eglCreateContext, 38, 39, 61	GL_TEXTURE_3D, 7
eglCreatePbufferFromClientBuffer, 28,	GL_TEXTURE_BASE_LEVEL, 36
40	GL_TEXTURE_CUBE_MAP, 7
eglCreatePbufferSurface, 18, 26–28, 30,	GL_TRUE, 35
33	glBindBuffer, 7
eglCreatePixmapSurface, 30, 31	glBindTexture, 7
eglCreateWindowSurface, 24, 25, 27, 30	glCopyTexImage2D, 36
eglDestroyContext, 8, 39, 40	glFinish, 8, 35, 44
eglDestroySurface, 29, 31	glFlush, 35, 46
EGLDisplay, 3, 4, 10–12, 23, 37, 49	glGetString, 48
eglGetConfigAttrib, 23	glReadPixels, 35, 41
eglGetConfigs, 19, 23	glScissor, 41
eglGetCurrentContext, 38, 42	glTexImage, 34, 37
eglGetCurrentDisplay, 38, 42	glTexImage2D, 36
eglGetCurrentSurface, 38, 42	glViewport, 41
eglGetDisplay, 11	
eglGetError, 9, 10, 48, 49	VG_EXTENSIONS, 48
eglGetProcAddress, 48	VG_1*, 24
eglInitialize, 11–13	VG_IRGBA_8888, 28
EGLint, 2	VG_s*, 24
eglMakeCurrent, 8, 12, 31, 38, 40, 41, 49	vgDestroyImage, 29
eglNewCommandSGI, 50	vgFinish, 8, 44
eglQueryAPI, 38, 44	vgFlush, 46
eglQueryContext, 24, 33, 43	vgGetString, 48
eglQueryString, 12, 48	VGImage, 27–29

INDEX 67

VGImageFormat, 24, 28