THE JOURNAL OF PHYSICAL CHEMISTRY C

Addition/Correction

pubs.acs.org/JPCC

Correction to "Wetting of Flat and Rough Curved Surfaces"

Edward Bormashenko*

J. Phys. Chem. C **2009**, *113* (40), 17275−17277. DOI: 10.1021/jp905237v

Equation 10 in ref 1 should be read as follows

$$\cos(\tilde{\theta} - \theta) = R_f \frac{\gamma_{SA} - \gamma_{SL}}{\gamma} \quad (10)$$

where $h'(x = a) = -\tan \tilde{\theta}$, where $\tilde{\theta}$ is the slope of the liquid−air interface at $x = a$, and $f'(x = a) = -\tan \theta$, where $\tan \theta$ is the slope of the solid substrate in $x = a$ (it is supposed that grooves are small, see Figure 2 in ref 1). It is reasonable to define the apparent contact angle θ^* according to $\theta^* = \tilde{\theta} - \theta$, thus the modified Wenzel equation is recognized in eq 10.

Equation 12 should be read as follows

$$\cos(\tilde{\theta} - \theta) = \frac{\sum_1^n \alpha_i(\gamma_{i,SA} - \gamma_{i,SL})}{\gamma} \quad (12)$$

where $\tilde{\theta}$ and θ are defined similar to as they are defined above in eqs 8 (ref 1) and 10 (see Figure 3 in ref 1). It is reasonable to define the Cassie apparent contact angle θ^* according to $\theta^* = \tilde{\theta} - \theta$, thus the modified Cassie equation is recognized in eq 12, i.e., $\cos \theta^* = \sum_1^n(\alpha_i(\gamma_{i,SA} - \gamma_{i,SL})/\gamma)$.

REFERENCES

(1) E. Bormashenko, E. Wetting of Flat and Rough Curved Surfaces. *J. Phys. Chem. C* **2009**, *113*, 17275−17277.

Published: May 15, 2012