

The Effect of Baffles on the Thermal Separation of Gases

A. Keith Brewer and Arthur Bramley

Citation: The Journal of Chemical Physics 7, 972 (1939); doi: 10.1063/1.1750354

View online: http://dx.doi.org/10.1063/1.1750354

View Table of Contents: http://scitation.aip.org/content/aip/journal/jcp/7/10?ver=pdfcov

Published by the AIP Publishing

Articles you may be interested in

The thermal separator: A new approach for refrigeration pressurized gases

AIP Conf. Proc. 208, 659 (1990); 10.1063/1.39516

Effect of Pressure on Thermal Diffusion in Gases

J. Chem. Phys. 19, 131 (1951); 10.1063/1.1747964

Separation by Thermal Diffusion of Mixtures of Gases Having the Same Molecular Weight

J. Chem. Phys. 8, 949 (1940); 10.1063/1.1750609

A Simple Theory for Separation of Gases by Thermal Diffusion

J. Chem. Phys. 7, 530 (1939); 10.1063/1.1750482

The Separation of Gases by Thermal Diffusion

J. Chem. Phys. 7, 438 (1939); 10.1063/1.1750466



LETTERS TO THE EDITOR

This section will accept reports of new work, provided these are terse and contain few figures, and especially few halftone cuts. The Editorial Board will not hold itself responsible for opinions expressed by the correspondents. Contributions to this section should not exceed 600 words in length and must

reach the office of the Managing Editor not later than the 15th of the month preceding that of the issue in which the letter is to appear. No proof will be sent to the authors. The usual publication charge (\$3.00 per page) will not be made and no reprints will be furnished free.

The Effect of Baffles on the Thermal Separation of Gases

Various experiments have been carried out in this laboratory to determine the effect of chamber design on the efficiency of the thermal mechanism for the separation of gases and isotopes. A tube was used of the same general design as that described previously except that it was equipped with a ground glass joint to permit the insertion of baffles. The chamber was made from concentric glass tubes 110 cm in length; the inner heated tube was 1 cm O. D. and the clearance between the hot and cold surfaces was 2 cm. The power input was 500 watts. Under these conditions a 50–50 ammonium-methane mixture gave a negligible separation. However, by the use of baffles it was possible to materially enhance the value of the separation factor.

One set of baffles was made by soldering 100 copper washers, 4 cm O. D. and 2 cm I. D. on three $\frac{1}{16}$ " brass rods with a clearance of 1 cm between washers. The unit was mounted symmetrically between the hot and cold surfaces. In this chamber the separation factor was 1.18. Another type of baffle was made from 1-inch brass washers machined to fit tightly on the inner heated tube; the clearance between washers was 2.2 cm. The separation factor in this case was 1.35, a greater separation than any previously obtained with a tube of similar length.

An idea of the movement of the gases within the tube was obtained by depositing a uniform film of ammonium chloride on the walls before admitting the ammonium-methane mixture. Fig. 1 shows the condition of the deposit after several hours of operation. The ammonium chloride is now deposited on the outer wall in clearly defined striations placed symmetrically with respect to the baffles. The position of the striations shows that the hot gas moves directly across the tube from the heated to the cold surface and then back in well-defined swirls. The net effect of these movements is that the tube is crossed by a series of streams of hot gas, each contiguous to cold streams moving in the opposite direction. The character of the



Fig. 1. Striated deposit of ammonium chloride on the cold wall.

deposits excludes the possibility of any general mass movement down along the cold wall. Similar striations were observed in some of the concentric glass tubes already tested but were not noted in a tube with a fine heated wire extending down the center. The results indicate that the separation factor is enhanced by the definition of the swirls. A detailed account of this mechanism will be presented shortly.

> A. KEITH BREWER ARTHUR BRAMLEY

Bureau of Agricultural Chemistry and Engineering, U. S. Department of Agriculture, Washington, D.C., September 4, 1939.

¹ Bramley and Brewer, J. Chem. Phys. 7, 553 (1939).

Heterophase Fluctuations and Pretransition Phenomena

In a recent paper IJ. Frenkel proposes a theory of fluctuations in the neighborhood of the melting point and other transition points. The phenomenon of "premelting" of crystals is defined as to the formation of small nuclei of the second (liquid) phase below the melting point. The author states that "The appearance of small nuclei of a new phase within a practically homogeneous substance (liquid or gaseous) has been admitted hitherto only in the case of undercooling or overheating, i.e., a thermodynamically unstable state." I wish, however, to draw attention to the fact that I have discussed this question already in a paper in 1922.2 In the papers quoted by Frenkel in a preliminary note³ attempts were made to treat the question with kinetic methods. On account of the difficulty of such a treatment, I-like Frenkel-used a thermodynamical reasoning using Einstein's method for calculation of fluctuations. The result of my considerations (formulae 1 and 2) were similar to those expressed in Eqs. (7b) and (8a) of Frenkel. A further development of the problem by Frenkel was done by taking into account the surface energy of the nuclei.

J. BRODY

Tungsram Research Laboratory, Ujpest, Hungary, August 3, 1939.

972

J. Frenkel, J. Chem. Phys. 7, 538 (1939).
 E. Brody, Physik. Zeits. 23, 197 (1922).
 J. Frenkel, J. Chem. Phys. 7, 200 (1939).