

Published on 01 January 1999. Downloaded on 20/01/2016 03:32:54.

*General Procedures for Preparation of Triazones 5a–f.*—264 mg (3 mmol) *N,N'*-dimethylurea, 1 g paraformaldehyde, 3 mmol primary amine **4a–f** and 2 g montmorillonite K-10 were irradiated by microwave in a Teflon vessel. The reaction mixture was filtered and washed with water. The organic phase was separated and dried with Na<sub>2</sub>SO<sub>4</sub> and concentrated by vacuum distillation.

Purification of the crude material by chromatography on a short column (silica gel, 70–230 mesh) and elution with dichloromethane, or vacuum distillation afforded triazones **5a–f**. The obtained yields were in the range of 67–84%.

We are grateful to the Research Council of K. N. Toosi, University of Technology for financial support.

Received, 9th February 1999; Accepted, 8th March 1999  
Paper E/9/01114E

## References

- 1 R. A. Abramovitch, *Org. Prep. Proc. Int.*, 1991, **23**, 683; D. M. P. Mingos and D. R. Baghurst, *Chem. Soc. Rev.*, 1991, **20**, 1; S. Caddick, *Tetrahedron*, 1995, **51**, 10403; C. R. Strauss and R. W. Trainer, *Aust. J. Chem.*, 1995, **48**, 1665.
- 2 L. Deloude and P. Laszlo, *J. org. Chem.*, 1996, **61**, 6360; R. S. Varma and R. Dahiya, *SynLett*, 1997, 857; R. S. Varma and H. M. Meshram, *Tetrahedron Lett.*, 1997, **38**, 7973.
- 3 R. L. Augustine, *Heterogenous Catalysis for the Synthetic Chemist*, Marcell Decker Inc., New York, 1996, pp. 579–584; K. Smith, *Solid Supports and Catalysts in Organic Synthesis*, Ellis Harwood, Chichester, 1992; B. Perio, M. J. Dozias, P. Jacquault and J. Hamelin, *Tetrahedron Lett.*, 1997, **38**, 7867; S. Jolivet-Fauchet, J. Hamelin, F. Texier-Boullet, L. Toupet and P. Jacquault, *Tetrahedron*, 1998, **54**, 4561; K. Toshima, Y. Ushilci, G. Matsuo and S. Matsumura, *Tetrahedron Lett.*, 1997, **38**, 7375.
- 4 H. Peterson, *Synthesis*, 1973, 243.
- 5 D. E. Hardies and D. K. Krass, *US Pat.*, 4150220, 1979 (*Chem. Abstr.*, 1979, **91**, P57062e).
- 6 D. E. Hardies, *US Pat.*, 4152516, 1979 (*Chem. Abstr.*, 1979, **91**, P57063f).
- 7 S. Knapp, J. J. Hale, M. Bastos, A. Molina and K. Yu, *J. Org. Chem.*, 1992, **57**, 6239.
- 8 S. Knapp, J. J. Hale, M. Bastos and F. S. Gibson, *Tetrahedron Lett.*, 1990, **31**, 2109.
- 9 V. J. Jasys *et al.*, *Tetrahedron Lett.*, 1988, **29**, 6223; B. Carboni, M. Vaultier and R. Carrie, *Tetrahedron Lett.*, 1988, **29**, 1279; R. J. Bergeron and J. S. McManis, *J. Org. Chem.*, 1988, **53**, 3108; S. Knapp and A. T. Levorse, *Tetrahedron Lett.*, 1987, **28**, 3213.
- 10 E. F. Hawkins, *US Pat.*, 4778510, 1988.
- 11 B. R. Larsen, F. M. Nicolaisen and T. Nielsen, *J. Mol. Struct.*, 1976, **32**, 247.