See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/267811910

Practical Access to Aromatic Thiocyanates by CuCN-Mediated Direct Aerobic Oxidative Cyanation of Thiophenols and Diaryl Disulfides.

ARTICLE in EUROPEAN JOURNAL OF ORGANIC CHEMISTRY · DECEMBER 2014

Impact Factor: 3.07 · DOI: 10.1002/ejoc.201403279

CITATIONS

2

READS

49

4 AUTHORS, INCLUDING:



Mihaela Gulea

University of Strasbourg

96 PUBLICATIONS 864 CITATIONS

SEE PROFILE



Morgan Donnard

CNRS - University of Strasbourg, France

19 PUBLICATIONS 177 CITATIONS

SEE PROFILE



Jean Suffert

University of Strasbourg

97 PUBLICATIONS 1,801 CITATIONS

SEE PROFILE



DOI: 10.1002/ejoc.201403279

Practical Access to Aromatic Thiocyanates by CuCN-Mediated Direct Aerobic Oxidative Cyanation of Thiophenols and Diaryl Disulfides

Thomas Castanheiro, [a] Mihaela Gulea, *[a] Morgan Donnard, *[a] and Jean Suffert*[a]

Dedicated to Professor Alexandre Alexakis on the occasion of his retirement

Keywords: Synthetic methods / Oxidative coupling / Cyanation / Copper / Sulfur

The practical and mild aerobic oxidative CuCN-mediated cyanation of thiophenols and diaryl disulfides was investigated. The reaction was performed in air at room temperature and reached aromatic thiocyanates in moderate to good yields starting from a broad range of diversely functionalized substrates.

Introduction

Organic thiocyanates are important synthetic intermediates for the preparation of various sulfur-containing compounds, such as thiols, sulfides, disulfides, thioesters, thiocarbamates, and sulfur heterocycles, and they are also constituents of biologically active compounds.[1] Compared to alkyl thiocyanates, which are generally easily prepared from alkyl halides and potassium or ammonium thiocyanate, aryl thiocyanates are more difficult to access. Besides the synthetic applications mentioned above, aryl thiocyanates have been used as reagents for the cyanothiolation of alkynes.^[2] Two main strategies are currently used to prepare these compounds: the first one (Scheme 1, path 1) consists in the reaction of various non-sulfur aromatic substrates (arenes or aryl metal, aryl halides, aryl diazonium salts, or arylboronic acids) with a thiocyanating agent such as a thiocyanate salt or thiocyanogen.^[3] The second one (Scheme 1, path 2) is based on the nucleophilic attack of a cyanide (KCN, NaCN, or TMSCN) on a substrate bearing an electrophilic sulfur (aryl disulfides, aryl sulfenyl, or sulfonyl derivatives).^[4] All these procedures require high temperatures or the presence of a metal catalyst, and the main drawback of the second strategy represents the use of highly toxic and moisture-sensitive cyanation agents. An additional approach making use of electrophilic CN sources has been developed but is infrequently used.^[5] Although CuCN was already used as the cyanide source for the formation of a

ArX + MSCN or
$$(SCN)_2$$
 $\xrightarrow{path 1}$ ArSCN

 $X = H, Li, Hal, N_2^+, B(OH)_2$ $M = K, Na, Zn, Cu, NH_4$

ArSX or $ArSO_2X$ + MCN or $TMSCN$ $\xrightarrow{path 2}$ ArSCN

 $X = Hal, SR$ $M = K, Na$

ArSH or $ArSSAr$ + CuCN $\xrightarrow{this work}$ ArSCN

Scheme 1. Methods for the synthesis of aryl thiocyanates.

Herein, we report an efficient S-cyanation of aromatic thiols and disulfides by CuCN at room temperature and by using oxygen as the oxidant^[8] (Scheme 1).

Results and Discussion

Preliminary studies were conducted on thiophenol (1a) as a model substrate. Acetonitrile was chosen as the solvent and molecular oxygen (air) was chosen as the oxidant for obvious practical reasons. In the first place, we wanted to know if a ligand was required; no reaction was observed in its absence (Table 1, entry 1). Then, the influence of the copper ligand was evaluated (Table 1, entries 2–7). Different usual ligands were screened, and it appeared that only two of them allowed the cyanation to take place, namely, *N*-methylimidazole and *N*,*N*,*N'*,*N'*-tetramethyl-1,2-ethylenediamine (TMEDA; Table 1, entries 6 and 7). TMEDA turned out to be the best ligand, as the reaction was complete after 18 h and thiocyanate 3a was obtained in a good yield of 94%, whereas *N*-methylimidazole drove the reaction only to a poor yield of 25% of the targeted compound along

donnard@unistra.fr jean.suffert@unistra.fr http://somp.unistra.fr

C-CN bond^[6] and very recently for a N-CN bond,^[7] no example of sulfur cyanation by this reagent has been described to date.

[[]a] Université de Strasbourg, CNRS, Faculté de Pharmacie, Laboratoire d'Innovation Thérapeutique (UMR7200), 74 Route du Rhin, 67401 Illkirch-Graffenstaden, France E-mail: gulea@unistra.fr

Supporting information for this article is available on the WWW under http://dx.doi.org/10.1002/ejoc.201403279.

Eurlo C

with a large amount of diphenyl disulfide (2a). Ligands such as triphenylphosphine, acetylacetone, pyridine, and 1,10-phenanthroline were unable to promote the reaction, and in these cases only disulfide 2a, the product of thiophenol oxidation, was recovered after 18 h reaction.

Table 1. Screening of ligands for the copper-mediated oxidative cyanation of thiophenol. [a]

	SH CuCN, Ligand CH ₃ CN, air 18 h, r.t.	S.S	+	S
1a		2a		3a
Entry	Ligand	Conv. [%] ^[b]	Ratio 2a/3a ^[b]	Yield 3a [%] ^[c]
1	none	0	_	_
2	PPh ₃	100	100:0	_
3	acetylacetone	100	100:0	_
4	pyridine	100	100:0	_
5	1,10-phenanthroline	100	100:0	_
6	N-methylimidazole	100	54:46	25 ^[d]

[a] Conditions: thiophenol (1a, 1 equiv.), CuCN (2 equiv.) in CH₃CN (0.3 m) and the ligand (2 equiv. for bidentate and 4 equiv. for monodentate) in an open vessel for 18 h at room temperature. [b] Determined by GC–MS analysis. [c] Yield of isolated product. [d] 83% based on recovered disulfide.

100

0:100

94

TMEDA

Interestingly, it appeared that the full conversion of thiol 1a into disulfide 2a was almost instantaneous, presumably catalyzed by copper salts, and we envisioned that the reaction could be performed on the disulfide itself with equivalent efficiency. This was confirmed by the transformation of 2a into thiocyanate 3a in a yield (88%) similar to that obtained in the reaction performed with thiophenol. Remarkably, we noticed that the use of sodium thiolate salts as the substrates considerably accelerated the reactions. For example, sodium phenylthiolate was converted into thiocyanate 2a after 1 h in comparable yield (92%). The effect of the solvent on the cyanation of diphenyl disulfide was then investigated (Figure 1) and was shown to be dramatic. Toluene, methanol, and 1,4-dioxane appeared incompatible with the reaction, whereas DMF, THF, and CH₂Cl₂ allowed the reaction to take place but drove it, after 18 h, to targeted




Figure 1. Relative efficiency of copper-mediated oxidative cyanation of diphenyl disulfide in various solvents after 18 h.

thiocyanate 3a in modest yields (36, 41, and 51%, respectively).

With the optimized conditions in hand, we investigated the scope of the reaction by performing the copper-mediated cyanation on representative aromatic thiols and diaryl disulfides (Table 2). Complete consumption of the disulfides was controlled after 18 h by GC–MS or TLC.

Table 2. Scope of the copper-mediated cyanation of thiophenols and diaryl disulfides. Conditions: Thiol (1 equiv.) or diphenyl disulfide (0.5 equiv.), CuCN (2 equiv.) in acetonitrile (0.3 m) and TMEDA (2 equiv.) in an open vessel for 18 h at room temperature.

[a] Performed at $80\,^{\circ}\mathrm{C}$ for $18\,\mathrm{h};$ yield evaluated by NMR spectroscopy.

Methyl-substituted substrates such as *p*-tolylthiocyanate (**3b**) and 2,4-dimethylthiocyanate (**3c**) were synthesized in good yields of 74 and 71%, respectively. Diversely chlorinated and fluorinated disulfides **2d**, **2e**, and **2f** furnished the desired thiocyanates in yields up to 95% (4-fluorophenyl thiocyanate **3e**), whereas brominated substrates **2g** and **1h** appeared less reactive, probably for electronic reasons, and corresponding thiocyanates **3g** and **3h** were obtained in yields of 40–50%. Electron-withdrawing substituents such as a nitro group lowered the reactivity of the disulfide, which was disadvantageous to the formation of the desired product. Thus, thiol **1i** was cyanated into **3i** in a poor 13% yield after 18 h at 80 °C, whereas only disulfide **2i** was reco-

SH
1a
$$O_2/Cu^1$$

$$Cu^1CN$$

$$O_2$$

$$O_2$$

$$O_2$$

$$O_2$$

$$O_2$$

$$O_2$$

$$O_3$$

$$O_4$$

$$O_2$$

$$O_2$$

$$O_3$$

$$O_4$$

$$O_2$$

$$O_3$$

$$O_4$$

$$O_5$$

$$O_7$$

$$O_8$$

$$O_8$$

$$O_9$$

$$O_$$

Scheme 2. Plausible reaction pathway.

vered upon performing the reaction at room temperature. An amide substituent appeared compatible with the transformation, as thiol 11 was converted into thiocyanate 31 in a reasonable 63% yield. However, we also demonstrated that the reaction was particularly sensitive to steric hindrance of the *ortho* substituents. Thus, substrates such as 2-bromo- (2g) and 2-benzamide (2k) diphenyl disulfides gave the corresponding cyanated products in notably lower yields (37 and 31%, respectively) than parent 4-substituted compounds. So, thiols 1h and 11 gave 3h and 31 in 51 and 61% yield, respectively.

As expected, a free hydroxy group on the substrate (see compound 1m) was detrimental to the reaction (product 3m, 24%), whereas corresponding *o*-methylated derivative 1n gave a good result (product 3n, 63%). Gratifyingly, substrates bearing a pyridyl group (see compounds 2o and 2p) that can unfavorably chelate copper species were efficiently converted into thiocyanates 3o and 3p in yields up to 94%.

We propose a tentative mechanism (Scheme 2) based on experimental observations and on reported mechanistic studies on copper chemistry with thiols. [9,10] The first step upon starting from thiol **1a** is the complete conversion, almost instantaneously, into disulfide **2a**, as demonstrated by GC–MS analysis of the reaction mixture after 5 min. Cuprous cyanide then performs oxidative addition into the S–S bond to form copper(III) intermediate **4a**, which undergoes reductive elimination to furnish desired thiocyanate **3a** as well as copper(I) thiolate **5a**. To finish, under aerobic conditions two molecules of this Cu^I salt generate a molecule of disulfide **2a** along with a copper oxide species (observed black powder).

Conclusions

In conclusion, we developed a practical and mild coppermediated cyanation of thiophenols and diaryl disulfides. The reaction can be performed with the use of convenient cuprous cyanide as the CN source and is performed in air at room temperature; it leads readily to variously functionalized aromatic thiocyanates in moderate to very good yields. TMEDA and *N*-methylimidazole were determined to be efficient promoters of the reaction and acetonitrile was shown to be the best solvent. This method represents an interesting complement to existing syntheses of thiocyanates with synthetic potential in practical oxidative cyanation reactions. At the present time, further studies are under investigation to elucidate the mechanism of this transformation and to extend the scope of this approach to different valuable substrates.

Experimental Section

General Procedure: CuCN (179 mg, 2 mmol) and then the disulfide (0.5 mmol) or the thiophenol (1 mmol) were added to a solution of TMEDA (0.3 mL, 2 mmol) in acetonitrile (3 mL). The mixture was stirred overnight, at room temperature, in air. The mixture was then filtered through a Celite pad. The filtrate was evaporated, and the crude product was directly purified on a silica gel column or was washed with water and the product extracted with diethyl ether. The product was purified by flash chromatography (heptane/ethyl acetate).

Supporting Information (see footnote on the first page of this article): All experimental procedures, characterization data, and copies of the ¹H NMR and ¹³C NMR spectra.

Acknowledgments

The Centre National de la Recherche Scientifique (CNRS) and the University of Strasbourg (IDEX PhD grant to T. C.) are acknowledged for financial support. The authors are grateful to Dr. Patrick Wherung from the "Plateforme d'Analyse Chimique Strasbourg Illkirch (PACSI)" for valuable help with HRMS analyses.

- For a review, see: A. W. Erian, S. M. Sherif, Tetrahedron 1999, 55, 7957–8024. For selected papers, see: a) I. W. J. Still, D. F. Toste, J. Org. Chem. 1996, 61, 7677–7680; b) Z. P. Demko, B. K. Sharpless, Org. Lett. 2001, 3, 4091–4094; c) S. A. Laufer, A. J. Liedtke, Tetrahedron Lett. 2006, 47, 7199–7203; d) T. Billard, B. R. Langlois, M. Medebielle, Tetrahedron Lett. 2001, 42, 3463–3465; e) P. Garcia, Y. Evanno, P. George, M. Sevrin, G. Ricci, M. Malacria, C. Aubert, V. Gandon, Chem. Eur. J. 2012, 18, 4337–4344; f) F. Ke, Y. Qu, Z. Jiang, Z. Li, D. Wu, X. Zhou, Org. Lett. 2011, 13, 454–457; g) V. V. Sureshbabu, B. Vasantha, H. P. Hemantha, Synthesis 2011, 1447–1455; h) M. Piekutowska, Z. Pakulski, Tetrahedron Lett. 2007, 48, 8482–8486; i) Z. Zhang, L. S. Liebeskind, Org. Lett. 2006, 8, 4331–4333; j) M. A. K. Zarchi, E. Nahid, Phosphorus Sulfur Silicon Relat. Elem. 2012, 187, 1226–1235.
- [2] a) I. Kamiya, J. Kawakami, S. Yano, A. Nomoto, A. Ogawa, Organometallics 2006, 25, 3562–3564; b) T. Ozaki, A. Nomoto,



- I. Kamiya, J. Kawakami, A. Ogawa, *Bull. Chem. Soc. Jpn.* **2011**, *84*, 155–163; c) Y. T. Lee, S. Y. Choi, Y. K. Chung, *Tetrahedron Lett.* **2007**, *48*, 5673–5677; d) W. X. Zheng, A. Ariafard, Z. Y. Lin, *Organometallics* **2008**, *27*, 246–253.
- See, for selected examples: a) J. H. Clark, C. W. Jones, C. V. A. Duke, J. M. Miller, J. Chem. Soc., Chem. Commun. 1989, 81–82; b) K. Takagi, H. Takachi, K. Sasaki, J. Org. Chem. 1995, 60, 6552–6556; c) Y.-F. Wang, Y. Zhou, J.-R. Wang, L. Liu, Q.-X. Guo, Chin. Chem. Lett. 2006, 17, 1283–1286; d) I. P. Beletskaya, A. Sigeev, A. S. Peregudov, P. V. Petrovskii, Mendeleev Commun. 2006, 5, 250–251; e) M. Hosseini-Sarvari, M. Tavakolian, J. Chem. Res. 2008, 6, 318–321; f) A. Batool, A.-R. Pourali, M. Rahmani, Synth. Commun. 2012, 42, 1184–1191; g) N. Sun, H. Zhang, W. Mo, B. Hu, Z. Shen, X. Hu, Synlett 2013, 24, 1443–1447.
- [4] For selected examples, see: a) I. W. J. Still, I. D. G. Watson, Synth. Commun. 2001, 31, 1355–1359; b) S. Kagabu, K. Sawahara, M. Maehara, S. Ichihashi, K. Saito, Chem. Pharm. Bull. 1991, 39, 784–785; c) S. Kagabu, M. Maehara, K. Sawahara, K. Saito, J. Chem. Soc., Chem. Commun. 1988, 1485–1486; d) D. N. Harpp, B. T. Friedlander, R. A. Smith, Synthesis 1979, 181–182; e) R. A. Gancarz, J. L. Kice, J. Org. Chem. 1981, 46, 4899–4906; f) A. Patchornik, Y. Degani, H. Neumann, J. Am. Chem. Soc. 1970, 92, 6969–6971; g) H. Guangdian, W. Hongyan, Chin. Chem. Lett. 1999, 2, 843–844; h) K. Yamaguchi, K. Sakagami, Y. Miyamoto, X. Jin, N. Mizuno, Org. Biomol. Chem. 2014, 12, 9200–9206.
- [5] For representative examples, see: a) Y.-Q. Wu, D. C. Limburg, D. E. Wilkinson, G. S. Hamilton, Org. Lett. 2000, 2, 795–797;
 b) J.-J. Kim, D.-H. Kweon, S.-D. Cho, H.-K. Kim, E.-Y. Jung, S.-G. Lee, J. R. Falck, Y.-J. Yoona, Tetrahedron 2005, 61, 5889–5894;
 c) L. Montanari, F. Pavanetto, T. Modena, M. Mazza, Farmaco Ed. Sci. 1984, 39, 935–944.
- [6] For selected papers, see: a) K. W. Rosenmund, E. Struck, Ber. Dtsch. Chem. Ges. 1919, 52, 1749–1756; b) J. von Braun, G. Manz, Justus Liebigs Ann. Chem. 1931, 488, 111–126; c) N. K. Swamy, A. Yazici, S. G. Pyne, J. Org. Chem. 2010, 75, 3412–3419; d) D. Wang, L. Kuang, Z. Li, K. Ding, Synlett 2008, 69–

- 72; e) R. S. Reddy, P. K. Prasad, B. B. Ahuja, A. Sudalai, J. Org. Chem. 2013, 78, 5045–5050; f) G. Zhang, L. Zhang, M. Hu, J. Cheng, Adv. Synth. Catal. 2011, 353, 291–294; g) C. C. Silveira, V. Caliari, A. S. Vieira, S. R. Mendes, J. Braz. Chem. Soc. 2007, 18, 1481–1485; h) T. Schareina, M. Beller, in: Copper-Mediated Cross-Coupling Reactions (Eds.: G. Evano, N. Blanchard), Wiley, Hoboken, NJ, 2014, p. 3133–334.
- [7] a) F. Teng, J.-T. Yu, Y. Jiang, H. Yang, J. Cheng, Chem. Commun. 2014, 50, 8412–8415; b) M. Donnard, J. Suffert, Presented at the 15th French–American Chemical Society (FACS) Symposium, Avignon, France, June 1–5, 2014.
- [8] For representative recent examples of carbon-heteroatom copper-mediated oxidative coupling, see: a) P. Y. S. Lam, C. G. Clark, S. Saubern, J. Adams, M. P. Winters, D. M. T. Chan, A. Combs, Tetrahedron Lett. 1998, 39, 2941–2944; b) D. A. Evans, J. L. Katz, T. R. West, Tetrahedron Lett. 1998, 39, 2937–2940; c) Y. Bolshan, R. A. Batey, Angew. Chem. Int. Ed. 2008, 47, 2109–2112; Angew. Chem. 2008, 120, 2139–2142; d) T. Hamada, S. S. Stahl, J. Am. Chem. Soc. 2008, 130, 833–835; e) D. J. Winternheimer, C. A. Merlic, Org. Lett. 2010, 12, 2508–2510; f) K. Jouvin, J. Heimburger, G. Evano, Chem. Sci. 2012, 3, 756–760; g) G. Evano, K. Jouvin, C. Theunissen, C. Guissart, A. Laouiti, C. Tresse, J. Heimburger, Y. Bouhoute, R. Veillard, M. Lecomte, A. Nitelet, S. Schweizer, N. Blanchard, C. Alayrac, A.-C. Gaumont, Chem. Commun. 2014, 50, 10008–10018.
- [9] For a review on C–S metal-catalyzed cross-coupling reactions, see: I. P. Beletskaya, V. P. Ananikov, *Chem. Rev.* 2011, 111, 1596–1636.
- [10] For mechanisms of copper-induced reactions involving thiols or disulfides, see, for selected examples: a) C. Savarin, J. Srogl, L. S. Liebeskind, *Org. Lett.* 2002, 4, 4309–4212; b) A. Varela-Álvarez, L. S. Liebeskind, D. G. Musaev, *Organometallics* 2012, 31, 7958–7968; c) C. Chen, Z. Weng, J. F. Hartwig, *Organometallics* 2012, 31, 8031–8037; d) N. Taniguchi, T. Onami, J. Org. Chem. 2004, 69, 915–920.

Received: September 30, 2014 Published Online: November 5, 2014