See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/5813317

Coordination-Driven Self-Assembly, Structures, and Dynamic Properties of Diplatinum Hexatriynediyl and Butadiynediyl Complexes in which the sp Carbon Chains are Shielded by sp3 Car...

ARTICLE in CHEMISTRY · FEBRUARY 2008

Impact Factor: 5.73 · DOI: 10.1002/chem.200701268 · Source: PubMed

CITATIONS READS

24 137

4 AUTHORS, INCLUDING:



Gareth R Owen
University of South Wales

45 PUBLICATIONS 894 CITATIONS

SEE PROFILE



John A Gladysz

Texas A&M University

251 PUBLICATIONS 7,154 CITATIONS

SEE PROFILE

DOI: 10.1002/chem.200701268

Coordination-Driven Self-Assembly, Structures, and Dynamic Properties of Diplatinum Hexatriynediyl and Butadiynediyl Complexes in which the sp Carbon Chains are Shielded by sp³ Carbon Chains: Towards Endgroup—Endgroup Interactions

Gareth R. Owen, [a] Jürgen Stahl, [a] Frank Hampel, [a] and John A. Gladysz*[a, b]

Abstract: Sequential reactions of trans- $(C_6F_5)(p-tol_3P)_2Pt(C\equiv C)_3SiEt_3$ $SiEt_3$) with nBu_4N^+ F⁻ (THF/methanol), PtCl, KPF₆/tBuOK, and CuCl give trans,trans- $[(C_6F_5)\{(p-tol_3P)_2\}Pt(C \equiv$ $C)_3Pt\{(Pp-tol_3)_2\}(C_6F_5)\}$ (**PtC₆Pt**) in 95% yield on multigram scales. Reactions of PtC₆Pt and Ar₂P(CH₂)_mPAr₂ afford substitution products trans, trans- $[(C_6F_5)\{(Ar_2P(CH_2)_mPAr_2)\}Pt(C\equiv C)_3Pt$ $\{(Ar_2P(CH_2)_mPAr_2)\}(C_6F_5)$ (PtC₆Pt-m/ **Ar**; m/Ar = 8/p-tol, 78%; 10/Ph, 82%; 11/Ph, 69%; 12/Ph, 57%; 14/p-tol, 57%; 14/p-C₆H₄-tBu, 71%), in which the diphosphines span the square planar platinum endgroups. An analogous reaction with PEt3 gives a tetrakis

PEt₃ complex Pt'C₆Pt' (72%). The crystal structures of PtC₆Pt, Pt'C₆Pt', PtC₆Pt-10/Ph, PtC₆Pt-11/Ph, and PtC₆Pt-14/p-tol or solvates thereof are compared. In PtC₆Pt, the endgroups can avoid van der Waals contact, and define angles of 0°. In PtC₆Pt-14/p-tol, the sp³ chains twist around the sp chain in a chiral double-helical motif, with an endgroup/endgroup angle of 189°. The sp³ chains are too short to adopt analogous conformations in the other com-

Keywords: helical structures • NMR spectroscopy • platinum • self-assembly • structure elucidation

plexes, but laterally shield the sp chain. NMR spectroscopy shows that the helical enantiomers of PtC₆Pt-14/p-tol rapidly interconvert in solution at low temperature. A crystal structure of PtC₄Pt shows endgroups that are in van der Waals contact and define an angle of 41°. Reactions with Ar₂P- $(CH_2)_8PAr_2$ give PtC_4Pt-8/Ar (Ar=Ph, 53%; p-tol, 87%). Low-temperature NMR spectroscopy establish non-helical chiral conformations. Electrochemical oxidations of the diplatinum complexes are analyzed, the reversibilities of which decrease with increasing sp chain length.

Introduction

Assemblies in which sp carbon chains span two transition metals, $[(L)_yMC_xM'(L')_y]$, have received much attention from both fundamental and applied viewpoints. [1-3] The one-dimensional C_x linkages very efficiently delocalize the odd electrons of radical ions between the metal endgroups. [2]

 [a] Dr. G. R. Owen, Dr. J. Stahl, Dr. F. Hampel, Prof. Dr. J. A. Gladysz Institut für Organische Chemie and Interdisciplinary Center for Molecular Materials Friedrich-Alexander-Universität Erlangen-Nürnberg Henkestrasse 42, 91054 Erlangen (Germany)
 Fax (+49)9131-852-6865
 E-mail: gladysz@chemie.uni-erlangen.de

[b] Prof. Dr. J. A. Gladysz
 Department of Chemistry, Texas A&M University
 PO Box 30012, College Station, Texas 77842–3012 (USA)
 Fax (+1) 979-845-5629
 E-mail: gladysz@mail.chem.tamu.edu

They are much more effective than most other types of unsaturated bridging ligands, which usually can be twisted out of conjugation. The C_x linkages also appear to be extendable to greater lengths than in analogs with carbon- or silicon-based endgroups. A PtC_{28} Pt adduct currently holds the "record" for isolable compounds.

As this field grows and evolves, attention is increasingly being directed at "second generation" families of complexes with special architectural features. One example would be polygons; squares with Pt_4C_{16} cores have been reported by Youngs, Bruce, and Anderson. Among our own efforts, we have described extensive series of diplatinum polygnediyl or $[Pt(C \equiv C)_nPt]$ complexes (n=2, 3, 4, 5, 6, 8, 10, 12, 14). These have been covalently linked in lateral arrays ("bundles") and longitudinal arrays (e.g., $[Pt(C \equiv C)_4]_nPt$ oligomers). [12]

As summarized in Scheme 1, we have also developed two complementary routes to complexes of the formula $trans, trans-[(C_6F_5)\{(Ar_2P(CH_2)_mPAr_2)\}Pt(C\equiv C)_n[Pt\{(Ar_2P-CH_2)_mPAr_2)\}Pt(C\equiv C)_n[Pt\{(Ar_2P-CH_2)_mPAr_2)\}Pt(C\equiv C)_n[Pt\{(Ar_2P-CH_2)_mPAr_2)]Pt(C\equiv C)_n[Pt]Pt]Pt(C\equiv C)_n[Pt]Pt[Pt]Pt(Pt]Pt(Pt)Pt(Pt$



Scheme 1. Syntheses and limiting structures of complexes PtC_xPt-m/Ar (x=2n) derived from $C_6F_5Pt(C\equiv C)_mPtC_6F_5$ units and termini-spanning α,ω -diphosphines $Ar_2P(CH_2)_mPAr_2$ (top, middle), and approaches to destabilizing conformations with coplanar endgroups such as **B** (bottom).

(CH₂)_mPAr₂)}(C₆F₅)] (**PtC**_x**Pt-m/Ar**; x = 2n = 8, 12). [13-15] One involves phosphine ligand substitution, or "coordination-driven self-assembly", and the other an alkene metathesis/ hydrogenation sequence. The products contain endgroup-spanning α,ω-diphosphines that sterically shield the sp carbon chains. In the cases with m/x/Ar = 14/8/Ph, 14/8/p-tol, 14/8/p-C₆H₄-tBu, 20/8/Ph, and 18/12/Ph, crystal structures show that the sp³ carbon chains wrap around the sp chains in striking chiral double-helical conformations **A** that have idealized D_2 symmetry. The corresponding radical cations became longer lived, inviting analogies to "insulated molecular wires". [16] At lower sp³/sp carbon ratios, formally achiral conformations of the type **B** are observed.

However, it has proved difficult to definitively establish that the conformations $\bf A$ dominate in solution. These feature, like most other helical species, a number of diastereotopic groups (e.g., PAr_2 , PCH_2). Thus, two sets of NMR signals are observed with many helical molecules. In favorable situations, the two sets coalesce to one at a higher temperature. This normally requires the "untwisting" of the helix to a formally achiral conformation, and subsequent retwisting to the opposite enantiomer (e.g., $\bf A \rightarrow \bf B \rightarrow \bf A'$ in Scheme 1). A net exchange of the diastereotopic groups results.

All complexes of the type PtC_xPt-m/Ar investigated to date have exhibited only a single set of NMR signals, even at very low temperatures. Phosphorus-platinum coupling is always observed ($J_{PPt} \approx 2600 \text{ Hz}$), and this indicates that dis-

sociation of the phosphorus donor atoms is slow. These results are consistent with several possibilities, including a) the rapid interconversion of the enantiomeric double-helical structures \mathbf{A}/\mathbf{A}' by untwisting/retwisting mechanisms, or b) a preference for achiral ground states (\mathbf{B}) in solution. Accordingly, we set out to develop analogs that might exhibit higher barriers to enantiomer interconversion.

In one approach, described elsewhere, the sp³ chains were functionalized. [15] In a parallel approach, and the subject of this investigation, we sought to extend the above chemistry from PtC_8Pt and $PtC_{12}Pt$ systems to lower homologues with shorter C_x bridges. It was thought that endgroup–endgroup steric interactions would eventually destabilize the achiral conformation \mathbf{B} and slow the \mathbf{A}/\mathbf{A}' equilibrium. This has abundant precedent with biaryls, which (as illustrated in Scheme 1, bottom) exhibit chiral non-planar ground states that interconvert via achiral planar transition states. [19,20] The barriers can be fine-tuned by introducing *ortho* substituents of varying sizes. Some diarylethynes $\mathbf{ArC} \equiv \mathbf{CAr}$ have also been engineered to adopt non-planar conformations. [21,22]

In this paper, we report 1) reactions of the hexatriynediyl complex $trans, trans-[(C_6F_5)\{(p-\text{tol}_3P)_2\}Pt(C\equiv C)_3Pt\{(Pp-\text{tol}_3)_2\}(C_6F_5)]$ (PtC₆Pt)^[5] with longer-chain diphosphines leading to assemblies of the type A, 2) reactions of PtC₆Pt with shorter-chain diphosphines leading to assemblies of the type B, 3) parallel chemistry with the butadiynediyl complex PtC₄Pt leading to assemblies that have chiral ground states in solution but are conformationally distinct from A, 4) attendant

FULL PAPER

crystallographic, variable temperature NMR, and cyclic voltammetry data, and 5) detailed analyses thereof. A portion of this work has been communicated, [23] and additional details can be found elsewhere. [24]

Results

Syntheses and structures of unbridged butadiynediyl and hexatriynediyl complexes: The complexes PtC₆Pt and PtC₄Pt have been previously synthesized by means of CuCl-catalyzed cross-couplings of polyynyl complexes PtC_xH and the chloride complex PtCl.^[5] During the course of this study, an improved protocol for PtC₆Pt was developed. As shown in Scheme 2, PtC₆SiEt₃ was first combined with the fluoride salt nBu₄N⁺ F⁻ in protic media to generate the labile complex PtC₆H. Interestingly, when the CuCl-catalyzed reaction with PtCl was conducted in the presence of stoichiometric amounts of KPF₆ and tBuOK, the yield of PtC₆Pt increased from 34% to 95%. [25] Quantities exceeding two grams were easily prepared. No PtC₆Pt was obtained in the absence of CuCl.

The relative sizes of different endgroups are most easily visualized in adducts with modest endgroup separations. Thus, a sample of **PtC₆Pt** was treated with 4.5 equiv of PEt₃. As shown in Scheme 2, workup gave the four-fold phosphine substitution product **Pt'C₆Pt'** in 72% yield. Analogous reactions of the higher homologues **PtC₈Pt** and **PtC₁₂Pt** have been reported previously.^[5] The new complex **Pt'C₆Pt'** and others were normally characterized by NMR (¹H, ¹³C, ³¹P) and IR spectroscopy, mass spectrometry, and microanalysis, as summarized in the Experimental Section. Unless otherwise noted, spectroscopic properties were similar to those of related complexes described earlier.

Many $Pt(C \equiv C)_n Pt$ species can be crystallized.^[3] Accordingly, the crystal structures of PtC_4Pt , a solvate of PtC_6Pt , and $Pt'C_6Pt'$ were determined as summarized in Table 1 and the Experimental Section. Views of the molecular structures, the last two of which exhibit inversion centers at the mid-

points of the sp chains, are presented in Figures 1–3. Key metrical parameters are summarized in Table 2.

In accord with the expectations given in the introduction, the endgroups in PtC₄Pt were not coplanar, as highlighted in the partial structures in Figure 2. For quantifying endgroup/endgroup angles, we prefer to use the planes defined by the P-Pt-P linkage on one endgroup and the platinum atom on the other. These emphasize the twist defined by the two P-Pt-P linkages, and are less affected by various geometric non-idealities. However, an alternative measure based on the platinum coordination planes is also included in Table 2. The values are usually quite close (41.0°–40.8°) for PtC₄Pt, but can differ by as much 35° in certain bow-shaped complexes.^[13]

In contrast to $\mathbf{PtC_4Pt}$, the endgroups in $\mathbf{PtC_6Pt}$ were coplanar, as mandated by the inversion center. Both $\mathbf{PtC_6Pt}$ and $\mathbf{PtC_4Pt}$ exhibited the $C_6H_4R/C_6F_5/C_6H_4R$ π -stacking interaction commonly seen in this series of compounds. The average centroid–centroid distances are also given in Table 2. Consistent with the inversion center, the endgroups in $\mathbf{Pt'C_6Pt'}$ were also coplanar. The higher homologue $\mathbf{Pt'C_{12}Pt'}$ exhibits an analogous conformation.

As illustrated by the space-filling representations **C** and **D** in Figure 3, there are extensive van der Waals contacts between the endgroups in **PtC**₄**Pt**, which appear to embrace. In contrast, there are no van der Waals contacts in **PtC**₆**Pt** (see **E**, **F**). The shortest hydrogen-hydrogen distance is 2.71 Å. As illustrated by **G** and **H**, the PEt₃-substituted endgroups in **Pt'C**₆**Pt'** are distinctly smaller than the Pp-tol₃-substituted endgroups in **PtC**₆**Pt**. Significantly more of the sp chain is exposed. For comparison, analogous views of the longer-chain octatetraynediyl complex **PtC**₈**Pt** are provided (**I**, **J**). [5]

Syntheses of bridged hexatriynediyl complexes: Despite the "near miss" with regard to endgroup/endgroup interactions in crystalline **PtC₆Pt**, reactions with α,ω -diphosphines were nevertheless investigated. It was hoped that 1) coordination-

$$F = P_{P-tol_3}$$

$$F = P_{P-tol_3}$$

$$P_{t-C = C-C = C-C = C-SiEt_3}$$

$$P_{t-C = C-C = C-C = C-C = C-C = C-H}$$

$$P_{t-C = C-H}$$

Scheme 2. Syntheses of diplatinum hexatriynediyl complexes PtC₆Pt and Pt'C₆Pt'.

Table 1. Summary of crystallographic data.^[a]

	PtC ₆ Pt·4THF	Pt'C ₆ Pt'	PtC ₆ Pt-10/Ph	PtC ₆ Pt-11/ Ph-2 CH ₂ Cl ₂	PtC ₆ Pt-14/p- tol-2 CH ₂ Cl ₂	PtC₄Pt
empirical formula	$C_{118}H_{116}F_{10}O_4P_4Pt_2$	$C_{42}H_{60}F_{10}P_4Pt_2$	$C_{86}H_{80}F_{10}P_4Pt_2$	$C_{90}H_{88}Cl_4F_{10}P_4Pt_2$	$C_{104}H_{116}Cl_4F_{10}P_4Pt_2$	$C_{100}H_{84}F_{10}P_4Pt_2$
formula weight	2302.17	1268.96	1817.56	2015.46	2211.83	1989.73
crystal system	triclinic	monoclinic	monoclinic	triclinic	triclinic	triclinic
space group	$P\bar{1}$	$P2_1/c$	C2/c	$P\bar{1}$	$P\bar{1}$	$P2_1/n$
unit cell dimensions:						
a [Å]	13.4269(2)	15.6304(3)	42.6816(7)	12.5504(2)	15.0284(2)	14.8560(1)
b [Å]	14.8625(3)	11.4513(3)	9.1247(2)	12.5639(2)	18.1876(2)	24.4690(2)
c [Å]	14.9832(2)	13.6613(2)	22.0727(3)	15.6464(2)	21.3651(2)	25.6070(2)
α [°]	104.4233(8)	90	90	73.2385(8)	102.614(6)	90
β [°]	98.3223(9)	91.3330(14)	118.081(11)	73.6865(9)	103.327(6)	108.4530(4)
γ [°]	114.8313(8)	90	90	65.1352(9)	112.551(5)	90
$V[\mathring{A}^3]$	2520.08(7)	2444.55(9)	7584.4(2)	2106.86(5)	4932.71(10)	8829.83(12)
Z	1	2	4	1	2	4
o calcd [Mgm ⁻³]	1.517	1.724	1.592	1.589	1.489	1.497
μ [mm ⁻¹]	2.909	5.913	3.839	3.586	3.071	3.305
F(000)	1162	1236	3608	1002	2228	3960
crystal size [mm]	$0.20 \times 0.20 \times 0.10$	$0.15 \times 0.15 \times 0.01$	$0.30 \times 0.15 \times 0.10$	$0.20 \times 0.20 \times 0.10$	$0.30 \times 0.30 \times 0.20$	$0.30 \times 0.20 \times 0.20$
Θ range	1.46 to 27.51	2.20 to 27.47	2.30 to 27.46	1.38 to 27.50	1.51 to 27.50	4.10 to 27.48
index ranges (h,k,l)	-17,17; -19,19;	-20,20; -14,14;	-55,55; -11,11;	-16,16; -16,16;	-19,19; -23,23;	-19,19; -31,30
	-19,19	-17,17	$-28,\!28$	$-20,\!20$	-27,27	-33,33
reflections collected	21 640	10722	16236	18265	42998	34705
independent reflections	11 527	5585	8619	9643	22 634	20060
R(int)	0.0201	0.0288	0.0259	0.0180	0.0250	0.0428
reflections $[I > 2\sigma(I)]$	10337	4432	7160	8906	17613	14087
completeness to Θ	99.4% (27.5)	99.9% (27.5)	99.2% (27.5)	99.5 % (27.5)	99.8% (27.5)	99.1 % (27.5)
data/restraints/parame-	11 527/0/622	5585/0/262	8619/0/460	9643/0/496	22 634/4/1125	20 060/0/1045
ers						
goodness-of-fit on F2	1.066	1.034	1.030	1.115	1.034	1.005
R indices (final) $I > 2\sigma(I)$	<i>I</i>)]					
R_1	0.0286	0.0306	0.0333	0.0246	0.0303	0.0402
vR_2	0.0706	0.0727	0.0820	0.0633	0.0732	0.0923
R indices (all data)						
R_1	0.0346	0.0457	0.0450	0.0283	0.0475	0.0701
$\stackrel{\circ}{wR_2}$	0.0772	0.0788	0.0887	0.0691	0.0811	0.1028
largest diff. peak/hole	1.344/-1.181	1.470/-1.841	1.578/-2.394	0.968/-1.332	1.630/-1.081	4.180/-1.606

[a] Data common to all structures: T=173(2) K; $\lambda=0.71073$ Å; refinement method: full-matrix least-squares on F^2 ; Bruker-AXS Smart 1000 diffractometer.

Table 2. Key crystallographic distances [Å] and angles [°].

	PtC ₆ Pt-4THF ^[a]	Pt'C ₆ Pt' ^[a]	PtC ₆ Pt-10/Ph ^[a]	$\textbf{PtC}_{6}\textbf{Pt-11/Ph-}2\text{CH}_{2}\text{Cl}_{2}^{[a]}$	PtC ₆ Pt-14/p-tol-2 CH ₂ Cl ₂	PtC ₄ Pt
Pt···Pt	10.3610(3)	10.3829(3)	10.3705(16)	10.2928(2)	10.3966(4)	7.7668(2)
sum of bond lengths, Pt1 to Pt2	10.365	10.388	10.391	10.326	10.404	7.784
Pt1-C1/Pt2-C6	1.995(3)	2.000(4)	1.998(4)	1.986(3)	2.001(3)/2.006(3)	1.986(5)/1.937(7) ^[b]
C1-C2/C5-C6	1.213(4)	1.213(6)	1.219(6)	1.212(4)	1.226(5)/1.216(5)	1.212(7)/1.272(7) ^[c]
C2-C3/C4-C5	1.371(4)	1.371(6)	1.376(6)	1.362(4)	1.370(5)/1.364(5)	1.377(7) ^[d]
C3-C4	1.207(6)	1.220(9)	1.205(8)	1.206(6)	1.221(5)	_
Pt1-C1-C2/Pt2-C6-C5	177.4(3)	178.5(4)	174.5(4)	173.6(3)	175.8(3)/178.5(3)	174.7(4)/172.7(4) ^[e]
C1-C2-C3/C6-C5-C4	178.7(4)	178.6(5)	177.2(5)	176.0(3)	178.8(4)/177.6(4)	176.1(5)/178.8(6) ^[f]
C2-C3-C4/C5-C4-C3	178.7(5)	178.7(7)	179.6(8)	179.3(5)	179.4(5)/177.8(5)	-
average Pt-C _{sp} -C _{sp}	178.3	178.6	177.1	176.3	178.0	176.2
average C _{sp} -C _{sp} -C _{sp}	178.7	178.7	178.4	177.7	178.4	177.5
average sp/sp3 distance[g]	_		4.865	4.034	4.422	-
average π stacking ^[h]	3.665	_	3.631	3.705	4.197	3.981
P-Pt-P/Pt angle ^[i]	0	0	0	0	189.3	41.0
$Pt+P+P+C_i+C1 \text{ angle}^{[i]}$	0	0	0	0	190.0	40.8

[a] This complex exhibits an inversion center at the midpoint of the PtC_6Pt chain. [b] Pt1-C1 and Pt2-C4; [c] C1-C2 and C3-C4. [d] C2-C3. [e] Pt1-C1-C2 and Pt2-C4-C3. [f] C1-C2-C3 and C4-C3-C2. [g] Average distance from every CH_2 group to the Pt-Pt vector. [h] Distance between midpoints of the C_6F_5 and C_6H_4R rings. [i] Angle between planes defined by these atoms on each endgroup.

driven self-assembly would occur to give molecules with the connectivities A/B (Scheme 1), analogously to earlier results with PtC_8Pt , [13] and 2) steric interactions that would raise

the energies of conformations with coplanar endgroups might still somehow result.




Figure 1. Thermal ellipsoid plots (50% probability level) of PtC₄Pt (top) PtC₆Pt-4THF (middle; solvate molecules omitted), and Pt'C₆Pt' (bottom) (ellipsoids: purple = platinum, orange = phosphorus, green = fluorine, gray = carbon).




Figure 2. Partial views of the molecular structure of PtC₄Pt (ellipsoids/ spheres: purple = platinum, orange = phosphorus, green = fluorine, gray = carbon).




Figure 3. Space filling representations of PtC₄Pt (top), PtC₆Pt-4THF (second row), Pt'C₆Pt' (third row), and PtC₈Pt (bottom) parallel (left) and perpendicular (right) to the planes of the C₆F₅ ligands with solvate molecules omitted (spheres: purple=platinum, orange=phosphorus, green = fluorine, red = sp carbon chain).

As summarized in Scheme 3 (top), solutions of PtC₆Pt in THF were treated with a series of diphosphines Ar₂P- $(CH_2)_m PAr_2$ (m/Ar = 8/p-tol, 10/Ph, 11/Ph, 12/Ph, 14/p-tol,14/p-C₆H₄-tBu, 16/Ph, 18/Ph). [28,29] In each case, the target complexes with endgroup-spanning diphosphines, trans, $trans-[(C_6F_5)](Ar_2P(CH_2)_mPAr_2)Pt(C\equiv C)_3Pt\{(Ar_2P(CH_2)_mP-CH_2)_mP-CH_2\}Pt(C\equiv C)_3Pt$ Ar₂){(C₆F₅)] (**PtC₆Pt-m/Ar**), formed. For the first six reactions, workups gave PtC6Pt-m/Ar as light yellow solids in 57-82% yields. For the last two, ³¹P NMR spectra of the reaction mixtures suggested complete conversion to PtC₆Pt-**16/Ph** and **PtC₆Pt-18/Ph**. However, the solids isolated (64% in the former case) would not dissolve again. This is characteristic of oligomers that sometimes form upon sample concentration. [30] Similar behavior is seen if PtC₈Pt is combined with diphosphines with $m \ge 16$, or $PtC_{12}Pt$ with diphosphines with $m \ge 19$.[13]

As noted with other complexes of the type PtC_rPt-m/ Ar, [13-15] the mass spectra of PtC₆Pt-m/Ar exhibited intense molecular ions. The PtC=CC 13C NMR spectroscopy signals of these diarylalkylphosphine adducts (PtC≡C, 95.7–

Scheme 3. Syntheses of diphosphine-bridged diplatinum hexatriynediyl and butadiynediyl complexes.

94.6 ppm; PtC \equiv CC, 61.7–60.3 ppm, CDCl₃) were very close to those of the triarylphosphine and trialkylphosphine models PtC₆Pt (95.8, 98.4, 61.1 ppm)^[5] and Pt'C₆Pt' (91.7, 99.5, 60.2 ppm). The IR spectra showed a single weak $\tilde{v}_{C}\equiv$ band (2100–2123 cm⁻¹), comparable to those of PtC₆Pt (2106 cm⁻¹) and Pt'C₆Pt' (2101 cm⁻¹). The UV/Visible spectra of representative complexes were recorded in CH₂Cl₂ [$\lambda(\varepsilon) = 313-323$ (51000–30000), 345–343 (19000–13000), 370–368 nm (12000–8000 m⁻¹ cm⁻¹); see Experimental Section]. The band patterns were similar to that of PtC₆Pt ($\lambda(\varepsilon) = 315$ (44000), 345 (15000), 358 (11000), 369 nm (9000 m⁻¹ cm⁻¹)); [5] the underlying electronic transitions are analyzed in detail elsewhere. [9]

Structures of bridged hexatriynediyl complexes: The crystal structures of PtC₆Pt-10/Ph, PtC₆Pt-11/Ph, and PtC₆Pt-14/p-tol, or CH₂Cl₂ disolvates thereof, were determined. Most

data are incorporated into Tables 1 and 2. Torsion angles associated with the sp³ chains are summarized in Table 3 and discussed below. Views of the molecular structures, the first two of which exhibit inversion centers at the midpoints of the coplanar chains and sp endgroups, are presented in Figure 4 and Figure 5. Two methylene groups of PtC₆Pt-14/ p-tol are disordered (79:21 and 46:54 occupancy ratios), and only the dominant conformation is depicted.

The sp³ chains in **PtC₆Pt-10/Ph** are not long enough to twist into the double-helical conformation **A** (Scheme 1). Rather, a (CH₂)₇ segment in each (C3-

C9) runs roughly parallel to the sp chain in an "all-anti" conformation, laterally shielding two "sides" as in **B** (see Figure 4, top, or **K** in Figure 5). The sp³ chains in **PtC₆Pt-11/Ph** exhibit more curvature. Nonetheless, each returns to its hemisphere of origin (Figure 4, middle), avoiding a helical conformation.

The longer sp³ chains in PtC_6Pt-14/p -tol are able to wrap around the sp chain in a double-helical conformation $\bf A$. The endgroups define an angle of 189.3°—more than a half twist. Both enantiomers are present in the unit cell. The sp chain is highly shielded, visible only through the bowl-like cavity highlighted in $\bf P$ in Figure 5. This view also reveals that the sp and sp³ chains are not in van der Waals contact. Interestingly, the average $C_6H_4R/C_6F_5/C_6H_4R$ stacking distances are somewhat greater than in the other complexes (Table 2 and Figure 5; compare $\bf O$ with $\bf K$ and $\bf M$). Additional features are analyzed below.

Table 3. Torsion angles [o] involving sp³ carbon atoms of Ar₂P(CH₂)_mPAr₂-bridged complexes.^[a]

	PtC ₆ Pt-10/Ph ^[b]	PtC ₆ Pt-11/Ph-2 CH ₂ Cl ₂ ^[b]	PtC₆Pt-14/<i>p</i>-tol· 2 CH ₂ Cl ₂ ^[c]
Pt1-P1-C1-C2	176.0	40.0	60.3/37.9
P1-C1-C2-C3	152.0	177.5	-165.0/-156.7 (-89.0)
C1-C2-C3-C4	55.2	-179.0	-57.9/69.1 (-67.3)
C2-C3-C4-C5	58.9	59.4	-63.3/170.3 (-119.6)
C3-C4-C5-C6	167.4	54.2	-179.7/167.2 (-136.3)
C4-C5-C6-C7	165.8	59.8	174.1/78.0
C5-C6-C7-C8	170.1	175.2	64.3/164.8 (-158.4)
C6-C7-C8-C9	163.9	177.6	179.0/177.6 (-79.7)
C7-C8-C9-C10	-79.4	-173.5	174.6/-145.7 (166.2)
C8-C9-C10-P2 (-C11) ^[d]	168.6	75.2	-171.5/34.5 (-55.0)
C9-C10-P2-Pt2 (-C11-P2, -C11-C12) ^[d]	-179.0	-165.8	-64.3/-175.8
C10-C11-P2-Pt2 (-C12-C13) ^[d]	_	41.3	-55.8/176.5
C11-C12-C13-C14	_	_	-56.5/70.4
C12-C13-C14-P2	_	_	-169.2/-174.4
C13-C14-P2-Pt2	_	_	43.2/56.9

[a] The carbon atoms are numbered consecutively beginning at one terminus. [b] As this molecule exhibits an inversion center at the midpoint of the PtC_6Pt chain, the two sp^3 chains are symmetry equivalent. [c] The sp^3 chains in this molecule are not equivalent. The torsion angles for both are presented starting from the same platinum atom. The values in parentheses correspond to disordered segments and represent the minor conformer. [d] The first four atoms indicate the torsion angle for the first entry, and the atoms in parentheses indicate replacements for subsequent entries.




Figure 4. Thermal ellipsoid plots (50% probability level) of PtC₆Pt-10/Ph (top), PtC₆Pt-11/Ph-2CH₂Cl₂ (middle), and PtC₆Pt-14/p-tol-2CH₂Cl₂ (bottom) with solvate molecules omitted (ellipsoids: purple=platinum, orange=phosphorus, green=fluorine, gray=carbon).

The structure of PtC_6Pt-14/p -tol was probed in solution. As noted above, the aryl groups and PCH_2 protons are diastereotopic in the helical conformation **A**. However, when NMR spectra were recorded in $CDClF_2$ at $-135\,^{\circ}C,^{[31]}$ only a single set of aryl ^{13}C or PCH_2 ^{1}H signals were observed. In connection with another structural issue below, ^{31}P NMR spectra were recorded in $[D_8]THF$ at low temperature. Although the signal broadened at $-110\,^{\circ}C$, no decoalescence occurred.

Syntheses and structures of bridged butadiynediyl complexes: Similar reactions of the butadiynediyl complex PtC₄Pt and the diphosphines Ar₂P(CH₂)₈PAr₂ (Ar=Ph, *p*-tol)^[28,29] were investigated. As shown in Scheme 3 (bottom), workups gave the target complexes PtC₄Pt-8/Ph and PtC₄Pt-8/*p*-tol in good yields. However, the purifications were more difficult. With the former, chromatography was required. With the latter, small amounts of unidentified by-




Figure 5. Space filling representations of PtC_6Pt-10/Ph (top), $PtC_6Pt-11/Ph-2$ CH₂Cl₂ (middle), and $PtC_6Pt-14/p-tol-2$ CH₂Cl₂ (bottom) parallel (left) and perpendicular (right) to the planes of the C_6F_5 ligands with solvate molecules omitted (spheres: purple=platinum, orange=phosphorus, green=fluorine, red=sp carbon chain).

products could not be removed. The yield represents material of \approx 97% spectroscopic purity.

Given the non-coplanar endgroups in PtC₄Pt, it was hoped that the barriers for interconverting enantiomeric double-helical conformations of PtC₄Pt-8/Ar would be higher. Thus, ¹H, ¹³C, and ³¹P NMR spectra of both complexes were recorded at low temperature. To our initial delight, ¹H NMR spectra exhibited two signals for the PCH₂ protons at 193 K and below. The decoalescence of aryl protons was also apparent. With PtC₄Pt-8/p-tol, two methyl signals were also observed.

However, as depicted for PtC_4Pt-8/Ph in Figure 6, low-temperature ^{31}P NMR spectra also exhibited *two* signals. The phosphorus atoms in the helical conformation A are homotopic (exchangeable by the three orthogonal C_2 axes) and should give only *one* signal. Alternative conformations consistent with these data are proposed in the discussion section. Key ^{31}P NMR data for both complexes are summarized in Table 4. Standard protocols gave the simulation at the bottom of Figure 6, and ΔG^{\pm} values of 7.8–8.0 kcal mol $^{-1}$ or 32.6–33.6 kJ mol $^{-1}$ for the process that renders the phosphorus atoms equivalent. $^{[33]}$

Thermal and oxidative stabilities: When the products in Scheme 3 were heated in capillaries, no melting was observed. Rather, solid-state decomposition (darkening) occurred at temperatures ranging from 160 to 255 °C. The




Figure 6. Variable-temperature $^{31}P\{^{1}H\}$ NMR spectra of **PtC₄Pt-8/Ph** (162 MHz, [D₈]THF; * denotes a platinum satellite).

Table 4. Key ³¹P{¹H} NMR data for **PtC₄Pt-8/Ph** (Figure 6) and **PtC₄Pt-8/ p-tol** (162 MHz, [D₈]THF, AB spin systems).

	PtC₄Pt-8/Ph	PtC ₄ Pt-8/p-tol	
P _A (σ, 163 K)	16.16 ppm	14.75 ppm	
$P_{\rm B}$ (σ , 163 K)	9.32 ppm	7.96 ppm	
$\Delta \nu$ (163 K)	1108.9 Hz	1098.2 Hz	
$ J_{AB} $ (163 K)	404.0 Hz	405.7 Hz	
$T_{\rm C}$	188 K	193 K	
$k_{\rm C}$	3302 s^{-1}	$3290 \ s^{-1}$	
$\Delta G^{\dagger}(T_{\rm C})$	32.6 kJ mol^{-1}	33.6 kJ mol^{-1}	
	$7.8~\mathrm{kcal}\mathrm{mol}^{-1}$	$8.0~\rm kcal~mol^{-1}$	

hexatriynediyl complexes PtC_6Pt-8/p -tol, PtC_6Pt-10/Ph , PtC_6Pt-12/Ph and PtC_6Pt-14/p -tol were further characterized by TGA and DSC. There was no appreciable mass loss below 270 °C. Endotherms were observed at 291, 214, 225, and 165 °C (T_e), $^{[34]}$ respectively, roughly paralleling the capillary behavior. The preceding observations suggest that the stabilities decrease with increasing sp³ chain length.

All of the diplatinum complexes were stable for extended periods in air. As summarized in Table 5, cyclic voltammograms of representative adducts were recorded under conditions employed for related complexes earlier. [5,6,11–15] Partially reversible oxidations were observed, as reflected by the $i_{c/a}$ and ΔE values. Mixed-valent platinum(II)/platinum(III)

Table 5. Cyclic voltammetry data.

Complex ^[a]	$E_{\rm p,a}\left[{ m V}\right]$	$E_{\rm p,c}\left[{ m V}\right]$	<i>E</i> ° [V]	$\Delta E [mV]$	$i_{\mathrm{c/a}}$
PtC ₄ Pt	0.940	0.862	0.901	78	0.98
PtC ₄ Pt-8/Ph	1.054	0.976	1.015	78	0.94
PtC ₆ Pt	1.156	1.066	1.111	90	0.71
PtC ₆ Pt-10/Ph	1.245	1.160	1.203	85	0.82
PtC ₆ Pt-12/Ph	1.225	1.150	1.188	75	0.84
PtC ₆ Pt-14/p-tol	1.238	1.121	1.180	117	0.45

[a] Conditions: 22.5 ± 1 °C, CH₂Cl₂ solutions $(7-9) \times 10^{-5}$ м in complex and 0.1 м in nBu_4N^+ BF₄⁻; Pt working and counter electrodes, potential vs. Ag wire pseudoreference; scan rate, 100 mV s^{-1} ; ferrocene = 0.46 V.

radical cations were presumed to form.^[35] The unbridged complexes PtC_xPt exhibited thermodynamically more favorable oxidations (less positive E° values) with shorter sp chain lengths, which parallel the HOMO energies, as analyzed in detail previously.^[5,9] Concurrently, the reversibilities improved.

When the Pp-tol₃ ligands in PtC_4Pt were replaced by the diphenylalkylphosphine ligands in PtC₄Pt-8/Ph, oxidations became thermodynamically less favorable. The higher homologues PtC₆Pt/PtC₆Pt-m/Ph (Table 5) and PtC₈Pt/ PtC₈Pt-m/Ph^[13,14] behaved similarly. With PtC₄Pt and PtC₄Pt-8/Ph, the reversibilities were comparably high. In contrast, the bridged complexes PtC₆Pt-10/Ph and PtC₆Pt-12/Ph gave somewhat more reversible oxidations than PtC₆Pt. Unexpectedly, PtC₆Pt-14/p-tol exhibited a much less reversible oxidation—the first time such a trend has been found for a complex that can adopt helical conformation A. Platinum(III) species can decompose by means of solvent interaction with an axial coordination site. [35] However, as illustrated by O and K in Figure 5, the axial sites in PtC₆Pt-14/p-tol are much more sterically shielded than those in PtC₆Pt-10/Ph. Perhaps the larger ring size in PtC₆Pt-14/p-tol labilizes the resulting radical cation.

Discussion

Syntheses: The new syntheses in Scheme 3 parallel those reported earlier for the bridged octatetraynediyl complexes PtC_8Pt-m/Ar ($m=10,\ 11,\ 12,\ 14$) and dodecahexaynediyl complex $PtC_{12}Pt-18/Ph.^{[13]}$ Thus, this approach to sterically shield the unsaturated assemblies that connect two electroactive groups has considerable generality. Efforts by other researchers have largely focused on various types of dendrimers or rotaxanes. ^[16] These often contain reactive functional groups, whereas our assemblies are encased by the equivalent of polyethylene. The protocol in Scheme 3 can be regarded as a one-dimensional analog of the coordination-driven self-assembly processes used by Stang and Fujita to access two- and three-dimensional polypalladium and polyplatinum complexes with other types of rigid spacers. ^[36]

For an sp chain of x carbon atoms, there must be a minimum sp³ chain length of m carbon atoms. The data for PtC_6Pt (Scheme 3) and $PtC_8Pt^{[13]}$ establish that m can be as little as x+2. For such species, conformations of the type **B**

are clearly the only energetically reasonable possibilities. There also seems to be an upper limit on the sp³ chain length, at least from an operational standpoint. In the case of $PtC_{12}Pt$, essentially, only oligomers can be isolated if the sp³ chain is >50% longer than the sp chain (m>18). With PtC_8Pt , the corresponding limit is >75% (m>14). With PtC_6Pt , the practical limit appears to be >133% (m>14), although higher homologues (m=16, 18) clearly form in situ. With PtC_4Pt , the sp³ chains can be 200% longer than the sp chain. However, given the non-coplanar endgroups and different conformational motif of the products, we view results in this series (where the sp³ chain length has not yet been varied) as less comparable.

The other synthetic approach to bridged complexes PtC_xPt-m/Ar in Scheme 1 – the metathesis/hydrogenation sequence – has so far only been applied to complexes with x=8 and 12. Although overall yields are lower, it is a more reliable protocol for these sp chain lengths. Importantly, it has proved possible to isolate PtC_8Pt-16/Ph , PtC_8Pt-18/Ph , PtC_8Pt-20/Ph , PtC_1Pt-18/Ph , and PtC_1Pt-20/Ph —all of which are inaccessible from PtC_xPt and the corresponding diphosphines. Thus, these complexes are not intrinsically unstable towards oligomerization. It therefore remains possible that PtC_6Pt-16/Ph and PtC_6Pt-18/Ph , which similarly decompose under the workup conditions in Scheme 3, are isolable molecules. Perhaps oligomerization is promoted by some component of the reaction mixture, such as the displaced $Pp-tol_3$ or any excess $Ar_2P(CH_2)_mPAr_2$.

Structures of bridged hexatriynediyl complexes: The three structurally characterized bridged hexatriynediyl complexes PtC_6Pt-m/Ar (Figure 4, 5) are best analyzed with reference to octatetraynediyl analogs PtC_8Pt-m/Ar , [13-15] key data for which are summarized in Table 6. The latter crystallize in non-helical conformations **B** when m=10 or 12 (Ar=Ph), and double-helical conformations **A** when m=14 (Ar=Ph, p-tol, p-C₆H₄-tBu) and 20 (Ar=Ph). When m=10-14, the endgroups are approximately coplanar. The angles defined by the P-Pt-P/Pt planes in the helical species PtC_8Pt -14/Ar

range from 189.9° to 196.6°—slightly more than a half twist. However, this angle significantly increases in the complex with the longest sp³ chain, **PtC₈Pt-20/Ph**, reaching 294.8°, or more than three-quarters of a twist.

As summarized in Table 2, the hexatriynediyl complexes PtC_6Pt-m/Ar also crystallize with coplanar or nearly coplanar endgroups. Like the octatetraynediyl complexes, nonhelical conformations **B** are found with lower values of m (10, 11), and helical conformations **A** with higher values (14). In the last case, the helix defines slightly more than a half twist (P-Pt-P/Pt angle, 189.3°). Computational studies of non-bridged model compounds do not reveal any electronic driving force for coplanar endgroups. [9] Hence, their preponderance in the crystal structures might reflect some deep-seated lattice packing preference.

For both helical and non-helical complexes, the average distance of the sp³ carbon atoms from the platinum-platinum vector can be calculated. The values (Tables 2 and 6) approximate the average sp³/sp distances. Those for the nonhelical octatetraynediyl complexes PtC₈Pt-10/Ph and PtC₈Pt-12/Ph and helical analogs PtC₈Pt-14/Ar are similar (3.932–4.090 vs. 3.977–4.053 Å), and slightly greater than the sum of the van der Waals radii (3.48, or 1.78/1.70 Å sp/ sp³).^[32] When hydrogen atoms are included (van der Waals radius 1.20 Å), space-filling models show significant numbers of van der Waals contacts. A larger average sp/sp³ distance indicates a "looser" helix with a greater radius, which should in turn have fewer van der Waals contacts. Furthermore, as the sp³ chains become longer, the contact surface of the sp chain will eventually be saturated, requiring either helices of greater radii or alternative conformations. Accordingly, the average sp/sp³ distance in PtC₈Pt-20/Ph increases to 4.133 Å.

Upon going from octatetraynediyl to hexatriynediyl complexes, the contact surface of the sp chain decreases. Thus, the helical hexatriynediyl complex PtC₆Pt-14/p-tol exhibits a much greater average sp/sp³ distance than octatetraynediyl homologues with identical sp³ chain lengths (PtC₈Pt-14/Ar; 4.422 vs. 3.977–4.053 Å). As shown in P in Figure 5, van der

Table 6. Key crystallographic data for bridged octatetraynediyl complexes PtC₈Pt-m/Ar

Complex ^[13–15]	Conformation ^[a]	P-Pt-P/Pt plane/ plane angle [°] ^[b]	Average sp/sp ³ distance [Å] ^[b]	Anti/gauche PAr ₂ CH ₂ CH ₂ CH ₂ , CH ₂ CH ₂ CH ₂ CH ₂ [c]	
				sp3 chain #1	sp3 chain #2
PtC ₈ Pt-10/Ph·(toluene) ₄	В	0.2	3.932	8/1 (1:0)	disorder ^[d]
PtC ₈ Pt-10/Ph·(CHCl ₃) ₂	В	5.1	3.989	8/1 (1:0)	8/1 (1:0)
PtC ₈ Pt-12/Ph-(CH ₂ Cl ₂) _{2.5}	В	12.9	4.090	8/3 (2:1)	disorder ^[d]
PtC ₈ Pt-14/Ph·(benzene) _{1.5}	\mathbf{A}	196.6	4.053	9/4 (4:0)	9/4 (2:2)
PtC ₈ Pt-14/Ph·(toluene) _{1.5}	\mathbf{A}	196.5	3.977	9/4 (4:0)	10/3 (3:0)
PtC ₈ Pt-14/p-tol	\mathbf{A}	189.9	4.042	10/3 (3:0)	9/4 (4:0)
$PtC_8Pt-14/p-C_6H_4-tBu\cdot(toluene)_{5.5}^{[e]}$	A	193.3	3.988	9/4 (4:0)	9/4 (4:0)
PtC ₈ Pt-20/Ph	\mathbf{A}	294.8	4.133	12/7 (5:2)	disorder ^[d]
PtC ₈ Pt-16/Ph·MeOH ^[f]	A	164.1	4.279	9/6 (4:2)	8/7 (4:3)

[a] See Scheme 1. [b] See Table 2 for definitions. [c] Segments with torsion angles between $+30^{\circ}$ and $+90^{\circ}$ or -30° and -90° are considered gauche; the ratio of positive/negative gauche torsion angles is given in parentheses (arbitrary direction, as the ratio inverts for the enantiomer). [d] No attempt is made to analyze disordered sp³ chains, although all torsion angles can be found in the original publications.^[13-15] [e] Analogous data for the pseudopolymorph **PtC₈Pt-14/p-C₆H₄-tBu**·(toluene)₂ with conformation **A**: 0.0°, 4.064 Å, 8/5 (4:1), 8/5 (4:1). [f] The sp³ chain in this complex consists of two oxygen atoms and fourteen CH₂ groups.

Waals contacts are dramatically diminished. The average sp/sp³ distance in non-helical **PtC₆Pt-11/Ph** (4.034 Å) falls within the range of the octatetraynediyl complexes. However, that in **PtC₆Pt-10/Ph** (4.865 Å) is the longest found for a **PtC_xPt-m/Ar** species to date. The enhanced spacing is easily seen in **K** in Figure 5. Curiously, **PtC₆Pt-10/Ph** is the only complex in which all of the PtPAr₂CH₂CH₂ segments exhibit *anti* conformations, as indicated by the torsion angles in Table 3.^[37] This extends the PCH₂CH₂ carbon atoms as far from the sp chain as possible.

As highlighted in Figure 7 (top), gauche segments (torsion angles between $+30^{\circ}$ and $+90^{\circ}$ or -30° and -90°) are chiral. Although the bridged polyynediyl complexes feature

Figure 7. Some conformational issues in double-helical complexes **A**. An important step in enantiomer interconversion (top). Steric interactions as a function of PAr₂CH₂CH₂CH₂ conformations (bottom).

other types of stereogenic units, the helical chirality is primarily derived from the gauche segments associated with the sp³ chains. A number of patterns are evident in the torsion angles (Table 3 and Tables in earlier papers).[13-15] First, conformation of PtC₆Pt-10/Ph, despite the PtPAr₂CH₂CH₂ segments are nearly always gauche.^[37] Second, the PAr₂CH₂CH₂CH₂ segments are nearly always anti. This avoids 1,5-synperiplanar interactions^[38] involving the PAr₂ groups as illustrated in Figure 7 (bottom). Third, the neighboring CH₂CH₂CH₂CH₂ segments are nearly always gauche, with the one exception in Table 3 involving PtC₆Pt-11/Ph.

Consider the PAr₂CH₂CH₂CH₂ and CH₂CH₂CH₂ segments of the non-disordered sp³ chain in PtC₆Pt-14/p-tol. Six are gauche (Table 3), as compared to three-four in the four octatetraynediyl homologues PtC₈Pt-14/Ar (Table 6). Thus, it is intrinsically more kinked. Furthermore, the gauche segments in each sp³ chain of PtC₈Pt-14/Ar exhibit, with a single exception, the same sign or handedness. However, the non-disordered chain in PtC₆Pt-14/p-tol features five gauche segments of one sign, and one of the other. The situation with the helical octatetraynediyl complex with the

longest sp³ chain, PtC₈Pt-20/Ph, is similar (five gauche segments of one sign, two of the other). The complex designated as PtC₈Pt-16/Ph in Table 6, in which the phosphorus atoms are spanned by fourteen methylene groups and two oxygen atoms, also shares many of these properties.

We rationalize these trends as follows. If the endgroups twist to the maximum degree allowed by the sp³ chain lengths, all gauche segments should have the same sign or helical chirality. The octatetraynediyl complexes PtC₈Pt-14/ Ar are better able to approach this limit than PtC₆Pt-14/ptol, as the (CH₂)₁₄ chains span a greater distance. Thus, there is more "play" in the sp³ chains of PtC₆Pt-14/p-tol, as reflected by the greater average sp³/sp chain distance. Furthermore, if there are too many gauche segments of the same handedness, the sp³ chains would "overshoot" the plane of the second endgroup, and would need to "double back" by means of gauche segments of the opposite handedness. This "correction" occurs in the middle of the non-disordered chain of PtC₆Pt-14/p-tol (C5-C6-C7-C8). For both PtC₆Pt-14/p-tol and PtC₈Pt-20/Ph, this phenomenon is easily tracked on computer screens with standard visualization programs.

Structures of bridged butadiynediyl complexes: Formally, the generation of bridged derivatives of PtC_4Pt involves the removal of four aryl groups and the introduction of two sp³ chains. However, as is evident from views **C** and **D** of crystalline PtC_4Pt (Figure 3), removing the aryl groups makes only a modest amount of sp contact surface available. Therefore, it is questionable whether a butadiynediyl core can support double-helical conformations **A**. Nonetheless, the fact that PtC_4Pt-8/Ph and $PtC_4Pt-8/p-tol$ exhibit two ³¹P NMR signals at low temperature (Figure 6 and Table 4) requires ground state conformations of lower symmetry than **B** (point group D_{2h}).

Consider the starting structures **S** and **T** of C_{2h} and $C_{2\nu}$ symmetry in Figure 8. These have coplanar endgroups—which renders them improbable ground state conformations—and hence eclipsed P-Pt-P linkages. Each phosphorus-carbon bond is also eclipsed with a phosphorus-carbon bond of the *syn* phosphorus atom on the opposite platinum (blue/blue or red/red). The sp³ chains bridge two eclipsed positions. In **S**, the sp³ chains are on opposite sides of the endgroup planes (*anti*), and in **T** they are on the same sides (*syn*). Although no aryl rings are depicted, note that the aryl/ C_6F_5 /aryl stacking interactions can be maintained (these would involve aryl groups in the wedged positions extending in front and behind the plane of the paper).

Next consider the new conformations \mathbf{U} and \mathbf{V} generated by rotating the planes of the front endgroups counterclockwise and rear endgroups clockwise. These are chiral and of C_2 symmetry. The former, which retains an *anti* sense, exhibits a C_2 axis along the sp chain. The latter, which retains a *syn* sense, exhibits a C_2 axis perpendicular to the midpoint of the sp chain. In both cases, aryl/ C_6F_5 /aryl stacking interactions can be maintained (again involving wedged positions in front and behind the plane of the paper).




Figure 8. Selected limiting conformations for PtC₄Pt-8/Ar.

One way to interconvert **U** and **V** would involve continued endgroup rotation to the originally targeted chiral helical conformation **W** (D_2 symmetry). This requires significant platinum-phosphorus bond rotation and disruption of the aryl/ C_6F_5 /aryl stacking interactions, as the participating PAr₂ groups must be exchanged. There are additional possible equilibria, as well as more exotic candidates for conformational ground states, as diagrammed elsewhere. [24] However, the NMR data in Figure 6 and Table 4 are analyzed with respect to the limiting conformations in Figure 8, which feature little if any contact between the sp and sp³ chains.

Alternative representations of U, V, and W are depicted at the bottom of Figure 8 (U', V', W'). In the latter set, phosphorus atoms that are homotopic are assigned identical colors (orange or green). The two orange phosphorus atoms in the chiral C_2 conformations U and V can be exchanged by C_2 axes, as can the two green phosphorus atoms. However, the orange and green atoms are diastereotopic, and should give separate ^{31}P NMR signals (AA'BB' spin systems). As already noted for A above, all phosphorus atoms in D_2 helical conformations are homotopic, and should give only one ^{31}P NMR signal. For similar reasons, S and T (and S) should give one ^{31}P NMR signal (all phosphorus atoms homotopic or enantiotopic).

Do any of the NMR spectroscopic data allow \mathbf{U} and \mathbf{V} to be distinguished? Note that in \mathbf{V} , the phosphorus atoms on each termini are diastereotopic, and significant coupling would be expected. In contrast, in \mathbf{U} the phosphorus atoms on each termini are homotopic; the diastereotopic phosphorus atoms occupy the other terminus. Therefore, a much smaller coupling would be expected. Hence, given the large

404–406 Hz couplings (Figure 6 and Table 4), **PtC₄Pt-8/Ph** and **PtC₄Pt-8/p-tol** are proposed to have the *syn* ground state conformations **V**.^[39] The dynamic process that renders the phosphorus atoms formally equivalent might involve an equilibrium with **T**, followed by endgroup twisting in the opposite direction, or an equilibrium with **W**.

Conclusion and Perspective

We have been able to extend coordination-driven self-assembly reactions developed earlier for bridged diplatinum octatetraynediyl and dodecahexaynediyl complexes^[13,15] to hexatriynediyl and butadiynediyl complexes **PtC_xPt-m/Ar** (Scheme 3). In accord with previous results, systems with longer sp³ chains show a greater tendency towards oligomerization. However, numerous adducts can be isolated and in many cases structurally characterized.

The crystal structures of the bridged hexatriynediyl complexes exhibit, depending upon the lengths of the sp³ chains, either idealized chiral helical conformations \mathbf{A} (m=14) or formally achiral conformations \mathbf{B} (m=10, 11). It was hoped that endgroup/endgroup interactions might destabilize \mathbf{B} relative to \mathbf{A} , facilitating the definitive observation of \mathbf{A} by NMR in solution. However, model compounds lacking the sp³ chains did not exhibit van der Waals contacts.

Therefore, butadiynediyl complexes with still shorter sp chains were investigated. Now the endgroups of model complexes lacking the sp³ chains showed marked van der Waals contacts, resulting in plane/plane angles of $\approx 40^{\circ}$. However, the sp chain becomes nearly completely shielded, with little contact surface to support helical sp³ chains. Hence, alternative conformations are necessary, and low-temperature NMR data (m=8) are best modeled by a twisted chiral conformation in which both sp³ chains bow in a *syn* manner, unlike the in-plane bow implied in \mathbf{B} .

In order for **A** to interconvert with enantiomer **A**', each chiral gauche segment in the sp³ chain must invert. The activation barrier for the conversion of gauche to anti butane is $\approx 2.7 \text{ kcal mol}^{-1}$. If the rate determining step featured one such local transition state in each sp³ chain, the barrier would be at least $5.4 \text{ kcal mol}^{-1}$. However, these barriers would in turn be derived from local minima lying appreciably above the ground state. Therefore, we continue to believe that it should be possible to render the equilibrium **A**/ **A**' slow on the NMR timescale. Complexes in which the platinum endgroups are spaced by five sp carbon atoms would be ideal, but unfortunately this is not chemically feasible. Alternatively, with much longer sp/sp³ chains, helical conformations might be stabilized by additional van der Waals and possibly CH/ π interactions.

Other types of sterically shielded polyynediyl complexes, certain of which may be able to address some of these issues, remain under active investigation. These, together with architecturally new types of assemblies based upon Pt- $(C \equiv C)_n$ Pt building blocks, will be described in future publications.^[40]

Experimental Section

General: Reactions were conducted under N_2 atmospheres, and workups in air. Chemicals were used as follows: hexane and THF, distilled from Na/benzophenone; CH_2Cl_2 , distilled from CaH_2 ; methanol and ethanol, distilled; $CDCl_3$, stored over molecular sieves; $CDFCl_2$, prepared by a literature procedure, $^{[31]}$ nBu_4N^+ F^- (trihydrate, Lancaster), dissolved in THF containing 5 wt % H_2O to give a 1.0 m solution; $[D_8]$ THF (Aldrich), CuCl (Aldrich, 99.99%), tBuOK (Fluka), KPF_6 (Acros), and PEt_3 (Strem, 10 wt % in hexane), used as received. Instrumentation, and procedures for recording $DSC/TGA^{[34]}$ and cyclic voltammetry data, were identical to those in previous papers. $^{[13-15]}$

All NMR spectra were recorded in at ambient temperature unless noted. The solvent was CDCl₃, except for the variable-temperature ^{31}P data measurements for which $[D_8]$ THF was used. All NMR spectra were recorded on either 300 or 400 MHz spectrometers.

trans,trans-[(C₆F₅){(p-tol₃P)₂}Pt(C≡C)₃Pt{(Pp-tol₃)₂](C₆F₅) (PtC₆Pt): ^[5] A Schlenk flask was charged with PtC₆SiEt₃ (1.380 g, 1.194 mmol), degassed THF (150 mL), methanol (150 mL), and nBu_4N^+ F⁻ (0.24 mL, 1.0 m in THF/5 wt % H₂O, 0.24 mmol). The solution was stirred for 15 min, and then PtCl (1.200 g, 1.174 mmol), KPF₆ (0.240 g, 1.31 mmol), tBuOK (0.160 g, 1.43 mmol), and CuCl (0.096 g, 0.096 mmol) were added. After 16 h, the precipitate was collected by filtration, washed with methanol (2×30 mL), and air dried to give PtC₆Pt as a yellow powder (2.240 g, 1.112 mmol, 95 % based upon PtCl (limiting reagent), or 93 % based upon PtC₆SiEt₃). ³¹P{¹H} NMR: δ=17.8 ppm (s, ¹J_{PPt}=2684 Hz); ^[41] IR (powder film): $\tilde{\nu}$ =2106 cm⁻¹ (br m, C≡C).

trans, trans- $[(C_6F_5)\{(Et_3P)_2\}Pt(C\equiv C)_3Pt\{(PEt_3)_2\}(C_6F_5)$ (Pt'C₆Pt'): Schlenk flask was charged with PtC_6Pt (0.200 g, 0.099 mmol), THF (40 mL), and PEt₃ (0.75 mL, 0.45 mmol, 10 % wt in hexane). The mixture was stirred (3 h) and concentrated (to ≈ 5 mL). Hexane (30 mL) was added. The precipitate was collected by filtration, washed with ethanol (2×10 mL), and dried by oil pump vacuum to give Pt'C₆Pt' as a yellow solid (0.090 g, 0.071 mmol, 72 %). ¹H NMR: $^{[42]}\delta = 1.78$ (m, 24 H; PC H_2), 1.09 ppm (m, 36H; PCH₂CH₃); 13 C{ 1 H} NMR: $\delta = 147$ (br dm, ${}^{1}J_{CF} =$ 218 Hz, ${}^{2}J_{CF}$ = 22.2 Hz, o to Pt), 136 (dm, ${}^{1}J_{CF}$ = 248 Hz, p/m to Pt), 120.3 (virtual t, ${}^{2}J_{CF} = 121 \text{ Hz}$, i to Pt), 99.5 (brs, PtC=C), [43] 91.7 (s, PtC=C, $^{1}J_{\text{PtC}} = 283 \text{ Hz}$, [41] 60.2 (s, PtC=CC, $^{3}J_{\text{PtC}} = 40 \text{ Hz}$), [41] 16.0 (virtual t, $^{1}J_{\text{CP}} =$ 17.5 Hz, ${}^{2}J_{PtC} = 70.7 \text{ Hz}$, ${}^{[41]}$ PCH₂CH₃), 8.2 ppm (s, ${}^{3}J_{PtC} = 24.6 \text{ Hz}$, PCH_2CH_3); ${}^{31}P\{{}^{1}H\}$ NMR: $\delta = 14.0$ ppm (s, ${}^{1}J_{PPt} = 2412$ Hz). ${}^{[41]}$ IR (powder film): $\tilde{v} = 2101 \text{ cm}^{-1}$ (m, C=C); FAB-MS: m/z (%):^[44] 1268 (100) [M]⁺, 788 (85) $[M-Pt-PEt_3-C_6F_5]^+$; elemental analysis calcd (%) for C₄₂H₆₀F₁₀P₄Pt₂: C 39.75, H 4.77; found: C 39.85, 4.77.

 $\textit{trans,trans-}[(C_6F_5)\{(p\text{-tol}_2P(CH_2)_8Pp\text{-tol}_2)\}Pt(C\equiv C)_3Pt\{(p\text{-tol}_2P(CH_2)_8Pp\text{-tol}_2P($ tol₂)}(C₆F₅)] (PtC₆Pt-8/p-tol): A Schlenk flask was charged with PtC₆Pt (0.228 g, 0.113 mmol) and THF (75 mL). Solid p-tol₂P(CH₂)₈Pp-tol₂ (0.144 g, 0.272 mmol)^[29] was added in one portion with stirring. After 36 h, the mixture was concentrated (to $\approx\!20\,\text{mL})$ and ethanol (50 mL) was added. The precipitate was collected by filtration, washed with ethanol (2×10 mL), and dried by oil pump vacuum to give PtC₆Pt-8/p-tol as a light yellow solid (0.165 g, 0.088 mmol, 78 %), decomp point 255 °C (capillary, gradual darkening without melting). DSC: endotherm: $T_i = 277.4$, $T_e = 291.3$, $T_p = 302.6$, $T_c = 309.4$, $T_f = 309.7$ °C; TGA (onset of mass loss): $T_i = 298.3$, $T_e = 309.5$, $T_f = 400.4$ °C; ¹H NMR: ^[42] $\delta = 7.27$ (m, 16H; o to P), 7.03 (brd, ${}^{3}J_{HH} = 7.7 \text{ Hz}$, 16H; m to P), 2.72 (m, 8H; PC H_2), 2.32 (s, 24H; CH₃), 1.87 (m, 8H; PCH₂CH₂), 1.49 (m, 8H; PCH₂CH₂CH₂), 1.35 ppm (m, 8H; PCH₂CH₂CH₂CH₂); 13 C{ 1 H} NMR: $\delta = 146$ (br m, o to Pt), 140.8 (s, p to P), 137 (brm, m/p to Pt), 133.4 (virtual t, ${}^{2}J_{CP} = 5.8$ Hz, o to P), 129.1 (virtual t, ${}^{1}J_{CP} = 28.2 \text{ Hz}$, i to P), 128.9 (virtual t, ${}^{3}J_{CP} = 5.3 \text{ Hz}$, m to P), 95.7 (s, PtC=C), ${}^{[43,45]}$ 61.7 (s, PtC=CC), 32.3 (virtual t, ${}^{3}J_{CP}$ =7.3 Hz, $PCH_2CH_2CH_2$), 29.7 (s, $PCH_2CH_2CH_2CH_2$), 27.8 (virtual t, ${}^{1}J_{CP} = 18.4 \text{ Hz}$, PCH₂), 25.8 (s, PCH₂CH₂), 21.3 ppm (s, CH₃); ${}^{31}P{}^{1}H{}$ NMR: $\delta =$ 11.8 ppm (s, ${}^{1}J_{PPt} = 2567 \text{ Hz}$); [41] IR (powder film): $\tilde{v} = 2108 \text{ cm}^{-1}$ (br w, C= C); UV/Vis (CH₂Cl₂, 1.25×10⁻⁵ M): $\lambda(\epsilon) = 345$ (19000), 370 nm $(12000 \text{ m}^{-1} \text{ cm}^{-1})$; FAB-MS: m/z (%):^[44] 1871 (100) [M-H]⁺; elemental analysis calcd (%) for $C_{90}H_{88}F_{10}P_4Pt_2$: C 57.69, H 4.73; found: C 56.97, H 4.74.

 $trans, trans = [(C_6F_5)\{(Ph_2P(CH_2)_{10}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{10}PPh_2)\}-(Ph_2P(CH_2)_{10}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{10}PPh_2)\}-(Ph_2P(CH_2)_{10}PPh_2)\}-(Ph_2P(CH_2)_{10}PPh_2)$ (C₆F₅)] (PtC₆Pt-10/Ph): A Schlenk flask was charged with PtC₆Pt (0.200 g, 0.099 mmol) and THF (40 mL). Solid Ph₂P(CH₂)₁₀PPh₂ (0.122 g, 0.238 mmol)[28] was added in one portion with stirring. After 12 h, the mixture was concentrated (to ≈ 15 mL) and ethanol (20 mL) was added. The solution was further concentrated (to $\approx 10 \text{ mL}$) and hexane (20 mL) was added. The precipitate was collected by filtration, washed with hexane (2×10 mL), and dried by oil pump vacuum to give PtC₆Pt-10/Ph as a light yellow solid (0.147 g, 0.081 mmol, 82%), decomp point 185°C (capillary, gradual darkening without melting). DSC: endotherm: T_i = 201.0, $T_e = 214.0$, $T_p = 232.5$, $T_c = 243.6$, $T_f = 249.2$ °C; TGA (onset of mass loss): $T_i = 294.3$, $T_e = 301.1$, $T_f = 401.6$ °C; ¹H NMR: ^[42] $\delta = 7.43$ (m, 16H; oto P), 7.30 (m, 8H; p to P), 7.23 (m, 16H; m to P), 2.74 (m, 8H; PCH₂), 2.09 (m, 8H; PCH₂CH₂), 1.57 (m, 8H; PCH₂CH₂CH₂), 1.39 ppm (m, 16H; PCH₂CH₂CH₂CH₂CH₂); 13 C[1 H] NMR: $\delta = 147$ (brm, o to Pt), 137 (brm, m/p to Pt), 133.4 (virtual t, ${}^{2}J_{CP} = 5.6$ Hz, o to P), 132.5 (virtual t, $^{1}J_{CP} = 27.6 \text{ Hz}$, i to P), 130.5 (s, p to P) 128.2 (virtual t, $^{3}J_{CP} = 4.9 \text{ Hz}$, m to P), 95.7 (s, PtC≡C), [43] 95.2 (s, PtC≡C), 60.9 (s, PtC≡CC), 31.5 (virtual t, $^{3}J_{CP} = 7.5 \text{ Hz}$, PCH₂CH₂CH₂), 29.9 (s, CH₂), 28.5 (virtual t, $^{1}J_{CP} = 18.4 \text{ Hz}$, PCH₂), 28.3 (s, CH₂), 25.6 ppm (s, PCH₂CH₂); ${}^{31}P\{{}^{1}H\}$ NMR: $\delta =$ 14.5 ppm (s, ${}^{1}J_{PPt} = 2594 \text{ Hz}$); [41] IR (powder film): $\tilde{v} = 2104 \text{ cm}^{-1}$ (brw, C= C); UV/Vis (CH₂Cl₂, 1.25×10^{-5} M): $\lambda(\varepsilon) = 313$ (51000), 343 (14000), 368 nm (8000 m^{-1} cm⁻¹); FAB-MS: m/z (%):^[44] 1816 (100) [M-H]⁺, 1649 (15) $[M-C_6F_5]^+$, 703 (20) $[PtPPh_2(CH_2)_{10}PPh_2-2H]^+$; elemental analysis calcd (%) for $C_{86}H_{80}F_{10}P_4Pt_2$: C 56.86 H 4.44; found: C 56.90, H 4.66.

 $\textit{trans}, \textit{trans} - [(C_6F_5)\{(Ph_2P(CH_2)_{11}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)\}-(Ph_2P(CH_2)_{11}PPh_2)$ (C₆F₅)] (PtC₆Pt-11/Ph): A Schlenk flask was charged with PtC₆Pt (0.019 g, 0.0094 mmol) and CH₂Cl₂ (94 mL). A solution of Ph₂P-(CH₂)₁₁PPh₂ (0.012 g, 0.023 mmol)^[28] in CH₂Cl₂ (110 mL) was passed through a silica gel pad (2 cm) directly into the Schlenk flask with stirring. After 16 h, the mixture was concentrated (to \approx 100 mL) and ethanol (50 mL) was added. This step was repeated three times. The mixture was concentrated (to $\approx 5\,\text{mL}$). The precipitate was collected by filtration, washed with ethanol (3×3 mL), and dried by oil pump vacuum to give PtC₆Pt-11/Ph as a light yellow solid (0.012 g, 0.0065 mmol, 69%), decomp point 208 °C (capillary, onset). ¹H NMR: $^{[42]}$ $\delta = 7.39$ (m, 16H; o to P), 7.25 (m, 8H; p to P), 7.17 (m, 16H; m to P), 2.72 (m, 8H; PCH₂), 2.07 (m, 8H; PCH_2CH_2), 1.58–1.25 ppm (m, 28H; remaining CH_2); $^{13}\text{C}\{^{1}\text{H}\}$ NMR: $\delta = 133.0$ (virtual t, $^{2}J_{\text{CP}} = 5.8$ Hz, o to P), 132.1 (virtual t, $^{1}J_{CP} = 27.5 \text{ Hz}$, i to P), 130.0 (s, p to P), 127.8 (virtual t, $^{3}J_{CP} = 5.1 \text{ Hz}$, m to P), 94.6 (s, PtC=C), $^{(43,45]}$ 60.3 (s, PtC=CC), 30.5 (virtual t, $^{3}J_{CP}$ =7.7 Hz, $PCH_2CH_2CH_2$), 28.6 (virtual t, ${}^{1}J_{CP} = 18.3 \text{ Hz}$, PCH_2), 28.2 (s, CH_2), 28.1 (s, CH_2), 27.6 (s, CH_2), 26.1 ppm (s, PCH_2CH_2); $^{31}P\{^{1}H\}$ NMR: $\delta =$ 15.3 ppm (s, ${}^{1}J_{PPt} = 2606 \text{ Hz}$). [41] IR (powder film): $\tilde{v} = 2108 \text{ cm}^{-1}$ (w, C= C); FAB-MS: m/z (%):^[44] 1845 (100) [M]⁺, 1678 (12) [M-C₆F₅]⁺.

 $\textit{trans,trans-} [(C_6F_5)\{(Ph_2\overline{P(CH_2)_{12}PPh_2})\}Pt(C \equiv C)_3Pt\{(Ph_2P(CH_2)_{12}PPh_2)\}-P(CH_2)_{12}PPh_2\}]$ (C₆F₅)] (PtC₆Pt-12/Ph): A Schlenk flask was charged with PtC₆Pt (0.114 g, 0.056 mmol) and THF (30 mL). Solid $Ph_2P(CH_2)_{12}PPh_2$ (0.073 g, 0.14 mmol)^[28] was added in one portion with stirring. After 16 h, the mixture was concentrated (to $\approx 10 \text{ mL}$) and ethanol (20 mL) was added. The mixture was further concentrated (to $\approx 15 \text{ mL}$) and hexane (15 mL) was added. The precipitate was collected by filtration, washed with hexane (2×10 mL), and dried by oil pump vacuum to give PtC₆Pt-12/Ph as a yellow solid (0.063 g, 0.032 mmol, 57%), decomp point 171 °C (capillary, gradual darkening without melting). DSC: endotherm: T_i =205.3, T_e = 225.4, $T_c = 244.5$, $T_f = 247.6$ °C; TGA (onset of mass loss): $T_i = 271.1$, $T_c = 271.1$ 283.0, $T_f = 401.8 \,^{\circ}\text{C}$; ¹H NMR: ^[42a,46] $\delta = 7.40 \, (\text{m}, 16\,\text{H}; o \text{ to P})$, 7.19 (m, 24H; m/p to P), 2.65 (m, 8H; PCH₂), 2.35 (s, 8H; PCH₂CH₂), 1.41 (m, 16H; PCH₂CH₂CH₂CH₂), 1.23 ppm (m, 16H; PCH₂CH₂CH₂CH₂- CH_2CH_2); ³¹P{¹H} NMR: $\delta = 16.3 \text{ ppm (s, } ^1J_{PPt} = 2609 \text{ Hz).}^{[41]} \text{ IR (powder } ^1J_{PPt} = 2609 \text{ Hz).}^{[41]}$ film): $\tilde{v} = 2123 \text{ cm}^{-1} \text{ (br w, C=C)}$; FAB-MS: m/z (%): [44] 1873 (100) $[M]^+$, 1705 (5) $[M-C_6F_5]^+$; elemental analysis calcd (%) for $C_{90}H_{88}F_{10}P_4Pt_2$: C 57.69, H 4.73; found: C 57.79, H 4.86.

trans,trans-[(C₆F₅){(p-tol₂P(CH₂)₁₄Pp-tol₂)}Pt{(C≡C)₃Pt{(p-tol₂P-(CH₂)₁₄Pp-tol₂)}(C₆F₅)] (PtC₆Pt-14/p-tol): A Schlenk flask was charged with PiC₆Pt (0.090 g, 0.045 mmol) and THF (25 mL). Solid p-tol₂P-(CH₂)₁₄Pp-tol₂ (0.066 g, 0.11 mmol)^[29] was added in one portion with stirring. After 6 h, the mixture was concentrated under vacuum and ethanol

FULL PAPER

(30 mL) was added. The mixture was further concentrated (to ≈ 15 mL). The precipitate was collected by filtration, washed with ethanol (2× 5 mL), and dried by oil pump vacuum to give PtC₆Pt-14/p-tol as a yellow solid (0.052 g, 0.025 mmol, 57 %), decomp point 183 °C (capillary, gradual darkening without melting). DSC: endotherm: $T_i = 154.0$, $T_e = 165.1$, $T_p = 165.1$ 181.5, T_c =209.3, T_f =209.3 °C; TGA (onset of mass loss): T_i =285.5, T_e = 294.0, $T_f = 401.4$ °C; ¹H NMR: ^[42] $\delta = 7.26$ (m, 16H; o to P), 6.97 (brd, $^{3}J_{HH} = 7.8 \text{ Hz}, 16 \text{ H}; m \text{ to P}, 2.63 \text{ (m, 8H; PC}H_{2}), 2.27 \text{ (s, 24H; C}H_{3}),$ 1.98 (m, 8H; PCH₂CH₂), 1.50 (m, 8H; PCH₂CH₂CH₂), 1.33 (m, 16H; PCH₂CH₂CH₂CH₂CH₂), 1.24 ppm (m, 16H; PCH₂CH₂CH₂CH₂CH₂CH₂- CH_2CH_2); ¹³C{¹H} NMR: $\delta = 140.5$ (s, p to P), 133.3 (virtual t, ${}^2J_{CP} =$ 5.9 Hz, o to P), 129.0 (virtual t, ${}^{1}J_{\rm CP}\!=\!28.5$ Hz, i to P), 128.8 (virtual t, ${}^{3}J_{CP} = 5.2 \text{ Hz}, m \text{ to P}$, 95.3 (s, PtC=C), ${}^{[43,45]}$ 60.8 (s, PtC=CC), 30.7 (virtual t, ${}^{3}J_{CP} = 7.7 \text{ Hz}$, PCH₂CH₂CH₂), 29.2 (CH₂), 28.7 (CH₂), 28.6 (CH₂), 28.5 (overlapping virtual t, PCH₂), 28.3 (s, CH₂), 26.1 (s, PCH₂CH₂), 21.6 ppm (s, CH_3); ${}^{31}P\{{}^{1}H\}$ NMR: $\delta = 14.2$ ppm (s, ${}^{1}J_{PPt} = 2578$ Hz); ${}^{[41]}$ ${}^{19}F\{{}^{1}H\}$ NMR: $\delta = -117.8$ (m, 4F, ${}^{3}J_{\text{FPt}} = 282 \text{ Hz}, {}^{[41]} o \text{ to Pt}$), -166.0 (m, 4F, m to Pt), -166.5 ppm (t, 2F, ${}^{3}J_{\text{FF}} = 17$ Hz, p to Pt); IR (powder film): $\tilde{v} = 2104$ cm⁻¹ (brw, C=C); UV/Vis (CH₂Cl₂, 1.25×10^{-5} M): $\lambda(\varepsilon) = 323$ (30000), 343 (13000), 367 nm (8000 $\text{M}^{-1}\text{cm}^{-1}$); FAB-MS: m/z (%):^[44] 2041 (100) [M]⁺, $1874\ (<1)\ [\textit{M}-\textit{C}_{6}\textit{F}_{5}]^{+},\ 817\ (15)\ [\textit{PtPtol}_{2}(\textit{CH}_{2})_{14}\textit{Ptol}_{2}]^{+};\ elemental\ analysis and alternative and the property of the property o$ sis calcd (%) for $C_{102}H_{112}F_{10}P_4Pt_2$: C 59.99, H 5.53; found: C 60.39, H

 $\textit{trans}, \textit{trans} - [(C_6F_5)\{(p - tBuC_6H_4)_2P(CH_2)_{14}P(p - C_6H_4 - tBu)_2\}Pt(C \equiv C)_3Pt\{(p - tBuC_6H_4 - tBu)_2P(CH_2)_{14}P(D - C_6H_4 - tBu)_2\}Pt(C \equiv C)_3Pt\{(p - tBuC_6H_4 - tBu)_2P(D - tBuC_6H_$ $\underline{tBuC_6H_4)_2P(CH_2)_{14}P(p-C_6H_4-tBu)_2}(C_6F_5)] \quad (PtC_6Pt-14/p-C_6H_4-tBu): \quad A$ Schlenk flask was charged with PtC₆Pt (0.200 g, 0.099 mmol) and THF Solid $(p-tBuC_6H_4)_2P(CH_2)_{14}P(p-C_6H_4-tBu)_2$ 2.48 mmol)^[29] was added in one portion with stirring. After 12 h, the mixture was concentrated under vacuum and ethanol (30 mL) was added. The mixture was further concentrated (to ≈ 15 mL). The precipitate was collected by filtration, washed with ethanol (2×15 mL), and dried by oil pump vacuum to give PtC₆Pt-14/p-C₆H₄-tBu as a yellow solid (0.169 g, 0.071 mmol, 71%), decomp point 234°C (capillary, some softening and then gradual darkening). TGA (onset of mass loss): $T_i = 278.7$, $T_f =$ 401.3 °C; ¹H NMR: $^{[42a]}\delta = 7.35$ (m, 16H; o to P), 7.20 (brd, $^{3}J_{HH} = 7.9$ Hz, 16H; m to P), 2.73 (m, 8H; PC H_2), 2.00 (m, 8H; PC H_2 C H_2), 1.53 (m, 8H; PCH₂CH₂CH₂), 1.36 (m, 16H; PCH₂CH₂CH₂CH₂CH₂), 1.33 (m, 16H; PCH₂CH₂CH₂CH₂CH₂CH₂CH₂), 1.26 ppm (s, 72H; tBu); $^{31}P\{^{1}H\}$ NMR: $\delta = 13.9$ ppm (s, $^{1}J_{PPt} = 2566$ Hz); $^{[41]}$ IR (powder film): $\tilde{v} =$ 2100 cm⁻¹ (brw, C \equiv C); FAB-MS: m/z (%):^[44] 2377 (90) $[M]^+$, 2210 (<1) $[M-C_6F_5]^+$, 984 (100) $[(BuC_6H_4)_2P(CH_2)_{14}P(C_6H_4Bu)_2]^+$; elemental analysis calcd (%) for C₁₂₆H₁₆₀F₁₀P₄Pt₂: C 63.62, H 6.78; found: C 62.83, H

trans,trans-[(C₆F₅){(Ph₂P(CH₂)₁₆PPh₂)}Pt(C≡C)₃Pt{(Ph₂P(CH₂)₁₆PPh₂)}-(C₆F₅)] (PtC₆Pt-16/Ph): A Schlenk flask was charged with PtC₆Pt (0.143 g, 0.071 mmol) and THF (30 mL). Solid Ph₂P(CH₂)₁₆PPh₂ (0.101 g, 0.169 mmol)^[28] was added in one portion with stirring. After 6 h, a ³¹P NMR spectrum was recorded (δ = 14.5, s).^[47] The mixture was concentrated (to ≈10 mL) and ethanol (20 mL) was added. The mixture was further concentrated (to ≈15 mL). The precipitate was collected by filtration, washed with hexane (2×10 mL) and dried by oil pump vacuum to give oligomerized PtC₆Pt-16/Ph as a light yellow insoluble solid (0.089 g, 0.045 mmol, 64%); IR (powder film): \tilde{v} =2108 cm⁻¹ (brw, C≡C); FAB-MS: m/z (%):^[44] 1986 (100) [M-H]⁺; elemental analysis calcd (%) for C₉₈H₁₀₄F₁₀P₄Pt₂: C 59.27, H 5.27; found: C 59.30, H 5.36.

trans,trans-[(C₆F₅){(Ph₂P(CH₂)₈PPh₂)}Pt(C≡C₂)2t{(Ph₂P(CH₂)₈PPh₂)}-(C₆F₅)] (PtC₄Pt-8/Ph): A Schlenk flask was charged with PtC₄Pt (0.052 g, 0.026 mmol) and CH₂Cl₂ (52 mL). A solution of Ph₂P(CH₂)₈PPh₂ (0.031 g, 0.064 mmol)^[28] in CH₂Cl₂ (32 mL) was passed through a silica gel pad (2 cm) directly into the Schlenk flask with stirring. After 16 h, the solvent was removed by oil pump vacuum. The residue was chromatographed (25 cm silica gel column, 20:80 v/v CH₂Cl₂/hexanes). The solvent was removed from the product-containing fractions by rotary evaporation. The residue was recrystallized from hexanes and dried by oil pump vacuum to give PtC₄Pt-8/Ph as a light yellow solid (0.024 g, 0.014 mmol, 53%), decomp point 160°C (capillary, onset). ¹H NMR: ^[42] δ = 7.40 (m, 16H; o to P), 7.22 (m, 8H; p to P), 7.11 (m, 16H; m to P), 2.64 (m, 8H; PCH₂), 1.99 (m, 8H; PCH₂CH₂), 1.55 (m, 8H; PCH₂CH₂CH₂), 1.42 ppm

(m, 8H; remaining C H_2); $^{13}\text{Cl}^1\text{H}$ NMR: $\delta=145.8$ (dd, $^{1}J_{\text{CF}}=222$ Hz, $^{2}J_{\text{CF}}=22$ Hz, ^{0}o to Pt), 136.1 (dm, $^{1}J_{\text{CF}}=240$ Hz, $^{0}m/p$ to Pt), 133.0 (virtual t, $^{2}J_{\text{CP}}=5.5$ Hz, ^{0}o to P), 132.2 (virtual t, $^{1}J_{\text{CP}}=27.0$ Hz, i to P), 129.7 (s, ^{0}p to P), 127.5 (virtual t, $^{3}J_{\text{CP}}=4.9$ Hz, ^{0}m to P), 99.9 (s, PtC=C), $^{[43]}$ 87.0 (s, PtC=C), $^{[43]}$ 30.6 (virtual t, $^{3}J_{\text{CP}}=7.1$ Hz, PCH2CH2CH2,), 27.6 (virtual t, $^{1}J_{\text{CP}}=18.1$ Hz, PCH2), 27.1 (s, PCH2CH2CH2CH2), 24.3 ppm (s, PCH2CH2); $^{19}\text{Fl}^1\text{H}$ NMR: $\delta=-117.11$ (m, $^{3}J_{\text{FPt}}=286$ Hz, 4F, ^{0}o to Pt), $^{-164.5}$ to $^{-165.1}$ ppm (m, 6F, $^{0}m/p$ to Pt); $^{31}\text{Pl}^1\text{H}$ NMR: $\delta=13.7$ ppm (s, $^{1}J_{\text{PPt}}=2621$ Hz). $^{[41]}$ IR (powder film): $^{1}v=3057$ (w), 2930 (m), 2856 (w), 1498 (s), 1455 (s), 1436 (vs), 1355 (w), 1262 (m), 1104 (m), 1054 (s), 1027 (m), 950 (vs), 787 (s), 737 (s), 687 (vs); UV/Vis (CH2C12, 1.25 \times 10^{-5}\text{M}): $\lambda(\varepsilon)=317$ nm (20600 $^{0}m^{-1}cm^{-1}$); FAB-MS: $^{0}m/z$ (%): $^{[44]}$ 1736 (63) [M]+, 1570 (8) [M-C₆F₃+H]+, 675 (100) [Pt(Ph2P(CH2)_8PPh2-2H]+, 379 (41) [Pt(Ph2P)-H]+, 302 (82) [Pt(PhP)-H]+.

 $trans, trans-[(C_6F_5)\{(p\text{-tol}_2P(CH_2)_8Pp\text{-tol}_2)\}Pt(C\equiv C)_2Pt\{(p\text{-tol}_2P(CH_2)_8Pp\text{-tol}_2)\}Pt(C\equiv C)_2Pt(CH_2)_8Pp\text{-tol}_2Pp\text{-tol}_2Pp\text{$ tol₂)}(C₆F₅)] (PtC₄Pt-8/p-tol): A Schlenk flask was charged with PtC₄Pt (0.095 g, 0.050 mmol) and CH₂Cl₂ (100 mL). A solution of p-tol₂P- $(CH_2)_8 Pp$ -tol₂ $(0.067 \text{ g}, 0.13 \text{ mmol})^{[29]}$ in $CH_2 Cl_2$ (65 mL) was passed through a silica gel pad (2 cm) directly into the Schlenk flask with stirring. After 12 h, the mixture was concentrated (to ≈ 80 mL), and ethanol (50 mL) was added. This step was repeated three times. The solvent was removed by oil pump vacuum. The residue was extracted with hexanes. The extract was filtered through a silica gel pad (2 cm; hexanes, then CH₂Cl₂). The solvent was removed by oil pump vacuum. The extraction, filtration, and solvent removal steps were repeated twice to give PtC₄Pt-8/p-tol as a light yellow solid (0.080 g, 0.043 mmol, 87 %; purity see text). ¹H NMR: $^{[42]}$ $\delta = 7.29$ (m, 16H; o to P), 6.92 (brd, $^{3}J_{HH} = 7.8$ Hz, 16H; m to P), 2.60 (m, 8H; PCH₂), 2.26 (s, 24H; CH₃), 1.94 (m, 8H; PCH₂CH₂), 1.53 (m, 8H; $PCH_2CH_2CH_2$), 1.40 (brm, 8H; remaining CH_2); $^{13}\text{C}^{1}\text{H}$ NMR: $\delta = 145.9$ (dd, $^{1}J_{\text{CF}} = 225$ Hz, $^{2}J_{\text{CF}} = 22$ Hz, o to Pt), 139.8 (s, p to P), 136.3 (dm, ${}^{1}J_{CF} = 247 \text{ Hz}$, m/p to Pt), 133.0 (virtual t, ${}^{2}J_{CP} =$ 5.9 Hz, o to P), 128.9 (virtual t, ${}^{1}J_{CP}$ =27.8 Hz, i to P), 128.2 (virtual t, $^{3}J_{CP} = 5.1 \text{ Hz}, m \text{ to P}, 99.8 \text{ (s, } ^{2}J_{CPt} = 265 \text{ Hz}, ^{[41]} \text{ PtC} = C), 87.2 \text{ (s, } ^{1}J_{CPt} = 265 \text{ Hz}, ^{[41]} \text{ PtC} = C)$ 970 Hz, [41] PtC=C), 30.7 (virtual t, ${}^{3}J_{CP}$ =7.3 Hz, PCH₂CH₂CH₂), 27.8 (virtual t, ${}^{1}J_{CP} = 18.3 \text{ Hz}$, PCH_2), 27.2 (s, $PCH_2CH_2CH_2CH_2$), 24.2 ppm (s, PCH_2CH_2); ${}^{31}P\{{}^{1}H\} NMR$: $\delta = 12.2 \text{ ppm}$ (s, ${}^{1}J_{PPt} = 2604 \text{ Hz}$); ${}^{[41]}$ IR (powder film): $\tilde{v} = 2926$ (m), 2856 (w), 1602 (w), 1498 (m), 1451 (m), 1100 (s), 1054 (s), 953 (s), 802 (vs), 710 cm⁻¹ (m).

Crystallography: [48] A) A solution of PtC₆Pt in THF was layered with methanol and stored at room temperature. After three days, the resulting yellow blocks that were produced were used for data collection as outlined in Table 1. Cell parameters were obtained from 10 frames using a 10° scan and refined with 10822 reflections. Lorentz, polarization, and absorption corrections^[49] were applied. The space group was determined from systematic absences and subsequent least-squares refinement. The structure was solved by direct methods. The parameters were refined with all data by full-matrix-least-squares on F2 using SHELXL-97.[50] Non-hydrogen atoms were refined with anisotropic thermal parameters. The hydrogen atoms were fixed in idealized positions by means of a riding model. Scattering factors were taken from the literature.^[51] The crystal contained four molecules of THF per molecule of PtC₆Pt. The structure exhibited an inversion center at the midpoint of the C₆ chain. B) A solution of Pt'C₆Pt' in CH₂Cl₂ was layered with hexane and stored at room temperature. After two days, the yellow prisms were analyzed as described for PtC₆Pt (refined with 5841 reflections). The structure was solved and refined in an identical manner, and exhibited an inversion center at the midpoint of the C₆ chain. C) A solution of PtC₆Pt-10/Ph in CH₂Cl₂ was layered with methanol and stored at room temperature. After three days, the yellow blocks were analyzed as described for PtC₆Pt (refined with 8703 reflections). The structure was solved and refined in an identical manner, and exhibited an inversion center at the midpoint of the C₆ chain. D) A solution of PtC₆Pt-11/Ph in CH₂Cl₂ was layered with methanol and stored at room temperature. After four days, the yellow crystals were analyzed as described for PtC_6Pt (refined with 9539 reflections). The structure was solved and refined in an identical manner. The crystal contained two molecules of CH2Cl2 per molecule of PtC₆Pt-11/Ph. The structure exhibited an inversion center at the midpoint of the C₆ chain. E) A solution of PtC₆Pt-14/p-tol in CH₂Cl₂ was layered with methanol and stored at room temperature. After three days,

85

the yellow prisms were analyzed as described for PtC₆Pt (refined with 21967 reflections). The structure was solved and refined in an identical manner. The crystal contained two molecules of CH₂Cl₂ per molecule of PtC₆Pt-14/p-tol. The methylene groups C3a/C3a' and C8a/C8a' were disordered and refined to 79:21 and 46:54 occupancy ratios, respectively. F) Ethanol vapor was allowed to diffuse into a solution of PtC₄Pt in toluene at room temperature. After five days, the yellow prisms were analyzed as described for PtC₆Pt (refined with 19142 reflections). The structure was solved and refined in an identical manner. A strong residual electron density close to Pt2/C4 was considered to be an artifact of the crystal quality, and affected the parameters for C4.

Acknowledgements

We thank the Deutsche Forschungsgemeinschaft (SFB 583), the US National Science Foundation (CHE-0719267), the Humboldt Foundation (Fellowship to G.R.O.), and Johnson Matthey (platinum loans) for support.

- [1] M. I. Bruce, P. J. Low, Adv. Organomet. Chem. 2004, 50, 179.
- [2] F. Paul, C. Lapinte in *Unusual Structures and Physical Properties in Organometallic Chemistry* (Eds.: M. Gielen, R. Willem, B. Wrackmeyer), Wiley, New York, 2002, pp. 220–291.
- [3] a) S. Szafert, J. A. Gladysz, Chem. Rev. 2003, 103, 4175; b) S. Szafert,
 J. A. Gladysz, Chem. Rev. 2006, 106, PR1.
- [4] R. Dembinski, T. Bartik, B. Bartik, M. Jaeger, J. A. Gladysz, J. Am. Chem. Soc. 2000, 122, 810.
- [5] W. Mohr, J. Stahl, F. Hampel, J. A. Gladysz, Chem. Eur. J. 2003, 9, 3324.
- [6] Q. Zheng, J. C. Bohling, T. B. Peters, A. C. Frisch, F. Hampel, J. A. Gladysz, Chem. Eur. J. 2006, 12, 6486.
- [7] a) G. Schermann, T. Grösser, F. Hampel, A. Hirsch, Chem. Eur. J.
 1997, 3, 1105; b) T. Gibtner, F. Hampel, J.-P. Gisselbrecht, A. Hirsch, Chem. Eur. J. 2002, 8, 408; c) T. Luu, E. Elliot, A. D. Slepkov, S. Eisler, R. McDonald, F. A. Hegmann, R. R. Tykwinski, Org. Lett. 2005, 7, 51; d) S. Eisler, A. D. Slepkov, E. Elliot, T. Luu, R. McDonald, F. A. Hegmann, R. R. Tykwinski, J. Am. Chem. Soc. 2005, 127, 2666; e) C. Klinger, O. Vostrowsky, A. Hirsch, Eur. J. Org. Chem. 2006, 1508.
- [8] a) S. M. ALQaisi, K. J. Galat, M. Chai, D. G. Ray, III, P. L. Rinaldi, C. A. Tessier, W. J. Youngs, J. Am. Chem. Soc. 1998, 120, 12149
 b) M. I. Bruce, K. Costuas, J.-F. Halet, B. C. Hall, P. J. Low, B. K. Nicholson, B. W. Skelton, A. H. White, J. Chem. Soc. Dalton Trans. 2002, 383 c) M. Janka, G. K. Anderson, N. P. Rath, Organometallics 2004, 23, 4382.
- [9] Computational study: F. Zhuravlev, J. A. Gladysz, Chem. Eur. J. 2004, 10, 6510.
- [10] For other Pt(C≡C)_nPt complexes (n=2-4), see a) A. Klein, K.-W. Klinkhammer, T. Scheiring, J. Organomet. Chem. 1999, 592, 128; b) C. Müller, R. J. Lachicotte, W. D. Jones, Organometallics 2002, 21, 1190; c) W.-Y. Wong, C.-K. Wong, G.-L. Lu, K.-W. Cheah, J.-X. Shi, Z. Lin, J. Chem. Soc. Dalton Trans. 2002, 4587 d) V. W.-W. Yam, K. M.-C. Wong, N. Zhu, Angew. Chem. 2003, 115, 1438; Angew. Chem. Int. Ed. 2003, 42, 1400.
- [11] G. R. Owen, F. Hampel, J. A. Gladysz, Organometallics 2004, 23, 5893
- [12] Q. Zheng, F. Hampel, J. A. Gladysz, Organometallics 2004, 23, 5896.
- [13] J. Stahl, W. Mohr, L. de Quadras, T. B. Peters, J. C. Bohling, J. M. Martín-Alvarez, G. R. Owen, F. Hampel, J. A. Gladysz, J. Am. Chem. Soc. 2007, 129, 8282.
- [14] L. de Quadras, E. B. Bauer, W. Mohr, J. C. Bohling, T. B. Peters, J. Martín-Alvarez, F. Hampel, J. A. Gladysz, J. Am. Chem. Soc. 2007, 129, 8296
- [15] L. de Quadras, E. B. Bauer, J. Stahl, F. Zhuravlev, F. Hampel, J. A. Gladysz, New J. Chem. 2007, 31, 1537.

- [16] Review: M. J. Frampton, H. L. Anderson, Angew. Chem. 2007, 119, 1046; Angew. Chem. Int. Ed. 2007, 46, 1028;
- [17] a) M. Ohkita, J.-M. Lehn, G. Baum, D. Fenske, *Chem. Eur. J.* 1999, 5, 3471; b) D. M. Bassani, J.-M. Lehn, *Bull. Soc. Chim. Fr.* 1997, 134, 897
- [18] More exactly, a diastereotopic group in one enantiomer exchanges with the other in the opposite enantiomer.
- [19] E. L. Eliel, S. H. Wilen, Stereochemistry of Organic Compounds, Wiley-Interscience, New York, 1994, pp. 1142–1155.
- [20] a) S. Arulmozhiraja, T. Fujii, J. Chem. Phys. 2001, 115, 10589, and references therein. b) K. Müllen, W. Heinz, F.-G. Klärner, W. R. Roth, I. Kindermann, O. Adamczak, M. Wette, J. Lex, Chem. Ber. 1990, 123, 2349.
- [21] a) G. Brizius, K. Billingsley, M. D. Smith, U. H. F. Bunz, Org. Lett. 2003, 5, 3951; b) S. Toyota, T. Iida, C. Kunizane, N. Tanifuji, Y. Yoshida, Org. Biomol. Chem. 2003, 1, 2298; c) T. Makino, S. Toyota, Bull. Chem. Soc. Jpn. 2005, 78, 917; d) S. Toyota, T. Yanagihara, Y. Yoshida, M. Goichi, Bull. Chem. Soc. Jpn. 2005, 78, 1351; e) O. S. Miljanić, S. Han, D. Holmes, G. R. Schaller, K. P. C. Vollhardt, Chem. Commun. 2005, 2606; f) R. Nandy, M. Subramoni, B. Varghese, S. Sankararaman, J. Org. Chem. 2007, 72, 938.
- [22] Endgroup-endgroup interactions lead to rotational barriers of 11– 12 kcal mol⁻¹ in octahedral/square planar ReC≡CPd and ReC≡CRh systems: W. Weng, T. Bartik, M. Brady, B. Bartik, J. A. Ramsden, A. M. Arif, J. A. Gladysz, J. Am. Chem. Soc. 1995, 117, 11922.
- [23] G. R. Owen, J. Stahl, F. Hampel, J. A. Gladysz, *Organometallics* 2004, 23, 5889.
- [24] J. Stahl, Doctoral Thesis, Universität Erlangen-Nürnberg, 2003.
- [25] Many Fe(C≡C)_nH and FeCl complexes undergo efficient cross-coupling when treated with KPF₆/tBuOK: F. Coat, M. Guillemot, F. Paul, C. Lapinte, J. Organomet. Chem. 1999, 578, 76, and references therein.
- [26] a) E. B. Bauer, F. Hampel, J. A. Gladysz, *Organometallics* 2003, 22, 5567; b) T. Shima, E. B. Bauer, F. Hampel, J. A. Gladysz, *Dalton Trans.* 2004, 1012.
- [27] The crystal structure of the analog of Pt'C₆Pt' in which the pentafluorophenyl ligands are replaced by phenyl ligands has also been reported in ref. [10c].
- [28] W. Mohr, C. R. Horn, J. Stahl, J. A. Gladysz, Synthesis 2003, 1279.
- [29] L. de Quadras, J. Stahl, F. Zhuravlev, J. A. Gladysz, J. Organomet. Chem. 2007, 692, 1859.
- [30] The gross structures of these oligomers can be proved by adding an excess of PEt₃, which gives the independently synthesized complexes trans,trans-[(C₆F₅){(Et₃P)₂}Pt(C≡C)_nPt{(PEt₃)₂}(C₆F₅)] (Pt'C_xPt')-(ref. [13]).
- [31] J. S. Siegel, F. A. L. Anet, J. Org. Chem. 1988, 53, 2629.
- [32] A. Bondi, J. Phys. Chem. 1964, 68, 441.
- [33] H. Friebolin, Basic One- and Two-Dimensional NMR Spectroscopy, 4th Ed., Wiley-VCH, Weinheim, Germany, 2005, Chapter 11.2.
- [34] H. K. Cammenga, M. Epple, Angew. Chem. 1995, 107, 1284; Angew. Chem. Int. Ed. Engl. 1995, 34, 1171. The T_e values best represent the temperature of the endotherm or exotherm.
- [35] a) A. Klein, W. Kaim, Organometallics 1995, 14, 1176; b) A. Klein,
 S. Hasenzahl, W. Kaim, J. Fiedler, Organometallics 1998, 17, 3532.
- [36] a) S. Leininger, B. Olenyuk, P. J. Stang, *Chem. Rev.* 2000, 100, 853;
 b) M. Fujita, M. Tominaga, A. Hori, B. Therrien, *Acc. Chem. Res.* 2005, 38, 369.
- [37] In the complex designated as PtC₈Pt-16/Ph in Table 6, two of the four PtPAr₂CH₂CH₂ segments are gauche. There is one such segment in one solvate of PtC₈Pt-10/Ph, (ref. [13]) and none in any other complexes of the type PtC_xPt-m/Ar (x = 6, 8, 12).
- [38] R. W. Hoffmann, Angew. Chem. 2000, 112, 2134; Angew. Chem. Int. Ed. 2000, 39, 2054.
- [39] Although this study has been concluded, we continue to speculate whether a shorter sp³ chain, such as in **PtC₄Pt-6/Ph**, might have afforded a D₂ helical ground state.
- [40] H. Kuhn, N. Weisbach, unpublished results, Universität Erlangen-Nürnberg.

- [41] This coupling represents a satellite (d, 195 Pt = 33.8%), and is not reflected in the peak multiplicity given.
- [42] a) All complexes exhibit characteristic patterns of aryl ¹H and ¹³C NMR signals. Assignments were made by analogy to related compounds described earlier in references [5,13,14]. b) Complexes with PtPAr₂CH₂CH₂CH₂ linkages exhibit characteristic ¹³C NMR chemical shift and coupling constant patterns. In earlier studies in references [13,15], assignments were confirmed by ¹H, ¹³C and ¹H, ¹H COSY spectra. Those in this paper have been made by analogy. See also footnote 42 in reference [26a]; c) For virtual triplets (W. H. Hersh, *J. Chem. Educ.* 1997, 74, 1485), the *J* values represent the *apparent* couplings between adjacent peaks. d) Except for Pt'C₆Pt', the *ipso* and/or other C₆F₅ ¹³C NMR signals were not observed.
- [43] Platinum coupling would be expected based upon spectra of related compounds; however, the signal/noise ratio was not sufficient.
- [44] Values correspond to the most intense peaks of the isotope envelope. In some cases, background peaks from the NBA matrix were more intense than the molecular ion.
- [45] The PtC≡C ¹³C NMR signals of PtC₆Pt have similar chemical shifts^[5] and were not always resolved in PtC₆Pt-m/Ar.

- [46] This complex was too insoluble for a ¹³C NMR spectrum.
- [47] An analogous experiment with $Ph_2P(CH_2)_{18}PPh_2$ (ref. [28]) gave a reaction mixture with a single signal at $\delta = 14.5$ ppm (s).
- [48] CCDC 258714 (PtC₆Pt-4THF), 649045 (Pt'C₆Pt'), 258717 (PtC₆Pt-10/Ph), 258715 (PtC₆Pt-11/Ph-2CH₂Cl₂), 258716 (PtC₆Pt-14/p-tol-2CH₂Cl₂), and 649046(PtC₄Pt) contain the supplementary crystallographic data for this paper. These data can be obtained free of charge from The Cambridge Crystallographic Data Centre via www.ccdc.cam.ac.uk/data_request/cif.
- [49] a) "Collect" data collection software, B. V. Nonius, 1998; b) "Scale-pack" data processing software: Z. Otwinowski, W. Minor, Methods Enzymol. 1997, 276, 307.
- [50] G. M. Sheldrick, SHELX-97, Program for refinement of crystal structures, University of Göttingen, 1997.
- [51] D. T. Cromer, J. T. Waber in *International Tables for X-ray Crystal-lography*, (Eds.: J. A. Ibers, W. C. Hamilton), Kynoch, Birmingham, England, 1974.

Received: August 15, 2007 Published online: November 21, 2007