Published in final edited form as:
Biochemistry. 2013 May 14; 52(19): . doi:10.1021/bi400087n.

Lipid Composition Dependent Membrane Fragmentation and Pore-forming Mechanisms of Membrane Disruption by Pexiganan (MSI-78)

Dong-Kuk Lee[†,‡], **Jeffrey R. Brender**[†], **Michele F.M. Sciacca**[†], **Janarthanan Krishnamoorthy**[†], **Changsu Yu**[†,‡], and **Ayyalusamy Ramamoorthy**[*,†]

[†]Biophysics and Departments of Chemistry, University of Michigan, Ann Arbor, Michigan 48109-1055 (USA)

[‡]Department of Fine Chemistry, Seoul National University of Science and Technology, Seoul, Korea 139-743

Abstract

The potency and selectivity of many antimicrobial peptides (AMPs) are correlated with their ability to interact with and disrupt the bacterial cell membrane. *In vitro* experiments using model membranes have been used to determine the mechanism of membrane disruption of AMPs. Since the mechanism of action of an AMP depends on the ability of the model membrane to accurately mimic the cell membrane, it is important to understand the effect of membrane composition. Anionic lipids which are present in the outer membrane of prokaryotes but are less common in eukaryotic membranes are usually considered key for the bacterial selectivity of AMPs. We show by fluorescence measurements of peptide-induced membrane permeabilization that the presence of anionic lipids at high concentrations can actually inhibit membrane disruption by the AMP MSI-78 (pexiganan), a representative of a large class of highly cationic AMPs. Paramagnetic quenching studies suggest MSI-78 is in a surface-associated inactive mode in anionic SDS micelles, but is in a deeply buried and presumably more active mode in zwitterionic DPC micelles. Furthermore, a switch in mechanism occurs with lipid composition. Membrane fragmentation with MSI-78 is observable in mixed vesicles containing both anionic and zwitterionic lipids but not in vesicles composed of a single lipid of either type. These findings suggest membrane affinity and membrane permeabilization are not always correlated, and additional effects can be seen as the complexity of the model membranes is increased that may be more reflective of the actual cellular environment.

Due to the rise of bacterial resistance towards conventional small molecule antibiotics, there is considerable interest in developing novel antibiotics to treat drug-resistant infection.(1) Antimicrobial peptides (AMPs), that exhibit broad spectrum antibacterial activities, have been thought to have the potential to become the next generation of antibiotic compounds.(2, 3) Most AMPs are believed to kill bacteria by directly interacting with the lipid components of the cell membrane.(4, 5) Since the interactions of AMPs do not depend on any specific interactions with proteins, it is very difficult for bacteria to evolve resistance to AMPs.(5) Differences between bacterial and mammalian cell membranes are believed to be

[*] Corresponding Author: Ayyalusamy Ramamoorthy, ramamoor@umich.edu, Phone: 734 647-6572.

ASSOCIATED CONTENT

Supporting Information Available

^{31}P NMR spectra of POPC LUVs of varying size, kinetics of MSI-78-induced dye release from LUVs, Mn^{2+} quenching of POPG vesicles containing MSI-78 and ^{31}P NMR spectra of LUVs after centrifugation. This material is available free of charge via the Internet at http://pubs.acs.org.

responsible for the selectivity of AMPs towards bacteria, and, for this reason, there is significant fundamental interest in understanding how AMP-membrane interactions vary with lipid composition. In particular, the presence of anionic lipids in bacterial cell membranes and their absence in the outer leaflet of mammalian cell membrane is believed to play a major role in the selectivity of a cationic AMP.(6–9) A similar difference in anionic charge is also believed to be responsible for the selective targeting of AMPs towards cancerous cells.(10) A full understanding of how lipid composition affects membrane disruption could aid in the design of more efficient AMPs and may also be useful to understand the cell toxicity by other molecules which operate by similar mechanisms, such as the apoptotic proteins Bax (11, 12) and tBid (13).

While the electrostatic interaction between cationic AMPs and the anionic lipids in bacterial membranes has been shown to be a significant thermodynamic driving force for selectively binding to bacterial membranes,(14) the role of anionic lipids after the binding is less clear. In this study, we demonstrate the role of lipid charge on the mechanism of membrane disruption by MSI-78 (also known by its commerical name pexiganan, sequence GIGKFLKKAKKFGKAFVKILKK) - an antimicrobial peptide developed for the treatment of diabetic foot ulcer infections.(15) MSI-78 exhibits a broad-spectrum of potent antimicrobial activities against both Gram-negative and Grampositive bacteria.(16) More fundamentally, MSI-78 has been used as a model for a large class of cationic, helical AMPs.(17) Along with many other AMPs,(18, 19) MSI-78 has been shown to form non-traditional pores in which the membrane folds in on itself to create a lipid-lined toroidal pore.(20) In this study, we have investigated the effect of anionic lipids on the mechanism by which an AMP disrupts the lipid membrane. As discussed below, the mechanism of action for MSI-78 depends on the lipid composition and the presence of an anionic lipid can completely alter the mechanism depending on the molar ratio of anionic lipid present in the membrane. Interestingly, results reported in this study show that membrane disruption is strongly supressed in completely anionic lipids by the formation of an inactive membrane surface-associated state. Furthermore, vesicles containing both zwitterionic and anionic lipids are susceptible to membrane fragmentation by MSI-78, a membrane disruption mechanism that does not occur in membranes composed of either lipid alone.

Materials and methods

Materials

1-palmitoyl-2-oleoyl-*sn*-glycero-3-phosphocholine (POPC), 1-palmitoyl-2-oleoyl-*sn*-glycero-3-phospho-L-serine sodium salt (POPS), and 1-palmitoyl-2-oleoyl-*sn*-glycero-3-phospho-(1'-*rac*-glycerol) sodium salt (POPG) were purchased from Avanti Polar lipids Inc (Alabaster, AL). 6-Carboxyfluorescein was purchased from Fluka (St. Louis, MO). MSI-78 was designed, synthesized, and donated by Genaera Corporation.(16) Stock solutions of MSI-78 were prepared in Millipore water.

Preparation of lipid vesicles

Lipid solutions in $CHCl_3$ were dried under a stream of dry nitrogen gas and evaporated under high vacuum to dryness in a round-bottomed flask. For dye leakage experiments, the resulting lipid film was hydrated with an appropriate amount of phosphate buffer (10 mM buffer, 100 mM NaCl, pH 7.4) and dispersed by vigorous stirring in order to obtain multilamellar vesicles (MLVs). For NMR experiments, 8 mg of lipids was used to prepare MLVs in 200 μl of HEPES buffer (10 mM HEPES, pH=7.4, 50 mM NaCl) using the procedure described above. To obtain large unilamellar vesicles (LUVs), the MLVs were extruded through polycarbonate filters (pore size = 100 nm for dye leakage or 1000 nm for solid-state NMR) (Nuclepore, Pleasanton, CA) mounted in a mini-extruder (Avestin Inc.,

Ottawa, ON, Canada) fitted with two 0.5 ml Hamilton gastight syringes (Hamilton, Reno, NV).(21) Samples were typically subjected to 23 passes through two filters in tandem. An odd number of passages were performed to avoid contamination of the sample by vesicles that have not passed through the first filter.

Dye leakage experiments

Dye leakage experiments were carried out by using 6-carboxyfluorescein-filled LUVs of POPC, POPG or POPC/POPG (molar ratio 7:3) at a final concentration of 200 μM. Dye-filled LUVs were prepared by hydrating the dry lipid film with the buffer solution containing 6-carboxyfluorescein (10 mM phosphate, 70 mM 6-carboxyfluorescein, pH 7.4) according to the procedure described above. The reduction in salt content in the dye-filled vesicles relative to the outside buffer ensures osmotic balance.(22) The non-encapsulated 6-carboxyfluorescein was removed by placing the solution containing LUVs on a Sephadex G50 gel exclusion column (Sigma-Aldrich, St. Louis, MO) and eluting with the final buffer (10 mM phosphate, 100 mM NaCl, pH 7.4). The first colored band containing the separated dye-containing vesicles was collected. Samples were prepared by diluting the dye filled vesicles solution with buffer solution (10 mM phosphate buffer solution, 100 mM NaCl, pH 7.4) to a final concentration of 200 μM.

Samples were prepared by adding 1, 2 or 4 μL of the MSI-78 stock solution (200 μM) to 200 μL of 200 μM LUVs solution to obtain samples with a 0.5, 1 and 2% peptide-to-lipid mole percentage. Membrane disruption was quantified by detecting the increase in fluorescence emission intensity of 6-carboxyfluorescein due to its dilution (dequenching) in buffer as a consequence of the membrane leakage. Time traces were recorded using excitation wavelength, λ_{ex} = 490 nm, emission wavelength, $\lambda_{cm.}$ = 520, excitation/emission slits, 1/1 nm. The fraction leaked was calculated by:

$$\text{Fraction leaked} = (I - I_0)/(I_{100} - I_0) \quad \text{Eq. 1}$$

where I is the emission intensity of the sample, I_0 is the emission intensity obtained in absence of peptide (baseline control) and I_{100} is the emission intensity obtained after adding Triton X-100, a detergent, which acted as a positive control to give 100% leakage. All measures were done in triplicate at 25 °C without stirring of the sample.

NMR experiments

^{31}P and ^{14}N NMR spectra were obtained from an Agilent/Varian 400 MHz solid-state NMR spectrometer using a 5 mm ^{1}H/X double-resonance magic angle spinning probe (Agilent/Varian). ^{31}P NMR experiments were performed using 35 kHz proton decoupling, a 90° pulse duration of 5 μs and a recycle delay of 3 s. All ^{31}P NMR spectra were processed using 50 Hz line broadening referenced externally to phosphoric acid (0 ppm). ^{14}N NMR experiments were performed using a quadrupole-echo sequence (90°−τ−90°−τ with τ=60 μs) with 35 kHz proton decoupling by TPPM, a 90° pulse duration of 9 μs and a recycle delay of 0.5 s. All ^{14}N NMR spectra were processed using 50 Hz line broadening. All experiments were performed at 37 °C.

^{31}P NMR spectra obtained from POPC LUVs of varying sizes are given in Figure S1 (in the Supporting Information). Lamellar phase powder pattern spectra obtained from 1000 nm POPC LUVs suggest that these vesicles are stable and suitable for solid-state NMR measurements (Fig. S1). ^{31}P NMR spectra of LUVs without MSI-78 were first collected. An appropriate amount of MSI-78 from a stock solution in water was then added and gently shaked before putting the sample back into the magnet for further measurements.

Paramagnetic quenching NMR experiments

The extent of peptide's exposure to water when MSI-78 is bound to SDS or DPC micelles was measured by paramagnetic quenching of ^{1}H resonances by Mn^{2+} ions. The ^{1}H NMR spectra of 300 μM MSI-78 embedded in 30 mM deuterated-SDS or deuterated-DPC micelles (10 mM phosphate buffer, 100 mM NaCl, pH 7.4, 25 °C) in the presence and absence of varying concentrations $MnCl_2$ were acquired with 256 scans with a recycle delay of 2 s.

Results

Membrane permeabilization by MSI-78 is strongly suppressed in anionic membranes

MSI-78 is a highly cationic peptide with a net charge of +9. The electrostatic interaction between the cationic peptide and anionic lipids in the cell membrane has been proposed to be a major factor for its bacterial selectivity. To better understand the role of anionic lipids in the events after membrane binding, we investigated the interaction of MSI-78 with both zwitterionic and anionic LUVs. In order to evaluate the ability of MSI-78 to disrupt membranes, we performed dye leakage experiments by using LUVs filled with 6-carboxyfluorescein (Figs. 1 and S2). MSI-78 shows a concentration dependent increase in apparent membrane permeabilizing activity with zwitterionic POPC vesicles, with complete dye leakage reached after 300 seconds at 1 mole % MSI-78. Surprisingly in light of the highly cationic nature of MSI-78, the inclusion of an anionic POPG lipid decreased the amount dye leakage relative to vesicles formed purely from POPC. A very small amount of dye leakage induced by MSI-78 was observed from LUVs containing only POPG, with a maximum of 10% leakage recorded at the highest concentration of peptide used (2 mole %). LUVs containing a mixture of POPG/POPC display an intermediate amount of dye leakage between pure POPC and pure POPG LUVs (Fig. 1).

The absence of dye leakage in POPG LUVs is surprising in light of MSI-78's high affinity for anionic lipids relative zwitterionic ones.(23) While dye leakage is very commonly used as a measure of membrane permeabilization, not all pores are permissive for the passage of carboxyfluorescein.(24) In particular, MSI-78 is believed to disrupt membranes by a toroidal pore mechanism in which the bilayer is folded inwards to create a lipid-lined pore. In this type of pore, the negatively charged POPG headgroups would create a region of strong negative electrostatic potential in the pore region, which may repel the negatively charged carboxyfluorescein molecule.(24, 25) A toroidal pore in zwitterionic POPC bilayers will have a more complex electrostatic potential due to the presence of the positively charged choline headgroup near the surface and the negatively charged phosphate group further into the membrane. As such, the difference in electrostatic potential within the toroidal pore may create an ion selectivity effect for membrane permeabilization.(26)

To test this possibility, we measured the permeability of POPC, POPG, or 7/3 POPC/POPS LUVs to Mn^{2+} cations using ^{31}P NMR (Fig. S3).(24) The paramagnetic ion quenches the intensity of ^{31}P resonances of phosphate headgroups in its vicinity. In the absence of MSI-78, the addition of 470 μM $MnCl_2$ to 1000 nm POPG LUVs partially quenches the signal. This result is expected for an intact membrane, as Mn^{2+} can quench the outer leaflet but does not have access to the inner leaflet in the absence of pores. The addition of 2 mole % MSI-78 has virtually no effect on the ^{31}P NMR spectra, confirming the POPG LUVs remain intact after the addition of up to 2 mole % MSI-78. The absence of apparent membrane permeabilization of POPG LUVs in the dye leakage assay is therefore not likely the result of either the charge or size of the carboxyfluorescein molecule. As the concentration of MSI-78 is increased beyond 2 mole % the observed ^{31}P signal intensity decreased, indicating the integrity of the bilayer has been compromised and Mn^{2+} is able to

penetrate into the inner leaflet (Fig. S3). This increase in Mn^{2+} influx is correlated with lipid aggregation and sedimentation of the LUVs at these peptide concentrations (Fig. S3b)

MSI-78 is buried more deeply in zwitterionic micelles compared to anionic micelles

Evidence of a distinctly different binding mode in anionic versus cationic membranes was obtained from paramagnetic quenching experiments on MSI-78 bound to detergent micelles. Paramagnetic quenching experiments reveal the exposure of the peptide to solvent: if a residue is exposed on the surface of the micelle the corresponding resonance is broadened, while if it is buried within the micelle the quenching agent has little or no effect. ^{1}H NMR experiments were carried out on zwitterionic DPC (dodecylphophocholine) and anionic SDS (sodium dodecyl sulfate) detergent micelles containing MSI-78 to measure the depth of penetration of MSI-78 into each micelle using the paramagnetic Mn^{2+} ion. The degree of paramagentic quenching of MSI-78 in SDS micelles compared to DPC micelles therefore gives an approximation of the degree of penetration of MSI-78 in anionic and zwitterionic membranes, if the inherent differences in lipid packing between detergent micelles and lipid bilayers is kept in mind.

The spectra of MSI-78 is noticeably different in SDS than the spectra from DPC in the absence of Mn^{2+}.In particular, the resonances are noticeably broader, particularly in the aliphatic region. MSI-78 adopts similar amounts of helical secondary structure in DPC (27) and SDS (28) micelles. The strong electrostatic interaction between SDS and the cationic peptide, could be a possible reason for the major differences in the spectra obtained from these micelles. In addition, MSI-78 is also known to form an antiparallel dimer in DPC micelles and DMPC bicelles.(27, 28) A comparison of the REDOR difference spectra of MSI-78 and MSI-594, a homologous peptide which is monomeric in DPC with a shallower insertion, has indicated that the broadening effect may be due to exchange between monomer and dimers in the intermediate kinetic regime. (27)

The addition of the paramagnetic quencher $MnCl_2$ for samples containing DPC micelles had a moderate line-broadening effect on the peaks observed in the ^{1}H NMR spectra of MSI-78, with many resonances clearly visible even in the presence of a high concentration (800 μM) of Mn^{2+}. This finding is consistent with the penetration of side-chains of MSI-78 into the hydrophobic region of the micelle with less exposure to the aqueous phase (Fig. 2). In anionic SDS micelles, the paramagnetic quenching effect is more severe and several peaks are broadened and disappear at lower concentrations of Mn^{2+}. This finding suggests that the side-chains of MSI-78 are more exposed to solvent in anionic SDS than zwitterionic DPC.

MSI-78 does not disrupt the lipid bilayer structure of LUVs containing either completely anionic or completely zwitterionic lipids

We next probed the phase structure of anionic and zwitterionic vesicles containing MSI-78 using static solid-state ^{31}P NMR experiments. The degree of ^{31}P chemical shift anisotropy is sensitive to the degree of motion of the lipid headgroup, which increases if the lamellar structure of the bilayer is disrupted. In particular, in the extreme case where the membrane is fragmented to small lipid aggregates, the chemical shift anisotropy is reduced to near zero by motional averaging due to rapid tumbling of fragments. Static ^{31}P NMR spectra of LUVs of POPC, POPS and POPG containing various amounts of MSI-78 are shown in Fig. 3. LUVs exhibited a ^{31}P chemical shift powder pattern with a span of 45 ppm (ranging from −16 to 29 ppm) for POPC, 50 ppm (−17 to 33 ppm) for POPS, and 34 ppm (−10 to 24 ppm) for POPG in the absence of MSI-78. The inclusion of 2 or 4 mole % MSI-78 resulted in no significant changes in ^{31}P spectra of POPC or POPS LUVs, although a slight broadening effect could be observed in POPG LUVs and POPC LUVs show a increase in the perpendicular (high field) edge relative to the parallel (low field) edge after the addition of

MSI-78, consistent with deformation of the spherical LUVs to more ellipsoidal shapes.(29, 30) The absence of significant changes in the ^{31}P spectra suggests that the presence of up to 4 mole % MSI-78 does not significantly alter the lipid bilayer structure of LUVs composed entirely of a single anionic or zwitterionic lipid. In particular, there is no evidence in the spectra of the formation of non-lamellar lipid structures like hexagonal phases, cubic phases, or micelles in vesicles containing MSI-78 and either purely anionic or purely zwitterionic lipids.

MSI-78 fragments LUVs containing a mixture of anionic and zwitterionic lipids

A significantly different result was obtained in vesicles containing a mixture of both anionic and zwitterionic lipids. Unlike LUVs containing exclusively either anionic and zwitterionic lipids, mixed vesicles of both anionic and zwitterionic lipids are susceptible to fragmentation of the bilayer to form small lipid peptide aggregates. In the absence of MSI-78, LUVs of both POPC:POPS and POPC:POPG at a 7:3 molar ratio show a lamellar phase ^{31}P chemical shift powder pattern spectrum similar to the ^{31}P spectra of LUVs containing either anionic and zwitterionic lipids alone (Fig. 4). In the presence of MSI-78, most of the spectra closely resembles the control spectra without MSI-78. However, a narrow peak at 0 ppm is also seen in these samples, an indication of the partial fragmentation of the membrane into small aggregates of lipids. Fragmentation of the membrane was further confirmed by ^{14}N NMR experiments, which showed an isotropic peak for 7:3 POPC:POPS LUVs (Fig. 4).

MSI-78 does not cause macroscopic clustering of anionic lipids in mixed vesicles

The fragmentation of the membrane only in mixed vesicles is unusual and was investigated further by varying the POPC:POPG ratio (Fig. 5). Membrane fragmentation was not detected in LUVs containing either very low (<20 mole %) or high (>50 mole %) percentages of POPG. We further analyzed the effect of membrane composition on the peptide-induced membrane fragmentation by separating the membrane fragments from the intact membranes by centrifuging 7:3 POPC:POPG LUVs containing 2 mole % MSI-78 at 4000 rpm for 10 minutes, a procedure which has been shown to completely sediment intact LUVs of this size (1000 nm in diameter) while leaving smaller lipid aggregates in the supernatant.(24, 31) Enrichment of particular lipids in the supernatant is an indication that the formation of macroscopic domains of specific lipids is involved in membrane fragmentation. For example, similar techniques have been used to show phosphatidylethanolamine (PE) lipids are greatly enriched in the supernatant after the fragmentation of *e.coli* membranes by cyclotides.(32)

^{31}P NMR experiments confirmed the presence of small fragmented membranes in the supernatant solution (Fig. S4). The supernatant and pellet solution was then lyophilized and dissolved in chloroform to easily resolve ^{31}P peaks of POPC from POPG (Fig. 6). Comparison of the chemical shifts of POPC and POPG in each fraction suggests more peptide is bound per lipid in the supernatant fraction than in the pellet. The larger shift observed for the POPG resonance compared to POPC also suggests MSI-78 may have a stronger interaction with the POPG headgroup, although it is difficult to extrapolate the results from a cholorform solution to an intact membrane (Fig. 6). However, the ratio of the intensities of the POPC and POPG resonances closely matches a control sample of 7:3 POPC:POPG directly dissolved in chloroform and is nearly identical to that of the pellet and supernatant solutions. The absence of a noticeable elevation in the levels of POPG in the fragmented portions of the membrane suggests MSI-78 does not cause large-scale clustering of anionic lipids in the membrane.

Discussion

Several lines of evidence suggest membrane disruption by antimicrobial peptides is a multistep process with distinct binding,(33–36) oligomerization,(37–39) membrane insertion,(36, 40, 41) and pore formation(33–35, 39) steps. It is clear from electrostatic considerations that a highly charged cationic peptide should bind anionic lipids more strongly than zwitterionic ones. While direct determination of the binding affinity is difficult under our conditions because of the presence of aggregation within the samples,(42) multiple studies under other conditions have shown higher binding affinity of MSI-78 and other cationic peptides for anionic lipids.(23, 43–46) While the influence of lipid charge on membrane binding is well established, the influence of anionic lipids on the other steps of the membrane disruption process is less clear.

For most AMPs, both membrane association and membrane permeabilization are higher in anionic membranes.(7, 8, 43, 45, 46) MSI-78 is less effective at disrupting purely anionic vesicles than purely zwitterionic ones (Fig. 1 and Fig. S1), suggesting membrane disruption by MSI-78 is not completely correlated with membrane binding affinity. Because of the complexity of the membrane disruption process by MSI-78 and the existence of several separate membrane disruption mechanisms, the exact reasons for this somewhat surprising result cannot as of yet be definitively established. However, several changes in the interactions of MSI-78 with membranes as the membrane composition changed were noted. First, MSI-78 penetrates deeper into the zwitterionic detergent DPC than the anionic detergent SDS, with the implication MSI-78 also penetrates into zwitterionic lipid bilayers deeper than anionic bilayers (Fig. 2). Second, large amounts of lipid aggregation are detectable to the naked eye in anionic (POPG) vesicles but not in zwitterionic (POPC) vesicles (Fig. S3b). Finally, membrane fragmentation was noted in mixed vesicles of POPC and POPG but not in vesicles of either lipid alone (Figs. 4–6 and S4).

Membrane permeabilization correlates with membrane penetration

The degree of membrane penetration may be a particularly important factor in determining the effectiveness of membrane permeabilization by MSI-78 and, by extension, other membrane binding peptides as well. Peptides which only show superficial penetration into the membrane frequently bind membranes without disrupting their integrity.(47) As a specific example, $PAP_{248–286}$ possesses a similar charge as MSI-78 but binds in a surface-associated state with little penetration into the membrane.(48, 49) In this state, $PAP_{248–286}$ does not disorder or permeabilize membranes.(50) Other amyloid forming peptides also have high membrane binding affinity and low membrane permeabilizing activity if bound in a surface-associated state.(51–54) Similar results have been obtained with non-protein flexible polymers which also have superficial penetration into the membrane.(55, 56) These results suggest that while membrane binding affinity and membrane permeabilizing activity are frequently strongly correlated,(46) this correlation does not always hold.(57) Other factors besides membrane affinity, such as membrane penetration depth or hydrophobic matching, may influence membrane disruption by peptides.(58–60)

The differences in the relative penetration in anionic vs. zwitterionic membranes may also explain the relative effectiveness of MSI-78 against each membrane. AMPs which are selective against anionic membranes frequently penetrate deeper into anionic membranes than zwitterionic ones.(61–65) Conversely, AMPs selective against zwitterionic membranes frequently show a greater depth of penetration into zwitterionic membranes. For example, both pardaxin and melittin can adopt a transbilayer orientation in zwitterionic membranes under specific conditions at high peptide to lipid ratios.(66–70) Under the same conditions, both pardaxin and mellitin will adopt a surface associated orientation in anionic membranes.(66, 67) Like MSI-78, significantly more of these peptides are needed to permeabilize POPG

vesicles compared to POPC vesicles.(67, 71) The mechanism for membrane disruption for both pardaxin and melittin also appears to change from the creation of small pores selective for the passage of ions to non-selective membrane lysis as the anionic content of the membrane increases.(66, 67) In the case of pardaxin and mellitin, surface binding modes are associated with relatively inefficient membrane fragmentation, while deeply penetrating binding modes are associated by membrane disruption by a more efficient pore-like mechanism.(67)

Evidence of a similar switch in binding mode in anionic and zwitterionic membranes can be seen in Fig. 2 for MSI-78. Paramagnetic quenching experiments show MSI-78 binds closer to the surface in anionic detergents than zwitterionic detergents (Fig. 2). This difference in membrane localization may have consequences for the mechanism of membrane disruption. MSI-78 is believed to disrupt membranes at low concentrations by a toroidal pore mechanism in which the membrane is folded inward by the peptide to create a lipid lined toroidal pore.(20, 72) The toroidal pore mechanism is dependent on the creation of curvature within the normally flat membrane.(19) The amount of curvature strain is dependent in turn on the depth of insertion of the peptide into the membrane.(73) The degree of antimicrobial activity for a series of cationic antimicrobial peptides has been shown to be positively correlated with the degree of membrane insertion; shallower insertion corresponds to lower antimicrobial activity.(7, 74, 75) This result has been supported by theoretical calculations of the bilayer curvature strain caused by the insertion of amphipathic helices, which show maximal curvature strain is obtained at an insertion depth of 40% of the monolayer thickness.(73) Greater membrane penetration by MSI-78 in zwitterionic membranes is therefore likely to lead to increased curvature strain and higher membrane permeabilization by the toroidal pore mechanism.

Probable reorientation of MSI-78 in anionic membranes may cause lipid aggregation

A difference in membrane binding topology may also be responsible for the large-scale lipid aggregation seen in anionic POPG vesicles (Fig. S3b). MSI-78 is designed to bind as an amphipathic helix. In zwitterionic lipids, the high degree of membrane penetration suggests MSI-78 binds with the hydrophobic face facing into the membrane. This is confirmed by the paramagnetic quenching experiment, which shows the complete burial of the aliphatic sidechains (Fig. 2E, red circles) but only partial burial of the lysine sidechains (2D, red circles). In SDS, both aliphatic (Fig. 2E, black circles) and lysine (2D, black circles) are partially exposed to the solvent. The partial exposure of the lysine sidechains in SDS may indicate a reorientation of the helix towards the membrane surface. The binding of MSI-78 to anionic POPG vesicles may also create a hydrophobic patch on the membrane surface in addition to reducing the electrostatic repulsion between liposomes.(54) A similar effect has been seen in the cationic cell-penetrating peptide RL12. Like MSI-78, RL12 causes extensive lipid aggregation in anionic but not zwitterionic vesicles.(76) While lipid aggregation can promote membrane instability,(39, 68, 77, 78) it may also lower dye leakage by limiting peptide access to the interior of the aggregate.(79) The exact contribution lipid aggregation makes to membrane disruption is difficult to determine using ensemble methods, and will likely require a more focused study tracking leakage from individual vesicles within aggregates.(77, 80)

Finally, we have shown that in mixed vesicles containing both anionic and zwitterionic lipids, the NMR data indicates the presence of two types of lipid structures in the samples in the presence of MSI-78: unperturbed LUVs and small aggregates formed by the fragmentation of the membrane (Figs. 4 and 5). The existence of these fragmented membranes indicates an additional mechanism for membrane disruption that occurs in mixed vesicles containing both zwitterionic and anionic lipids that does not occur in vesicles composed of either lipid alone, even when the peptide incorporates at relatively high peptide

to lipid ratios (4%). In mixed vesicles, MSI-78 and other cationic AMPs cause partial lipid demixing; anionic lipids cluster around the peptide away from the bulk bilayer.(42, 81, 82) The ability of AMPs to cause lipid clustering is positively correlated with their antimicrobial activity.(81, 82) The mechanism by which lipid clustering causes membrane disruption is not known.(42) Since membrane fragmentation is concentration dependent,(83, 84) one possibility is that MSI-78 is unevenly distributed throughout the bilayer with high local concentrations in the regions of the membrane enriched in anionic lipids. The local concentration in these regions may therefore exceed a threshold concentration for membrane disruption. However, the ^{31}P NMR data does not agree with this mechanism. First, the absence of membrane fragmentation at higher concentrations of MSI-78 in pure POPG bilayers suggests an increase in local concentration due to lipid demixing is not likely to be the sole reason for membrane fragmentation (Fig. 3). Second, analysis by ^{31}P NMR shows the fragmented region of the bilayer has the same composition as the main bilayer (Fig. 6), suggesting anionic lipids are only clustered in the immediate vicinity of the peptide and the fragmented membranes are substantially larger. Local clustering of this type will still create boundary defects around the vicinity of the cluster, creating a line tension that can lead to weakening of the membrane. Notably, phase segregated membranes containing cholesterol are more sensitive to membrane disruption by MSI-78 and other antimicrobials than non-phase segregated membranes containing cholesterol.(85–88) Boundary defects of this type have also been shown to play a prominent role in the binding and membrane permeabilization other membrane disruptive proteins such as amyloidogenic peptides,(89, 90) and are likely to prove a fruitful avenue of research for increasing the potency and selectivity of antimicrobial peptides.(91)

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

Funding source statements: This research was supported by funds from NIH (GM095640 to A. R.). D. K. Lee was supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education, Science and Technology (2009-0087836).

Abbreviations

AMP	antimicrobial peptide
NMR	nuclear magnetic resonance
POPC	1-palmitoyl-2-oleoyl-*sn*-glycero-3-phosphocholine
POPS	1-palmitoyl-2-oleoyl-*sn*-glycero-3-phospho-L-serine sodium salt
POPG	1-palmitoyl-2-oleoyl-*sn*-glycero-3-phospho-(1'-*rac*-glycerol) sodium salt, MLV, multilamellar vesicle
LUV	large unilamellar vesicle
TPPM	two pulse phase modulation
DPC	dodecylphosphocholine
SDS	sodium dodecyl sulfate

References

1. Fjell CD, Hiss JA, Hancock REW, Schneider G. Designing antimicrobial peptides: form follows function. Nat. Rev. Drug Discov. 2012; 11:37–51. [PubMed: 22173434]
2. Zasloff M. Antimicrobial peptides of multicellular organisms. Nature. 2002; 415:389–395. [PubMed: 11807545]
3. Hancock REW, Sahl HG. Antimicrobial and host-defense peptides as new anti-infective therapeutic strategies. Nat. Biotechnol. 2006; 24:1551–1557. [PubMed: 17160061]
4. Epand RM, Vogel HJ. Diversity of antimicrobial peptides and their mechanisms of action. Biochim. Biophys. Acta. 1999; 1462:11–28. [PubMed: 10590300]
5. Yeaman MR, Yount NY. Mechanisms of antimicrobial peptide action and resistance. Pharmacol. Rev. 2003; 55:27–55. [PubMed: 12615953]
6. Matsuzaki K, Sugishita K, Fujii N, Miyajima K. Molecular-basis for membrane selectivity of an antimicrobial peptide, magainin-2. Biochemistry. 1995; 34:3423–3429. [PubMed: 7533538]
7. Glukhov E, Stark M, Burrows LL, Deber CM. Basis for selectivity of cationic antimicrobial peptides for bacterial versus mammalian membranes. J. Biol. Chem. 2005; 280:33960–33967. [PubMed: 16043484]
8. Shai Y. Mechanism of the binding, insertion and destabilization of phospholipid bilayer membranes by α-helical antimicrobial and cell non-selective membrane-lytic peptides. Biochim. Biophys. Acta. 1999; 1462:55–70. [PubMed: 10590302]
9. Tsutsumi A, Javkhlantugs N, Kira A, Umeyama M, Kawamura I, Nishimura K, Ueda K, Naito A. Structure and orientation of bovine lactoferrampin in the mimetic bacterial membrane as revealed by solid-state NMR and molecular dynamics simulation. Biophys. J. 2012; 103:1735–1743. [PubMed: 23083717]
10. Sinthuvanich C, Veiga AS, Gupta K, Gaspar D, Blumenthal R, Schneider JP. Anticancer β-hairpin peptides: Membrane-induced folding triggers activity. J. Am. Chem. Soc. 2012; 134:6210–6217. [PubMed: 22413859]
11. Basanez G, Sharpe JC, Galanis J, Brandt TB, Hardwick JM, Zimmerberg J. Bax-type apoptotic proteins porate pure lipid bilayers through a mechanism sensitive to intrinsic monolayer curvature. J. Biol. Chem. 2002; 277:49360–49365. [PubMed: 12381734]
12. Epand RF, Martinou JC, Montessuit S, Epand RM. Transbilayer lipid diffusion promoted by Bax: Implications for apoptosis. Biochemistry. 2003; 42:14576–14582. [PubMed: 14661970]
13. Epand RF, Martinou JC, Fornallaz-Mulhauser M, Hughes DW, Epand RM. The apoptotic protein tBid promotes leakage by altering membrane curvature. J. Biol. Chem. 2002; 277:32632–32639. [PubMed: 12082098]
14. Seelig J. Thermodynamics of lipid-peptide interactions. Biochim. Biophys. Acta. 2004; 1666:40–50. [PubMed: 15519307]
15. Lipsky BA, Holroyd KJ, Zasloff M. Topical versus systemic antimicrobial therapy for treating mildly infected diabetic foot ulcers: A randomized, controlled, double-blinded, multicenter trial of pexiganan cream. Clin. Infect. Dis. 2008; 47:1537–1545. [PubMed: 18990064]
16. Maloy WL, Kari UP. Structure-activity studies on magainins and other host-defense peptides. Biopolymers. 1995; 37:105–122. [PubMed: 7893944]
17. Gottler LM, Ramamoorthy A. Structure, membrane orientation, mechanism, and function of pexiganan - A highly potent antimicrobial peptide designed from magainin. Biochim. Biophys. Acta. 2009; 1788:1680–1686. [PubMed: 19010301]
18. Durr UHN, Sudheendra US, Ramamoorthy A. LL-37, the only human member of the cathelicidin family of antimicrobial peptides. Biochim. Biophys. Acta. 2006; 1758:1408–1425. [PubMed: 16716248]
19. Matsuzaki K, Sugishita K, Ishibe N, Ueha M, Nakata S, Miyajima K, Epand RM. Relationship of membrane curvature to the formation of pores by magainin 2. Biochemistry. 1998; 37:11856–11863. [PubMed: 9718308]
20. Hallock KJ, Lee DK, Ramamoorthy A. MSI-78, an analogue of the magainin antimicrobial peptides, disrupts lipid bilayer structure via positive curvature strain. Biophys. J. 2003; 84:3052–3060. [PubMed: 12719236]

21. Hope MJ, Bally MB, Webb G, Cullis PR. Production of large unilamellar vesicles by a rapid extrusion procedure - characterization of size distribution, trapped volume and ability to maintain a membrane-potential. Biochim. Biophys. Acta. 1985; 812:55–65. [PubMed: 23008845]
22. Sciacca MFM, Milardi D, Messina GML, Marletta G, Brender JR, Ramamoorthy A, La Rosa C. Cations as switches of amyloid-mediated membrane disruption mechanisms: calcium and IAPP. Biophys. J. 104:173–184. [PubMed: 23332070]
23. Yang P, Ramamoorthy A, Chen Z. Membrane orientation of MSI-78 measured by sum frequency generation vibrational spectroscopy. Langmuir. 2011; 27:7760–7767. [PubMed: 21595453]
24. Sciacca MFM, Kotler SA, Brender JR, Chen J, Lee DK, Ramamoorthy A. Two-step mechanism of membrane disruption by Aβ through membrane fragmentation and pore formation. Biophys. J. 2012; 103:702–710. [PubMed: 22947931]
25. Jang H, Arce FT, Capone R, Ramachandran S, Lal R, Nussinov R. Misfolded Amyloid ion channels present mobile β-sheet subunits in contrast to conventional ion channels. Biophys. J. 2009; 97:3029–3037. [PubMed: 19948133]
26. Sobko AA, Kotova EA, Antonenko YN, Zakharov SD, Cramer WA. Lipid dependence of the channel properties of a colicin E1-lipid toroidal pore. J. Biol. Chem. 2006; 281:14408–14416. [PubMed: 16556601]
27. Porcelli F, Buck-Koehntop BA, Thennarasu S, Ramamoorthy A, Veglia G. Structures of the dimeric and monomeric variants of magainin antimicrobial peptides (MSI-78 and MSI-594) in micelles and bilayers, determined by NMR spectroscopy. Biochemistry. 2006; 45:5793–5799. [PubMed: 16669623]
28. Suzuki Y, Buer BC, Al-Hashimi HM, Marsh ENG. Using Fluorine Nuclear Magnetic resonance to probe changes in the structure and dynamics of membrane-active peptides interacting with lipid bilayers. Biochemistry. 2011; 50:5979–5987. [PubMed: 21644540]
29. Dubinnyi MA, Lesovoy DM, Dubovskii PV, Chupin VV, Arseniev AS. Modeling of P-31-NMR spectra of magnetically oriented phospholipid liposomes: A new analytical solution. Solid State Nucl. Magn. Reson. 2006; 29:305–311. [PubMed: 16298110]
30. Naito A, Nagao T, Obata M, Shindo Y, Okamoto M, Yokoyama S, Tuzi S, Saito H. Dynorphin induced magnetic ordering in lipid bilayers as studied by P-31 NMR spectroscopy. Biochim. Biophys. Acta. 2002; 1558:34–44. [PubMed: 11750262]
31. Sciacca MFM, Brender JR, Lee DK, Ramamoorthy A. Phosphatidylethanolamine enhances amyloid fiber-dependent membrane fragmentation. Biochemistry. 2012; 51:7676–7684. [PubMed: 22970795]
32. Burman R, Stromstedt AA, Malmsten M, Goransson U. Cyclotide-membrane interactions: Defining factors of membrane binding, depletion and disruption. Biochim. Biophys. Acta. 2011; 1808:2665–2673. [PubMed: 21787745]
33. Almeida PF, Pokorny A. Mechanisms of antimicrobial, cytolytic, and cell-penetrating peptides: from kinetics to thermodynamics. Biochemistry. 2009; 48:8083–8093. [PubMed: 19655791]
34. Gregory SM, Pokorny A, Almeida PFF. Magainin 2 revisited: A test of the quantitative model for the all-or-none permeabilization of phospholipid vesicles. Biophys. J. 2009; 96:116–131. [PubMed: 19134472]
35. Gregory SM, Cavenaugh A, Journigan V, Pokorny A, Almeida PFF. A quantitative model for the all-or-none permeabilization of phospholipid vesicles by the antimicrobial peptide cecropin A. Biophys. J. 2008; 94:1667–1680. [PubMed: 17921201]
36. Olaru A, Gheorghiu M, David S, Wohland T, Gheorghiu E. Assessment of the multiphase interaction between a membrane disrupting peptide and a lipid membrane. J. Phys. Chem. B. 2009; 113:14369–14380. [PubMed: 19807091]
37. Schwarz G, Zong RT, Popescu T. Kinetics of melittin induced pore formation in the membrane of lipid vesicles. Biochim. Biophys. Acta. 1992; 1110:97–104. [PubMed: 1390840]
38. Matsuzaki K, Murase O, Tokuda H, Funakoshi S, Fujii N, Miyajima K. Orientational and aggregational states of magainin-2 in phospholipid-bilayers. Biochemistry. 1994; 33:3342–3349. [PubMed: 8136371]

39. Toraya S, Nagao T, Norisada K, Tuzi S, Saito H, Izumi S, Naito A. Morphological behavior of lipid bilayers induced by melittin near the phase transition temperature. Biophys. J. 2005; 89:3214–3222. [PubMed: 16113109]
40. van den Bogaart G, Guzman JV, Mika JT, Poolman B. On the mechanism of pore formation by melittin. J. Biol. Chem. 2008; 283:33854–33857. [PubMed: 18819911]
41. Huang HW. Action of antimicrobial peptides: Two-state model. Biochemistry. 2000; 39:8347–8352. [PubMed: 10913240]
42. Epand RF, Maloy WL, Ramamoorthy A, Epand RM. Probing the “charge cluster mechanism” in amphipathic helical cationic antimicrobial peptides. Biochemistry. 2010; 49:4076–4084. [PubMed: 20387900]
43. Epand RF, Mowery BP, Lee SE, Stahl SS, Lehrer RI, Gellman SH, Epand RM. Dual mechanism of bacterial lethality for a cationic sequence-random copolymer that mimics host-defense antimicrobial peptides. J. Mol. Biol. 2008; 379:38–50. [PubMed: 18440552]
44. Chia CSB, Torres J, Cooper MA, Arkin IT, Bowie JH. The orientation of the antibiotic peptide maculatin 1.1 in DMPG and DMPC lipid bilayers. Support for a pore-forming mechanism. FEBS Lett. 2002; 512:47–51. [PubMed: 11852050]
45. Matsuzaki K, Harada M, Handa T, Funakoshi S, Fujii N, Yajima H, Miyajima K. Magainin 1-induced leakage of entrapped calcein out of negatively-charged lipid vesicles. Biochim. Biophys. Acta. 1989; 981:130–134. [PubMed: 2719968]
46. Pouny Y, Rapaport D, Mor A, Nicolas P, Shai Y. Interaction of antimicrobial dermaseptin and its fluorescently labeled analogs with phospholipid-membranes. Biochemistry. 1992; 31:12416–12423. [PubMed: 1463728]
47. Wimley WC. Describing the mechanism of antimicrobial peptide action with the interfacial activity model. ACS Chem. Biol. 2010; 5:905–917. [PubMed: 20698568]
48. Brender JR, Nanga RPR, Popovych N, Soong R, Macdonald PM, Ramamoorthy A. The amyloidogenic SEVI precursor, PAP248–286, is highly unfolded in solution despite an underlying helical tendency. Biochim. Biophys. Acta. 2011; 1808:1161–1169. [PubMed: 21262195]
49. Nanga RPR, Brender JR, Vivekanandan S, Popovych N, Ramamoorthy A. NMR structure in a membrane environment reveals putative amyloidogenic regions of the SEVI precursor peptide PAP(248–286). J. Am. Chem. Soc. 2009; 131:17972–17979. [PubMed: 19995078]
50. Brender JR, Hartman K, Gottler LM, Cavitt ME, Youngstrom DW, Ramamoorthy A. Helical conformation of the SEVI precursor peptide PAP(248–286), a dramatic enhancer of HIV Infectivity, promotes lipid aggregation and fusion. Biophys. J. 2009; 97:2474–2483. [PubMed: 19883590]
51. Brender JR, Hartman K, Reid KR, Kennedy RT, Ramamoorthy A. A single mutation in the nonamyloidogenic region of islet amyloid polypeptide greatly reduces toxicity. Biochemistry. 2008; 47:12680–12688. [PubMed: 18989933]
52. Brender JR, Salamekh S, Ramamoorthy A. Membrane disruption and early events in the aggregation of the diabetes related peptide IAPP from a molecular perspective. Acc. Chem. Res. 2012; 45:454–462. [PubMed: 21942864]
53. Michalek M, Salnikov ES, Werten S, Bechinger B. Membrane interactions of the amphipathic amino-terminus of huntingtin. Biochemistry. 52:847–858. [PubMed: 23305455]
54. Knight JD, Hebda JA, Miranker AD. Conserved and cooperative assembly of membrane-bound alpha-helical states of islet amyloid polypeptide. Biochemistry. 2006; 45:9496–9508. [PubMed: 16878984]
55. Yaroslavov AA, Melik-Nubarov NS, Menger FM. Polymer-induced flip-flop in biomembranes. Acc. Chem. Res. 2006; 39:702–710. [PubMed: 17042470]
56. Kabanov VA, Yaroslavov AA. What happens to negatively charged lipid vesicles upon interacting with polycation species? J. Control. Release. 2002; 78:267–271. [PubMed: 11772467]
57. Abraham T, Marwaha S, Kobewka DM, Lewis RNAH, Prenner EJ, Hodges RS, McElhaney RN. The relationship between the binding to and permeabilization of phospholipid bilayer membranes by GS14dK(4), a designed analog of the antimicrobial peptide gramicidin S. Biochim. Biophys. Acta. 2007; 1768:2089–2098. [PubMed: 17686454]

58. Wang W, Smith DK, Moulding K, Chen HM. The dependence of membrane permeability by the antibacterial peptide cecropin B and its analogs, CB-1 and CB-3, on liposomes of different composition. J. Biol. Chem. 1998; 273:27438–27448. [PubMed: 9765273]
59. Gaidukov L, Fish A, Mor A. Analysis of membrane-binding properties of dermaseptin analogues: Relationships between binding and cytotoxicity. Biochemistry. 2003; 42:12866–12874. [PubMed: 14596600]
60. He Y, Prieto L, Lazaridis T. Modeling peptide binding to anionic membrane pores. J. Comput. Chem. In press.
61. Glukhov E, Burrows LL, Deber CM. Membrane interactions of designed cationic antimicrobial peptides: The two thresholds. Biopolymers. 2008; 89:360–371. [PubMed: 18186149]
62. Sheynis T, Sykora J, Benda A, Kolusheva S, Hof M, Jelinek R. Bilayer localization of membrane-active peptides studied in biomimetic vesicles by visible and fluorescence spectroscopies. Eur. J. Biochem. 2003; 270:4478–4487. [PubMed: 14622276]
63. Separovic F, Sherman PJ, Jackway RJ, Gehman JD, Praporski S, McCubbin GA, Mechler A, Martin LL, Bowie JH. Solution structure and membrane interactions of the antimicrobial peptide fallaxidin 4.1a: An NMR and QCM study. Biochemistry. 2009; 48:11892–11901. [PubMed: 19894755]
64. Marcotte I, Wegener KL, Lam YH, Chia BCS, de Planque MRR, Bowie JH, Auger M, Separovic F. Interaction of antimicrobial peptides from Australian amphibians with lipid membranes. Chem. Phys. Lipids. 2003; 122:107–120. [PubMed: 12598042]
65. Zhang LJ, Rozek A, Hancock REW. Interaction of cationic antimicrobial peptides with model membranes. J. Biol. Chem. 2001; 276:35714–35722. [PubMed: 11473117]
66. Ladokhin AS, White SH. 'Detergent-like' permeabilization of anionic lipid vesicles by melittin. Biochim. Biophys. Acta. 2001; 1514:253–260. [PubMed: 11557025]
67. Vad BS, Bertelsen K, Johansen CH, Pedersen JM, Skrydstrup T, Nielsen NC, Otzen DE. Pardaxin permeabilizes vesicles more efficiently by pore formation than by disruption. Biophys. J. 2010; 98:576–585. [PubMed: 20159154]
68. Toraya S, Nishimura K, Naito A. Dynamic structure of vesicle-bound melittin in a variety of lipid chain lengths by solid-state NMR. Biophys. J. 2004; 87:3323–3335. [PubMed: 15339796]
69. Porcelli F, Buck B, Lee DK, Hallock KJ, Ramamoorthy A, Veglia G. Structure and orientation of pardaxin determined by NMR experiments in model membranes. J. Biol. Chem. 2004; 279:45815–45823. [PubMed: 15292173]
70. Hallock KJ, Lee DK, Omnaas J, Mosberg HI, Ramamoorthy A. Membrane composition determines pardaxin's mechanism of lipid bilayer disruption. Biophys. J. 2002; 83:1004–1013. [PubMed: 12124282]
71. Stromstedt AA, Wessman P, Ringstad L, Edwards K, Malmsten M. Effect of lipid headgroup composition on the interaction between melittin and lipid bilayers. J. Colloid Interface Sci. 2007; 311:59–69. [PubMed: 17383670]
72. Ramamoorthy A, Thennarasu S, Lee DK, Tan AM, Maloy L. Solid-state NMR investigation of the membrane-disrupting mechanism of antimicrobial peptides MSI-78 and MSI-594 derived from magainin 2 and melittin. Biophys. J. 2006; 91:206–216. [PubMed: 16603496]
73. Campelo F, McMahon HT, Kozlov MM. The hydrophobic insertion mechanism of membrane curvature generation by proteins. Biophys. J. 2008; 95:2325–2339. [PubMed: 18515373]
74. Strandberg E, Kanithasen N, Tiltak D, Burck J, Wadhwani P, Zwernemann O, Ulrich AS. Solid-state NMR analysis comparing the designer-made antibiotic MSI-103 with its parent peptide PGLa in lipid bilayers. Biochemistry. 2008; 47:2601–2616. [PubMed: 18220419]
75. Tremouilhac P, Strandberg E, Wadhwani P, Ulrich AS. Synergistic transmembrane alignment of the antimicrobial heterodimer PGLa/magainin. J. Biol. Chem. 2006; 281:32089–32094. [PubMed: 16877761]
76. Alves ID, Goasdoue N, Correia I, Aubry S, Galanth C, Sagan S, Lavielle S, Chassaing G. Membrane interaction and perturbation mechanisms induced by two cationic cell penetrating peptides with distinct charge distribution. Biochim. Biophys. Acta-Gen. Subj. 2008; 1780:948–959.

77. Tamba Y, Ohba S, Kubota M, Yoshioka H, Yoshioka H, Yamazaki M. Single GUV method reveals interaction of tea catechin (−)-epigallocatechin gallate with lipid membranes. Biophys. J. 2007; 92:3178–3194. [PubMed: 17293394]

78. Yamazaki M, Ito T. Deformation and instability in membrane-structure of phospholipid-vesicles caused by osmophobic association - Mechanical-stress model for the mechanism of poly(ethylene glycol)-induced membrane-fusion. Biochemistry. 1990; 29:1309–1314. [PubMed: 2322565]

79. Zhao H, Sood R, Jutila A, Bose S, Fimland G, Nissen-Meyer J, Kinnunen PKJ. Interaction of the antimicrobial peptide pheromone Plantaricin A with model membranes: Implications for a novel mechanism of action. Biochim. Biophys. Acta. 2006; 1758:1461–1474. [PubMed: 16806056]

80. Tamba Y, Yamazaki M. Magainin 2-induced pore formation in the lipid membranes depends on its concentration in the membrane interface. J. Phys. Chem. B. 2009; 113:4846–4852. [PubMed: 19267489]

81. Epand RF, Maloy L, Ramamoorthy A, Epand RM. Amphipathic helical cationic antimicrobial peptides promote rapid formation of crystalline states in the presence of phosphatidylglycerol: lipid clustering in anionic membranes. Biophys. J. 2010; 98:2564–2573. [PubMed: 20513400]

82. Epand RF, Wang GS, Berno B, Epand RM. Lipid Segregation explains selective toxicity of a series of fragments derived from the human cathelicidin LL-37. Antimicrob. Agents Chemother. 2009; 53:3705–3714. [PubMed: 19581460]

83. Bechinger B, Lohner K. Detergent-like actions of linear amphipathic cationic antimicrobial peptides. Biochim. Biophys. Acta. 2006; 1758:1529–1539. [PubMed: 16928357]

84. Bechinger B. Detergent-like properties of magainin antibiotic peptides: A P-31 solid-state NMR spectroscopy study. Biochim. Biophys. Acta. 2005; 1712:101–108. [PubMed: 15869740]

85. Brender JR, McHenry AJ, Ramamoorthy A. Does cholesterol play a role in the bacterial selectivity of antimicrobial peptides? Front. Immunol. 3:195–198. [PubMed: 22822405]

86. McHenry AJ, Sciacca MFM, Brender JR, Ramamoorthy A. Does cholesterol suppress the antimicrobial peptide induced disruption of lipid raft containing membranes? Biochim. Biophys. Acta. 2012; 1818:3019–3024. [PubMed: 22885355]

87. Pokorny A, Yandek LE, Elegbede AI, Hinderliter A, Almeida PFF. Temperature and composition dependence of the interaction of δ-lysin with ternary mixtures of sphingomyelin/cholesterol/POPC. Biophys. J. 2006; 91:2184–2197. [PubMed: 16798807]

88. Pokorny A, Almeida PFF. Permeabilization of raft-containing lipid vesicles by δ-lysin: A mechanism for cell sensitivity to cytotoxic peptides. Biochemistry. 2005; 44:9538–9544. [PubMed: 15996108]

89. Weise K, Radovan D, Gohlke A, Opitz N, Winter R. Interaction of hIAPP with model raft membranes and pancreatic β-cells: Cytotoxicity of hIAPP oligomers. ChemBioChem. 2010; 11:1280–1290. [PubMed: 20440729]

90. Radovan D, Opitz N, Winter R. Fluorescence microscopy studies on islet amyloid polypeptide fibrillation at heterogeneous and cellular membrane interfaces and its inhibition by resveratrol. FEBS Lett. 2009; 583:1439–1445. [PubMed: 19344717]

91. Arouri A, Dathe M, Blume A. Peptide induced demixing in PG/PE lipid mixtures: A mechanism for the specificity of antimicrobial peptides towards bacterial membranes? Biochim. Biophys. Acta. 2009; 1788:650–659. [PubMed: 19118516]



Fig. 1. Membrane permeabilization by MSI-78 is higher in zwitterionic POPC than anionic POPG

Dye release after 300 seconds from 100 nm diameter LUVs composed of either POPG (blue bars), POPC (red bars) and POPC/POPG 7/3 (green bars) induced by MSI-78 at the indicated mole ratios. Measurements were performed in phosphate buffer (10 mM, 100 mM NaCl, pH 7.4) at 25 °C. Error bars indicate standard error of measurement (s.e.m.) for n=3.



Fig. 2. MSI-78 penetrates more deeply into zwitterionic detergent micelles than anionic ones

(**A** and **B**) Paramagnetic quenching by Mn^{2+} of 300 μM MSI-78 bound to 30 mM DPC (**A**) or SDS (**B**) micelles. (**C–E**) Paramagnetic quenching as a function of the Mn^{2+} concentration for the resolved resonances. Manganese has a moderate effect on MSI-78 in the presence of DPC micelles; the more severe effect in the presence of SDS is an indication of greater solvent exposure of MSI-78 when bound to the negatively charged micelles. All experiments were made in 10 mM phosphate buffer, 100 mM NaCl, pH 7.4 at 25 °C.



Fig. 3. MSI-78 does not disorder the lipid bilayer structure composed entirely of anionic or zwitterionic lipids

^{31}P NMR spectra of LUVs composed of zwitterionic POPC, anionic POPS and anionic POPG containing 0, 2 and 4 mole % of MSI-78 at 37 °C in 10 mM HEPES, pH=7.4, with 50 mM NaCl. The addition of up to 4% MSI-78 had little effect on the spectra of any of the samples.



Fig. 4. MSI-78 fragments membranes composed of a mixture of anionic or zwitterionic lipids

^{31}P static and ^{14}N quadrupole coupling NMR spectra of 1000 nm LUVs composed of a mixture of anionic and zwitterionic lipids containing MSI-78 at 37 °C in 10 mM HEPES, pH=7.4, with 50 mM NaCl. The peak near 0 ppm results from the fragmentation of the membrane into small micelle-like aggregates or smaller vesicles.



Fig. 5. Membrane fragmentation by MSI-78 is dependent on the ratio of anionic to zwitterionic lipids

Effect of zwitterionic (POPC) to anionic (POPG) lipid ratio on the ^{31}P static NMR spectra of 1000 nm LUVs in the presence of MSI-78 at 37 °C in 10 mM HEPES, pH=7.4, with 50 mM NaCl. Peaks near 0 ppm, indicative of membrane fragmentation, are observed at an intermediate ratio of zwitterionic to anionic lipids. The ratio in the legend indicates the molar ratio of POPC and POPG.



Fig. 6. Fragmented membranes of POPC/POPG have the same composition as the overall membrane

^{31}P NMR spectra of 7:3 POPC:POPG containing 2 mole % MSI-78 after centrifugation to remove the membrane fragments from the intact membrane. The sample was centrifuged and the pellet and the supernatant solution separated and lyophilized. Spectra of the pellet dissolved in chloroform (green) and supernatant (red) are shown along with the control (blue). ^{31}P NMR spectra of the supernatant and pellet before lyophilization can be found in Fig. S4. The ratio of intensities is the same as the control, suggesting that the MSI-78-induced membrane fragments have the same lipid composition as the overall membrane.