See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/51411144

## MHz Unidirectional Rotation of Molecular Rotary Motors

<b>ARTICLE</b> <i>in</i> JOURNA	L OF THE	AMERICAN CHEMIC	AL SOCIETY	· AUGUST 2008
---------------------------------	----------	-----------------	------------	---------------

Impact Factor: 12.11 · DOI: 10.1021/ja8037245 · Source: PubMed

CITATIONS	READS
72	51

## **6 AUTHORS**, INCLUDING:



Auke Meetsma
University of Groningen

**527** PUBLICATIONS **15,631** CITATIONS

SEE PROFILE



Wesley R Browne
University of Groningen

209 PUBLICATIONS 4,741 CITATIONS

SEE PROFILE



Published on Web 07/18/2008

## MHz Unidirectional Rotation of Molecular Rotary Motors

Martin Klok,<sup>†</sup> Nicola Boyle,<sup>‡</sup> Mary T. Pryce,<sup>‡</sup> Auke Meetsma,<sup>†</sup> Wesley R. Browne,<sup>†</sup> and Ben L. Feringa\*,<sup>†</sup>

Laboratories for Organic Chemistry, Stratingh Institute for Chemistry, Faculty of Mathematics and Natural Sciences, University of Groningen, Nijenborgh 4, 9747 AG, Groningen, The Netherlands, and School of Chemical Sciences, Dublin City University, Dublin 9, Ireland


Received May 19, 2008; E-mail: B.L.Feringa@rug.nl

Nature's ubiquitous use of functional molecular motors, <sup>1</sup> from the kinesin and myosin linear motors<sup>2</sup> to the ATPase and flagella rotatory motors, <sup>3</sup> are testimony to the potential of molecular-based motor systems as functional components in future nanoscale devices. <sup>4</sup> The efficiency of natural motors in converting chemical to kinetic energy and the rate at which these rotary motors can engage in repetitive unidirectional rotation sets a clear challenge for synthetic systems. Although chemically powered unidirectional rotation has been demonstrated recently, <sup>5</sup> the most effective artificial systems developed thus far employ light to fuel rotary motion. <sup>4,6</sup>

The molecular rotary motors we have developed in recent years display repetitive unidirectional rotation of a molecular rotor component relative to a stator component, connected via a C=C "axle", and use light to drive two photochemical cis—trans isomerization steps each of which is followed by an efficient unidirectional thermal helix inversion (Figure 1). As photochemical cis—trans isomerization occurs in only a few picoseconds, the overall rate of rotation is limited by the barrier to the thermal step, that is, the helix inversion in which the naphthyl component of the rotor slips over a phenyl ring of the stator unit. Through a variation of the X and Y groups and the stereogenic substituent (Figures 1 and 2) a million-fold increase in this rate was achieved, the maximum being  $10^2 \, \mathrm{s}^{-1}$  at room temperature. The size of the rotor bridging atom X was found to be directly related to the rate constant of thermal helix inversion due to its effect on steric crowding with the stator. The state of the rotor bridging atom X was found to be directly related to the rate constant of thermal helix inversion due to its effect on steric crowding with the stator.

Here we demonstrate that cyclopentane-based molecular rotary motors, which display even less steric hindrance (Figure 2) can accomplish unidirectional rotary motion with MHz rotational frequencies at ambient temperatures. Direct measurement of the kinetics of the thermal helix inversion at ambient temperatures is achieved using transient absorption spectroscopy. The experimental data are in full agreement with extrapolated data obtained by cryogenic UV—vis and CD spectroscopic techniques and prove that these molecular motors display well-defined rotational behavior up to MHz frequencies over a wide temperature range.

The synthetic approach toward the new motors is based on methods described before,  $^{10}$  and their structures are shown in Figure 2. Irradiation of 1 in isopentane at temperatures between 150 and 180 K resulted in a photostationary state (PSS) consisting of stable and unstable 1, for which the rate of thermal helix inversion could be measured by UV—vis spectroscopy. Analysis of these rates and subsequent extrapolation to 293.15 K yielded a barrier to thermal helix inversion  $\Delta G^{\circ}_{1}$  of 57.9 kJ/mol ( $t_{1/2} = 2.4$  ms). However, the minor differences between the UV—vis absorption spectrum of the stable form and the unstable form at the PSS together with poor solubility at 150 K precluded the use of this approach for the methoxy-desymmetrized motors 2, so that the difference between the trans to cis and cis



**Figure 1.** Four-step unidirectional rotary cycle (left) and free energy diagram (right).




Figure 2. Structures of molecular motors 1-6.

to trans pathways, reflecting unidirectionality, could not be established unequivocally.

An alternative approach to studying the fast thermal isomerization processes following the photochemical isomerization of these compounds is to use ns-pulsed laser transient absorption (TA) spectroscopy, a technique that is typically employed for probing photoexcited state dynamics, although it has also been used, for example, in probing ground-state intramolecular hydrogen transfer, 11 protein conformational changes, 12 or conformational analysis of bianthrones. 13 As photochemical cis-trans isomerization occurs within several picoseconds, the excitation of these compounds using a pulsed laser ( $\lambda_{exc}$ , 355 nm; fwhm, 9 ns) generates a photoexcited state population, which on the time scale of the measurement results in instantaneous formation of a significant population of the unstable form. This allows for TA spectroscopy to be employed to follow the ground-state relaxation of the unstable isomer to the stable isomer. That is, the thermal helix inversion can be monitored in real time at ambient temperatures, circumventing the need to extrapolate from data obtained at low temperature.

For 1, the ground-state transient UV—vis-absorption depletion at 350 nm is in perfect agreement with that of the difference between the UV—vis absorption spectra of the stable form and the PSS at 150 K (Supporting Information). Temperature dependent transient kinetic analysis provided a value of 57.1 kJ/mol for the barrier to thermal helix inversion  $\Delta^{\dagger}G^{\circ}_{1}$  ( $t_{1/2}=1.4$  ms), in good agreement with the value obtained by extrapolation of low temperature data. The unidirectionality of the rotation could be verified by kinetic analysis of the TA spectra of isomers 2. At 26 °C, *cis-*2 was converted via an unstable intermediate to a compound of higher molar absorptivity at 360 nm, that is, *trans-*2 ( $t_{c-t}=399\pm8~{\rm s}^{-1}$ ,  $t_{1/2}=1.9$  ms). Similarly, *trans-*2

<sup>†</sup> University of Groningen.

<sup>\*</sup> Dublin City University.




Figure 3. UV-vis-difference spectra of 1 (left) and TA traces for interconversion of cis-2 and trans-2 in toluene (right).




Figure 4. Transient and UV-vis difference spectra of 3 (left) and combined transient traces of cis/trans-4 (55/45 ratio, right).

converted to cis-2 via a different intermediate at a slower rate ( $k_{t-c}$  =  $378 \pm 7 \text{ s}^{-1}$ ,  $t_{1/2} = 1.7 \text{ ms}$ , Figure 3). Interconversion of *cis-2* and trans-2 via two distinct pathways results in clear evidence for the unidirectionality of rotation of structures 1 and 2, with a maximum rotation rate of 248 Hz for 1.

The same approach was taken for 3 and the related compounds cis-4 and trans-4.14 For 3, irradiation at 120 K in isopentane: methylcyclohexane (3/1 v/v)<sup>15</sup> resulted in full conversion to the unstable form. Analysis of the rate of thermal helix inversion by CDspectroscopy in isopentane (125  $\leq$   $T \leq$  135 K) provided an activation barrier of 41.0 kJ/mol at 20 °C by extrapolation. TA spectra obtained at 26 °C in hexane are in excellent agreement with the difference spectrum between the stable form and its PSS obtained at 120 K (Figure 4). Analysis of the ns-TA decay kinetics of a mixture of cis/ trans-4 (55/45 ratio, 26 °C) showed that the rate of the thermal helix inversion process that follows the photochemistry is on a  $\mu$ s time scale. <sup>16</sup> The biexponential character of the decay kinetics ( $k_1 = 1.26(2)$  $\times$  10<sup>5</sup> s<sup>-1</sup> and  $k_2 = 8.9(1) \times 10^4$  s<sup>-1</sup>) indicates that the relaxation from cis-unstable 4 to cis-stable 4 and trans-unstable 4 to trans-stable 4 show different thermal activation barriers. Although it cannot be unambiguously assigned which rate constant reflects the cis to trans or the trans to cis conversion, the results are in clear support of unidirectional rotation (Figure 4).

Compound 5 and the related isomers cis- and trans-6 showed similar dynamic behavior as 3 and 4, except for the rates of the different processes. The time scale of thermal (nonphotoinduced) cis-trans isomerization allowed for isolation of both the cis-6 and trans-6 isomers by flash column chromatography and cold evaporation, followed by crystallization.17

The UV-vis difference spectrum between the stable form and the PSS of 5 obtained in methylcyclohexane/methylcyclopentane (1/1 v/v)<sup>15</sup> at 90 K is very similar to the TA spectrum obtained at 26 °C in CH<sub>2</sub>Cl<sub>2</sub>. Analysis of the rate of thermal helix inversion of the photoinduced unstable form by direct measurement at ambient temperatures in CH<sub>2</sub>Cl<sub>2</sub> and by extrapolation of data obtained in the range of 85-95 K by CD-spectroscopy in liquid propane solution gave comparable results, with the differences being attributable to the difference in solvent and the extrapolation over a large temperature region (Table 1). As in the case of 2, the low solubility of the methoxysubstituted isomers 6 at  $T \le 120$  K prevented analysis of the cis to trans and trans to cis pathways. TA spectroscopy at ambient temperatures allowed the activation energy of conversion of unstable cis-6 to stable *cis-6* and unstable *trans-6* to stable *trans-6* to be determined

Table 1. Barriers of Activation to Thermal Helix Inversion Obtained by (Left) Cryogenic UV-vis or CD Spectroscopy and Extrapolation and (Right) by TA Spectroscopy at 26°C

TA kinetics	
(s) (20 °C)	
$\times 10^{-3}$ $\times 10^{-6}$ $\times 10^{-7}$ $\times 10^{-7}$ $\times 10^{-7}$	

<sup>&</sup>lt;sup>a</sup> Isopentane. <sup>b</sup> Propane. <sup>c</sup> Toluene. <sup>d</sup> Hexane. <sup>e</sup> CH<sub>2</sub>Cl<sub>2</sub>.

 $(E_a = 21.0(8) \text{ kJ/mol and } 10.8(8) \text{ kJ/mol, respectively})$ . The activation energies are sufficiently different to conclude that cis-6, when converted photochemically to unstable trans-6, undergoes izomerization to stable trans-6 by a different pathway than the pathway followed when converting stable trans-6 to stable cis-6 via unstable cis-6, reflecting the unidirectionality of the process.

With the rate of thermal helix inversion at 20 °C being  $6 \times 10^6$ s<sup>-1</sup> for **6** and the unidirectionality demonstrated at ambient temperatures, we can conclude that this structure is capable of achieving unidirectional rotation at 3 MHz at room temperature under suitable irradiation conditions.

Acknowledgment. The Authors thank NanoNed and The Netherlands Organization for Scientific Research (NWO-CW) for financial

Supporting Information Available: Characterization of compounds 2 and 6, detailed experimental procedures, transient spectra of 1, 3, and 5 and Arrhenius plots of 1, 3, 5, and 6. This material is available free of charge via the Internet at http://pubs.acs.org.

## References

- (1) Molecular Motors; Schliwa, M., Ed.; Wiley-VCH: Weinheim, Germany,
- Vale, R. D.; Milligan, R. A. Science 2000, 288, 88, and references therein. (a) Boyer, P. D. Angew. Chem., Int. Ed. 1998, 37, 2296. (b) Walker, J. E. Angew. Chem., Int. Ed. 1998, 37, 2308.
- (a) Balzani, V.; Credi, A.; Raymo, F. M.; Stoddart, J. F. Angew. Chem., Int. Ed. 2000, 39, 3349. (b) Feringa, B. L.; van Delden, R. A.; Koumura, N.; Geertsema, E. M. Chem. Rev. 2000, 100, 1789. (c) Browne, W. R.; Feringa, B. L. Nat. Nanotechnol. 2006, 1, 25. (d) Stoddard, J. F., Acc. Chem. Res. 2000, 100, 409. (e) Leigh, D. A.; Zerbetto, F.; Kay, E. R. Angew. Chem., Int. Ed. 2007, 46, 72. Feringa, B. L. J. Org. Chem. 2007, 72, 6635. Fletcher, S. P.; Dumur, F.; Pollard, M. M.; Feringa, B. L. Science 2005,
- Vicario, J.; Walko, M.; Meetsma, A.; Feringa, B. L. J. Am. Chem. Soc. **2006**, 128, 5127
- Pollard, M. M.; Klok, M.; Pijper, D.; Feringa, B. L. Adv. Funct. Mater. 2007, 17, 718.
- (a) Waldeck, D. H. Chem. Rev. 1991, 91, 415. (b) Meier, H. Angew Chem., Int. Ed. 1992, 31, 1399. (c) Zijlstra, R. W. J.; van Duijnen, P. T.; Feringa, B. L.; Steffen, T.; Duppen, K.; Wiersma, D. A. J. Phys. Chem. A 1997, 101, 1022, (d) S.-t. Lillian St. Lilli 101, 9828. (d) Schuddeboom, W.; Jonker, S. A.; Warman, J. M.; de Hass, M. P.; Vermeulen, M. J. W.; Jager, W. F.; de Lange, B.; Feringa, B. L.; Fessenden, R. W. J. Am. Chem. Soc. 1993, 115, 3286.
- (9) Koumura, N.; Geertsema, E. M.; van Gelder, M. B.; Meetsma, A.; Feringa, B. L. J. Am. Chem. Soc. 2002, 124, 5037
- (10) Ter Wiel, M. K. J.; Vicario, J.; Davey, S. G.; Meetsma, A.; Feringa, B. L. Org. Biomol. Chem. 2005, 3, 28.
- Macanita, A. L.; Moreira, P. F.; Lima, J. C.; Quina, F. H.; Yihwa, C.; Vautier-Giongo, C. *J. Phys. Chem. A.* **2002**, *106*, 1248.
- Devanathan, S; Genick, U. K.; Canestrelli, I. G.; Meyer, T. E.; Cusanovich, M. A.; Getzoff, E. D.; Tollin, G. Biochemistry 1998, 37, 11563.
- (13) Agranat, I.; Kalisky, O; Tapuhi, Y. J. Org. Chem. 1979, 44, 1949.
- (14) Thermal isomerization of the stable isomers of 4 precluded isolation ( $t_{1/2}$  $(20^{\circ}\text{C}) = 2.9$  and 2.6 h for thermal cis to trans and trans to cis conversion, respectively).
- For properties of this solvent combination see: (a) Fischer, E.; Greenspan, H. J. Phys. Chem. 1965, 2466. (b) von Salis, G. A.; Labhart, H. J. Phys. Chem. 1967, 752.
- (16) Thermal isomerization of stable isomers can be neglected in the TA kinetic analysis because of the longer time scale of that process.
- (17) The barriers for thermal isomerization  $\Delta^{\dagger}G^{\circ}_{2}$  were determined to be 107.7 and 106.9 kJ/mol respectively ( $t_{1/2}$  (20 °C) = 20 d and 14.8 d).

JA8037245