See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/224893224

# Thermodynamic Modeling of the Aqueous Solubility of PAHs

ARTICLE in INDUSTRIAL & ENGINEERING CHEMISTRY RESEARCH · JUNE 2009

Impact Factor: 2.59 · DOI: 10.1021/ie900011g

**READS** 

**CITATIONS** 

18

24

## 4 AUTHORS, INCLUDING:



Mariana B Oliveira

University of Aveiro

43 PUBLICATIONS 900 CITATIONS

SEE PROFILE



Joao A. P. Coutinho

University of Aveiro

483 PUBLICATIONS 12,337 CITATIONS

SEE PROFILE



A.J. Queimada

**KBC Process Technology** 

**64** PUBLICATIONS **1,595** CITATIONS

SEE PROFILE

## Thermodynamic Modeling of the Aqueous Solubility of PAHs

## Mariana B. Oliveira, Vera L. Oliveira, and João A. P. Coutinho

CICECO, Chemistry Department, University of Aveiro, 3810-193 Aveiro, Portugal

#### António J. Queimada\*

LSRE—Laboratory of Separation and Reaction Engineering, Faculdade de Engenharia, Universidade do Porto, Rua do Doutor Roberto Frias, 4200-465 Porto, Portugal

Polycyclic aromatic hydrocarbons (PAHs) are a family of compounds characterized by having two or more condensed aromatic rings. They are important environmental contaminants associated with oil spills and the incomplete combustion of organic materials. Different models are available in the literature for estimating the aqueous solubilities of organic compounds, but the most accurate are frequently based on the correlation of experimental data, which hampers their use as predictive tools. In this work, the cubic-plus-association equation of state (CPA EoS) is shown to be an accurate model for describing the aqueous solubilities of several solid PAHs in wide temperature and pressure ranges. The results obtained are in very close agreement with the literature data, even when the model is used in a totally predictive scheme. Following previous results on the aqueous solubilities of other organic pollutants, the use of the CPA EoS for describing the aqueous solubilities of organic pollutants such as polycyclic aromatic hydrocarbons is suggested.

#### 1. Introduction

Polycyclic aromatic hydrocarbons (PAHs) are globally distributed environmental contaminants that have been a focus of great concern due to their known toxic and bioaccumulative effects. In humans, health risks associated with PAH exposure include cancer and DNA damage.

The major sources of PAHs in the environment are human activities. In the marine environment, these include oil spills from tankers, oil discharges by ships, and offshore oil and gas exploration. PAHs can also be found associated with bitumen and asphalt production plants, paper mills, aluminum production plants, and industrial machinery manufacturing. There are however also sources of naturally occurring PAHs such as bush fires or forest fires, natural sources of coal, and hydrocarbon seepage and releases from active volcanoes. 1

PAHs are often resistant to biological degradation and are not efficiently removed by conventional physicochemical methods such as coagulation, flocculation, sedimentation, filtration, and ozonation.<sup>2</sup> As a result, they are persistent in the environment and show a tendency to accumulate in soils and sediments, and are also highly dispersed by the atmosphere.

Because of their importance and toxic behavior, their solubilities in different solvents are of considerable interest, yet their aqueous solubilities are understandably the most important. Knowing their solubilities in water is fundamental for assessing the extent and rate of dissolution of these xenobiotics and their persistence in the environment.

Unfortunately, limited experimental solubility data for these compounds are available in literature. Hence, having a thermodynamic model able to accurately and consistently describe the thermodynamic properties for PAHs, in particular their aqueous solubilities, would be an essential step that would allow better monitoring of these xenobiotics.

A number of approaches to the description of the phase equilibria of these compounds have been attempted. For the aqueous solubility of PAHs, models that can correlate it with a

specified property of the pollutant were successfully proposed by several authors. For example, Lu et al.<sup>3</sup> developed two quantum chemical descriptor models to describe the water solubilities of 32 PAHs. Zhao et al.<sup>4</sup> and Chu et al.<sup>5</sup> used simple linear equations establishing that the compound(s) under study must be characterized into a proper category of chemicals. Equations based on mobile order theory modified from Ruelle and Kesselring were also used to correlate water solubilities of 19 PAHs.<sup>6</sup> However, these models only consider the aqueous solubility at one temperature (25 °C) to calculate the descriptors or to establish the correlations between the solubility and, for instance, the partition coefficients. Only Paasivirta et al.<sup>6</sup> developed temperature-dependent relations but still within a limited temperature range (0–30 °C).

Thermodynamic models such as equations of state can also be used for evaluating the aqueous solubilities of PAHs. Aqueous solubilities require equations of state that explicitly deal with hydrogen bonding and solvation effects. Two of the most successful equations of state of this type are the statistical associating fluid theory (SAFT)<sup>7</sup> and the cubic-plus-association (CPA).<sup>8–10</sup> The group contribution method for the SAFT pure compound parameters proposed by Tamouza et al.<sup>11</sup> was used for the calculation of vapor pressures and saturated liquid volumes of pure PAHs using three versions of SAFT: PC-SAFT, 12,13 SAFT-VR, 14 and a slightly modified version 15 of the original SAFT. Results for the vapor pressure and liquid saturation volume compared well with experimental data. The prediction of some binary mixtures with other PAHs, heptane, and toluene, were in agreement with the experimental data within a few percent. 16 This model has, however, never been used to describe the aqueous solubilities of PAHs.

The cubic-plus-association (CPA) equation of state (EoS) combines the Soave—Redlich—Kwong (SRK) cubic term for describing the physical interactions with Wertheim's first-order perturbation theory, which can be applied to different types of hydrogen bonding compounds. The fact that the SAFT EoS and CPA EoS explicitly take into account the interactions encountered in mixtures of associating compounds makes them applicable to multicomponent, multiphase equilibria for systems

<sup>\*</sup> To whom correspondence should be addressed. Tel.: +351 22 508 1686. Fax: +351 22 508 1674. E-mail: ajq@fe.up.pt.

containing associating components. The CPA EoS performs superiorly for aqueous systems, as shown by several authors, 9,10,17-23 and is also mathematically simpler, thus substantially simplifying and accelerating the phase equilibrium calculations when compared with the SAFT EoS. The CPA EoS was previously applied to the phase equilibrium of mixtures containing alcohols, glycols, water, amines, organic acids, and aromatic or olefin hydrocarbons. 9,10,17,18,21,22,24,25 This model has also been shown to be able to take into account the solvation phenomena occurring between water and aromatic hydrocarbons, olefinic hydrocarbons, <sup>18</sup> aromatic perfluorocarbons, <sup>26</sup> and esters. <sup>23</sup>

In this work, it will be shown that the CPA EoS can provide an accurate description of the aqueous solubilities of PAHs, using only a single, temperature-independent, association volume (solvating) parameter,  $\beta_{ii}$ .

One of the major advantages of an EoS-based model compared to  $G^{E}$  models or simple correlations is that it allows the prediction of the solubilities in wide ranges of pressures and temperatures. This is increasingly of importance as subcritical water has been increasingly used as a green extraction solvent to remove PAHs and pesticides from highly contaminated soils.<sup>27–31</sup> These processes rely on the decrease of water polarity with increasing temperature. Increasing the temperature with pressure to keep water in the liquid state has a dramatic effect on the solubilities of nonpolar compounds. Depending on the temperature, it can be very effective to selectively extract a variety of polar or nonpolar organic compounds from many different matrixes. The possibility to accurately describe aqueous PAH solubilities at high temperatures and pressures will help in better understanding the mechanisms of the pressurized hot water extraction of PAHs. The adequate representation of the solute + subcritical water phase behavior is important to select the optimum extraction conditions.

A good representation of the phase equilibria of water + PAH systems at high pressures is also important for other environmental purposes. As discussed previously, PAHs can be introduced in the marine environment during offshore oil and gas production and natural hydrocarbon seepage from reservoirs. Leaks during exploration of oils have hazardous consequences for profound sea overall biotic community structure, thereby affecting the health of the ecosystems exposed to these contaminants. Tracing the aqueous phase concentrations of PAHs in equilibrium allows simulation of mass transfer processes supporting response decisions in contamination scenarios and possible remediation strategies.<sup>32</sup>

Previous attempts to correlate these aqueous solubilities at elevated pressures were based only on straightforward relations for the temperature dependence of the solubilities, or on activity coefficient models such as UNIFAC.<sup>28</sup>

In this work it will be demonstrated that the CPA EoS can also be successfully used as a predictive tool for modeling the solubility of solid polycyclic aromatic hydrocarbons in pressurized hot water.

#### 2. Model

The CPA EoS, proposed by Kontogeorgis and co-workers, <sup>8-10</sup> combines a physical contribution (from the Soave-Redlich-Kwong (SRK) or the Peng-Robinson (PR) equation of state) with an association contribution, originally proposed by Wertheim and used in other associating equations of state such as SAFT, accounting for intermolecular hydrogen bonding and solvation effects. <sup>20,33,34</sup> In terms of the compressibility factor the CPA EoS can be expressed as

$$Z = Z^{\text{phys}} + Z^{\text{assoc}} = \frac{1}{1 - b\rho} - \frac{a\rho}{RT(1 + b\rho)} - \frac{1}{2} \left(1 + \rho \frac{\partial \ln g}{\partial \rho}\right) \sum_{i} x_{i} \sum_{A_{i}} (1 - X_{A_{i}})$$
 (1)

where a is the energy parameter, b is the co-volume parameter,  $\rho$  is the molar density, g is a simplified radial distribution function,  $^{19}X_{A_i}$  represents the mole fraction of component i not bonded at site A, and  $x_i$  is the mole fraction of component i.

The key element of the association term,  $X_{A,i}$ , is related to the association strength  $\Delta^{A_iB_j}$  between two sites belonging to two different molecules, site A on molecule i and site B on molecule j, and is calculated by solving the following set of equations:

$$X_{A_{i}} = \frac{1}{1 + \rho \sum_{j} x_{j} \sum_{B_{i}} X_{B_{j}} \Delta^{A_{i}B_{j}}}$$
(2)

where  $\Delta^{A_iB_j}$  is expressed as

$$\Delta^{A_i B_j} = g(\rho) \left[ \exp \left( \frac{\varepsilon^{A_i B_j}}{RT} \right) - 1 \right] b_{ij} \beta^{A_i B_j}$$
 (3)

 $\varepsilon^{A_iB_j}$  and  $\beta^{A_iB_j}$  are the association energy and the association volume, respectively.

The simplified radial distribution function,  $g(\rho)$  is given by <sup>19</sup>

$$g(\rho) = \frac{1}{1 - 1.9\eta};$$
  $\eta = \frac{1}{4}b\rho$  and  $b_{ij} = \frac{b_i + b_j}{2}$  (4)

The pure component energy parameter of the CPA EoS is given by a Soave-type temperature dependency, while b is temperature independent:

$$a(T) = a_0 [1 + c_1 (1 - \sqrt{T_r})]^2$$
 (5)

where  $T_{\rm r} = T/T_{\rm c}$ ;  $T_{\rm c}$  is the critical temperature.

These  $\varepsilon^{A_1B_j}$  and  $\beta^{A_1B_j}$  parameters, characteristic of associating components, and the three additional parameters of the SRK term  $(a_0, b, c_1)$  are the five pure compound parameters  $(a_0, c_1, b, \varepsilon, \beta)$  of the model. They are obtained for each component, by fitting experimental vapor pressure and liquid density data. For non-associating components, such as hydrocarbons, only the three parameters of the SRK term are required, which can either be obtained from vapor pressures and liquid densities or be calculated in the conventional manner (from critical data and the acentric factor).

When fitting the pure component parameters, the objective function used is

$$OF = \sum_{i}^{NP} \left( \frac{P_i^{exp} - P_i^{calc}}{P_i^{exp}} \right)^2 + \sum_{i}^{NP} \left( \frac{\rho_i^{exp} - \rho_i^{calc}}{\rho_i^{exp}} \right)^2$$
 (6)

When the CPA EoS is extended to mixtures, the energy and co-volume parameters of the physical term are calculated employing the conventional van der Waals one-fluid mixing rules:

$$a = \sum_{i} \sum_{j} x_{i} x_{j} a_{ij}; \qquad a_{ij} = \sqrt{a_{i} a_{j}} (1 - k_{ij})$$
 (7)

where  $k_{ij}$  is a binary interaction parameter fitted from binary equilibrium data and

$$b = \sum_{i} x_i b_i \tag{8}$$

Although aromatic hydrocarbons are themselves non-self-associating, it is well-known that aromatic compounds are able to cross-associate (solvate) with water. <sup>35,36</sup> For extending the CPA EoS to mixtures containing cross-associating molecules, combining rules for the cross-association energy ( $\varepsilon^{A_iB_j}$ ) and cross-volume parameters ( $\beta^{A_iB_j}$ ) are required. <sup>37</sup> Different sets of combining rules have been proposed by several authors, <sup>37–40</sup> including not solely for  $\varepsilon^{A_iB_j}$  and  $\beta^{A_iB_j}$  but also for the cross-association strength,  $\Delta^{A_iB_j}$ .

For systems of aromatic(s) + water, as is the case of the systems studied in this work, only water is a self-associating molecule; thus, a different procedure is required. Folas et al. 18 proposed a methodology for dealing with these solvating phenomena. The cross-association energy between aromatic hydrocarbons and water is taken as half the water association energy, and the cross-association volume ( $\beta^{A,B_j}$ ) is used as an adjustable parameter, fitted to equilibrium data. This methodology has been successfully applied to mixtures with water or glycols and aromatic or olefinic hydrocarbons. 17,18

For estimating the  $\beta^{A_iB_j}$  parameter, the following objective function was employed:

$$OF = \sum_{i}^{NP} \left( \frac{x_i^{\text{calc}} - x_i^{\text{exp}}}{x_i^{\text{exp}}} \right)^2$$
 (9)

where single phase or all phase data can be selected during the parameter optimization.

Following previous suggestions, for water a four-site (4C) association scheme is adopted, considering that hydrogen bonding occurs between the two hydrogen atoms and the two lone pairs of electrons in the oxygen of the water molecule. For aromatics a single association site is considered, cross-associating with water, as suggested by theoretical and experimental evidence. 35,36

The thermodynamics of the solid—liquid equilibrium (SLE) is well established in the literature.<sup>41</sup> The solubility of a solute *s* can be calculated from the following generalized expression that relates the reference state fugacities:

$$\ln \frac{f_s^{\text{liq}}(T, P)}{f_s^{\text{ol}}(T, P)} = \frac{\Delta_{\text{fus}}H}{R} \left(\frac{1}{T} - \frac{1}{T_{\text{m}}}\right) - \frac{\Delta C_p}{R} \left[\frac{T_{\text{m}}}{T} - \ln\left(\frac{T_{\text{m}}}{T}\right) - 1\right]$$
(10)

where  $\Delta_{\rm fus}H$  is the solute enthalpy of fusion, T is the absolute temperature,  $T_{\rm m}$  is the solute melting temperature,  $\Delta C_p$  is the difference of the liquid and solid molar heat capacities, and R is the gas constant. In this expression the formation of a pure solid phase is considered, there are no solid—solid phase transitions, the solute  $\Delta C_p$  term is constant in the temperature range  $[T-T_{\rm m}]$ , and the Poynting term correction is neglected; as well, the effect of pressure on  $T_{\rm m}$ ,  $\Delta C_p$  and  $\Delta_{\rm fus}H$  is considered. For solid—liquid equilibria, pressure changes usually do not have important effects on equilibria unless the pressure changes are very large (10-100 MPa).

It was observed that the heat capacity contribution can be neglected with respect to the enthalpic term, and consequently the following expression for the solubility is obtained, while using an equation of state:

$$x_{\rm s} = \frac{\varphi_{\rm s}^{L0}}{\varphi_{\rm s}^{L}} \exp\left[-\frac{\Delta_{\rm fus}H}{R}\left(\frac{1}{T} - \frac{1}{T_{\rm m}}\right)\right]$$
(11)

where  $\varphi$  is the fugacity coefficient and subscript "0" refers to a pure component.

#### 3. Results and Discussion

The PAHs studied in this work are all non-self-associating. The CPA parameters for these pure compounds are thus only three parameters required for the physical part of the EoS.

Through a simultaneous regression of vapor pressure and liquid density data, collected from the DIPPR database<sup>42</sup> covering the range of reduced temperatures from 0.45 to 0.85, the three parameters of the physical part  $(a_0, b, c_1)$  of the CPA EoS were estimated.

The pure compound parameters for 25 polycyclic aromatic hydrocarbons (and water) are reported in Table 1. A good description of vapor pressures and liquid densities of PAHs is achieved with the CPA EoS, with a global average deviation of 1.1% for vapor pressures and 1.4% for liquid densities.

Having estimated the pure compound parameters, it is possible to describe aqueous solubilities. An extensive literature search to collect experimental solubility data of PAHs in water, as a function of temperature, was carried out, and it was possible to collect data for the solubilities of 11 PAHs: fluorene, biphenyl, triphenylene, benz[a]anthracene, naphthalene, anthracene, pyrene, fluoranthene, chrysene, acenaphthene, and phenanthrene. Data for these systems at ambient pressure were available in the temperature range 273.15–348.15 K.<sup>43–52</sup> Thermophysical properties for the studied PAHs are reported in Table 1.

The data available at ambient pressure present considerable scatter, and strong discrepancies among the various authors can easily be found. For instance, for pyrene at 298.15 K, the deviation that can be found between the experimental values collected from literature can be as high as 35%.

In order to reduce the deviations due to this data scattering, the choice of the most adequate data was done by producing the van't Hoff plots of the solubility,  $\ln(x)$  vs 1/T, and rejecting the data that deviate significantly from linearity. Correlations of the aqueous solubility thus obtained for each compound are reported in Table 2, and from this point forward all the data that were used for modeling purposes were obtained from these correlations. Moreover, a number of compounds showed solubility data going through a minimum at temperatures lower than the ambient temperature. These data were also discarded as the CPA EoS, like other thermodynamic models and linear relations, is not able to adequately describe this region.

For fluorene, benz[a]anthracene, and triphenylene no liquid density data were available, so their pure compound parameters were considered to be equal to the ones of the PAH with the same number of aromatic rings: biphenyl for fluorene and chrysene for benz[a]anthracene and for triphenylene. Also for these two last compounds no critical temperature data were available, and estimates were thus generated from the group contribution model proposed by Marrero and Pardillo.<sup>53</sup>

The first approach to the modeling of the aqueous solubility of PAHs with the CPA EoS was carried out in a completely predictive manner, using  $k_{ij}$  (eq 7) and the solvation parameter  $\beta_{ij}$  (eq 3) equal to zero. The deviations thus obtained between the CPA predictions and the experimental data are reported in Table 3. A global average deviation of 59% was obtained. These results are quite impressive as we should note that these compounds present mole fraction aqueous solubilities on the order of  $10^{-5}$  or even smaller, suggesting that an excellent description could be achieved by further taking into account the cross-association between PAHs and water.

In order to consider this water—aromatic ring cross-association, solvation parameters for each binary PAH + water were regressed from the experimental solubility data. The results for the  $\beta_{ij}$  parameter and CPA deviations are presented in Table 4.

Table 1. Pure Component CPA Parameters, Deviations in the Description of Saturation Pressures and Liquid Densities, and Values of Critical Temperature  $(T_c)$ , Normal Melting Temperature  $(T_m)$ , and Enthalpy of Fusion<sup>42,52,61</sup>

|                            | <i>T</i> <sub>c</sub> (K) |                                 | Λ 11                                           |                          |       |                                             |                                                    |                                 |       |              |                |
|----------------------------|---------------------------|---------------------------------|------------------------------------------------|--------------------------|-------|---------------------------------------------|----------------------------------------------------|---------------------------------|-------|--------------|----------------|
| 1-ethylnaphthalene         |                           | $T_{\rm m}\left({\rm K}\right)$ | $\Delta_{\text{fus}}H$ (kJ mol <sup>-1</sup> ) | (Pa m $^6$ mol $^{-2}$ ) | $c_1$ | $(\times 10^4 \text{ m}^3 \text{mol}^{-1})$ | $V_{\rm vdw}$ (m <sup>3</sup> kmol <sup>-1</sup> ) | $\varepsilon \\ (J \ mol^{-1})$ | β     | $P^{\sigma}$ | $ ho_{ m liq}$ |
|                            | 775.36                    | 259.22                          | 16.3                                           | 4.92                     | 1.00  | 1.47                                        | 0.10                                               |                                 |       | 1.56         | 0.58           |
|                            | 719.16                    | 237.39                          | 12.5                                           | 3.87                     | 0.91  | 1.25                                        | 0.08                                               |                                 |       | 0.97         | 0.51           |
| 1-butylnaphthalene         | 792.00                    |                                 | 25.1                                           | 6.25                     | 1.13  | 1.83                                        | 0.12                                               |                                 |       | 1.07         | 1.06           |
| 1-nonylnaphthalene         | 848.50                    | 281.90                          | _                                              | 10.63                    | 1.21  | 2.79                                        | 0.17                                               |                                 |       | 0.52         | 2.66           |
| 1-decylnaphthalene         | 858.50                    | 288.30                          | _                                              | 11.55                    | 1.24  | 3.00                                        | 0.18                                               |                                 |       | 0.50         | 2.87           |
|                            | 781.58                    | 263.88                          | 17.6                                           | 5.71                     | 0.99  | 1.65                                        | 0.11                                               |                                 |       | 2.02         | 1.15           |
| <i>n</i> -hexylnaphthalene | 812.73                    | 255.15                          | 24.1                                           | 7.79                     | 1.24  | 2.21                                        | 0.14                                               |                                 |       | 0.92         | 1.66           |
| 2,6-dimethylnaphthalene    | 776.29                    | 383.94                          | 23.3                                           | 5.14                     | 1.00  | 1.53                                        | 0.10                                               |                                 |       | 0.84         | 1.59           |
| 2,7-dimethylnaphthalene    | 776.63                    | 369.62                          | 23.4                                           | 5.16                     | 1.00  | 1.53                                        | 0.10                                               |                                 |       | 1.97         | 1.95           |
| 2,6-diethylnaphthalene     | 807.00                    | 322.15                          | 20.3                                           | 6.43                     | 1.06  | 1.78                                        | 0.12                                               |                                 |       | 1.37         | 1.72           |
| 1-phenylnaphthalene        | 849.00                    | 318.15                          | _                                              | 6.95                     | 1.19  | 2.01                                        | 0.12                                               |                                 |       | 0.61         | 1.76           |
|                            | 776.00                    | _                               | _                                              | 8.06                     | 1.21  | 2.33                                        | 0.14                                               |                                 |       | 0.95         | 2.02           |
| 4-tetrahydronaphthalene    |                           |                                 |                                                |                          |       |                                             |                                                    |                                 |       |              |                |
|                            | 807.00                    | 318.81                          | 23.4                                           | 6.95                     | 1.19  | 2.01                                        | 0.13                                               |                                 |       | 1.10         | 1.17           |
|                            | 773.52                    | 332.18                          | 9.7                                            | 4.37                     | 0.93  | 1.32                                        | 0.09                                               |                                 |       | 0.58         | 0.74           |
| • 1                        | 748.49                    | 353.42                          | 19                                             | 3.75                     | 0.86  | 1.17                                        | 0.07                                               |                                 |       | 0.75         | 0.46           |
|                            | 761.05                    | 330.64                          | 17.5                                           | 4.50                     | 0.90  | 1.34                                        | 0.09                                               |                                 |       | 3.14         | 0.88           |
|                            | 772.25                    | 341.11                          | 14.7                                           | 5.07                     | 0.94  | 1.49                                        | 0.10                                               |                                 |       | 0.85         | 0.75           |
| , I                        | 875.46                    | 488.78                          | 29.4                                           | 6.50                     | 0.88  | 1.58                                        | 0.10                                               |                                 |       | 0.48         | 0.36           |
|                            | 937.08                    | 423.50                          | 17.4                                           | 7.86                     | 0.93  | 1.77                                        | 0.11                                               |                                 |       | 0.72         | 2.87           |
| 1 2                        | 915.33                    | 386.54                          | 18.7                                           | 7.92                     | 0.88  | 1.81                                        | 0.11                                               |                                 |       | 2.56         | 3.05           |
|                            | 795.67                    | 531.15                          | 6.9                                            | 5.34                     | 1.07  | 1.61                                        | 0.08                                               |                                 |       | 0.93         | 0.63           |
|                            | 982.38                    | 366.56                          | 26.2                                           | 9.19                     | 1.15  | 2.04                                        | 0.13                                               |                                 |       | 0.61         | 2.08           |
| 2                          | 808.58                    | 372.44                          | 21.5                                           | 4.90                     | 0.93  | 1.37                                        | 0.09                                               |                                 |       | 0.36         | 1.10           |
| 1                          | 871.14                    | 423.38                          | 16.8                                           | 6.26                     | 0.93  | 1.56                                        | 0.10                                               |                                 |       | 0.48         | 1.01           |
| 1                          | 773.00                    | 342.20                          | 18.6                                           | 4.73                     | 1.01  | 1.42                                        | 0.09                                               |                                 |       | 1.01         | 1.42           |
| 1 2                        | 892.29                    | 432.00                          | 22.3                                           | 1.75                     | 1.01  | 1.12                                        | 0.07                                               |                                 |       | 1.01         | 1.12           |
| r. L. J                    | 999.39                    | 473.60                          | 24.2                                           |                          |       |                                             |                                                    |                                 |       |              |                |
|                            | 870.00                    | 387.46                          | 19.6                                           |                          |       |                                             |                                                    |                                 |       |              |                |
|                            | 647.29                    | 273.15                          | 6.00                                           | 0.12                     | 0.67  | 0.145                                       |                                                    | 16655                           | 0.069 | 1.32         | 0.59           |

Table 2. Correlations of Experimental Solubility Data for the PAHs Studied in This Work

| compound          | correlation                     | $R^2$ | ref       |
|-------------------|---------------------------------|-------|-----------|
| fluorene          | $\ln(x) = -5253.34(1/T) + 2.12$ | 0.996 | 50        |
| triphenylene      | $\ln(x) = -5347.09(1/T) - 3.44$ | 0.996 | 51        |
| benz[a]anthracene | $\ln(x) = -5364.52(1/T) - 3.06$ | 0.991 | 51        |
| biphenyl          | $\ln(x) = -4776.98(1/T) + 1.95$ | 0.988 | 50        |
| naphthalene       | $\ln(x) = -4026.38(1/T) + 1.75$ | 0.982 | 55, 57-60 |
| anthracene        | $\ln(x) = -6698.70(1/T) + 3.34$ | 0.990 | 55-60     |
| pyrene            | $\ln(x) = -5712.29(1/T) + 0.89$ | 0.998 | 55-60     |
| fluoranthene      | $\ln(x) = -4541.10(1/T) - 2.47$ | 0.756 | 55, 57-60 |
| chrysene          | $\ln(x) = -4821.67(1/T) - 6.52$ | 0.930 | 55, 57-60 |
| acenaphthene      | $\ln(x) = -4899.82(1/T) + 1.79$ | 0.994 | 55-60     |
| phenanthrene      | $\ln(x) = -5277.20(1/T) + 1.72$ | 0.991 | 55-61     |

Table 3. Deviations between CPA Predictions and Experimental Aqueous Solubility Data for PAHs Using  $k_{ij} = \beta_{ij} = 0$ 

| no. of aromatic rings | compound          | AAD, % |
|-----------------------|-------------------|--------|
| 2                     | fluorene          | 35.0   |
| 4                     | triphenylene      | 81.1   |
| 4                     | benz[a]anthracene | 74.9   |
| 2                     | biphenyl          | 68.0   |
| 2                     | naphthalene       | 41.9   |
| 3                     | anthracene        | 60.4   |
| 4                     | pyrene            | 60.3   |
| 3                     | fluoranthene      | 84.6   |
| 4                     | chrysene          | 74.8   |
| 2                     | acenaphthene      | 32.6   |
| 3                     | phenanthrene      | 38.8   |
| global AAD, %         | •                 | 59.3   |

As can be seen, the model seems to correctly take into account the solvation phenomena present in these systems and to accurately describe the temperature dependence of the aqueous solubility of PAHs, as seen in Figure 1. Global average

Table 4. Regressed  $\beta_{ii}$  Values and CPA Modeling Results for PAH **Aqueous Solubilities** 

| no. of aromatic rings | compound          | $eta_{ij}$ | AAD, % |
|-----------------------|-------------------|------------|--------|
| 2                     | fluorene          | 0.0185     | 2.2    |
| 4                     | triphenylene      | 0.0985     | 6.9    |
| 4                     | benz[a]anthracene | 0.0693     | 6.1    |
| 2                     | biphenyl          | 0.0717     | 4.6    |
| 2                     | naphthalene       | 0.0269     | 5.6    |
| 3                     | anthracene        | 0.0455     | 2.6    |
| 4                     | pyrene            | 0.0403     | 2.9    |
| 3                     | fluoranthene      | 0.1425     | 6.4    |
| 4                     | chrysene          | 0.0749     | 11.8   |
| 2                     | acenaphthene      | 0.0193     | 9.2    |
| 3                     | phenanthrene      | 0.0186     | 4.2    |
| global AAD, %         | •                 |            | 5.7    |

deviations of 6% are obtained, lower than the experimental uncertainties.

The very good results obtained for fluorene, benz[a]anthracene, and triphenylene must be highlighted, for which no pure compound liquid density data were available in literature. Using CPA parameters of PAHs with the same number of rings, global average deviations smaller than 5% were obtained for these three PAHs. These good results show that the CPA EoS can be used as a predictive tool for the description of PAH aqueous systems when no liquid density or/and vapor pressure data are available for estimating the CPA pure compound parameters. The good predictive character of the model was already observed previously, for instance, while modeling the water solubility in fatty acid methyl esters.23

It should be noted that a previous work<sup>17</sup> on the liquid-liquid equilibria of water + several aromatics showed that the aromatic solubilities in water, using correlated  $k_{ii}$  and  $\beta_{ii}$  values, had typical deviations around 20%, thus showing that excellent


**Figure 1.** PAH aqueous solubilities. Experimental  $(\bigcirc$ , pyrene;  $\square$ , fluoranthene;  $\triangle$ , chrysene;  $\times$ , acenaphthene;  $\triangledown$ , phenanthrene;  $\oplus$ , naphthalene;  $\diamondsuit$ , anthracene) and CPA results (-).

predictions of aqueous solubilities of PAHs are obtained from CPA using a single solvation parameter.

As discussed above, the solubilities of PAHs in pressurized hot water are of importance and the EoS model used here can be easily extended to high pressures.

Experimental data for the compounds previously studied were collected from the literature in pressurized hot water in the temperature range 313.15–498.15 K for pressures from 4 to 6.5 MPa.<sup>49,54–58</sup> A change in temperature affects considerably the solubilities while an increase in pressure results in a minor effect, unless the pressure changes are large. For instance, when the pressure is increased from 6 to 285 bar, the solubility of anthracene decreases only by an order of magnitude.<sup>59</sup>

The values for  $\beta_{ij}$  for each binary system previously estimated were used for the prediction of the solubilities. An excellent prediction of the experimental data was obtained, as shown in Figure 2 and Table 5, with global average deviations smaller than 21%. Higher deviations were obtained for chrysene, as well as before at ambient pressures, but this is among the studied PAHs the one with the lowest mole fraction solubilities, on the order of  $10^{-10}$ . While comparing the modeled solubilities with the literature experimental values, the uncertainty of the experimental data due to the difficulty in measuring accurately such low solubilities should be recalled.



**Figure 2.** High pressure PAH aqueous solubilities. Experimental  $(\bigcirc$ , pyrene;  $\Box$ , fluoranthene;  $\Delta$ , chrysene;  $\nabla$ , phenanthrene;  $\oplus$ , naphthalene;  $\diamondsuit$ , anthracene) and CPA results (-).

Table 5. CPA Modeling Results for High Pressure PAH Aqueous Solubilities

| compound      | AAD, % |
|---------------|--------|
| naphthalene   | 11.4   |
| anthracene    | 22.4   |
| pyrene        | 21.2   |
| fluoranthene  | 23.5   |
| chrysene      | 51.6   |
| phenanthrene  | 8.1    |
| global AAD, % | 20.3   |

Previous attempts to correlate these aqueous solubilities at elevated pressures were based only on straightforward relations for the temperature dependence of the solubilities, or on activity coefficient models such as UNIFAC.<sup>28</sup> Some of the authors providing the experimental data also suggested semiempirical relationships using pure component properties and a first-order group contribution scheme to correlate the solubility of PAHs in pressurized hot water. The reported deviations are much higher than the ones provided by the CPA EoS, 44%, demonstrating the higher accuracy of the thermodynamic model used in this work for describing aqueous binary systems containing PAHs, in comparison with the models based on semiempirical relations.

The ability of the CPA EoS for describing the phase equilibria of the hydrocarbon + water systems was already successfully demonstrated for a large number of compounds in a broad range of pressures and temperatures.<sup>17</sup> The great advantage of this association equation of state is its particular applicability to model solubilities of water and hydrocarbons at high pressures that simple correlations or the excess Gibbs energy models in cubic equation of state mixing rules (EoS  $G^{\rm E}$ ), such as the modified Huron–Vidal (MHV2), do not cover.<sup>60</sup>

The very good results obtained for the solubilities of several polycyclic aromatic hydrocarbons in water suggest that the CPA EoS is an adequate model for predicting the aqueous solutions of complex molecules of organic pollutants in a broad range of thermodynamic conditions.

## 4. Conclusions

In this work the cubic-plus-association (CPA) equation of state was for the first time successfully applied to describe the solubility of several polycyclic aromatic hydrocarbons in water.

CPA pure compound parameters were estimated for 25 PAHs, and very good results for the vapor pressures and liquid densities were achieved, with global deviations below 1.1% and 1.4%, respectively. Pure predictions of the aqueous solubility of PAHs, not taking into account the cross-association between the water and the aromatic ring, are below 60%. If the solvation between a self-associating molecule and a non-self-associating molecule is taken into account using a single fitting parameter, the solubilities can be correlated within 6% deviation.

The capability of the CPA EoS to predict the aqueous solubility of solid polycyclic aromatic hydrocarbons at high pressures was also investigated. It is shown that this model can be used as a predictive tool with global average deviations of only 20% for solubilities of PAHs in pressurized hot water.

The very good predictive performance of the CPA EoS was also shown when successfully modeling the water solubilities of PAHs for which no liquid density data were available, using only the CPA pure compound parameters of other compounds with similar structures. In this manner the CPA EoS can be used to predict many other systems of environmental interest containing less-studied organic contaminants.

The results obtained for the solubility of several polycyclic aromatic hydrocarbons in water are in close agreement with the literature data, suggesting that the CPA EoS is an adequate model for predicting the aqueous solutions of complex molecules of organic pollutants in a broad range of thermodynamic conditions.

## Acknowledgment

M.B.O. acknowledges support from the Fundação para a Ciência e a Tecnologia through her Ph.D. (SFRH/BD/29062/2006) scholarship. A.J.Q. acknowledges support from POCI/N010/2006. The authors also gratefully acknowledge Prof. Michal Roth (Institute of Analytical Chemistry, Academy of Sciences of the Czech Republic) for the useful discussion about the importance of the high pressure solubility data and for providing data used in this work.

### Nomenclature

 $a_0$  = parameter in the energy term

 $a_{ij}$  = cross-interaction energy parameter between molecules i and j

 $A_i = site A in molecule i$ 

b = covolume parameter

 $c_1$  = parameter in the energy term, dimensionless

g = radial distribution function

 $k_{ij}$  = binary interaction parameter

OF = objective function

P = pressure

R = gas constant

T = temperature

 $T_{\rm c}$  = critical temperature

 $T_{\rm m}$  = melting temperature

 $T_{\rm r}$  = reduced temperature

 $V_{\rm m} = {
m molar \ volume}$ 

 $V_{\rm vdw} = {\rm van \ der \ Waals \ volume}$ 

 $X_{A_i}$  = mole fraction of component *i* not bonded at site A

 $x_i$  = liquid mole fraction of component i

Z = compressibility factor

## Greek Symbols

 $\rho = \text{molar density}$ 

 $\beta_{ij}$  = solvation parameter

 $\Delta^{A_iB_j}$  = association strength

 $\Delta C_p$  = difference of liquid and solid molar heat capacities

 $\Delta_{\text{fus}}H = \text{enthalpy of fusion}$ 

 $\beta^{A_iB_j}$  = association volume

 $\varepsilon^{A_iB_j}$  = association energy

 $\eta = \text{reduced fluid density}$ 

 $\varphi = \text{fugacity coefficient}$ 

Superscripts

exp = experimental

calc = calculated

assoc = association

phys = physical

Subscripts

i, j = pure component indices

## Abbreviations

AAD = average absolute deviation (%AAD = 1/NP $\sum_{i=1}^{NP}$  ABS[( $x_{exp,i} - x_{calc,i}$ )/ $x_{exp,i}$ ] × 100)

CPA = cubic plus association

EoS = equation of state

 $G^{\rm E} = {\rm excess\ molar\ Gibbs\ energy}$ 

MHV2 = second-order modified Huron-Vidal mixing rules

PAHs = polycyclic aromatic hydrocarbons

SAFT = statistical associating fluid theory

SLE = solid-liquid equilibria

SRK = Soave-Redlich-Kwong

UNIFAC = universal functional activity coefficient model

## **Literature Cited**

- (1) Perez, C.; Velando, A.; Munilla, I.; Lopez-Alonso, M.; Oro, D. Monitoring polycyclic aromatic hydrocarbon pollution in the marine environment after the Prestige oil spill by means of seabird blood analysis. *Environ. Sci. Technol.* **2008**, *42*, 707.
- (2) Crisafully, R.; Milhome, M. A. L.; Cavalcante, R. M.; Silveira, E. R.; De Keukeleire, D.; Nascimento, R. F. Removal of some polycyclic aromatic hydrocarbons from petrochemical wastewater using low-cost adsorbents of natural origin. *Bioresour. Technol.* **2008**, *99*, 4515.
- (3) Lu, G. N.; Dang, Z.; Tao, X. Q.; Yang, C.; Yi, X. Y. Estimation of water solubility of polycyclic aromatic hydrocarbons using quantum chemical descriptors and partial least squares. *QSAR Comb. Sci.* **2008**, 27, 618
- (4) Zhao, H. X.; Zhang, Q.; Chen, J. P.; Xue, X. Y.; Liang, X. M. Prediction of octanol-air partition coefficients of sernivolatile organic compounds based on molecular connectivity index. *Chemosphere* **2005**, *59*, 1421
- (5) Chu, W.; Chan, K. H. The prediction of partitioning coefficients for chemicals causing environmental concern. *Sci. Total Environ.* **2000**, 248, 1.
- (6) Paasivirta, J.; Sinkkonen, S.; Mikkelson, P.; Rantio, T.; Wania, F. Estimation of vapor pressures, solubilities and Henry's law constants of selected persistent organic pollutants as functions of temperature. *Chemosphere* **1999**, *39*, 811.
- (7) Economou, I. G. Statistical associating fluid theory: A successful model for the calculation of thermodynamic and phase equilibrium properties of complex fluid mixtures. *Ind. Eng. Chem. Res.* **2002**, *41*, 953.
- (8) Kontogeorgis, G. M.; Voutsas, E. C.; Yakoumis, I. V.; Tassios, D. P. An equation of state for associating fluids. *Ind. Eng. Chem. Res.* **1996**, *35*, 4310.
- (9) Kontogeorgis, G. M.; Michelsen, M. L.; Folas, G. K.; Derawi, S.; von Solms, N.; Stenby, E. H. Ten years with the CPA (Cubic-Plus-Association) equation of state. Part 1. Pure compounds and self-associating systems. *Ind. Eng. Chem. Res.* **2006**, *45*, 4855.
- (10) Kontogeorgis, G. M.; Michelsen, M. L.; Folas, G. K.; Derawi, S.; von Solms, N.; Stenby, E. H. Ten years with the CPA (Cubic-Plus-Association) equation of state. Part 2. Cross-associating and multicomponent systems. *Ind. Eng. Chem. Res.* **2006**, *45*, 4869.
- (11) Tamouza, S.; Passarello, J. P.; Tobaly, P.; de Hemptinne, J. C. Group contribution method with SAFT EOS applied to vapor liquid equilibria of various hydrocarbon series. *Fluid Phase Equilib.* **2004**, *222*, 67
- (12) Gross, J.; Sadowski, G. Application of perturbation theory to a hard-chain reference fluid: an equation of state for square-well chains. *Fluid Phase Equilib.* **2000**, *168*, 183.
- (13) Gross, J.; Sadowski, G. Perturbed-chain SAFT: An equation of state based on a perturbation theory for chain molecules. *Ind. Eng. Chem. Res.* **2001**, *40*, 1244.
- (14) GilVillegas, A.; Galindo, A.; Whitehead, P. J.; Mills, S. J.; Jackson, G.; Burgess, A. N. Statistical associating fluid theory for chain molecules with attractive potentials of variable range. *J. Chem. Phys.* **1997**, *106*, 4168.
- (15) Benzaghou, S.; Passarello, J. P.; Tobaly, P. Predictive use of a SAFT EOS for phase equilibria of some hydrocarbons and their binary mixtures. *Fluid Phase Equilib.* **2001**, *180*, 1.
- (16) Huynh, D. N.; Benamira, M.; Passarello, J. P.; Tobaly, P.; de Hemptinne, J. C. Application of GC-SAFT EOS to polycyclic aromatic hydrocarbons. *Fluid Phase Equilib.* **2007**, *254*, 60.
- (17) Oliveira, M. B.; Coutinho, J. A. P.; Queimada, A. J. Mutual solubilities of hydrocarbons and water with the CPA EoS. *Fluid Phase Equilib.* **2007**, *258*, 58.
- (18) Folas, G. K.; Kontogeorgis, G. M.; Michelsen, M. L.; Stenby, E. H. Application of the cubic-plus-association (CPA) equation of state to complex mixtures with aromatic hydrocarbons. *Ind. Eng. Chem. Res.* **2006**, *45*, 1527.
- (19) Kontogeorgis, G. M.; Yakoumis, I. V.; Meijer, H.; Hendriks, E.; Moorwood, T. Multicomponent phase equilibrium calculations for watermethanol-alkane mixtures. *Fluid Phase Equilib.* **1999**, *160*, 201.

- (20) Voutsas, E. C.; Boulougouris, G. C.; Economou, I. G.; Tassios, D. P. Water/hydrocarbon phase equilibria using the thermodynamic perturbation theory. *Ind. Eng. Chem. Res.* **2000**, *39*, 797.
- (21) Derawi, S. O.; Michelsen, M. L.; Kontogeorgis, G. M.; Stenby, E. H. Application of the CPA equation of state to glycol/hydrocarbons liquid-liquid equilibria. *Fluid Phase Equilib.* **2003**, 209, 163.
- (22) Derawi, S. O.; Kontogeorgis, G. M.; Michelsen, M. L.; Stenby, E. H. Extension of the cubic-plus-association equation of state to glycol-water cross-associating systems. *Ind. Eng. Chem. Res.* **2003**, *42*, 1470.
- (23) Oliveira, M. B.; Varanda, F. R.; Marrucho, I. M.; Queimada, A. J.; Coutinho, J. A. P. Prediction of water solubility in biodiesel with the CPA Equation of State. *Ind. Eng. Chem. Res.* **2008**, *47*, 4278.
- (24) Derawi, S. O.; Zeuthen, J.; Michelsen, M. L.; Stenby, E. H.; Kontogeorgis, G. M. Application of the CPA equation of state to organic acids. *Fluid Phase Equilib.* **2004**, 225, 107.
- (25) Kaarsholm, M.; Derawi, S. O.; Michelsen, M. L.; Kontogeorgis, G. M. Extension of the cubic-plus-association (CPA) equation of state to amines. *Ind. Eng. Chem. Res.* **2005**, *44*, 4406.
- (26) Oliveira, M. B.; Freire, M. G.; Marrucho, I. M.; Kontogeorgis, G. M.; Queimada, A. J.; Coutinho, J. A. P. Modeling the liquid-liquid equilibria of water plus fluorocarbons with the cubic-plus-association equation of state. *Ind. Eng. Chem. Res.* **2007**, *46*, 1415.
- (27) Moreno, E.; Reza, J.; Trejo, A. Extraction of polycyclic aromatic hydrocarbons from soil using water under subcritical conditions. *Polycyclic Aromat. Compd.* **2007**, 27, 239.
- (28) Fornari, T.; Stateva, R. P.; Senorans, F. J.; Reglero, G.; Ibanez, E. Applying UNIFAC-based models to predict the solubility of solids in subcritical water. *J. Supercrit. Fluids* **2008**, *46*, 245.
- (29) Dadkhah, A. A.; Akgerman, A. Hot water extraction with in situ wet oxidation: PAHs removal from soil. J. Hazard. Mater. 2002, 93, 307.
- (30) Lagadec, A. J. M.; Miller, D. J.; Lilke, A. V.; Hawthorne, S. B. Pilot-scale subcritical water remediation of polycyclic aromatic hydrocarbonand pesticide-contaminated soil. *Environ. Sci. Technol.* **2000**, *34*, 1542.
- (31) Smith, R. M. Extractions with superheated water. J. Chromatogr., A 2002, 975, 31.
- (32) Ahn, S.; Werner, D.; Luthy, R. G. Modeling PAH mass transfer in a slurry of contaminated soil or sediment amended with organic sorbents. *Water Res.* **2008**, *42*, 2931.
- (33) Michelsen, M. L.; Hendriks, E. M. Physical properties from association models. *Fluid Phase Equilib.* **2001**, *180*, 165.
- (34) Wu, J. Z.; Prausnitz, J. M. Phase equilibria for systems containing hydrocarbons, water, and salt: An extended Peng-Robinson equation of state. *Ind. Eng. Chem. Res.* **1998**, *37*, 1634.
- (35) Brinkley, R. L.; Gupta, R. B. Hydrogen bonding with aromatic rings. *AIChE J.* **2001**, *47*, 948.
- (36) Tarakeshwar, P.; Choi, H. S.; Lee, S. J.; Lee, J. Y.; Kim, K. S.; Ha, T. K.; Jang, J. H.; Lee, J. G.; Lee, H. A theoretical investigation of the nature of the pi-H interaction in ethene-H2O, benzene-H2O, and benzene-(H2O)(2). *J. Chem. Phys.* **1999**, *111*, 5838.
- (37) Voutsas, E. C.; Yakoumis, I. V.; Tassios, D. P. Prediction of phase equilibria in water/alcohol/alkane systems. *Fluid Phase Equilib.* **1999**, *160*, 151.
- (38) Fu, Y. H.; Sandler, S. I. A Simplified Saft Equation of State for Associating Compounds and Mixtures. *Ind. Eng. Chem. Res.* **1995**, *34*, 1897.
- (39) Suresh, S. J.; Elliott, J. R. Multiphase Equilibrium-Analysis Via a Generalized Equation of State for Associating Mixtures. *Ind. Eng. Chem. Res.* **1992**, *31*, 2783.
- (40) Suresh, J.; Beckman, E. J. Prediction of Liquid-Liquid Equilibria in Ternary Mixtures from Binary Data. *Fluid Phase Equilib.* **1994**, *99*, 219.
- (41) Prausnitz, J. M.; et al. *Molecular Thermodynamics of Fluid-Phase Equilibria*, 3rd ed.; Prentice-Hall Inc.: Upper Saddle River, NJ, 1999.
- (42) Design Institute for Physical Property Data, DIPPR Database; AIChE: New York, 1998.

- (43) Shiu, W. Y.; Ma, K. C. Temperature dependence of physical-chemical properties of selected chemicals of environmental interest. I. Mononuclear and polynuclear aromatic hydrocarbons. *J. Phys. Chem. Ref. Data* **2000**, *29*, 41.
- (44) Gridin, V. V.; Litani-Barzilai, I.; Kadosh, M.; Schechter, I. Determination of aqueous solubility and surface adsorption of polycyclic aromatic hydrocarbons by laser multiphoton ionization. *Anal. Chem.* **1998**, 70, 2685.
- (45) Schwarz, F. P. Determination of Temperature-Dependence of Solubilities of Polycyclic Aromatic-Hydrocarbons in Aqueous-Solutions by a Fluorescence Method. *J. Chem. Eng. Data* **1977**, 22, 273.
- (46) Mackay, D.; Shiu, W. Y. Aqueous Solubility of Polynuclear Aromatic-Hydrocarbons. *J. Chem. Eng. Data* **1977**, 22, 399.
- (47) Miller, D. J.; Hawthorne, S. B.; Gizir, A. M.; Clifford, A. A. Solubility of polycyclic aromatic hydrocarbons in subcritical water from 298 to 498 K. *J. Chem. Eng. Data* **1998**, *43*, 1043.
- (48) Aquanyuen, M.; Mackay, D.; Shiu, W. Y. Solubility of Hexane, Phenanthrene, Chlorobenzene, and p-Dichlorobenzene in Aqueous-Electrolyte Solutions. *J. Chem. Eng. Data* **1979**, 24, 30.
- (49) Andersson, T. A.; Hartonen, K. M.; Riekkola, M. L. Solubility of acenaphthene, anthracene, and pyrene in water at 50 degrees C to 300 degrees C. *J. Chem. Eng. Data* **2005**, *50*, 1177.
- (50) Wauchope, R. D.; Getzen, F. W. Temperature Dependence of Solubilities in Water and Heats of Fusion of Solid Aromatic-Hydrocarbons. *J. Chem. Eng. Data* **1972**, *17*, 38.
- (51) May, W. E.; Wasik, S. P.; Miller, M. M.; Tewari, Y. B.; Brownthomas, J. M.; Goldberg, R. N. Solution Thermodynamics of Some Slightly Soluble Hydrocarbons in Water. *J. Chem. Eng. Data* **1983**, 28, 197.
- (52) Haines, R. I. S.; Sandler, S. I. Aqueous Solubilities and Infinite Dilution Activity-Coefficients of Several Polycyclic Aromatic-Hydrocarbons. *J. Chem. Eng. Data* **1995**, *40*, 833.
- (53) Poling B. E.; Prausnitz J. M.; O'Connell, J. P. *The properties of gases and liquids*, 5th ed.; McGraw-Hill: New York, 2001.
- (54) Karasek, P.; Planeta, J.; Roth, M. Solubilities of adamantane and diamantane in pressurized hot water. J. Chem. Eng. Data 2008, 53, 816.
- (55) Karasek, P.; Planeta, J.; Roth, M. Aqueous solubility data for pressurized hot water extraction for solid heterocyclic analogs of anthracene, phenanthrene and fluorene. *J. Chromatogr.*, A 2007, 1140, 195.
- (56) Karasek, P.; Planeta, J.; Roth, M. Simple first-order group contribution scheme for solubilities of solid polycyclic aromatic hydrocarbons and solid polycyclic aromatic heterocycles in pressurized hot water. *Ind. Eng. Chem. Res.* **2008**, *47*, 620.
- (57) Karasek, P.; Planeta, J.; Roth, M. Solubilities of triptycene, 9-phenylanthracene, 9,10-dimethylanthracene, and 2-methylanthracene in pressurized hot water at temperatures from 313 K to the melting point. *J. Chem. Eng. Data* **2008**, *53*, 160.
- (58) Karasek, P.; Planeta, J.; Roth, M. Solubility of solid polycyclic aromatic hydrocarbons in pressurized hot water: Correlation with pure component properties. *Ind. Eng. Chem. Res.* **2006**, *45*, 4454.
- (59) Rossling, G. L.; Franck, E. U. Solubility of Anthracene in Dense Gases and Liquids to 200-Degrees-C and 2000 bar. *Ber. Bunsen-Gesell. Phys. Chem. Chem. Phys.* **1983**, 87, 882.
- (60) Wang, M. C.; Wong, D. S. H. Calculation of critical lines of hydrocarbon/water systems by extrapolating mixing rules fitted to subcritical equilibrium data. *Fluid Phase Equilib.* **2005**, 227, 183.
  - (61) NIST Chemistry WebBook. http://webbook.nist.gov/chemistry/.

Received for review January 5, 2009 Revised manuscript received March 25, 2009 Accepted April 3, 2009

IE900011G