

An effective biologically-based taper equation

Vignette for the **dyntaper** R package *

Oscar García, March 13, 2022

Contents

1	Introduction	2
2	Theory	3
3	Taper	9
4	Height for a given diameter	11
5	Volmes	11
6	Parameter estimation	12
7	Validation	18
	References	19
	Appendix: Mathematical derivations	20

*<https://github.com/ogarciav/dyntaper>

1 Introduction

Taper or stem profile equations (or functions) predict stem diameters as a function of height above ground, total tree height, and diameter at breast height (dbh). It is important to realize that this can only be an approximation: one can expect a dominant tree to have a different bole shape than a suppressed tree in another stand with the same height and dbh. Stand density and other variables can also have an effect. Attempts at introducing additional variables have usually shown little or no improvement in predictions, although in some instances stand variables can partially compensate for a bad choice of taper equation form. Even if improved predictions could be achieved, it is difficult to beat the practicality and convenience of requiring only height and dbh.

Also, stem measurements are notoriously imprecise, affected by stem irregularities, bark measurement errors, and deviations from a circular cross-section. The taper equation is essentially a convenient fiction, postulating a smooth regular shape applicable to every tree. These models are very useful, but one should keep the limitations in perspective. No need to agonize over precise mathematical details or elaborate statistical niceties (more on this later).

Practical taper models have been empirical and static, without much biological justification and giving the stem profile at one point in time. A realistic mathematical description of the entire tree has required a large number of adjustable parameters. In contrast, I explain here a model based on plausible approximations to the mechanisms of wood formation that generates robust whole-tree profiles with few free parameters (García, 2015). It is dynamically sound, with a coherent development over time, which may be important in some applications.

In what follows, I first describe the model motivation. This includes the pattern of annual wood layers, and how they accumulate to give rise to the stem shape. Then, we look at the methods and **R** functions used to calculate diameter profiles, heights for given diameters, and volumes between specified heights or diameters. Finally, I demonstrate some methods of parameter estimation and model evaluation. Detailed mathematical derivations are given in the Appendix.

2 Theory

This section is not strictly necessary for applying the model. Feel free to skim over it, coming back some other day if you become curious.




Figure 1: Relationship between wood cross section and foliage, according to Leonardo da Vinci (ca. 1500).

Stem form is the result of the accumulation of annual wood layers produced by the cambium. There are various theories about what determines the vertical thickness distribution of the layers. For instance, a popular one is that the layer cross-sectional area is proportional to the amount of foliage above each point. The idea can be traced back to Leonardo da Vinci (Fig. 1), was developed by Pressler in 1864, and rediscovered by Japanese scientists in the 1960s (the “pipes theory”). Pressler assumed a uniform vertical distribution of foliage in the crown, so that the area increment increases linearly downwards, from 0 at the tip of the tree to some maximum at the base of the green crown, remaining constant below that. This, and its consequences for the development of stem form, were nicely illustrated by Mitchell (1975), see Fig. 2.

Apart from the Vinci–Pressler–pipes hypothesis, there are other theories based on biomechanical considerations. Larson (1963) is still a nice review. Another oldie but goodie is Gray (1956). Observational data for the annual





FIGURE 4. (a) Distribution of annual cross-sectional area increment over the length of the bole in relation to the position of the crown. (b) Crown development of a hypothetical tree, and (c) the form of the bole resulting from the cumulation of area and diameter increment.

Figure 2: From Mitchell (1975).

layer thickness is typically very noisy, but it often suggests something like an asymptotic curve for the increase in area with distance from the top, more than a straight line. For instance, ignoring scale factors,

```
curve(pmin(x, 1), from=0, to=3)      # Pressler
curve(1 - exp(-x), 0, 3, add=TRUE)    # exponential
curve(x / (x + 1), 0, 3, add=TRUE)    # hyperbolic
```



Regardless of the exact layer shape, the stem profile is generated by the telescoping of the layers, as they accumulate while moving upwards (Fig. 2).

A glaring deficiency of the model so far is that it ignores that most trees exhibit a basal flaring or *butt swell*, caused by an additional thickening of the annual wood layer near the base. This is suggested, somewhat timidly, by Mitchell in 4a (Fig. 2). We add then a butt-swell component to the area increment, which should decrease as the height above the tree base increases. In symbols, we have a top area increment $\varphi(x)$ that increases with distance x from the top, plus a basal increment $\eta(h)$ that decreases with the height level h . Therefore, the cross-sectional area increment at a level h in a tree with total height H is

$$\varphi(H - h) + \eta(h) , \quad (1)$$

noting that $x = H - h$.

We can now accumulate these increments to obtain the total stem cross-sectional area at any given height level h . And from that, the diameter and taper function. It is convenient to take eq. (1) as relative to height growth, expressed as area increment per unit of height increment. Then, we can accumulate by integrating over height, from when the tree height reaches the level h to the final height H .

To get tractable results we make a simplifying assumption: the functions $\varphi(x)$ and $\eta(h)$ do not change over time or among trees (almost). More precisely, they do not change while the tree grows between h and H . And the actual growth is assumed to be *proportional* to eq. (1), with a proportionality factor that can vary from tree to tree. Then, the stem cross-section at level h in a tree of height H is proportional to

$$s(h, H) = \int_h^H [\varphi(y - h) + \eta(h)] dy = \int_h^H \varphi(y - h) dy + (H - h)\eta(h) ,$$

or

$$s(h, H) = \Phi(H - h) + (H - h)\eta(h), \quad \text{with} \quad \Phi(x) = \int_0^x \varphi(u) du \quad (2)$$

(trust me!)

The most questionable assumption here is the constant shape of $\varphi(x)$. In Pressler's model, for instance, that would mean a constant crown length, which may not be accurate if there is artificial pruning or large stand density changes. It is found, however, that these details have relatively minor effects on the final profile, and the simplification is just too convenient.


It remains to choose suitable forms for $\varphi(x)$ and $\eta(h)$.

In the case of η we want some “decay” function that, ignoring scale factors, starts at 1 for $h = 0$ and decreases to 0 as h increases. For instance, a negative exponential e^{-h} , or a hyperbola $1/(1 + h)$. More generally, $(1 - ph)^{1/p}$ includes these and many other forms as special cases for given values of p : the exponential is the limit as $p \rightarrow 0$, and the hyperbola is obtained with $p = -1$. Define then a general decay function

$$\begin{aligned} \delta(y, p) &= (1 - py)_+^{1/p} \text{ if } p \neq 0 , \\ \delta(y, 0) &= e^{-y} . \end{aligned}$$

The notation $(\cdot)_+$ is shorthand for the non-negative truncation $\max\{\cdot, 0\}$, which can be relevant when $p > 0$. This is implemented in the package function `decay()`:

```
library(dyntaper)
for(p in seq(1, -1, -0.5)) curve(decay(y, p), xname="y", from=0,
  to=3, add=(p != 1))
```



As discussed before, the top increment function $\varphi(x)$ should resemble a “ramp”, increasing from 0 at $x = 0$ up to a horizontal asymptote. It looks like a decay function turned upside-down. In fact, $1 - \delta(x, p)$ happens to give the Pressler, exponential, and hyperbolic ramps, for p equal to 1, 0, and -1, respectively. Verify by plotting $1 - \text{decay}(x, p)$.

Thus, with appropriate scaling parameters b_i , we adopt the general forms


$$\varphi(x) = 1 - \delta(x/b_1, b_2) \quad \text{and} \quad \eta(h) = b_3 \delta(h/b_4, b_5) .$$

Substituting in eq. (2), after some algebra it is found that the cross-section profile model is proportional to the base curve

$$s(h, H) = H - h - b_1 I_\delta[(H - h)/b_1, b_2] + b_3 (H - h) \delta(h/b_4, b_5) . \quad (3)$$

Details in the Appendix, which includes also the calculation of $I_\delta(y, p)$, the integral of δ . The function `tbase()` computes this, for instance,

```
b <- c(2.569, 0, 1.042, 0.3012, -1) # params. for Douglas fir in BC
curve(tbase(h, 32, b), from=0, to=32, xname="h") # H = 32 meters
```



Of course, a diameter base curve is obtained by taking the square root. Plot it.

Finally, the tree-dependent proportionality factor can be resolved by forcing the curve to go through the dbh D at the breast height h_b :

$$d(h, H, D) = D \sqrt{\frac{s(h, H)}{s(h_b, H)}}. \quad (4)$$

This assumes that all the diameters are outside bark, or all are inside bark. If, for instance, the stem diameter measurements are inside bark but the dbh is outside bark, one could substitute kD for D , where k is an estimated bark conversion factor. The taper equation is computed with `taper()`, see examples below. The functions `decay`, `Id` and `tbase` are used internally by other functions, normally not directly by the user.

Admittedly, this derivation uses some fairly rough approximations. At worst, you can view it as a way of obtaining a reasonable stem profile description that is flexible and not too complex. Integration tends to lessen the impact of growth mechanism details, and conversely, differencing amplifies observation noise. Which explains why after some one and a half

centuries, very different stem form generating hypotheses coexist; it is difficult to discriminate among them based on external stem measurements.

This taper model fits well the form of entire trees, with just 3 or 5 free parameters, depending on if we count the shape parameters b_2 and b_5 or not. Rounding the shape parameters to small integers does not make much difference, resulting in simplified forms of eq. (2). The simplest is the *exponential-exponential* version with $b_2 = b_5 = 0$. This is similar to the Brink equations used successfully by several authors (Brink and von Gadow, 1986; Arias-Rodil *et al*, 2015). See also Koirala *et al* (2021). In García (2015), the best model was the *exponential-hyperbolic*, with $b_2 = 0$ and $b_5 = -1$. See specific forms in eq. (5), below.

Exercise: *Variable-form*, or *variable-exponent*, is one of the categories into which taper models are commonly classified. A typical example is


$$d = D \left(\frac{H - h}{H - h_b} \right)^{f(h, H, D)}$$

for some complicated function $f()$. Other similar expressions inside the parenthesis, and transformations of D , are also used. Convince yourself that any taper function $d = g(h, H, D)$ (such as eq. (4)) can be written in this form by making $f(h, H, D) = \log[g(h, H, D)/D] / \log[(H - h)/(H - h_b)]$.

3 Taper

The taper model is given by eqs. (3) and (4), and is implemented in function `taper()`. For instance, for a tree with a total height of 32 m and dbh of 24 cm (breast height 1.3 m), using the same vector `b` of coefficients as above,

```
curve(
  taper(h, H=32, D=0.956*24, b=b, bh=1.3),
  from=0, to=32, xname="h")
```



The parameters were for an inside-bark model, and 0.956 is the outside-to inside-bark conversion factor. Setting `area=TRUE` returns cross-sectional areas instead of diameters.

The parameter b_1 is supposed to be related to crown length, b_3 reflects the contribution of butt swell, and b_4 determines how high the butt swell extends up from the ground. The shape parameters b_2 and b_5 affect the distribution of diameter (or area) increment in the top of the tree and in the butt swell, respectively.

The exact values of b_2 and b_5 have a relatively small effect on stem form, and I suggest fixing them at “nice” values like 0, 1, or -1 in the final model. Leaving free these shape parameters during model development can help make that choice. Then, one may view the general model as defining a family of more parsimonious taper equations. The base eq. (2) can be

written more explicitly as:

$$s(h, H) = H - h - \begin{cases} b_1 \left(1 - e^{-\frac{H-h}{b_1}} \right) & \text{if } b_2 = 0 \\ b_1 \ln \left(\frac{H-h}{b_1} + 1 \right) & \text{if } b_2 = -1 \\ \frac{b_1}{b_2+1} \left\{ 1 - \left[1 - \frac{b_2+1}{b_1} (H-h) \right]_+^{\frac{1}{b_2}+1} \right\} & \text{otherwise} \end{cases} + b_3(H-h) \begin{cases} e^{-\frac{h}{b_4}} & \text{if } b_5 = 0 \\ \frac{b_4}{h+b_4} & \text{if } b_5 = -1 \\ \left[1 - \frac{b_5}{b_4} h \right]_+^{\frac{1}{b_5}} & \text{otherwise} \end{cases} \quad (5)$$

4 Height for a given diameter

Often, it is necessary to estimate the height h at which the stem has a certain diameter d . This is the inverse of the taper function eq. (4), for fixed H and D . There is no closed-form expression for the inverse, but values can be computed numerically with function `hlevel()`.

For instance, the height at which the diameter is 15 cm in a tree 32 m tall with dbh 24 cm is

```
hlevel(15, H=32, D=0.956*24, b=b, bh=1.3)
```

```
## [1] 15.18027
```

The leading `##` are not displayed by **R**, but are used here to distinguish outputs from inputs. Setting the parameter `area = TRUE` produces the height for a given cross-sectional area.

Exercises: (a) Check that the diameter at breast height is as it should be. (b) What happens if the diameter does not exist (e. g., $d = 30$)?

5 Volmes

A common use of taper equations is the computation of stem volume. Either total volume, or the volume between two given height levels. Levels might

be specified as those corresponding to a certain diameter, and then the corresponding height level can be obtained with `hlevel()` (section 4).

Volume is given by the integral of the cross-sectional area between the two height levels. Our taper model can be integrated analytically so that no numerical approximations are needed (Appendix). The general expression is a bit messy, but values can be calculated with function `volume()`.

As an example, for the same tree used before, the volume between a 30 cm stump and a 10 cm diameter limit is:

```
h10 <- hlevel(10, 32, 0.956*24, b, 1.3) # height for diameter 10
volume(h1=0.3, h2=h10, H=32, D=0.956*24, b=b, bh=1.3, rhd=100)

## [1] 0.5263489
```

Before it was not necessary to worry about the units of diameter and height, it did not matter if they were different. For volume, it *does* matter, and one has to specify `rhd`, the ratio between the units of height and diameter. In this case, height in meters and diameter in centimeters give `rhd = 100`. If the height were in feet and the diameters in inches, we would have `rhd = 12`.

Exercises: Find (a) total volume; (b) sawlog volume between stamp and a limit diameter of 20 cm, and pulpwood volume above that up to a 10 cm limit.

6 Parameter estimation


Let's demonstrate a simple example of model fitting. The package includes a small dataset with measurements from 10 eucalypt trees, from Brink and von Gadow (1986):

```
summary(brink)
```

##	Tree	h	dib	Dob
##	116	:12	Min. : 0.000	Min. :11.90
##	121	:12	1st Qu.: 1.200	1st Qu.:13.20
##	152	:12	Median : 4.900	Median :17.50
##	127	:11	Mean : 6.401	Mean :16.19

```
## 142 :11 3rd Qu.:12.200 3rd Qu.:15.50 3rd Qu.:18.00
## 149 :11 Max. :20.100 Max. :22.86 Max. :20.60
## (Other):39
##      H
## Min. :13.10
## 1st Qu.:18.28
## Median :19.81
## Mean :19.43
## 3rd Qu.:21.03
## Max. :21.64
##
```

```
library(lattice)
xyplot(dib ~ h, groups=Tree, data=brink, type="b")
```



The stem diameter measurements dib for each height level h are inside-bark, while the tree dbh Dob is outside bark. Diameters are in centimeters, heights in meters.

We need to convert dbh values from outside to inside bark. The data includes the observed inside-bark diameter at the breast height of 1.35 m, from which one can estimate a conversion factor k :

```
Dib <- brink$dib[brink$h == 1.35]
Dob <- brink$Dob[brink$h == 1.35]
mean(Dib / Dob)

## [1] 0.9081336
```

Although less intuitive, I would rather use a log transform. It produces the same value for converting from outside- to inside bark or vice-versa, and it may help with heterocedasticity:

```
exp(mean(log(Dib / Dob)))

## [1] 0.9079624

k <- 0.908 # no practical difference, this should be good enough
```

Now, should we fit diameters or cross-sectional areas? In theory, areas should produce better volume estimates (García, 2015). On the other hand, researchers usually evaluate taper models based on diameter predictions. Let's stick to diameters here, and use the non-linear least-squares function `nls()`. It is a good idea to start with a simple model, so first, fit the exponential-exponential version:

```
expexp <- nls(dib ~ taper(h, H, k*Dob, c(b1, 0, b3, b4, 0), 1.35),
              data=brink, start=c(b1=4, b3=1, b4=1))
summary(expexp)

##
## Formula: dib ~ taper(h, H, k * Dob, c(b1, 0, b3, b4, 0), 1.35)
##
## Parameters:
##      Estimate Std. Error t value Pr(>|t|)
## b1  2.05721    0.26809   7.674 9.02e-12 ***
## b3  0.43114    0.03732  11.553 < 2e-16 ***
## b4  0.62228    0.08554   7.275 6.51e-11 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
```

```
## Residual standard error: 0.5671 on 105 degrees of freedom
##
## Number of iterations to convergence: 10
## Achieved convergence tolerance: 2.908e-06

AIC(expexp) # Akaike's criterion

## [1] 188.9306
```

Free-up the shape parameters:

```
full <- nls(dib ~ taper(h, H, k*Dob, c(b1, b2, b3, b4, b5), 1.35),
            data=brink, start=c(coef(expexp), b2=0, b5=0))

## Error in nls(dib ~ taper(h, H, k * Dob, c(b1, b2, b3, b4, b5),
## 1.35), : singular gradient
```

This is a common issue with `nls()`, and here it may be triggered by over-parametrization. There are reportedly more robust alternatives. For instance, function `nlsLM()` from package **minpack.lm** succeeds in converging to a solution. Or simply, nudge `b5` a little to get the algorithm unstuck:

```
(full <- nls(dib ~ taper(h, H, k*Dob, c(b1, b2, b3, b4, b5), 1.35),
            data=brink, start=c(coef(expexp), b2=0, b5=0.1)))

## Nonlinear regression model
## model: dib ~ taper(h, H, k * Dob, c(b1, b2, b3, b4, b5), 1.35)
## data: brink
##      b1      b3      b4      b2      b5
## 4.08967 0.08843 1.00775 -11.46294 0.74292
## residual sum-of-squares: 30.72
##
## Number of iterations to convergence: 24
## Achieved convergence tolerance: 8.784e-06

AIC(full)

## [1] 182.6944
```

A bit better, according to Akaike. Even better is a more parsimonious version suggested by the b_2 and b_5 estimates:

```
(hyplin <- nls(dib ~ taper(h, H, k*Dob, c(b1, -1, b3, b4, 1),
  1.35), data=brink, start=coef(expexp)))

## Nonlinear regression model
##  model: dib ~ taper(h, H, k * Dob, c(b1, -1, b3, b4, 1), 1.35)
##  data: brink
##    b1      b3      b4
## 2.2255 0.2826 1.0873
## residual sum-of-squares: 31.42
##
## Number of iterations to convergence: 5
## Achieved convergence tolerance: 2.953e-07

AIC(hyplin)

## [1] 181.1296

bh1 <- c(b1=2.225, b2=01, b3=0.2826, b4=1.087, b5=1)
```

Do not take this too seriously, it is a small dataset. Feel free to play around with other possibilities, plotting results, etc.

One could have fitted the model using the measured instead of the converted Dib. You might like to see how much difference that makes. Which would be better?

Of course, if you want to publish, ordinary least-squares (OLS) won't cut it. Currently, using mixed-effects methods is a *de facto* publication requirement (AI approaches are also accepted). Fear not, procedures similar to those above can be used with packages **nlme** or **lme4**. It actually helps if you do not understand how the methods work! Oh, and do not use simple letters like h and H , something like $\text{TreeHt}_i^{(\text{tot})}$ makes equations more impressive.

The usual argument is that OLS assumptions of uncorrelated residuals are not valid, and therefore parameter error estimates and hypothesis tests are distorted. In practice, taper equations are used for prediction, and OLS has good prediction statistical properties independently of distributional

assumptions. In fact, studies that have compared OLS and mixed-effects predictions have found OLS to be better (e. g., Arias-Rodil *et al*, 2015; He *et al*, 2021).

Exercise: Think about the following questions

1. A certain empirical model has a parameter b_6 without biological meaning. What is the scientific interpretation of the hypothesis $b_6 = 0$?
2. A CAR scheme is typically used to model correlations between measurements in the same tree. This is a time series technique that assumes that a measurement is linearly related to the previous measurement or measurements. In a taper model, should one assume that the linear relationship is with the measurement(s) to the left or to the right?
3. In a mixed-effects model, what does it mean that b_6 is “random”?
4. One possible answer to the previous question is that the distribution of b_6 (generally assumed normal) reflects the distribution of the “true” parameter b_6 among the individuals of the target population. That seems to imply a simple random sample from the population. Are trees in taper datasets a random sample? Should they be?

The pairs of measurements that can possibly have a non-zero correlation are those where both measurements belong to the same tree. What is their percentage relative to the total number of pairs?

```
n <- nrow(brink) # number of measurements
totpairs <- n * (n - 1) / 2 # total pairs
(m <- table(brink$Tree)) # measurements per tree

##
## 116 121 127 128 138 139 142 147 149 152
## 12 12 11 10 10 10 11 9 11 12

corrpairs <- sum(m * (m - 1) / 2) # pairs within trees
100 * corrpairs / totpairs # % of possibly correlated pairs

## [1] 9.241952
```

It is found that the percentage of possibly correlated pairs for a sample of T trees is approximately $100/T$. With typical database sizes, it seems unlikely that modeling or ignoring the correlations could make much of a difference.

7 Validation

Model evaluation should consider not only overall statistics like root-mean-square errors (RMSE) or AIC, but also the fit for various variable values. Observations in the lower or upper part of the stem, and for small or large trees. For instance, the following gives the mean bias for small, medium, and large trees, at lower, medium, and upper levels:

```
with(brink,
  tapply(residuals(hyplin), list(
    DBH = cut(Dob, quantile(Dob, 0:3 / 3), include.lowest=TRUE),
    RelHt = cut(h / H, 3)
  ), mean)
)
```

	RelHt			
## DBH	(-0.000931,0.31]	(0.31,0.621]	(0.621,0.932]	
## [11.9,13.7]	0.16888796	-0.02070244	-0.01020889	
## (13.7,18]	-0.04998094	0.13828443	0.13778455	
## (18,20.6]	-0.20751383	-0.44593305	-0.24085836	

Here are the RMSEs for the same data groups:

```
with(brink,
  tapply(residuals(hyplin), list(
    DBH = cut(Dob, quantile(Dob, 0:3 / 3), include.lowest=TRUE),
    RelHt = cut(h / H, 3)
  ), function(x) sqrt(mean(x^2)))
)
```

	RelHt			
## DBH	(-0.000931,0.31]	(0.31,0.621]	(0.621,0.932]	

##	[11.9,13.7]	0.5578118	0.7280130	1.0796727
##	(13.7,18]	0.3601127	0.2624592	0.5556032
##	(18,20.6]	0.3765735	0.4767937	0.4213641

To facilitate these analyses it may be convenient to write a function such as

```
gridify <- function(x, rows, cols, smmryfn, rbreaks, cbreaks){
  tapply(x, list(
    cut(rows, rbreaks, include.lowest=TRUE),
    cut(cols, cbreaks, include.lowest=TRUE)
  ), smmryfn)
}
```

Exercises: (a) Re-calculate the biases using `gridify()`. (b) Use the above to plot bias or RMSE over 5 relative height levels, for 2 total height classes. (c) Calculate the number of trees in each class, grouping by dbh and by total height (hint: `smmryfn = length`). What would happen with more trees?

References

- Larson, P. R. (1963) Stem Form Development of Forest Trees. *Forest Science Monograph 5*, Society of American Foresters, Washington, DC.
- García, O. (2015) Dynamic Modelling of Tree Form. *MCFNS 7*, 9–15. (http://mcfns.net/index.php/Journal/article/view/MCFNS7.1_2).
- Mitchell, K. J. (1975) Dynamics and Simulated Yield of Douglas-Fir. *Forest Science Monograph 17*, Society of American Foresters, Washington, DC.
- Brink, C. and von Gadow, K. (1986) On the use of growth and decay functions for modelling stem profiles. *EDV in Medizin und Biologi 17*, 20—27.
- Arias-Rodil, M., Diéguez-Aranda, U., Rodríguez Puerta, F., López-Sánchez, C. A., Canga Llibano, E., Cámara Obregón, A. and Castedo-Dorado, F. (2015) Modelling and localizing a stem taper function for *Pinus radiata* in Spain. *Canadian J. of Forest Research 45*, 647–658.

He, P., Hussain, A., Shahzad, M. K., Jiang, L. and Li, F. (2021) Evaluation of four regression techniques for stem taper modeling of Dahurian larch (*Larix gmelinii*) in Northeastern China. *Forest Ecology and Management* 494.

Koirala, A., Montes, C. R., Bullock, B. P. and Wagle, B. H. (2021) Developing taper equations for planted teak (*Tectona grandis* L. f.) trees of central lowland Nepal. *Trees, Forests and People* 5. (<https://doi.org/10.1016/j.tfp.2021.100103>).

Gray, H. R. (1956) The Form and Taper of Forest-Tree Stems. Institute Paper, Oxford University, Imperial Forest Institute Paper 32, 74p.

Appendix — Mathematical derivations

Decay function and its integrals

Decay function

$$\delta(x, p) = \begin{cases} \exp(-x) & \text{if } p = 0 \\ (1 - px)_+^{1/p} & \text{if } p \neq 0 \end{cases} \quad (6)$$

Integral

$$I_\delta(x, p) \equiv \int_0^x \delta(y, p) dy = \int_0^x (1 - py)_+^{1/p} dy$$

if $p \neq 0$. With $1 - py \equiv u$, $y = (1 - u)/p$, and assuming $p + 1 \neq 0$,

$$I_\delta(x, p) = \frac{1}{p} \int_{1-px}^1 u_+^{1/p} du = \frac{1}{p+1} \left[1 - (1 - px)_+^{1/p+1} \right].$$

Noticing that $1/p + 1 = \frac{p+1}{p}$,

$$I_\delta(x, p) = \frac{1}{p+1} \left\{ 1 - \delta[(p+1)x, \frac{p}{p+1}] \right\}.$$

It works also for $p = 0$:

$$I_\delta(x, 0) = \int_0^x \exp(-y) dy = 1 - \exp(-x) = 1 - \delta(x, 0) .$$

If $p + 1 = 0$, i.e., $p = -1$,

$$I_\delta(x, -1) = \int_1^{1+x} y^{-1} dy = \ln(x + 1) .$$

Therefore, in general,

$$I_\delta(x, p) \equiv \int_0^x \delta(y, p) dy = \begin{cases} \ln(x + 1) & \text{if } p = -1 \\ \frac{1}{p+1} \left\{ 1 - \delta\left[(p+1)x, \frac{p}{p+1}\right] \right\} & \text{otherwise} \end{cases} \quad (7)$$

For $p = 0$ this simplifies to

$$I_\delta(x, 0) = 1 - e^{-x} .$$

Double integral

$$I_{\delta\delta}(x, p) \equiv \int_0^x \int_0^y \delta(z, p) dz dy = \int_0^x I_\delta(y, p) dy .$$

If $p = -1$,

$$I_{\delta\delta}(x, -1) = \int_0^x I_\delta(y, -1) dy = \int_0^x \ln(y + 1) dy = (x + 1) \ln(x + 1) - x .$$

Else,

$$\begin{aligned} I_{\delta\delta}(x, p) &= \int_0^x I_\delta(y, p) dy = \frac{1}{p+1} \int_0^x \left\{ 1 - \delta\left[(p+1)y, \frac{p}{p+1}\right] \right\} dy \\ &= \frac{x}{p+1} - \frac{1}{(p+1)^2} I_\delta\left[(p+1)x, \frac{p}{p+1}\right] . \end{aligned}$$

Then, if $p/(p+1) = -1$, i. e., $p = -1/2$,

$$I_{\delta\delta}(x, -\frac{1}{2}) = 2x - 4I_\delta[x/2, -1] = 2x - 4 \ln(x/2 + 1) .$$

Otherwise, if $p \neq -1$ and $p \neq -1/2$,

$$\begin{aligned} I_{\delta\delta}(x, p) &= \frac{x}{p+1} - \frac{1}{(p+1)^2} I_{\delta}[(p+1)x, \frac{p}{p+1}] \\ &= \frac{x}{p+1} - \frac{1}{(p+1)(2p+1)} \left\{ 1 - \delta[(2p+1)x, \frac{p}{2p+1}] \right\} . \end{aligned}$$

Summarizing,

$$I_{\delta\delta}(x, p) = \begin{cases} (x+1) \ln(x+1) - x & \text{if } p = -1 \\ \frac{x}{p+1} - \frac{1}{(p+1)^2} I_{\delta}[(p+1)x, \frac{p}{p+1}] & \text{otherwise.} \end{cases} \quad (8)$$

If $p = 0$ this simplifies to

$$I_{\delta\delta}(x, 0) = x - 1 + e^{-x} .$$

Taper

The cross-sectional area taper equation is

$$s(h, H, S) = S \frac{s(h, H)}{s(h_b, H)} , \quad (9)$$

where S is area at breast height h_b , and

$$s(h, H) = \Phi(H - h) + (H - h)\eta(h) ,$$

according to equations (2) and (3) of García (2015), or see sec. 1. Here,

$$\Phi(x) = \int_0^x \varphi(x) dx = \int_0^x [1 - \delta(x/b_1, b_2)] = x - b_1 I_{\delta}(x/b_1, b_2) ,$$

and $\eta(h) = b_3 \delta(h/b_4, b_5)$. Therefore,

$$s(h, H) = H - h - b_1 I_{\delta}[(H - h)/b_1, b_2] + b_3 (H - h) \delta(h/b_4, b_5) \quad (10)$$

(see eqns. (7) and (8) of García (2015)). Note that the units for diameter and height do not need to be the same, conversion factors cancel out.

Volumes

The volume between any two heights h_1 and h_2 is obtained by integration:

$$v(h_1, h_2, S, H) = k \left| \int_{h_1}^{h_2} s(h, H, S) dh \right| = \frac{kS}{s(h_b, H)} \left| \int_{h_1}^{h_2} s(h, H) dh \right| .$$

Here k adjusts for any difference in measurement units between diameters and heights. E. g., if s is in cm^2 and h is in meters, then $k = 10^{-4}$ for volume in cubic meters. If s is in square inches and h is in feet, then $k = 1/144$ for v in cubic feet.

We can also write

$$v(h_1, h_2, S, H) = \frac{S}{s(h_b, H)} |I_s(h_2) - I_s(h_1)| , \quad (11)$$

where $I_s(h)$ is the indefinite integral

$$I_s(h) = \int s(h, H) dh = \int \Phi(H - h) dh + \int (H - h)\eta(h) dh .$$

From eq. (10),

$$I_s(h) = Hh - h^2/2 + b_1^2 I_{\delta\delta}[(H - h)/b_1, b_2] + b_3 \int (H - h)\delta(h/b_4, b_5) dh .$$

The last integral can be obtained through integration by parts with $u = (H - h)$, $dv = \delta(h/b_4, b_5) dh$, noting that $v = b_4 I_\delta(h/b_4, b_5)$:

$$\begin{aligned} \int u dv &= uv - \int v du = b_4(H - h)I_\delta(h/b_4, b_5) + b_4 \int I_\delta(h/b_4, b_5) dh \\ &= b_4(H - h)I_\delta(h/b_4, b_5) + b_4^2 I_{\delta\delta}(h/b_4, b_5) . \end{aligned}$$

Therefore, the volume is given by eq. (11) and

$$\begin{aligned} I_s(h) &= Hh - h^2/2 + b_1^2 I_{\delta\delta}[(H - h)/b_1, b_2] + \\ &\quad b_3 b_4 (H - h) I_\delta(h/b_4, b_5) + b_3 b_4^2 I_{\delta\delta}(h/b_4, b_5) . \end{aligned} \quad (12)$$