# Estimation of Linear Attenuation Coefficient of Gamma Rays in Lead and Aluminum via Photoelectric and Compton Interaction

Oliver Kirkaptrick, Jackie Sholes, Anmolpreet Kaur Sodhi<sup>‡</sup>

April 20, 2023

#### Aim

The objective of this experiment is to determine the linear attenuation coefficient of gamma rays in lead and aluminum, and derive the mass absorption coefficient of these materials for gamma rays of varying energies. A gamma ray spectrometer is used to measure the decrease in the number of gamma rays detected as the thickness of a lead absorber is varied. The measurement of photoelectric or Compton interactions is used to calculate the attenuation coefficients. The spectrometer is calibrated using standard gamma-ray sources of known energies to ensure accurate measurement. The attenuation coefficients are then compared between the two materials, and the energy dependence of the coefficients is analyzed. The experimental results provide insights into the interaction of gamma rays with matter and have significant implications in a broad range of fields, such as radiation protection, nuclear medicine, and materials science.

## 1 Relevant Theory

As radiation passes through matter, some of that radiation will interact with the matter, giving the effect of reducing the total intensity of the radiation as it travels through the material. Similar to adioactive decay, we can model this reduction in intensity with an exponential relationship. Basically the exact same equation as well:

$$I = I_0 e^{-\mu x}. (1)$$

Here, instead of decay rate  $\gamma$  and time t, we have absorption coefficient  $\mu$  and material thickness x. Similar to radioactive decay, where we have the concept of a half life, in attenuation of radiation by materials, we have the *half value layer thickness*...which describes the thickness  $x_{1/2}$  of material required such that  $I=0.5I_0$ . So, we let  $I_0=1$  and thus I=0.5, and we can say

$$I = I_0 e^{-\mu x} \Rightarrow 0.5 = e^{-\mu x} \Rightarrow \frac{\ln 0.5}{-\mu} = x_{1/2},$$
 (2)

or

$$\mu = \frac{\ln 0.5}{-x_{1/2}}.\tag{3}$$

This half value layer thickness is then a convenient way to characterise materials with regards to their attenuation of radiation. If provided a half value layer thickness, we may then say for a given material which is  $N \in \mathbb{R}^+$  times thicker than  $x_{1/2}$ , that the amount of attenuation is

$$I = I_0 \exp\left(-\mu \frac{N \ln 0.5}{-\mu}\right) = I_0 \exp\left(N \ln 0.5\right) = I_0 \frac{1}{2^N}.$$
 (4)

<sup>\*</sup>s3725341@student.rmit.edu.au

 $<sup>^\</sup>dagger$ s3785864@student.rmit.edu.au

 $<sup>^{\</sup>ddagger}$ s3838252@student.rmit.edu.au

Another commonly quoted material property is the areal density of the material, which compensates for...material density. In all above equations, to get the areal density form, we replace  $\mu$  with<sup>1</sup>

$$\frac{\mu}{\rho}\rho = \mu. \tag{5}$$

An important property of a material which will affect its attenuation coefficient is the number of protons in the material. Materials with greater number of protons will tend to have higher attenuation coefficients due to their greater ability to interact with gamma rays via photoelectric, Compton, and pair production processes. This can be attributed to higher-Z materials providing more electrons to interact with the incoming gamma rays, leading to more scattering and absorption interactions, and thus faster attenuation.

Energy of incident gamma rays will also influence absorption coefficient. With increasing energy, gamma rays are more likely to pass through a given thickness of material without interacting. This will have the effect of requiring more material to accomplish equal attenuation, and thus reducing attenuation coefficient. Consider (3): as  $x_{1/2}$  grows, it is clear that  $\mu$  will become smaller—

$$\mu \propto \frac{1}{x_{1/2}}.\tag{6}$$

## 2 Experiment Setup and Hardware

The experiment utilized the following hardware, arranged as shown in Figure 1:

- NIM Bin and Power Supply
- NaI(Tl) Crystal and Phototube Assembly
- High Voltage Power Supply
- Preamplifier
- Amplifier
- Oscilloscope
- Ortec 928 Multi Channel Buffer, USB dual Port Memory cable, and PC with Maestro32 spectrum software for data analysis
- $^{137}$ Cs,  $^{22}$ Na, and  $^{60}$ Co gamma sources
- Lead sheets of equal thickness, to be stacked together to create increasing attenuation.
- Gain adjusted to xx to reach a maximum Oscilloscope reading of approximately 4 volts
- Coarse gain set to xx, and fine gain set to 0.xx
- Total gain set to xx

<sup>1</sup>sometimes high school algebra comes in handy




Figure 1: Base hardware configuration for calibration portion of the experiment—  $\pm$  Tube defects raw signals from a radioactive source placed approximately 2.5 cm away, which are then processed by the preamplifier and the amplifier. The signal peaks at around 10 V, and passes through the Multi-Channel Buffer for data analysis using Spectrum32 software on a computer.

#### 2.1 Experimental Setup Procedures

The setup procedures were carried out as follows:

- 1. Connect HV to the detector
- 2. Connect serial to preamp
- 3. Connect signal out of detector to 572A input
- 4. Connect T bridge out of uni to Oscilloscope and 928 MCB ADC in
- 5. Face of block set 4 cm away from face of detector
- 6. Set initial scale from Oscilloscope to 500 mV
- 7. Set initial pulse width to 3.36  $\mu$ s

# 3 Calibration Using <sup>137</sup>Cs, <sup>22</sup>Na, and <sup>60</sup>Co

#### 3.1 Calibration

- initial height of photopeak was 968 counts at live value of 20.58 seconds
- integration time decreased to 5
- 5 seconds produced 267 counts, total gross area of ROI was 13576 counts
- ROI was set on 660.21 keV peak, and calibrated to 662
- 662 keV peak was identified as 662 keV, at bin 767.53, with FWHM of 36.31m library identified as cs 137

## 3.2 Spectrum of $^{137}Cs$




Figure 2: <sup>137</sup>Cs pectra of counts associated with varying energy bins. Two distinct peaks were identified, with peaks described in body text

- again, cesium was 4 cm away from face of detector
- $\bullet$  32 keV peak was identified as 32.01 keV, at bin 42.31, with FWHM as 7.21
- Data saved at: ./data/calibration\_spectrum\_cs.\*

## 3.3 Spectrum of $^{22}$ Na





Figure 3: <sup>22</sup>Na spectra of counts associated with varying energy bins. Two distinct peaks were identified, with peak details outlined in body text.

- again, sodium was place 4 cm away from face of detector, however, offset to the left this time
- first uncalibrated peak at 516.62 keV, bin at 614.58, should be 511 keV, FWHM was 38.55, suggested cesium
- second uncalibrated peak at 1246.74 keV, at bin 1483.15, should be 1275, FWHM was 58.54
- calibration used 511 peak
- $\bullet$  after calibration first peak is at 511 keV, FWHM is 40.21, at bin 614.60, library suggests ytrium 88
- after calibration second peak is at 1274.98 keV, at bin 1483.12, FWHM was 61.69, library suggests sodium Na-22
- Data saved at: ./data/calibration\_spectrum\_na.\*

### 3.4 Spectrum of <sup>60</sup>Co



**Figure 4:** <sup>60</sup>Co spectra of counts associated with varying energy bins. Two distinct peaks were identified, with centerpoints described in body.

- recorded for 100 seconds
- again, cobalt was placed 4 cm away from face of detector
- reading on Oscilloscope was noticably higher than that of cesium and sodium
- size of peaks and number of counts on Maestro 32 were significantly lower than those of cesium and sodium
- two peaks were identified, neighbouring one another
- first uncalibrated peak was at 1170.52 keV, at bin 1364.37, FWHM was 55.39
- second uncalibrated peak was at 1329.53 keV, bin was 1545.13, FWHM was 55.97
- first photo peak calibrated to 1173.2 keV (did nothing), second to 1332.5 keV
- first peak calibrated to 1173.02 keV, bin at 1366.44, FWHM was 51.17, library suggested cobalt 60
- second peak calibrated to 1333, at bin 1544.74, FWHM was 57.28, library suggested cobalt 60
- after calibration, first peak calibrated to 1172.95 at bin 1364.97, FWHM was 56.38
- Data saved at: ./data/calibration\_spectrum\_co.\*

## 3.5 Background




Figure 5: Background counts spectra.

- with no sample, a background spectrum was recorded
- peak was 153.73 keV, FWHM was 1.04
- library suggested Xenon 138
- Data saved at: ./data/calibration\_spectrum\_bg.\*

## 4 Lead Plate Measurement

• lead plates were measured at each corner

**Table 1:** Thicknesses of lead attenuators, measured at corners. Average value will be taken when trying to calculate HVL.

Plate No.	Meas. 1	Meas. 2	Meas. 3	Meas. 4
1	$1.82~\mathrm{mm}$	$1.94~\mathrm{mm}$	1.91 mm	1.79 mm
2	$1.75~\mathrm{mm}$	$1.93~\mathrm{mm}$	$1.97~\mathrm{mm}$	$1.65~\mathrm{mm}$
3	$1.83~\mathrm{mm}$	$1.93~\mathrm{mm}$	$1.88~\mathrm{mm}$	$1.73~\mathrm{mm}$
4	$1.83~\mathrm{mm}$	$1.68~\mathrm{mm}$	$1.79~\mathrm{mm}$	$1.95~\mathrm{mm}$
5	$1.66~\mathrm{mm}$	$1.89~\mathrm{mm}$	$1.83~\mathrm{mm}$	$1.86~\mathrm{mm}$
6	$1.88~\mathrm{mm}$	$1.86~\mathrm{mm}$	$1.81~\mathrm{mm}$	$1.83~\mathrm{mm}$
7	$1.61~\mathrm{mm}$	$1.89~\mathrm{mm}$	$1.84~\mathrm{mm}$	$1.88~\mathrm{mm}$
8	$1.86~\mathrm{mm}$	$1.94~\mathrm{mm}$	$1.91~\mathrm{mm}$	$2.06~\mathrm{mm}$
9	$1.84~\mathrm{mm}$	$1.84~\mathrm{mm}$	$1.77~\mathrm{mm}$	$1.84~\mathrm{mm}$
10	$1.86~\mathrm{mm}$	$1.77~\mathrm{mm}$	$1.93~\mathrm{mm}$	$1.89~\mathrm{mm}$

## 5 Aluminum Plate Measurement

Table 2: Thicknesses of Aluminum attenuator, at corners.

Plate No.	Meas. 1	Meas. 2	Meas. 3	Meas. 4
1	6.31 mm	6.31 mm	6.31 mm	6.31 mm

## 6 Attenuation Coefficient Estimation




Figure 6: Modification of experiment setup to compare detections with increasing amounts of attenuating material (lead).

- all samples placed in front of detector
- went sodium, cesium, cobalt

#### 6.1 Recording 1, no shielding, $N_P = 0$

- file saved at attenuator\_0.\*
- cobalt 1333 peak overlaps with sodium 1274 peak
- recording for live time of 60s
- $\bullet$  we'll use the sodium 511 and cobalt 1274 keV peaks
- $\bullet$  sodium cesium 662 keV peak had net area of 160608  $\pm$  732 net area
- $\bullet$  cobalt 1274 keV peak had net area of 11409  $\pm$  353 net area

#### **6.2** Recording 2, $N_P = 1$

- file saved at attenuator\_1.\*
- lead sheet 1 placed directly against detector face

- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 129426  $\pm$  697
- $\bullet$  cobalt 1333 keV peak had net area of 10218  $\pm$  273

## **6.3** Recording 3, $N_P = 2$

- file saved at attenuator\_2.\*
- lead sheet 2 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 102890  $\pm$  696
- $\bullet$  cobalt 1333 keV peak had net area of 8794  $\pm$  278

#### **6.4** Recording 4, $N_P = 3$

- file saved at attenuator\_3.\*
- lead sheet 3 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 81614  $\pm$  653
- $\bullet$  cobalt 1333 keV peak had net area of 7794  $\pm$  259

#### 6.5 Recording 5, $N_P = 4$

- file saved at attenuator\_4.\*
- lead sheet 4 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 65960  $\pm$  626
- $\bullet$  cobalt 1333 keV peak had net area of 6595  $\pm$  259

#### **6.6** Recording **6**, $N_P = 5$

- file saved at attenuator\_5.\*
- lead sheet 5 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 52527  $\pm$  585
- $\bullet$  cobalt 1333 keV peak had net area of 6112  $\pm$  229

#### 6.7 Recording 7, $N_P = 6$

- file saved at attenuator\_6.\*
- $\bullet\,$  lead sheet 6 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 41935  $\pm$  537
- $\bullet$  cobalt 1333 keV peak had net area of 5520  $\pm$  204

#### **6.8** Recording 8, $N_P = 7$

- file saved at attenuator\_7.\*
- lead sheet 7 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 32744  $\pm$  542
- $\bullet$  cobalt 1333 keV peak had net area of 4196  $\pm$  248

## **6.9** Recording 9, $N_P = 8$

- file saved at attenuator\_8.\*
- lead sheet 8 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 27384  $\pm$  491
- $\bullet$  cobalt 1333 keV peak had net area of 3713  $\pm$  237

#### **6.10** Recording **10**, $N_P = 9$

- file saved at attenuator\_9.\*
- lead sheet 9 placed directly against detector face
- recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 22346  $\pm$  471
- $\bullet$  cobalt 1333 keV peak had net area of 3983  $\pm$  174

#### **6.11** Recording 11, $N_P = 10$

- file saved at attenuator\_10.\*
- lead sheet 10 placed directly against detector face
- $\bullet\,$  recording for live time of 60s
- $\bullet$  cesium 662 keV peak had net area of 17062  $\pm$  447
- $\bullet$  cobalt 1333 keV peak had net area of 3004  $\pm$  1203




Figure 7: Spectra comparing the number of counts unattenuated (N=0) to the number of counts with 10 attenuator sheets (N=10)




Figure 8: Difference from baseline (no shielding) imparted by N shielding layers present.

## 7 Aluminum Plate

#### 7.1 Recording 1, Plate Present

 $\bullet$  sodium cesium 662 keV peak had net area of 130303  $\pm$  729 net area

 $\bullet$ cobalt 1274 keV peak had net area of 9087  $\pm$  315 net area

#### 7.2 Recording 1, Plate Not Present

- $\bullet\,$  sodium cesium 662 keV peak had net area of 147967  $\pm$  730 net area
- $\bullet$ cobalt 1274 keV peak had net area of 10251  $\pm$  329 net area

#### 7.3 Recording 2, Plate Present

- $\bullet$  sodium cesium 662 keV peak had net area of 129954  $\pm$  739 net area
- $\bullet$  cobalt 1274 keV peak had net area of 8037  $\pm$  366 net area

#### 7.4 Recording 2, Plate Not Present

- $\bullet$  sodium cesium 662 keV peak had net area of 148652  $\pm$  730 net area
- $\bullet$ cobalt 1274 keV peak had net area of 10113  $\pm$  336 net area

#### 7.5 Recording 3, Plate Present

- $\bullet$ sodium cesium 662 keV peak had net area of 147154  $\pm$ 741 net area
- $\bullet$  cobalt 1274 keV peak had net area of 9047  $\pm$  365 net area

### 8 Conclusion

- leads HVL thickness would be signifactly thinner than that of aluminum.
- 3 layers of lead (approximately) were required to halves the counts, equating to  $\approx 5/4$ mm
- comparitevely, 6.31 mm of aluminum only reduced counts by about 15 percent

4.5/5