

SMACT v4: Enhanced Screening and Prediction Tools for Computational Materials Design

Kinga O. Mastej¹, Anthony Onwuli¹, Alexander Moriarty², Daniel W. Davies¹, Ryan Nduma¹, Keith T. Butler⁴, Jiwoo Lee³, Masahiro Negishi¹, Panyalak Dettrattanawichai¹, Alex M. Ganose⁵, Hyunsoo Park¹, Rhys E. A. Goodall⁶, Tianshu Li¹, and Aron Walsh¹

¹ Department of Materials, Imperial College London, London, United Kingdom ² Department of Chemical Engineering, University College London, London, United Kingdom ³ Department of Materials Science and Engineering, Yonsei University, Seoul, South Korea ⁴ Department of Chemistry, University College London, London, United Kingdom ⁵ Department of Chemistry, Imperial College London, London, United Kingdom ⁶ Radical AI, New York, United States of America

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Bonan Zhu](#)

Reviewers:

- [@Tosykie](#)
- [@crispppp](#)

Submitted: 13 April 2026

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

SMACT (Semiconducting Materials by Analogy and Chemical Theory) is a Python library for the high-throughput screening and discovery of inorganic materials. The name reflects foundational analogy-based approaches to semiconductor prediction (Goodman, 1958; Pamplin, 1964). Originally published as a JOSS paper in 2019 (Davies et al., 2019), the package provided chemical filters based on charge neutrality, electronegativity, and elemental data to rapidly identify chemically plausible compositions (Davies et al., 2016). Since then, SMACT has undergone substantial development from v2.1 through v4.0. The library now includes modules for crystal structure prediction via data-mined ionic substitution (Hautier et al., 2011), dopant prediction, composition-to-property prediction using deep learning models (Goodall & Lee, 2020), and tools for mapping inorganic crystal chemical space (Park, Onwuli, et al., 2025). These additions transform SMACT from a compositional screening tool into a comprehensive platform for low-cost computational materials design.

Statement of Need

The search space for new inorganic materials is immense, exceeding 4×10^{12} quaternary element combinations (Davies et al., 2016), and continues to grow as multi-component systems attract interest. Researchers need tools that can rapidly filter this space using established chemical principles before committing to expensive first-principles calculations or synthesis. The original SMACT addressed this need through charge neutrality and electronegativity screening. However, the field has since advanced: researchers now require not only compositional screening but also structure prediction, property estimation, and integration with modern machine learning workflows.

SMACT v4 meets these needs by providing a unified Python library where a researcher can (i) enumerate and filter compositions, (ii) predict likely crystal structures from data-mined substitution probabilities, (iii) estimate material properties directly from stoichiometry without requiring structural information, and (iv) identify candidate dopants for known host materials. The library is designed for desktop-scale computation, with data caching and multiprocessing support that enables screening of millions of compositions in minutes.

State of the Field

Several established libraries serve the computational materials science community. Pymatgen (Ong et al., 2013) provides comprehensive tools for structure manipulation and thermodynamic analysis. The Atomic Simulation Environment (ASE) (Larsen et al., 2017) focuses on atomistic simulations. Matminer (Ward et al., 2018) specialises in featurisation and machine learning pipelines for materials data. These tools primarily operate on known structures or experimental data.

SMACT occupies a distinct niche: it works at the composition level, upstream of structure-based tools, to define which regions of chemical space merit further investigation. This top-down, composition-first approach complements structure-based workflows with lower-cost tools that scale to vast chemical spaces. The structure prediction and property prediction modules added since v2.0 provide natural bridges between SMACT's compositional screening and downstream structural analysis tools. The ElementEmbeddings integration (Antunes et al., 2022) further connects SMACT to modern representation learning approaches for materials informatics (Onwuli et al., 2024).

Software Design

SMACT v4 retains the Element and Species classes at its core, providing access to tabulated data for all elements in arbitrary oxidation states and coordination environments. The following major modules have been added since the original publication.

Structure prediction. Implements data-mined ionic substitution methods (Hautier et al., 2011) to predict likely crystal structures for new compositions by analogy with known parent structures, using substitution probabilities derived from statistical analysis of experimental databases.

Dopant prediction. Enables high-throughput identification of p-type and n-type dopants for a given host composition by combining oxidation state filters with ionic radius constraints and species embedding similarities.

Property prediction. Provides composition-to-property prediction using pre-trained ROOST models (Goodall & Lee, 2020), allowing users to predict band gaps directly from chemical formulae with uncertainty estimates.

Oxidation states and metallicity. Implements a probabilistic model for predicting the likelihood of metal species coexisting in compounds based on anion-dependent statistics (Davies et al., 2018), with updated default data (ICSD24). A metallicity scoring module distinguishes ionic compounds from intermetallic phases.

Crystal space utilities. Tools for systematically mapping inorganic composition space (Park, Onwuli, et al., 2025), including data acquisition, composition generation, and dimensionality-reduced visualisation of compositional embeddings.

Screening enhancements. The core screening functions now support mixed-valence compositions, switchable oxidation state datasets, and consensus-based filtering.

Research Impact Statement

SMACT has been employed in major materials discovery campaigns, including GNoME from Google DeepMind (Merchant et al., 2023) and MatterGen from Microsoft Research (Zeni et al., 2025). Park et al. (Park, Onwuli, et al., 2025) used SMACT's screening and crystal space tools to map the landscape of inorganic crystal chemistry. Onwuli et al. (Onwuli et al., 2024) employed SMACT's species representations for materials informatics, developing ionic embeddings that capture oxidation-state-dependent chemical behaviour. Park et al. (Park,

85 [Mastej, et al., 2025](#)) used SMACT in a workflow for closing the synthesis gap in computational
86 materials design. Nduma et al. ([Nduma et al., 2025](#)) integrated SMACT into the Crystalyse
87 multi-tool agent for autonomous materials design.

88 AI Usage Disclosure

89 Generative AI tools (Claude, Anthropic) were used to assist with code modernisation tasks
90 during the v4.0.0 development cycle. All AI-generated code was reviewed and validated by the
91 authors.

92 Author Contributions

93 [KOM](#) is the current maintainer who contributed consensus-based oxidation state filtering
94 for `smact_validity` and `smact_filter`, and led the v4.0.0 release including mixed-valence
95 support, a deep code audit, full type annotations, security hardening, test migration to pytest
96 with coverage raised to over 85%, and CI consolidation. [AO](#) was the primary developer from
97 v2.2 to v3.1, contributing the dopant prediction module, oxidation states improvements, crystal
98 space utilities, and extensive maintenance. [AM](#) designed and implemented the structure
99 prediction subpackage and benchmarking framework. [DWD](#) is the original lead developer
100 and contributed to CI infrastructure and code quality tooling. [RN](#) implemented the property
101 prediction subpackage, metallicity module, and screening performance optimisations. [KTB](#)
102 is an original author who continued contributing to the codebase. [JL](#) contributed the initial
103 dopant prediction implementation and charge state comparison fixes. [MN](#) updated and fixed
104 all example and tutorial notebooks to work correctly with the current SMACT library. [PD](#)
105 contributed to lattice parameter calculations. [AMG](#) contributed to the implementation of
106 mixed-valence support during the Alchemy's SMACT hackathon. [HP](#) contributed the crystal
107 space visualisation tools and element data corrections. [REAG](#) fixed a screening bug related to
108 electronegativity handling. [TL](#) contributed to code reorganisation and utility refactoring. [AW](#)
109 supervised the project and contributed to the codebase.

110 Acknowledgements

111 We acknowledge contributions from all members of the Materials Design Group at Imperial
112 College London who have provided feedback, testing, and feature requests. We thank the
113 JOSS editors and reviewers of the original 2019 paper. This work was supported by multiple
114 funders over the years, including Engineering and Physical Sciences Research Council (UKRI),
115 the Royal Society, the Leverhulme Trust, and the European Research Council.

116 References

- 117 Antunes, L. M., Grau-Crespo, R., & Butler, K. T. (2022). Distributed representations of
118 atoms and materials for machine learning. *Npj Computational Materials*, 8, 44. <https://doi.org/10.1038/s41524-022-00729-3>
119
120 Davies, D. W., Butler, K. T., Isayev, O., & Walsh, A. (2018). Materials discovery by chemical
121 analogy: Role of oxidation states in structure prediction. *Faraday Discussions*, 211, 553–568.
122 <https://doi.org/10.1039/C8FD00032H>
123 Davies, D. W., Butler, K. T., Jackson, A. J., Morris, A., Frost, J. M., Skelton, J. M., & Walsh,
124 A. (2016). Computational screening of all stoichiometric inorganic materials. *Chem*, 1(4),
125 617–627. <https://doi.org/10.1016/j.chempr.2016.09.010>
126 Davies, D. W., Butler, K. T., Jackson, A. J., Skelton, J. M., Morita, K., & Walsh, A. (2019).

- SMACT: Semiconducting materials by analogy and chemical theory. *Journal of Open Source Software*, 4(38), 1361. <https://doi.org/10.21105/joss.01361>
- Goodall, R. E. A., & Lee, A. A. (2020). Predicting materials properties without crystal structure: Deep representation learning from stoichiometry. *Nature Communications*, 11, 6280. <https://doi.org/10.1038/s41467-020-19964-7>
- Goodman, C. H. L. (1958). The prediction of semiconducting properties in inorganic compounds. *Journal of Physics and Chemistry of Solids*, 6(4), 305–314. [https://doi.org/10.1016/0022-3697\(58\)90050-7](https://doi.org/10.1016/0022-3697(58)90050-7)
- Hautier, G., Fischer, C., Ehrlacher, V., Jain, A., & Ceder, G. (2011). Data mined ionic substitutions for the discovery of new compounds. *Inorganic Chemistry*, 50(2), 656–663. <https://doi.org/10.1021/ic102031h>
- Larsen, A. H., Mortensen, J. J., Blomqvist, J., Castelli, I. E., Christensen, R., Duřak, M., Friis, J., Groves, M. N., Hammer, B., Hargus, C., Hermes, E. D., Jennings, P. C., Jensen, P. B., Kermode, J., Kitchin, J. R., Kolsbjerg, E. L., Kubal, J., Kaasbjerg, K., Lysgaard, S., ... Jacobsen, K. W. (2017). The atomic simulation environment—a Python library for working with atoms. *Journal of Physics: Condensed Matter*, 29(27), 273002. <https://doi.org/10.1088/1361-648X/aa680e>
- Merchant, A., Batzner, S., Schoenholz, S. S., Aykol, M., Cheon, G., & Cubuk, E. D. (2023). Scaling deep learning for materials discovery. *Nature*, 624, 80–85. <https://doi.org/10.1038/s41586-023-06735-9>
- Nduma, R., Park, H., & Walsh, A. (2025). *Crystalyse: A multi-tool agent for materials design*. <https://doi.org/10.48550/arXiv.2512.00977>
- Ong, S. P., Richards, W. D., Jain, A., Hautier, G., Kocher, M., Cholia, S., Gunter, D., Chevrier, V. L., Persson, K. A., & Ceder, G. (2013). Python materials genomics (pymatgen): A robust, open-source python library for materials analysis. *Computational Materials Science*, 68, 314–319. <https://doi.org/10.1016/j.commatsci.2012.10.028>
- Onwuli, A., Butler, K. T., & Walsh, A. (2024). Ionic species representations for materials informatics. *APL Machine Learning*, 2(3), 036112. <https://doi.org/10.1063/5.0227009>
- Pamplin, B. R. (1964). A systematic method of deriving new semiconducting compounds by structural analogy. *Journal of Physics and Chemistry of Solids*, 25(7), 675–684. [https://doi.org/10.1016/0022-3697\(64\)90176-3](https://doi.org/10.1016/0022-3697(64)90176-3)
- Park, H., Mastej, K. O., Detrattanawichai, P., Nduma, R., & Walsh, A. (2025). *Closing the synthesis gap in computational materials design*. <https://doi.org/10.26434/chemrxiv-2025-sbc0c-v2>
- Park, H., Onwuli, A., Butler, K. T., & Walsh, A. (2025). Mapping inorganic crystal chemical space. *Faraday Discussions*, 256, 601–613. <https://doi.org/10.1039/D4FD00063C>
- Ward, L., Dunn, A., Faghaninia, A., Zimmermann, N. E. R., Bajaj, S., Wang, Q., Montoya, J., Chen, J., Bystrom, K., Dylla, M., Chard, K., Asta, M., Persson, K. A., Snyder, G. J., Foster, I., & Jain, A. (2018). Matminer: An open source toolkit for materials data mining. *Computational Materials Science*, 152, 60–69. <https://doi.org/10.1016/j.commatsci.2018.05.018>
- Zeni, C., Pinsler, R., Zügner, D., Fowler, A., Horton, M., Fu, X., Wang, Z., Shysheya, A., Crabbé, J., Ueda, S., Sordillo, R., Sun, L., Smith, J., Nguyen, B., Schulz, H., Lewis, S., Huang, C.-W., Lu, Z., Zhou, Y., ... Xie, T. (2025). A generative model for inorganic materials design. *Nature*, 639, 624–632. <https://doi.org/10.1038/s41586-025-08628-5>