


f' = 18.85 mm



Ang. nach ISO 10110; λ = 546.07 nm

SURFACE 1 (FRONT)	MATERIAL	SURFACE 2 (REAR)
R +22.000 CX Ø _e 17.32 3/ (0.5/0.25); λ=546.1 nm 4/ 0.5' 5/ 2×0.04 6/ — ⊙ 7/ — 13/ —	N-BK7 (SCHOTT) $n_d = 1.5168$ (587.6 nm) $\nu_d = 64.17$ (587.6 nm) 0/ 10 nm/cm 1/ 1×0.16 2/ NH010; A	R -95.000 CX Ø _e 14.32 3/ (1); λ=546.1 nm 4/ 0.5' 5/ 2×0.063 6/ — ⊙ 7/ — 13/ —

5-Element Photographic Objective OPT-001

B. Lutzer

K. Harrison

2026-07-26

8:1

1 / 5

A

ORGANISATION / PROJECT / PART NO.

DRAWN BY

APPROVED

DATE


SCALE

SHEET


REV

NOTES

DIM. IN mm
GENERAL TOL. PER ISO 10110-11
Ø±0.10 CT±0.15 3/ 5 4/ 3' 5/ 2×0.063




f' = 18.85 mm




Ang. nach ISO 10110; λ = 546.07 nm

SURFACE 1 (FRONT)	MATERIAL	SURFACE 2 (REAR)
R -28.000 CC Øe 12.22 3/ (0.5); λ=546.1 nm 4/ 1' 5/ 2×0.04 6/ — ⊙ 7/ — 13/ —	N-SF2 $n_d = 1.6477$ (587.6 nm) $\nu_d = 33.82$ (587.6 nm) 0/ 10 nm/cm 1/ 1×0.16 2/ NH010; B	R +26.000 CC Øe 11.55 3/ (0.5); λ=546.1 nm 4/ 1' 5/ 2×0.04 6/ — ⊙ 7/ — 13/ —

5-Element Photographic Objective OPT-002	B. Lutzer	K. Harrison	2026-07-26	10:1	2 / 5	A
ORGANISATION / PROJECT / PART NO.	DRAWN BY	APPROVED	DATE	SCALE	SHEET	REV
NOTES			DIM. IN mm GENERAL TOL. PER ISO 10110-11 Ø±0.10 CT±0.15 3/ 5 4/ 3' 5/ 2×0.063			



f' = 18.85 mm




Ang. nach ISO 10110; λ = 546.07 nm

SURFACE 1 (FRONT)	GLASS 1	SURFACE 2 (CEMENT)	GLASS 2	SURFACE 3 (REAR)
R +58.000 CX Øe 16.55 3/ (0.5); λ=546.1 nm 4/ 0.5' 5/ 2×0.04 6/ — ⌀ 7/ — 13/ —	N-BAK1 (SCHOTT) nd = 1.5725 (587.6 nm) vd = 57.55 (587.6 nm) 0/ 6 nm/cm 1/ 1×0.10 2/ NH010; A	R -17.000 CC Øe 18.03 3/ (0.25); λ=546.1 nm 4/ 0.5' 5/ 5×0.016 6/ — ⌀ 7/ — 13/ — 15/ —	N-SF5 (SCHOTT) nd = 1.6727 (587.6 nm) vd = 32.25 (587.6 nm) 0/ 6 nm/cm 1/ 1×0.10 2/ NH010; A	R -75.000 CX Øe 18.83 3/ (0.5); λ=546.1 nm 4/ 0.5' 5/ 2×0.04 6/ — ⌀ 7/ — 13/ —


5-Element Photographic Objective OPT-003	B. Lutzer	K. Harrison	2026-07-26	6:1	3 / 5	A
ORGANISATION / PROJECT / PART NO.	DRAWN BY	APPROVED	DATE	SCALE	SHEET	REV
NOTES Cement with NOA-61 or equivalent UV adhesive.			DIM. IN mm GENERAL TOL. PER ISO 10110-11 Ø±0.10 CT±0.15 3/ 5 4/ 3' 5/ 2×0.063			

f' = 18.85 mm




Ang. nach ISO 10110; λ = 546.07 nm

SURFACE 1 (FRONT)		MATERIAL		SURFACE 2 (REAR)			
R +28.000 CX Ø _e 19.37 3/ (0.5); λ=546.1 nm 4/ 0.5' 5/ 2×0.063 6/ — ⊙ λ 7/ — 13/ —		N-SSK5 $n_d = 1.6584$ (587.6 nm) $v_d = 50.88$ (587.6 nm) 0/ 10 nm/cm 1/ 1×0.16 2/ NH004; B		R -80.000 CX Ø _e 19.09 3/ (1); λ=546.1 nm 4/ 0.5' 5/ 2×0.063 6/ — ⊙ λ 7/ — 13/ —			
5-Element Photographic Objective OPT-004		B. Lutzer	—	2026-07-26	6:1	4 / 5	A
ORGANISATION / PROJECT / PART NO.		DRAWN BY	APPROVED	DATE	SCALE	SHEET	REV
NOTES				DIM. IN mm GENERAL TOL. PER ISO 10110-11 Ø±0.10 CT±0.15 3/ 5 4/ 3' 5/ 2×0.063			
							



f' = 18.85 mm



Ang. nach ISO 10110; λ = 546.07 nm

SURFACE 1 (FRONT)	MATERIAL	SURFACE 2 (REAR)
R +40.000 CX Øe 18.71 3/ (0.5); λ=546.1 nm 4/ 0.5' 5/ 2×0.04 6/ — ⊙ 7/ — 13/ —	N-LAK22 nd = 1.6511 (587.6 nm) νd = 55.89 (587.6 nm) 0/ 10 nm/cm 1/ 1×0.16 2/ NH010; A	R -48.000 CX Øe 17.20 3/ (0.5); λ=546.1 nm 4/ 0.5' 5/ 2×0.04 6/ — ⊙ 7/ — 13/ —

5-Element Photographic Objective OPT-005	B. Lutzer	—	2026-07-26	6:1	5 / 5	A
ORGANISATION / PROJECT / PART NO.	DRAWN BY	APPROVED	DATE	SCALE	SHEET	REV
NOTES			DIM. IN mm GENERAL TOL. PER ISO 10110-11 Ø±0.10 CT±0.15 3/ 5 4/ 3' 5/ 2×0.063			

