

Design

The Hallite 15 rod seal has been well proven in many applications requiring a compact, low friction seal to work efficiently both at low and high pressures.

The seal comprises a rubberised fabric U ring to give strength and durability, to which is moulded a rubber header. It is designed to have a controlled pre-load across the angled rubber lips which are accurately machine trimmed, to ensure a good seal at low pressure.

The seal becomes more effective as the pressure increases and the rubberised fabric deforms to the housing increasing the seal contact area. The surface of the fabric has pockets which retain lubrication to reduce friction and wear.


The proportions of the range have been determined to give a satisfactory performance when used with the recommended operating conditions. Many other sizes are available outside this range.


The range should be fitted to split housings as shown, but sizes marked* can be fitted to a grooved gland housing, if assembled with care.

NB: Size lists give "on line" tolerances for rod applications.

Features

- Well proven seal
- Contamination resistance
- Good wear resistance







Technical details

Operating conditions

Maximum Speed Temperature Range Maximum Pressure

Maximum extrusion gap

Pressure bar Maximum Gap mm Pressure p.s.i.

Surface roughness

Dynamic Sealing Face – Rod \emptyset d₁ Static Sealing Face – Rod \emptyset D₁ Dynamic Sealing Face – Piston \emptyset D₁ Static Sealing Face – Piston \emptyset d₁ Static Housing Faces L₁

Chamfers & Radii

Groove Section \leq S mm Min Chamfer C mm Max Fillet Rad r_1 mm Max Fillet Rad r_1 mm

Tolerances

Metric

0.5 m/sec -30°C + 100°C 300 bar

Inch

1.5 ft/sec -22°F + 212°F 4500 p.s.i.

Figures show the maximum permissible gap all on one side using minimum rod Ø and maximum clearance Ø. Refer to Housing Design section.

100	160	250	300
0.45	0.4	0.3	0.25
1500	2400	3750	4500

μmRa	μmRt		μinCLA	μinRMS
0.1 <> 0.4	4 max		4 < > 16	5 < > 18
1.6 max	10 max		63 max	70 max
0.1 <> 0.4	4 max		4 < > 16	5 < > 18
1.6 max	10 max		63 max	70 max
3.2 max	16 max		125 max	140 max
4.0	5.0	6.0	7.5	10.0
2.0	2.5	3.0	4.0	5.0
0.2	0.4	0.8	0.8	0.8

1.2

1.2

1.2

Ød ₁	ØD ₁	L ₁ mm		
f9	Js11	+0.25 -0		
is11	H9	+0.25 -0		


0.8



-0.087

-0.10





Ød1	TOL f9	ØD1	TOL Js11	L1 +0.25-0	PART No.	Ød1	TOL f9	ØD1	TOL Js11	L1 +0.25-0	PART No.
16	-0.016	26	+0.07	8.0	0754300	50	-0.025	60	+0.10	8.0	1204400*
	-0.059		-0.07				-0.087		-0.10		
20	-0.020	28	+0.07	6.4	2137000*	55	-0.030	65	+0.10	8.0	0208700*
	-0.072		-0.07				-0.104		-0.10		
22	-0.020	30	+0.07	6.4	2137100*	56	-0.030	66	+0.10	8.0	2138000*
	-0.072		-0.07				-0.104		-0.10		
22	-0.020	32	+0.08	9.0	0377300	56	-0.030	71	+0.10	12.0	0332600*
	-0.072		-0.08				-0.104		-0.10		
25	-0.020	33	+0.08	6.4	2137200*	60	-0.030	70	+0.10	8.0	0208500*
	-0.072		-0.08				-0.104		-0.10		
28	-0.020	36	+0.08	6.4	2137300*	60	-0.030	80	+0.10	14.0	0391400*
	-0.072		-0.08				-0.104		-0.10		
28	-0.020	40	+0.08	9.0	0690700	63	-0.030	75	+0.10	9.6	2138100*
	-0.072		-0.08				-0.104		-0.10		
30	-0.020	38	+0.08	6.4	2137400*	65	-0.030	77	+0.10	9.6	2138200*
	-0.072		-0.08				-0.104		-0.10		
30	-0.020	40	+0.08	7.5	0032400*	70	-0.030	80	+0.10	7.5	0057700*
	-0.072		-0.08				-0.104		-0.10		
32	-0.025	40	+0.08	6.4	2137500*	70	-0.030	82	+0.11	9.6	2146800*
	-0.087		-0.08				-0.104		-0.11		
35	-0.025	43	+0.08	6.4	2137600*	70	-0.030	85	+0.11	12.0	0384500
	-0.087		-0.08				-0.104		-0.11		
35	-0.025	50	+0.08	11.0	0874400	80	-0.030	92	+0.11	9.6	2138300*
	-0.087		-0.08				-0.104		-0.11		
36	-0.025	44	+0.08	6.4	2137700*	90	-0.036	102	+0.11	9.6	2138400*
	-0.087		-0.08				-0.123		-0.11		
36	-0.025	48	+0.08	9.0	0690600*	90	-0.036	105	+0.11	9.5	2174600*
	-0.087		-0.08				-0.123		-0.11		
40	-0.025	48	+0.08	6.4	2137800*	100	-0.036	115	+0.11	12.0	2138500*
	-0.087		-0.08				-0.123		-0.11		
40	-0.025	50	+0.08	7.5	0188600*	100	-0.036	120	+0.11	15.0	0466100*
	-0.087		-0.08				-0.123		-0.11		
40	-0.025	50	+0.08	10.5	1252100*	110	-0.036	125	+0.13	12.0	0749300*
	-0.087		-0.08				-0.123		-0.13		
45	-0.025	55	+0.10	8.0	2137900*	115	-0.036	130	+0.13	12.0	2136900*
	-0.087		-0.10				-0.123		-0.13		
45	-0.025	60	+0.10	10.0	1022800*				_		

For piston sealing tolerances refer to technical details