

```

0 CLR:RESTORE
5 OPEN15,0,15:PRINT#15,"M-W"CHR$(159)CHR$(16)CHR$(1)CHR$(65):CLOSE15:C
0=0
9 PRINTCHR$(142):POKE1004,16:SC$="00":ID$="41":ID=65:IL$="4":IR$="1"
10 US$="08":DR$="0":TR=18:SC=0:HT$="12":HS$="00":FR$="2A":SS$=" 00":M$=
"QH":U=8
11 DIMBD(256):DIMBH$(256):HX$="0123456789ABCDEF":DIMD$(16):DIMNSS(200)
:DIMNS(200)
12 AS=DS$:AS=AS+CHR$(0):IFASC(AS)=0THENS$$=" JNP"
13 DATA0,1,2,3,4,5,6,7,8,9,A,B,C,D,E,F:FORI=1TO16:READD$(I):NEXTI
14 X$="XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX":Y$="XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXX"
99 PRINT"Q";
100 PRINT"TRACK:";HT$;" SECTOR:";HS$;" UNIT:";US$;" DRIVE:";DR$
102 PRINT" ID:";ID$;" FORMAT:";FR$;" DS";SS$;"||||-||||
";M$
104 PRINT"SU)=====
105 PRINT"QJ "
106 PRINT" 0 1 2 3 4 5 6 7 8 9 A B C D E F"
107 PRINT" -----"
108 PRINT"00-||||10-||||20-||||30-||||40-||||50-||||60-||||70-||||80-||
||||90-"
109 PRINT"A0-||||B0-||||C0-||||D0-||||E0-||||F0-"
500 GETC$:POKE32808,224:POKE32808,32
501 IFC0=1THENOPEN1,U,15:PRINT#1," ":CLOSE1
502 IFC$=""THEN500
503 POKE59467,16:POKE59466,15:POKE59464,255:FORJ=0TO15:NEXTJ:POKE59464
,0
549 IFC$="2"THENPRINT"X":PRINT"XEXIT TO BASIC":SYS(64790)
550 IFC$="R"THEN1000
551 IFC$=">"THEN9099
552 IFC$="D"THEN3000
553 IFC$="T"THEN9520
554 IFC$="S"THEN9600
555 IFC$="F"THEN9630
556 IFC$="I"THEN9640
557 IFC$="P"THEN9680
558 IFC$="M"THEN9899
559 IFC$="L"THEN1099
560 IFC$="A"THENPRINT"XXXXXXXXXXXX";:IF(M$="QH")AND(RF=1)THENM$="JA":F
=0:GOTO9691
561 IF(C$="A")AND(M$="JA")AND(RF=1)THEN1160
562 IFC$="_"THEN10060
563 IFC$="E"THEN1200
564 IFC$="o"THEN1400
565 IFC$="U"THEN1430
566 IFC$="V"THEN1460
567 IFC$="C"THEN1500
568 IFC$="N"THEN1550
569 IFC$="L"THEN1600
570 IFC$="L"THEN1610
571 IFC$="X"THEN1650
572 IFC$="C"THEN3010
999 GOTO 500
1000 IFSS$="JNP"THENGOTO500
1001 PRINT"X"
1002 IFRF=1THENGOSUB9200
1003 M$="QH"
1004 CLOSE15

```

```

1005 OPEN15,U,15,"I"+DR$:OPEN2,U,2,"H"
1010 PRINT#15,"U1:2,"DR$;TR;SC
1020 INPUT#15,EN,EM$,ET,ES:IFEN<>0THEN9000
1030 PRINT#15,"B-P:2,0"
1035 PRINT"#####";
1040 FORX=0TO255:GET#2,B$:B=ASC(B$+CHR$(0))
1045 GETD$:IFNOTD$=""THENCLOSE2:CLOSE15:GOTO9090
1050 BD(X)=B:BH$(X)="" :A1=INT(B/16):BH$(X)=BH$(X)+MID$(HX$,A1+1,1)
1052 A2=INT(B-16*A1):BH$(X)=BH$(X)+MID$(HX$,A2+1,1)
1055 PRINTBH$(X);:C=C+1
1060 IFC=4THENPRINT" ";
1065 IFC=8THENPRINT" ";
1070 IFC=12THENPRINT" ";
1075 IFC=16THENPRINT:PRINT"#####";:C=0
1080 NEXT X
1081 C=0
1085 CLOSE2:CLOSE15:OPEN15,U,15:INPUT#15,EN,EM$,ET,ES:CLOSE15:IFEN<>0T
HEN9000
1086 RF=1:SS$="" 00"
1090 GOTO 100
1099 IFSS$="JMP"THENGOTO 500
1100 PRINT"#####SCREEN/#####PRINT:"GOSUB1140
1101 GETD$:POKE32821,224:POKE32821,32:IFD$=""THEN1101
1102 IFD$="S"THENPRINT"#####":GOTO1105
1103 IFD$="P"THENPRINT"#####PRINT":GOTO1105
1104 GOTO 1101
1105 PRINT"#####EXECUTING LINKED SECTOR TRACE#####"
1106 T=TR:S=SC:T(1)=TR:S(1)=SC
1107 IFD$="P"THENOPEN4,4:CH=4:PRINT#CH,CHR$(32):IFST=-128THENCLOSE4:GO
TO1129
1108 IFD$="S"THENOPEN3,3:CH=3
1109 OPEN15,U,15,"I"+DR$:OPEN2,U,2,"H":C=1:X=1:F=0:A$=""
1110 IFD$="P"THEN PRINT#CH,CHR$(13):PRINT#CH,"- LINKED SECTOR TRACE -"
;CHR$(13)
1111 PRINT#CH,HT$CHR$(32)HS$;" : ";
1112 PRINT#15,"U1:2,"DR$;T;S:PRINT#15,"B-P:2,"+"0":FORJ=1TO2
1113 GET#2,B$:B=ASC(B$+CHR$(0))
1114 IFJ=1THENT=B
1115 IFJ=2THENS=B
1116 A1=INT(B/16):A$=A$+MID$(HX$,A1+1,1)
1117 A2=INT(B-16*A1):A$=A$+MID$(HX$,A2+1,1):NEXTJ
1118 IFF=1THENF=0:IF(T(1)=T AND S(1)=S)THENGOTO1136
1119 IFF=0THENF=1:T(1)=T:S(1)=S
1120 PRINT#CH,MID$(A$,1,2);CHR$(32);MID$(A$,3,2);
1121 C=C+1:IFC=1THEN PRINT#CH," : ";
1122 IFC=2THEN PRINT#CH," : ";
1123 IFC=3THEN PRINT#CH," : ";
1124 IFC=4THEN PRINT#CH," : ";
1125 IFC=5THEN PRINT#CH,CHR$(13);:C=0
1126 A$="" :X=X+1:IFX=90THENGOSUB1131
1127 GETD$:IFNOTD$=""THEN1136
1128 GOTO 1112
1129 PRINT"#####PRINTER NOT PRESENT #####;CHR$(7);CHR$(7);CHR$(7
);CHR$(7)
1130 PRINT"#####":PRINT"#####":GOTO500
1131 PRINT"#####PRESS ANY KEY TO CONTINUE
#####"
1132 GETD$:IFD$=""THEN1132
1133 PRINT"#####"
1134 PRINT"#####";FORJ=1TO19:PRINT"

```

```

":NEXTJ
1135 PRINT"SUBROUTINE";X=0:GOTO 1112
1136 PRINT"SUBROUTINEDIRECTORY" PRESS ANY KEY TO CONTINUE
      S'
1137 GETD$:IFD$=""THEN1137
1138 PRINT"SUBROUTINEDIRECTORY"
      S''
1139 C=0:X=0:CLOSE2:CLOSE15:PRINT#CH:CLOECH:GOSUB1140:GOSUB1710:MS="H"
H':GOTO100
1140 PRINT"SUBROUTINE";
1141 FORJ=1TO19:PRINT"                                ":NEXT RE
TURN
1160 IFM$="WH"THENGOT0500
1161 IFM$="WA"THENMS="WH":PRINT"SUBROUTINEDIRTY";
1162 C=0:FORS=0T0255:PRINTBH$(S);C=C+1:IFC=4THENPRINT"";
1163 IFC=8THENPRINT"";
1164 IFC=12THENPRINT"";
1165 IFC=16THENPRINT:PRINT"TITLE";C=0
1166 NEXTJ:GOTO 100
1200 IFRF=0THENGOT010080
1205 IFM$="WA"THENGOT010082
1210 PRINT"SUBROUTINE":PB=0:S=33052:C=5
1215 L=PEEK(S):R=PEEK(S+1):POKES,LOR128:POKES+1,ROR128
1220 PRINT"SUBROUTINE:DEC. LOCATION:"PB;"|| "
1225 GETD$:IFD$=""THEN1225
1230 IFASC(D$)=13THENPRINT"RUN ":POKES,PEEK(S)-128:POKES+1,PEEK(S+1)-12
8:C=0:
1231 IFASC(D$)=13THENPRINT"SUBROUTINE" MS="WH":GOTO100
1240 IFASC(D$)=17 THENGOT01260
1241 IFASC(D$)=145THENGOT01270
1242 IFASC(D$)=19 THENGOT01280
1243 IFASC(D$)=29 THENGOT01290
1244 IFASC(D$)=157THENGOT01304
1245 IFASC(D$)>47ANDASC(D$)<58THENGOT01320
1246 IFASC(D$)>64ANDASC(D$)<71THENGOT01320
1250 GOTO 1225
1260 POKES,L:POKES+1,R:S=S+40:PB=PB+16:IFS>33692THENS=S-640:PB=PB-256
:GOTO1215
1262 GOT01215
1270 POKES,L:POKES+1,R:S=S-40:PB=PB-16:IFS< 33052THENS=S+640:PB=PB+256
:GOTO1215
1272 GOT01215
1280 POKES,L:POKES+1,R:S=33052:PB=0:C=5:GOTO1215
1290 POKES,L:POKES+1,R:IFS=33707THENGOT01215
1292 PB=PB+1:S=S+2:C=C+2:IFC=13THENS=S+1:C=C+1
1294 IFC=22THENS=S+1:C=C+1
1296 IFC=31THENS=S+1:C=C+1
1298 IFC=40THENS=S-35:C=5:PB=PB-16
1300 IFS=33692THENS=S-40:PB=PB-16:GOTO1215
1302 GOT01215
1304 POKES,L:POKES+1,R:IFS=33052THENGOT01215
1306 PB=PB-1:S=S-2:C=C-2:IFC=12THENS=S-1:C=C-1
1308 IFC=21THENS=S-1:C=C-1
1310 IFC=30THENS=S-1:C=C-1
1312 IFS<33052THENS=33052
1314 IFC=3THENS=S+35:C=38:PB=PB+16
1316 GOT01215
1320 XX$=RIGHT$(BH$(PB),1)+D$:BH$(PB)=XX$
1322 D=0:F=1:L=LEN(XX$):FORI=1TOTL:Z$(I)=MID$(XX$,L+1-I,1):FORJ=1TO16
1324 IFZ$(I)=D$(J)THEN1328
1326 NEXTJ

```

```

1328 D=D+(J-1)*F:F=F*16:NEXTI:BD(PB)=D
1330 POKES,PEEK(S+1):IFASC(D$)<64THENPOKES+1,ASC(D$)OR128
1332 IFASC(D$)>=64THENPOKES+1,(ASC(D$)-64)OR128
1334 L=R:IFASC(D$)<64THENR=ASC(D$)
1336 IFASC(D$)>=64THENR=ASC(D$)-64
1338 GOTO1220
1400 IFSS$="UNP"THENGOTO 500
1402 IFRF=0THEN10080
1403 PRINT"STATUS"
1404 OPEN1,U,15,"I"+DR$:OPEN2,U,2,"W"
1406 PRINT#15,"B-P:2,0"
1408 FORX=0TO255
1410 PRINT#2,CHR$(BD(X));
1412 NEXTX:PRINT#15,"B-P:2,0"
1414 PRINT#15,"U2:2,"DR$;TR;SC
1416 PRINT#15,"I"+DR$
1418 CLOSE2:CLOSE15
1420 PRINT"STATUS":GOTO9100
1430 PRINT"STATUS":PRINT"XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX":S=32796:W$=""
1432 GETD$:POKES,PEEK(S)OR128:POKES,PEEK(S)-128:IFD$=""THEN1432
1433 IFASC(D$)=13THEN1444
1434 IF ASC(D$)<65 AND ASC(D$)>70THEN1432
1436 IF ASC(D$)<48 AND ASC(D$)>57THEN1432
1438 Q$=W$:W$=D$:D$="":U$=Q$+W$
1440 S=S+1:IFS>32797THEN S=32797
1442 PRINT "XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"U$:GOTO1432
1444 D=0:F=1:FORI=1TO2:B$(I)=MID$(U$,3-I,1):FORJ=1TO16:IFB$(I)=D$(J)TH
EN1448
1446 NEXTJ
1448 D=D+(J-1)*F:F=F*16:NEXTI:U=D
1450 OPEN1,U,15:PRINT#1," ":IFST=-128THENS$=" UNP":GOTO1454
1452 SS$=" 00"
1454 CLOSE1:GOTO 100
1460 PRINT"STATUSVALIDATE THE DISK IN DRIVE "DR$;" ? (Y/N)"
1462 GETD$:POKE32918,224:POKE32918,32:IFD$=""THEN1462
1464 IF NOT D$="Y"THEN 1468
1465 POKE32918,153
1466 OPEN1,U,15:PRINT#1,"VALIDATE"+DR$
1467 INPUT#1,EN,EM$,ET,ES:IFEN<>0THENPRINT"STATUS";:FORJ=1TO40:PRINT" "
,:NEXTJ:GOTO9000
1468 CLOSE1:PRINT"STATUS"                                ":GOTO 5
00
1500 PRINT"STATUS(SPAC) TO TOGGLE, (RETURN) TO TERMINATE"
1502 IFC0=0THENPRINT"STATUSON/OFF -"
1503 IFC0=1THENPRINT"STATUSON/OFF -"
1504 POKE32817,224:GETD$:IFD$=""THENFORJ=1TO50:NEXTJ:POKE32817,32
1506 IFD$=""THENFORJ=1TO50:NEXTJ:GOTO1504
1507 POKE32817,32:IFASC(D$)=32THEN1515
1509 IF ASC(D$)=13THEN1511
1510 GOTO 1504
1511 PRINT"STATUS":PRINT"STATUS"
      "":GOTO500
1515 IFC0=0THENC0=1:GOTO 1502
1516 IFC0=1THENC0=0:GOTO 1502
1550 IFRF=0THEN500
1551 M$="XH":PRINT"STATUSM"
1552 OPEN1,U,15,"I"+DR$:OPEN2,U,2,"W"
1554 PRINT#15,"U1:2,"DR$;TR;SC
1556 PRINT#15,"B-P:2,0"
1558 GET#2,B$:B1=ASC(B$+CHR$(0))
1560 GET#2,B$:B2=ASC(B$+CHR$(0))

```

```

1562 CLOSE2:CLOSE15:A$=""
1564 IF (TR=B1)AND(SC=B2)THEN1590
1566 IF B1=0THEN1590
1568 IFFR$=""2A"ANDB1>35THEN1590
1570 IFFR$=""2C"ANDB1>77THEN1590
1572 IFFR$=""2C"ANDB2>29THEN1590
1574 IFFR$=""2A"ANDB2>21THEN1590
1576 TR=B1:SC=B2:A1=INT(TR/16):A$=A$+MID$(HX$,A1+1,1):A2=INT(TR-16*A1)
1578 A$=A$+MID$(HX$,A2+1,1):HT$=A$:A$=""
1580 A1=INT(SC/16):A$=A$+MID$(HX$,A1+1,1):A2=INT(SC-16*A1):A$=A$+MID$(
HX$,A2+1,1)
1582 HS$=A$:A$=""':PRINT"STRACK:";HT$;" SECTOR:";HS$:GOTO1000
1590 PRINT"*****ILLEGAL LINK";CHR$(7);CHR$(7);CHR$(7);CHR$(7)
1592 PRINT"***** ":GOTO500
1600 PRINT"*****":FORJ=0TO1000:NEXTJ:PRINT"*****":IFD(VAL(DR$))
1603 GETD$:IFD$=""THEN1603
1604 GOTO 99
1610 PRINT"*****":PRINT"*****FORMAT DISKETTE IN DRIVE "DR$;" ? (Y/N)"
1612 GETD$:POKE32916,224:POKE32916,32:IFD$=""THEN1612
1614 IFNOTD$="Y"THEN1790
1616 POKE32916,153
1618 GOSUB1140
1620 PRINT"***** INPUT NAME OF DISK....":PRINT"*****"

```

```

1625 PRINT"*****":LI=15:GOSUB1800:M1$=IN$
1630 PRINT"***** INPUT I.D. OF DISK....":PRINT"*****":LI=1
1631 PRINT"*****":
1632 GOSUB1800:M2$=IN$:IN$=""
1634 PRINT"***** INSERT DISK TO BE FORMATTED"
1635 PRINT" AND PRESS ANY KEY....";
1636 GETD$
1638 PRINT"*****":FORJ=0TO50:NEXTJ:PRINT"*****":FORJ=0TO50:NEXTJ:IFD$=""
THEN1636
1640 GOSUB1140:PRINT"***** FORMATTING THE DISK IN DRIVE "DR$"."
1642 OPEN1,U,15:PRINT#1,"M"+DR$+"":'+M1$+"",' +M2$:CLOSE1:GOSUB1140:M$="*****
H":GOSUB1710:GOTO100
1650 PRINT"*****":PRINT"*****COPY SINGLE FILES :DISK TO DISK":GOSUB1140
1652 PRINT"***** SET UP CONFIGURATION ";
1653 PRINT"USING [SPACE] TO TOGGLE";
1654 PRINT" AND [RETURN] TO ESCAPE...."
1655 PRINT"***** SOURCE DRIVE: [30]/1"
1656 PRINT"***** DESTINATION DRIVE: 0/[31]"
1660 GETD$:IFD$=""THEN1660
1661 IFD$=CHR$(32)THENGOSUB1668
1662 IFD$=CHR$(13)THEN1670
1663 IFC=0THENPRINT"*****[30]/1"
1664 IFC=0THENPRINT"*****0/[31]"
1665 IFC=1THENPRINT"*****0/[31]"
1666 IFC=1THENPRINT"*****[30]/1"
1667 GOTO1660
1668 IFC=0THENC=1:RETURN
1669 IFC=1THENC=0:RETURN
1670 IFC=0THENDD=1:SD=0
1671 IFC=1THENDD=0:SD=1
1672 PRINT"***** LOADING DIRECTORY."
1673 PRINT" PLEASE WAIT...."
1675 QC=0:C=0:SD$=STR$(SD)
1676 IFSD=0THENOPEN1,U,0,"$0"
1677 IFSD=1THENOPEN1,U,0,"$1"
1678 FORJ=1TO27:GET#1,A$:NEXTJ
1679 GET#1,A$,A$,A$,A1$:IFSTTHEN1685

```

```

1680 GET#1,A$:IFSTTHEN1685
1681 IFA$=CHR$(34)ANDQC=0THENQC=1:GOTO1680
1682 IFA$=CHR$(34)ANDQC=1THENQC=0:C=C+1:GET#1,A$,A$,A$:GOTO1679
1683 IFQC=1THENNS$(C)=NS$(C)+A$
1684 GOTO1680
1685 CLOSE1:C=C-1:PRINT"TYPE Y / N FOR THE FILES TO BE COPIED....":
PRINT:IFC=-1THEN1693
1686 FORJ=0TOC:PRINTNS$(J);
1687 GETD$:IFD$=""THEN1687
1688 IFNOTD$="Y"ANDNOTD$="N"THEN1687
1689 IFD$="Y"THENPRINT:NS(J)=1
1690 IFD$="N"THENPRINT:PRINT"
";
1691 NEXTJ:H=0:FORJ=0TOC:IFNS(J)=1THENH=1
1692 NEXTJ
1693 IFH=0THENPRINT"NO FILES TO COPY.":GOTO 1700
1694 PRINT"COPYING...D":DD$=STR$(DD)
1695 FORJ=0TOC:OPEN1,U,15
1696 IFSD=0THENIFNS(J)=1THENPRINT#1,"C1:"+NS$(J)+"=0:"+NS$(J)
1697 IFSD=1THENIFNS(J)=1THENPRINT#1,"C0:"+NS$(J)+"=1:"+NS$(J)
1698 IFNS(J)=1THENPRINTNS$(J)
1699 CLOSE1:NEXTJ
1700 PRINT"          PRESS ANY KEY"
1702 GETD$:IFD$=""THEN1702
1704 C=0:QC=0:MS="H":PRINT"C":GOSUB1710:GOTO100
1710 PRINT"XXXXXXXXXX";:FORJ=0TO255:PRINTBH$(J);:C=C+1
1712 IFC=4THENPRINT" ";
1714 IFC=8THENPRINT" ";
1716 IFC=12THENPRINT" ";
1718 IFC=16THENPRINT:C=0:PRINT"XXXX";
1720 NEXTJ:RETURN
1790 PRINT"W ":PRINT"XXXX          "':G
OTO100
1800 IN$="":POKE158,0:POKE167,0
1802 WAIT158,7:GETD$:D=ASC(D$):IFD>95THEN1802
1804 ZL=LEN(IN$):IFZL>LTHEN1808
1806 IFD>31THENIN$=IN$+D$:PRINTD$;:GOTO1802
1808 IFD=13ANDZLTHENPOKE167,1:PRINT" ":RETURN
1810 IFD=20ANDZLTHENIN$=LEFT$(IN$,ZL-1):PRINTD$;
1812 GOTO 1802
3000 PRINT"XXXX";CHR$(7):IFDR$="0"THENDR$="1":PRINT"W ":GOTO 100
3001 IFDR$="1"THENDR$="0":PRINT"W ":GOTO 100
3010 PRINT"W<":PRINT"XXXXFILL":PRINT"XXXXFROM $ III";:LI=1:GOSUB180
0:END:B**
3012 PRINT"XXXXTO $ IIIIII";:GOSUB1800:GOSUB****:N2=D
3014 PRINT"XXXXWITH VALUE $ :";:GOSUB1800:GOSUB****:N3=D:D=0:END
9000 IFEN=20THENER$="BLOCK HEADER NOT FOUND"
9002 IFEN=21THENER$="NO SYNC CHARACTER"
9004 IFEN=22THENER$="DATA BLOCK NOT PRESENT"
9006 IFEN=23THENER$="CHECKSUM ERROR IN DATA BLOCK"
9008 IFEN=24THENER$="BYTE DECODING ERROR"
9010 IFEN=25THENER$="WRITE-VERIFY ERROR"
9012 IFEN=26THENER$="WRITE PROTECT ON"
9014 IFEN=27THENER$="CHECKSUM ERROR IN HEADER"
9016 IFEN=28THENER$="LONG DATA BLOCK"
9017 IFEN=29THENER$="DISK ID MISMATCH"
9018 IFEN=71THENER$="DIRECTORY ERROR"
9020 IFEN=73THENER$="DOS MISMATCH"
9022 IFEN=74THENER$="DRIVE NOT READY"
9023 IFEN=66THENER$="ILLEGAL TRACK OR SECTOR"
9024 IFEN=0THENER$="OK":SS$="00":GOTO9026

```

```

9025 SS$=STR$(EN): IFZ1=1 THEN Z1=0: RETURN
9026 PRINT"#####"; ER$; CHR$(7); CHR$(7); CHR$(7); CHR$(7); CHR$(7); CHR$(7)
9027 PRINT"#####": PRINT"##### "
9028 PRINT"#####SS$; '#####="
9030 CLOSE2: CLOSE15: GOT0500
9050 IFM$="A" THEN PRINT"#####NOT HEX MODE"; CHR$(7); CHR$(7); CHR$(7); CHR$(7)
9051 PRINT"#####": GOTO 500
9090 PRINT"#####PRESS ANY KEY TO CONTINUE
    ="
9095 R=0: M$="H": SS$=" 00": C=0
9096 GETD$: IFD$="" THEN 9096
9097 PRINT"#####
    ="
9098 GOT099
9099 IFSS$="MP" THEN GOT0500
9100 PRINT"#####>=: OPEN15, U, 15: INPUT#15, EN, EM$, ET, ES: CLOSE15: GOT09000
9200 RF=0: PRINT"#####";
9202 FORJ=1 TO 17: PRINT"#####": NEXTJ: R
    RETURN
9520 PRINT"#####": PRINT"#####": S=32774: R$=""
9522 GETD$: POKES, PEEK(S) OR 128: POKES, PEEK(S) - 128: IFD$="" THEN 9522
9524 IFD$=CHR$(13) THEN GOSUB 9561: GOT09548
9526 IFASC(D$) > 700 OR ASC(D$) < 48 THEN 9522
9528 IFD$="0" THEN 9522
9529 IFD$="=" THEN 9522
9530 IFD$=">" THEN 9522
9531 IFD$="<" THEN 9522
9532 IFD$="?" THEN 9522
9533 IFD$=";" THEN 9522
9534 IFD$=":" THEN 9522
9535 GOSUB 9540: GOT09522
9540 PRINT"#####"; D$
9542 L$=R$: R$=D$: D$="": HT$=L$+R$
9544 S=S+1: IF S > 32775 THEN S=32775
9546 PRINT"#####"; HT$
9547 RETURN
9548 IFFR$="2A" AND TR > 35 THEN 9522
9549 IFFR$="2C" AND TR > 77 THEN 9522
9550 IFTR=0 THEN 9522
9555 PRINT"#####"; HT$: GOT0 100
9561 D=0: F=1: FORI=1 TO 2: B$(I)=MID$(HT$, 3-I, 1): FORJ=1 TO 16: IFB$(I)=D$(J) T
    HEN 9563
9562 NEXTJ
9563 D=D+(J-1)*F: F=F*16: NEXTI: POKE 59464, 255: FORJ=1 TO 15: NEXTJ: POKE 59464
    , 0: TR=D
9564 RETURN
9600 PRINT"##### "
9601 PRINT"#####": S=32786: W$=""
9602 GETD$: POKES, PEEK(S) OR 128: POKES, PEEK(S) - 128: IFD$="" THEN 9602
9603 IFD$=CHR$(13) THEN 9620
9604 IFASC(D$) > 700 OR ASC(D$) < 48 THEN 9602
9605 IFD$="0" THEN 9602
9606 IFD$="=" THEN 9602
9607 IFD$=">" THEN 9602
9608 IFD$="<" THEN 9602
9609 IFD$="?" THEN 9602
9610 IFD$=";" THEN 9602
9611 IFD$=":" THEN 9602
9612 Q$=W$: W$=D$: D$="": HS$=Q$+W$
9613 S=S+1: IF S > 32787 THEN S=32787

```

```

9615 PRINT"SECTOR:";HS$
9616 GOTO9602
9620 D=0:F=1:FORI=1TO2:B$(I)=MID$(HS$,3-I,1):FORJ=1TO16
9621 IFB$(I)=D$(J)THEN9623
9622 NEXTJ
9623 D=D+(J-1)*F:F=F*16:NEXTI:POKE59464,255:FORJ=1TO15:NEXTJ:POKE59464
,0:SC=D
9624 IFSC>30THEN9602
9625 PRINT"SECTOR:";HS$
9626 GOTO 100
9630 IFFR$="2A"THENFR$="2C":GOTO9632
9631 IFFR$="2C"THENFR$="2A"
9632 PRINT"SECTOR:";FR$
9633 GOTO 100
9640 PRINT"SECTOR ID":S=32826:IR$=""
9650 GETD$:POKE5,PEEK(S)OR128:POKE5,PEEK(S)-128:IFD$=""THEN9650
9651 IFD$=CHR$(13)THEN9665
9652 IFASC(D$)>70ORASC(D$)<48THEN9650
9653 IFD$="0"THEN9650
9654 IFD$=" "THEN9650
9655 IFD$=">"THEN9650
9656 IFD$="<"THEN9650
9657 IFD$="?"THEN9650
9658 IFD$=";"THEN9650
9659 IFD$=":"THEN9650
9660 IL$=IR$:IR$=D$:D$="":S=S+1:IFS>32828THENS=32828
9661 ID$=IL$+IR$:PRINT"SECTOR ID":IL$:IR$:GOTO9650
9665 L=LEN(ID$):D=0:F=1:FORI=1TOL:B$(I)=MID$(ID$,L+1-I,1):FORJ=1TO16
9666 IFB$(I)=D$(J)THEN9668
9667 NEXTJ
9668 D=D+(J-1)*F:F=F*16:NEXTI:POKE59464,255:FORJ=1TO15:NEXTJ:POKE59464
,0
9669 ID=D:OPEN15,U,15:PRINT#15,"M-W"CHR$(159)CHR$(16)CHR$(1)CHR$(ID):C
LOSE15
9670 GOTO 100
9680 PRINT"SECTOR:"
9681 OPEN4,4:PRINT#4,CHR$(32):IFST=-128THENCLOSE4:GOTO9730
9682 IFRF<>1THENCLOSE4:GOTO9715
9683 PRINT#4,"- SECTOR DUMP -":PRINT#4
9684 PRINT#4,"TRACK:";TR$;" SECTOR:";SC$:PRINT#4:IFM$="A"THENF=1:GO
SUB9690
9685 FORJ=0TO255:PRINT#4,BH$(J);:C=C+1:IFC=4THENPRINT#4," ";
9686 IFC=8THENPRINT#4," ";
9687 IFC=12THENPRINT#4," ";
9688 IFC=16THENC=0:PRINT#4
9689 NEXTJ:CLOSE4:PRINT"SECTOR ID":GOTO100
9690 CMD4
9691 FORJ=0TO255:IFBD(J)=145THENPRINT"145 ";:GOTO9710
9692 IFBD(J)=147THENPRINT"147 ";:GOTO9710
9693 IFBD(J)=157THENPRINT"157 ";:GOTO9710
9694 IFBD(J)=3THENPRINT"3 ";:GOTO9710
9695 IFBD(J)=29THENPRINT"29 ";:GOTO9710
9696 IFBD(J)=17THENPRINT"17 ";:GOTO9710
9697 IFBD(J)=20THENPRINT"20 ";:GOTO9710
9698 IFBD(J)=19THENPRINT"19 ";:GOTO9710
9699 IFBD(J)=18THENPRINT"18 ";:GOTO9710
9700 IFBD(J)=98THEN PRINTCHR$(98);" ";:POKE205,0:GOTO9710
9701 IFBD(J)=34THEN PRINTCHR$(34);" ";:POKE205,0:GOTO9710
9702 IFBD(J)=178THENPRINT"= ";:GOTO9710
9707 IFBD(J)<32THENPRINT"32 ";:GOTO9710
9708 IFBD(J)>127ANDBD(J)<161THENPRINT"161 ";:GOTO9710

```



```

9709 PRINTCHR$(BD(J));" ";
9710 C=C+1:IF C=16 THENA=0:PRINT:PRINT"#####";:C=0:GOTO9712
9711 A=A+1:IFA=4THENPRINT" ";:A=0
9712 NEXTJ
9713 IFFTHENPRINT#4:CLOSE4:PRINT"SU ":GOTO100
9714 GOTO100
9715 PRINT"#####EMPTY BUFFER";CHR$(7);CHR$(7);CHR$(7)
9720 PRINT"#####":GOTO500
9730 PRINT"#####PRINTER NOT PRESENT";CHR$(7);CHR$(7);CHR$(7)
9731 PRINT"#####":GOTO500
9899 IFSS$="UNP"THENGOTO500
9900 PRINT"SU3ME"
9901 IFFR$="2C"THEN9977
9905 PRINT"#####BAM MAP OR ERROR MAP"
9910 GETD$:POKE3288,PEEK(3288)OR128:POKE3289,PEEK(3289)OR128
9920 POKE3288,PEEK(3288)-128:POKE3289,PEEK(3289)-128:IFD$=""THEN99
10
9930 IFD$="B"THENPRINT"#####":GOTO 9932
9931 IFD$="E"THENPRINT"#####ERROR MAP":FORJ=0TO1000:NEXT:GO
TO10010
9932 OPEN15,U,15,"I"+DR$:Z4=1:OPEN2,U,2,"W"
9933 DEFFNS(Z)=2+(S-INT(S/8)*8)AND(SB(INT(S/8)))
9934 PRINT#15,"U1:2,"DR$;18;0
9935 INPUT#15,EN,EMS,ET,ES:IFEN<>0THEN9900
9936 PRINT#15,"B-P:2,1"
9938 PRINT"#####BLOCK AVAILABILITY"
9939 PRINT"#####MAP#####=-USED#####=-EDIT"
9940 PRINT"#####L#####L#####L#####L#####L";
9941 FORG=1TO17:PRINT"#####":NEXTG
9942 PRINT"#####13#####12#####11#####10#####9#####8#####7"
#####6#####5#####4#####3#####2#####1#####0"
9943 PRINT"#####0000000000000000000011111111111111112222"
9944 PRINT"#####123456789ABCDEF0123456789ABCDEF0123456789";PRINT"8";
9945 PRINT"#####";:FORG=1TO21:PRINT"#####":NEXT:PRINT"#####";:FORG=1TO35:PRI
NT"#####";:NEXTG
9947 Y=23:X=1:PRINTLEFT$(Y$,Y)LEFT$(X$,X)"#####";
9950 GET#2,B$:GET#2,B$:GET#2,B$:TS=0
9951 FORT=1TO35
9952 GET#2,S$:SS=ASC(RIGHT$(CHR$(0)+S$,1)):TS=TS+SS
9953 GET#2,B$:IFB$=""THENB$=CHR$(0)
9954 SB(0)=ASC(B$)
9955 GET#2,B$:IFB$=""THENB$=CHR$(0)
9956 SB(1)=ASC(B$)
9957 GET#2,B$:IFB$=""THENB$=CHR$(0)
9958 SB(2)=ASC(B$)
9960 Y=24:X=T+3:PRINTLEFT$(Y$,Y)LEFT$(X$,X)"#####";
9961 PRINT"#####";
9962 FORS=0TO20:GETD$:IFNOTD$=""THEN10034
9963 IFT<18THEN9967
9964 IFT>17ANDS=20THENGOTO9971
9965 IFT>24ANDS=18THENGOTO9971
9966 IFT>30ANDS=17THENGOTO9971
9967 IFT>17ANDS=19THENZ4=Z4+1:GOTO9971
9968 IFFNS(S)=0THENPRINT"#####":GOTO9971
9970 PRINT".";
9971 PRINT"#####";
9972 NEXTS,T
9973 PRINT"8";
9974 GETD$:IFD$=""THEN9974
9975 IFD$="E"THEN9980

```

[illegible]

```

10032 GETD$: IFNOTD$="" THEN10034
10033 GOTO10024
10034 CLOSE2:CLOSE15
10040 GETD$: PRINT"SU"SPC(25); "DONE":FORJ=0TO200:NEXTJ
10041 PRINT"SU"SPC(25); "DONE":FORJ=0TO200:NEXTJ
10042 IFD$="" THEN10040
10045 FORJ=0TO1000:NEXT
10050 TR=18:SC=0:PRINT"L":GOSUB1710:M$="LH":GOTO100
10060 PRINT"SU+LR="
10070 OPEN15,U,15:PRINT#15,"UJ":PRINT"SU+LR=RESET UNIT #U$:CLOSE15
10075 PRINT"SU+LR="":PRINT"SU "":M$="LH":GOTO500
10080 PRINT"SU+LR=EMPTY BUFFER";CHR$(7);CHR$(7);CHR$(7);CHR$(7)
10081 PRINT"SU+LR="":M$="LH":GOTO100
10082 PRINT"SU+LR=NOT IN HEX MODE";CHR$(7);CHR$(7);CHR$(7);CHR$(7)
10083 PRINT"SU+LR="":GOTO500
10100 X=3:Y=21:TR=1:SC=0
10102 V=PEEK(32768+X+(Y*40))
10104 POKE32768+X+(Y*40),VOR128
10106 GETD$: IFD$="" THEN10106
10108 POKE32768+X+(Y*40),V
10110 IFASC(D$)=19THENX=3:Y=1:TR=1:SC=20:GOTO10102
10112 IFASC(D$)=13THENRETURN
10114 IFASC(D$)=17THENY=Y+1:SC=SC-1
10116 IFY>21THENY=21:SC=SC+1
10118 IFASC(D$)=145THENY=Y-1:SC=SC+1
10120 IFY<1THENY=1:SC=SC-1
10122 IFY<3ANDX>19THENY=3:SC=SC-1
10124 IFY<4ANDX>26THENY=4:SC=SC-1
10126 IFY<5ANDX>32THENY=5:SC=SC-1
10128 IFASC(D$)=29THENX=X+1:TR=TR+1
10130 IFX>37THENX=37:TR=TR-1
10132 IFX>19ANDY=1THENX=19:TR=TR-1
10134 IFX>19ANDY=2THENX=19:TR=TR-1
10136 IFX>26ANDY=3THENX=26:TR=TR-1
10138 IFX>32ANDY=4THENX=32:TR=TR-1
10140 IFASC(D$)=157THENX=X-1:TR=TR-1
10142 IFX<3THENX=3:TR=TR+1
10144 GOTO10102
READY.

```