


Task Description	Data				Model			
	Sample	Size	Annotations	Source	Algorithm	Architecture	Performance	Ref
PV Cells Classification		2,624 samples 300 x 300 x 1	4 Classes of Pseudo Degradation Level	Openly Available [53]	DIP + ML Supervised	KAZE + SVM	F1 = 82.52%	[158]
					Supervised DL	CNN VGG19	F1 = 88.39%	[158]
PV Cells Defects Detection		36,543 samples 1024 x 1024 x 1	37,380 bounding box 4 Classes	Available Upon Request [159]	Supervised DL	YOLOv5l	mAP50 = 81.93%	[160]
					Supervised DL	ELCN-YOLOv7	mAP50 = 91.93%	[161]
PV Cells Defects Segmentation		17,064 samples 165 x 165 250 x 250 400 x 400	9 Classes of Anomalies	Model + Data Openly Available [162]	Supervised DL	DeepLabv3 w/ ResNet-50	F1 = 69.6%	[152]
					Semi- -Supervised DL	Deeplabv3+	F1 = 84.24%	[163]