This is a WinBUGS program for the real example in Chapter 10, Section 10.4.2.

Model: Multisample Structural Equation Model with Ordered Categorical Variables, M2
Data Set Names: YO1.dat, YO2.dat, XI1.dat, and XI2.dat, where XI1.dat and XI2.dat are initial values for xi in the groups 1 and 2, respectively.
Sample Sizes: N1=338 and N2=247
Constraint: Lambda^(1)=Lambda^(2)

There are two groups: group 1 and group 2. We choose group 1 as the reference group.

```
model {
    #Group one
    for(i in 1:N1){
        #measurement equation model
        for(j in 1:P){y1[i,j]~dnorm(mu1[i,j],psi1[j])I(thd[j,z1[i,j]],thd[j,z1[i,j]+1])}
        mu1[i,1]<-mu.y1[1]+eta1[i]
        mu1[i,2]<-mu.y1[2]+lam[1]*eta1[i]
        mu1[i,3]<-mu.y1[3]+xi1[i,1]
        mu1[i,4]<-mu.y1[4]+lam[2]*xi1[i,1]
        mu1[i,5]<-mu.y1[5]+lam[3]*xi1[i,1]
        mu1[i,6]<-mu.y1[6]+lam[4]*xi1[i,1]
        mu1[i,7]<-mu.y1[7]+lam[5]*xi1[i,1]
        mu1[i,8]<-mu.y1[8]+lam[6]*xi1[i,1]
        mu1[i,9]<-mu.y1[9]+lam[7]*xi1[i,1]
        mu1[i,10]<-mu.y1[10]+xi1[i,2]
        mu1[i,11]<-mu.y1[11]+lam[8]*xi1[i,2]
        mu1[i,12]<-mu.y1[12]+lam[9]*xi1[i,2]
        mu1[i,13]<-mu.y1[13]+lam[10]*xi1[i,2]
        mu1[i,14]<-mu.y1[14]+lam[11]*xi1[i,2]
        mu1[i,15]<-mu.y1[15]+lam[12]*xi1[i,2]
        mu1[i,16]<-mu.y1[16]+xi1[i,3]
        mu1[i,17]<-mu.y1[17]+lam[13]*xi1[i,3]
        mu1[i,18]<-mu.y1[18]+lam[14]*xi1[i,3]
        mu1[i,19]<-mu.y1[19]+xi1[i,4]
        mu1[i,20]<-mu.y1[20]+lam[15]*xi1[i,4]
        mu1[i,21]<-mu.y1[21]+lam[16]*xi1[i,4]
        mu1[i,22]<-mu.y1[22]+lam[17]*xi1[i,4]
        mu1[i,23]<-mu.y1[23]+lam[18]*xi1[i,4]
        mu1[i,24]<-mu.y1[24]+lam[19]*xi1[i,4]
        mu1[i,25]<-mu.y1[25]+lam[20]*xi1[i,4]
        mu1[i,26]<-mu.y1[26]+lam[21]*xi1[i,4]

        #structural equation model
        xi1[i,1:4]~dmnorm(zero4[1:4],phi1[1:4,1:4])
        eta1[i]~dnorm(nu1[i],psd1)
        nu1[i]<-gam1[1]*xi1[i,1]+gam1[2]*xi1[i,2]+gam1[3]*xi1[i,3]+gam1[4]*xi1[i,4]
    }# end of i
```

```
#Group two
for(i in 1:N2){
    #measurement equation model
    for(j in 1:P){y2[i,j]~dnorm(mu2[i,j],psi2[j])I(thd[j,z2[i,j]],thd[j,z2[i,j]+1])}
    mu2[i,1]<-mu.y2[1]+eta2[i]
    mu2[i,2]<-mu.y2[2]+lam[1]*eta2[i]
    mu2[i,3]<-mu.y2[3]+xi2[i,1]
    mu2[i,4]<-mu.y2[4]+lam[2]*xi2[i,1]
    mu2[i,5]<-mu.y2[5]+lam[3]*xi2[i,1]
    mu2[i,6]<-mu.y2[6]+lam[4]*xi2[i,1]
    mu2[i,7]<-mu.y2[7]+lam[5]*xi2[i,1]
    mu2[i,8]<-mu.y2[8]+lam[6]*xi2[i,1]
    mu2[i,9]<-mu.y2[9]+lam[7]*xi2[i,1]
    mu2[i,10]<-mu.y2[10]+xi2[i,2]
    mu2[i,11]<-mu.y2[11]+lam[8]*xi2[i,2]
    mu2[i,12]<-mu.y2[12]+lam[9]*xi2[i,2]
    mu2[i,13]<-mu.y2[13]+lam[10]*xi2[i,2]
    mu2[i,14]<-mu.y2[14]+lam[11]*xi2[i,2]
    mu2[i,15]<-mu.y2[15]+lam[12]*xi2[i,2]
    mu2[i,16]<-mu.y2[16]+xi2[i,3]
    mu2[i,17]<-mu.y2[17]+lam[13]*xi2[i,3]
    mu2[i,18]<-mu.y2[18]+lam[14]*xi2[i,3]
    mu2[i,19]<-mu.y2[19]+xi2[i,4]
    mu2[i,20]<-mu.y2[20]+lam[15]*xi2[i,4]
    mu2[i,21]<-mu.y2[21]+lam[16]*xi2[i,4]
    mu2[i,22]<-mu.y2[22]+lam[17]*xi2[i,4]
    mu2[i,23]<-mu.y2[23]+lam[18]*xi2[i,4]
    mu2[i,24]<-mu.y2[24]+lam[19]*xi2[i,4]
    mu2[i,25]<-mu.y2[25]+lam[20]*xi2[i,4]
    mu2[i,26]<-mu.y2[26]+lam[21]*xi2[i,4]

    #structural equation model
    xi2[i,1:4]~dmnorm(zero4[1:4],phi2[1:4,1:4])
    eta2[i]~dnorm(nu2[i],psd2)
    nu2[i]<-gam2[1]*xi2[i,1]+gam2[2]*xi2[i,2]+gam2[3]*xi2[i,3]+gam2[4]*xi2[i,4]
}# end of i

for(i in 1:4){zero4[i]<-0.0}


#priors on loadings and coefficients
for(i in 1:26){mu.y1[i]~dnorm(0.0,4.0)}
for(i in 1:21){lam[i]~dnorm(0.8,4.0)}
for(i in 1:4){gam1[i]~dnorm(0.6,4.0)}
for(i in 1:26){mu.y2[i]~dnorm(0.0,4.0)}
for(i in 1:4){gam2[i]~dnorm(0.6,4.0)}

#priors on precisions
for(j in 1:P){
    psi1[j]~dgamma(10,8)
    sgm1[j]<-1/psi1[j]
}
psd1~dgamma(10,8)
sgd1<-1/psd1
phi1[1:4,1:4]~dwish(R[1:4,1:4], 30)
phx1[1:4,1:4]<-inverse(phi1[1:4,1:4])
```

```
    for(j in 1:P){
        psi2[j]~dgamma(10,8)
        sgm2[j]<-1/psi2[j]
    }
    psd2~dgamma(10,8)
    sgd2<-1/psd2
    phi2[1:4,1:4]~dwish(R[1:4,1:4], 30)
    phx2[1:4,1:4]<-inverse(phi2[1:4,1:4])

} #end of model
```

Data Set

```
list(N1=338, N2=247, P=26,
   R=structure(
      .Data=c(8.0, 0.0, 0.0, 0.0,
              0.0, 8.0, 0.0, 0.0,
              0.0, 0.0, 8.0, 0.0,
              0.0, 0.0, 0.0, 8.0),
      .Dim=c(4,4)),
   thd=structure(
        .Data=c(-200.000,-2.517,-1.245,-0.444, 0.848,200.000,
-200.000,-1.447,-0.420, 0.119, 1.245,200.000,
-200.000,-1.671,-0.869,-0.194, 0.679,200.000,
-200.000,-1.642,-0.869,-0.293, 0.332,200.000,
-200.000,-1.671,-0.827, 0.052, 0.756,200.000,
-200.000,-1.769,-1.098,-0.469, 0.255,200.000,
-200.000,-1.490,-0.670,-0.082, 0.880,200.000,
-200.000,-1.933,-0.880,-0.317, 1.008,200.000,
-200.000,-1.587,-0.624, 0.000, 1.008,200.000,
-200.000,-1.983,-1.348,-0.348, 1.045,200.000,
-200.000,-1.983,-1.229,-0.247, 0.869,200.000,
-200.000,-2.262,-1.426, 0.037, 1.330,200.000,
-200.000,-2.371,-1.295,-0.224, 0.651,200.000,
-200.000,-2.039,-1.112,-0.149, 1.169,200.000,
-200.000,-2.262,-1.198,-0.309, 1.198,200.000,
-200.000,-2.176,-1.537,-0.717, 0.597,200.000,
-200.000,-1.447,-0.786, 0.119, 1.008,200.000,
-200.000,-2.039,-1.769,-0.661, 0.642,200.000,
-200.000,-2.262,-1.468, 0.015, 1.214,200.000,
-200.000,-2.039,-1.406, 0.000, 1.140,200.000,
-200.000,-1.702,-1.058, 0.149, 0.902,200.000,
-200.000,-2.262,-1.426,-0.309, 0.971,200.000,
-200.000,-1.702,-0.615, 0.179, 1.229,200.000,
-200.000,-2.262,-1.671,-1.033, 0.420,200.000,
-200.000,-2.262,-1.468,-0.689, 1.045,200.000,
-200.000,-2.176,-1.537,-0.880, 0.661,200.000),
      .Dim=c(26,6)),
   z1=structure(
       .Data=c(paste YO1.dat here),
       .Dim=c(338,26)),
   z2=structure(
       .Data=c(paste YO2.dat here),
       .Dim=c(247,26)))
```

Init 1

```
list(
    mu.y1=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0, 0.0,0.0,0.0,0.0,0.0,0.0),
    lam=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0),
    psi1=c(1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0,
1.0, 1.0, 1.0, 1.0, 1.0, 1.0),
    psd1=1.0,
    gam1=c(1.0, 1.0, 1.0, 1.0),
    phi1=structure(
        .Data=c(1.0, 0.0, 0.0, 0.0,
                0.0, 1.0, 0.0, 0.0,
                0.0, 0.0, 1.0, 0.0,
                0.0, 0.0, 0.0, 1.0),
        .Dim=c(4,4)),
    mu.y2=c(0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0,
0.0, 0.0,0.0,0.0,0.0,0.0,0.0),
    psi2=c(1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0, 1.0,
1.0, 1.0, 1.0, 1.0, 1.0, 1.0),
    psd2=1.0,
    gam2=c(1.0, 1.0, 1.0, 1.0),
    phi2=structure(
        .Data=c(1.0, 0.0, 0.0, 0.0,
                0.0, 1.0, 0.0, 0.0,
                0.0, 0.0, 1.0, 0.0,
                0.0, 0.0, 0.0, 1.0),
        .Dim=c(4,4)),
    xi1=structure(
        .Data=c(paste XI1.dat here),
        .Dim=c(338,4)),
    xi2=structure(
        .Data=c(paste XI2.dat here),
        .Dim=c(247,4)))
```

Init 2

```
list(
    mu.y1=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5,0.5,0.5,0.5,0.5,0.5),
    lam=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5),
    psi1=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5, 0.5, 0.5, 0.5, 0.5),
    psd1=0.6,
    gam1=c(0.0, 0.0, 0.0, 0.0),
    phi1=structure(
        .Data=c(0.5, 0.0, 0.0, 0.0,
                0.0, 0.5, 0.0, 0.0,
                0.0, 0.0, 0.5, 0.0,
                0.0, 0.0, 0.0, 0.5),
        .Dim=c(4,4)),
    mu.y2=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5,0.5,0.5,0.5,0.5,0.5),
```

```
  psi2=c(0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.5,
0.5, 0.5, 0.5, 0.5, 0.5, 0.5),
  psd2=0.6,
  gam2=c(0.0, 0.0, 0.0, 0.0),
  phi2=structure(
    .Data=c(0.5, 0.0, 0.0, 0.0,
            0.0, 0.5, 0.0, 0.0,
            0.0, 0.0, 0.5, 0.0,
            0.0, 0.0, 0.0, 0.5),
    .Dim=c(4,4)),
  xi1=structure(
    .Data=c(paste XI1.dat here),
    .Dim=c(338,4)),
  xi2=structure(
    .Data=c(paste XI2.dat here),
    .Dim=c(247,4)))
```