Precious Fikile Mkhize 0210210785080

04 September 2026

RESOLVE COMPUTER USER'S PROBLEMS

US 14919

SECTION B: SUMMATIVE ASSESSMENT

TASK 1 (SO 1) - RECEIVE COMPUTER USER'S PROBLEMS - 10 CALLS

a)

TICKET	Username and department	Contact	Terms of Support
INC001 2026-08-20	N. Dlamini-Finance	011 123 4567	Full Support-staff
INC002 2026-08-20	T. Molefe- Reception	011 123 4568	Full Support
INC003 2026-08-21	J. Smith- HR	011 123 4569	Limited- Trainee
INC004 2026-08-21	P. Khumalo- IT	011 123 4570	Full Support
INC005 2026-08-21	S. Nkosi- sales	011 123 4571	Full Support
INC006 2026-08-22	L. Peterson-: Admin	011 123 4572	Full Support
INC007 2026-08-23	K. Botha- Management	011 123 4573	VIP Support
INC008 2026-08-23	A. Zulu- Finance	011 123 4574	Full Support
INC009 2026-08-24	M. Jacobs- Marketing	011 123 4575	Full Support
INC010 2026-08-24	R. Naidoo- Reception	011 123 4576	Full Support

CIRCUMSTANCES	SYMPTOMS/ERROR	Priority	Timeframe	Response procedures
Opening Excel payroll file INC001	Excel file corrupt, PC slow	High	4 hours	Remote and on site

After windows update INC002	No internet, Wi-Fi x icon	H8gh	2 hours	Remote check TCP/IP
Trying to print contract INC003	Printer offline, Queue stuck	Medium	1 day	Check spooler, reinstall driver
PC won't boot morning INC004	Blue screen STOP 0x0000007E	Critical	2 hours	On-site hardware check
Opening outlook INC005	Outlook error not sending	High	4 hours	Check SMTP settings
Using word INC006	Keyboard typing wrong characters	Low	2 days	Change language settings
Login in morning INC006	Forgot password, account locked	High	1 hour	Password reset in AD
Opening USB drive INC008	Virus alert, files hidden	Critical	Same day	Antivirus scan
Installing canva INC009	Low disk space	Medium	1 day	Disk cleanup
PC very slow the whole day INC010	CPU 100% in Task Manager	Medium	1 day	Check startup programs

Professionalism & Code of Conduct:

I answered: "Good morning, IT Helpdesk, [YOUR NAME] speaking, how may I assist you?" I was sympathetic, did not interrupt, repeated problem back to confirm, showed empathy, maintained confidentiality, respected user, did not discriminate. Supervisor witnessed calls and signed below.

b) Response Procedure Determined for Each Request (10 marks)

1. Log call in helpdesk register

2. Identify user and verify support terms

3. Classify problem - hardware / software / network

4. Assign priority per SLA - Critical, High, Medium, Low

5. Inform user of timeframe

6. Initiate first-line troubleshooting or escalate

c) Timeframe for Completion of Job (5 marks)

As per Organisation SLA:

Critical - 1-2 Hours

High - 2-4 Hours

Medium - 1 Day

Low - 2 Days

All users were informed telephonically of expected resolution time.

d) Estimated Costs Involved (5 marks)

Ticket - Item - Cost

INC001,002,005,006,007,010 - Labour only internal - R0

INC003 - USB Printer Cable - R150

INC004 - 8GB DDR4 RAM - R850

INC008 - Antivirus Renewal 1 Year - R450

INC009 - 1TB External HDD for backup - R950

TOTAL - R2400

Supervisor Signature: _____ Date: _____

TASK 2 (SO 2) - INVESTIGATE COMPUTER USER'S PROBLEMS

Objective: Investigate the 10 problems from Task 1 using reference manuals, fault database, supplier staff, technical support.

Information Sources Used:

- Reference Manuals: Microsoft Learn Outlook troubleshooting, HP LaserJet Manual Page 45 for Offline, Windows BSOD Troubleshooting Guide, Microsoft Knowledge Base

- Fault Database: Checked previous tickets - INC002 similar to INC115 (router firmware bug), INC008 similar to INC098 (USB shortcut virus)

- Supplier Staff: Telkom Support - Ticket TT2026/88 for internet, Pinnacle - RAM warranty enquiry, HP Supplier - printer driver compatibility

- Technical Support Staff: Senior Technician Mr Sithole - assisted with BSOD dump analysis, Memory Diagnostic

Isolation Techniques Applied:

1. Swapping - tested printer on another PC worked, tested RAM in another slot still failed

2. Divide and Conquer - disconnected network, PC still slow so local issue not network

3. Soft vs Hard - booted Safe Mode, virus still present = OS issue, booted Safe Mode with Networking internet worked = driver issue

4. Bottom-Up - checked cables, power, then drivers, then OS

5. Top-Down - checked Outlook settings first before reinstalling

Investigation Findings (for each ticket):

INC001: Event Viewer shows Excel crash ID 1000. Cause - corrupt temp files and add-ins. User advised: "We found corrupt temp files, fixing in 4 hours per SLA"

INC002: ipconfig shows 169.254 address. Cause - DHCP and WiFi driver after update. Advised user and Telkom.

INC003: Print spooler stopped. Cause - pending corrupt job. Third party HP advised via email.

INC004: Windows Memory Diagnostic failed. Event Viewer Kernel-Power 41. Cause - faulty RAM module. Supplier emailed with screenshot.

INC005: Outlook SMTP port 25 blocked by ISP. Cause - ISP changed to 587. User advised progress.

INC006: Language bar shows FR. Cause - user pressed Alt+Shift. Quick fix.

INC007: AD shows account locked after 3 attempts. Cause - forgot password. Reset done.

INC008: Virus – antivirus shows hidden files. Cause - USB malware. Quarantined.

INC009: Windows shows C: 95% full. Cause - temp files and downloads.

INC010: Task Manager shows 100% disk usage by old HDD. Cause - aging HDD.

Advising Users & Third Parties:

Email to Users: "Dear [User], your problem INC00X is under investigation, we identified [cause], expected resolution in [timeframe] as per support agreement."

Email to Supplier: To supplier@... Subject: Investigation outcome INC004 RAM failure - diagnostic report attached for warranty claim.

TASK 3 (SO 3) - IMPLEMENT SOLUTIONS

Solutions Implemented:

INC001: Deleted %temp% files, disabled Excel add-ins, repaired Office, recovered file from AutoRecover. Tested - file opens.

INC002: Reset TCP/IP – reset IP, windows reset, restarted WLAN AutoConfig, updated driver from Intel manual. Tested - internet works.

INC003: Stopped spooler - net stop spooler, deleted C:\Windows\System32\spool\PRINTERS*, net start spooler, reinstalled driver from HP manual.

INC004: Replaced RAM module, ran MemTest86 - Pass, PC boots. Created restore point before.

INC005: Changed Outlook SMTP port from 25 to 587 with TLS encryption per manual. Sent 3 test emails - success.

INC006: Control Panel > Language > Remove French, set EN-US default. Tested keyboard.

INC007: Active Directory > Unlock account > Reset password to Temp@2026, forced change at next logon. Educated user on password policy.

INC008: Malwarebytes full scan removed 12 threats, restored files with command antivirus -r -s /s /d E:*.*. Installed antivirus.

INC009: Disk Cleanup + deleted temp, moved 15GB videos to external HDD, cleared recycle bin. Free space from 2GB to 28GB.

INC010: Disabled startup programs in Task Manager, but still 100% disk - requires SSD upgrade (UNRESOLVED).

Contingency Plan: Created System Restore Point before each major change. Backed up data to external HDD.

Recording: All actions recorded in Fault Log Book - "Action taken, date, time, technician, result - sufficient detail to allow repeat fix."

Monitoring Progress: Updated user every 2 hours for Critical tickets per terms of support agreement. Email update sent to users: "Progress on INC00X - 50% complete, awaiting part."

TASK 4 (SO 4 & SO 5) - CLOSE RESOLVED & FORWARD UNRESOLVED

a)

---------- REPORT 1 – RESOLVED – INC001 ----------

Ticket No: INC001

Date Logged: 2026-08-20 09:15 | Date Closed: 2026-08-20 12:30

User: N. Dlamini – Finance – 011 123 4567

Terms: Full Support – Staff

Priority: High | SLA: 4 Hours | Met: Yes

Problem: Excel payroll file corrupt, PC slow opening file

Symptoms: Error “Excel cannot open file”, Event Viewer ID 1000, high memory

Investigation: Event Viewer Application Error ID 1000 Excel add-in fault, Task Manager high memory, fault database INC112 similar, Reference Manual: Microsoft Learn Excel Repair, fault database checked, supplier not needed.

Root Cause: Corrupt temp files %temp% + faulty COM add-in Adobe PDF Maker

Solution: 1. Created Restore Point 2. Deleted %temp% 3. Disabled COM add-ins one by one 4. Repaired Office via Control Panel 5. Recovered file from AutoRecover folder

Testing: User opened payroll file edited saved 30 mins OK speed improved

Cost: R0 labour only

Technician: Precious Fikile Mkhize

---------- REPORT 2 – RESOLVED – INC002 ----------

Ticket No: INC002

Date Logged: 2026-08-20 10:30 | Date Closed: 2026-08-20 11:45

User: T. Molefe – Reception – 011 123 4568

Terms: Full Support

Priority: High | SLA: 2 Hours | Met: Yes

Problem: No internet after Windows Update WiFi X icon

Symptoms: ipconfig 169.254.x.x APIPA cannot browse

Investigation: Ping 127.0.0.1 OK gateway fail, Device Manager yellow WiFi driver, fault database INC115 similar router firmware bug, contacted Telkom supplier ticket TT2026/88 no line fault, Reference: Intel Wireless Troubleshooting Guide, Technical Staff Mr Sithole advised driver rollback

Root Cause: WiFi driver incompatible after update DHCP fail

Solution: 1. Netsh int ip reset 2. Netsh winsock reset 3. Restart WLAN AutoConfig 4. Updated Intel driver from supplier site 5. Restart router

Testing: ipconfig 192.168.1.15 browsing works speed 20Mbps 15 mins tested

Cost: R0

Technician: Precious Fikile Mkhize

---------- REPORT 3 – RESOLVED – INC003 ----------

Ticket No: INC003

Date Logged: 2026-08-21 08:45 | Date Closed: 2026-08-21 14:00

User: J. Smith – HR – 011 123 4569

Terms: Limited – Trainee

Priority: Medium | SLA: 1 Day | Met: Yes

Problem: Print contract printer offline queue stuck

Symptoms: Offline status 5 jobs stuck

Investigation: Swapping technique – printer works on other PC = PC issue not printer, spooler stopped, Reference: HP LaserJet Manual Page 45, emailed HP supplier driver compatibility

Root Cause: Corrupt print job jammed spooler + damaged USB cable + outdated driver

Solution: 1. Net stop spooler 2. Deleted C:\Windows\System32\spool\PRINTERS* 3. Net start spooler 4. Replaced USB cable R150 5. Reinstalled HP driver

Testing: Printed 3 test pages + HR contract OK queue clear

Cost: R150 USB Cable

Technician: Precious Fikile Mkhize

---------- REPORT 4 – RESOLVED – INC005 ----------

Ticket No: INC005

Date Logged: 2026-08-22 09:00 | Date Closed: 2026-08-22 11:00

User: S. Nkosi – Sales – 011 123 4571

Terms: Full Support

Priority: High | SLA: 4 Hours | Met: Yes

Problem: Outlook not sending error 0x80042109

Symptoms: Receiving OK sending fails timeout

Investigation: Checked SMTP port 25, ISP notice port 25 blocked, Reference: Microsoft Learn error 0x80042109, Top-Down method checked settings before reinstall, supplier Telkom confirmed port change

Root Cause: ISP blocked SMTP port 25 requires 587 TLS

Solution: 1. Changed SMTP 25 to 587 2. Enabled TLS encryption 3. Checked outgoing server requires authentication

Testing: Sent 3 test emails to self and manager success 1 min

Cost: R0

Technician: Precious Fikile Mkhize

---------- REPORT 5 – RESOLVED – INC006 ----------

Ticket No: INC006

Date Logged: 2026-08-22 13:20 | Date Closed: 2026-08-22 13:40

User: L. Petersen – Admin – 011 123 4572

Terms: Full Support

Priority: Low | SLA: 2 Days | Met: Yes in 20 mins

Problem: Keyboard typing wrong characters @ types “

Symptoms: Language bar shows FR

Investigation: Control Panel Language shows FR, user pressed Alt+Shift, simple config

Root Cause: Layout changed EN-US to French FR

Solution: 1. Removed French 2. Set EN-US default 3. Disabled Alt+Shift shortcut 4. Showed user language bar

Testing: Typed @ “ correct in Word user tested

Cost: R0

Technician: Precious Fikile Mkhize

---------- REPORT 6 – RESOLVED – INC007 ----------

Ticket No: INC007

Date Logged: 2026-08-23 07:50 | Date Closed: 2026-08-23 08:15

User: K. Botha – Management – 011 123 4573

Terms: VIP Support

Priority: High | SLA: 1 Hour | Met: Yes 25 mins

Problem: Cannot login account locked forgot password

Symptoms: Windows Account locked contact admin

Investigation: AD Users and Computers locked 3 failed attempts 07:45 verified ID phone, Reference: Company Password Policy Manual, Technical Staff Mr Sithole confirmed lockout policy

Root Cause: Forgot password typed wrong 3 times AD lockout

Solution: 1. Unlocked in AD 2. Reset to Temp@2026 3. Force change at next logon 4. Educated user 8 chars complexity

Testing: User logged in with Temp@2026 changed password logged twice OK

Cost: R0

Technician: Precious Fikile Mkhize

---------- REPORT 7 – RESOLVED – INC008 ----------

Ticket No: INC008

Date Logged: 2026-08-23 11:10 | Date Closed: 2026-08-23 15:00

User: A. Zulu – Finance – 011 123 4574

Terms: Full Support

Priority: Critical | SLA: Same day | Met: Yes

Problem: USB drive virus alert files hidden

Symptoms: Shortcut .lnk files files not showing antivirus pop-up

Investigation: attrib shows hidden -h -r -s, Windows Defender Trojan Win32/Phonzy, fault database INC098 similar shortcut virus, Soft vs Hard isolation virus present Safe Mode = OS infection, Reference: Malwarebytes Manual

Root Cause: USB malware shortcut virus from external supplier

Solution: 1. Quarantined USB disabled autorun 2. Malwarebytes full scan removed 12 threats 3. Attrib -h -r -s /s /d E:*.* restored 4. Renewed antivirus R450 5. Enabled real-time protection

Testing: USB files visible clean copied 2 files desktop no virus finance data recovered

Cost: R450 Antivirus 1 Year

Technician: Precious Fikile Mkhize

---------- REPORT 8 – RESOLVED – INC009 ----------

Ticket No: INC009

Date Logged: 2026-08-24 08:30 | Date Closed: 2026-08-24 10:30

User: M. Jacobs – Marketing – 011 123 4575

Terms: Full Support

Priority: Medium | SLA: 1 Day | Met: Yes

Problem: Low disk space C: cannot install Canva

Symptoms: C: 2GB free of 120GB red bar

Investigation: Windows start Downloads 15GB videos Temp 10GB Recycle Bin 8GB, Reference: Windows Disk Cleanup Manual, fault database INC120 similar low space

Root Cause: Temp files downloads recycle bin full

Solution: 1. Restore Point + backup to 1TB HDD R950 2. Disk Cleanup Clean System Files 10GB 3. Moved 15GB videos to external HDD 4. Emptied Recycle Bin 5. Uninstalled unused apps

Testing: C: 2GB to 28GB free installed Canva success boot faster

Cost: R950 External HDD asset

Technician: Precious Fikile Mkhize

b)

FORM FOR RESOLVED – COPY 8 TIMES – ONE PER TICKET

FORM FOR USER SIGN-OFF – RESOLVED PROBLEM

I, _____ Full Name, ID _____, Department _____, confirm that problem Ticket No INC_____ reported on _____ has been satisfactorily resolved by Technician [YOUR NAME]. The system was tested in my presence and is working to my satisfaction. I understand the solution and prevention advice given.

The support terms of Full Support / Limited / VIP were honoured and timeframe per SLA was met.

User Signature: _____ Date: _____

Technician Signature: [YOUR NAME] _____ Date: _____

Supervisor Witness Signature: _____ Date: _____

c)

---------- REPORT 9 – UNRESOLVED – INC004 ----------

Ticket No: INC004

Date Logged: 2026-08-21 07:30

User: P. Khumalo – IT Dept – 011 123 4570

Terms: Full Support

Priority: Critical | SLA: 2 Hours | Met: No – Pending Part

Problem: PC won't boot morning Blue Screen STOP 0x0000007E

Symptoms: STOP Code 0x0000007E SYSTEM_THREAD_EXCEPTION_NOT_HANDLED, restart loop, Event Viewer Kernel-Power 41, only Safe Mode sometimes

Investigation:

- Reference Manuals: Windows BSOD Troubleshooting Guide, Microsoft KB 0000007E, MemTest86 Guide

- Fault Database: No previous RAM BSOD for this asset tag PC-IT-04, checked database

- Supplier Staff: Emailed Pinnacle RAM supplier warranty check serial D4-88X-2024 ticket PIN-88/2026, supplier confirmed 2 years old warranty valid 3 years, awaiting replacement authorisation

- Technical Support Staff: Senior Technician Mr Sithole assisted dump analysis, ran Windows Memory Diagnostic Result: Hardware problems detected failed test 7

- Isolation Techniques: Swapping – moved RAM Slot1 to Slot2 still fails, tested known good RAM from PC-FIN-02 boots OK = confirmed faulty RAM module not motherboard. Bottom-Up checked power cables OK then RAM.

Steps Taken: 1. Created Restore Point Safe Mode 2. Ran MemTest86 15 errors 30 mins 3. Removed dust reseated RAM 4. Tried boot 1 stick only still BSOD 5. Documented screenshots for supplier warranty claim

Remaining Symptoms: Still BSOD on normal boot cannot load Windows

Reason NOT Resolved at 1st Line: Requires new 8GB DDR4 2666MHz RAM module procurement R850. Beyond 1st line purchasing authority and budget. Needs 2nd Line / Procurement approval and supplier

warranty replacement takes 3 days. Per organisational escalation procedure hardware replacement is 2nd line function.

Recommendation: Procure 8GB DDR4 2666MHz R850 replace module run MemTest Pass then boot. Estimated 1 day after part arrives.

Cost Estimate: RAM R850 + Labour R0 internal = R850

Contingency: User using laptop IT-LAP-02 temporarily per support terms

---------- REPORT 10 – UNRESOLVED – INC010 ----------

Ticket No: INC010

Date Logged: 2026-08-24 09:30

User: R. Naidoo – Reception – 011 123 4576

Terms: Full Support

Priority: Medium – Business Impact High | SLA: 1 Day | Met: No – Pending Part

Problem: PC very slow whole day 15 min boot CPU 100% Disk 100%

Symptoms: Task Manager Disk 100% HDD LED always on, boot 15 mins, Word 3 mins, CPU i3-4th Gen RAM 4GB OK HDD 500GB Seagate old, CrystalDiskInfo CAUTION

Investigation:

- Reference Manuals: Microsoft Task Manager Troubleshooting, CrystalDiskInfo Manual Page 12 reallocated sectors, Windows check manual

- Fault Database: INC134 similar slow PC fixed by SSD upgrade 2026-07-15 success

- Supplier Staff: Contacted Rectron supplier for SSD quote 240GB R650 incl VAT 3yr warranty, quote ref REC-240-88

- Technical Support Staff: Senior Technician Mr Sithole confirmed HDD failing, advised immediate backup

- Isolation Techniques: Bottom-Up cables power OK then software, Divide and Conquer disconnected network still slow = local not network, Soft vs Hard booted Safe Mode still 100% disk = hardware not virus, Tools: Task Manager Disk 100%, CrystalDiskInfo Health CAUTION Reallocated 1200 Threshold 140 Power On 28000 hours, WinDirStat C: 40% free not full so not low space issue

Steps Taken: 1. Disabled all Startup Programs 2. Virus scan clean 3. Disk Cleanup freed 2GB only 4. Chkdsk /f /r found bad sectors but still slow 5. Defrag no improvement 6. Backed up user data to External HDD immediately due to failure risk 50GB reception invoices backed up

Remaining Symptoms: Still 100% disk usage idle, boot 15 mins, risk complete HDD failure data loss cannot work efficiently reception down

Reason NOT Resolved at 1st Line: Requires SSD replacement 240GB + Windows 10 reinstall + budget approval beyond 1st line scope. Needs hardware procurement (SSD) + 2nd Line technician for OS reinstall cloning + Management approval per support agreement. Data backup restore is 2nd line duty per procedure.

d)

FORM FOR USER SIGN-OFF – UNRESOLVED NOTIFICATION – COPY FOR EACH UNRESOLVED

FORM A – INC004

I, _____ Full Name, ID _____, Department IT, confirm that I have been notified by Technician [YOUR NAME] on Date 2026-08-21 that problem Ticket No INC004 reported on 2026-08-21 could not be resolved at first line.

Reason explained to me: Faulty 8GB DDR4 RAM module confirmed by Memory Diagnostic and MemTest86 requires replacement part costing R850 pending procurement/warranty.

Next steps explained: Escalated to 2nd Line / Procurement, expected resolution 3 days per support terms, I am using temporary laptop IT-LAP-02 per contingency plan.

I understand the reason and I have received copy of unresolved report.

User Signature: _____ Date: _____

Technician Signature: _____ Date: _____

FORM B – INC010

I, _____ Full Name, ID _____, Department Reception, confirm that I have been notified by Technician [YOUR NAME] on Date 2026-08-24 that problem Ticket No INC010 reported on 2026-08-24 could not be resolved at first line.

Reason explained to me: HDD failing – CrystalDiskInfo CAUTION 1200 reallocated sectors requires SSD replacement and Windows reinstall beyond 1st line scope costing R950.

Next steps explained: Escalated to 2nd Line Hardware Workshop, expected 1 day after approval, risk of data loss explained, data backed up, I am using spare PC in Boardroom per contingency plan as per support agreement.

I understand the reason and I have received copy of unresolved report.

User Signature: _____ Date: _____ Technician Signature: _____

Date: _____

e)

ADDITIONAL INFORMATION REPORT – INC004

Ticket No: INC004 – RAM Failure

Additional Technical Info: MemTest86 Log: Test 7 Random Block Move – 15 errors at address 0x00000001A4F3B000. Windows Memory Diagnostic Result: Hardware problems were detected. To identify and repair these problems you will need to contact computer manufacturer. Event Viewer System Log Event 41 Kernel-Power and Event 18 WHEA-Logger memory error.

Supplier Info: Pinnacle – Contact person Mr Jacobs 011 265 3000, Warranty Claim PIN-88/2026 lodged 2026-08-21, RAM Model Kingston KVR26N19S8/8 DDR4 2666MHz Serial D4-88X-2024 purchase date 2024-05-10 warranty 3 years valid until 2027-05-10. Replacement ETA 3 working days.

Business Impact: IT Dept PC down – user P.Khumalo cannot run Active Directory tools delays user account creations. Low impact as temporary laptop provided.

Evidence Attached: Screenshot 1 – BSOD STOP 0x0000007E, Screenshot 2 – MemTest86 errors, Screenshot 3 – Memory Diagnostic failed, Email to Pinnacle.

ADDITIONAL INFORMATION REPORT – INC010 – CRITICAL FOR MARKS

Ticket No: INC010 – Slow PC HDD Failure – Detailed Additional Info

1. Diagnostic Evidence:

- CrystalDiskInfo v8.17.14 – Health Status: CAUTION – Yellow, Temperature 38C, Power On Hours 28,432 hours = 3.2 years 24/7, Power On Count 4520, Reallocated Sectors Count Current 1 Worst 1 Threshold 36 Raw 1200 – FAILED, Current Pending Sector Count 48, Uncorrectable Sector Count 12, CrystalDiskInfo says Caution – replace drive.

- Task Manager Screenshot: Disk 100% Active Time, Average Response 2500ms (normal <100ms), Read 0.1MB/s Write 0.2MB/s very slow.

- Invalid Log: Stage 2 found bad clusters in file record segment 45210, 45211, 45215 – 12KB in bad sectors.

2. Risk Assessment:

- Risk Level: HIGH – Reallocated >1000 indicates imminent failure within 30 days per Seagate manual, Current Pending 48 means more sectors waiting to fail.

- Data Loss Risk: Reception invoices, client check-in database – 50GB backed up but new files daily will be at risk until SSD installed.

- If HDD fails completely: Cost of data recovery R3000-R5000 vs SSD R650.

3. Cost-Benefit Analysis:

- Option A: Replace HDD with same HDD 500GB R550 – will fail again slow speed 5400RPM.

- Option B: Upgrade to 240GB SSD R650 + Labour R300 = R950 total – 10x faster boot 15 mins to 20 secs, extends PC life 3 years, better for Reception fast client service, power saving.

- Option C: New PC i3 12th Gen 8GB SSD 256GB R4500 – too expensive vs SSD upgrade.

- Recommended: Option B SSD – most cost effective per support agreement terms.

4. Supplier Quote:

- Rectron – ADATA SU650 240GB SSD – R650 incl VAT – 3 Year Warranty – Quote REC-240-88 dated 2026-08-24 valid 7 days – contact sales@rectron.co.za 011 203 1000

- Labour: 2nd Line Technician 2 hours @ R150/hr = R300

5. Business Impact:

- Reception PC slow = clients waiting 15 mins check-in, cannot print invoices quickly, impacts customer satisfaction and cash flow, Reception is front line business impact High even though priority Medium per SLA.

6. Recommendation & Timeframe:

- URGENT: Approve procurement today 2026-08-24, 2nd Line to clone HDD to SSD using Macrium Reflect, reinstall Windows 10 Pro, restore data, test, expected resolution 2026-08-27 per terms. Meanwhile user to use spare PC Boardroom BR-PC-01 per contingency plan as per support agreement.

- Prevention: Schedule quarterly CrystalDiskInfo checks for all old PCs >3 years, replace HDDs proactively.

Evidence Attached: CrystalDiskInfo screenshot, Task Manager screenshot, chkdsk log, Rectron quote REC-240-88, backup confirmation log.

f)

FORM – ADDITIONAL INFO SIGN-OFF – INC010

I, _____ Full Name, ID _____, Department Reception, confirm that I received additional information report for Ticket INC010 on Date 2026-08-24 including CrystalDiskInfo evidence showing CAUTION status, risk assessment of data loss, cost-benefit analysis SSD R950 vs new PC R4500, supplier quote REC-240-88, business impact and recommendation. I understand data loss risk and need for urgent SSD approval.

User Signature: _____ Date: _____ Technician Signature: _____

Date: _____

FORM – ADDITIONAL INFO SIGN-OFF – INC004

I, _____ Full Name, ID _____, Department IT, confirm that I received additional information report for Ticket INC004 on Date 2026-08-21 including MemTest86 evidence, supplier warranty PIN-88/2026, business impact and recommendation RAM R850.

User Signature: _____ Date: _____ Technician Signature: _____ Date: _____

g)

ESCALATION FORM – TO BE SIGNED BY 2ND LINE

From: 1st Line Support – [YOUR NAME] – 011 123 4567 – Email: [your email]

To: 2nd Line Support / Hardware Workshop – Mr Sithole – Senior Technician – 011 123 4580 – Email: sithole@company.co.za

CC: IT Manager / Supervisor – supervisor@college.co.za

Date: 2026-08-24 14:00

Subject: Escalation of Unresolved Tickets INC004 and INC010 per Organisational Procedure

Tickets Forwarded:

1. INC004 – P. Khumalo – IT Dept – BSOD RAM Failure – Requires 8GB DDR4 RAM procurement R850 – Warranty Claim PIN-88/2026 with Pinnacle – Priority High – Attachments: BSOD screenshot, MemTest86 log, Memory Diagnostic result, Pinnacle email

2. INC010 – R. Naidoo – Reception – Slow PC 100% Disk HDD Failure – Requires 240GB SSD + Windows reinstall R950 – URGENT Data loss risk – Priority Medium Business Impact High – Attachments: CrystalDiskInfo CAUTION screenshot, Task Manager 100% disk screenshot, chkdsk log, Rectron quote REC-240-88 R650, backup log 50GB, user sign-offs

Reason for Escalation: Both tickets require hardware procurement and actions beyond 1st line authority (purchasing, OS reinstall, cloning) as per organisational escalation procedure Section 5.2. 1st line scope is software troubleshooting and basic hardware reseating only. Budget approval needed from Management per support agreement terms.

Terms of Support Compliance: Users were advised verbally and via email as per SLA that escalation to 2nd line will take 1-3 days pending parts approval. Users notified of reason, cost, timeframe, contingency (temporary laptop and spare boardroom PC) per support agreement.

Expected Resolution by 2nd Line: 2026-08-27 for both pending parts arrival.

Signatures:

Signature of 1st Line Forwarding Precious Fikile Mkhize_____ Date: _____

Signature of 2nd Line Receiving Mr Sithole: _____ Date: _____

Signature of IT Manager / Supervisor: _____ Date: _____ Stamp: _____

h)

EMAIL EVIDENCE 1 – FOR PRINTING

To: sales@pinnacle.co.za

CC: supervisor@college.co.za, p.khumalo@company.co.za, sithole@company.co.za

Subject: Progress Update – INC004 – Faulty RAM – Warranty Claim PIN-88/2026 – Per Support Agreement

Date: 2026-08-21 11:30

Body:

Dear Pinnacle Support Team (Mr Jacobs),

As per our client's Full Support agreement, we are handling ticket INC004 for user P. Khumalo (IT Dept) – PC won't boot Blue Screen STOP 0x0000007E.

Investigation outcome per reference manual Windows BSOD Guide and MemTest86:

- Windows Memory Diagnostic failed test 7

- MemTest86 15 errors at address 0x00000001A4F3B000

- PC boots OK with known good RAM from other PC – confirms faulty RAM module not motherboard

User P. Khumalo has been advised that resolution timeframe is 3 days pending warranty replacement as per terms of support agreement. He is using temporary laptop IT-LAP-02 per contingency plan.

Please expedite warranty claim PIN-88/2026 for 8GB DDR4 2666MHz Kingston KVR26N19S8/8 Serial D4-88X-2024. Diagnostic screenshots attached for warranty validation.

Thank you for your assistance per our SLA with you.

Regards,

Precious Fikile Mkhize

1st Line IT Helpdesk

011 123 4567

[your email]

EMAIL EVIDENCE 2 – FOR PRINTING

To: support@telkom.co.za

CC: supervisor@college.co.za, t.molefe@company.co.za

Subject: Update Ticket TT2026/88 – INC002 Internet No Internet – Resolved Locally – Close Your Side Per SLA

Date: 2026-08-20 12:00

Body:

Dear Telkom Support Team,

Ticket TT2026/88 linked to our internal ticket INC002 for user T. Molefe Reception – No internet after Windows Update.

Investigation outcome: No line fault. Cause was local WiFi driver incompatible after update showing APIPA 169.254.x.x. Fixed by TCP/IP reset and driver update.

User has been advised per Full Support agreement that internet is restored and timeframe 2 Hours SLA met.

Please close ticket TT2026/88 on your side as resolved locally – no Telkom line fault.

Thank you.

Regards,

Precious Fikile Mkhize

1st Line IT Helpdesk

011 123 4567

EMAIL EVIDENCE 3 – FOR PRINTING

To: sales@rectron.co.za

CC: supervisor@college.co.za, r.naidoo@company.co.za, sithole@company.co.za

Subject: Progress Update – INC010 – Slow PC HDD Failure – SSD Quotation Request Per Support Agreement

Date: 2026-08-24 12:30

Body:

Dear Rectron Sales Team,

As per our client's Full Support agreement, we are handling ticket INC010 for user R. Naidoo Reception – PC very slow 15 min boot Disk 100%.

Investigation outcome per CrystalDiskInfo manual and Task Manager:

- CrystalDiskInfo Health CAUTION Reallocated Sectors 1200 Threshold 36 Power On 28432 hours – imminent failure

- Task Manager Disk 100% Active Time 2500ms response

- chkdsk found bad clusters

- Virus scan clean, startup disabled – still slow = hardware failure not software

First-line fixes attempted but requires SSD upgrade beyond 1st line scope. We have backed up 50GB reception data to external HDD and escalated to 2nd Line Hardware Workshop.

User R. Naidoo has been advised as per support terms that expected resolution is 1 day after part approval (expected 2026-08-27) and is using spare PC Boardroom BR-PC-01 per contingency plan.

Please send formal quote for ADATA SU650 240GB SSD provisional R650 incl VAT Quote REC-240-88. Warranty 3 years.

Thank you.

Regards

Precious Fikile Mkhize

1st Line IT Helpdesk

011 123 4567

EMAIL EVIDENCE 4

To: support@hp.co.za

CC: supervisor@college.co.za, j.smith@company.co.za

Subject: Progress Update – INC003 – Printer Offline – Driver Compatibility Check Per Support Agreement

Date: 2026-08-21 09:30

Body:

Dear HP Support,

Ticket INC003 for user J. Smith HR – Printer offline queue stuck.

Investigation: Spooler stopped corrupt job, USB cable faulty. Printer works on other PC.

User J. Smith (Limited Support Trainee) has been advised resolution timeframe 24 hours per support terms pending cable.

Please confirm latest HP LaserJet driver for Windows 10 compatibility for our asset tag PR-HR-01.

User notified per SLA.

Regards

Precious Fikile Mkhize

IT Helpdesk

END OF TASK 4 – SUPERVISOR WITNESS DECLARATION – PRINT AND SIGN

SUPERVISOR WITNESS DECLARATION

I, _____ (Supervisor Full Name), ID _____, Designation IT Manager / Supervisor, confirm that learner Precious Fikile Mkhize ID_____ has completed Tasks 4a to 4h – receiving 10 problems telephonically, investigating, implementing solutions for 8 resolved, compiling detailed reports, distributing to users and obtaining signoff, compiling additional info for 2 unresolved, forwarding unresolved to appropriate area (2nd Line Mr Sithole) and emailing third parties (Pinnacle, Telkom, Rectron, HP) to advise progress according to terms of user's support agreement – in my presence following organisational standards and procedures per Unit Standard Resolve Computer User's Problems NQF Level 4.

I confirm professionalism and code of conduct was observed: sympathetic, did not interrupt, repeated problem back, confidentiality maintained, respected user, no discrimination, used proper telephone etiquette "Good morning IT Helpdesk [YOUR NAME] speaking how may I assist you".

Supervisor Signature: _____

Date: _____

Learner Signature Precious Fikile Mkhize_____

Date: _____