

# My Solutions for “Mathematical Methods of Physics (Second Edition)” by J. Mathews, R. L. Walker

Heewon Lee

October 2, 2024

## 0 Introduction

This document is an archive of my solutions to J. Mathews and R. L. Walker’s “Mathematical Methods of Physics” textbook. None of the solutions have been verified by anyone other than myself, whom I do not consider a reliable source. Hence, it is strongly advised against to use this solution for any application where accuracy matters, especially for assignments and any academic work, not to mention the ethical implications of such actions where it could be considered as cheating. However, I have not yet been able to find any other solutions. Please use this manual as just a suggestion. If you spot any mistakes, please report them to the Github repository.<sup>1</sup>

## 1 Chapter 1

1. We first acknowledge that  $y = 0$  is a solution, so we seek solutions that are not identically zero.


Let  $y = xv$ .

$$\begin{aligned}y' &= v + xv' \Rightarrow x^2(v + xv') + x^2v^2 = x \cdot xv \cdot (v + xv') \\ \Rightarrow v + xv' &= xvv' \Rightarrow \left(1 - \frac{1}{v}\right)dv = \frac{1}{x}dx \Rightarrow v - \ln v = \ln x + C \\ \therefore \frac{y}{x} - \ln y &= C\end{aligned}$$

2.

$$\begin{aligned}\frac{y}{\sqrt{1+y^2}}dy &= \frac{x}{\sqrt{1+x^2}}dx \\ \therefore \sqrt{1+y^2} &= \sqrt{1+x^2} + C\end{aligned}$$

---

<sup>1</sup> <https://github.com/pingpingy1/Mathews-MathPhys-Sol>

3. Let  $v = x + y$ .

$$\begin{aligned} v' = 1 + y' \Rightarrow v' - 1 &= \frac{a^2}{v^2} \Rightarrow \frac{v^2}{a^2 + v^2} dv = dx \\ x + C &= \int dv \left( 1 - \frac{a^2}{a^2 + v^2} \right) = v - a \tan^{-1} \left( \frac{v}{a} \right) = x + y - a \tan^{-1} \left( \frac{x + y}{a} \right) \\ \therefore y - a \tan^{-1} \left( \frac{x + y}{a} \right) &= C \end{aligned}$$

4. We first seek the complementary solutions.

$$y'_c + y_c \cos x = 0 \Rightarrow \frac{dy_c}{y_c} + \cos x dx = 0 \Rightarrow y_c = C e^{-\sin x}$$

For the particular solution, we first observe that  $\frac{1}{2} \sin 2x = \sin x \cos x$ . Thus, we shall try the ansatz  $y_p = \sin x + A$ .

$$\begin{aligned} \cos x + (\sin x + A) \cos x &= \sin x \cos x \Rightarrow A = -1 \\ \therefore y &= C e^{-\sin x} + \cos x - 1 \end{aligned}$$

5.

$$\begin{aligned} (1 + x^2) y' &= xy(y + 1) \Rightarrow \frac{dy}{y(y + 1)} = \frac{x}{1 - x^2} dx \\ \Rightarrow \ln \left( \frac{y}{y + 1} \right) &= -\frac{1}{2} \ln(1 - x^2) + C_1 \\ \Rightarrow \frac{y + 1}{y} &= e^{-C_1} \sqrt{1 - x^2} = C \sqrt{1 - x^2} \\ \therefore y &= \frac{1}{C \sqrt{1 - x^2} - 1} \end{aligned}$$

6. We first take note that the equation is dimension-consistent with  $[y] = [x^{-2}]$ . Thus, we define  $v = x^2 y$  or  $y = \frac{v}{x^2}$ .

$$\begin{aligned} y' &= \frac{v'}{x^2} - \frac{2v}{x^3} \Rightarrow 2xv' - 4v = 1 + \sqrt{1 + 4v} \\ \Rightarrow \frac{v'}{1 + 4v + \sqrt{1 + 4v}} &= \frac{1}{2x} \\ \Rightarrow \left( \frac{1}{\sqrt{1 + 4v}} - \frac{1}{\sqrt{1 + 4v} + 1} \right) dv &= \frac{dx}{2x} \end{aligned}$$

Basic calculus yields  $\int \frac{dv}{\sqrt{1 + 4v} + 1} = \frac{1}{2} (\sqrt{1 + 4v} - \ln(1 + \sqrt{1 + 4v})) + C$ . Hence,

$$\begin{aligned} \frac{1}{2} \sqrt{1 + 4v} - \frac{1}{2} (\sqrt{1 + 4v} - \ln(1 + \sqrt{1 + 4v})) &= \frac{1}{2} \ln x + C_1 \\ \Rightarrow 1 + \sqrt{1 + 4v} &= e^{2C_1} x = Cx \\ \therefore \sqrt{1 + 4x^2 y} &= Cx - 1 \end{aligned}$$

7. Let  $v' := y'$ .

$$v' + v^2 + 1 = 0 \Rightarrow \frac{dv}{v^2 + 1} = -1 \Rightarrow v = \tan(C_1 - x)$$

$$\therefore y = \int dxv = \ln(\cos(C_1 - x)) + C_2$$

8.

$$\begin{aligned} y'y'' = e^y y' &\Rightarrow \int dy' y' = \int dy e^y \Rightarrow \frac{1}{2} y'^2 = e^y + C_1 \\ &\Rightarrow \frac{dy}{\sqrt{e^y + C_1}} = \sqrt{2} dx \end{aligned}$$

Basic calculus yields

$$\begin{aligned} \int \frac{dy}{\sqrt{e^y + C_1}} &= \frac{1}{\sqrt{C_1}} \ln \left( \frac{\sqrt{e^y + C_1} - \sqrt{A}}{\sqrt{e^y + C_1} + \sqrt{C_1}} \right) + A. \\ \therefore \ln \left( \frac{\sqrt{e^y + C_1} - \sqrt{C_1}}{\sqrt{e^y + C_1} + \sqrt{C_1}} \right) &= \sqrt{2C_1} x + C_2 \end{aligned}$$

9. Notice how  $(x(1-x))' = 1 - 2x$ .

$$\begin{aligned} 0 &= x(1-x)y'' + 4y' + 2y \\ &= x(1-x)y'' + (x(1-x))'y' + (2x+3)y' + 2y \\ &= (x(1-x)y')' + ((2x+3)y)' \\ &\Rightarrow x(1-x)y' + (2x+3)y = A \end{aligned}$$

Let us define the integrating factor  $\lambda$ :

$$\begin{aligned} \lambda &= \exp \left( \int dx \frac{2x+3}{x(1-x)} \right) \\ &= \exp \left( \int dx \left( \frac{3}{x} - \frac{5}{x-1} \right) \right) \\ &= \exp(3 \ln x - 5 \ln(x-1)) \\ &= \frac{x^3}{(x-1)^5} \\ &\Rightarrow (\lambda y)' = \frac{A}{x(1-x)} \cdot \lambda = \frac{Ax^2}{(x-1)^6} \\ &\Rightarrow \lambda y = \int dx \frac{Ax^2}{(x-1)^6} \\ &= A \int dx \left( \frac{1}{(x-1)^4} + \frac{2}{(x-1)^5} + \frac{1}{(x-1)^6} \right) \\ &= -A \frac{10x^2 - 5x + 1}{30(x-1)^5} + C_2 \end{aligned}$$

$$\therefore y = C_1 \frac{10x^2 - 5x + 1}{x^3} + C_2 \frac{(1-x)^5}{x^3}$$

10.

$$\frac{dy}{y^2} = \frac{1-x}{x^3} dx \Rightarrow -\frac{1}{y} = -\frac{1}{2x^2} + \frac{1}{x} + A$$

$$\therefore y = \frac{2x^2}{Cx^2 + 2x - 1}$$

11. Recall that the Bernoulli equation takes the form  $\frac{dy}{dx} + p(x)y = q(x)y^n$ . We recognize that this equation is a Bernoulli equation with  $p(x) = \frac{1}{x}$ ,  $q(x) = -x^3e^x$ , and  $n = 4$ . Thus, we make the substitution  $v := y^{-3}$ .

$$v' = -3y^{-4}y' \Rightarrow -\frac{v'}{3} + \frac{v}{x} = -x^3e^x \Rightarrow \frac{v'}{x^3} - \frac{3}{x^4}v = 3e^x$$

$$\Rightarrow \left(\frac{v}{x^3}\right)' = 3e^x \Rightarrow v = x^3(3e^x + C)$$

$$\therefore y = (x^3(3e^x + C))^{-\frac{1}{3}}$$

12. We define the integrating factor  $\lambda$ :

$$\lambda = \exp\left(\int \frac{dx}{1+x^2}\right) = \exp(\tan^{-1} x)$$

$$\Rightarrow (\exp(\tan^{-1} x) y)' = \frac{1}{1+x^2} \cdot \tan^{-1} x \cdot \exp(\tan^{-1} x)$$

$$\Rightarrow \exp(\tan^{-1} x) y = (\tan^{-1} x - 1) \exp(\tan^{-1} x) + C$$

$$\therefore y = C \exp(-\tan^{-1} x) + \tan^{-1} x - 1$$

13. This equation is dimension-consistent with  $[y] = [x^{-1}]$ . Thus, let us define  $v := xy$ .

$$y = \frac{v}{x} \Rightarrow y' = \frac{xv' - v}{x^2}$$

$$\begin{aligned} \Rightarrow 0 &= (xv' - v)^2 - 2(v-4)(xv' - v) + v^2 \\ &= x^2v'^2 - 4(v-2)xv' + 4v(v-2) \end{aligned}$$

$$\Rightarrow v' = \frac{2}{s} (v - 2 \pm \sqrt{4 - 2v})$$

If  $v = 2$ , then we get  $y = \frac{2}{x}$ , which is the particular solution for this equation. To obtain the general solutions, let  $u = 2 - v$ .

$$u' = \frac{2}{x} (u \pm \sqrt{2u})$$

$$\begin{aligned}
&\Rightarrow \frac{du}{u \pm \sqrt{2u}} = \frac{2}{x} dx \\
&\Rightarrow 2 \ln(\sqrt{u} \pm \sqrt{2}) = 2 \ln x + A \\
&\Rightarrow u = (Cx^2 \pm \sqrt{2})^2 = 2 - xy \\
&\therefore y = \frac{2 - (Cx^2 \pm \sqrt{2})^2}{x}
\end{aligned}$$

14.

$$\begin{aligned}
6x &= \frac{y''}{y} - \frac{y'}{y^2} \\
&= \left( \frac{y'}{y} \right)' \\
&\Rightarrow \frac{y'}{y} = 3x^2 + C_1 \\
&\Rightarrow \ln y = x^3 + C_1 x + A \\
&\therefore y = C_2 e^{x^3 + C_1 x}
\end{aligned}$$

15.

$$\begin{aligned}
\frac{1}{x} &= x^3 (yy'' + y'^2) + (x^3)' yy' = (x^3 yy')' \\
&\Rightarrow x^3 yy' = \ln x + A \Rightarrow y dy = \frac{\ln x + A}{x^3}
\end{aligned}$$

Basic calculus yields  $\int dx \frac{\ln x}{x^3} = -\frac{2 \ln x + 1}{4x^2}$ .

$$\begin{aligned}
&\Rightarrow \frac{y^2}{2} = -\frac{2 \ln x + 1}{4x^2} - \frac{A}{2x^2} + B \\
&\therefore y = \pm \sqrt{C_1 - \frac{\ln x + C_2}{x^2}}
\end{aligned}$$

16. This equation is dimension-consistent with  $[y] = [x]$ . Thus, we define  $v := \frac{y}{x}$ .

$$y = xv \Rightarrow y' = xv' + v \Rightarrow y'' = xv'' + 2v' \Rightarrow v'' + \frac{2}{x}v' - \frac{2}{x^2}v = \frac{1}{x^2}$$

First, observe that  $v = -\frac{1}{2}$  is a solution of the equation. As this equation is linear in  $v$ , we thus seek the complementary solutions  $v_c$ . We shall take the ansatz of  $v_c = x^m$ .

$$\begin{aligned}
m(m-1)x^{m-2} + 2mx^{m-2} - 2x^{m-2} &= 0 \Rightarrow m^2 + m - 2 = 0 \\
&\Rightarrow m = 1, -2 \Rightarrow v_c = C_1 x + \frac{C_2}{x^2} \Rightarrow v = C_1 x + \frac{C_2}{x^2} - \frac{1}{2} \\
&\therefore y = C_1 x^2 + \frac{C_2}{x} - \frac{x}{2}
\end{aligned}$$

17. Notice that this equation is linear in  $y$ .

(i) Complementary solutions:

Take  $y_c = e^{mx}$ .

$$\begin{aligned} m^3 - 2m^2 - m + 2 &= 0 \Rightarrow m = \pm 1, 2 \\ \Rightarrow y_c &= C_1 e^{2x} + C_2 e^x + C_3 e^{-x} \end{aligned}$$

(ii) Particular solution:

Suppose  $y_p = A \sin x + B \cos x$ .

$$\begin{aligned} \sin x &= (-A \cos x + B \sin x) - 2(-A \sin x - B \cos x) \\ &\quad - (A \cos x - B \cos x) + 2(A \sin x + B \cos x) \\ &= (4A + 2B) \sin x + (-2A + 4B) \cos x \\ \Rightarrow A &= \frac{1}{5}, B = \frac{1}{10} \\ \therefore y &= \frac{1}{5} \sin x + \frac{1}{10} \cos x + C_1 e^{2x} + C_2 e^x + C_3 e^{-x} \end{aligned}$$

18. Again, this equation is linear in  $y$ .

(i) Complementary solutions:

Take  $y_c = e^{mx}$ .

$$m^3 + 2m^2 + 1 = 0 \Rightarrow m = m_1, m_2, m_3$$

(I refuse to write down the exact solutions of this cubic equation.)

$$\Rightarrow y_c = C_1 e^{m_1 x} + C_2 e^{m_2 x} + C_3 e^{m_3 x}$$

(ii) Particular solution:

Suppose  $y_p = A \sin x + B \cos x$ .

$$\begin{aligned} \sin x &= (-A \cos x + B \sin x) + 2(-A \sin x - B \cos x) + (A \sin x + B \cos x) \\ &= (-A + B) \sin x + (-A - B) \cos x \\ \Rightarrow A &= B = -\frac{1}{2} \\ \therefore y &= -\frac{1}{2} \sin x - \frac{1}{2} \cos x + C_1 e^{m_1 x} + C_2 e^{m_2 x} + C_3 e^{m_3 x} \end{aligned}$$

19. Following the same steps as before, one can easily find the complementary solutions of

$$y_c = C_1 e^{-x} + C_2 e^{-2x}.$$

Thus, we wish to find one particular solution  $y_p$ . Let us try  $y_p = f(x)e^{e^x}$ .

$$y'_p = \left( \frac{f'}{f} + e^x \right) y_p$$

$$\begin{aligned}
\Rightarrow y_p'' &= \left( \frac{f''}{f} - \left( \frac{f'}{f} \right)^2 + e^x \right) y_p + \left( \frac{f'}{f} + e^x \right)^2 y_p \\
&= \left( \frac{f''}{f} + 2e^x \frac{f'}{f} + e^{2x} + e^x \right) y_p \\
\Rightarrow \left( \frac{f''}{f} + (2e^x + 3) \frac{f'}{f} + e^{2x} + 5e^x + 2 \right) f e^{e^x} &= e^{e^x} \\
\Rightarrow f'' + (2e^x + 3)f' + (e^{2x} + 5e^x + 2)f &= 1
\end{aligned}$$

One may use an ansatz of  $f = ae^{-2x} + be^{-x} + c$  to find that  $f = e^{-2x}$  is a possible solution. Thus, we have found a particular solution  $y_p = e^{e^x - 2x}$ .

$$\therefore y = e^{e^x - 2x} + C_1 e^{-x} + C_2 e^{-2x}$$

20.

$$\begin{aligned}
\frac{y''}{(1 + y'^2)^{3/2}} &= \pm \frac{1}{a} \Rightarrow \frac{y'}{\sqrt{1 + y'^2}} = \pm \frac{x + C_1}{a} \\
\Rightarrow y'^2 &= \left( \frac{x + C_1}{a} \right)^2 (1 + y'^2) \Rightarrow y' = \pm \frac{\left( \frac{x + C_1}{a} \right)^2}{\sqrt{1 - \left( \frac{x + C_1}{a} \right)^2}} \\
\therefore y &= \pm \frac{1}{2} \left( a \sin^{-1} \left( \frac{x + C_1}{a} \right) - (x + C_1) \sqrt{1 - \left( \frac{x + C_1}{a} \right)^2} \right) + C_2
\end{aligned}$$

21. The complementary solutions are given by

$$\frac{dq_p}{dt} = -\frac{q_p}{RC} \Rightarrow q_p = A e^{-\frac{t}{RC}}.$$

Suppose a particular solution takes the form  $y_p = (at^3 + bt^2 + ct + d)e^{-\frac{t}{\tau}}$ .

$$\begin{aligned}
\frac{dq_p}{dt} &= \left( -\frac{a}{\tau} t^3 + \left( 3a - \frac{b}{\tau} \right) t^2 + \left( 2b - \frac{c}{\tau} \right) t + \left( c - \frac{d}{\tau} \right) \right) e^{-\frac{t}{\tau}} \\
\Rightarrow \frac{V_0}{RC\tau^2} t^2 e^{-\frac{t}{\tau}} &= \left( \left( \frac{1}{RC} - \frac{1}{\tau} \right) at^3 \right. \\
&\quad + \left( 3a + \left( \frac{1}{RC} - \frac{1}{\tau} \right) b \right) t^2 \\
&\quad + \left( 2b + \left( \frac{1}{RC} - \frac{1}{\tau} \right) c \right) t \\
&\quad \left. + \left( c + \left( \frac{1}{RC} - \frac{1}{\tau} \right) d \right) \right) e^{-\frac{t}{\tau}}
\end{aligned}$$

$$\Rightarrow q_p = \begin{cases} CV_0 \cdot \left( \frac{t^2}{\tau(\tau-RC)} - \frac{RCt}{(\tau-RC)^2} + \frac{\tau(RC)^2}{(\tau-RC)^3} \right) & (\text{if } \tau \neq RC) \\ \frac{1}{3}CV_0 \cdot \left( \frac{t}{\tau} \right)^3 e^{-\frac{t}{\tau}} & (\text{if } \tau = RC) \end{cases}$$

We can then add an appropriate complementary solution so as to satisfy the boundary condition  $q(0) = 0$ .

$$\therefore q = \begin{cases} CV_0 \cdot \frac{t}{\tau-RC} \left( \frac{t}{\tau} - \frac{RC}{\tau-RC} \right) e^{-\frac{t}{\tau}} & (\text{if } \tau \neq RC) \\ \frac{1}{3}CV_0 \cdot \left( \frac{t}{\tau} \right)^3 e^{-\frac{t}{\tau}} & (\text{if } \tau = RC) \end{cases}$$

22.

$$\frac{dN}{N_s - N} = \lambda dt \Rightarrow \int_0^N \frac{dN}{N_s - N} = \lambda \int_0^t dt \Rightarrow -\ln \left| \frac{N_s - N}{N_s} \right| = \lambda t$$

$$\therefore N = N_s (1 - e^{-\lambda t})$$

23. The clever idea here is that we could make a variable change from  $x$  to  $u$ , where we could choose  $u$  so as to make the equation easier to solve.

$$\begin{aligned} 0 &= A \frac{d^2 y}{dx^2} + \frac{dA}{dx} \frac{dy}{dx} + \frac{y}{A} \\ &= A \frac{du}{dx} \frac{d}{du} \left( \frac{du}{dx} \frac{dy}{du} \right) + \frac{dA}{dx} \frac{du}{dx} \frac{dy}{du} + \frac{y}{A} \\ &= A \left( \frac{du}{dx} \right)^2 \frac{d^2 y}{du^2} + \frac{dy}{du} \frac{d}{dx} \left( A \frac{dy}{dx} \right) \end{aligned}$$

Thus, we could define  $\frac{du}{dx} = \frac{1}{A(x)}$  or  $u = \int \frac{dx}{A(x)}$  to obtain

$$\frac{d^2 y}{du^2} = -y \Rightarrow y(u) = C_1 \cos(u + C_2)$$

$$\therefore y(x) = C_1 \cos \left( \int \frac{dx}{A(x)} + C_2 \right)$$

24. Suppose we may write  $y = \lambda v$  where  $\lambda$  and  $v$  are to be determined later.

$$\begin{aligned} y' &= \lambda v' + \lambda' v \Rightarrow y'' = \lambda v'' + 2\lambda' v' + \lambda'' v \\ &\Rightarrow \lambda v'' + 2 \left( \lambda' + \frac{\lambda}{x} \right) v' + \left( \lambda'' + \frac{2\lambda'}{x} + n^2 \lambda \right) v = \frac{\sin \omega x}{x} \end{aligned}$$

We may choose  $\lambda$  so as to make the coefficient of  $v'$  vanish, i.e.,

$$\begin{aligned} \lambda' &= -\frac{\lambda}{x} \Rightarrow \lambda = \frac{1}{x}. \\ &\Rightarrow v'' + n^2 v = \sin \omega x \end{aligned}$$



(i)  $n \neq \omega$ :

The complementary solutions are

$$v_c = C_1 \cos(nx + C_2).$$

Using the ansatz  $v_p = A \sin \omega x$  for a particular solution, one can easily find  $A = \frac{1}{n^2 - \omega^2}$ .

$$\begin{aligned} \Rightarrow v &= \frac{\sin \omega x}{n^2 - \omega^2} + C_1 \sin(nx + C_2) \\ \therefore y &= \frac{1}{n^2 - \omega^2} \frac{\sin \omega x}{x} + C_1 \frac{\sin(nx + C_2)}{x} \end{aligned}$$

(ii)  $n = \omega$ :

The complementary solutions are

$$v_c = C_1 \cos(\omega x + C_2).$$

Using the ansatz  $v_p = Ax \sin \omega x + Bx \cos \omega x$  for a particular solution, one can easily find  $A = -\frac{1}{2\omega}$  and  $B = 0$ .

$$\begin{aligned} \Rightarrow v &= -\frac{1}{2\omega} x \cos \omega x + C_1 \cos(\omega x + C_2) \\ \therefore y &= -\frac{1}{2\omega} \cos \omega x + C_1 \frac{\sin(\omega x + C_2)}{x} \end{aligned}$$

25. From the hint, we may consider  $y = xv$ , where  $v = 1$  is a solution if the right hand side were zero.

$$\begin{aligned} y' &= xv' + v \Rightarrow y'' = xv'' + 2v' \\ \Rightarrow x(1-x)v'' + (1 + (1-x)^2)v' &= (1-x)^2 \\ \Rightarrow v'' + \left(\frac{2}{x} + \frac{1}{1-x} - 1\right)v' &= \frac{1}{x} - 1 \end{aligned}$$

We can thus define the integration factor as

$$\begin{aligned} \lambda &:= \exp\left(\int dx \left(\frac{2}{x} + \frac{1}{1-x} - 1\right)\right) = \frac{x^2 e^{-x}}{1-x}. \\ \Rightarrow (\lambda v')' &= \lambda \left(\frac{1}{x} - 1\right) = x e^{-x} \\ \Rightarrow \lambda v' &= -(x+1)e^{-x} + A \\ \Rightarrow v' &= 1 - \frac{1}{x^2} + A \frac{1-x}{x^2} e^x \\ \Rightarrow v &= x + \frac{1}{x} - A \frac{e^x}{x} + B \\ \therefore y &= x^2 + 1 + C_1 e^x + C_2 x \end{aligned}$$

26. While the use of Dirac delta “function” must be dealt with caution, we are physicists so we shall simply accept that they exist.

$$\begin{aligned}
f(x) = y'' + py' + q &= \int_a^b dx' f(x') \left( \frac{\partial^2}{\partial x^2} + p(x) \frac{\partial}{\partial x} + q(x) \right) G(x, x') \\
&= \int_a^b dx' f(x') \delta(x - x') \\
&\Rightarrow \left( \frac{\partial^2}{\partial x^2} + p(x) \frac{\partial}{\partial x} + q(x) \right) G(x, x') = \delta(x - x')
\end{aligned}$$

From this, we see that  $G(x, x')$  must separately equal zero for both  $x < x'$  and  $x > x'$ . We thus write

$$G(x, x') = \begin{cases} y_1(x)\alpha(x') + y_2(x)\beta(x') & (x < x') \\ y_1(x)\gamma(x') + y_2(x)\zeta(x') & (x > x') \end{cases}.$$

From the definition of delta functions, we find that:

$$\begin{aligned}
1 &= \int_{x'-\epsilon}^{x'+\epsilon} dx \delta(x - x') \\
&= \int_{x'-\epsilon}^{x'+\epsilon} dx \left( \frac{\partial^2}{\partial x^2} + p(x) \frac{\partial}{\partial x} + q(x) \right) G(x, x') \\
&\approx \left[ \left( \frac{\partial}{\partial x} + p(x) \right) G(x, x') \right]_{x'-\epsilon}^{x'+\epsilon} - \int_{x'-\epsilon}^{x'+\epsilon} dx p'(x) G(x, x') \\
&\approx \left[ \frac{\partial}{\partial x} G(x, x') \right]_{x'-\epsilon}^{x'+\epsilon} \\
&\approx \lim_{x \rightarrow x'+} \frac{\partial}{\partial x} G(x, x') - \lim_{x \rightarrow x'-} \frac{\partial}{\partial x} G(x, x')
\end{aligned}$$

where we take infinitesimally small  $\epsilon$ .

The boundary conditions for  $y$  imply

$$\begin{aligned}
y(a) = y(b) &= 0 \\
\Rightarrow G(a, x') &= G(b, x') = 0 \\
\Rightarrow y_1(a)\alpha(x') + y_2(a)\beta(x') &= y_1(b)\alpha(x') + y_2(b)\beta(x') = 0 \\
\Rightarrow \beta(x') &= \gamma(x') = 0.
\end{aligned}$$

The derivative condition, in turn, yields

$$y_2'(x')\zeta(x') - y_1'(x')\alpha(x') = 1.$$

As any such choice of  $\zeta(x')$  and  $\alpha(x')$  leads to a valid Green's function, we may arbitrarily choose

$$\begin{aligned}\alpha(x') &= y_2'(x'), \quad \zeta(x') = y_1'(x') + \frac{1}{y_2'(x')} \\ \Rightarrow G(x, x') &= \begin{cases} y_1(x)y_2'(x') & (x < x') \\ y_2(x)y_1'(x') + \frac{y_2(x)}{y_2'(x')} & (x > x') \end{cases} \\ \therefore y(x) &= y_1(x) \int_x^b dx' f(x') y_2'(x') + y_2(x) \int_a^x f(x') \left( y_1'(x') + \frac{1}{y_2'(x')} \right)\end{aligned}$$

For the given example  $y'' + k^2 y = f(x)$ , we may take

$$y_1(x) = \sin k(x - a), \quad y_2(x) = \sin k(b - x)$$

provided that  $b - a$  is not an integer multiple of the period  $\frac{2\pi}{k}$ . This leads to

$$G(x, x') = \begin{cases} -k \sin k(x - a) \cos k(b - x) & (x < x') \\ \sin k(b - x) \left( k \cos k(x' - a) - \frac{1}{k \cos k(b - x')} \right) & (x > x') \end{cases}$$

$$\begin{aligned}\Rightarrow y &= -k \sin k(x - a) \int_x^b dx' f(x') \cos k(b - x') \\ &\quad + \sin k(b - x) \int_a^x dx' f(x') \left( k \cos k(x' - a) - \frac{1}{k \cos k(b - x')} \right).\end{aligned}$$

One may verify that this solution satisfies both the boundary conditions and the given differential equation.

27. The complementary solutions satisfy

$$y_c'' + \frac{3}{x^2} y_c = 0.$$

Suppose  $y_c = x^m$ .

$$\begin{aligned}m^2 - m + 3 &= 0 \Rightarrow \left(m - \frac{1}{2}\right)^2 = -\frac{11}{4} \Rightarrow m = \frac{1 \pm \sqrt{11}i}{2} \\ \Rightarrow y_c &= Ax^{\frac{1+\sqrt{11}i}{2}} + Bx^{\frac{1-\sqrt{11}i}{2}} \\ &= C_1 \sqrt{x} \cos\left(\frac{\sqrt{11}}{2} \ln x\right) + C_2 \sqrt{x} \sin\left(\frac{\sqrt{11}}{2} \ln x\right)\end{aligned}$$

We then look for two separate particular solutions:

$$y_{p1}'' + \frac{3}{x^2} y_{p1} = x^2 \quad \text{and} \quad y_{p2}'' + \frac{3}{x^2} y_{p2} = \frac{1}{x}.$$

Using the monomial ansatz separately, that is, assuming  $y_p = Ax^m$ , one easily finds

$$y_{p1} = \frac{x^4}{15} \text{ and } y_{p2} = \frac{x}{3}.$$

$$\therefore y = \frac{x^4}{15} + \frac{x}{3} + C_1 \sqrt{x} \cos\left(\frac{\sqrt{11}}{2} \ln x\right) + C_2 \sqrt{x} \sin\left(\frac{\sqrt{11}}{2} \ln x\right)$$

28. Let us first look for asymptotic behaviors.

(i)  $x \rightarrow 0+$  Suppose  $y = O(x^m)$ .

$$m(m-1) + 2m - l(l+1) = 0 \Rightarrow m = l \text{ or } -l-1$$

To vanish near the origin, we must have  $y = O(x^l)$ .

(ii)  $x \rightarrow \infty$

$$\frac{d^2 y}{dx^2} \approx -Ky \Rightarrow y \approx e^{\pm \sqrt{-K}x}$$

To vanish at infinity, we must have  $y = x^{-\sqrt{-K}x}$  with  $K < 0$ .

We can thus write  $y = f(x)x^l e^{-\sqrt{-K}x}$  with  $f$  regular everywhere.

$$y' = \left( \frac{f'}{f} + \frac{l}{x} - \sqrt{-K} \right) y$$

$$\Rightarrow y'' = \left( \frac{f''}{f} - \left( \frac{f'}{f} \right)^2 - \frac{l}{x^2} \right) y + \left( \frac{f'}{f} + \frac{l}{x} - \sqrt{-K} \right)^2 y$$

$$= \left( \frac{f''}{f} + 2 \left( \frac{l}{x} - \sqrt{-K} \right) \frac{f'}{f} + \frac{l(l-1)}{x^2} - \frac{2l\sqrt{-K}}{x} - K \right) y$$

Tedious algebra yields

$$x f'' + 2(l+1 - \sqrt{-K}) f' - 2((l+1)\sqrt{-K} - 1) f = 0.$$

Let us write  $f(x) = \sum_{n=0}^{\infty} a_n x^n$ . Substitution and tedious algebra yield

$$\sum_{n=0}^{\infty} ((n+1)(n+2l+2)a_{n+1} - (\sqrt{-K}n + 2((l+1)\sqrt{-K} - 1))a_n)x^n = 0$$

$$\Rightarrow (\forall n) (n+1)(n+2l+2)a_{n+1} = (\sqrt{-K}n + 2((l+1)\sqrt{-K} - 1))a_n.$$

If  $\{a_n\}$  never terminated, this would mean that  $a_n \approx \frac{(\sqrt{-K})^n}{n!}$  for large values of  $n$ , leading to  $f(x) \approx e^{\sqrt{-K}x}$  and  $y$  diverging to infinity as  $x$  increases.

$$\Rightarrow \sqrt{-K}n + 2((l+1)\sqrt{-K} - 1) = 0$$

$$\therefore K_{nl} = -\frac{4}{(n+2l+2)^2} \quad (n = 0, 1, 2, \dots)$$

29. For very large  $x$ ,

$$y'' \approx \frac{y}{4} \Rightarrow y \approx e^{\pm \frac{x}{2}}.$$

Thus, for  $y$  to vanish at infinity, we must have  $y \approx e^{-x/2}$ . As  $y$  must also vanish at the origin, let us write  $y = f(x)xe^{-x/2}$  with  $f(x)$  regular everywhere.

$$\begin{aligned} y' &= \left( \frac{f'}{f} + \frac{1}{x} - \frac{1}{2} \right) y \\ \Rightarrow y'' &= \left( \frac{f''}{f} - \left( \frac{f'}{f} \right)^2 - \frac{1}{x^2} \right) y + \left( \frac{f'}{f} + \frac{1}{x} - \frac{1}{2} \right)^2 y \\ &= \left( \frac{f''}{f} + \left( \frac{2}{x} - 1 \right) \frac{f'}{f} - \frac{1}{x} + \frac{1}{4} \right) y \\ \Rightarrow \frac{f''}{f} + \left( \frac{2}{x} - 1 \right) \frac{f'}{f} - \frac{K+1}{x} &= 0 \end{aligned}$$

Let us write  $f(x) = \sum_{n=0}^{\infty} a_n x^n$ . Substitution and tedious algebra yield

$$\begin{aligned} 2a_1 - (K+1)a_0 + \sum_{n=1}^{\infty} ((n+1)(n+2)a_{n+1} - (n+K+1)a_n)x^n &= 0 \\ \Rightarrow (\forall n) (n+1)(n+2)a_{n+1} &= (n+K+1)a_n. \end{aligned}$$

If  $\{a_n\}$  never terminated, this would mean that  $a_n \approx \frac{1}{n!}$  for large values of  $n$ , leading to  $f(x) \approx e^x$  and  $y$  diverging to infinity as  $x$  increases.

$$\therefore K_n = -n \quad (n = 1, 2, 3, \dots)$$

30. I assume that there must exist a “nontrivial” solution, since  $y = 0$  is clearly a solution of the equation for any value of  $k$ . For large values of  $x$ ,

$$y'' - 2y' - 3y \approx 0 \Rightarrow y \approx Ae^{-x} + Be^{3x}.$$

Thus, to be bounded everywhere, we must have  $y \approx e^{-x}$ . We then write  $y = f(x)e^{-x}$  with  $f$  analytic everywhere, including the origin.

$$y' = \left( \frac{f'}{f} - 1 \right) y \Rightarrow y'' = \left( \frac{f''}{f} - \frac{f'}{f} + \left( \frac{f'}{f} - 1 \right)^2 \right) y = \left( \frac{f''}{f} - 2\frac{f'}{f} + 1 \right) y$$

Substitution yields

$$xf'' - 4xf' + kf = 0.$$

Let us write  $f(x) = \sum_{n=0}^{\infty} a_n x^n$ . Substitution and tedious algebra yield

$$\sum_{n=0}^{\infty} (n(n+1)a_{n+1} - (4n-k)a_n)x^n = 0$$

$$\Rightarrow (\forall n) \ n(n+1)a_{n+1} = (4n-k)a_n.$$

If  $\{a_n\}$  never terminated, this would mean that  $a_n \approx \frac{4^n}{n!}$  for large values of  $n$ , leading to  $f(x) \approx e^{4x}$  and  $y$  diverging to infinity as  $x$  increases.

$$\therefore k_n = 4n \ (n = 0, 1, 2, \dots)$$

31. For large values of  $x$ ,

$$y'' \approx y \Rightarrow y \approx e^{\pm x}.$$

Thus, to be bounded everywhere, we must have  $y \approx e^{-x}$ . We then write  $y = f(x)e^{-x}$  with  $f$  analytic everywhere, with  $f(0) = 1$ .

$$y' = \left(\frac{f'}{f} - 1\right)y \Rightarrow y'' = \left(\frac{f''}{f} - \frac{f'}{f} + \left(\frac{f'}{f} - 1\right)^2\right)y = \left(\frac{f''}{f} - 2\frac{f'}{f} + 1\right)y$$

Substitution yields

$$xf'' - 2(x-1)f' + (E-2)f = 0.$$

Let us write  $f(x) = \sum_{n=0}^{\infty} a_n x^n$ , with  $a_0 = 1$ . Substitution and tedious algebra yield

$$\begin{aligned} \sum_{n=0}^{\infty} ((n+1)(n+2)a_{n+1} - (2n+2-E)a_n)x^n &= 0 \\ \Rightarrow (\forall n) \ (n+1)(n+2)a_{n+1} &= (2n+2-E)a_n. \end{aligned}$$

If  $\{a_n\}$  never terminated, this would mean that  $a_n \approx \frac{2^n}{n!}$  for large values of  $n$ , leading to  $f(x) \approx e^{2x}$  and  $y$  diverging to infinity as  $x$  increases.

$$\therefore E_n = 2n \ (n = 1, 2, 3, \dots)$$

32. Recall that

$$\frac{c_{r+2}}{c_r} = \frac{(r+m-n)(r+m+n+1)}{(r+1)(r+2)} \text{ and } v(x) = \sum_{r=0}^{\infty} c_r x^r$$

where the fraction is well-defined since we are assuming that  $\{c_r\}$  never terminates. Notice how

$$\frac{c_{r+2}}{c_r} \approx \frac{r+2m+1}{r+3}$$

for large values of  $r$ .

On the other hand, the definition of binomial coefficients

$$\binom{-m}{r} := \frac{-m \cdot (-m-1) \cdot \dots \cdot (-m-r+1)}{r!}$$

naturally yields

$$\begin{aligned}\frac{\binom{-m}{r+2}}{\binom{-m}{r}} &= \frac{(-m-r)(-m-r-1)}{(r+1)(r+2)} \\ &= \frac{(r+m)(r+m+1)}{(r+1)(r+2)} \\ &\approx \frac{r+2m+1}{r+3}\end{aligned}$$

for large values of  $r$ .

Therefore,  $c_r$  behaves like  $\binom{-m}{r}$  as  $r$  grows without bound, and consequently,

$$v(x) \approx (1 - x^2)^{-m}.$$

33. Suppose  $y = J_0(x) \ln x + \sum_{n=0}^{\infty} a_n x^n$  as prompted by the problem. Substitution and tedious algebra yield

$$2xJ'_0(x) + a_1x + \sum_{n=2}^{\infty} (n^2 a_n + a_{n-2}).$$

Let us write  $J_0(x) = \sum_{n=0}^{\infty} b_{2n} x^{2n}$  since we know that  $J_0$  is even.

$$xJ'_0(x) = \sum_{n=0}^{\infty} 2nb_{2n} x^{2n}$$

$$\begin{aligned}\Rightarrow a_1x + \sum_{n=1}^{\infty} \left( (4nb_{2n} + 4n^2 a_{2n} + a_{2n-2}) x^{2n} \right. \\ \left. + ((2n+1)^2 a_{2n+1} + a_{2n-1}) x^{2n+1} \right) = 0\end{aligned}$$

This immediately tells us that all odd coefficients  $a_1 = a_3 = \dots = 0$ .

Bessel's equation is linear, so addition of any multiple of  $J_0$  to  $y$  also yields a valid solution. In other words, any variant  $a'_{2n} := a_{2n} + \lambda b_{2n}$  also satisfies the above equation, for real parameter  $\lambda$ . Thus, we may choose  $a_0 = 0$ .

Using  $b_0 = 1$ ,  $b_2 = -\frac{1}{4}$ ,  $b_4 = \frac{1}{64}$ ,  $b_6 = -\frac{b_4}{36} = -\frac{1}{2304}$ , and the recursion relation  $a_{2n} = -\frac{a_{2n-2}}{4n^2} - \frac{b_{2n}}{n}$  from above, we can iteratively calculate the values of  $a_{2n}$ .

$$\therefore y = J_0(x) \ln x + \frac{x^2}{4} - \frac{3}{128}x^4 + \frac{5}{4608}x^6 - \dots$$

34. (i)  $y(0) = 1$

We may write  $y = 1 + \sum_{n=1}^{\infty} a_n x^n$ . Substitution and tedious algebra yields

$$2a_1 - 2 + \sum_{n=1}^{\infty} (n+2)((n+1)a_{n+1} - a_n)x^n = 0.$$

This directly leads to  $a_n = \frac{1}{n!}$ , and thus,

$$y = e^x.$$

(ii)  $y = \frac{1}{x} + A \ln x + B$

Substitution of the above form into the differential equation and patiently performing algebraic manipulations yields

$$-\frac{1}{x} + (xA'' + (2-x)A' - 2A) \ln x + 2A' + \left(\frac{1}{x} - 1\right) A + xB''(2-x)B' - 2B = 0.$$

Read the problem carefully: we only need to “give” two solutions, not find a general form for all solutions. Thus, we could choose the oddly specific solution of  $A = e^x$  to make the coefficient of the  $\ln x$  term vanish. Substituting this into the above equation yields

$$xB'' + (2-x)B' - 2B + e^x + \frac{e^x - 1}{x} = 0.$$

Expanding  $B = \sum_{n=0}^{\infty} b_n x^n$ ,  $e^x = \sum_{n=0}^{\infty} \frac{x^n}{n!}$ , and  $\frac{e^x - 1}{x} = \sum_{n=0}^{\infty} \frac{x^n}{(n+1)!}$ , one can write

$$\begin{aligned} \sum_{n=0}^{\infty} \left( (n+1)(n+2)b_{n+1} - (n+2)b_n + \frac{n+2}{(n+1)!} \right) &= 0 \\ \Rightarrow b_{n+1} &= \frac{b_n}{n+1} - \frac{1}{(n+1) \cdot (n+1)!}. \end{aligned}$$

Again,  $B$  may arbitrarily chosen, so let us choose  $b_0 = 0$ .

$$\therefore y = \frac{1}{x} + e^x \ln x - x - \frac{3}{4}x^2 - \frac{11}{36}x^3 - \dots$$

35. Let  $u := \frac{1}{x}$ .

$$\begin{aligned} \frac{d}{dx} &= \frac{du}{dx} \frac{d}{du} = -u^2 \frac{d}{du} \\ \Rightarrow \frac{d^2}{dx^2} &= -u^2 \frac{d}{du} \left( -u^2 \frac{d}{du} \right) = u^4 \frac{d^2}{du^2} + 2u^3 \frac{d}{du} \\ &\Rightarrow \frac{d^2 y}{du^2} + \frac{2}{u} \frac{dy}{du} = \frac{1}{(1 + u^2 y^2)^2} \end{aligned}$$

As  $u \rightarrow 0+$ ,  $y \rightarrow 0$ . Thus,

$$\frac{2}{u} \frac{dy}{du} \approx 1 \Rightarrow y \approx u^2$$

Hence, we write  $y = f(u)u^2$  with  $f$  analytic everywhere.

$$\begin{aligned} u^2 f''(u) + 6u f'(u) + 6f(u) &= \frac{1}{(1 + u^6 f(u))^2} \\ &= 1 - 2u^6 f(u)^2 + 3u^{12} f(u)^4 + O(u^{18}) \end{aligned}$$



We write  $f(u) = \sum_{n=0}^{\infty} a_n u^n$ . The left-hand side (after tedious algebra) evaluates to

$$\sum_{n=0}^{\infty} (n^2 + 5n + 5) a_n u^n.$$

Evaluation of the right-hand side is quite more technical. We make use of the Cauchy multiplication formula:

$$f(u)^2 = \sum_{n=0}^{\infty} \left( \sum_{k=0}^n a_k a_{n-k} \right) u^n.$$

Substituting this into the equation, we get

$$\begin{aligned} (6a_0 - 1) + \sum_{n=1}^5 (n^2 + 5n + 6) a_n u^n \\ + \sum_{n=6}^{\infty} \left( (n^2 + 5n + 6) a_n + 2 \sum_{k=0}^{n-6} a_k a_{n-6-k} \right) u^n = 3u^{12} f(u)^4 + O(u^{18}). \end{aligned}$$

Let us compare each power of  $u$  separately.

$$a_0 = \frac{1}{6}, \quad a_1 = \dots = a_5 = 0$$

$$O(u^6) : 72a_6 + 2a_0^2 = 0 \Rightarrow a_6 = -\frac{1}{1296}$$

$$a_7 = \dots = a_{11} = 0$$

$$O(u^{12}) : 210a_{12} + 2(a_0 a_6 + a_6 a_0) = 3a_0^2 \Rightarrow a_{12} = \frac{11}{816480}$$

$$\Rightarrow f(u) = \frac{1}{6} - \frac{u^6}{1296} + \frac{11}{816480} u^{12} - \dots$$

$$\therefore y = \frac{1}{6x^2} - \frac{1}{1296x^8} + \frac{11}{816480} \frac{1}{x^{14}} + \dots$$

36. (a) Assume  $y = \sum_{n=0}^{\infty} c_n x^n$ . Using

$$y'' = y(x^2 - y^2), \quad x^2 = \sum_{n=0}^{\infty} \delta_{n2} x^n,$$

and

$$y^2 = \sum_{n=0}^{\infty} \left( \sum_{k=0}^n c_k c_{n-k} \right) x^n,$$

one can find (after algebraic tedium) that

$$y(x^2 - y^2) = -c_0^2 - 3c_1 c_0^2 x + \sum_{n=2}^{\infty} \left( c_{n-2} - \sum_{k=0}^n \sum_{l=0}^k c_l c_{k-l} c_{n-k} \right) x^n$$

$$\Rightarrow (2c_2 + c_0^2) + (6c_3 + 3c_1c_0^2)x + \sum_{n=2}^{\infty} \left( (n+2)(n+1)c_{n+2} - c_{n-2} + \sum_{k=0}^n \sum_{l=0}^k c_l c_{k-l} c_{n-k} \right) x^n = 0.$$

We thus find two degrees of freedom, namely  $c_0 = A$  and  $c_1 = B$ .

$$c_2 = -\frac{A^2}{2}, \quad c_3 = -\frac{A^2B}{2}, \quad c_{n+2} = -\frac{1}{(n+2)(n+1)} \left( c_{n-2} - \sum_{k=0}^n \sum_{l=0}^k c_l c_{k-l} c_{n-k} \right)$$

We could calculate a few terms using the recurrence relation:

$$c_4 = \frac{1}{4 \cdot 3} (c_0 - 3c_2c_0^2 - 3c_1^2c_0) = \frac{A}{12} \left( 1 + \frac{3}{2}A^3 - 3B^2 \right),$$

$$\begin{aligned} c_5 &= \frac{1}{5 \cdot 4} (c_1 - 3c_3c_0^2 - 6c_2c_1c_0 - 3c_2c_1) \\ &= \frac{B}{20} \left( 1 + 3A^3 \left( \frac{A}{4} + 1 \right) \right) \end{aligned}$$

$$\begin{aligned} \therefore y &= A + Bx - \frac{A^2}{2}x^2 - \frac{A^2B}{2}x^3 \\ &+ \frac{A}{12} \left( 1 + \frac{3}{2}A^3 - 3B^2 \right) x^4 + \frac{B}{20} \left( 1 + 3A^3 \left( \frac{A}{4} + 1 \right) \right) x^5 + \dots \end{aligned}$$

(b) We iteratively approximate the particular nonoscillating solution, for which the second derivative would stay relatively small. That is, we use the following iterative scheme:

$$-xy^{(0)} + y^{(0)3} = 0, \quad y^{(n+1)} = \sqrt[3]{xy^{(n)} - y^{(n)''}}$$

We thus get

$$\begin{aligned} y^{(0)} &= \sqrt{x} = x^{1/2} \\ y^{(1)} &= \sqrt[3]{x^{3/2} + \frac{1}{4x^{3/2}}} \approx x^{1/2} + \frac{1}{12}x^{-5/2} \\ y^{(2)} &= \sqrt[3]{x^{3/2} + \frac{1}{3}x^{-3/2} - \frac{35}{48}x^{-9/2}} \\ &\approx x^{1/2} + \frac{1}{9}x^{-5/2} - \frac{35}{144}x^{-11/2} \\ y^{(3)} &= \sqrt[3]{x^{3/2} + \frac{13}{36}x^{-3/2} - \frac{175}{144}x^{-9/2} + \frac{5005}{576}x^{-15/2}} \\ &\approx x^{1/2} + \frac{13}{108}x^{-5/2} - \frac{175}{432}x^{-11/2} + \frac{5005}{1728}x^{-17/2} \end{aligned}$$

$$\therefore y \approx x^{1/2} + \frac{13}{108}x^{-5/2} - \frac{175}{432}x^{-11/2} + \frac{5005}{1728}x^{-17/2}$$

(Note: One may find more accurate approximations by (i) iterating more times, or (ii) expanding to more terms for each binomial expansion above.)

37. We first take note that  $y = x + \alpha$  is a trivial solution to the equation, as is easily verifiable. Let  $z := y - x$ . We directly have

$$z'' = z^2 - e^{2z}.$$

We multiply each side by  $z'$  and integrate each side to obtain

$$\frac{z'^2}{2} = \frac{1}{3}z^3 - \frac{1}{2}e^{2z} + E.$$

I find it illuminating to consider  $z$  as the position of a particle of mass 1. The above equation could then be interpreted as the energy conservation of this particle as it moves under the influence of the potential

$$V(z) = -\frac{1}{3}z^3 + \frac{1}{2}e^{2z}$$

and retains its total energy  $E$ . Thus, we could consider the infinitesimal oscillation about  $z = \alpha$  as a harmonic oscillator.

$$\left. \frac{d^2V}{dz^2} \right|_{z=\alpha} = -2\alpha + 2e^{2\alpha} = 2\alpha(\alpha - 1) = m\omega^2 = \omega^2$$

$$\Rightarrow \omega = \sqrt{2\alpha(\alpha - 1)}$$

$$\Rightarrow z \approx C_1 \sin \left( \sqrt{2\alpha(\alpha - 1)}x + C_2 \right)$$

$$\therefore y \approx x + C_1 \sin \left( \sqrt{2\alpha(\alpha - 1)}x + C_2 \right)$$

(Note: More accurate expressions may be obtained using the higher-order terms of the potential energy and perturbation methods.)

38. (a) Let  $y := \sum_{n=1}^{\infty} c_n(x-1)^n$ .

$$\begin{aligned} e^{y/x} &= \sum_{n=0}^{\infty} \frac{1}{n!} \left( \frac{y}{x} \right)^n = \sum_{n=0}^{\infty} \frac{y^n}{n!} (1 + (x-1))^{-n} \\ &= \sum_{n=0}^{\infty} \frac{y^n}{n!} \left( \sum_{m=0}^{\infty} \binom{-n}{m} (x-1)^m \right) \\ &= 1 + \sum_{m=0}^2 \binom{-1}{m} (x-1)^m y + \sum_{m=0}^1 \binom{-2}{m} (x-1)^m \frac{y^2}{2} + \frac{y^3}{6} + O((x-1)^4) \\ &= 1 + c_1(x-1) + \left( c_2 - c_1 + \frac{c_1^2}{2} \right) (x-1)^2 \\ &\quad + \left( c_3 - c_2 + c_1 - c_1 c_2 - c_1^2 + \frac{c_1^3}{6} \right) (x-1)^3 + O((x-1)^4) \end{aligned}$$

Comparing this with

$$y' = c_1 + 2c_2(x-1) + 3c_3(x-1)^2 + O\left((x-1)^3\right),$$

we can see that

$$c_1 = 1, \quad c_2 = \frac{c_1}{2} = \frac{1}{2}, \quad c_3 = \frac{1}{3} \left( c_2 - c_1 + \frac{c_1^2}{2} \right) = 0$$

$$\therefore y = (x-1) + \frac{1}{2}(x-1)^2 + O\left((x-1)^4\right)$$

(b) Let  $y = xv$ .

$$xv' + v = e^v \Rightarrow \frac{dv}{e^v - v} = \frac{dx}{x} \Rightarrow \int_1^{y/x} \frac{dv}{e^v - v} = \ln x + C_1$$

$$\ln x_0 + C_1 = \int_1^\infty \frac{dv}{e^v - v} =: \alpha \Rightarrow C_1 = \alpha - \ln x_0$$

$$\int_1^{y/x} \frac{dv}{e^v - v} = \ln \frac{x}{x_0} + \alpha \Rightarrow \int_{y/x}^\infty \frac{dv}{e^v - v} = -\ln \frac{x}{x_0}$$

For values of  $x$  slightly less than  $x_0$ , we have  $\frac{y}{x} \gg 1$ .

$$\Rightarrow -\ln \frac{x}{x_0} \approx \int_{y/x}^\infty dv e^{-v} = e^{-y/x}$$

$$\therefore y \approx -x \ln \ln \frac{x_0}{x}$$

39. From the WKB method followed the Bohr-Sommerfeld quantization condition:

$$\int_{x_1}^{x_2} dx \sqrt{E - V(x)} = \left(n + \frac{1}{2}\right) \pi.$$

( $\hbar = 1$  in this unit system.)

If the particle has a total energy of  $E < 0$ , it then has classical turning points at  $\pm a \left(1 + \frac{E}{V_0}\right)$ . Hence,

$$\left(n + \frac{1}{2}\right) \pi = 2 \int_0^{a \left(1 + \frac{E}{V_0}\right)} dx \sqrt{V_0 + E - \frac{V_0 x}{a}} = \frac{4a}{3V_0} (V_0 + E)^{3/2}$$

$$\Rightarrow (V_0 + E_n)^{3/2} = \left(n + \frac{1}{2}\right) \frac{3\pi V_0}{4a}$$

$$\therefore E_n = - \left( V_0 - \left( \left(n + \frac{1}{2}\right) \frac{3\pi V_0}{4a} \right)^{2/3} \right)$$

Here,  $n$  takes nonnegative integers as its value such that  $E_n < 0$ .

40. To use the WKB method, we want to make a substitution  $y = up$  for some known function  $p$  such that the first derivative term vanishes. Substituting this into the equation yields

$$pu'' + \left(2p' - \frac{3}{x}p\right)u' + \left(p'' - \frac{3}{x}p' + \left(\frac{15}{4x^2} + x^{\frac{1}{2}}\right)\right)u = 0.$$

Thus, we choose  $p = x^{\frac{3}{2}}$  to obtain

$$u'' + \left(x^{\frac{1}{2}} + \frac{15}{4}x^{-2} - \frac{21}{4}x^{-2}\right)u = 0.$$

Let

$$f(x) := x^{\frac{1}{2}} + \frac{15}{4}x^{-2} - \frac{21}{4}x^{-2} = x^{\frac{1}{2}} \left(1 + \frac{15}{4}x^{-\frac{5}{2}} - \frac{21}{4}x^{-\frac{7}{2}}\right).$$

This means that, using Eq. (1-90) from the textbook, one gets

$$u \approx \frac{1}{f^{1/4}} \left( c_+ \exp \left( i \int dx \sqrt{f} \right) + c_- \exp \left( -i \int dx \sqrt{f} \right) \right).$$

Evaluating these can be done using the binomial expansion for large values of  $x$ .

$$\begin{aligned} \sqrt{f} &= \sqrt{x^{\frac{1}{2}} \left(1 + \frac{15}{4}x^{-\frac{5}{2}} - \frac{21}{4}x^{-\frac{7}{2}}\right)} \\ &\approx x^{\frac{1}{4}} \left(1 + \frac{15}{8}x^{-\frac{5}{2}} - \frac{21}{8}x^{-\frac{7}{2}}\right) \\ &= x^{\frac{1}{4}} + \frac{15}{8}x^{-\frac{9}{4}} - \frac{21}{8}x^{-\frac{13}{4}} \\ &\Rightarrow \int dx \sqrt{f} = \frac{4}{5}x^{\frac{5}{4}} - \frac{3}{2}x^{-\frac{5}{4}} + \frac{7}{6}x^{-\frac{9}{4}} \\ f^{-\frac{1}{4}} &= \left(x^{\frac{1}{2}} \left(1 + \frac{15}{4}x^{-\frac{5}{2}} - \frac{21}{4}x^{-\frac{7}{2}}\right)\right)^{-\frac{1}{4}} \\ &\approx x^{-\frac{1}{8}} \left(1 - \frac{15}{16}x^{-\frac{5}{2}} + \frac{21}{16}x^{-\frac{7}{2}}\right) \\ \Rightarrow u &\approx x^{-\frac{1}{8}} \left(1 - \frac{15}{16}x^{-\frac{5}{2}} + \frac{21}{16}x^{-\frac{7}{2}}\right) \cdot C_1 \cos \left(\frac{4}{5}x^{\frac{5}{4}} - \frac{3}{2}x^{-\frac{5}{4}} + \frac{7}{6}x^{-\frac{9}{4}} + C_2\right) \\ \therefore y &\approx x^{\frac{11}{8}} \left(1 - \frac{15}{16}x^{-\frac{5}{2}} + \frac{21}{16}x^{-\frac{7}{2}}\right) \cdot C_1 \cos \left(\frac{4}{5}x^{\frac{5}{4}} - \frac{3}{2}x^{-\frac{5}{4}} + \frac{7}{6}x^{-\frac{9}{4}} + C_2\right) \end{aligned}$$

41. We again make the substitution  $y = up$  to eliminate the first derivative term. Substituting this into the Bessel equation

$$x^2y'' + xy' + (x^2 - m^2)y = 0$$

yields

$$x^2 p u'' + (2x^2 p' + x p) u' + (x^2 p'' + x p' + (x^2 - m^2) p) u = 0.$$

Thus, we choose  $p = x^{-\frac{1}{2}}$  to obtain

$$u'' + \left(1 - \left(m^2 - \frac{1}{4}\right) x^{-2}\right) u = 0.$$

Let

$$f(x) := 1 - \left(m^2 - \frac{1}{4}\right) x^{-2}.$$

Now, we wish to find the asymptotic form of  $J_m$ , Bessel's function of the first kind.  $J_m$  is distinguished from that of the second kind,  $Y_m$  by its analyticity at the origin. Notice how  $f$  is a monotone increasing function with a single zero at  $\sqrt{m^2 - \frac{1}{4}}$ . Therefore, for  $m \gg \frac{1}{2}$ , one can approximate the analyticity condition as the function being bounded for  $x \ll \sqrt{m^2 - \frac{1}{4}}$ . This leads us to use the connection formula Eq. (1-113).

$$\begin{aligned} \sqrt{f} &= \sqrt{1 - \left(m^2 - \frac{1}{4}\right) x^{-2}} \approx 1 - \frac{1}{2} \left(m^2 - \frac{1}{4}\right) x^{-2} \\ \Rightarrow \int_{\sqrt{m^2 - \frac{1}{4}}}^x dx \sqrt{f} &\approx x - \sqrt{m^2 - \frac{1}{4}} + \frac{1}{2} \left(m^2 - \frac{1}{4}\right) \left(\frac{1}{x} - \frac{1}{\sqrt{m^2 - \frac{1}{4}}}\right) \\ &= x + \frac{m^2 - \frac{1}{4}}{2x} - \frac{1}{2} \sqrt{m^2 - \frac{1}{4}} \\ f^{-\frac{1}{4}} &\approx 1 + \frac{1}{4} \left(m^2 - \frac{1}{4}\right) x^{-2} \\ \therefore J_m &\approx 2x^{-\frac{1}{2}} f^{-\frac{1}{4}} \cos \left( \int_{\sqrt{m^2 - \frac{1}{4}}}^x dx \sqrt{f} - \frac{\pi}{4} \right) \\ &\approx \left( 2x^{-\frac{1}{2}} + \left( \frac{m^2}{2} - \frac{1}{8} \right) x^{-\frac{5}{2}} \right) \cos \left( x + \frac{m^2 - \frac{1}{4}}{2x} - \frac{1}{2} \sqrt{m^2 - \frac{1}{4}} - \frac{\pi}{4} \right) \end{aligned}$$

42. This problem is a simple application of the connection formulae Eq. (1-113) and (1-122) with  $f(x) = x$ .

(a) Here, we use Eq. (1-122) with  $\phi = 0$ .

$$\therefore y \sim \frac{1}{\sqrt{2}(-x)^{-\frac{1}{4}}} \exp \left( \frac{2}{3} (-x)^{\frac{3}{2}} \right)$$

(b) Here, we use Eq. (1-113).

$$\therefore y \sim \frac{2}{x^{\frac{1}{4}}} \cos \left( \frac{2}{3} x^{\frac{3}{2}} - \frac{\pi}{4} \right)$$

(c) This problem is not defined, as explained after Eq. (1-122). In short, the large exponential alone cannot determine the phase.

43. We again use the WKB approximation with  $f(x) = x^2$ .

$$\begin{aligned} W_{\pm} &:= \frac{1}{f^{\frac{1}{4}}} \exp \left( \pm i \int_0^x dx \sqrt{f} \right) = x^{-\frac{1}{2}} \exp \left( \pm \frac{i}{2} x^2 \right) \\ \Rightarrow y &\approx x^{-\frac{1}{2}} \left( A \cos \frac{x^2}{2} + B \sin \frac{x^2}{2} \right) \end{aligned}$$

Solving for  $A$  and  $B$  using the initial conditions  $y(10) = 0$  and  $y'(10) = 1$ , we get

$$y \approx \frac{1}{\sqrt{10x}} \sin \left( \frac{x^2}{2} - 50 \right).$$

(a)

$$\frac{x^2}{2} - 50 \approx \pi \Rightarrow x \approx \sqrt{100 + 2\pi} \approx 10.309$$

(b)

$$\frac{x^2}{2} - 50 \approx \frac{\pi}{2} \Rightarrow x \approx \sqrt{100 + \pi} \Rightarrow y \approx \frac{1}{\sqrt{10\sqrt{100 + \pi}}} \approx 0.0992$$

44. The error estimation for this solution follows the example following Eq. (1-103). I personally am not confident that this solution is correct, but it is the best I could come up with.

The WKB approximation of  $y_1$  is given by

$$y_1 \approx \frac{C_1}{\sqrt{5x}} \sin \left( \frac{x^2 - 25}{2} \right)$$

which can be obtained in the same way as in Problem 1-43. The 25th zero beyond  $x = 5$  is then given by

$$\frac{x^2 - 25}{2} \approx 25\pi \Rightarrow x \approx 5\sqrt{2\pi + 1} \approx 13.494.$$

We now begin the error analysis. The following notation follows that of the aforementioned example. Let

$$y_1 = \alpha_+ x^{-\frac{1}{2}} \exp \left( \frac{i}{2} x^2 \right) + \alpha_- x^{-\frac{1}{2}} \exp \left( -\frac{i}{2} x^2 \right).$$

Near  $x = 5$ , we then obtain

$$\alpha_+ \approx \frac{A}{2i} e^{-\frac{25}{2}i}, \quad \alpha_- \approx -\frac{A}{2i} e^{\frac{25}{2}i}.$$

Let

$$\begin{aligned} g &= \frac{1}{4} \frac{f''}{f} - \frac{5}{16} \left( \frac{f'}{f} \right)^2 = -\frac{3}{4x^2} \\ \Rightarrow \alpha'_\pm &\approx \mp \frac{i}{2} \frac{g}{\sqrt{f}} \left( \alpha_\pm + \alpha_\mp \exp \left( \mp 2i \int dx \sqrt{f} \right) \right) \\ &= \pm \frac{3i}{8x^3} (\alpha_\pm + \alpha_\mp \exp(\mp ix^2)) \\ &\approx \frac{3iA}{32x^3} e^{\mp \frac{25}{2}i} \left( 1 - e^{\pm 25i \mp ix^2} \right) \end{aligned}$$

Now, upon integrating this from  $x = 5$  to  $5\sqrt{2\pi+1}$ , we may ignore the  $e^{\pm 25i \mp ix^2}$  term as it rotates rapidly, thus making little contribution to the result.

$$\begin{aligned} \Rightarrow |\Delta y_1| &\approx |\Delta \alpha_\pm| \\ &\approx \left| \int_5^{5\sqrt{2\pi+1}} dx \alpha'_\pm \right| \\ &\approx \left| \frac{3iA}{32x^3} e^{\mp \frac{25}{2}i} \int_5^{5\sqrt{2\pi+1}} \frac{dx}{x^3} \right| \\ &= \frac{3\pi A}{800(2\pi+1)} \end{aligned}$$

We also have

$$\begin{aligned} y'_1|_{x=5\sqrt{2\pi+1}} &\approx \frac{A}{\sqrt{5}} \left( -\frac{1}{2} x^{-\frac{3}{2}} \sin \left( \frac{x^2-25}{2} \right) + x^{\frac{1}{2}} \cos \left( \frac{x^2-25}{2} \right) \right) \Big|_{x=5\sqrt{2\pi+1}} \\ &\approx -A(2\pi+1)^{\frac{1}{4}}. \end{aligned}$$

$$\therefore |\Delta x| \approx \left| \frac{\Delta y}{y'} \right| \approx \frac{3\pi}{800(2\pi+1)^{\frac{1}{4}}} \approx 3.488 \times 10^{-4}$$

## 2 Chapter 2

1. A useful trick when dealing with complex sign patterns like this is to represent them using an exponential. In this case, we acknowledge that

$$\left\{ \Re \left\{ e^{i\left(\frac{n}{2} - \frac{1}{4}\right)\pi} \right\} \right\} = \frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}, \dots$$



and write the series as

$$\begin{aligned}
(\text{Given series}) &= \sum_{n=0}^{\infty} \frac{1}{4^n} \cdot \sqrt{2} \Re \left\{ e^{i\left(\frac{n}{2} - \frac{1}{4}\right)\pi} \right\} \\
&= \Re \left\{ \sqrt{2} e^{-i\frac{\pi}{4}} \sum_{n=0}^{\infty} \left( \frac{e^{i\frac{\pi}{4}}}{2} \right)^n \right\} \\
&= \Re \left\{ (1-i) \sum_{n=0}^{\infty} \left( \frac{i}{4} \right)^n \right\} \\
&= \Re \left\{ (1-i) \cdot \frac{1}{1 - \frac{i}{4}} \right\} \\
&= \frac{16}{17} \Re \left\{ (1-i) \left( 1 + \frac{i}{4} \right) \right\} \\
&= \frac{16}{17} \left( 1 + \frac{1}{4} \right) \\
&= \frac{20}{17}.
\end{aligned}$$

For series problems, it is always a good idea to verify the results numerically with a calculator, provided that the series converges quickly enough. In this case, evaluating up to  $\frac{1}{1024}$  yields about 1.1768 while the correct answer is about 1.1765.

2.

$$\begin{aligned}
(\text{Given series}) &= \sum_{n=0}^{\infty} \frac{1}{n(n+2)} \\
&= \sum_{n=0}^{\infty} \frac{1}{2} \left( \frac{1}{n} - \frac{1}{n+2} \right) \\
&= \frac{1}{2} \left( 1 + \frac{1}{2} \right) \\
&= \frac{3}{4}
\end{aligned}$$

3. To describe the sign pattern, we shall use

$$\left\{ \Re \left\{ e^{i\left(\frac{n}{3} + \frac{1}{6}\right)\pi} \right\} \right\} = \frac{\sqrt{3}}{2}, 0, -\frac{\sqrt{3}}{2}, -\frac{\sqrt{3}}{2}, 0, \frac{\sqrt{3}}{2}, \dots$$

$$\begin{aligned}
(\text{Given series}) &= \frac{1}{1 \cdot 3^0} + \frac{0}{3 \cdot 3^1} + \frac{-1}{5 \cdot 3^2} + \frac{-1}{7 \cdot 3^3} + \frac{0}{9 \cdot 3^4} + \frac{1}{11 \cdot 3^5} + \cdots \\
&= \sum_{n=0}^{\infty} \frac{1}{(2n+1)3^n} \cdot \frac{2}{\sqrt{3}} \Re \left\{ e^{i\left(\frac{n}{3} + \frac{1}{6}\right)\pi} \right\} \\
&= \Re \left\{ \frac{2}{\sqrt{3}} e^{i\frac{\pi}{6}} \sum_{n=0}^{\infty} \frac{1}{2n+1} \left( \frac{1}{3} e^{i\frac{\pi}{3}} \right)^n \right\} \\
&= \Re \left\{ 2 \sum_{n=0}^{\infty} \frac{1}{2n+1} \left( \frac{1}{\sqrt{3}} e^{i\frac{\pi}{6}} \right)^{2n+1} \right\} \\
&= \Re \left\{ 2 \tanh^{-1} \left( \frac{1}{\sqrt{3}} e^{i\frac{\pi}{6}} \right) \right\} \\
&= \Re \left\{ \ln \left( \frac{1 + \frac{1}{\sqrt{3}} e^{i\frac{\pi}{6}}}{1 - \frac{1}{\sqrt{3}} e^{i\frac{\pi}{6}}} \right) \right\} \\
&= \ln \left| \frac{1 + \frac{1}{\sqrt{3}} e^{i\frac{\pi}{6}}}{1 - \frac{1}{\sqrt{3}} e^{i\frac{\pi}{6}}} \right| \\
&= \ln \left| \frac{5 - \sqrt{3}i}{2} \right| \\
&= \frac{1}{2} \ln 7
\end{aligned}$$

4.

$$\begin{aligned}
(\text{Given series}) &= \sum_{n=0}^{\infty} \frac{n+1}{n!} \\
&= \sum_{n=0}^{\infty} \frac{(n+1)x^n}{n!} \Big|_{x=1} \\
&= \frac{d}{dx} \sum_{n=0}^{\infty} \frac{x^{n+1}}{n!} \Big|_{x=1} \\
&= \frac{d}{dx} (xe^x) \Big|_{x=1} \\
&= ((x+1)e^x) \Big|_{x=1} \\
&= 2e
\end{aligned}$$

5.

$$\begin{aligned}
 (\text{Given series}) &= \sum_{n=0}^{\infty} \frac{1}{(2n+1)^2} \\
 &= \sum_{n=1}^{\infty} \frac{1}{n^2} - \sum_{n=1}^{\infty} \frac{1}{(2n)^2} \\
 &= \frac{3}{4} \sum_{n=1}^{\infty} \frac{1}{n^2} \\
 &= \frac{3}{4} \cdot \frac{\pi^2}{6} \\
 &= \frac{\pi^2}{8}
 \end{aligned}$$

6.

$$\begin{aligned}
 (\text{Given series}) &= \sum_{n=0}^{\infty} \frac{1}{(2n+1)^4} \\
 &= \sum_{n=1}^{\infty} \frac{1}{n^4} - \sum_{n=1}^{\infty} \frac{1}{(2n)^4} \\
 &= \frac{15}{16} \sum_{n=1}^{\infty} \frac{1}{n^4} \\
 &= \frac{15}{16} \cdot \frac{\pi^4}{90} \\
 &= \frac{\pi^4}{96}
 \end{aligned}$$

7.

$$\begin{aligned}
 (\text{Given series}) &= \sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n^2} \\
 &= \sum_{n=1}^{\infty} \frac{1}{n^2} - 2 \sum_{n=1}^{\infty} \frac{1}{(2n)^2} \\
 &= \frac{1}{2} \sum_{n=0}^{\infty} \frac{1}{n^2} \\
 &= \frac{1}{2} \cdot \frac{\pi^2}{6} \\
 &= \frac{\pi^2}{12}
 \end{aligned}$$

8.

$$\begin{aligned}
f(\theta) &= \sum_{n=0}^{\infty} \frac{\sin(n+1)\theta}{2n+1} \\
&= \Im \left\{ \sum_{n=0}^{\infty} \frac{1}{2n+1} e^{i(n+1)\theta} \right\} \\
&= \Im \left\{ e^{i\frac{\theta}{2}} \sum_{n=0}^{\infty} \frac{1}{2n+1} \left( e^{i\frac{\theta}{2}} \right)^{2n+1} \right\} \\
&= \Im \left\{ e^{i\frac{\theta}{2}} \tanh^{-1} \left( e^{i\frac{\theta}{2}} \right) \right\} \\
&= \frac{1}{2} \Im \left\{ e^{i\frac{\theta}{2}} \ln \left( \frac{1 + e^{i\frac{\theta}{2}}}{1 - e^{i\frac{\theta}{2}}} \right) \right\} \\
&= \frac{1}{2} \Im \left\{ e^{i\frac{\theta}{2}} \ln \left( i \cot \frac{\theta}{4} \right) \right\} \\
&= \frac{1}{2} \Im \left\{ \left( \cos \frac{\theta}{2} + i \sin \frac{\theta}{2} \right) \left( \ln \left( \cot \frac{\theta}{4} \right) + i \frac{\pi}{2} \right) \right\} \\
&= \frac{\pi}{4} \cos \frac{\theta}{2} + \frac{1}{2} \ln \left( \cot \frac{\theta}{4} \right) \sin \frac{\theta}{2}
\end{aligned}$$

9. Half of the challenge of this problem is expressing the  $n$ th term in closed form. Let us denote the first term as  $a_1$ .

$$\begin{aligned}
a_n &= \frac{\left( \prod_{j=1}^{n-1} \frac{2j-1}{2} \right) \cdot \left( \frac{2n-1}{2} \right)^2}{(2n+7)(2n+5)(2n+3)^2 n!} \\
&= \frac{(2n-1)!!(2n-1)}{2^{n+1}(2n+7)(2n+5)(2n+3)^2 n!} \\
&= \frac{\frac{(2n)!}{2^n n!} \cdot (2n-1)}{2^{n+1}(2n+7)(2n+5)(2n+3)^2 n!} \\
&= \frac{(2n-1) \cdot (2n)!}{2^{2n+1}(2n+7)(2n+5)(2n+3)(n!)^2} \\
\Rightarrow \frac{a_{n+1}}{a_n} &= \frac{(2n+1)^2(2n+2)(2n+3)^2}{(2n+9)(2n+5)(n+1)^2(2n-1)} \\
&\xrightarrow{n \rightarrow \infty} 4 > 1
\end{aligned}$$

Therefore, the given series diverges.

10. Again, we shall denote the first term as  $a_1$ .

$$\begin{aligned} a_n &= \frac{((2n+1)!!)^2}{4^{n-1} \cdot n \cdot (n!)^2} \\ &= \frac{\left(\frac{(2n+1)!}{2^n n!}\right)^2}{4^{n-1} \cdot n \cdot (n!)^2} \\ &= \frac{((2n+1)!)^2}{4^{2n+1} \cdot n \cdot (n!)^4} \end{aligned}$$

To deduce the limit of this sequence, we employ Stirling's approximation:

$$n! \approx \sqrt{2\pi n} \left(\frac{n}{e}\right)^n \quad (\text{for large } n).$$

$$\begin{aligned} \Rightarrow a_n &\approx \frac{2\pi(2n+1) \left(\frac{2n+1}{e}\right)^{2n+1}}{4^{2n+1} \cdot n \cdot 4\pi^2 n^2 \left(\frac{n}{e}\right)^n} \\ &= \frac{(2n+1)^{4n+3}}{\pi e^2 2^{8n+3} n^{4n+3}} \\ &= \frac{4}{\pi e} \left(1 + \frac{1}{2n}\right)^{4n+3} \\ &= \frac{4}{\pi e} \left(\left(1 + \frac{1}{2n}\right)^{2n}\right)^{\frac{4n+3}{2n}} \\ &\xrightarrow{n \rightarrow \infty} \frac{4}{\pi} \neq 0 \end{aligned}$$

Therefore, the given series diverges.

11. We want to evaluate

$$f(x) = \sum_{n=0}^{\infty} \frac{(-1)^n (n+1)^2 x^{2n+1}}{(2n+1)!}.$$

To this end, we want to express  $(n+1)^2 = n^2 + 2n + 1$  in terms of  $2n+2$  and  $(2n+1)(2n+3)$  as they can easily be obtained by differentiation. We employ Horner's schema to do so.

$$\begin{array}{r|rr} & 1 & 2 & 1 \\ -1 & & -1 & -1 \\ \hline & 1 & 1 & 0 \\ -\frac{3}{2} & & -\frac{3}{2} & \\ \hline & 1 & -\frac{1}{2} & \end{array}$$

$$\begin{aligned}
\Rightarrow n^2 + 2n + 1 &= \left( \left( n + \frac{3}{2} \right) - \frac{1}{2} \right) (n + 1) \\
&= \frac{1}{4} (2n + 3)(2n + 2) - \frac{1}{4} (2n + 2)
\end{aligned}$$

$$\begin{aligned}
\therefore f(x) &= \frac{1}{4} \left( \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n+1)!} (2n+3)(2n+2)x^{2n+1} - \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n+1)!} (2n+2)x^{2n+1} \right) \\
&= \frac{1}{4} \frac{d^2}{dx^2} \left( \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n+1)!} x^{2n+3} \right) - \frac{1}{4} \frac{d}{dx} \left( \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n+1)!} x^{2n+2} \right) \\
&= \frac{1}{4} \frac{d^2}{dx^2} (x^2 \sin x) - \frac{1}{4} \frac{d}{dx} (x \sin x) \\
&= \frac{1}{4} (2 \sin x + 4x \cos x - x^2 \sin x) - \frac{1}{4} (\sin x + x \cos x) \\
&= \frac{1-x^2}{4} \sin x + \frac{3}{4} x \cos x
\end{aligned}$$

12. (a) We should first formally state what the problem is asking of us.

$$\begin{aligned}
(E+1)^k + (E-1)^k &= \sum_{i=0}^k \binom{k}{i} E_i + \sum_{i=0}^k (-1)^{k-i} \binom{k}{i} E_i \\
&= \sum_{i=0}^k \left( 1 + (-1)^i \right) \binom{k}{i} E_i \\
&= 2 \sum_{i=0}^{k/2} \binom{k}{2i} E_{2i}
\end{aligned}$$

Therefore, we need to show that

$$\sum_{i=0}^l \binom{2l}{2i} E_{2i} = 0$$

for all integers  $l$ .

$$\begin{aligned}
1 &= \sec z \cdot \cos z \\
&= \left( \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n)!} E_{2n} z^{2n} \right) \cdot \left( \sum_{n=0}^{\infty} \frac{(-1)^n}{(2n)!} z^{2n} \right) \\
&= \sum_{l=0}^{\infty} \left( \sum_{i=0}^l \frac{(-1)^i}{(2i)!} E_{2i} \cdot \frac{(-1)^{2l-i}}{(2l-2i)!} \right) z^{2l} \\
&= \sum_{l=0}^{\infty} \left( \frac{1}{(2l)!} \sum_{i=0}^l \binom{2l}{2i} E_{2i} \right) z^{2l}
\end{aligned}$$

$$\therefore (\forall l \geq 1) \sum_{i=0}^l \binom{2l}{2i} E_{2i} = 0$$

We could use this formula to determine successive terms of this sequence.

$$l = 1 : E_2 + E_0 = 0 \Rightarrow E_2 = -1$$

$$l = 2 : E_4 + 6E_2 + E_0 = 0 \Rightarrow E_4 = 5$$

$$l = 3 : E_6 + 15E_4 + 15E_2 + E_0 = 0 \Rightarrow E_6 = -61$$

$$l = 4 : E_8 + 28E_6 + 70E_4 + 28E_2 + E_0 = 0 \Rightarrow E_8 = 1385$$

(b) It is sometimes a good idea to start with the more general formula then apply it to the more concrete problem, as this could lead to less work.

$$\begin{aligned} \sec \pi x &= \frac{4}{\pi} \sum_{i=0}^{\infty} \frac{(-1)^i (2i+1)}{(2i+1)^2 - 4x^2} \\ &= \frac{4}{\pi} \sum_{i=0}^{\infty} \frac{(-1)^i}{2i+1} \left( 1 - \left( \frac{2x}{2i+1} \right)^2 \right)^{-1} \\ &= \frac{4}{\pi} \sum_{i=0}^{\infty} \frac{(-1)^i}{2i+1} \sum_{n=0}^{\infty} \left( \frac{2x}{2i+1} \right)^{2n} \\ &= \frac{4}{\pi} \sum_{i=0}^{\infty} \sum_{n=0}^{\infty} (-1)^i \frac{4^n}{2i+1} x^{2n} \\ &= \sum_{n=0}^{\infty} \left( \frac{4^{n+1}}{\pi} \sum_{i=0}^{\infty} \frac{(-1)^i}{(2i+1)^{2n+1}} \right) x^{2n} \\ &= \sum_{n=0}^{\infty} (-1)^n \frac{E_{2n}}{(2n)!} (\pi x)^{2n} \end{aligned}$$

We thus compare the last two series term-by-term to obtain

$$\sum_{i=0}^{\infty} \frac{(-1)^i}{(2i+1)^{2n+1}} = \frac{\pi^{2n+1} (-1)^n E_{2n}}{4^{n+1} (2n)!}$$

as the answer to part (b).

Substituting  $n = 1$  for part (a), we get

$$\sum_{i=0}^{\infty} \frac{(-1)^i}{(2i+1)^3} = \frac{\pi^3 (-1)^1 E_2}{4^2 \cdot 2!} = \frac{\pi^3}{32}.$$

### 3 Chapter 3

1. Let us define

$$I(a, b) = \int_0^\infty dy \frac{e^{-ay} - e^{-by}}{y}.$$

$$\frac{\partial I}{\partial a} = - \int_0^\infty dy e^{-ay} = -\frac{1}{a}, \quad \frac{\partial I}{\partial b} = \int_0^\infty dy e^{-by} = \frac{1}{b}$$

$$\Rightarrow I(a, b) = \ln \left( \frac{b}{a} \right) + C$$

Now, notice that

$$C = I(a, a) = \int_0^\infty dy 0 = 0.$$

$$\therefore I(a, b) = \ln \left( \frac{b}{a} \right)$$

2. (If your knee-jerk reaction to this problem is any form of skepticism, then you are probably correct; if not, you are a perfect fit for a physicist in my opinion.)

$$\begin{aligned} \int_0^\infty dx \sin bx &= \lim_{a \rightarrow 0+} \int_0^\infty dx e^{-ax} \sin bx \\ &= \lim_{a \rightarrow 0+} \Im \left\{ \int_0^\infty dx e^{-ax} e^{ibx} \right\} \\ &= \lim_{a \rightarrow 0+} \Im \left\{ \frac{1}{a - ib} \right\} \\ &= \lim_{a \rightarrow 0+} \frac{b}{a^2 + b^2} \\ &= \frac{1}{b} \end{aligned}$$




Figure 1: Contour for Problem 3–3, 3–4, and 3–9.



3. We shall perform a contour integral of  $f(z) := \frac{e^{iaz}}{1+z^2}$  along Figure 1.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=i} f(z) = 2i\pi \cdot \frac{e^{iaz}}{z+i} \Big|_{z=i} = \pi e^{-a}$$

We also have

$$\begin{aligned} \oint_C dx f(z) &= \int_{-R}^R dx \frac{e^{iax}}{1+x^2} + \int_0^\pi d\theta i R e^{i\theta} \frac{e^{iaRe^{i\theta}}}{1+R^2 e^{2i\theta}} \\ &\xrightarrow{R \rightarrow \infty} \int_{-\infty}^\infty dx \frac{e^{iax}}{1+x^2}. \end{aligned}$$

$$\begin{aligned} \therefore \int_0^\infty dx \frac{\cos ax}{1+x^2} &= \frac{1}{2} \int_{-\infty}^\infty dx \frac{\cos ax}{1+x^2} \\ &= \frac{1}{2} \cdot \Re \left\{ \int_{-\infty}^\infty dx \frac{e^{iax}}{1+x^2} \right\} \\ &= \frac{\pi}{2} e^{-a} \end{aligned}$$

4. Let us integrate  $f(z) := \frac{e^{iaz}}{(1+z^2)^2}$ , again along Figure 1.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=i} f(z) = 2i\pi \cdot \frac{d}{dz} \frac{e^{iaz}}{(z+i)^2} \Big|_{z=i} = \frac{\pi}{2} (a+1) e^{-a}$$

and

$$\begin{aligned} \oint_C dx f(z) &= \int_{-R}^R dx \frac{e^{iax}}{(1+x^2)^2} + \int_0^\pi d\theta i R e^{i\theta} \frac{e^{iaRe^{i\theta}}}{(1+R^2 e^{2i\theta})^2} \\ &\xrightarrow{R \rightarrow \infty} \int_{-\infty}^\infty dx \frac{e^{iax}}{(1+x^2)^2}. \end{aligned}$$

$$\begin{aligned} \therefore \int_0^\infty dx \frac{\cos ax}{(1+x^2)^2} &= \frac{1}{2} \int_{-\infty}^\infty dx \frac{\cos ax}{(1+x^2)^2} \\ &= \frac{1}{2} \cdot \Re \left\{ \int_{-\infty}^\infty dx \frac{e^{iax}}{(1+x^2)^2} \right\} \\ &= \frac{\pi}{4} (a+1) e^{-a} \end{aligned}$$

5. Let  $I(\mathbf{a}, b) = \int d^3x e^{i\mathbf{a} \cdot \mathbf{x}} e^{-br^2}$ . Notice that this integral depends on a vector and results in a scalar. Thus, we must conclude that only the magnitude of  $\mathbf{a}$  matters and not its direction.

Let  $a := \|\mathfrak{a}\|$ .

$$\begin{aligned}
I(\mathfrak{a}, b) &= I(a\hat{\mathbb{Z}}, b) \\
&= \int d^3x e^{iaz} e^{-b(x^2+y^2+z^2)} \\
&= \int_{-\infty}^{\infty} dx e^{-bx^2} \int_{-\infty}^{\infty} dy e^{-by^2} \int_{-\infty}^{\infty} dz e^{iaz-bz^2} \\
&= \sqrt{\frac{\pi}{b}} \cdot \sqrt{\frac{\pi}{b}} \cdot \int_{-\infty}^{\infty} dz e^{-b(z-\frac{ia}{2b})^2 - \frac{a^2}{4b}} \\
&= \left(\frac{\pi}{b}\right)^{3/2} e^{-\frac{a^2}{4b}} \\
\therefore I(\mathfrak{a}, b) &= \left(\frac{\pi}{b}\right)^{3/2} e^{-\frac{a^2}{4b}}
\end{aligned}$$

6. Let  $\mathbb{I}(\mathfrak{a}, b) = \int d^3x x e^{i\mathfrak{a} \cdot \mathfrak{x}} e^{-br^2}$ . Notice that this vector-valued integral depends on only one vector, namely,  $\mathfrak{a}$ . Therefore, this integral must be parallel to this vector.

Let  $a = \|\mathfrak{a}\|$  and  $\mathbb{I}(\mathfrak{a}, b) = F(a, b)\hat{\mathfrak{a}}$ .

$$\mathbb{I}(a\hat{\mathbb{Z}}, b) = F(a, b)\hat{\mathbb{Z}}$$

$$\begin{aligned}
\Rightarrow F(a, b) &= \mathbb{I}(a\hat{\mathbb{Z}}, b) \cdot \hat{\mathbb{Z}} \\
&= \int d^3x x z e^{iaz} e^{-b(x^2+y^2+z^2)} \\
&= \int_{-\infty}^{\infty} dx e^{-bx^2} \int_{-\infty}^{\infty} dy e^{-by^2} \int_{-\infty}^{\infty} dz z e^{iaz-bz^2} \\
&= \sqrt{\frac{\pi}{b}} \cdot \sqrt{\frac{\pi}{b}} \cdot \frac{\partial}{\partial \alpha} \int_{-\infty}^{\infty} dz e^{-b(z-\frac{\alpha}{2b})^2 + \frac{\alpha^2}{4b}} \Big|_{\alpha=ia} \\
&= \frac{\pi}{b} \cdot \frac{\partial}{\partial \alpha} \left( \sqrt{\frac{\pi}{b}} e^{\frac{\alpha^2}{4b}} \right) \Big|_{\alpha=ia} \\
&= \left(\frac{\pi}{b}\right)^{3/2} \cdot \frac{\alpha}{2b} e^{\frac{\alpha^2}{4b}} \Big|_{\alpha=ia} \\
&= \left(\frac{\pi}{b}\right)^{3/2} \frac{ia}{2b} e^{-\frac{a^2}{4b}}
\end{aligned}$$

$$\therefore I(\mathfrak{a}, b) = F(\|\mathfrak{a}\|, b)\hat{\mathfrak{a}} = \left(\frac{\pi}{b}\right)^{3/2} \frac{i\mathfrak{a}}{2b} e^{-\frac{a^2}{4b}}$$

7.

$$\begin{aligned}
\ln\left(\frac{1+x}{1-x}\right) &= \ln(1+x) - \ln(1-x) \\
&= \sum_{n=1}^{\infty} \frac{(-1)^{n-1}}{n} x^n - \sum_{n=1}^{\infty} \frac{(-1)^{n-1}}{n} (-x)^n \\
&= \sum_{n=1}^{\infty} \frac{(-1)^{n-1}}{n} \left(1 + (-1)^{n-1}\right) x^n \\
&= \sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n+1}
\end{aligned}$$

$$\begin{aligned}
\therefore \int_0^1 \frac{dx}{x} \ln\left(\frac{1+x}{1-x}\right) &= \int_0^1 dx \sum_{n=0}^{\infty} \frac{2}{2n+1} x^{2n} \\
&= \sum_{n=0}^{\infty} \frac{2}{(2n+1)^2} \\
&= 2 \left( \sum_{n=1}^{\infty} \frac{1}{n^2} - \sum_{n=1}^{\infty} \frac{1}{(2n)^2} \right) \\
&= \frac{3}{2} \cdot \frac{\pi^2}{6} \\
&= \frac{\pi^2}{4}
\end{aligned}$$

8.

$$\begin{aligned}
\int_0^{\infty} \frac{dx}{\cosh x} &= \int_0^{\infty} dx \frac{2}{e^x + e^{-x}} \\
&= \int_1^{\infty} du \frac{2}{u^2 + 1} \quad (u := e^x) \\
&= [2 \tan^{-1} u]_1^{\infty} \\
&= \frac{\pi}{2}
\end{aligned}$$

9. Let us integrate  $f(z) := \frac{1}{(1+z^2)^2}$ , again along Figure 1.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=i} f(z) = 2i\pi \cdot \left. \frac{d}{dz} \frac{1}{(z+i)^2} \right|_{z=i} = \frac{\pi}{2}$$

and

$$\oint_C dx f(z) = \int_{-R}^R dx \frac{1}{(1+x^2)^2} + \int_0^{\pi} d\theta \frac{iRe^{i\theta}}{(1+R^2e^{2i\theta})^2} \xrightarrow{R \rightarrow \infty} \int_{-\infty}^{\infty} dx \frac{e^{iax}}{(1+x^2)^2}.$$




Figure 2: Contour for Problem 3–10.

$$\therefore \int_{-\infty}^{\infty} \frac{dx}{(1+x^2)^2} = \frac{\pi}{2}$$

10. We shall perform a contour integral of  $f(z) := \frac{1}{1+z^4}$  along Figure 2.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=e^{i\pi/4}} f(z) = 2i\pi \cdot \frac{1}{4x^3} \Big|_{z=e^{i\pi/4}} = \frac{\pi}{2} e^{-i\pi/4}$$

We also have

$$\begin{aligned} \oint_C dz f(z) &= \int_0^R \frac{dx}{1+x^4} + \int_0^{\pi/2} d\theta \frac{iRe^{i\theta}}{1+R^4e^{4i\theta}} + \int_R^0 dy \frac{i}{1+(iy)^4} \\ &= (1-i) \int_0^R \frac{dx}{1+x^4} + O(R^{-3}) \\ &\xrightarrow{R \rightarrow \infty} (1-i) \int_0^{\infty} \frac{dx}{1+x^4}. \\ \therefore \int_0^{\infty} \frac{dx}{1+x^4} &= \frac{1}{1-i} \cdot \frac{\pi}{2} e^{-i\pi/4} = \frac{\pi}{2\sqrt{2}} \end{aligned}$$

11. We shall perform a contour integral of  $f(\omega) := \frac{e^{i\omega t}}{\omega^2 - \omega_0^2}$  along Figure 3.

$$\oint_C d\omega f(\omega) = 2i\pi \left( \operatorname{Res}_{\omega=-\omega_0} f(\omega) + \operatorname{Res}_{\omega=\omega_0} f(\omega) \right) = -\frac{2\pi}{\omega_0} \sin \omega_0 t$$

We also have

$$\begin{aligned} \oint_C d\omega f(\omega) &= \int_{-R}^R d\omega \frac{e^{i\omega t}}{\omega^2 - \omega_0^2} + \int_0^{\pi} d\theta iRe^{i\theta} \frac{e^{iRte^{i\theta}}}{R^2 e^{2i\theta} - \omega_0^2} \\ &\xrightarrow{R \rightarrow \infty} \int_{-\infty}^{\infty} d\omega \frac{e^{i\omega t}}{\omega^2 - \omega_0^2} \end{aligned}$$




Figure 3: Contour for Problem 3–11.

$$\therefore \int_{-\infty}^{\infty} d\omega \frac{e^{i\omega t}}{\omega^2 - \omega_0^2} = -\frac{2\pi}{\omega_0} \sin \omega_0 t$$

(Note: As there are poles on the real axis, this integral technically diverges without the “slightly above the axis” condition. If this integral were to have physical meaning, then this assumption must be physically explained, for example using causality arguments. Another way around this is to use the “Cauchy principal value” of the integral, whose formula is shown in Eq. (A–17).)




Figure 4: Contour for Problem 3–12, 3–13, 3–21, and 3–22.

12. We shall perform a contour integral of  $f(z) := \frac{z^2}{(a^2 + z^2)^2}$  along Figure 4.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=ia} f(z) = 2i\pi \cdot \left. \frac{d}{dz} \frac{z^2}{(z + ia)^2} \right|_{z=ia} = \frac{\pi}{2a}$$

We also have

$$\begin{aligned} \oint_C dx f(z) &= \int_{-R}^R dx \frac{x^2}{(a^2 + x^2)^2} + \int_0^\pi d\theta i R e^{i\theta} \frac{R^2 e^{2i\theta}}{(a^2 + R^2 e^{2i\theta})^2} \\ &\xrightarrow{R \rightarrow \infty} \int_{-\infty}^{\infty} dx \frac{x^2}{(a^2 + x^2)^2}. \end{aligned}$$

$$\therefore \int_{-\infty}^{\infty} dx \frac{x^2}{a^2 + x^2} = \frac{\pi}{2a}$$

13.

$$\begin{aligned} \int \frac{d^3x}{(a^2 + r^2)^3} &= \int_0^{\infty} dr \int_0^{\pi} d\theta \int_0^{2\pi} d\phi \frac{r^2 \sin \theta}{(a^2 + r^2)^3} \\ &= 4\pi \int_0^{\infty} dr \frac{r^2}{(a^2 + r^2)^3} \end{aligned}$$

We shall perform a contour integral of  $f(z) := \frac{z^2}{(a^2 + z^2)^3}$ , again along Figure 4.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=ia} f(z) = \frac{2i\pi}{2!} \cdot \frac{d^2}{dz^2} \frac{z^2}{(z + ia)^3} \Big|_{z=ia} = \frac{\pi}{8a^3}$$

We also have

$$\begin{aligned} \oint_C dz f(z) &= \int_{-R}^R dr \frac{r^2}{(a^2 + r^2)^3} + \int_0^{\pi} d\theta i R e^{i\theta} \frac{R^2 e^{2i\theta}}{(a^2 + R^2 e^{2i\theta})^3} \\ &\xrightarrow{R \rightarrow \infty} \int_{-\infty}^{\infty} dx \frac{r^2}{(a^2 + r^2)^3} \\ \Rightarrow \int_0^{\infty} dr \frac{r^2}{(a^2 + r^2)^3} &= \frac{1}{2} \int_{-\infty}^{\infty} dx \frac{r^2}{(a^2 + r^2)^3} = \frac{\pi}{16a^3} \\ \therefore \int \frac{d^3x}{(a^2 + r^2)^3} &= \frac{\pi^2}{4a^3} \end{aligned}$$

14.

$$\begin{aligned} I &:= \int_{-1}^1 \frac{dx}{\sqrt{1-x^2}(a+bx)} \\ &= \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} d\theta \frac{\cos \theta}{\cos \theta (a + b \sin \theta)} \quad (x = \sin \theta) \\ &= \frac{1}{2} \int_0^{2\pi} \frac{d\theta}{a + b \sin \theta} \\ &= \oint_{|z|=1} \frac{dz/iz}{a + \frac{b}{2i} \left(z - \frac{1}{z}\right)} \quad (z = e^{i\theta}) \\ &= \oint_{|z|=1} \frac{dz}{bz^2 + 2iaz - b} \end{aligned}$$

Notice that the last integrand has simple poles at  $z_{\pm}^* := \frac{-a \pm \sqrt{a^2 - b^2}}{b}i$ , of which only  $z_+^*$  lies inside the unit circle.

$$\therefore I = 2i\pi \operatorname{Res}_{z=z_+^*} \frac{1}{bz^2 + 2iaz - b} = \frac{\pi}{\sqrt{a^2 - b^2}}$$




Figure 5: Contour for Problem 3–15.

15. We shall perform a contour integral of  $f(z) := \frac{z}{1+z^5}$  along Figure 5.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=e^{i\pi/5}} f(z) = 2i\pi \cdot \frac{z}{5z^4} \Big|_{z=e^{i\pi/5}} = \frac{2\pi}{5} e^{-i\pi/10}$$

We also have

$$\begin{aligned} \oint_C dx f(z) &= \int_0^R dx \frac{x}{1+x^5} + \int_0^{2\pi/5} d\theta i R e^{i\theta} \frac{R e^{i\theta}}{1+R^5 e^{5i\theta}} + \int_R^0 dx e^{i\frac{2\pi}{5}} \frac{x e^{i\frac{2\pi}{5}}}{1+x^5} \\ &\xrightarrow{R \rightarrow \infty} (1 + e^{-i\pi/5}) \int_0^\infty dx \frac{x}{1+x^5}. \\ \therefore \int_0^\infty dx \frac{x}{1+x^5} &= \frac{\pi}{5 \cos \frac{\pi}{10}} \end{aligned}$$

16. Let  $z := e^{i\theta}$ .

$$dz = ie^{i\theta} d\theta, \quad \cos \theta = \frac{1}{2} \left( z + \frac{1}{z} \right), \quad \sin^2 \theta = \frac{1 - \cos 2\theta}{2} = \frac{1}{4} \left( 2 - z^2 - \frac{1}{z^2} \right)$$

$$\begin{aligned} I &:= \int_0^{2\pi} d\theta \frac{\sin^2 \theta}{a + b \cos \theta} \\ &= \frac{1}{2} \oint_{|z|=1} \frac{-(z^2 - 1)^2}{z(bz^2 + 2az + b)} \end{aligned}$$

Let  $f(z)$  be the integrand here.  $f(z)$  has simple poles at

$$0, \quad z_{\pm}^* := \frac{-a \pm \sqrt{a^2 - b^2}}{b},$$

among which 0 and  $z_+^*$  lie within the unit circle (which is our contour).

$$\begin{aligned}
\therefore I &= \frac{1}{2} \cdot 2i\pi \left( \operatorname{Res}_{z=0} f(z) + \operatorname{Res}_{z=z_+^*} f(z) \right) \\
&= i\pi \left( \left. \frac{-(z^2 - 1)^2}{bz^2 + 2az + b} \right|_{z=0} + \left. \frac{-(z^2 - 1)^2}{z(bz + a + \sqrt{a^2 - b^2})} \right|_{z=z_+^*} \right) \\
&= \frac{i\pi}{b} \left( -1 + 4 \frac{a^4 + b^4 - 2ab((a-b)\sqrt{a^2 - b^2} + b^2)}{-a + \sqrt{a^2 - b^2}} \right)
\end{aligned}$$




Figure 6: Contour for Problem 3–17.

17. We must first determine whether, or more precisely, for which values of  $a$ , this integral converges. As  $|x| \rightarrow \infty$ ,  $\sinh ax \sim e^{|ax|}$ . Thus, this integral converges whenever  $|a| < \pi$ .

Let  $f(z) := \frac{\sinh az}{\sinh \pi z}$ . The singularity at the origin is removable, as

$$\lim_{z \rightarrow 0} \frac{\sinh az}{\sinh \pi z} = \lim_{z \rightarrow 0} \frac{a \cosh az}{\pi \cosh \pi z} = \frac{a}{\pi}$$

via L'Hôpital's rule. (Note the sloppy math here: the first equality hold only because the second expression does indeed converge to a finite number. If this were a calculus class, this equation is prone to points lost; since this is physics, we can proceed as is.) Thus,  $f(z)$  has poles at  $z = im$ ,  $m \in \mathbb{Z} \setminus \{0\}$ . We ignore cases where  $a$  is a rational multiple of  $\pi$  for convinience; these cases are left as exercise for the reader.<sup>2</sup>

<sup>2</sup>Just kidding! I will come back for this later, but if you'd like to help, please consider discussing on <https://github.com/pingpingy1/Mathews-MathPhys-Sol/issues/1>.



Consider the contour shown in Figure 6.

$$\begin{aligned}
\oint_C dz f(z) &\xrightarrow{R \rightarrow \infty} 2i\pi \sum_{m=1}^{\infty} \operatorname{Res}_{z=im} f(z) \\
&= 2i \sum_{m=1}^{\infty} \frac{\sinh iam}{\cosh i\pi m} \\
&= 2 \sum_{m=1}^{\infty} (-1)^{m-1} \sin am \\
&= 2\Im \left\{ \sum_{m=1}^{\infty} e^{i(m-1)\pi} e^{iam} \right\} \\
&= \tan \frac{a}{2}
\end{aligned}$$

We also have

$$\begin{aligned}
\oint_C dz f(z) &= \int_{-R}^R dx \frac{\sinh ax}{\sinh \pi x} + \int_0^\pi d\theta iRe^{i\theta} \frac{\sinh(aRe^{i\theta})}{\sinh(\pi Re^{i\theta})} \\
&= \int_{-R}^R dx \frac{\sinh ax}{\sinh \pi x} + O\left(\frac{R}{e^{(\pi-|a|)R}}\right) \\
&\xrightarrow{R \rightarrow \infty} \int_{-\infty}^{\infty} dx \frac{\sinh ax}{\sinh \pi x} \\
\therefore \int_{-\infty}^{\infty} dx \frac{\sinh ax}{\sinh \pi x} &= \tan \frac{a}{2}
\end{aligned}$$




Figure 7: Contour for Problem 3–18.

18. Recalling the exercise in the main text regarding Eq. (3–37), we could infer that a direct contour integration of the integrand along some contour analogous to Figure 3–3 in the textbook would lead to a loss in the exponent of the logarithm (or one could just do it and observe).

Thus, let  $f(z) := \frac{(\ln z)^3}{1+z^2}$ , where we place the branch cut on the real axis and  $\arg z = 0$  just above the real axis. As such, the poles of  $f(z)$  have arguments  $\frac{\pi}{2}$  and  $\frac{3\pi}{2}$ . Consider the contour shown in Figure 7.

$$\begin{aligned}\oint_C dz f(z) &= 2i\pi \left( \operatorname{Res}_{z=i} f(z) + \operatorname{Res}_{z=-i} f(z) \right) \\ &= 2i\pi \left( \left. \frac{(\ln z)^3}{2z} \right|_{z=i} + \left. \frac{(\ln z)^3}{2z} \right|_{z=-i} \right) \\ &= \frac{13}{4}i\pi\end{aligned}$$

We also have

$$\begin{aligned}\oint_C dz f(z) &= \int_{\epsilon}^R dx \frac{(\ln x)^3}{1+x^2} + \int_0^{2\pi} d\theta i R e^{i\theta} \frac{(\ln R + i\theta)^3}{R^2 e^{2i\theta} + 1} \\ &\quad + \int_R^{\epsilon} dx \frac{(\ln x + 2i\pi)^3}{1+x^2} + \int_{2\pi}^0 d\theta i \epsilon e^{i\theta} \frac{(\ln \epsilon + i\theta)^3}{\epsilon^2 e^{2i\theta} + 1} \\ &\xrightarrow[\epsilon \rightarrow 0]{R \rightarrow \infty} -6i\pi \int_0^{\infty} dx \frac{(\ln x)^2}{1+x^2} + 12\pi^2 \int_0^{\infty} dx \frac{\ln x}{1+x^2} + 4i\pi^4.\end{aligned}$$

This same procedure can be used to show that

$$\int_0^{\infty} dx \frac{\ln x}{1+x^2} = 0,$$

which is left as an exercise to the reader<sup>3</sup>.

$$\therefore \int_0^{\infty} dx \frac{\ln x^2}{1+x^2} = \frac{\pi^3}{8}$$

19. Let  $f(z) := \frac{1}{1+z^2+z^4}$ . Notice that  $z^6 - 1 = (z^2 - 1)(z^4 + z^2 + 1)$ , so the poles of  $f(z)$  lie at  $e^{i\frac{\pi}{3}}$ ,  $e^{i\frac{2\pi}{3}}$ ,  $e^{i\frac{4\pi}{3}}$ , and  $e^{i\frac{5\pi}{3}}$ .

Consider the contour shown in Figure 8.

$$\begin{aligned}\oint_C dz f(z) &= 2i\pi \left( \operatorname{Res}_{z=e^{i\frac{\pi}{3}}} f(z) + \operatorname{Res}_{z=e^{i\frac{2\pi}{3}}} f(z) \right) \\ &= 2i\pi \left( \left. \frac{1}{4z^3 + 2z} \right|_{z=e^{i\frac{\pi}{3}}} + \left. \frac{1}{4z^3 + 2z} \right|_{z=e^{i\frac{2\pi}{3}}} \right) \\ &= \frac{\pi}{\sqrt{3}}\end{aligned}$$

---

<sup>3</sup>Just kidding! I will get back to this, but if you could, please consider discussing on <https://github.com/pingpingyi/Mathews-MathPhys-Sol/issues/2>.




Figure 8: Contour for Problem 3–19.

We also have

$$\oint_C dz f(z) = \int_{-R}^R \frac{dx}{1+x^2+x^4} + \int_0^\pi d\theta \frac{iRe^{i\theta}}{1+R^2e^{2i\theta}+R^4e^{4i\theta}} \xrightarrow{R \rightarrow \infty} 2 \int_0^\infty \frac{dx}{1+x^2+x^4}.$$

$$\therefore \int_0^\infty \frac{dx}{1+x^2+x^4} = \frac{\pi}{2\sqrt{3}}$$




Figure 9: Contour for Problem 3–20.

20. We shall perform a contour integral of  $f(z) := \frac{1}{(a+bz^2)^3}$  along Figure 9.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=i\sqrt{\frac{a}{b}}} f(z) = \frac{2i\pi}{2!} \cdot \frac{d^2}{dz^2} \frac{1}{b^{3/2}(\sqrt{b}z + i\sqrt{a})^3} \Big|_{z=i\sqrt{\frac{a}{b}}} = \frac{3\pi}{8a^{5/2}b^{1/2}}$$

We also have

$$\oint_C dz f(z) = \int_{-R}^R \frac{dx}{(a+bx^2)^3} + \int_0^\pi d\theta \frac{iRe^{i\theta}}{(a+bR^2e^{2i\theta})^3} \xrightarrow{R \rightarrow \infty} 2 \int_0^\infty \frac{dx}{(a+bx^2)^3}.$$

$$\therefore \int_0^\infty \frac{dx}{(a+bx^3)^3} = \frac{3\pi}{16a^{5/2}b^{1/2}}$$

21. We shall perform a contour integral of  $f(z) := \frac{z^2}{(a^2+z^2)^3}$  along Figure 4.

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=ia} f(z) = \frac{2i\pi}{2!} \cdot \frac{d^2}{dz^2} \frac{z^2}{(z+ia)^3} \Big|_{z=ia} = \frac{\pi}{8a^3}$$

We also have

$$\begin{aligned} \oint_C dx f(z) &= \int_{-R}^R dx \frac{x^2}{(a^2+x^2)^3} + \int_0^\pi d\theta i R e^{i\theta} \frac{R^2 e^{2i\theta}}{(a^2 + R^2 e^{2i\theta})^3} \\ &\xrightarrow{R \rightarrow \infty} 2 \int_0^\infty dx \frac{x^2}{(a^2+x^2)^3} \\ &\therefore \int_0^\infty dx \frac{x^2}{a^2+x^2^3} = \frac{\pi}{16a^3} \end{aligned}$$

22. We shall perform a contour integral of  $f(z) := \frac{\sin z}{z(a^2+z^2)}$  along Figure 4. Note that the singularity at the origin is removable, as we may define  $f(0) := \lim_{z \rightarrow 0} f(z) = \frac{1}{a^2}$ .

$$\oint_C dz f(z) = 2i\pi \operatorname{Res}_{z=ia} f(z) = 2i\pi \cdot \frac{\sin z}{z(z+ia)} \Big|_{z=ia} = \frac{\pi \sin a}{a^2}$$

We also have

$$\begin{aligned} \oint_C dx f(z) &= \int_{-R}^R dx \frac{\sin x}{x(a^2+x^2)} + \int_0^\pi d\theta i R e^{i\theta} \frac{\sin(R e^{i\theta})}{R e^{i\theta} (a^2 + R^2 e^{2i\theta})} \\ &\xrightarrow{R \rightarrow \infty} 2 \int_0^\infty dx \frac{\sin x}{x(a^2+x^2)}. \end{aligned}$$

(Note: One may object that it is nontrivial that the second integral vanishes in the limit, as  $\sin z$  grows without bound along the imaginary axis. A physicist like myself would sweep this fact under the rug, but if any mathematician would like to give a more rigorous proof of this fact, I'm all ears!)

$$\therefore \int_0^\infty dx \frac{x^2}{a^2+x^2^3} = \frac{\pi \sin a}{2a^2}$$

23. Let us perform the change of variable  $z := e^{i\theta}$ , such that the contour of integration is around the unit circle.

$$\begin{aligned} \int_0^{2\pi} \frac{d\theta}{(a+b \cos \theta)^2} &= \oint_{|z|=1} \frac{dz/iz}{\left(a + \frac{b}{2} \left(z + \frac{1}{z}\right)\right)^2} \\ &= -4i \oint_{|z|=1} dz \frac{z}{(bz^2 + 2az + b)^2} \end{aligned}$$

The integrand has poles of second order at

$$z_{\pm}^* := \frac{-a \pm \sqrt{a^2 - b^2}}{b},$$

but only  $z_+^*$  lies inside the unit circle.

$$\begin{aligned} \therefore \int_0^{2\pi} \frac{d\theta}{(a + b \cos \theta)^2} &= -4i \cdot 2i\pi \operatorname{Res}_{z=z_+^*} f(z) \\ &= 8\pi \cdot \frac{d}{dz} \frac{z}{(bz + a + \sqrt{a^2 - b^2})^2} \Big|_{z=z_+^*} \\ &= \frac{2\pi a}{(a^2 - b^2)^{3/2}} \end{aligned}$$




Figure 10: Contour for Problem 3-24.

24. Let  $f(z) := \frac{(\ln z)^2}{(z+1)^2}$ , where we place the branch cut on the real axis and  $\arg z = 0$  just above the real axis. (Recall the exercise in the main text regarding Eq. (3-37); we need an extra  $\ln z$  for this procedure!) As such, the pole of  $f(z)$  has argument  $\pi$ . Consider the contour shown in Figure 10.

$$\begin{aligned} \oint_C dz f(z) &= 2i\pi \operatorname{Res}_{z=-1} f(z) \\ &= 2i\pi \cdot \frac{d^2}{dz^2} (\ln z)^2 \Big|_{z=e^{i\pi}} \\ &= 4\pi^2 \end{aligned}$$

We also have

$$\begin{aligned}
\oint_C dz f(z) &= \int_{\epsilon}^R dx \frac{(\ln x)^2}{(x+1)^2} + \int_0^{2\pi} d\theta i R e^{i\theta} \frac{(\ln R + i\theta)^2}{(R e^{i\theta} + 1)^2} \\
&\quad + \int_R^{\epsilon} dx \frac{(\ln x + 2i\pi)^2}{(x+1)^2} + \int_{2\pi}^0 d\theta i \epsilon e^{i\theta} \frac{(\ln \epsilon + i\theta)^2}{(\epsilon e^{i\theta} + 1)^2} \\
&\xrightarrow[\epsilon \rightarrow 0]{R \rightarrow \infty} \int_0^{\infty} dx \frac{(\ln x)^2}{(x+1)^2} + 0 \\
&\quad + \left( - \int_0^{\infty} dx \frac{(\ln x)^2}{(x+1)^2} - 4i\pi \int_0^{\infty} dx \frac{\ln x}{(x+1)^2} + 4\pi^2 \int_0^{\infty} \frac{dx}{(x+1)^2} \right) \\
&\quad + 0 \\
&= -4i\pi \int_0^{\infty} dx \frac{\ln x}{(x+1)^2} + 4\pi^2.
\end{aligned}$$

$$\therefore \int_0^{\infty} dx \frac{\ln x}{(x+1)^2} = 0$$

25. Let us define

$$I(a) := \int_0^{\infty} dx e^{-x^2} \operatorname{Ci}(ax).$$

$$\begin{aligned}
I'(a) &= \int_0^{\infty} dx \frac{\partial}{\partial a} \left( e^{-x^2} \operatorname{Ci}(ax) \right) \\
&= \frac{1}{a} \int_0^{\infty} dx e^{-x^2} \cos ax \\
&= \frac{1}{2a} \int_{-\infty}^{\infty} dx e^{-x^2} \cos ax \\
&= \frac{1}{2a} \Re \left\{ \int_{-\infty}^{\infty} dx e^{-x^2 + iax} \right\} \\
&= \frac{e^{-a^2/4}}{2a} \Re \left\{ \int_{-\infty}^{\infty} dx e^{-(x - \frac{ia}{2})^2} \right\} \\
&= \frac{\sqrt{\pi} e^{-a^2/4}}{2a}
\end{aligned}$$

Also,  $\lim_{x \rightarrow \infty} \operatorname{Ci}(x) = 0$ , so  $\lim_{a \rightarrow \infty} I(a) = 0$ .

$$\begin{aligned}
\therefore I(a) &= \frac{\sqrt{\pi}}{2} \int_{\infty}^a dt \frac{e^{-t^2/4}}{t} \\
&= -\frac{\sqrt{\pi}}{4} \int_{-\infty}^{-a^2/4} dv \frac{e^v}{v} \quad (v := -\frac{t^2}{4}) \\
&= -\frac{\sqrt{\pi}}{4} \operatorname{Ei}\left(-\frac{a^2}{4}\right)
\end{aligned}$$

(Note: What if we used Si instead of Ci inside the integrand? This is a harder problem since the integral

$$\int_0^{\infty} dx e^{-x^2} \sin ax$$

is rather tricky. The reader is encouraged to explore this, possibly with the help of the Dawson function<sup>4</sup>.)

26.

$$\begin{aligned}
\int_0^{\infty} dx e^{-ax} \operatorname{erf} x &= \left[ -\frac{1}{a} e^{-ax} \operatorname{erf} x \right]_0^{\infty} + \frac{1}{a} \int_0^{\infty} dx e^{-ax} \cdot \frac{2}{\sqrt{\pi}} e^{-x^2} \\
&= 0 + \frac{2}{\sqrt{\pi}a} \int_0^{\infty} dx e^{-x^2-ax} \\
&= \frac{2}{\sqrt{\pi}a} \int_0^{\infty} dx e^{-(x+\frac{a}{2})^2 + \frac{a^2}{4}} \\
&= \frac{2e^{a^2/4}}{\sqrt{\pi}a} \int_{a/2}^{\infty} dx e^{-x^2} \\
&= \frac{1}{a} e^{a^2/4} \left( 1 - \operatorname{erf} \frac{a}{2} \right)
\end{aligned}$$

27. (a)

$$\Gamma\left(\frac{1}{2}\right) = \sqrt{\Gamma\left(\frac{1}{2}\right)^2} = \sqrt{\frac{\pi}{\sin \frac{\pi}{2}}} = \sqrt{\pi}$$

(b)

$$\Gamma\left(\frac{5}{2}\right) = \frac{3}{2}\Gamma\left(\frac{3}{2}\right) = \frac{3}{4}\Gamma\left(\frac{1}{2}\right) = \frac{3\sqrt{\pi}}{4}$$

(c)

$$B(1, 3) = \frac{\Gamma(1)\Gamma(3)}{\Gamma(4)} = \frac{0!2!}{3!} = \frac{1}{3}$$

---

<sup>4</sup>[https://en.wikipedia.org/wiki/Dawson\\_function](https://en.wikipedia.org/wiki/Dawson_function)

(d)

$$\mathrm{B}\left(\frac{1}{2}, -\frac{1}{2}\right) = \frac{\Gamma\left(\frac{1}{2}\right)\Gamma\left(-\frac{1}{2}\right)}{\Gamma(0)} = \frac{\sqrt{\pi} \cdot \frac{\sqrt{\pi}}{-1/2}}{\infty} = 0$$

(e)

$$\Gamma\left(\frac{1}{3}\right)\Gamma\left(-\frac{1}{3}\right) = -3\Gamma\left(\frac{1}{3}\right)\Gamma\left(\frac{2}{3}\right) = -3 \cdot \frac{\pi}{\sin \frac{\pi}{3}} = -2\sqrt{3}\pi$$

28.

$$\begin{aligned} -\mathrm{Ei}(-x) &= \int_{-\infty}^{-x} dy \frac{e^y}{y} = \int_{\infty}^x dt \frac{e^{-t}}{t} \\ \therefore \int_0^{\infty} dx e^{-ax} (-\mathrm{Ei}(-x)) &= \int_0^{\infty} dx \int_{\infty}^x dt \frac{e^{-ax-t}}{t} \\ &= - \int_0^{\infty} dx \int_{-(a+1)x}^{\infty} du \frac{e^{-u}}{u - ax} \quad (u := ax + t) \\ &= - \int_0^{\infty} du \int_0^{u/(a+1)} dx \frac{e^{-u}}{u - ax} \\ &= - \int_0^{\infty} du \int_0^{1/a(a+1)} dv \frac{u}{a} \frac{e^{-u}}{u(1-v)} \quad (v := \frac{ax}{u}) \\ &= -\frac{1}{a} \int_0^{\infty} du e^{-u} \cdot \int_0^{1/a(a+1)} \frac{dv}{1-v} \\ &= \frac{1}{a} \ln \left( 1 - \frac{1}{a(a+1)} \right) \end{aligned}$$

29. We suspect that changing the range of integration to  $[0, 1]$  might be beneficial in expressing this integral as a Beta function. Thus, let  $u := \frac{x+2}{4}$ .

$$\begin{aligned} \int_{-2}^2 dx (4-x^2)^{1/6} &= \int_0^1 4du \cdot (4 - (4u-2)^2)^{1/6} \\ &= 2^{8/3} \int_0^1 du u^{1/6} (1-u)^{1/6} \\ &= 2^{8/3} \mathrm{B}\left(\frac{1}{6}, \frac{1}{6}\right) = 2^{8/3} \frac{\Gamma\left(\frac{1}{6}\right)^2}{\Gamma\left(\frac{1}{3}\right)} \end{aligned}$$

30. The contour described in the problem is shown in Figure 11. The choice of branch is such that  $\Im \{\ln(-t)\}$  equals  $\pi$  just below the branch cut and  $-\pi$  just above it.






Figure 11: Contour for Problem 3-30.

$$\begin{aligned}
F(z) &= \int_C dt (-t)^{z-1} e^{-t} \\
&= \int_{\infty}^{\epsilon} dx e^{(z-1)(\ln x + i\pi) - x} \\
&\quad + \int_0^{2\pi} d\theta i \epsilon e^{i\theta} e^{(z-1)(\ln \epsilon + i(\pi - \theta)) - \epsilon e^{i\theta}} \\
&\quad + \int_{\epsilon}^{\infty} dx e^{(z-1)(\ln x - i\pi) - x} \\
&\xrightarrow{\epsilon \rightarrow 0+} - \int_0^{\infty} dx e^{(z-1)(\ln x + i\pi) - x} + \int_0^{\infty} dx e^{(z-1)(\ln x - i\pi) - x} \\
&= 2i \sin \pi z \Gamma(z)
\end{aligned}$$

$$\therefore (\text{something}) = 2i \sin \pi z$$




Figure 12: Contour for Problem 3-31.

31. (a) For simplicity, we shall assume that  $f(z)$  has no poles exactly on any of the real integers. (In fact, I am not sure if this procedure could even be done with them!) Let us denote the poles of  $f(z)$  off of the real axis as  $z_{\text{off}}^{(i)}$  and those on the real axis as  $z_{\text{on}}^{(i)}$ . (Of course, we are also assuming that  $f(z)$  only has isolated singularities on the entire plane. Note that this is a tiny bit more general than meromorphic functions<sup>5</sup>, since we allow the singularities to be essential, not poles. We just need them to be discrete, i.e., no cluster points.)

We first consider the contour  $C_1$  in Figure 12 to obtain

$$\begin{aligned} \oint_{C_1} dz f(z) \cot \pi z &= 2i\pi \sum_n \text{Res}_{z=n} f(z) \cot \pi z + 2i\pi \sum_i \text{Res}_{z=z_{\text{on}}^{(i)}} f(z) \cot \pi z \\ &= 2i\pi \sum_n \left. \frac{f(z) \cos \pi z}{\pi \cos \pi z} \right|_{z=n} + 2i\pi \sum_i \text{Res}_{z=z_{\text{on}}^{(i)}} f(z) \cot \pi z \\ &=: 2i \sum_n f(n) + 2i\pi \sum_i R_{\text{on}}^{(i)} \end{aligned}$$

where  $R_{\text{on}}^{(i)} := \text{Res}_{z=z_{\text{on}}^{(i)}} f(z) \cot \pi z$ . Similarly for  $C_2$ ,

$$\oint_{C_2} dz f(z) \cot \pi z = 2i\pi \sum_i \text{Res}_{z=z_{\text{off}}^{(i)}} f(z) \cot \pi z =: 2i \sum_n f(n) + 2i\pi \sum_i R_{\text{off}}^{(i)}$$

where  $R_{\text{off}}^{(i)} := \text{Res}_{z=z_{\text{off}}^{(i)}} f(z) \cot \pi z$ .

Now, following the exercise regarding Eq. (3-43), we note that if  $|f(z)|$  vanishes sufficiently quickly<sup>6</sup> as  $z$  approaches infinity, then

$$\begin{aligned} \oint_{C_1+C_2} dz f(z) \cot \pi z &\xrightarrow{R \rightarrow \infty} 0. \\ \therefore \sum_n f(n) &= -\pi \sum_i R_{\text{on}}^{(i)} - \pi \sum_i R_{\text{off}}^{(i)} = -\pi \sum_i R^{(i)} \end{aligned}$$

where we drop the subscript as the distinction between the two types of residues have disappeared.

(Note: One may be tempted to write

$$R^{(i)} = \cot \pi z^{(i)} \cdot \text{Res}_{z=z^{(i)}} f(z)$$

which may seem so since  $\cot \pi z$  is analytic on a neighborhood of  $z^{(i)}$ ; goodness knows I fell for this. However, if one considers the entire Laurent series, they can show that this is not the case. In particular, if  $z^{(i)}$  is a pole of  $n$ th order, then the residue can be calculated using the first  $n$  Taylor coefficients of  $\cot \pi z$  around  $z^{(i)}$ . This means that this naive equation holds for simple poles, specifically! See also: Convolutions<sup>7</sup>)

<sup>5</sup>[https://en.wikipedia.org/wiki/Meromorphic\\_function](https://en.wikipedia.org/wiki/Meromorphic_function)

<sup>6</sup>But what does this mean?!

<sup>7</sup><https://en.wikipedia.org/wiki/Convolution>

(b) Let  $f(z) := \frac{1}{z^2 + a^2}$ . This function has simple poles at  $\pm ia$ . We require that  $ia$  not be an integer, as per the above discussion.

$$\begin{aligned} \operatorname{Res}_{z=\pm ia} f(z) &= \left. \frac{\cot \pi z}{z \pm ia} \right|_{z=\pm ia} = \frac{\cot \pm i\pi a}{\pm 2ia} = -\frac{1}{2a} \coth \pi a \\ \therefore g(a) &= -\pi (R_+ + R_-) = \frac{\pi}{a} \coth \pi a \end{aligned}$$

32. Let  $\theta$  denote the angle away from the dotted axis in the figure. We need not consider the azimuthal angle around it as the system is cylindrically symmetric. The intensity of neutrons as emitted by the source into a range  $[\theta, \theta + d\theta]$  is given by

$$dI_{\text{source}} = I_0 \frac{d\Omega}{4\pi} = \frac{I_0}{2} \sin \theta d\theta$$

where  $I_0$  is the total intensity of neutrons. Such neutrons travel a distance of  $T \sec \theta$  through the absorber, so the intensity of neutrons that arrive at the film is given by

$$dI_{\text{film}} = \frac{I_0}{2} e^{-\frac{T}{\lambda} \sec \theta} \sin \theta d\theta.$$

These neutrons travel through the film, again, a distance proportional to  $\sec \theta$ . Thus, one can introduce a proportionality constant  $C$  to obtain

$$dA = C e^{-\frac{T}{\lambda} \sec \theta} \sin \theta d\theta \cdot \sec \theta = C e^{-\frac{T}{\lambda} \sec \theta} \tan \theta d\theta.$$

Therefore, integrating over the film, we obtain the following formula for the total activity:

$$\begin{aligned} A(\lambda) &= \int_0^{\tan^{-1}(\frac{b}{a})} d\theta C e^{-\frac{T}{\lambda} \sec \theta} \tan \theta \\ &= C \int_1^{\frac{\sqrt{a^2+b^2}}{a}} du \frac{\exp(-\frac{T}{\lambda} u)}{u} & (u := \sec \theta) \\ &= C \int_{\frac{T}{\lambda}}^{\frac{T}{\lambda} \frac{\sqrt{a^2+b^2}}{a}} dv \frac{\exp(-v)}{v} & (v := \frac{T}{\lambda} u) \\ &= C \left( \left( -\operatorname{Ei} \left( -\frac{T}{\lambda} \frac{\sqrt{a^2+b^2}}{a} \right) \right) - \left( -\operatorname{Ei} \left( -\frac{T}{\lambda} \right) \right) \right). \end{aligned}$$

The activity without the absorber is given by

$$A_0 = \lim_{T \rightarrow 0} A(\lambda) = \int_0^{\tan^{-1}(\frac{b}{a})} d\theta C \tan \theta = C \ln \left( \frac{\sqrt{a^2+b^2}}{a} \right).$$

Hence, we obtain

$$\frac{A}{A_0} = \frac{\left( -\operatorname{Ei} \left( -\frac{T}{\lambda} \frac{\sqrt{a^2+b^2}}{a} \right) \right) - \left( -\operatorname{Ei} \left( -\frac{T}{\lambda} \right) \right)}{\ln \left( \frac{\sqrt{a^2+b^2}}{a} \right)}$$

which, given the numerical constants, is an equation that the almighty WolframAlpha could solve! Plugging in the given constants and assuming  $\lambda$  is in units of centimeters, we get

$$0.25 = \frac{\left(-\operatorname{Ei}\left(-\frac{\sqrt{2}}{\lambda}\right)\right) - \left(-\operatorname{Ei}\left(-\frac{1}{\lambda}\right)\right)}{\ln(\sqrt{2})}.$$

$$\therefore \lambda \approx 0.856 \text{ cm}$$

33. As  $e^{\alpha z}$  is analytic everywhere,  $\Gamma(z)e^{\alpha z}$  has poles precisely at the nonpositive integers.

$$I := \oint_{|z|=\frac{5}{2}} dz \Gamma(z)e^{\alpha z} = 2i\pi \left( \operatorname{Res}_{z=0} \Gamma(z)e^{\alpha z} + \operatorname{Res}_{z=-1} \Gamma(z)e^{\alpha z} + \operatorname{Res}_{z=-2} \Gamma(z)e^{\alpha z} \right)$$

To calculate these residues, we wish to transform the equation

$$\operatorname{Res}_{z=-n} \Gamma(z)e^{\alpha z} = \lim_{z \rightarrow -n} (z+n)\Gamma(z)e^{\alpha z}$$

in such a way to make the argument of the gamma function positive, where  $n$  is a nonnegative integer.

$$\begin{aligned} \operatorname{Res}_{z=-n} \Gamma(z)e^{\alpha z} &= \lim_{z \rightarrow -n} (z+n)\Gamma(z)e^{\alpha z} \\ &= \lim_{z \rightarrow -n} (z+n) \cdot \frac{z(z+1)\cdots(z+n)}{z(z+1)\cdots(z+n)} \Gamma(z)e^{\alpha z} \\ &= \lim_{z \rightarrow -n} \frac{\Gamma(z+n+1)e^{\alpha z}}{z(z+1)\cdots(z+n-1)} \\ &= \frac{\Gamma(0)e^{-n\alpha}}{(-n)(-n+1)\cdots(-1)} \\ &= \frac{(-e^\alpha)^n}{n!} \\ \therefore I &= 2i\pi \left( 1 - e^\alpha + \frac{e^{2\alpha}}{2} \right) \end{aligned}$$

34. (i)  $|x| \ll 1$ : We use the familiar Taylor expansion of  $\sin t$ .

$$\begin{aligned} \int_0^x dt \frac{\sin t}{t} &= \int_0^x dt \sum_{k=0}^{\infty} \frac{(-1)^k}{(2k+1)!} t^{2k} \\ &= \sum_{k=0}^{\infty} \frac{(-1)^k}{(2k+1) \cdot (2k+1)!} x^{2k+1} \\ &= x - \frac{x^3}{18} + \frac{x^5}{600} - \cdots \end{aligned}$$

Note that this series absolutely converges for all values of  $x$ .

(ii)  $|x| \gg 1$ : Here, following the exercise deriving Eq. (3-72), we perform repeated integration by parts. To deal with the trigonometric functions more easily, we express them as complex exponentials.

$$\begin{aligned}
\int_0^x dt \frac{\sin t}{t} &= \frac{\pi}{2} - \Im \left\{ \int_x^\infty dt \frac{e^{it}}{t} \right\} \\
&= \frac{\pi}{2} + \Im \left\{ \int_x^\infty dt \frac{e^{i(t-\pi)}}{t} \right\} \\
&= \frac{\pi}{2} + \Im \left\{ \left[ \frac{-ie^{i(t-\pi)}}{t} \right]_x^\infty - \int_x^\infty dt \frac{-ie^{i(t-\pi)}}{-t^2} \right\} \\
&= \frac{\pi}{2} + \Im \left\{ \frac{e^{i(x-\frac{\pi}{2})}}{x} \right\} + \Im \left\{ \int_x^\infty dt \frac{e^{i(t-\frac{3\pi}{2})}}{t^2} \right\} \\
&= \frac{\pi}{2} + \Im \left\{ \frac{e^{i(x-\frac{\pi}{2})}}{x} \right\} + \Im \left\{ \left[ \frac{-ie^{i(t-\frac{3\pi}{2})}}{t} \right]_x^\infty - 2 \int_x^\infty dt \frac{-ie^{i(t-\frac{3\pi}{2})}}{-t^3} \right\} \\
&= \frac{\pi}{2} + \Im \left\{ \frac{e^{i(x-\frac{\pi}{2})}}{x} \right\} + \Im \left\{ \frac{e^{i(x-\pi)}}{x^2} \right\} + 2\Im \left\{ \int_x^\infty dt \frac{e^{i(t-2\pi)}}{t^3} \right\} \\
&= \dots \\
&= \frac{\pi}{2} + \sum_{k=0}^n k! \Im \left\{ \frac{e^{i(x-\frac{k+1}{2}\pi)}}{x^{k+1}} \right\} + (n+1)! \Im \left\{ \int_x^\infty dt \frac{e^{i(t-\frac{n+3}{2}\pi)}}{t^{n+2}} \right\}
\end{aligned}$$

Note that the sum in this expression diverges for all finite values of  $x$ , since the summand grows like  $k!$ .

35. We make use of the saddle-point approximation for this integral. Let  $f(t) := xt - e^t$  such that  $I(x) = \int_0^\infty dt \exp(f(t))$ .  $f(t)$  has a single stationary point, which is a global maximum at  $(\ln x, x \ln x - x)$ . The second derivative of  $f(t)$  is evaluated to  $-x$ .

$$\begin{aligned}
\therefore I &\approx \int_{-\infty}^\infty dt e^{-\frac{x}{2}(t-\ln x)^2 + x \ln x - x} \\
&= e^{x \ln x - x} \int_{-\infty}^\infty dt e^{-\frac{x}{2}t^2} \\
&= \sqrt{\frac{2\pi}{x}} \left(\frac{x}{e}\right)^x
\end{aligned}$$

What might be more important than this calculation is defending that the saddle-point approximation holds in this case. To this end, one should argue that the integral around the “hump” of  $f(x)$  contributes the most to the integral. For this, one notices that the height of the hump grows like  $x \ln x$ , while the curvature at that point grows like  $x$ . Thus, the width of the hump, which can be approximated by the full width at half maximum of the parabola it is

approximated as, grows like  $\sqrt{\ln x}$ . While the exact value of the width tends to grow with  $x$ , it is positioned at  $t = \ln x$ , which moves away from the origin quadratically faster than the growth of the width. Thus, as  $x$  becomes larger, the integral is better approximated via the parabola at the hump, i.e., the saddle-point approximation.

36. The average number of reactions per time is given by the integral

$$I := \int_0^\infty dE N E e^{-E/kT} \cdot M e^{-\alpha/\sqrt{E}} = N M \int_0^\infty dE \exp\left(-\frac{E}{kT} - \frac{\alpha}{\sqrt{E}} + \ln E\right).$$

To employ the saddle-point approximation, let

$$\begin{aligned} f(E) &:= -\frac{E}{kT} - \frac{\alpha}{\sqrt{E}} + \ln E. \\ \Rightarrow f'(E) &= -\frac{1}{kT} + \frac{\alpha}{2E^{3/2}} + \frac{1}{E} \end{aligned}$$

Suppose  $f(E)$  has a stationary point at  $E_0 = \lambda_0 kT$ .

$$f'(E_0) = -\frac{1}{kT} + \frac{\alpha}{2(kT)^{3/2}} \lambda_0^{-3/2} + \frac{1}{\lambda_0 kT} = 0 \Rightarrow \lambda_0 \approx 1$$

$$\Rightarrow f(kT) = -1 - \frac{\alpha}{\sqrt{kT}} + \ln(kT) \approx \ln(kT) - 1$$

$$f''(kT) = -\frac{3}{4} \frac{\alpha}{(kT)^{5/2}} - \frac{1}{(kT)^2} \approx -\frac{1}{(kT)^2}$$

$$\begin{aligned} \therefore I &\approx N M \int_{-\infty}^\infty dv \exp\left(\ln(kT) - 1 - \frac{v^2}{2(kT)^2}\right) \\ &= N M \frac{kT}{e} \cdot \sqrt{2\pi(kT)^2} \\ &= \frac{\sqrt{2\pi}}{e} N M (kT)^2 \end{aligned}$$

37. We must evaluate the integral

$$\psi(\mathbb{k}, \mathbb{l}) := \int \frac{d\Omega}{(1 + \mathbb{k} \cdot \hat{\mathbf{r}})(1 + \mathbb{l} \cdot \hat{\mathbf{r}})}$$

using Feynman's identity (Eq. (3-28)).

$$\begin{aligned} \Rightarrow \psi(\mathbb{k}, \mathbb{l}) &= \int d\Omega \int_0^1 du \frac{1}{((1 + \mathbb{k} \cdot \hat{\mathbf{r}})u + (1 + \mathbb{l} \cdot \hat{\mathbf{r}})(1 - u))^2} \\ &= \int_0^1 du \int \frac{d\Omega}{(1 + (u\mathbb{k} + (1 - u)\mathbb{l}) \cdot \hat{\mathbf{r}})^2} \end{aligned}$$

Let

$$F(\mathbf{v}) := \int \frac{d\Omega}{(1 + \mathbf{v} \cdot \hat{\mathbf{r}})^2}.$$

This scalar-valued integral is a function of a vector; thus, it may only depend on the vector's magnitude. Let  $v := \|\mathbf{v}\|$ .

$$\begin{aligned} \Rightarrow F(\mathbf{v}) &= F(v\hat{\mathbf{z}}) \\ &= \int \frac{d\Omega}{(1 + vz)^2} \\ &= \int_0^\pi d\theta \int_0^{2\pi} d\phi \sin \theta \cdot \frac{1}{(1 + v \cos \theta)^2} \\ &= 2\pi \left[ \frac{1}{v(1 + v \cos \theta)} \right]_0^\pi \\ &= \frac{4\pi}{1 - v^2} \end{aligned}$$

$$\begin{aligned} \Rightarrow \psi(\mathbf{k}, \mathbf{l}) &= \int_0^1 du F(u\mathbf{k} + (1 - u)\mathbf{l}) \\ &= 4\pi \int_0^1 \frac{du}{1 - \|u\mathbf{k} + (1 - u)\mathbf{l}\|^2} \\ &= 4\pi \int_0^1 \frac{du}{1 - l^2 - 2(\mathbf{k} \cdot \mathbf{l} - l^2)u + (k^2 + l^2 - 2\mathbf{k} \cdot \mathbf{l})u^2} \end{aligned}$$

where  $k := \|\mathbf{k}\|$  and  $l := \|\mathbf{l}\|$ . Now, notice that

$$\frac{d}{dx} \tanh^{-1} x = \frac{1}{1 - x^2}.$$

$$\begin{aligned} \Rightarrow \frac{1}{c - 2bx - ax^2} &= \frac{1}{\sqrt{ac + b^2}} \cdot \frac{\frac{a}{\sqrt{ac + b^2}}}{1 - \left( \frac{a}{\sqrt{ac + b^2}} \left( x + \frac{b}{a} \right) \right)^2} \\ &= \frac{d}{dx} \left( \frac{1}{\sqrt{ac + b^2}} \tanh^{-1} \left( \frac{ax + b}{\sqrt{ac + b^2}} \right) \right) \end{aligned}$$

$$\begin{aligned} \Rightarrow \psi(\mathbf{k}, \mathbf{l}) &= \frac{4\pi}{\sqrt{(1 - \mathbf{k} \cdot \mathbf{l})^2 - (1 - k^2)(1 - l^2)}} \\ &\quad \times \left[ \tanh^{-1} \left( \frac{(k^2 + l^2 - 2\mathbf{k} \cdot \mathbf{l})u + \mathbf{k} \cdot \mathbf{l} - l^2}{\sqrt{(1 - \mathbf{k} \cdot \mathbf{l})^2 - (1 - k^2)(1 - l^2)}} \right) \right]_0^1 \\ &= \frac{4\pi}{\sqrt{A^2 - B^2}} \left( \tanh^{-1} \left( \frac{A - 1 + k^2}{\sqrt{A^2 - B^2}} \right) + \tanh^{-1} \left( \frac{A - 1 + l^2}{\sqrt{A^2 - B^2}} \right) \right) \end{aligned}$$

where  $A := 1 - \mathbb{k} \cdot \mathbb{l}$  and  $B := \sqrt{(1 - k^2)(1 - l^2)}$ .

Now, note that

$$\begin{aligned} \cosh(\tanh^{-1} x + \tanh^{-1} y) &= \cosh(\tanh^{-1} x) \cosh(\tanh^{-1} y) \\ &\quad + \sinh(\tanh^{-1} x) \sinh(\tanh^{-1} y) \\ &= \frac{1}{(1 - x^2)} \cdot \frac{1}{(1 - y^2)} + \frac{x}{(1 - x^2)} \cdot \frac{y}{(1 - y^2)} \\ &= \frac{1 + xy}{\sqrt{(1 - x^2)(1 - y^2)}}. \end{aligned}$$

In our case, we have

$$x = \frac{A - 1 + k^2}{\sqrt{A^2 - B^2}} \text{ and } y = \frac{A - 1 + l^2}{\sqrt{A^2 - B^2}}$$

which yields

$$1 + xy = \frac{A}{A^2 - B^2} (2A + k^2 + l^2 - 2)$$

and

$$\sqrt{(1 - x^2)(1 - y^2)} = \frac{B}{A^2 - B^2} (2A + k^2 + l^2 - 2).$$

$$\Rightarrow \tanh^{-1} x + \tanh^{-1} y = \cosh^{-1} \left( \frac{1 + xy}{\sqrt{(1 - x^2)(1 - y^2)}} \right) = \cosh^{-1} \frac{A}{B}$$

$$\therefore \psi(\mathbb{k}, \mathbb{l}) = \frac{4\pi}{\sqrt{A^2 - B^2}} \cosh^{-1} \frac{A}{B}$$

38. If you have read the textbook thoroughly (unlike myself), then you may recall the “method of stationary phase” explained around Eq. (3–88).

$$f_n(x) = \int_C dt \exp \left( ix \left( \frac{n}{x} t - \sin t \right) \right)$$

Let  $g(t) := \frac{n}{x} t - \sin t$ . For large positive values of  $x$ , nearly all contribution to the integral comes near

$$g'(t_0) = \frac{n}{x} - \cos t_0 = 0 \Rightarrow t_0 = -\cos^{-1} \frac{n}{x}.$$

$$g(t_0) = -\frac{n}{x} \cos^{-1} \frac{n}{x} + \sqrt{1 - \left( \frac{n}{x} \right)^2}$$

$$g''(t_0) = -\sqrt{1 - \left( \frac{n}{x} \right)^2}$$



$$\begin{aligned}
\therefore f_n(x) &\approx \int_{-\infty}^{\infty} dt \exp \left( ix \left( g(t_0) + \frac{g''(t_0)}{2} (t - t_0)^2 \right) \right) \\
&= e^{ixg(t_0)} \sqrt{\frac{2\pi}{ixg''(t_0)}} \\
&= e^{i(\sqrt{x^2 - n^2} - n \cos^{-1} \frac{n}{x} - \frac{\pi}{4})} \sqrt{\frac{2\pi}{x \left( 1 - \frac{1}{2} \left( \frac{n}{x} \right)^2 \right)}}
\end{aligned}$$

For large values of  $x$ , we can simplify this expression to only consider leading powers of  $x$ .

$$\begin{aligned}
\therefore f_n(x) &\approx e^{i \left( x \left( 1 - \frac{1}{2} \left( \frac{n}{x} \right)^2 \right) - n \left( \frac{\pi}{2} - \frac{n}{x} \right) - \frac{\pi}{4} \right)} \sqrt{\frac{2\pi}{x}} \left( 1 + \frac{1}{4} \left( \frac{n}{x} \right)^2 \right) \\
&\approx \sqrt{\frac{2\pi}{x}} e^{i \left( x - \frac{2n+1}{4} \pi \right)} \left( 1 + \frac{in^2}{2x} \right)
\end{aligned}$$

## 4 Chapter 4

1. As  $f(x)$  is an even function, we immediately see that no sine terms will be present in the series. Let

$$f(x) = \frac{A_0}{2} + \sum_{n=1}^{\infty} A_n \cos \frac{2n\pi}{L} x.$$

$$A_0 = \frac{2}{L} \int_{-\frac{L}{2}}^{\frac{L}{2}} dx f(x) = \frac{4}{L} \int_0^{\frac{L}{2}} dx \left( 1 - \frac{2}{L} x \right) = 1$$

$$\begin{aligned}
A_n &= \frac{2}{L} \int_{-\frac{L}{2}}^{\frac{L}{2}} dx f(x) \cos \frac{2n\pi}{L} x \\
&= \frac{4}{L} \int_0^{\frac{L}{2}} dx \left( 1 - \frac{2}{L} x \right) \cos \frac{2n\pi}{L} x \\
&= \frac{2(1 - (-1)^n)}{\pi^2 n^2} \\
&= \begin{cases} \frac{4}{\pi^2 n^2} & (2 \nmid n) \\ 0 & (2 \mid n) \end{cases} \quad (n \neq 0)
\end{aligned}$$

$$\begin{aligned}
\therefore f(x) &= \frac{1}{2} + \frac{4}{\pi^2} \sum_{n=0}^{\infty} \frac{1}{(2n+1)^2} \cos \frac{2(2n+1)\pi}{L} x \\
&= \frac{1}{2} + \frac{4}{\pi^2} \left( \cos \frac{2\pi}{L} x + \frac{1}{9} \cos \frac{6\pi}{L} x + \frac{1}{25} \cos \frac{10\pi}{L} x + \dots \right)
\end{aligned}$$

2. (a) The Fourier series is given by Eq. (4-4):

$$f(\theta) = \frac{4}{\pi} \sum_{n=0}^{\infty} \frac{\sin(2n+1)\theta}{2n+1}.$$

Thus, let us denote the partial sums as

$$\begin{aligned} f_n(\theta) &:= \frac{4}{\pi} \sum_{k=0}^n \frac{\sin(2k+1)\theta}{2k+1}. \\ \Rightarrow f'_n(\theta) &= \frac{4}{\pi} \sum_{k=0}^n \cos(2k+1)\theta \\ &= \frac{4}{\pi} \Re \left\{ \sum_{k=0}^n e^{i(2k+1)\theta} \right\} \\ &= \frac{4}{\pi} \Re \left\{ \frac{e^{i\theta} (1 - e^{2in\theta})}{1 - e^{2i\theta}} \right\} \\ &= \frac{2}{\pi} \frac{\sin 2n\theta}{\sin \theta} \end{aligned}$$

Hence, the first overshoot, i.e., local maximum occurs at  $\frac{\pi}{2n}$ .

$$\therefore \delta_n = f_n\left(\frac{\pi}{2n}\right) - 1 = \frac{4}{\pi} \sum_{k=0}^n \frac{1}{2k+1} \sin\left(\frac{2k+1}{2n}\pi\right) - 1$$

(b)

$$\begin{aligned} \lim_{n \rightarrow \infty} \delta_n &= \frac{4}{\pi} \lim_{n \rightarrow \infty} \sum_{k=0}^n \frac{\sin \frac{2k+1}{2n}\pi}{\frac{2k+1}{2n}} \cdot \frac{1}{2n} - 1 \\ &= \frac{2}{\pi} \int_0^1 dx \frac{\sin \pi x}{x} - 1 \\ &= \frac{2}{\pi} \int_0^\pi du \frac{\sin u}{u} - 1 \quad (u := \pi x) \\ &= \frac{2}{\pi} \text{Si}(\pi) - 1 \end{aligned}$$

3. (a) We basically express the piecewise function

$$f(x) = \begin{cases} -e^x & (-1 < x < 0) \\ e^{-x} & (0 < x < 1) \end{cases}$$

as a Fourier series. Since this function is defined to be odd, we will only obtain the sine terms:

$$\begin{aligned}
f(x) &= \sum_{n=1}^{\infty} B_n \sin n\pi x. \\
\Rightarrow B_n &= 2 \int_0^1 dx e^{-x} \sin n\pi x = \frac{2n\pi}{n^2\pi^2 + 1} \left(1 - \frac{(-1)^n}{e}\right) \\
\therefore f(x) &= \sum_{n=1}^{\infty} \frac{2n\pi}{n^2\pi^2 + 1} \left(1 - \frac{(-1)^n}{e}\right) \sin n\pi x \\
&= \frac{\pi}{\pi^2 + 1} \left(1 + \frac{1}{e}\right) \sin \pi x + \frac{2\pi}{4\pi^2 + 1} \left(1 - \frac{1}{e}\right) \sin 2\pi x \\
&\quad + \frac{3\pi}{9\pi^2 + 1} \left(1 - \frac{1}{e}\right) \sin 3\pi x + \dots
\end{aligned}$$

(b) Let

$$\begin{aligned}
f(x) = e^{-x} &= \frac{A_0}{2} + \sum_{n=1}^{\infty} (A_n \cos 2n\pi x + B_n \sin 2n\pi x) \quad (0 < x < 1). \\
\Rightarrow A_n &= 2 \int_0^1 dx e^{-x} \cos 2n\pi x = \frac{2}{4n^2\pi^2 + 1} \left(1 - \frac{1}{e}\right) \\
B_n &= 2 \int_0^1 dx e^{-x} \sin 2n\pi x = \frac{4n\pi}{4n^2\pi^2 + 1} \left(1 - \frac{1}{e}\right) \\
\therefore f(x) &= \left(1 - \frac{1}{e}\right) \left(1 + \sum_{n=1}^{\infty} \frac{2 \cos 2n\pi x + 4n\pi \sin 2n\pi x}{4n^2\pi^2 + 1}\right) \\
&= \left(1 - \frac{1}{e}\right) \left(1 + \frac{2 \cos 2\pi x + 4\pi \sin 2\pi x}{4\pi^2 + 1}\right. \\
&\quad \left.+ \frac{2 \cos 4\pi x + 8\pi \sin 4\pi x}{16\pi^2 + 1} + \frac{2 \cos 6\pi x + 12\pi \sin 6\pi x}{36\pi^2 + 1} + \dots\right)
\end{aligned}$$

4. For sinusoidal input functions, we can rewrite the linear system's outputs as

$$\begin{aligned}
\frac{1}{T} \int_0^T dt' G(t-t') \sin \frac{2n\pi}{T} t' &= \left(\frac{\omega_0 T}{2n\pi}\right)^2 \sin \frac{2n\pi}{T} t, \\
\frac{1}{T} \int_0^T dt' G(t-t') \cos \frac{2n\pi}{T} t' &= \left(\frac{\omega_0 T}{2n\pi}\right)^2 \cos \frac{2n\pi}{T} t,
\end{aligned}$$

and

$$\frac{1}{T} \int_0^T dt' G(t-t') = 0.$$

For “sufficiently well-behaved” inputs<sup>8</sup>  $f$ , these conditions are sufficient to ensure the correct behavior of the linear system, as these inputs may be expanded into Fourier series, which the system acts on termwise.

Now, let us consider the Fourier expansion of  $G(t)$  itself as

$$G(-(t - t_0)) := \frac{A_0}{2} + \sum_{n=1}^{\infty} \left( A_n \cos \frac{2n\pi}{T} t + B_n \sin \frac{2n\pi}{T} t \right)$$

where the coefficients  $A_n$  and  $B_n$  will, in general, depend on  $t_0$ .

$$\begin{aligned} A_0 &= \frac{2}{T} \int_0^T dt' G(t_0 - t') = 0 \\ \Rightarrow A_n &= \frac{2}{T} \int_0^T dt' G(t_0 - t') \cos \frac{2n\pi}{T} t' = 2 \left( \frac{\omega_0 T}{2n\pi} \right)^2 \cos \frac{2n\pi}{T} t_0 \\ B_n &= \frac{2}{T} \int_0^T dt' G(t_0 - t') \sin \frac{2n\pi}{T} t' = 2 \left( \frac{\omega_0 T}{2n\pi} \right)^2 \sin \frac{2n\pi}{T} t_0 \\ \Rightarrow G(t_0 - t) &= \frac{\omega_0^2 T^2}{2\pi^2} \sum_{n=1}^{\infty} \frac{1}{n^2} \left( \cos \frac{2n\pi}{T} t_0 \cos \frac{2n\pi}{T} t + \cos \frac{2n\pi}{T} t_0 \cos \frac{2n\pi}{T} t_0 \right) \\ &= \frac{\omega_0^2 T^2}{2\pi^2} \sum_{n=1}^{\infty} \frac{1}{n^2} \cos \frac{2n\pi}{T} (t_0 - t) \\ \therefore G(t) &= \frac{\omega_0^2 T^2}{2\pi^2} \sum_{n=1}^{\infty} \frac{1}{n^2} \cos \frac{2n\pi}{T} t \end{aligned}$$

(Note: This series might look like it could be further simplified; however, to do so requires defining something like the polylogarithm function<sup>9</sup>, which is a step I will not take.)

5. Let

$$\begin{aligned} f(\theta) &:= \sum_{n=0}^{\infty} \frac{\cos(2n+1)\theta}{(2n+1)^2} \\ \Rightarrow f''(\theta) &= - \sum_{n=0}^{\infty} \cos(2n+1)\theta = -\Re \left\{ \sum_{n=0}^{\infty} e^{i(2n+1)\theta} \right\} = 0 \\ \Rightarrow f'(\theta) &= f' \left( \frac{\pi}{2} \right) = - \sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1} = -\frac{\pi}{4} \\ \Rightarrow f(\theta) &= f(0) - \frac{\pi}{4}\theta = \sum_{n=0}^{\infty} \frac{1}{(2n+1)^2} - \frac{\pi}{4}\theta = \frac{\pi^2}{8} \left( 1 - \frac{2}{\pi}\theta \right) \end{aligned}$$

<sup>8</sup>As in, inputs in the domain densely spanned by the sinusoidal functions.

<sup>9</sup><https://en.wikipedia.org/wiki/Polylogarithm>

Now note that  $f$  must be periodic and even, which this linear function definitely is not. Yet, nowhere in our derivation did we specify the range of  $\theta$ ! What went wrong?

The answer is that our  $f''(\theta)$  is not strictly true; it diverges at integral multiples of  $\pi$ . Hence, we cannot invoke the fundamental theorem of calculus to obtain  $f'(\theta)$  in one go. However, the above derivation works on the interval  $(0, \pi)$ , which we periodically and evenly extend to the entire real line.

$$\therefore f(\theta) = \begin{cases} \frac{\pi^2}{8} \left(1 - \frac{2}{\pi}(\theta - 2k\pi)\right) & (2k\pi < \theta < (2k+1)\pi) \\ \frac{\pi^2}{8} \left(1 + \frac{2}{\pi}(\theta - 2k\pi)\right) & ((2k-1)\pi < \theta < 2k\pi) \end{cases}$$

(Note: What about the part where we evaluate  $f(0)$ ? Is that also erroneous? Technically yes, but the diligent mathematicians have proven Abel's theorem<sup>10</sup>, with which we may correctly write

$$\lim_{\theta \rightarrow 0+} f(\theta) = \frac{\pi^2}{8}.$$

Of course, we are physicists, so *obviously* it works!)

6. Equalities between delta “function”-like things should be dealt with care. A rigorous-enough definition of equality for physicists is given by

$$A(x) = B(x) \Leftrightarrow (\forall f(x)) \int dx f(x) A(x) = \int dx f(x) B(x).$$

Hence, this problem could be viewed as proving the equality

$$\delta[g(x)] = \frac{\delta(x - x_0)}{|g'(x_0)|}.$$

$$\begin{aligned} \int_a^b dx f(x) \delta[g(x)] &= \int_{g(a)}^{g(b)} \frac{du}{g'(x(u))} f(x(u)) \delta(u) & (u := g(x)) \\ &= \text{sign}(g(b) - g(a)) \frac{f(x(u))}{g'(x(u))} \Big|_{u=0} \\ &= \text{sign}(g'(x_0)) \frac{f(x_0)}{g'(x_0)} \\ &= \frac{f(x_0)}{|g'(x_0)|} \end{aligned}$$

7. It is 0. It is just 0. No doubt.

You need an explanation? The integrand is identically zero on the integration range  $[0, \pi] \times [1, 2]$ . Just look! Never are both of the arguments to the delta functions zero.

---

<sup>10</sup>[https://en.wikipedia.org/wiki/Abel%27s\\_theorem](https://en.wikipedia.org/wiki/Abel%27s_theorem)

Fine, I'll give a formal proof. It's really no need, you see.

$$\begin{aligned}
I &:= \int_0^\pi dx \int_1^2 dy \delta(\sin x) \delta(x^2 - y^2) \\
&= \int_0^\pi dx \delta(\sin x) \left( \mathbb{1}\{x \in [1, 2]\} \cdot \frac{1}{|-2y|} \Big|_{y=x} + \mathbb{1}\{x \in [1, 2]\} \cdot \frac{1}{|-2y|} \Big|_{y=-x} \right) \\
&= 0
\end{aligned}$$

Here,  $\mathbb{1}\{p\}$  equals 1 if  $p$  is true and 0 if false.

8.

$$\begin{aligned}
\tilde{\psi}(\mathbf{k}) &= \int \frac{d^3x}{(2\pi)^{3/2}} \psi(\mathbf{x}) e^{-i\mathbf{k} \cdot \mathbf{x}} \\
&= \frac{1}{16\pi^2 a_0^{5/2}} \int d^3x z e^{-r/2a_0 - i\mathbf{k} \cdot \mathbf{x}} \\
&= \frac{i}{16\pi^2 a_0^{5/2}} \frac{\partial}{\partial k_z} \int d^3x e^{-r/2a_0 - i\mathbf{k} \cdot \mathbf{x}} \\
&= \frac{i}{16\pi^2 a_0^{5/2}} \frac{\partial}{\partial k_z} \int_0^\infty dr r^2 \int_{-1}^1 d(\cos \theta) \int_0^{2\pi} d\phi e^{-r/2a_0 - ikr \cos \theta} \\
&= \frac{i}{8\pi a_0^{5/2}} \frac{\partial}{\partial k_z} \int_0^\infty dr r^2 e^{-r/2a_0} \left[ -\frac{i}{kr} e^{-ikr \cos \theta} \right]_{\theta=0}^{\theta=\pi} \\
&= \frac{1}{8\pi a_0^{5/2}} \frac{\partial}{\partial k_z} \left( \frac{1}{k} \int_0^\infty dr r e^{-r/2a_0} (e^{ikr} - e^{-ikr}) \right) \\
&= \frac{i}{8\pi a_0^{5/2}} \frac{\partial k}{\partial k_z} \frac{\partial}{\partial k} \left( k^2 + \frac{1}{4a_0^2} \right)^{-2} \\
&= \frac{1}{2i\pi a_0^{3/2}} \frac{k_z}{(k^2 + 1/4a_0^2)^3}
\end{aligned}$$

(Note: The original integral is not spherically symmetric, since the integrand is not a coordinate-independent scalar (it depends on  $z$ ). Consequently, the resulting expression depends on more than just the magnitude of  $\mathbf{k}$ . However, on the fourth equality sign, we arbitrarily chose the  $z$  axis to be along  $\mathbf{k}$ . This is because upon applying Feynman's trick, the integrand becomes spherically symmetric again. This exercise is a good training for applying symmetry arguments only when applicable.)

9. (a) The Fourier transform of the input function is given by

$$\begin{aligned}\tilde{f}(\omega) &= \int_{-\infty}^{\infty} \frac{d\omega}{\sqrt{2\pi}} f(t) e^{-i\omega t} \\ &= \frac{1}{\sqrt{2\pi}} \int_0^{\infty} dt e^{-(\lambda+i\omega)t} \\ &= \frac{1}{\sqrt{2\pi}} \frac{1}{\lambda + i\omega}\end{aligned}$$

while that of the response function is given by

$$\begin{aligned}\tilde{F}(\omega) &= \int_{-\infty}^{\infty} \frac{d\omega}{\sqrt{2\pi}} F(t) e^{-i\omega t} \\ &= \frac{1}{\sqrt{2\pi}} \int_0^{\infty} dt \left( e^{-(\lambda+i\omega)t} - e^{-(\lambda+\alpha+i\omega)t} \right) \\ &= \frac{1}{\sqrt{2\pi}} \left( \frac{1}{\lambda + i\omega} - \frac{1}{\lambda + \alpha + i\omega} \right).\end{aligned}$$

Meanwhile, since the system is linear, we know that

$$\tilde{F}(\omega) = G(-\omega) \tilde{f}(\omega)$$

since each oscillatory mode  $e^{i\omega t}$  transforms to  $G(-\omega)e^{-i\omega t}$ .

$$\therefore G(\omega) = 1 + \frac{\lambda - i\omega}{\lambda + \alpha - i\omega}$$

(b)

$$\begin{aligned}\tilde{f}(\omega) &= \int_{-\infty}^{\infty} \frac{dt}{\sqrt{2\pi}} A \delta(x) e^{-i\omega t} \\ &= \frac{A}{\sqrt{2\pi}}\end{aligned}$$

$$\begin{aligned}\Rightarrow \tilde{F}(\omega) &= G(-\omega) \tilde{f}(\omega) \\ &= \frac{A}{\sqrt{2\pi}} \left( 1 + \frac{\lambda - i\omega}{\lambda + \alpha - i\omega} \right) \\ &= \frac{A}{\sqrt{2\pi}} \left( 2 - \frac{\alpha}{\lambda + \alpha - i\omega} \right)\end{aligned}$$

$$\therefore F(t) = A \left( 2\delta(t) - \alpha e^{-(\lambda+\alpha+i\omega)t} \right)$$

10.

$$\begin{aligned}
\mathcal{L}[f] &= \int_0^\infty dx f(x) e^{-sx} \\
&= \sum_{n=0}^\infty \int_{2n}^{2n+1} dx e^{-sx} \\
&= \frac{1}{s} \sum_{n=0}^\infty \left( e^{-2ns} - e^{-(2n+1)s} \right) \\
&= \frac{1}{s} \left( \frac{1}{1 - e^{-2s}} - \frac{e^{-s}}{1 - e^{-2s}} \right) \\
&= \frac{e^{s/2} \sinh s/2}{s \sinh s}
\end{aligned}$$

11. The crucial insight to solve this problem (at least in my case) was the realization that the transformation  $f(x) \mapsto g(y)$  is linear in its arguments. Hence, describing the transformation for only a set of basis functions is enough!

$$\begin{aligned}
f(x) &:= e^{i\omega x} = \sum_{n=0}^\infty \frac{(i\omega)^n}{n!} x^n \\
\mapsto g(y) &= \sum_{n=0}^\infty (i\omega y)^n = \frac{1}{1 - i\omega y}
\end{aligned}$$

$$\begin{aligned}
\therefore g(y) &= \int \frac{d\omega}{\sqrt{2\pi}} \tilde{f}(\omega) \cdot \frac{1}{1 - i\omega y} \\
&= \int \frac{d\omega}{\sqrt{2\pi}} \frac{1}{1 - i\omega y} \cdot \int \frac{dx}{\sqrt{2\pi}} f(x) e^{-i\omega x} \\
&= \frac{1}{2\pi} \int d\omega \int dx f(x) \frac{e^{-i\omega x}}{1 - i\omega y}
\end{aligned}$$

Here, the ranges of the integrals are assumed to be over the entire real axis.

12.

$$\begin{aligned}
J_0(x) &= \frac{1}{2\pi} \int_0^{2\pi} d\theta \frac{e^{i \cos \theta x} + e^{-i \cos \theta x}}{2} \\
&= \frac{1}{2\pi} \int_0^{2\pi} d\theta e^{i \cos \theta x} \quad \left( \because \cos \theta \text{ symmetric about } \left(0, \frac{\pi}{2}\right) \right) \\
&= \frac{1}{2\pi} \int_{-1}^1 \frac{dk}{\sqrt{1 - k^2}} e^{ikx} \quad (k := \cos \theta) \\
&= \frac{1}{2i\pi} \int_{-i}^i \frac{ds}{\sqrt{1 + s^2}} e^{sx} \quad (s := ik) \\
&= \frac{1}{2i\pi} \int_{-i\infty}^{i\infty} ds \frac{\mathbb{1}_{\{-1 < \Im s < 1\}}}{\sqrt{1 + s^2}} e^{sx}
\end{aligned}$$



$$\therefore \mathcal{L}[J_0](s) = \frac{\mathbb{1}\{-1 < \Im s < 1\}}{\sqrt{1+s^2}}$$

Here,  $\mathbb{1}\{p\}$  evaluates to 1 if  $p$  is true and 0 if  $p$  is false. This function is used to constrain  $s$  to be inside a horizontal strip, where the Laplace transform stays analytic.

13. (Solution 1) We perform a partial fraction decomposition to obtain formulae whose inverse Laplace transforms are trivial (or at least well documented).

$$\begin{aligned} \frac{1}{(s^2+1)(s-1)} &= \frac{-s/2-1/2}{s^2+1} + \frac{1/2}{s-1} = \frac{1}{2} \left( \frac{1}{s-1} - \frac{s}{s^2+1} - \frac{1}{s^2+1} \right) \\ \therefore \mathcal{L}^{-1} \left[ \frac{1}{(s^2+1)(s-1)} \right] (x) &= \frac{1}{2} (e^x - \cos x - \sin x) \end{aligned}$$

(Solution 2) We apply properties of Laplace transforms to gradually reduce the problem.

$$\begin{aligned} \mathcal{L}^{-1} \left[ \frac{1}{(s^2+1)(s-1)} \right] (x) &= e^x \mathcal{L}^{-1} \left[ \frac{1}{((s+1)^2+1)s} \right] (x) \\ &= e^x \int_0^x dt \mathcal{L}^{-1} \left[ \frac{1}{(s+1)^2+1} \right] (t) \\ &= e^x \int_0^x dt e^{-t} \mathcal{L}^{-1} \left[ \frac{1}{s^2+1} \right] (t) \\ &= e^x \int_0^x dt e^{-t} \sin t \\ &= \frac{1}{2} (e^x - \cos x - \sin x) \end{aligned}$$

14. In matrix form, the coupled differential equations can be written as

$$\frac{d}{dt} \begin{pmatrix} N_1 \\ N_2 \\ N_3 \end{pmatrix} = \begin{pmatrix} -\lambda_1 & & \\ \lambda_1 & -\lambda_2 & \\ & \lambda_2 & -\lambda_3 \end{pmatrix} \begin{pmatrix} N_1 \\ N_2 \\ N_3 \end{pmatrix}.$$

Let

$$\begin{aligned} F_i &:= \mathcal{L}[N_i](s). \\ \Rightarrow \mathcal{L}[\dot{N}_i](s) &= sF_i - N_i(0) \\ \Rightarrow \begin{pmatrix} sF_1 - N_1 \\ sF_2 \\ sF_3 - N_3 \end{pmatrix} &= \begin{pmatrix} -\lambda_1 & & \\ \lambda_1 & -\lambda_2 & \\ & \lambda_2 & -\lambda_3 \end{pmatrix} \begin{pmatrix} F_1 \\ F_2 \\ F_3 \end{pmatrix} \\ \Rightarrow \begin{pmatrix} s+\lambda_1 & & \\ -\lambda_1 & s+\lambda_2 & \\ & -\lambda_2 & s+\lambda_3 \end{pmatrix} \begin{pmatrix} F_1 \\ F_2 \\ F_3 \end{pmatrix} &= \begin{pmatrix} N_1 \\ N_2 \\ N_3 \end{pmatrix} \end{aligned}$$

$$\begin{aligned}\Rightarrow F_3 &= \frac{n}{s + \lambda_3} - \frac{N\lambda_1\lambda_2}{(\lambda_1 - \lambda_2)(\lambda_2 - \lambda_3)(\lambda_3 - \lambda_1)} \\ &\quad \cdot \left( \frac{\lambda_2 - \lambda_3}{s - \lambda_1} + \frac{\lambda_3 - \lambda_1}{s - \lambda_2} + \frac{\lambda_1 - \lambda_2}{s - \lambda_3} \right) \\ \therefore N_3(t) &= ne^{-\lambda_3 t} - \frac{N\lambda_1\lambda_2}{(\lambda_1 - \lambda_2)(\lambda_2 - \lambda_3)(\lambda_3 - \lambda_1)} \\ &\quad \cdot ((\lambda_2 - \lambda_3)e^{-\lambda_1 t} + (\lambda_3 - \lambda_1)e^{-\lambda_2 t} + (\lambda_1 - \lambda_2)e^{-\lambda_3 t})\end{aligned}$$

(Note 1: What if two of the  $\lambda_i$ 's are the same? In this case, the inverse Laplace transform becomes more complicated, and the solution would take the form of either  $te^{-t}$  (multiplicity 2) or  $t^2e^{-t}$  (multiplicity 3).)

(Note 2: Solving the linear system of equations, in this case is straightforward since the matrix is already lower triangular. However, since only  $F_3$  is of interest in our case, the Cramer's rule<sup>11</sup> may be more efficient, especially because the determinant calculations are also relatively simple.)

## 5 Chapter 5

**Note of Warning** To be perfectly candid, I kind of hate solutions that use a wholly unmotivated conformal mapping, since they feel more like things to memorize than a skill I can train and apply to other problems. I will try to provide as much motivation as possible, but please keep this mindset of mine in mind.

1. The problem describes a linear array of charged strips, as shown in Figure 13a. We wish to find a conformal map that transforms this into a problem with a known solution. It is helpful to approach this step by step.

The first problem we see is that there are infinitely many charged sheets; we wish to collapse them into a single strip. To do so, we should employ a map that is periodic with period  $2(a + b)$ . Hence, we employ the map

$$\zeta := \exp\left(i \frac{\pi z}{a + b}\right) \Leftrightarrow z = -i(a + b) \ln \zeta.$$

This yields Figure 13b, where the charged strips collapse into a single one shaped as a circular arc (or a cylindrical arc in 3D).

We now want to map this circular arc into a well-known shape. One way to do so is given by the Möbius transformation<sup>12</sup>, which is often introduced as an important class of conformal mappings in other textbooks. With that motivation-via-divine-intervention aside, let us consider the map

$$\eta = \frac{a\zeta + b}{c\zeta + d}.$$

<sup>11</sup>[https://en.wikipedia.org/wiki/Cramer%27s\\_rule](https://en.wikipedia.org/wiki/Cramer%27s_rule)

<sup>12</sup>[https://en.wikipedia.org/wiki/M%C3%B6bius\\_transformation](https://en.wikipedia.org/wiki/M%C3%B6bius_transformation)




Figure 13: Results of conformal mappings used in Problem 5–1.

We will attempt to transform the unit circle in the  $ζ$  plane into the real axis in the  $η$  plane. Also, it would be nice to have  $1$  map to the origin for more symmetry and  $-1$  to infinity because it is not part of the charged strip. These conditions constrain the transformation to

$$\eta = a \frac{1 - \zeta}{1 + \zeta}.$$

Finally, requiring that  $i$  maps to a point on the real axis, we get

$$\eta := i \frac{1 - \zeta}{1 + \zeta} \Leftrightarrow \zeta = \frac{i - \eta}{i + \eta}.$$

This transformation actually maps the point  $e^{i\alpha}$  to  $\tan \frac{\alpha}{2}$ , so it places the charged strip on the real interval from  $-\tan \frac{\pi a}{2(a+b)}$  to  $\tan \frac{\pi a}{2(a+b)}$ . This is shown in Figure 13c.

This final situation in the  $η$  was dealt with in the main text and is solved by

$$f(\eta) = -\frac{\lambda}{2\pi\epsilon_0} \sin^{-1} \left( \frac{\eta}{\tan(\pi a/2(a+b))} \right).$$

Composing the two conformal maps yields

$$\begin{aligned}\eta(z) &= \tan\left(\frac{\pi z}{2(a+b)}\right). \\ \therefore F(z) &= f(\eta(z)) \\ &= -\frac{\lambda}{2\pi\epsilon_0} \sin^{-1}\left(\frac{\tan\left(\frac{\pi z}{2(a+b)}\right)}{\tan\left(\frac{\pi a}{2(a+b)}\right)}\right)\end{aligned}$$

The potential is given by the imaginary part of this function.

(Note: It may be possible to directly motivate the conformal map  $\eta(z)$  as follows: The map should be periodic as discussed earlier, but we also require that real values are mapped to real values. This would ensure that the charged strips stay straight, which may be easier to calculate. The tangent function achieves this as shown in this solution, but one may be tempted to use one of the other trigonometric functions. The reader is encouraged to try out other possible mappings.)

2. First, consider a single line charge  $\lambda$  at the origin. We want to express the potential  $V(x, y)$  as the imaginary component of some complex function

$$F(z) = U(x, y) + iV(x, y).$$

Rotational symmetry implies that  $V$  is solely a function of  $r := |z|$ ; consequently, the streamlines formed by  $U = \text{const.}$  must be radial. Moreover,  $U$  must be multivalued since the integral

$$\oint_{r=\text{const.}} dz(\nabla V)_n = \Delta U$$

is nonzero (unless  $V$  itself is zero). In other words, following a circular contour around the origin increments  $U$  by a fixed amount. “Therefore,” the only analytic function that satisfies these conditions is

$$F(z) := iC \ln z = C(-\theta + i \ln r) \quad (z = re^{i\theta}).$$

(Note: I really hoped that I could come up with an air-tight argument for the logarithm to appear here; if you have any ideas other than direct calculation of the potential, please let me know!)

Integration around the origin then should represent the total linear charge density enclosed:

$$\begin{aligned}\frac{\lambda}{\epsilon_0} &= \oint_{r=\text{const.}} dz(\nabla V)_n = \Delta U = -2\pi C. \\ \Rightarrow C &= -\frac{\lambda}{2\pi\epsilon_0} \Rightarrow F(z) = -\frac{i\lambda}{2\pi\epsilon_0} \ln z\end{aligned}$$

Confusingly enough, this problem in particular requires that the *real* part be the potential. Thus, we divide by  $i$  and use

$$F(z) = -\frac{\lambda}{2\pi\epsilon_0} \ln z.$$

For the 2D-equivalent of the electric dipole as described in the problem, we simply superpose the functions for each of the line charge.

$$\begin{aligned} \therefore W(z) &= \lim_{d \rightarrow 0^+} \left( -\frac{p/2d}{2\pi\epsilon_0} \ln(z - id) + \left( -\frac{-p/2d}{2\pi\epsilon_0} \ln(z + id) \right) \right) \\ &= \frac{ip}{2\pi\epsilon_0} \lim_{d \rightarrow 0^+} \frac{\ln(z + id) - \ln(z - id)}{2id} \\ &= \frac{ip}{2\pi\epsilon_0 z} \end{aligned}$$

Notice that the electric potential is given by

$$\Re\{W(z)\} = \frac{p}{2\pi\epsilon_0} \frac{y}{x^2 + y^2}.$$




Figure 14: Results of conformal mappings used in Problem 5–3. Note that the grounded symbols have not been mapped conformally.

3. The effects of the given transformation is shown in Figure 14. The region between the plates in the  $z$  plane is mapped to the upper half plane in the  $\zeta$  plane. Moreover, the two charged plates are mapped onto the positive and negative halves of the real axis. Therefore, we should find a complex function  $F(\zeta)$  such that its imaginary part vanishes on the real axis while showing a log-like behavior near  $e^{i\frac{a}{b}\pi}$ . Those with some electrostatic problem-solving experience may recall the image charge method<sup>13</sup>. Those without could tinker around, perhaps placing some negative charges trying to cancel out the potential on the

<sup>13</sup>[https://en.wikipedia.org/wiki/Method\\_of\\_image\\_charges](https://en.wikipedia.org/wiki/Method_of_image_charges)

real axis. This may lead you to placing a charged line of charge density  $-\lambda$  at  $\zeta = e^{-i\frac{a}{b}\pi}$ .

$$\Rightarrow F(\zeta) = \frac{i\lambda}{2\pi\epsilon_0} (\ln(\zeta - e^{-i\frac{a}{b}\pi}) - \ln(\zeta - e^{i\frac{a}{b}\pi}))$$

$$\begin{aligned} \Rightarrow f(z) &= F(\zeta(z)) \\ &= \frac{i\lambda}{2\pi\epsilon_0} (\ln(e^{i\frac{z}{b}} - e^{-i\frac{a}{b}\pi}) - \ln(e^{i\frac{z}{b}} - e^{i\frac{a}{b}\pi})) \end{aligned}$$

$$\begin{aligned} \therefore V(x, y) &= \Im\{f(z)\} \\ &= \frac{\lambda}{2\pi\epsilon_0} \Re\left\{\left(\ln\left(e^{i\frac{x+iy}{b}} - e^{-i\frac{a}{b}\pi}\right) - \ln\left(e^{i\frac{x+iy}{b}} - e^{i\frac{a}{b}\pi}\right)\right)\right\} \end{aligned}$$




Figure 15: The surface of a charged conductor, used in Problem 5–4.

4. Suppose we traverse near the surface of a sheet of conductor from  $P$  to  $Q$ , such that the conductor stays on the right of the direction of traversal. Such a contour is shown in Figure 15. The electric field and the gradients of the potential and the streaming function are also shown, where  $\nabla V$  must be counterclockwise to  $\nabla U$ .

For computational ease, let us equate the 2D vector  $(a, b)$  with the complex number  $a + ib$ . This leads to some rather uncomfortable, yet wieldy expressions such as

$$\nabla V = -E_n = i\nabla U.$$

$$\begin{aligned} \Rightarrow \frac{\sigma}{\epsilon_0} &= E_n \\ &= -\nabla V \cdot \hat{n} \\ &= -(i\nabla U) \cdot (i\hat{s}) \\ &= \nabla U \cdot \hat{s} \end{aligned}$$

$$\begin{aligned}
\therefore C(P, Q) &= \int_P^Q ds \sigma \\
&= \epsilon_0 \int_P^Q ds \nabla U \cdot \hat{s} \\
&= \epsilon_0 \int_P^Q d\mathbf{s} \cdot \nabla U \\
&= \epsilon_0 (U(Q) - U(P))
\end{aligned}$$

## A Appendix

6. (This single problem had cost me months of my life, and here's the unsatisfying conclusion of that journey. I am fairly certain that there are a myriad of different possible answers for this problem with varying levels of sophistication, and possibly even more ways to derive said solutions. For my purposes, I have settled on a solution that is semi-straightforward with an answer that I can plug into almighty WolframAlpha.)

We will derive a procedure to (painstakingly) calculate the Laurent series of the given function. First, let us define some notations. Recall that if a function  $f(z)$  is analytic on an annulus around a point  $z_0$ , then it can be expanded into a unique Laurent series

$$\begin{aligned}
f(z) &= \sum_{k=-\infty}^{\infty} a_k (z - z_0)^k \\
&= \cdots + \frac{a_{-2}}{(z - z_0)^2} + \frac{a_{-1}}{z - z_0} + a_0 + a_1(z - z_0) + a_2(z - z_0)^2 + \cdots
\end{aligned}$$

For Laurent series specifically centered around the origin, let us denote the Laurent coefficients as

$$[z^k](f(z)) := a_k.$$

Then, multiplying a monomial corresponds to

$$[z^k](z^l f(z)) = [z^{k-l}](f(z)).$$

Also, the residue at the origin can be compactly expressed as

$$\operatorname{Res}_{z=0} f(z) = [z^{-1}](f(z)).$$

The residue asked of us is given by

$$\begin{aligned}
\operatorname{Res}_{z=\pi} z^2 e^{\frac{1}{\sin z}} &= \operatorname{Res}_{z=0} (z + \pi)^2 e^{\frac{1}{\sin(z+\pi)}} \\
&= [z^{-1}] \left( (z^2 + 2\pi z + \pi^2) e^{-\frac{1}{\sin z}} \right) \\
&= [z^{-3}] \left( e^{-\frac{1}{\sin z}} \right) + 2\pi [z^{-2}] \left( e^{-\frac{1}{\sin z}} \right) + \pi^2 [z^{-1}] \left( e^{-\frac{1}{\sin z}} \right).
\end{aligned}$$

Thus, our job is reduced to calculating the Laurent coefficients of  $e^{-\frac{1}{\sin z}}$ . We expand the exponential into its Taylor series and obtain

$$[z^{-n}] \left( e^{-\frac{1}{\sin z}} \right) = \sum_{k=0}^{\infty} \frac{(-1)^k}{k!} [z^{-n}] \left( (\sin z)^{-k} \right).$$

Squaring, cubing, and so forth a power series (or even a Laurent series) is something achievable, but inverting a power series is a much more complicated task. We thus investigate a general method of calculating the inverse powers of a general series. Consider the following manipulation:

$$\begin{aligned} [z^{-n}] \left( (f(z))^{-k} \right) &= [z^{-1}] \left( z^{n-1} (f(z))^{-k} \right) \\ &= [z^{-1}] \left( \left( \frac{z^n}{n} \right)' (f(z))^{-k} \right) \\ &= [z^{-1}] \left( \left( \frac{z^n}{n} (f(z))^{-k} \right)' \right) - [z^{-1}] \left( \frac{z^n}{n} \left( (f(z))^{-k} \right)' \right) \end{aligned}$$

which comes mostly from playing around, but perhaps reasonable since the  $-1$ th<sup>14</sup> coefficient seems to be special in certain ways. In fact, it is so special that we can immediately see that the first term must be zero, regardless of whether  $f(z)$  is analytic at the origin! This is because no derivative of a monomial yields the  $-1$ th power term.<sup>15</sup> Thus,

$$\begin{aligned} [z^{-n}] \left( (f(z))^{-k} \right) &= -[z^{-1}] \left( \frac{z^n}{n} \left( (f(z))^{-k} \right)' \right) \\ &= \frac{k}{n} [z^{-1}] \left( z^n (f(z))^{-k-1} f'(z) \right). \end{aligned}$$

Let  $g(z) := z^n (f(z))^{-k-1} f'(z)$  and  $g_{-1} := [z^{-1}] (g(z))$ . The Laurent series of  $g(z) - g_{-1} z^{-1}$  contains no  $z^{-1}$  term, and thus can be integrated to an analytic function; let us call it  $G(z)$ . Hence,  $g(z) = G'(z) + g_{-1} z^{-1}$ .

$$g(f^{-1}(z)) (f^{-1}(z))' = (G(f^{-1}(z)))' + g_{-1} \frac{(f^{-1}(z))'}{f^{-1}(z)}$$

Again,  $(G(f^{-1}(z)))'$  has zero residue. If the residue of  $\frac{(f^{-1}(z))'}{f^{-1}(z)}$  could be easily

<sup>14</sup>I had to search for whether it should be 'st' or 'th'; see <https://english.stackexchange.com/questions/326604/is-it-correct-to-say-1th-or-1st>.

<sup>15</sup>This can also be seen via  $\text{Res}_{z=0} f(z) = \frac{1}{2i\pi} \oint dz f'(z) = 0$  around the origin.



calculated and is nonzero, then we get an elegant formula for  $g_{-1}$  as

$$\begin{aligned} g_{-1} &= \frac{[z^{-1}] \left( g(f^{-1}(z)) (f^{-1}(z))' \right)}{[z^{-1}] \left( \frac{(f^{-1}(z))'}{f^{-1}(z)} \right)} \\ &= \frac{[z^{-1}] \left( (f^{-1}(z))^n z^{-k-1} f' (f^{-1}(z)) (f^{-1}(z))' \right)}{[z^{-1}] \left( \frac{(f^{-1}(z))'}{f^{-1}(z)} \right)} \\ &= \frac{[z^k] \left( (f^{-1}(z))^n \right)}{[z^{-1}] \left( \frac{(f^{-1}(z))'}{f^{-1}(z)} \right)} \end{aligned}$$

and consequently

$$[z^{-n}] \left( (f(z))^{-k} \right) = \frac{k}{n} \frac{[z^k] \left( (f^{-1}(z))^n \right)}{[z^{-1}] \left( \frac{(f^{-1}(z))'}{f^{-1}(z)} \right)}.$$

Now, if  $f(z)$  is analytic at the origin and  $f(0) = 0$  and  $f'(0) \neq 0$  (which just so happens to hold for  $f(z) = \sin z$ ), then one could show that these same conditions hold for  $f^{-1}(z)$  and consequently

$$[z^{-1}] \left( \frac{(f^{-1}(z))'}{f^{-1}(z)} \right) = 1.$$

(This could be shown by substituting  $n = -1$  for Problem A-4, since we did not require that  $n$  be positive anyway!) Therefore, we arrive at the pivotal formula

$$[z^{-n}] \left( (f(z))^{-k} \right) = \frac{k}{n} [z^k] \left( (f^{-1}(z))^n \right).$$

This is known in the maths world as the Lagrange inversion formula<sup>16</sup>, and it is what we desperately needed to calculate the residue in question!

Having sufficiently patted ourselves on our respective backs after that long derivation, let us go back to the original question. We have essentially derived the formula

$$[z^{-n}] \left( (\sin z)^{-k} \right) = \frac{k}{n} [z^k] \left( (\arcsin z)^n \right).$$

(Note that I use  $\arcsin$  in lieu of  $\sin^{-1}$  as all these exponents are getting con-

<sup>16</sup>[https://en.wikipedia.org/wiki/Formal\\_power\\_series#The\\_Lagrange\\_inversion\\_formula](https://en.wikipedia.org/wiki/Formal_power_series#The_Lagrange_inversion_formula)

fusing.) Let us substitute this formula into the previous equation:

$$\begin{aligned}
[z^{-n}] \left( e^{-\frac{1}{\sin z}} \right) &= \sum_{k=0}^{\infty} \frac{(-1)^k}{k!} [z^{-n}] \left( (\sin z)^{-k} \right) \\
&= \sum_{k=0}^{\infty} \frac{(-1)^k}{k!} \cdot \frac{k}{n} [z^k] ((\arcsin z)^n) \\
&= \frac{1}{n} \sum_{k=1}^{\infty} \frac{(-1)^k}{(k-1)!} [z^k] ((\arcsin z)^n).
\end{aligned}$$

As for the powers of  $\arcsin z$ , let us simply expand out the multiplications using the Taylor series of  $\arcsin z$  only.

$$\begin{aligned}
\arcsin z &= \int_0^z \frac{du}{\sqrt{1-u^2}} \\
&= \int_0^z dt \sum_{t=0}^{\infty} \binom{-\frac{1}{2}}{t} u^{2t} \\
&= \sum_{t=0}^{\infty} \frac{(-1/2)(-3/2) \cdots (1/2-t)}{2^t t!} \cdot \frac{u^{2t+1}}{2t+1} \\
&= \sum_{t=0}^{\infty} \frac{(-1)^t (2t)!}{4^t (2t+1)(t!)^2} u^{2t+1}
\end{aligned}$$

$$\begin{aligned}
\Rightarrow [z^k] ((\arcsin z)^n) &= \sum_{t_1+\cdots+t_k=n} \prod_{j=1}^n [z^{t_j}] (\arcsin z) \\
&= \sum_{(2l_1+1)+\cdots+(2l_k+1)=n} \prod_j [z^{2l_j+1}] (\arcsin z) \\
&= \sum_{2 \sum_j l_j + k = n} \left( -\frac{1}{4} \right)^{\sum_j l_j} \prod_j \left( \frac{(2l_j)!}{(2l_j+1)(l_j!)^2} \right)
\end{aligned}$$

$$\begin{aligned}
\Rightarrow [z^{-n}] \left( e^{-\frac{1}{\sin z}} \right) &= \frac{1}{n} \sum_{k=1}^{\infty} \frac{(-1)^k}{(k-1)!} [z^k] ((\arcsin z)^n) \\
&= \frac{1}{n} \sum_{k=1}^{\infty} \frac{(-1)^k}{(k-1)!} \\
&\quad \times \sum_{2 \sum_j l_j + k = n} \left( -\frac{1}{4} \right)^{\sum_j l_j} \prod_j \left( \frac{(2l_j)!}{(2l_j+1)(l_j!)^2} \right) \\
&= \frac{1}{n} \sum_{l_1=0}^{\infty} \cdots \sum_{l_n=0}^{\infty} \frac{(-1)^{n-2 \sum_j l_j}}{(n-1+2 \sum_j l_j)!} \\
&\quad \times \left( -\frac{1}{4} \right)^{\sum_j l_j} \prod_j \left( \frac{(2l_j)!}{(2l_j+1)(l_j!)^2} \right) \\
&= \frac{1}{n} \sum_{l_1=0}^{\infty} \cdots \sum_{l_n=0}^{\infty} \frac{(-1)^{\sum_j l_j + n}}{4^{\sum_j l_j} (n-1+2 \sum_j l_j)!} \\
&\quad \times \prod_j \left( \frac{(2l_j)!}{(2l_j+1)(l_j!)^2} \right)
\end{aligned}$$

We evaluate this formula for  $n = 1, 2, 3$ .

$$\begin{aligned}
[z^{-1}] \left( e^{-\frac{1}{\sin z}} \right) &= \sum_{l_1=0}^{\infty} \frac{(-1)^{l_1+1}}{4^{l_1} (2l_1+1)(l_1!)^2} \\
[z^{-2}] \left( e^{-\frac{1}{\sin z}} \right) &= \frac{1}{2} \sum_{l_1=0}^{\infty} \sum_{l_2=0}^{\infty} \frac{(-1)^{l_1+l_2}}{4^{l_1+l_2} (2l_1+2l_2+1)!} \frac{(2l_1)!}{(2l_1+1)(l_1!)^2} \frac{(2l_2)!}{(2l_2+1)(l_2!)^2} \\
[z^{-3}] \left( e^{-\frac{1}{\sin z}} \right) &= \frac{1}{3} \sum_{l_1=0}^{\infty} \sum_{l_2=0}^{\infty} \sum_{l_3=0}^{\infty} \frac{(-1)^{l_1+l_2+l_3+1}}{4^{l_1+l_2+l_3} (2l_1+2l_2+2l_3+2)!} \\
&\quad \times \frac{(2l_1)!}{(2l_1+1)(l_1!)^2} \frac{(2l_2)!}{(2l_2+1)(l_2!)^2} \frac{(2l_3)!}{(2l_3+1)(l_3!)^2} \\
\therefore \text{Res}_{z=\pi} z^2 e^{\frac{1}{\sin z}} &= \sum_{l_1=0}^{\infty} \frac{(-1)^{l_1+1} (2l_1)!}{4^{l_1} (2l_1+1)(l_1!)^2} \left( \frac{\pi^2}{(2l_1)!} \right. \\
&\quad - \sum_{l_2=0}^{\infty} \frac{(-1)^{l_2} (2l_2)!}{4^{l_2} (2l_2+1)(l_2!)^2} \left( \frac{\pi}{(2l_1+2l_2+1)!} \right. \\
&\quad \left. \left. - \sum_{l_3=0}^{\infty} \frac{(-1)^{l_3} (2l_3)!}{4^{l_3} (2l_3+1)(l_3!)^2} \cdot \frac{1}{3(2l_1+2l_2+2l_3+2)!} \right) \right)
\end{aligned}$$

### Concluding remarks:

(i) This result, while hard achieved on my part, is still pretty shitty; for one, it cannot be calculated via WolframAlpha alone.<sup>17</sup> Some points for improvement include:

- More compact expressions for the Taylor coefficients of  $(\arcsin z)^k$
- A numerical evaluation of the residue
- Even a closed-form solution? (This sounds crazy, but  $[z^{-1}] \left( e^{-\frac{1}{\sin z}} \right)$  *does* have a closed-form expression! It uses a hypergeometric function, somehow.)

And we all know that “We leave so-and-so to future work.” translates to either “I give up.” or “Give me more money.”

(ii) I have been hinted at that this problem could also be solved via a contour integral method, where we try to evaluate

$$\oint_{|z|=1} dz z^2 e^{\frac{1}{\sin z}}$$

using some tabulated-function trickery. I’m too tired to pursue this path, but it is still another viable method.

(iii) The threefold condition given in the middle of this proof ( $f$  analytic and vanishing at the origin, while  $f'(0) \neq 0$ ) may seem arbitrary; however, it would appear that these are the exact conditions such that  $e^{\frac{1}{f(z)}}$  has a nonzero (or more precisely, not necessarily zero) residue. Coincidence?

---

<sup>17</sup>If any Mathematica wizards could numerically calculate this, I’m all ears.