

# <sup>1</sup> PeriDEM – High-fidelity modeling of granular media consisting of deformable complex-shaped particles

<sup>3</sup> **Prashant K. Jha**  <sup>1</sup>

<sup>4</sup> 1 Department of Mechanical Engineering, South Dakota School of Mines and Technology, Rapid City,  
<sup>5</sup> SD 57701, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))<sup>17</sup><sup>18</sup>

## <sup>6</sup> Summary

<sup>7</sup> Accurate simulation of granular materials under extreme mechanical conditions, such as crushing, fracture, and large deformation, remains a significant challenge in geotechnical, manufacturing, and mining applications. Classical discrete element method (DEM) models typically treat particles as rigid or nearly rigid bodies, limiting their ability to capture internal deformation and fracture. The PeriDEM library, first introduced in ([Prashant K. Jha et al., 2021](#)), addresses this limitation by modeling particles as deformable solids using peridynamics, a nonlocal continuum theory that naturally accommodates fracture and significant deformation. Inter-particle contact is handled using DEM-inspired local laws, enabling realistic interaction between complex-shaped particles.<sup>10</sup><sup>11</sup><sup>12</sup><sup>13</sup><sup>14</sup><sup>15</sup>

<sup>16</sup> Implemented in C++, PeriDEM is designed for extensibility and ease of deployment. It relies on a minimal set of external libraries, supports multithreaded execution, and includes demonstration examples involving compaction, fracture, and rotational dynamics. The framework facilitates granular-scale simulations, supports the development of constitutive models, and serves as a foundation for multi-fidelity coupling in real-world applications.<sup>17</sup><sup>18</sup><sup>19</sup><sup>20</sup>


## <sup>21</sup> Statement of Need

<sup>22</sup> Granular materials play a central role in many engineered systems, but modeling their behavior under high loading, deformation, and fragmentation remains an open problem. Popular open-source DEM codes such as YADE ([Smilauer et al., 2021](#)), BlazeDEM ([Govender et al., 2016](#)), Chrono DEM-Engine ([Zhang et al., 2024](#)), and LAMMPS ([Thompson et al., 2022](#)) are widely used but typically treat particles as rigid, limiting their accuracy in scenarios involving internal deformation and breakage. A recent review by Dosta et al. ([Dosta et al., 2024](#)) compares several DEM libraries. Meanwhile, peridynamics-based codes such as Peridigm ([Littlewood et al., 2024](#)) and NLMech ([Prashant K. Jha & Diehl, 2021](#)) are designed to simulate deformation and fracture within a single structure, with limited support for multi-structure simulations.<sup>23</sup><sup>24</sup><sup>25</sup><sup>26</sup><sup>27</sup><sup>28</sup><sup>29</sup><sup>30</sup>

<sup>31</sup> PeriDEM fills this gap by integrating state-based peridynamics for intra-particle deformation with DEM-style contact laws for particle interactions. This hybrid approach enables direct simulation of particle fragmentation, stress redistribution, and dynamic failure propagation—capabilities essential for modeling granular compaction, attrition, and crushing.<sup>32</sup><sup>33</sup><sup>34</sup>

<sup>35</sup> Recent multiscale approaches, including DEM-continuum and DEM-level-set coupling methods ([Harmon et al., 2021](#)), aim to bridge scales but often rely on homogenization assumptions. Sand crushing in geotechnical systems, for example, has been modeled using micro-CT-informed FEM or phenomenological laws ([Chen et al., 2023](#)). PeriDEM offers a particle-resolved alternative that allows bottom-up investigation of granular failure and shape evolution, especially in systems where fragment dynamics are critical.<sup>36</sup><sup>37</sup><sup>38</sup><sup>39</sup><sup>40</sup>

## <sup>41</sup> Brief Introduction to PeriDEM Model



**Figure 1:** Motion of particle system.

<sup>42</sup> Consider a fixed frame of reference and  $\{e_i\}_{i=1}^d$  are orthonormal bases. Consider a collection  
<sup>43</sup> of  $N_P$  particles  $\Omega_0^{(p)}$ ,  $1 \leq p \leq N_P$ , where  $\Omega_0^{(p)} \subset \mathbb{R}^d$  with  $d = 2, 3$  represents the initial  
<sup>44</sup> configuration of particle  $p$ . Suppose  $\Omega_0 \supset \cup_{p=1}^{N_P} \Omega_0^{(p)}$  is the domain containing all particles; see  
<sup>45</sup> Figure 1. The particles in  $\Omega_0$  are dynamically evolving due to external boundary conditions and  
<sup>46</sup> internal interactions; let  $\Omega_t^{(p)}$  denote the configuration of particle  $p$  at time  $t \in (0, t_F]$ , and  
<sup>47</sup>  $\Omega_t \supset \cup_{p=1}^{N_P} \Omega_t^{(p)}$  domain containing all particles at that time. The motion  $x^{(p)} = x^{(p)}(\mathbf{X}^{(p)}, t)$   
<sup>48</sup> takes point  $\mathbf{X}^{(p)} \in \Omega_0^{(p)}$  to  $x^{(p)} \in \Omega_t^{(p)}$ , and collectively, the motion is given by  $\mathbf{x} = \mathbf{x}(\mathbf{X}, t) \in$   
<sup>49</sup>  $\Omega_t$  for  $\mathbf{X} \in \Omega_0$ . We assume the media is dry and not influenced by factors other than  
<sup>50</sup> mechanical loading (e.g., moisture and temperature are not considered). The configuration of  
<sup>51</sup> particles in  $\Omega_t$  at time  $t$  depends on various factors, such as material and geometrical properties,  
<sup>52</sup> contact mechanism, and external loading. Essentially, there are two types of interactions  
<sup>53</sup> present in the media:

- <sup>54</sup>  $\blacksquare$  *Intra-particle interaction* that models the deformation and internal forces in the particle  
<sup>55</sup> and
- <sup>56</sup>  $\blacksquare$  *Inter-particle interaction* that accounts for the contact between particles and the boundary  
<sup>57</sup> of the domain in which the particles are contained.

<sup>58</sup> In DEM, the first interaction is ignored, assuming that particle deformation is insignificant  
<sup>59</sup> compared to inter-particle interactions. On the other hand, PeriDEM accounts for both  
<sup>60</sup> interactions.

<sup>61</sup> The balance of linear momentum for particle  $p$ ,  $1 \leq p \leq N_P$ , takes the form:

$$\rho^{(p)} \ddot{\mathbf{u}}^{(p)}(\mathbf{X}, t) = \mathbf{f}_{int}^{(p)}(\mathbf{X}, t) + \mathbf{f}_{ext}^{(p)}(\mathbf{X}, t), \quad \forall (\mathbf{X}, t) \in \Omega_0^{(p)} \times (0, t_F), \quad (1)$$

<sup>62</sup> where  $\rho^{(p)}$ ,  $\mathbf{f}_{int}^{(p)}$ , and  $\mathbf{f}_{ext}^{(p)}$  are density, and internal and external force densities. The  
<sup>63</sup> above equation is complemented with initial conditions,  $\mathbf{u}^{(p)}(\mathbf{X}, 0) = \mathbf{u}_0^{(p)}(\mathbf{X})$ ,  $\dot{\mathbf{u}}^{(p)}(\mathbf{X}, 0) =$   
<sup>64</sup>  $\dot{\mathbf{u}}_0^{(p)}(\mathbf{X})$ ,  $\mathbf{X} \in \Omega_0^{(p)}$ .


### <sup>65</sup> Internal force – State-based peridynamics

<sup>66</sup> The internal force term  $\mathbf{f}_{int}^{(p)}(\mathbf{X}, t)$  in the momentum balance governs intra-particle deformation  
<sup>67</sup> and fracture. In PeriDEM, this term is modeled using a simplified state-based peridynamics  
<sup>68</sup> formulation that accounts for nonlocal interactions over a finite horizon. The underlying model  
<sup>69</sup> and its numerical implementation are discussed in detail in [(Prashant K. Jha et al., 2021),  
<sup>70</sup> Sections 2.1 and 2.3].

### <sup>71</sup> DEM-inspired contact forces

<sup>72</sup> The external force term  $\mathbf{f}_{ext}^{(p)}(\mathbf{X}, t)$  includes body forces, wall-particle interactions, and contact  
<sup>73</sup> forces from other particles. Contact is modeled using a spring-dashpot-slider formulation

<sup>74</sup> applied locally when particles come within a critical distance; see [Figure 2](#). This approach  
<sup>75</sup> introduces nonlinear normal forces, damping, and friction without relying on particle convexity  
<sup>76</sup> or geometric simplifications. The full formulation of contact detection, force assembly, and  
<sup>77</sup> implementation is detailed in [([Prashant K. Jha et al., 2021](#)), Section 2.2].



**Figure 2:** High-resolution contact approach in PeriDEM model for granular materials between arbitrarily-shaped particles. The spring-dashpot-slider system shows the normal contact (spring), normal damping (dashpot), and tangential friction (slider) forces between points  $x$  and  $y$ .

## <sup>78</sup> Implementation

<sup>79</sup> PeriDEM is implemented in C++ and hosted on GitHub. It depends on a minimal set of external  
<sup>80</sup> libraries, most of which are bundled in the external directory. Key dependencies include  
<sup>81</sup> Taskflow ([Huang et al., 2021](#)) for multithreaded parallelism, nanoflann ([Blanco & Rai, 2014](#))  
<sup>82</sup> for efficient neighborhood search, and VTK for output. The numerical strategies for neighbor  
<sup>83</sup> search, peridynamic integration, damage evaluation, and time stepping follow those introduced  
<sup>84</sup> in [[\(Prashant K. Jha et al., 2021\)](#), Section 3]. The core simulation model is implemented in  
<sup>85</sup> [src/model/dem](#), with the class `DEMModel` managing particle states, force calculations, and time  
<sup>86</sup> integration. This work builds on earlier research in the analysis and numerical methods for  
<sup>87</sup> peridynamics; see ([Prashant K. Jha et al., 2025](#); [Prashant K. Jha & Lipton, 2018a, 2018b,](#)  
<sup>88</sup> [2019](#); [Prashant K. Jha & Lipton, 2020](#)).


## <sup>89</sup> Features

- <sup>90</sup> <sup>91</sup> <sup>92</sup> <sup>93</sup> <sup>94</sup> <sup>95</sup> <sup>96</sup> <sup>97</sup> <sup>98</sup> Combines peridynamics and DEM to model intra-particle deformation and inter-particle contact
- Simulates deformation and breakage of single particles under complex loading conditions
- Supports arbitrarily shaped particles for realistic granular systems
- Ongoing development of MPI-based parallelism and adaptive modeling strategies to improve efficiency without sacrificing accuracy

## <sup>99</sup> Examples

<sup>100</sup> Example cases are described in [examples/README.md](#). One key simulation demonstrates  
<sup>101</sup> the compression of over 500 circular and hexagonal particles in a rectangular container by  
<sup>102</sup> displacing the top wall. The stress on the wall becomes increasingly nonlinear with penetration  
<sup>103</sup> depth as damage accumulates and the medium yields (see [Figure 3a](#)).

104 Preliminary performance tests show that compute time increases exponentially with particle  
 105 count due to the nonlocal nature of both peridynamic and contact interactions—highlighting  
 106 a computational bottleneck. This motivates future integration of MPI-based parallelism and  
 107 a multi-fidelity modeling framework. Additional examples include attrition of non-circular  
 108 particles in a rotating cylinder (Figure 3c).



**Figure 3:** (a) Nonlinear response under compression, (b) exponential growth of compute time due to nonlocality of internal and contact forces, and (c) rotating cylinder with nonspherical particles.

## 109 Acknowledgements

110 This work was supported by the U.S. National Science Foundation through the Engineering  
 111 Research Initiation (ERI) program under Grant No. 2502279. The support has contributed to  
 112 the continued development and enhancement of the PeriDEM library.

## 113 References

- 114 Blanco, J. L., & Rai, P. K. (2014). *Nanoflann: A C++ header-only fork of FLANN, a library*  
 115 *for nearest neighbor (NN) with KD-trees.* <https://github.com/jlblancoc/nanoflann>.
- 116 Chen, Q., Li, Z., Dai, Z., Wang, X., Zhang, C., & Zhang, X. (2023). Mechanical behavior and  
 117 particle crushing of irregular granular material under high pressure using discrete element  
 118 method. *Scientific Reports*, 13(1), 7843.
- 119 Dosta, M., André, D., Angelidakis, V., Caulk, R. A., Celigueta, M. A., Chareyre, B., Dietiker, J.-  
 120 F., Girardot, J., Govender, N., Hubert, C., & others. (2024). Comparing open-source DEM  
 121 frameworks for simulations of common bulk processes. *Computer Physics Communications*,  
 122 296, 109066.
- 123 Govender, N., Wilke, D. N., & Kok, S. (2016). Blaze-DEMGPU: Modular high performance  
 124 DEM framework for the GPU architecture. *SoftwareX*, 5, 62–66.
- 125 Harmon, J. M., Karapiperis, K., Li, L., Moreland, S., & Andrade, J. E. (2021). Modeling  
 126 connected granular media: Particle bonding within the level set discrete element method.  
 127 *Computer Methods in Applied Mechanics and Engineering*, 373, 113486.
- 128 Huang, T.-W., Lin, D.-L., Lin, C.-X., & Lin, Y. (2021). Taskflow: A lightweight parallel and  
 129 heterogeneous task graph computing system. *IEEE Transactions on Parallel and Distributed  
 130 Systems*, 33(6), 1303–1320. <https://doi.org/10.1109/TPDS.2021.3104255>

- 131 Jha, Prashant K., Desai, P. S., Bhattacharya, D., & Lipton, R. (2021). Peridynamics-based  
132 discrete element method (PeriDEM) model of granular systems involving breakage of  
133 arbitrarily shaped particles. *Journal of the Mechanics and Physics of Solids*, 151, 104376.  
134 <https://doi.org/10.1016/j.jmps.2021.104376>
- 135 Jha, Prashant K., & Diehl, P. (2021). NLMech: Implementation of finite difference/meshfree  
136 discretization of nonlocal fracture models. *Journal of Open Source Software*, 6(65), 3020.  
137 <https://doi.org/10.21105/joss.03020>
- 138 Jha, Prashant K., Diehl, P., & Lipton, R. (2025). Nodal finite element approximation of  
139 peridynamics. *Computer Methods in Applied Mechanics and Engineering*, 434, 117519.
- 140 Jha, Prashant K., & Lipton, R. (2018a). Numerical analysis of nonlocal fracture models in  
141 holder space. *SIAM Journal on Numerical Analysis*, 56(2), 906–941. <https://doi.org/10.1137/17M1112236>
- 143 Jha, Prashant K., & Lipton, R. (2018b). Numerical convergence of nonlinear nonlocal  
144 continuum models to local elastodynamics. *International Journal for Numerical Methods  
in Engineering*, 114(13), 1389–1410. <https://doi.org/10.1002/nme.5791>
- 146 Jha, Prashant K., & Lipton, R. (2019). Numerical convergence of finite difference approx-  
147 imations for state based peridynamic fracture models. *Computer Methods in Applied  
148 Mechanics and Engineering*, 351, 184–225. <https://doi.org/10.1016/j.cma.2019.03.024>
- 149 Jha, Prashant K., & Lipton, R. P. (2020). Kinetic relations and local energy balance for  
150 LEFM from a nonlocal peridynamic model. *International Journal of Fracture*. <https://doi.org/10.1007/s10704-020-00480-0>
- 152 Littlewood, D. J., Parks, M. L., Foster, J. T., Mitchell, J. A., & Diehl, P. (2024). The  
153 peridigm meshfree peridynamics code. *Journal of Peridynamics and Nonlocal Modeling*,  
154 6(1), 118–148.
- 155 Smilauer, V., Angelidakis, V., Catalano, E., Caulk, R., Chareyre, B., Chèvremont, W., Doro-  
156 feenko, S., Duriez, J., Dyck, N., Elias, J., Er, B., Eulitz, A., Gladky, A., Guo, N., Jakob, C.,  
157 Kneib, F., Kozicki, J., Marzougui, D., Maurin, R., ... Yuan, C. (2021). Yade documentation  
158 (3rd edition). *Zenodo*. <https://doi.org/10.5281/zenodo.5705394>
- 159 Thompson, A. P., Aktulga, H. M., Berger, R., Bolintineanu, D. S., Brown, W. M., Crozier, P.  
160 S., in 't Veld, P. J., Kohlmeyer, A., Moore, S. G., Nguyen, T. D., Shan, R., Stevens, M. J.,  
161 Tranchida, J., Trott, C., & Plimpton, S. J. (2022). LAMMPS - a flexible simulation tool for  
162 particle-based materials modeling at the atomic, meso, and continuum scales. *Computer  
163 Physics Communications*, 271, 108171. <https://doi.org/https://doi.org/10.1016/j.cpc.2021.108171>
- 165 Zhang, R., Tagliafierro, B., Vanden Heuvel, C., Sabarwal, S., Bakke, L., Yue, Y., Wei, X.,  
166 Serban, R., & Negrut, D. (2024). Chrono DEM-Engine: A discrete element method  
167 dual-GPU simulator with customizable contact forces and element shape. *Computer  
168 Physics Communications*, 300, 109196. <https://doi.org/https://doi.org/10.1016/j.cpc.2024.109196>