




# PeriDEM – High-fidelity modeling of granular media consisting of deformable complex-shaped particles

Prashant Kumar Jha <sup>1</sup>

<sup>1</sup> Department of Mechanical Engineering, South Dakota School of Mines and Technology, Rapid City, SD 57701, USA

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

## Summary

Accurate simulation of granular materials under extreme mechanical conditions—such as crushing, fracture, and large deformation—remains a significant challenge in geotechnical, manufacturing, and mining applications. Classical discrete element method (DEM) models typically treat particles as rigid or nearly rigid bodies, limiting their ability to capture internal deformation and fracture. The PeriDEM library, first introduced in (Jha et al., 2021), addresses this limitation by modeling particles as deformable solids using peridynamics, a nonlocal continuum theory that naturally accommodates fracture and large deformation. Inter-particle contact is handled using DEM-inspired local laws, enabling realistic interaction between complex-shaped particles.

Implemented in C++, PeriDEM is designed for extensibility and ease of deployment. It relies on a minimal set of external libraries, supports multithreaded execution, and includes demonstration examples involving compaction, fracture, and rotational dynamics. The framework facilitates granular-scale simulations, supports the development of constitutive models, and serves as a foundation for multi-fidelity coupling in real-world applications.

## Statement of Need

Granular materials play a central role in many engineered systems, but modeling their behavior under high loading, deformation, and fragmentation remains an open problem. Popular open-source DEM codes such as YADE (Smilauer et al., 2021), BlazeDEM (Govender et al., 2016), Chrono DEM-Engine (Zhang et al., 2024), and LAMMPS (Thompson et al., 2022) are widely used but typically treat particles as rigid, limiting their accuracy in scenarios involving internal deformation and breakage. A recent review by Dosta et al. (Dosta et al., 2024) compares these libraries across a range of bulk processes. Meanwhile, peridynamics-based codes like Peridigm (Littlewood et al., 2024) and NLMech (Jha & Diehl, 2021) offer detailed fracture modeling but do not capture realistic particle contact mechanics or bulk granular dynamics.

PeriDEM fills this gap by integrating state-based peridynamics for intra-particle deformation with DEM-style contact laws for particle interactions. This hybrid approach enables direct simulation of particle fragmentation, stress redistribution, and dynamic failure propagation—capabilities essential for modeling granular compaction, attrition, and crushing.


Recent multiscale approaches, including DEM-continuum and DEM-level-set coupling methods (Harmon et al., 2021), attempt to bridge scales but often require homogenized assumptions. Sand crushing in geotechnical systems, for example, has been modeled using micro-CT-informed FEM or phenomenological laws (Chen et al., 2023). PeriDEM offers a particle-resolved alternative that allows bottom-up investigation of granular failure and shape evolution, especially in systems where fragment dynamics are critical.



## Internal force - State-based peridynamics

The internal force term  $\mathbf{f}_{int}^{(p)}(\mathbf{X}, t)$  in the momentum balance governs intra-particle deformation and fracture. In PeriDEM, this term is modeled using a simplified state-based peridynamics formulation that accounts for nonlocal interactions over a finite horizon. The specific constitutive structure used—including damage-driven bond weakening, volumetric strain contributions, and neighbor-weighted quadrature—is discussed in detail in (Jha et al., 2021, sec. 2.1 and 2.3). This formulation allows unified simulation of deformation and fracture in individual particles.

## DEM-inspired contact forces



**Figure 2:** High-resolution contact approach in PeriDEM model for granular materials? between arbitrarily-shaped particles. The spring-dashpot-slider system shows the normal contact (spring), normal damping (dashpot), and tangential friction (slider) forces between points  $x$  and  $y$ .

The external force term  $\mathbf{f}_{ext}^{(p)}(\mathbf{X}, t)$  includes body forces, wall-particle interactions, and contact forces from other particles. Contact is modeled using a spring-dashpot-slider formulation applied locally when particles come within a critical distance. This approach introduces nonlinear normal forces, damping, and friction without relying on particle convexity or simplified geometries. Figure 2 illustrates the local high-resolution contact approach between deformable particles. The full formulation of contact detection, force assembly, and its implementation is provided in (Jha et al., 2021, sec. 2.2).

## Implementation

PeriDEM is implemented in C++ and hosted on GitHub. It is designed for rapid deployment and extensibility, using a minimal set of external libraries bundled in the external directory. The core simulation model is implemented in `src/model/dem`, with the class `DEMModel` managing particle states, force calculations, and time integration.

The code uses: - **Taskflow** (Huang et al., 2021) for multithreaded parallelism  
- **nanoflann** (Blanco & Rai, 2014) for efficient neighborhood search  
- **VTK** for output and post-processing

The numerical strategies for neighbor search, peridynamic integration, damage evaluation,


and time stepping follow those introduced in (Jha et al., 2021, sec. 3), where additional implementation details and validation are discussed.

This work builds on earlier research in the analysis and numerical methods for peridynamics; see (Jha & Lipton, 2018a, 2018b, 2019; Jha & Lipton, 2020; Lipton et al., 2019).

## Features

- Hybrid modeling using peridynamics and DEM for intra-particle and inter-particle interactions
- Simulation of deformation and breakage of a single particle under complex boundary conditions
- Support for arbitrarily shaped particles, allowing for realistic simulation scenarios
- Ongoing integration of MPI for distributed computing
- Planned development of adaptive modeling strategies to enhance efficiency without compromising accuracy

## Examples



**Figure 3:** (a) Nonlinear response under compression, (b) exponential growth of compute time due to nonlocality of internal and contact forces, and (c) rotating cylinder with nonspherical particles.

Examples are described in [examples/README.md](#). One key case demonstrates compression of 500+ circular and hexagonal particles in a rectangular container by moving the top wall. The stress on the wall as a function of penetration becomes increasingly nonlinear as damage accumulates and the medium yields; see Figure 3a.

Preliminary performance tests show an exponential increase in compute time with the number of particles due to the nonlocal nature of both peridynamic and contact forces—highlighting a computational bottleneck. This motivates the integration of MPI and development of a

multi-fidelity framework. Additional examples include attrition of non-circular particles in a rotating cylinder (Figure 3c).

## References

- Blanco, J. L., & Rai, P. K. (2014). *Nanoflann: A C++ header-only fork of FLANN, a library for nearest neighbor (NN) with KD-trees*. <https://github.com/jlblancoc/nanoflann>.
- Chen, Q., Li, Z., Dai, Z., Wang, X., Zhang, C., & Zhang, X. (2023). Mechanical behavior and particle crushing of irregular granular material under high pressure using discrete element method. *Scientific Reports*, 13(1), 7843.
- Dosta, M., André, D., Angelidakis, V., Caulk, R. A., Celigueta, M. A., Chareyre, B., Dietiker, J.-F., Girardot, J., Govender, N., Hubert, C., & others. (2024). Comparing open-source DEM frameworks for simulations of common bulk processes. *Computer Physics Communications*, 296, 109066.
- Govender, N., Wilke, D. N., & Kok, S. (2016). Blaze-DEMGPU: Modular high performance DEM framework for the GPU architecture. *SoftwareX*, 5, 62–66.
- Harmon, J. M., Karapiperis, K., Li, L., Moreland, S., & Andrade, J. E. (2021). Modeling connected granular media: Particle bonding within the level set discrete element method. *Computer Methods in Applied Mechanics and Engineering*, 373, 113486.
- Huang, T.-W., Lin, D.-L., Lin, C.-X., & Lin, Y. (2021). Taskflow: A lightweight parallel and heterogeneous task graph computing system. *IEEE Transactions on Parallel and Distributed Systems*, 33(6), 1303–1320. <https://doi.org/10.1109/TPDS.2021.3104255>
- Jha, P. K., Desai, P. S., Bhattacharya, D., & Lipton, R. (2021). Peridynamics-based discrete element method (PeriDEM) model of granular systems involving breakage of arbitrarily shaped particles. *Journal of the Mechanics and Physics of Solids*, 151, 104376. <https://doi.org/10.1016/j.jmps.2021.104376>
- Jha, P. K., & Diehl, P. (2021). NLMech: Implementation of finite difference/meshfree discretization of nonlocal fracture models. *Journal of Open Source Software*, 6(65), 3020. <https://doi.org/10.21105/joss.03020>
- Jha, P. K., & Lipton, R. (2018a). Numerical analysis of nonlocal fracture models in holder space. *SIAM Journal on Numerical Analysis*, 56(2), 906–941. <https://doi.org/10.1137/17M1112236>
- Jha, P. K., & Lipton, R. (2018b). Numerical convergence of nonlinear nonlocal continuum models to local elastodynamics. *International Journal for Numerical Methods in Engineering*, 114(13), 1389–1410. <https://doi.org/10.1002/nme.5791>
- Jha, P. K., & Lipton, R. (2019). Numerical convergence of finite difference approximations for state based peridynamic fracture models. *Computer Methods in Applied Mechanics and Engineering*, 351, 184–225. <https://doi.org/10.1016/j.cma.2019.03.024>
- Jha, P. K., & Lipton, R. P. (2020). Kinetic relations and local energy balance for LEFM from a nonlocal peridynamic model. *International Journal of Fracture*. <https://doi.org/10.1007/s10704-020-00480-0>
- Lipton, R. P., Lehoucq, R. B., & Jha, P. K. (2019). Complex fracture nucleation and evolution with nonlocal elastodynamics. *Journal of Peridynamics and Nonlocal Modeling*, 1(2), 122–130. <https://doi.org/10.1007/s42102-019-00010-0>
- Littlewood, D. J., Parks, M. L., Foster, J. T., Mitchell, J. A., & Diehl, P. (2024). The peridigm meshfree peridynamics code. *Journal of Peridynamics and Nonlocal Modeling*, 6(1), 118–148.

- 162 Smilauer, V., Angelidakis, V., Catalano, E., Caulk, R., Chareyre, B., Chèvremont, W., Doro-  
163 feenko, S., Duriez, J., Dyck, N., Elias, J., Er, B., Eulitz, A., Gladky, A., Guo, N., Jakob, C.,  
164 Kneib, F., Kozicki, J., Marzougui, D., Maurin, R., ... Yuan, C. (2021). Yade documentation  
165 (3rd edition). *Zenodo*. <https://doi.org/10.5281/zenodo.5705394>
- 166 Thompson, A. P., Aktulga, H. M., Berger, R., Bolintineanu, D. S., Brown, W. M., Crozier, P.  
167 S., in 't Veld, P. J., Kohlmeyer, A., Moore, S. G., Nguyen, T. D., Shan, R., Stevens, M. J.,  
168 Tranchida, J., Trott, C., & Plimpton, S. J. (2022). LAMMPS - a flexible simulation tool for  
169 particle-based materials modeling at the atomic, meso, and continuum scales. *Computer*  
170 *Physics Communications*, 271, 108171. [https://doi.org/https://doi.org/10.1016/j.cpc.](https://doi.org/https://doi.org/10.1016/j.cpc.2021.108171)  
171 [2021.108171](https://doi.org/https://doi.org/10.1016/j.cpc.2021.108171)
- 172 Zhang, R., Tagliafierro, B., Vanden Heuvel, C., Sabarwal, S., Bakke, L., Yue, Y., Wei, X.,  
173 Serban, R., & Negruț, D. (2024). Chrono DEM-Engine: A discrete element method  
174 dual-GPU simulator with customizable contact forces and element shape. *Computer*  
175 *Physics Communications*, 300, 109196. [https://doi.org/https://doi.org/10.1016/j.cpc.](https://doi.org/https://doi.org/10.1016/j.cpc.2024.109196)  
176 [2024.109196](https://doi.org/https://doi.org/10.1016/j.cpc.2024.109196)

DRAFT