

9 PROMENEE JEANNE HACHETTE
94 200 IVRY SUR SEINE
TEL. ++ 33 1 46 72 03 69
Fax. ++ 33 1 49 59 87 31
E-mail : clients@prodi.com / ve@prodi.com / contact@prodi.com

OFFSET

good printing results in offset and flexo.

Special features

Suitable for books, bookend paper, forms, magazines.

Bright white, uncoated, machine-finished offset paper

Print Information

Very good printing results in offset and flexo. Inks dry quickly and the next stage can follow rapidly.

property	unit	method						tolerance
Substance	g/m ²	ISO 536	55	60	70	80	90	+/- 4%
Caliper	µm	ISO 534, single sheet measurement	66	72	84	95	107	+/- 5%
Brightness	%	ISO 2470, R457 D65	100	100	100	100	100	+/- 2
Opacity dry	%	ISO 2471	81	83	87	90	93	+/- 2
Roughness Bendtsen	ml/min	ISO 8791-2	180	180	180	200	200	+/- 30%
relative humidity	%	Hygromer Rotronic	45	45	45	45	45	+/-5 at 23°C

Key :

Testing conditions :

Standard climate ISO 187

23° Celsius, 50 % relative humidity