Oct 16, 2020

NEB Instant Sticky-end Ligase Master Mix-CHEM 584

Forked from Cloning with NEB Instant Sticky-end Ligase Master Mix (M0370)

Ken Christensen[1], Harold Bien[2]

[1]Brigham Young University; [2]Stony Brook University

In Development dx.doi.org/10.17504/protocols.io.bninmcde

Ken Christensen
Brigham Young University

ABSTRACT

Taken directly from NEB's website, this is the protocol for using their optimized sticky-end ligation and transformation. For more information, see https://www.neb.com/products/m0370-instant-sticky-end-ligase-master-mix.

Instant Sticky-end Ligase Master Mix is a ready-to-use 2X solution of T4 DNA ligase and a proprietary ligation enhancer in an optimized reaction buffer. Specifically formulated to rapidly ligate cohesive-end (2–4 bp) substrates and improve transformation, the mix simplifies reaction set-up and provides an optimized ratio of enzyme and buffer components. No thawing of the master mix is required as it maintains a liquid state during storage at -20°C* and no incubation time is necessary to achieve ligation efficiencies sufficient for successful sub-cloning of sticky-end substrates. Just add the master mix to DNA with compatible ends, mix and transform; thereby reducing the valuable time needed for routine ligations. Ligations for subcloning can be carried out in small volumes with low concentrations, allowing users to conserve precious DNA samples, and be used directly to transform many strains of chemically competent *E. coli* without dilution.

* Freezers vary in their actual internal temperature. Our testing demonstrates that the master mix is liquid at -20°C. Freeze-thaw testing at -70°C has confirmed that the performance after 20 freeze/thaw cycles is close to the original mix.

Product Source

Purified from an *E. coli* strain containing a recombinant gene encoding T4 DNA Ligase.

Reaction Volume Definition

1X Instant Sticky-end Ligase Master Mix with DNA substrates in a 10 µl reaction volume. A 10 µl reaction contains 1800 cohesive end units of T4 DNA Ligase.

EXTERNAL LINK

https://www.neb.com/protocols/2012/08/27/protocol-transfer-master-mix-to-ice-prior-to-reaction-set-up-mix-tube-by-finger-flicking-before-u

ATTACHMENTS

Ligation protocol.pdf

Transformation protocol.pdf

DOI

dx.doi.org/10.17504/protocols.io.bninmcde

EXTERNAL LINK

https://www.neb.com/protocols/2012/08/27/protocol-transfer-master-mix-to-ice-prior-to-reaction-set-up-mix-tube-by-finger-flicking-before-u

PROTOCOL CITATION

Ken Christensen, Harold Bien 2020. NEB Instant Sticky-end Ligase Master Mix-CHEM 584. **protocols.io** https://dx.doi.org/10.17504/protocols.io.bninmcde

EXTERNAL LINK

https://www.neb.com/protocols/2012/08/27/protocol-transfer-master-mix-to-ice-prior-to-reaction-set-up-mix-tube-by-finger-flicking-before-u

Citation: Ken Christensen, Harold Bien (10/16/2020). NEB Instant Sticky-end Ligase Master Mix-CHEM 584. https://dx.doi.org/10.17504/protocols.io.bninmcde

FORK FROM

Forked from Cloning with NEB Instant Sticky-end Ligase Master Mix (M0370), Harold Bien

CREATED

Oct 16, 2020

LAST MODIFIED

Oct 16, 2020

PROTOCOL INTEGER ID

43310

ATTACHMENTS

Ligation protocol.pdf

Transformation protocol.pdf

GUIDELINES

Once, completed, ligation products can be used immediately for transformation or stored at -20C until ready to use. In-house testing has demonstrated that maximal transformation efficiency is achieved using between 20–100 ng of vector (sticky) and a corresponding 3-fold molar excess of the insert to be ligated into the vector.

Chemically competent strains of *E. coli* (commercially available or prepared by user) can be transformed by ligation products prepared using the Instant Sticky-end Ligase Master Mix. Electrocompetent cells are not compatible. Users of competent cells from other vendors may need to dilute ligation reactions 4-fold, prior to transformation, in order to achieve maximum transformation efficiency. Not all cells from other vendors will benefit from this additional step. The following protocol is recommended by NEB. Other protocols can be used but the volume of ligation reaction used should not exceed 5 µl reaction per 50 µl cells.

Transformation efficiencies around 2 x 10^6 cfu/µg are typically achieved for recombinant cohesive end substrates (vector + insert), using cells with a 7 x 10^8 calculated efficiency with uncut DNA. This corresponds to several hundred colonies on a plate when 100 µl of a 1 ml outgrowth is plated at a 1:5 dilution. As with all ligation and transformation protocols, many factors affect the calculated transformation efficiency, including purity and integrity of DNA ends, competence of the cells being transformed, media choices, incubation temperatures and times and biological effects (intact ORF in high-copy vector, toxic genes, etc.).

MATERIALS

NAME	CATALOG #	VENDOR
Instant Sticky-end Ligase Master Mix - 50 rxns	M0370S	New England Biolabs

STEPS MATERIALS

NAME	CATALOG #	VENDOR
Instant Sticky-end Ligase Master Mix - 50 rxns	M0370S	New England Biolabs

SAFETY WARNINGS

Do not heat inactivate.

Heat inactivation dramatically reduces transformation efficiency.

ABSTRACT

Taken directly from NEB's website, this is the protocol for using their optimized sticky-end ligation and transformation. For more information, see https://www.neb.com/products/m0370-instant-sticky-end-ligase-

Citation: Ken Christensen, Harold Bien (10/16/2020). NEB Instant Sticky-end Ligase Master Mix-CHEM 584. https://dx.doi.org/10.17504/protocols.io.bninmcde

master-mix.

Instant Sticky-end Ligase Master Mix is a ready-to-use 2X solution of T4 DNA ligase and a proprietary ligation enhancer in an optimized reaction buffer. Specifically formulated to rapidly ligate cohesive-end (2–4 bp) substrates and improve transformation, the mix simplifies reaction set-up and provides an optimized ratio of enzyme and buffer components. No thawing of the master mix is required as it maintains a liquid state during storage at -20°C* and no incubation time is necessary to achieve ligation efficiencies sufficient for successful sub-cloning of sticky-end substrates. Just add the master mix to DNA with compatible ends, mix and transform; thereby reducing the valuable time needed for routine ligations. Ligations for subcloning can be carried out in small volumes with low concentrations, allowing users to conserve precious DNA samples, and be used directly to transform many strains of chemically competent *E. coli* without dilution.

* Freezers vary in their actual internal temperature. Our testing demonstrates that the master mix is liquid at -20°C. Freeze-thaw testing at -70°C has confirmed that the performance after 20 freeze/thaw cycles is close to the original mix.

Product Source

Purified from an *E. coli* strain containing a recombinant gene encoding T4 DNA Ligase.

Reaction Volume Definition

1X Instant Sticky-end Ligase Master Mix with DNA substrates in a 10 µl reaction volume. A 10 µl reaction contains 1800 cohesive end units of T4 DNA Ligase.

Preparation

1 Place master mix tube on ice and flick a few times to mix.

Instant Sticky-end Ligase Master Mix - 50 rxns
by New England Biolabs
Catalog #: M0370S

Ligation

2 Combine 20–100 ng of vector with a 3-fold molar excess of insert and q.s. to 5µl with dH_2O.

5 µl

3 Add 5 µl of Instant Sticky-end Ligase Master Mix, mix thoroughly by pipetting up and down 7-10 times, and place on ice. The sample is now ready to be used for transformation.

5 µl

Instant Sticky-end Ligase Master Mix - 50 rxns
by New England Biolabs
Catalog #: M0370S

Transformation into Mix & Go Competent Cells 5m

4 Thaw a 50 µl aliquot of Mix & Go competent cells on ice.

5 Add 5 µl of the ligation reaction to the cells and mix by finger-flicking. Do not vortex the tube.

Citation: Ken Christensen, Harold Bien (10/16/2020). NEB Instant Sticky-end Ligase Master Mix-CHEM 584. https://dx.doi.org/10.17504/protocols.io.bninmcde

5 µl

6 5m
- Incubate the tube on ice for 5 minutes. Do not mix.
-

00:05:00

7 For anitbiotics other than ampicillin (e.g., kanamycin), add 200 µl of warm SOC to the tube. For ampicillin selective plasmids, no SOC addition or outgrowth is needed so you can proceed to STEP 9 immediately.

200 µl

8 Incubate for one hour at 37°C with rotation or shaking (200–250 rpm).

01:00:00

9 Spread the entire tube of cells (e.g., 50 or 250 µl) onto an appropriate antibiotic selection plate and incubate overnight at 37°C.

Citation: Ken Christensen, Harold Bien (10/16/2020). NEB Instant Sticky-end Ligase Master Mix-CHEM 584. https://dx.doi.org/10.17504/protocols.io.bninmcde