

B



Version 1 ▼ Jan 28, 2021

Daniel Manrique-Castano¹, Maxime Bernad¹, Rayan Khaddaj¹

Human Brain Vascular Pericytes (HBVP) Culture and

¹Université Laval

Plating V.1

Works for me

This protocol is published without a DOI.

Daniel Manrique-Castano Université Lava

ABSTRACT

This protocol is suitable for theculture of Human Vascular Brain Pericytes.

PROTOCOL CITATION

Daniel Manrique-Castano, Maxime Bernad, Rayan Khaddaj 2021. Human Brain Vascular Pericytes (HBVP) Culture and Plating. protocols.io

https://protocols.io/view/human-brain-vascular-pericytes-hbvp-culture-and-pl-brvam62e

LICENSE

This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Jan 27, 2021

LAST MODIFIED

Jan 28, 2021

PROTOCOL INTEGER ID

46722

GUIDELINES

Please read the whole protocol before starting the procedure.

MATERIALS TEXT

Human Brain Vascular Pericytes (HBVP)

ScienCell (Cat#1200)

Cell Culture Flask

Corning® 75cm² U-Shaped Canted Neck Cell Culture Flask with Vent Cap (Cat# 430641U)

Pericyte complete medium (PCM)

For **50 mL** of **PCM**:

□ Dulbeccos Modified Eagle Medium (DMEM) Wisent

1. 48 mL of Bioproducts Catalog #319-005-CL

□ Fetal Bovine Serum (FBS) Wisent

2. 1 mL of Bioproducts Catalog #920055

⊠ Penicillin-Streptomycin (10000 U/mL) Gibco - Thermo

3. **0.5 mL** of **Fischer Catalog #15140122**

⊠ Pericyte Growth Supplement

4. Q0.5 mL of (PGS) ScienCell Catalog #1252

Trypsin-EDTA solution

⊠Trypsin-EDTA

solution Sigma Catalog #T4049

. Make small aliquots to avoid repeated thaw-freezing cycles.

Dulbecco's phosphate-buffered saline (DPBS)

□ Dulbeccos phosphate-buffered saline (DPBS) Gibco - Thermo

Fischer Catalog #14190144

Matrigel

Matrigel Corning Catalog #356231 . Make small aliquots to avoid repeated thaw-freezing cycles.

Syringe filter

Syringe filter, Filtropur S, PES, pore size: 0.2 µm, for sterile filtration (Sarstedt, cat# 83.1826.001)

Pre-treated German Glass Coverslips

(Emsdiasum, Cat#72291-03)

SAFETY WARNINGS

All reagents and instruments employed in this protocol must be sterile, and the cell manipulation must be performed in a sterile/decontaminated cell culture hood.

BEFORE STARTING

It is pivotal that all the reagents used in this protocol are warmed at & 37 °C prior contact with cells. Exposure of cultured pericytes to cold reagents results in cell stress and death.

Cell Culture 30m

30m

Prepare and warm 50 mL of Pericyte Complete Medium (PCM, see materials section) at 37 °C for **© 00:30:00**.

2m



Retrieve form & -130 °C the Human Brain Vascular Pericytes (HBVP) and place them at & 37 °C for & 00:02:00.

As frozen HBVP contain DMSO, cell exposure to this reagent at § 37 °C should be minimal. Therefore, incubate only as long as necessary until the aliquot is in liquid form.

3 Place □1 mL (~500.000 cells) of HBVP in a 75cm² Cell Culture Flask filled with □9 mL of PCM.

Cell culture can also be performed in smaller Cell Culture Flasks if fast confluence or reduced cell number is required. In those cases, adjust the PCM volume (i.e $\Box 4$ mL for 25cm² Cell Culture Flask).

- 4 Perform gently crosswise movements to spread the cells over the container's surface, and visually **check cell dispersion** under a microscope.
- 5

Incubate the cells at § 37 °C until reaching a confluence of 70-80% before proceeding with cell plating.



In a 75cm² Cell Culture Flask it is expected that 70-80% confluence results in **6-7 million cells**.

When HBVP are taken from -130 frozen aliquots, the PCM must be replaced daily during the first two days to eliminate any traces of DMSO (see step 20). After, replace the medium every two days until the desired confluence is reached.


Glass Coverslip Preparation





The steps contained in this section (Glass Coverslip Preparation) are required if the experimental approach entails **immunohistochemistry**. Otherwise, If mounting in coverslips is not necessary (i.e. protein extraction), the researcher can proceed to cell detachment.

7 Slowly thaw aliquoted **Matrigel** by transferring it from § -20 °C to a recipient with minced ice.



16



Repeatedly pipette the medium contained in the Cell Culture Flask to ensure complete detachment of cells that may still be adhered to the surface.

17 Suction the whole culture media containing the detached cells, and place it in a 50 mL sterile Falcon tube.

18



To separate the cells from the PCM and remaining trypsin-EDTA solution, centrifugate at

\$\infty\$1000 rpm, Room temperature , 00:05:00 , Acceleration/deceleration speed= 6

19



When centrifugation is finished and cells are attached to the bottom of the Falcon tube, carefully **remove the supernatant** and add **PCM** with gently pipetting to resuspend the cells (check cases).

Known cell number

This protocol estimates that under a confluence of 70-80% in a 75cm2 Cell Culture Flask, the researcher can retrieve a total of 7 million cells. In this scenario, cells are resuspended in 7 ml PCM to obtain 1 million cells/ml.

Cell counting

If required or desired, the researcher can conduct at this point manual or automatic cell counting according to equipment availability. This is usually done by 1:1 incubation of 10 ul of Trypan Blue and a 1/10 diluted cell sample. Then, resuspension in PCM is performed according to the desired cell concentration per milliliter.

- At this point, cells are ready to be plated (See next section) or frozen. If the researcher wishes to freeze the cells, they must be resuspended in **PCM without FBS** and add 20% v/v **Dimethyl Sulfoxide (DMSO)**.
 - To freeze the cells, add □1 mL (1 million cells) of cell suspension in □1.5 mL Eppendorf tubes, and place them in a recipient filled with isopentane. Transfer the recipient to a &-80 °C refrigerator for © 24:00:00 , and finally place them at &-130 °C for further use.

During the freezing and thaw cycles, a loss of \sim 50% of cells is expected. Therefore, it is recommended to freeze 1 million cells, in order to seed at least 500.000 cells in the next passage. (see steps 2-3).

Cell Plating

Add 1 mL (for 6 wheels plate) or 750 mL (for 12 wheel plates) of PCM to each wheel containing the Matrigel Coated Glass Coverslips (see Glass Coverslip Preparation section), followed by 0.5 mL (for 6 wheels plate) or 250 mL (for 12 whell plate) of PCM-suspended pericytes.

22

Incubate the wheel plate at § 37 °C until the desired confluence is achieved.

70-80% Confluency in 6 or 12 wheels plates is achieved in 1-3 days depending on the plated cell density.