

NOV 05, 2023

Wholemount Edu Staining (Zebrafish Larvae)

Abigail Y

Henna Myllymaki¹, Elliot¹, Feng¹

¹Centre for Inflammation Research, Institute for Tissue Repair and Regeneration, Edinburgh BioQuarter, University of Edinburgh

Feng Lab (UoE)



Yi Feng

DISCLAIMER

OPEN ACCESS



DOI:

dx.doi.org/10.17504/protocol s.io.n92ld9429g5b/v1

Protocol Citation: Henna Myllymaki, Abigail Elliot, Yi Feng 2023. Wholemount Edu Staining (Zebrafish Larvae). **protocols.io**

https://dx.doi.org/10.17504/protocols.io.n92ld9429g5b/v1

License: This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working We use this protocol and it's working for larvae between 1-5 dpf. Our analysis is often focused on the skin tissue, but we saw cells in other part of the fish were also stained.

DISCLAIMER - FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to protocols.io is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with protocols.io, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

Created: Oct 22, 2021

Last Modified: Nov 05.

2023

PROTOCOL integer ID:

54435

Funders Acknowledgement:

Wellcome Trust Grant ID: 100104/Z/12/Z Cancer Research UK Grant ID: C38363/A26931

ABSTRACT

Methods for evaluating cell proliferation are important for research in the field of developmental biology, cancer biology and cell biology. Recent years, Click-iT EdU Assays by Invitrogen is gaining popularity due to its fast staining speed, mild tissue treatment condition, reproducibility and specificity. However, the standard kit from Invitrogen is designed for tissue cultured cells, hence the manufactory provided protocol is optimized for cells cultured on coverslips. EdU staining became a popular method to evaluate cell proliferation in vivo in zebrafish embryos. However, the protocols that we have tested in the past often yield inconsistent results due to variable EdU incorporation efficiency. Here we describe an EdU staining protocol that we optimized for zebrafish larvae, which incorporated a crucial EdU injection step. Our protocol was used successfully by many new students in training, without any issues.

EdU staining

4h 50m

1 Inject 2nl bolus of 500uM EdU into the yolk of embryos 30m

Note

Reagents for EdU staining can be purchased from -

https://www.thermofisher.com/uk/en/home/references/protocols/cell-and-tissueanalysis/protocols/click-it-plus-edu-imaging-protocol.html

embryos were immobilized in 3% methylcellulose in 0.3 x DANEAU's solution (or E3) and returned to induction solution after injection.

2 Incubate at 28.5°C in the dark for 2.5 hours (this can be between 2 -3 hours, but be consistent between experiments; we have done 2 hours)

3 Fix in 4% PFA (**30min**, Room temperature) § 25 °C

30m

(:) 00:30:00

4 Wash in 0.1% PBT (**5min**, RT shaking)

(5) 30 rpm, 25°C, 00:05:00 repeat 3 times

15m

Wash in 3% BSA, Dilute in PBT (5min, RT shaking) -grams/100ml, i.e. 3g/100ml, 300mg in 10ml.

5m

6 Block in 3% BSA, Dilute in PBT (1h, shaking) (3 30 rpm, 25°C, 01:00:00

1h

7 Incubate in staining solution (as per kit protocol) – we use 250ul per sample (10-15 larvae) 30 min, (3 30 rpm, 25°C, 00:30:00

30m

Δ 250 µL per 10-15 larvae

1	2	4	5	10	25	50
440 μL	880 μL	1.84 mL	2.25 mL	4.4 mL	10.9 mL	21.9 mL
10 µL	20 µL	40 µL	50 μL	100 µL	250 µL	500 μL
1.2 µL	2.5 µL	5 μL	6 µL	12.5 μL	31 µL	62 µL
50 μL	100 μL	200 µL	250 µL	500 μL	1.25 mL	2.5 mL
500 μL	1 mL	2 mL	2.5 mL	5 mL	12.5 mL	25 mL
	440 μL 10 μL 1.2 μL 50 μL	μL μL 10 μL 20 μL 1.2 μL 2.5 μL 50 μL 100 μL 500 1 mL	440 880 1.84 μL mL 10 μL 20 μL 40 μL 1.2 μL 2.5 μL 5 μL 50 μL 100 μL 500 1 mL 2 mL	440	440 μL 1.84 μL 2.25 μL 100 μL 10.0 μL 1.2 μL 2.5 μL 6 μL 12.5 μL 50 μL 500 μL	440 μL 10.9 mL 10.9 mL 10 μL 20 μL 40 μL 50 μL 100 μL 250 μL 1.2 μL 2.5 μL 5 μL 6 μL 12.5 μL 50 μL 100 μL 250 μL 500 μL 1.25 mL 500 1 mL 2 mL 2.5 mL 5 mL 12.5

Immunostaining in dark (EGFP or hRAS)

1d 17h 50m

8 Wash in PBT (5min, RT shaking x3) (3 30 rpm, 25°C, 00:05:00 X3

15m

9 Wash in 5% Goat Serum, Dilute in PBT (5min, RT shaking) (5 30 rpm, 25°C, 00:05:00

5m

10	Block in 5% Goat Serum, Dilute in PBT (at least 2h , RT shaking) (5 30 rpm, 25°C, 02:00:00	2h
11	Incubate with anti-GFP Primary Ab 1:200, dilute in 5% Goat Serum in PBT (O/N, +4 °C shaking) 30 rpm, 4°C, 16:00:00 Over night 250 µL 10-30 larvae	16h
	Note	
	GFP (D5.1)XP Rabbit mAB (Cell Signalling Technology 2956)	
12 13	Wash in PBT (25-30 min, RT shaking) x 8-10 à >4 hours in total!!! (5 30 rpm, 25°C, 00:30:00 X10 Incubate with Secondary Ab [] 1:250, Dilute in 3% Goat Serum in PBT (overnight at +4 °C –	5h
	prefered) (5 30 rpm, 4°C, 16:00:00 Or 25C 2 hours	
	Note	
	Alexa Fluor 488 goat anti-rabbit IgG (H+L) (Invitrogen A11008)] This step over night is preferred, however, 2 hours at RT also works.	
14	Wash in PBT (15 min , RT shaking) x4 (5 30 rpm, 25°C, 00:15:00 X 4	1h
15	Stain with Hoechst 33258 Dilute 1 in 1000 in PBT (30mins , RT shaking) (5 30 rpm, 25°C, 00:30:00 in dark	30m

Note

Or other nuclear stain such as DAPI

16 Wash in PBT (15mins, PBT) x4 (5 30 rpm, 25°C, 00:15:00 X 4

1h

Embed and Image

10m

10m

17 Incubate in AF1 solution.

Note

 $\underline{https://www.cntech-labsupplies.co.uk/products/sample-preparation/film-forming-polymer-solutions}\\$

Sample can be stored in the dark for few weeks

18 Mounting with cover-slip and glass slides.