

MAR 20, 2024



mxIF protocol

Fan Wu¹

¹Johns Hopkins University



Fan Wu

Johns Hopkins University

ABSTRACT

This protocol is developed by SenNet JHU TMC group





DOI:

dx.doi.org/10.17504/protocols.io. e6nvw1pb9lmk/v1

Protocol Citation: Fan Wu 2024. mxIF protocol. protocols.io https://dx.doi.org/10.17504/protoc ols.io.e6nvw1pb9lmk/v1

License: This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working We use this protocol and it's working

Created: Mar 19, 2024

Last Modified: Mar 20, 2024

Oct 20 2024



PROTOCOL integer ID: 96962

Funders Acknowledgement:

Pei-Hsun Wu

Grant ID: UG3 CA275681-01

	Dewaxing and rehydration	n
1	Tissue slides are baking 1 hour before dewaxing	1h
2	Tissue dewaxing is performed with 5 minutes sequential wash in 3 times 100% xylene, 3 times 100% EtOH, followed by 90%, 80%, and 75% EtOH	1h
3	Tissue slides are then dipped in water several times to finish rehydration	im
	Heat antigen retrieval	h
4	Heat antigen retrieval steps are performed with 300 ul of unmasking solution in 32 ml of H20 in a steame for 20 minutes	m
	Blocking	n
5	Blocking is performed with Peroxidase and Alkaline Phosphatase Blocking reagent for 15 minutes	m
	Primary antibody incubation	

protocols.io

6 Primary antibody is incubated 1 hr at room temperature or 4 C overnight, depending on targeted protein

Signal amplification

- 7 Slides are incubated with 1 drop of anti-ms HQ (or anti-rb HQ depends on primary antibody host animal) at room temperature for optimized time
- 8 Slides are incubated with 1 drop of anti-HQ HRP at room temperature for optimized time
- **9** TSA dyes are incubated for optimized time

Antibody removal

10 Antibody removal kit or heat mediated antibody stripping is applied to remove the primary antibody

Multiplex IF

- 11 Repeat step 5-10 until all the fluorescent channels are occupied
- 12 Counter stain the slides and imaging with fluorescent microscope



Bleaching

13 Bleaching is performed with 4.5% of H2O2 and 24mM NaOH made up with PBS (CycIF bleaching protocol)

14 Repeat step 5-13 for different rounds of imaging