DIMNS MARKED DENOTES AS PER STD GWP 0101 : SAFETY/REGULATION (F) CRITICAL FIT/FUNCTION (M) MAJOR FIT/FUNCTION (M2) MINOR FIT/FUNCTION



TABLE 1:

PART NO	FINISH GROUND SIZE	PLATING THICKNESS BEFORE PCG	PLATING THICKNESS AFTER PCG	FINAL DIA AFTER PCG ('∅C')
34040195	∅10.938~∅10.948	18±4 μm (F)	15±4μm (F)	∅10.960~∅10.986

NOTE:
1) MUST BE NO CHATTER ,SCRATCH,ABRASION AND BRUISE ON SUREFACE OF ∅11.
2) MUST BE NO PIN HOLES,ROUGH SURFACE & BLISTER AFTER PLATING.
3) PLATING QUALITY & VALIDATION AS PER GSP0103 (HARD CHROME PLATING)
CHROME HARDNESS:HV800 MIN AT LOAD 50gm (DURATION -5 SECONDS)
4) TO BE GROUND TO FINISH SIZE AFTER PLATING PROCESS (MATERIAL REMOVAL: 3 TO 5 μm ON DIAMETER.
5) PARTING PIP NOT ALLOWED.
(F) 6) Ra: 0.03~0.1μ FOR DIA 11 AFTER PLATING.

DATE	REV	ALTERATION	ERN NO.
08.02.19	00	RELEASED FOR PRODUCTION	19/012
05.06.18	D0	NEW RELEASE	18/081

SUPERSEDES :
GENERAL TOLERANCE ASPER : - PE/GT001
DESIGN SOURCE REF.
RELEASE FOR: ☐ COSTING ☐ PROTOTYPE ☐ OTS ☐ PRE-PRODUCTION ■ PRODUCTION

GABRIEL INDIA LTD.

SCALE	SHEETS	FINISH:	MASS:
NTS	1 / 1	REFER TABLE 1	[102] gm.

DRAWN BY: KHM DATE: ~~08.02.19~~
CHECKED BY: JSN DATE: 08.02.19
APPROVED BY: SAT DATE: 08.02.19

NAME:- PISTON ROD
MATERIAL:- BAR-3404010-AS PER GP136-5
PART NO:- 34040195 REV. 00

ALL DIMENSIONS ARE IN mm. | NO MANUAL ALTERATION | DO NOT SCALE | IF IN DOUBT PLEASE ASK | SIZE : A3

MODEL : OPTIMA FSA

FILE ARCHIVE LOCATION:

CONFIDENTIAL: THIS DRAWING AND THE INFORMATION THEREIN ARE THE PROPERTY OF GABRIEL INDIA LTD., AND SHALL NOT BE REPRODUCED, COPIED RECORDED IN ANY MEDIA, USED FOR ANY OTHER PURPOSE OR DELIVERED AND/OR DISCLOSED TO ANY THIRD PARTY WITHOUT WRITTEN CONSENT OF GABRIEL.