

COSMOS-Web DR1


COSMOS-Web DR1 Catalog

COSMOS2025: The COSMOS-Web galaxy catalog of photometry, morphology, and physical parameters from JWST, HST and ground-based imaging

Authors: M. Shuntov, H. B. Akins, L. Paquereau, C. M. Casey, O. Ilbert, R. C. Arango-Toro, H. J. McCracken, M. Franco, S. Harish, J. S. Kartaltepe, A. M. Koekemoer, L. Yang, M. Huertas-Company et al.

This README describes briefly the COSMOS-Web catalog and its contents. The catalog can be downloaded [here](#).

The methodology to construct the catalog is summarized in the flowchart below. For more details, please refer to the [catalog paper](#).



Catalog Construction Flowchart

Want some guidance?

We provide a simple tutorial notebook [here](#) to help you get started using the catalog for your science.

Catalog Extensions

The catalog fits file has multiple extensions containing different products (e.g., photometry, photo-z, physical parameters, morphological parameters). It has the following structure

Filename: COSMOSWeb_mastercatalog_v1.fits

No.	Header name	Description	No. columns
1	PHOTOMETRY HOTCOLD AND SE++	Hot+cold PSF homogenized and aperture corrected photometry, SE++ model photometry	287
2	LEPHARE	LePHARE photo-z and physical parameters obtained using the SE++ 34-band model photometry	43
3	SE++APER	non-PSF homogenized aperture photometry from SE++	148
4	CIGALE	CIGALE output (Arango-Toro+24)	54
5	ML-MORPHO	Morphological classification from ML (Huertas-Company+25)	150
6	B+D	B+D model measurements from SE++	461

Detailed Column Descriptions

1: Photometry (PSF-homogenized Aperture and SE++ Model-Based)

▼ Click to expand

Column Name	Description
id	Unique ID of the source
segment-id	ID that corresponds to the segmentation map for a given tile. The combination of tile and segment-id is unique.
tile	Tile (A1–B10)
id_specz_khostovan25	Unique ID of the source corresponding to the Id_specz of the Khostovan et al. (2025) spec-z compilation. -999 if no specz match
ra	Right ascension in the detection catalog
dec	Declination ascension in the detection catalog

Column Name	Description
x_image	x-coordinate in given tile
y_image	y-coordinate in given tile
a_image	Isophotal major axis in pixels
b_image	Isophotal minor axis in pixels
theta_image	Isophotal image position angle (relative to the image x-axis)
theta_world	Isophotoal position angle (N of E, offset 20 deg)
chi2_max	Peak value of the chi2pos detection image within $r=0.1$ of the source centroid
mode	Detection mode (hot or cold) this source was identified with
snr_hst-f814w	Detection significance, measured from native-resolution (i.e. non-PSF homogenized) images in 0.2 diameter apertures
wht_hst-f814w	Median value of the WHT map in a 0.2 diameter aperture
flux_auto_hst-f814w	Flux, measured in small elliptical apertures with Kron aperture correction and PSF correction applied [microJy]
flux_err_auto_hst-f814w	Flux, adding in quadrature the propagated uncertainty from the ERR map with the random-aperture noise measurements [microJy]
mag_auto_hst-f814w	Magnitude, computed from the auto flux AB mag
flux_aper_hst-f814w	Flux, measured in circular apertures (diameters 0.2, 0.3, 0.5, 0.75, and 1), with no PSF correction applied [microJy]
flux_err_aper_hst-f814w	Flux, uncertainty, computed as described for flux_err_auto_ [microJy]
mag_aper_hst-f814w	Magnitude, computed from the aper flux [AB mag]
snr_f115w	Detection significance, measured from native-resolution (i.e. non-PSF homogenized) images in 0.2 diameter apertures
wht_f115w	Median value of the WHT map in a 0.2 diameter aperture
flux_auto_f115w	Flux, measured in small elliptical apertures with Kron aperture correction and PSF correction applied [microJy]

Column Name	Description
flux_err_auto_f115w	Flux, adding in quadrature the propagated uncertainty from the ERR map with the random-aperture noise measurements [microJy]
mag_auto_f115w	Magnitude, computed from the auto flux AB mag
flux_aper_f115w	Flux, measured in circular apertures (diameters 0.2, 0.3, 0.5, 0.75, and 1), with no PSF correction applied [microJy]
flux_err_aper_f115w	Flux, uncertainty, computed as described for flux_err_auto_ [microJy]
mag_aper_f115w	Magnitude, computed from the aper flux [AB mag]
snr_f150w	Detection significance, measured from native-resolution (i.e. non-PSF homogenized) images in 0.2 diameter apertures
wht_f150w	Median value of the WHT map in a 0.2 diameter aperture
flux_auto_f150w	Flux, measured in small elliptical apertures with Kron aperture correction and PSF correction applied [microJy]
flux_err_auto_f150w	Flux, adding in quadrature the propagated uncertainty from the ERR map with the random-aperture noise measurements [microJy]
mag_auto_f150w	Magnitude, computed from the auto flux AB mag
flux_aper_f150w	Flux, measured in circular apertures (diameters 0.2, 0.3, 0.5, 0.75, and 1), with no PSF correction applied [microJy]
flux_err_aper_f150w	Flux, uncertainty, computed as described for flux_err_auto_ [microJy]
mag_aper_f150w	Magnitude, computed from the aper flux [AB mag]
snr_f277w	Detection significance, measured from native-resolution (i.e. non-PSF homogenized) images in 0.2 diameter apertures
wht_f277w	Median value of the WHT map in a 0.2 diameter aperture
flux_auto_f277w	Flux, measured in small elliptical apertures with Kron aperture correction and PSF correction applied [microJy]
flux_err_auto_f277w	Flux, adding in quadrature the propagated uncertainty from the ERR map with the random-aperture noise measurements [microJy]
mag_auto_f277w	Magnitude, computed from the auto flux AB mag

Column Name	Description
flux_aper_f277w	Flux, measured in circular apertures (diameters 0.2, 0.3, 0.5,0.75, and 1), with no PSF correction applied [microJy]
flux_err_aper_f277w	Flux, uncertainty, computed as described for flux_err_auto_ [microJy]
mag_aper_f277w	Magnitude, computed from the aper flux [AB mag]
snr_f444w	Detection significance, measured from native-resolution (i.e. non-PSF homogenized) images in 0.2 diameter apertures
wht_f444w	Median value of the WHT map in a 0.2 diameter aperture
flux_auto_f444w	Flux, measured in small elliptical apertures with Kron aperture correction and PSF correction applied [microJy]
flux_err_auto_f444w	Flux, adding in quadrature the propagated uncertainty from the ERR map with the random-aperture noise measurements [microJy]
mag_auto_f444w	Magnitude, computed from the auto flux AB mag
flux_aper_f444w	Flux, measured in circular apertures (diameters 0.2, 0.3, 0.5,0.75, and 1), with no PSF correction applied [microJy]
flux_err_aper_f444w	Flux, uncertainty, computed as described for flux_err_auto_ [microJy]
mag_aper_f444w	Magnitude, computed from the aper flux [AB mag]
snr_f770w	Detection significance, measured from native-resolution (i.e. non-PSF homogenized) images in 0.2 diameter apertures
wht_f770w	Median value of the WHT map in a 0.2 diameter aperture
flux_auto_f770w	Flux, measured in small elliptical apertures with Kron aperture correction and PSF correction applied [microJy]
flux_err_auto_f770w	Flux, adding in quadrature the propagated uncertainty from the ERR map with the random-aperture noise measurements [microJy]
mag_auto_f770w	Magnitude, computed from the auto flux AB mag
flux_aper_f770w	Flux, measured in circular apertures (diameters 0.2, 0.3, 0.5,0.75, and 1), with no PSF correction applied [microJy]
flux_err_aper_f770w	Flux, uncertainty, computed as described for flux_err_auto_ [microJy]

Column Name	Description
mag_aper_f770w	Magnitude, computed from the aper flux [AB mag]
c_f444w	Compactness in F444W; defined as the ratio of $f(d=0.2)/f(d=0.5)$
fwhm	FWHM
mu_max_hst-f814w	Peak surface brightness above the background
mu_max_f115w	Peak surface brightness above the background
mu_max_f150w	Peak surface brightness above the background
mu_max_f277w	Peak surface brightness above the background
mu_max_f444w	Peak surface brightness above the background
mu_max_f770w	Peak surface brightness above the background
kron_rad	Semi-major (a) and Semi-minor (b) axis of kron ellipse 1 or 2
kron1_a	Semi-major (a) and Semi-minor (b) axis of kron ellipse 1 or 2
kron1_b	Semi-major (a) and Semi-minor (b) axis of kron ellipse 1 or 2
kron1_area	Area of kron aperture 1 or 2
kron2_a	Semi-major (a) and Semi-minor (b) axis of kron ellipse 1 or 2
kron2_b	Semi-major (a) and Semi-minor (b) axis of kron ellipse 1 or 2
kron2_area	Area of kron aperture 1 or 2
seg_area	Area of segmentation mask
kron_corr	Correction, already applied, from the F444W flux in the small elliptical aperture kron1 to the default Kron aperture kron2
kron_f444w_psf_corr	Correction, already applied (to ACS+NIRCam bands), for the F444W PSF flux that falls outside the large kron2 aperture
kron_f770w_psf_corr	Correction, already applied (to F770W), for the F770W PSF flux that falls outside the large kron2 aperture
kron_f770w_ap_corr	Additional correction for F770W, already applied, accounting for the larger PSF relative to F444W
flag_star	Flag if 0-80 percent of source pixels overlap the starmask defined on the JWST/NIRCam images

Column Name	Description
flag_blend	Flag if kron aperture correction >3, i.e. source is blended in F444W
ra_model	Right ascension of the modeled source
dec_model	Right ascension in the modeled source
radius_sersic	Effective radius of the Sersic model [deg]
radius_sersic_err	Effective radius error of the Sersic model [deg]
axratio_sersic	Axis ratio of the Sersic model
axratio_sersic_err	Axis ratio error of the Sersic model [deg]
sersic	Sersic index
sersic_err	Sersic index error
angle_sersic	Angle of the Sersic model in world coordinates
angle_sersic_err	Angle error of the Sersic model in world coordinates
e1	Ellipticity component 1
e1_err	Ellipticity component 1 error
e2	Ellipticity component 2
e2_err	Ellipticity component 2 error
fmf_chi2	Reduced χ^2 of the model
group_id	ID of the group of sources that is fitted together
mag_model_f115w	Sersic model total AB magnitude
mag_model_f150w	Sersic model total AB magnitude
mag_model_f277w	Sersic model total AB magnitude
mag_model_f444w	Sersic model total AB magnitude
mag_model_hst-f814w	Sersic model total AB magnitude
mag_model_f770w	Sersic model total AB magnitude
mag_model_cfht-u	Sersic model total AB magnitude
mag_model_hsc-g	Sersic model total AB magnitude

Column Name	Description
mag_model_hsc-r	Sersic model total AB magnitude
mag_model_hsc-i	Sersic model total AB magnitude
mag_model_hsc-z	Sersic model total AB magnitude
mag_model_hsc-y	Sersic model total AB magnitude
mag_model_hsc-nb0816	Sersic model total AB magnitude
mag_model_hsc-nb0921	Sersic model total AB magnitude
mag_model_hsc-nb1010	Sersic model total AB magnitude
mag_model_uvista-y	Sersic model total AB magnitude
mag_model_uvista-j	Sersic model total AB magnitude
mag_model_uvista-h	Sersic model total AB magnitude
mag_model_uvista-ks	Sersic model total AB magnitude
mag_model_uvista-nb118	Sersic model total AB magnitude
mag_model_sc-ia484	Sersic model total AB magnitude
mag_model_sc-ia527	Sersic model total AB magnitude
mag_model_sc-ia624	Sersic model total AB magnitude
mag_model_sc-ia679	Sersic model total AB magnitude
mag_model_sc-ia738	Sersic model total AB magnitude
mag_model_sc-ia767	Sersic model total AB magnitude
mag_model_sc-ib427	Sersic model total AB magnitude
mag_model_sc-ib505	Sersic model total AB magnitude
mag_model_sc-ib574	Sersic model total AB magnitude
mag_model_sc-ib709	Sersic model total AB magnitude
mag_model_sc-ib827	Sersic model total AB magnitude
mag_model_sc-nb711	Sersic model total AB magnitude
mag_model_sc-nb816	Sersic model total AB magnitude

Column Name	Description
mag_model_irac-ch1	Sersic model total AB magnitude
mag_model_irac-ch2	Sersic model total AB magnitude
mag_model_irac-ch3	Sersic model total AB magnitude
mag_model_irac-ch4	Sersic model total AB magnitude
mag_err_model_f115w	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_f150w	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_f277w	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_f444w	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hst-f814w	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_f770w	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_cfht-u	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-g	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-r	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-i	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-z	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-y	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-nb0816	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-nb0921	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_hsc-nb1010	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_uvista-y	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_uvista-j	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_uvista-h	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_uvista-ks	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_uvista-nb118	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ia484	Sersic model total AB magnitude uncertainty (uncalibrated)

Column Name	Description
mag_err_model_sc-ia527	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ia624	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ia679	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ia738	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ia767	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ib427	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ib505	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ib574	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ib709	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-ib827	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-nb711	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_sc-nb816	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_irac-ch1	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_irac-ch2	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_irac-ch3	Sersic model total AB magnitude uncertainty (uncalibrated)
mag_err_model_irac-ch4	Sersic model total AB magnitude uncertainty (uncalibrated)
flux_model_f115w	Sersic model total flux [microJy]
flux_model_f150w	Sersic model total flux [microJy]
flux_model_f277w	Sersic model total flux [microJy]
flux_model_f444w	Sersic model total flux [microJy]
flux_model_hst-f814w	Sersic model total flux [microJy]
flux_model_f770w	Sersic model total flux [microJy]
flux_model_cfht-u	Sersic model total flux [microJy]
flux_model_hsc-g	Sersic model total flux [microJy]
flux_model_hsc-r	Sersic model total flux [microJy]

Column Name	Description
flux_model_hsc-i	Sersic model total flux [microJy]
flux_model_hsc-z	Sersic model total flux [microJy]
flux_model_hsc-y	Sersic model total flux [microJy]
flux_model_hsc-nb0816	Sersic model total flux [microJy]
flux_model_hsc-nb0921	Sersic model total flux [microJy]
flux_model_hsc-nb1010	Sersic model total flux [microJy]
flux_model_uvista-y	Sersic model total flux [microJy]
flux_model_uvista-j	Sersic model total flux [microJy]
flux_model_uvista-h	Sersic model total flux [microJy]
flux_model_uvista-ks	Sersic model total flux [microJy]
flux_model_uvista-nb118	Sersic model total flux [microJy]
flux_model_sc-ia484	Sersic model total flux [microJy]
flux_model_sc-ia527	Sersic model total flux [microJy]
flux_model_sc-ia624	Sersic model total flux [microJy]
flux_model_sc-ia679	Sersic model total flux [microJy]
flux_model_sc-ia738	Sersic model total flux [microJy]
flux_model_sc-ia767	Sersic model total flux [microJy]
flux_model_sc-ib427	Sersic model total flux [microJy]
flux_model_sc-ib505	Sersic model total flux [microJy]
flux_model_sc-ib574	Sersic model total flux [microJy]
flux_model_sc-ib709	Sersic model total flux [microJy]
flux_model_sc-ib827	Sersic model total flux [microJy]
flux_model_sc-nb711	Sersic model total flux [microJy]
flux_model_sc-nb816	Sersic model total flux [microJy]
flux_model_irac-ch1	Sersic model total flux [microJy]

Column Name	Description
flux_model_irac-ch2	Sersic model total flux [microJy]
flux_model_irac-ch3	Sersic model total flux [microJy]
flux_model_irac-ch4	Sersic model total flux [microJy]
flux_err-uncal_model_f115w	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_f150w	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_f277w	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_f444w	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hst-f814w	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_f770w	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_cfht-u	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-g	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-r	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-i	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-z	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-y	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-nb0816	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-nb0921	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_hsc-nb1010	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_uvista-y	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_uvista-j	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_uvista-h	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_uvista-ks	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_uvista-nb118	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ia484	Sersic model total flux uncertainty (uncalibrated) [microJy]

Column Name	Description
flux_err-uncal_model_sc-ia527	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ia624	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ia679	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ia738	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ia767	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ib427	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ib505	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ib574	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ib709	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-ib827	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-nb711	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_sc-nb816	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_irac-ch1	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_irac-ch2	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_irac-ch3	Sersic model total flux uncertainty (uncalibrated) [microJy]
flux_err-uncal_model_irac-ch4	Sersic model total flux uncertainty (uncalibrated) [microJy]
flag_star_hsc	Flag for sources contaminated by bright stars defined on the HSC images. Affects mostly ground based photometry. 0: good, 1: masked out
flux_err-cal_model_f115w	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_f150w	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_f277w	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_f444w	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hst-f814w	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_f770w	Sersic model total flux uncertainty (calibrated) [microJy]

Column Name	Description
flux_err-cal_model_cfht-u	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-g	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-r	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-i	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-z	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-y	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-nb0816	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-nb0921	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_hsc-nb1010	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_uvista-y	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_uvista-j	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_uvista-h	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_uvista-ks	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_uvista-nb118	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ia484	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ia527	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ia624	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ia679	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ia738	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ia767	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ib427	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ib505	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ib574	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ib709	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-ib827	Sersic model total flux uncertainty (calibrated) [microJy]

Column Name	Description
flux_err-cal_model_sc-nb711	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_sc-nb816	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_irac-ch1	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_irac-ch2	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_irac-ch3	Sersic model total flux uncertainty (calibrated) [microJy]
flux_err-cal_model_irac-ch4	Sersic model total flux uncertainty (calibrated) [microJy]
warn_flag	Warning flag. 0: good object, 1: hot pixel, 2: ground-space inconsistency, 3: ground-space inconsistency, 4,5,6: other artifacts

2: LePhare Photometric Redshifts and Physical Parameters

▼ Click to expand

Column Name	Description
zfinal	LePHARE Photometric redshift estimate, taken as the median of the likelihood distribution if the object is a galaxy. Set to 0 for stars and artifacts
type	LePHARE classification 0: galaxy, 1: star, 2: qso
zpdf_med	Photo-z, median of the zPDF
zpdf_l68	Photo-z lower 1sigma confidence value, computed from the zPDF
zpdf_u68	Photo-z upper 1sigma confidence value, computed from the zPDF
zchi2	Photo-z computed from the minimum chi^2
chi2_best	Value of the minimum chi^2 of the best fit galaxy template
nbfilt	Number of filters used by LePHARE to do the SED fit
zp_agn	Photo-z solution from the best AGN template
chi2_agn	Value of the minimum chi^2 of the best agn template
mod_agn	Model ID for the AGN template
mod_star	Model ID for the star template
chi_star	Value of the minimum chi^2 of the best star template

Column Name	Description
mod_minchi2_phys	Model ID for the best fit BC03 template from the physical param. run
ebv_minchi2	E(B-V) value from the minimum χ^2
law_minchi2	Dust attenuation law from the minimum χ^2 . 0: SB_calzetti, 1: Arnouts 2013; 2: Salim 2018
age_minchi2	Age from the minimum χ^2
mass_minchi2	log stellar mass [Msol] from BC03 best-fit template. Taken at the minimum χ^2
sfr_minchi2	log SFR [Msol yr ⁻¹] from BC03 best-fit template. Taken at the minimum χ^2
ssfr_minchi2	log sSFR [yr ⁻¹] from BC03 best-fit template. Taken at the minimum χ^2
age_l68	log age [yr] from BC03 best-fit template. lower 68% confidence limit
age_med	log age [yr] from BC03 best-fit template. median of the PD
age_u68	log age [yr] from BC03 best-fit template. upper 68% confidence limit
mass_l68	log stellar mass [Msol] from BC03 best-fit template. lower 68% confidence limit
mass_med	log stellar mass [Msol] from BC03 best-fit template. median of the PD
mass_u68	log stellar mass [Msol] from BC03 best-fit template. upper 68% confidence limit
sfr_l68	log SFR [Msol yr ⁻¹] from BC03 best-fit template. lower 68% confidence limit
sfr_med	log SFR [Msol yr ⁻¹] from BC03 best-fit template. median of the PD
sfr_u68	log SFR [Msol yr ⁻¹] from BC03 best-fit template. upper 68% confidence limit
ssfr_l68	log sSFR [yr ⁻¹] from BC03 best-fit() template. lower 68% confidence limit
ssfr_med	log sSFR [yr ⁻¹] from BC03 best-fit template. median of the PD
ssfr_u68	log sSFR [yr ⁻¹] from BC03 best-fit template. upper 68% confidence limit
l_nuv	NUV band luminosity

Column Name	Description
l_r	R band luminosity
l_k	K band luminosity
mabs_nuv	NUV absolute magnitude, computed from BC03 best-fit template
mabs_r	R absolute magnitude, computed from BC03 best-fit template
mabs_j	J absolute magnitude, computed from BC03 best-fit template
mabs_k	K absolute magnitude, computed from BC03 best-fit template
flag_chandra	If X-ray detected by chandra, then flag=1
zpdf_med_space	Photo-z from SED fitting of space-based bands (HST+NIRCam), median of the zPDF
zpdf_l68_space	Photo-z lower 1sigma from SED fitting of space-based bands (HST+NIRCam), computed from the zPDF
zpdf_u68_space	Photo-z upper 1sigma from SED fitting of space-based bands (HST+NIRCam), computed from the zPDF

3: Non-PSF-homogenized Aperture Photometry

▼ Click to expand

Column Name	Description
mag_aper_f115w	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_f150w	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_f277w	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_f444w	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hst-f814w	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_f770w	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]

Column Name	Description
mag_aper_cfht-u	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-g	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-r	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-i	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-z	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-y	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-nb0816	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-nb0921	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_hsc-nb1010	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_uvista-y	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_uvista-j	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_uvista-h	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_uvista-ks	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_uvista-nb118	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ia484	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]

Column Name	Description
mag_aper_sc-ia527	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ia624	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ia679	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ia738	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ia767	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ib427	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ib505	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ib574	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ib709	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-ib827	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-nb711	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_sc-nb816	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_irac-ch1	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_irac-ch2	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_aper_irac-ch3	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]

Column Name	Description
mag_aper_irac-ch4	Non PSF homogenized aperture magnitude in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_f115w	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_f150w	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_f277w	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_f444w	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hst-f814w	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_f770w	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_cfht-u	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-g	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-r	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-i	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-z	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-y	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-nb0816	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_hsc-nb0921	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]

Column Name	Description
mag_err_aper_hsc-nb1010	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_uvista-y	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_uvista-j	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_uvista-h	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_uvista-ks	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_uvista-nb118	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ia484	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ia527	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ia624	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ia679	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ia738	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ia767	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ib427	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ib505	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ib574	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]

Column Name	Description
mag_err_aper_sc-ib709	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-ib827	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-nb711	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_sc-nb816	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_irac-ch1	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_irac-ch2	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_irac-ch3	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
mag_err_aper_irac-ch4	Non PSF homogenized aperture magnitude uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [AB mag]
flux_aper_f115w	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_f150w	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_f277w	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_f444w	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hst-f814w	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_f770w	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_cfht-u	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]

Column Name	Description
flux_aper_hsc-g	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-r	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-i	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-z	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-y	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-nb0816	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-nb0921	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_hsc-nb1010	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_uvista-y	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_uvista-j	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_uvista-h	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_uvista-ks	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_uvista-nb118	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ia484	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ia527	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]

Column Name	Description
flux_aper_sc-ia624	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ia679	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ia738	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ia767	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ib427	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ib505	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ib574	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ib709	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-ib827	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-nb711	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_sc-nb816	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_irac-ch1	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_irac-ch2	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_irac-ch3	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_aper_irac-ch4	Non PSF homogenized aperture flux in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]

Column Name	Description
flux_err_aper_f115w	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_f150w	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_f277w	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_f444w	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hst-f814w	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_f770w	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_cfht-u	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-g	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-r	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-i	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-z	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-y	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-nb0816	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-nb0921	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_hsc-nb1010	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]

Column Name	Description
flux_err_aper_uvista-y	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_uvista-j	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_uvista-h	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_uvista-ks	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_uvista-nb118	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ia484	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ia527	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ia624	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ia679	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ia738	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ia767	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ib427	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ib505	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ib574	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-ib709	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]

Column Name	Description
flux_err_aper_sc-ib827	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-nb711	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_sc-nb816	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_irac-ch1	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_irac-ch2	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_irac-ch3	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]
flux_err_aper_irac-ch4	Non PSF homogenized aperture flux uncertainty (uncalibrated) in [0.1, 0.25, 0.5, 1.0 and 1.5] arcsecond diameter apertures [microJy]

4: CIGALE Physical Parameters and Non-Parametric SFH

▼ Click to expand

Column Name	Description
age_form	Look-back time (lbt) from the epoch of observation to when the galaxy formed 50% of its total stellar mass [Myr]
age_form_err	Error in age_form [Myr]
sfr_mass_vector_dir	Direction of the displacement vector in the SFR-M* plane over 250 Myr (lbt) [degrees]
sfr_mass_vector_dir_err	Error in the direction of displacement vector [degrees]
sfh_sfr_bin1	Normalized star formation rate in time bin 1 (SFR divided by total integrated SFH) [1/yr]
sfh_sfr_bin1_err	Error in normalized SFR in time bin 1 [1/yr]
sfh_sfr_bin2	Normalized star formation rate in time bin 2 [1/yr]
sfh_sfr_bin2_err	Error in normalized SFR in time bin 2 [1/yr]

Column Name	Description
<code>sfh_sfr_bin3</code>	Normalized star formation rate in time bin 3 [1/yr]
<code>sfh_sfr_bin3_err</code>	Error in normalized SFR in time bin 3 [1/yr]
<code>sfh_sfr_bin4</code>	Normalized star formation rate in time bin 4 [1/yr]
<code>sfh_sfr_bin4_err</code>	Error in normalized SFR in time bin 4 [1/yr]
<code>sfh_sfr_bin5</code>	Normalized star formation rate in time bin 5 [1/yr]
<code>sfh_sfr_bin5_err</code>	Error in normalized SFR in time bin 5 [1/yr]
<code>sfh_sfr_bin6</code>	Normalized star formation rate in time bin 6 [1/yr]
<code>sfh_sfr_bin6_err</code>	Error in normalized SFR in time bin 6 [1/yr]
<code>sfh_sfr_bin7</code>	Normalized star formation rate in time bin 7 [1/yr]
<code>sfh_sfr_bin7_err</code>	Error in normalized SFR in time bin 7 [1/yr]
<code>sfh_sfr_bin8</code>	Normalized star formation rate in time bin 8 [1/yr]
<code>sfh_sfr_bin8_err</code>	Error in normalized SFR in time bin 8 [1/yr]
<code>sfh_sfr_bin9</code>	Normalized star formation rate in time bin 9 [1/yr]
<code>sfh_sfr_bin9_err</code>	Error in normalized SFR in time bin 9 [1/yr]
<code>sfr_mass_vector_norm</code>	Normalization of the displacement vector in SFR-M* plane over 250 Myr (lbt) [dex/Myr]
<code>sfr_mass_vector_norm_err</code>	Error in vector normalization
<code>sfh_time_bin1</code>	Time corresponding to SFR bin 1 (lbt) [Myr]
<code>sfh_time_bin1_err</code>	Error in time for SFR bin 1 [Myr]
<code>sfh_time_bin2</code>	Time corresponding to SFR bin 2 [Myr]
<code>sfh_time_bin2_err</code>	Error in time for SFR bin 2 [Myr]
<code>sfh_time_bin3</code>	Time corresponding to SFR bin 3 [Myr]
<code>sfh_time_bin3_err</code>	Error in time for SFR bin 3 [Myr]
<code>sfh_time_bin4</code>	Time corresponding to SFR bin 4 [Myr]
<code>sfh_time_bin4_err</code>	Error in time for SFR bin 4 [Myr]

Column Name	Description
sfh_time_bin5	Time corresponding to SFR bin 5 [Myr]
sfh_time_bin5_err	Error in time for SFR bin 5 [Myr]
sfh_time_bin6	Time corresponding to SFR bin 6 [Myr]
sfh_time_bin6_err	Error in time for SFR bin 6 [Myr]
sfh_time_bin7	Time corresponding to SFR bin 7 [Myr]
sfh_time_bin7_err	Error in time for SFR bin 7 [Myr]
sfh_time_bin8	Time corresponding to SFR bin 8 [Myr]
sfh_time_bin8_err	Error in time for SFR bin 8 [Myr]
sfh_time_bin9	Time corresponding to SFR bin 9 [Myr]
sfh_time_bin9_err	Error in time for SFR bin 9 [Myr]
metallicity	Metallicity of the stellar population (mass fraction, e.g. 0.02 = solar metallicity) [dimensionless]
metallicity_err	Error in stellar metallicity [dimensionless]
sfh_integrated	Total integrated star formation history [M_sol]
sfh_integrated_err	Error in sfh_integrated [M_sol]
sfr_inst	Current star formation rate [M_sol/yr]
sfr_inst_err	Error in current SFR [M_sol/yr]
sfr_100myr	SFR over the last 100 Myr (lbt) [M_sol/yr]
sfr_100myr_err	Error in sfr_100myr [M_sol/yr]
mass	Stellar mass of the galaxy [M_sol]
mass_err	Error in stellar mass [M_sol]
chi2_best_fit	Chi-squared value of the best-fit model [dimensionless]
chi2_red_best_fit	Reduced chi-squared value of the best-fit model [dimensionless]

5: Machine Learning Morphological Classification

▼ Click to expand

Column Name	Description
sph_0_f150w	Probability of being classified as Spheroid in F150W filter, bin 0/10
disk_0_f150w	Probability of being classified as Disk in F150W filter, bin 0/10
irr_0_f150w	Probability of being classified as Irregular in F150W filter, bin 0/10
bd_0_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 0/10
sph_1_f150w	Probability of being classified as Spheroid in F150W filter, bin 1/10
disk_1_f150w	Probability of being classified as Disk in F150W filter, bin 1/10
irr_1_f150w	Probability of being classified as Irregular in F150W filter, bin 1/10
bd_1_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 1/10
sph_2_f150w	Probability of being classified as Spheroid in F150W filter, bin 2/10
disk_2_f150w	Probability of being classified as Disk in F150W filter, bin 2/10
irr_2_f150w	Probability of being classified as Irregular in F150W filter, bin 2/10
bd_2_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 2/10
sph_3_f150w	Probability of being classified as Spheroid in F150W filter, bin 3/10
disk_3_f150w	Probability of being classified as Disk in F150W filter, bin 3/10
irr_3_f150w	Probability of being classified as Irregular in F150W filter, bin 3/10
bd_3_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 3/10
sph_4_f150w	Probability of being classified as Spheroid in F150W filter, bin 4/10
disk_4_f150w	Probability of being classified as Disk in F150W filter, bin 4/10
irr_4_f150w	Probability of being classified as Irregular in F150W filter, bin 4/10
bd_4_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 4/10
sph_5_f150w	Probability of being classified as Spheroid in F150W filter, bin 5/10
disk_5_f150w	Probability of being classified as Disk in F150W filter, bin 5/10

Column Name	Description
irr_5_f150w	Probability of being classified as Irregular in F150W filter, bin 5/10
bd_5_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 5/10
sph_6_f150w	Probability of being classified as Spheroid in F150W filter, bin 6/10
disk_6_f150w	Probability of being classified as Disk in F150W filter, bin 6/10
irr_6_f150w	Probability of being classified as Irregular in F150W filter, bin 6/10
bd_6_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 6/10
sph_7_f150w	Probability of being classified as Spheroid in F150W filter, bin 7/10
disk_7_f150w	Probability of being classified as Disk in F150W filter, bin 7/10
irr_7_f150w	Probability of being classified as Irregular in F150W filter, bin 7/10
bd_7_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 7/10
sph_8_f150w	Probability of being classified as Spheroid in F150W filter, bin 8/10
disk_8_f150w	Probability of being classified as Disk in F150W filter, bin 8/10
irr_8_f150w	Probability of being classified as Irregular in F150W filter, bin 8/10
bd_8_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 8/10
sph_9_f150w	Probability of being classified as Spheroid in F150W filter, bin 9/10
disk_9_f150w	Probability of being classified as Disk in F150W filter, bin 9/10
irr_9_f150w	Probability of being classified as Irregular in F150W filter, bin 9/10
bd_9_f150w	Probability of being classified as Bulge-dominated in F150W filter, bin 9/10
sph_0_f277w	Probability of being classified as Spheroid in F277W filter, bin 0/10
disk_0_f277w	Probability of being classified as Disk in F277W filter, bin 0/10
irr_0_f277w	Probability of being classified as Irregular in F277W filter, bin 0/10

Column Name	Description
bd_0_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 0/10
sph_1_f277w	Probability of being classified as Spheroid in F277W filter, bin 1/10
disk_1_f277w	Probability of being classified as Disk in F277W filter, bin 1/10
irr_1_f277w	Probability of being classified as Irregular in F277W filter, bin 1/10
bd_1_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 1/10
sph_2_f277w	Probability of being classified as Spheroid in F277W filter, bin 2/10
disk_2_f277w	Probability of being classified as Disk in F277W filter, bin 2/10
irr_2_f277w	Probability of being classified as Irregular in F277W filter, bin 2/10
bd_2_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 2/10
sph_3_f277w	Probability of being classified as Spheroid in F277W filter, bin 3/10
disk_3_f277w	Probability of being classified as Disk in F277W filter, bin 3/10
irr_3_f277w	Probability of being classified as Irregular in F277W filter, bin 3/10
bd_3_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 3/10
sph_4_f277w	Probability of being classified as Spheroid in F277W filter, bin 4/10
disk_4_f277w	Probability of being classified as Disk in F277W filter, bin 4/10
irr_4_f277w	Probability of being classified as Irregular in F277W filter, bin 4/10
bd_4_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 4/10
sph_5_f277w	Probability of being classified as Spheroid in F277W filter, bin 5/10
disk_5_f277w	Probability of being classified as Disk in F277W filter, bin 5/10
irr_5_f277w	Probability of being classified as Irregular in F277W filter, bin 5/10
bd_5_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 5/10

Column Name	Description
sph_6_f277w	Probability of being classified as Spheroid in F277W filter, bin 6/10
disk_6_f277w	Probability of being classified as Disk in F277W filter, bin 6/10
irr_6_f277w	Probability of being classified as Irregular in F277W filter, bin 6/10
bd_6_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 6/10
sph_7_f277w	Probability of being classified as Spheroid in F277W filter, bin 7/10
disk_7_f277w	Probability of being classified as Disk in F277W filter, bin 7/10
irr_7_f277w	Probability of being classified as Irregular in F277W filter, bin 7/10
bd_7_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 7/10
sph_8_f277w	Probability of being classified as Spheroid in F277W filter, bin 8/10
disk_8_f277w	Probability of being classified as Disk in F277W filter, bin 8/10
irr_8_f277w	Probability of being classified as Irregular in F277W filter, bin 8/10
bd_8_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 8/10
sph_9_f277w	Probability of being classified as Spheroid in F277W filter, bin 9/10
disk_9_f277w	Probability of being classified as Disk in F277W filter, bin 9/10
irr_9_f277w	Probability of being classified as Irregular in F277W filter, bin 9/10
bd_9_f277w	Probability of being classified as Bulge-dominated in F277W filter, bin 9/10
sph_0_f444w	Probability of being classified as Spheroid in F444W filter, bin 0/10
disk_0_f444w	Probability of being classified as Disk in F444W filter, bin 0/10
irr_0_f444w	Probability of being classified as Irregular in F444W filter, bin 0/10
bd_0_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 0/10
sph_1_f444w	Probability of being classified as Spheroid in F444W filter, bin 1/10
disk_1_f444w	Probability of being classified as Disk in F444W filter, bin 1/10

Column Name	Description
irr_1_f444w	Probability of being classified as Irregular in F444W filter, bin 1/10
bd_1_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 1/10
sph_2_f444w	Probability of being classified as Spheroid in F444W filter, bin 2/10
disk_2_f444w	Probability of being classified as Disk in F444W filter, bin 2/10
irr_2_f444w	Probability of being classified as Irregular in F444W filter, bin 2/10
bd_2_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 2/10
sph_3_f444w	Probability of being classified as Spheroid in F444W filter, bin 3/10
disk_3_f444w	Probability of being classified as Disk in F444W filter, bin 3/10
irr_3_f444w	Probability of being classified as Irregular in F444W filter, bin 3/10
bd_3_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 3/10
sph_4_f444w	Probability of being classified as Spheroid in F444W filter, bin 4/10
disk_4_f444w	Probability of being classified as Disk in F444W filter, bin 4/10
irr_4_f444w	Probability of being classified as Irregular in F444W filter, bin 4/10
bd_4_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 4/10
sph_5_f444w	Probability of being classified as Spheroid in F444W filter, bin 5/10
disk_5_f444w	Probability of being classified as Disk in F444W filter, bin 5/10
irr_5_f444w	Probability of being classified as Irregular in F444W filter, bin 5/10
bd_5_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 5/10
sph_6_f444w	Probability of being classified as Spheroid in F444W filter, bin 6/10
disk_6_f444w	Probability of being classified as Disk in F444W filter, bin 6/10
irr_6_f444w	Probability of being classified as Irregular in F444W filter, bin 6/10

Column Name	Description
bd_6_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 6/10
sph_7_f444w	Probability of being classified as Spheroid in F444W filter, bin 7/10
disk_7_f444w	Probability of being classified as Disk in F444W filter, bin 7/10
irr_7_f444w	Probability of being classified as Irregular in F444W filter, bin 7/10
bd_7_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 7/10
sph_8_f444w	Probability of being classified as Spheroid in F444W filter, bin 8/10
disk_8_f444w	Probability of being classified as Disk in F444W filter, bin 8/10
irr_8_f444w	Probability of being classified as Irregular in F444W filter, bin 8/10
bd_8_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 8/10
sph_9_f444w	Probability of being classified as Spheroid in F444W filter, bin 9/10
disk_9_f444w	Probability of being classified as Disk in F444W filter, bin 9/10
irr_9_f444w	Probability of being classified as Irregular in F444W filter, bin 9/10
bd_9_f444w	Probability of being classified as Bulge-dominated in F444W filter, bin 9/10
sph_f150w_mean	Mean probability of being classified as Spheroid in F150W filter
sph_f150w_std	Standard deviation of probability for Spheroid classification in F150W filter
disk_f150w_mean	Mean probability of being classified as Disk in F150W filter
disk_f150w_std	Standard deviation of probability for Disk classification in F150W filter
irr_f150w_mean	Mean probability of being classified as Irregular in F150W filter
irr_f150w_std	Standard deviation of probability for Irregular classification in F150W filter
bd_f150w_mean	Mean probability of being classified as Bulge-dominated in F150W filter

Column Name	Description
bd_f150w_std	Standard deviation of probability for Bulge-dominated classification in F150W filter
sph_f277w_mean	Mean probability of being classified as Spheroid in F277W filter
sph_f277w_std	Standard deviation of probability for Spheroid classification in F277W filter
disk_f277w_mean	Mean probability of being classified as Disk in F277W filter
disk_f277w_std	Standard deviation of probability for Disk classification in F277W filter
irr_f277w_mean	Mean probability of being classified as Irregular in F277W filter
irr_f277w_std	Standard deviation of probability for Irregular classification in F277W filter
bd_f277w_mean	Mean probability of being classified as Bulge-dominated in F277W filter
bd_f277w_std	Standard deviation of probability for Bulge-dominated classification in F277W filter
sph_f444w_mean	Mean probability of being classified as Spheroid in F444W filter
sph_f444w_std	Standard deviation of probability for Spheroid classification in F444W filter
disk_f444w_mean	Mean probability of being classified as Disk in F444W filter
disk_f444w_std	Standard deviation of probability for Disk classification in F444W filter
irr_f444w_mean	Mean probability of being classified as Irregular in F444W filter
irr_f444w_std	Standard deviation of probability for Irregular classification in F444W filter
bd_f444w_mean	Mean probability of being classified as Bulge-dominated in F444W filter
bd_f444w_std	Standard deviation of probability for Bulge-dominated classification in F444W filter
morph_flag_f277w	Morphological classification flag for F277W filter. 0: Spheroid, 1: Disk-dominated, 2: Irregular, 3: Bulge-dominated
delta_f277w	Uncertainty on the morphology class for F277W filter. Estimated as the difference between the two largest probability values

Column Name	Description
morph_flag_f444w	Morphological classification flag for F444W filter. 0: Spheroid, 1: Disk-dominated, 2: Irregular, 3: Bulge-dominated
delta_f444w	Uncertainty on the morphology class for F444W filter. Estimated as the difference between the two largest probability values
morph_flag_f150w	Morphological classification flag for F150W filter. 0: Spheroid, 1: Disk-dominated, 2: Irregular, 3: Bulge-dominated
delta_f150w	Uncertainty on the morphology class for F150W filter. Estimated as the difference between the two largest probability values

6: Bulge+Disk Morphological Measurements & Photometry

▼ Click to expand

Column Name	Description
ra_detec_bd	Right ascencion of the B+D model
dec_detec_bd	Declination of the B+D model
disk_radius_deg	Radius of the disk component [deg]
disk_radius_deg_err	Radius error of the disk component [deg]
bulge_radius_deg	Radius of the bulge component [deg]
bulge_radius_deg_err	Radius of the bulge component [deg]
angle_bd	Angle of the B+D model in world coordinates
angle_bd_err	Angle error of the B+D model in world coordinates
disk_axratio	Axis ratio of the disk component
disk_axratio_err	Axis ratio error of the disk component
bulge_axratio	Axis ratio of the bulge component
bulge_axratio_err	Axis ratio of the bulge component
f _m f _{b+d} _chi2	Reduced chi^2 of the B+D model
mag_model_bd_total_f115w	Total B+D model AB magnitude
mag_model_bd_total_f150w	Total B+D model AB magnitude

Column Name	Description
mag_model_bd_total_f277w	Total B+D model AB magnitude
mag_model_bd_total_f444w	Total B+D model AB magnitude
mag_err_model_bd_total_f115w	Total B+D model AB magnitude error
mag_err_model_bd_total_f150w	Total B+D model AB magnitude error
mag_err_model_bd_total_f277w	Total B+D model AB magnitude error
mag_err_model_bd_total_f444w	Total B+D model AB magnitude error
mag_model_bulge_f115w	Bulge component model AB magnitude
mag_model_bulge_f150w	Bulge component model AB magnitude
mag_model_bulge_f277w	Bulge component model AB magnitude
mag_model_bulge_f444w	Bulge component model AB magnitude
mag_err_model_bulge_f115w	Bulge component model AB magnitude error
mag_err_model_bulge_f150w	Bulge component model AB magnitude error
mag_err_model_bulge_f277w	Bulge component model AB magnitude error
mag_err_model_bulge_f444w	Bulge component model AB magnitude error
mag_model_disk_f115w	Disk component model AB magnitude
mag_model_disk_f150w	Disk component model AB magnitude
mag_model_disk_f277w	Disk component model AB magnitude
mag_model_disk_f444w	Disk component model AB magnitude
mag_err_model_disk_f115w	Disk component model AB magnitude error
mag_err_model_disk_f150w	Disk component model AB magnitude error
mag_err_model_disk_f277w	Disk component model AB magnitude error
mag_err_model_disk_f444w	Disk component model AB magnitude error
flux_model_bd_total_f115w	Total B+D model flux [microJy]
flux_model_bd_total_f150w	Total B+D model flux [microJy]
flux_model_bd_total_f277w	Total B+D model flux [microJy]

Column Name	Description
flux_model_bd_total_f444w	Total B+D model flux [microJy]
flux_err_model_bd_total_f115w	Total B+D model flux error [microJy]
flux_err_model_bd_total_f150w	Total B+D model flux error [microJy]
flux_err_model_bd_total_f277w	Total B+D model flux error [microJy]
flux_err_model_bd_total_f444w	Total B+D model flux error [microJy]
flux_model_bulge_f115w	Bulge component model flux [microJy]
flux_model_bulge_f150w	Bulge component model flux [microJy]
flux_model_bulge_f277w	Bulge component model flux [microJy]
flux_model_bulge_f444w	Bulge component model flux [microJy]
flux_err_model_bulge_f115w	Bulge component model flux error [microJy]
flux_err_model_bulge_f150w	Bulge component model flux error [microJy]
flux_err_model_bulge_f277w	Bulge component model flux error [microJy]
flux_err_model_bulge_f444w	Bulge component model flux error [microJy]
flux_model_disk_f115w	Disk component model flux [microJy]
flux_model_disk_f150w	Disk component model flux [microJy]
flux_model_disk_f277w	Disk component model flux [microJy]
flux_model_disk_f444w	Disk component model flux [microJy]
flux_err_model_disk_f115w	Disk component model flux error [microJy]
flux_err_model_disk_f150w	Disk component model flux error [microJy]
flux_err_model_disk_f277w	Disk component model flux error [microJy]
flux_err_model_disk_f444w	Disk component model flux error [microJy]
b/t_f115w	Bulge-to-total ratio
b/t_f150w	Bulge-to-total ratio
b/t_f277w	Bulge-to-total ratio
b/t_f444w	Bulge-to-total ratio

Column Name	Description
b/t_err_f115w	Bulge-to-total ratio error
b/t_err_f150w	Bulge-to-total ratio error
b/t_err_f277w	Bulge-to-total ratio error
b/t_err_f444w	Bulge-to-total ratio error
mag_model_bd_total_hst-f814w	Total B+D model AB magnitude
mag_model_bd_total_f770w	Total B+D model AB magnitude
mag_model_bd_total_cfht-u	Total B+D model AB magnitude
mag_model_bd_total_hsc-g	Total B+D model AB magnitude
mag_model_bd_total_hsc-r	Total B+D model AB magnitude
mag_model_bd_total_hsc-i	Total B+D model AB magnitude
mag_model_bd_total_hsc-z	Total B+D model AB magnitude
mag_model_bd_total_hsc-y	Total B+D model AB magnitude
mag_model_bd_total_hsc-nb0816	Total B+D model AB magnitude
mag_model_bd_total_hsc-nb0921	Total B+D model AB magnitude
mag_model_bd_total_hsc-nb1010	Total B+D model AB magnitude
mag_model_bd_total_uvista-y	Total B+D model AB magnitude
mag_model_bd_total_uvista-j	Total B+D model AB magnitude
mag_model_bd_total_uvista-h	Total B+D model AB magnitude
mag_model_bd_total_uvista-ks	Total B+D model AB magnitude
mag_model_bd_total_sc-ia484	Total B+D model AB magnitude
mag_model_bd_total_sc-ia527	Total B+D model AB magnitude
mag_model_bd_total_sc-ia624	Total B+D model AB magnitude
mag_model_bd_total_sc-ia679	Total B+D model AB magnitude
mag_model_bd_total_sc-ia738	Total B+D model AB magnitude
mag_model_bd_total_sc-ia767	Total B+D model AB magnitude

Column Name	Description
mag_model_bd_total_sc-ib427	Total B+D model AB magnitude
mag_model_bd_total_sc-ib505	Total B+D model AB magnitude
mag_model_bd_total_sc-ib574	Total B+D model AB magnitude
mag_model_bd_total_sc-ib709	Total B+D model AB magnitude
mag_model_bd_total_sc-ib827	Total B+D model AB magnitude
mag_model_bd_total_sc-nb711	Total B+D model AB magnitude
mag_model_bd_total_sc-nb816	Total B+D model AB magnitude
mag_err_model_bd_total_hst-f814w	Total B+D model AB magnitude error
mag_err_model_bd_total_f770w	Total B+D model AB magnitude error
mag_err_model_bd_total_cfht-u	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-g	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-r	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-i	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-z	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-y	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-nb0816	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-nb0921	Total B+D model AB magnitude error
mag_err_model_bd_total_hsc-nb1010	Total B+D model AB magnitude error
mag_err_model_bd_total_uvista-y	Total B+D model AB magnitude error
mag_err_model_bd_total_uvista-j	Total B+D model AB magnitude error
mag_err_model_bd_total_uvista-h	Total B+D model AB magnitude error
mag_err_model_bd_total_uvista-ks	Total B+D model AB magnitude error

Column Name	Description
mag_err_model_bd_total_sc-ia484	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ia527	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ia624	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ia679	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ia738	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ia767	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ib427	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ib505	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ib574	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ib709	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-ib827	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-nb711	Total B+D model AB magnitude error
mag_err_model_bd_total_sc-nb816	Total B+D model AB magnitude error
mag_model_bulge_hst-f814w	Bulge component model AB magnitude
mag_model_bulge_f770w	Bulge component model AB magnitude
mag_model_bulge_cfht-u	Bulge component model AB magnitude
mag_model_bulge_hsc-g	Bulge component model AB magnitude
mag_model_bulge_hsc-r	Bulge component model AB magnitude
mag_model_bulge_hsc-i	Bulge component model AB magnitude
mag_model_bulge_hsc-z	Bulge component model AB magnitude
mag_model_bulge_hsc-y	Bulge component model AB magnitude
mag_model_bulge_hsc-nb0816	Bulge component model AB magnitude
mag_model_bulge_hsc-nb0921	Bulge component model AB magnitude
mag_model_bulge_hsc-nb1010	Bulge component model AB magnitude
mag_model_bulge_uvista-y	Bulge component model AB magnitude

Column Name	Description
mag_model_bulge_uvista-j	Bulge component model AB magnitude
mag_model_bulge_uvista-h	Bulge component model AB magnitude
mag_model_bulge_uvista-ks	Bulge component model AB magnitude
mag_model_bulge_sc-ia484	Bulge component model AB magnitude
mag_model_bulge_sc-ia527	Bulge component model AB magnitude
mag_model_bulge_sc-ia624	Bulge component model AB magnitude
mag_model_bulge_sc-ia679	Bulge component model AB magnitude
mag_model_bulge_sc-ia738	Bulge component model AB magnitude
mag_model_bulge_sc-ia767	Bulge component model AB magnitude
mag_model_bulge_sc-ib427	Bulge component model AB magnitude
mag_model_bulge_sc-ib505	Bulge component model AB magnitude
mag_model_bulge_sc-ib574	Bulge component model AB magnitude
mag_model_bulge_sc-ib709	Bulge component model AB magnitude
mag_model_bulge_sc-ib827	Bulge component model AB magnitude
mag_model_bulge_sc-nb711	Bulge component model AB magnitude
mag_model_bulge_sc-nb816	Bulge component model AB magnitude
mag_err_model_bulge_hst-f814w	Bulge component model AB magnitude error
mag_err_model_bulge_f770w	Bulge component model AB magnitude error
mag_err_model_bulge_cfht-u	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-g	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-r	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-i	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-z	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-y	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-nb0816	Bulge component model AB magnitude error

Column Name	Description
mag_err_model_bulge_hsc-nb0921	Bulge component model AB magnitude error
mag_err_model_bulge_hsc-nb1010	Bulge component model AB magnitude error
mag_err_model_bulge_uvista-y	Bulge component model AB magnitude error
mag_err_model_bulge_uvista-j	Bulge component model AB magnitude error
mag_err_model_bulge_uvista-h	Bulge component model AB magnitude error
mag_err_model_bulge_uvista-ks	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ia484	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ia527	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ia624	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ia679	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ia738	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ia767	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ib427	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ib505	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ib574	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ib709	Bulge component model AB magnitude error
mag_err_model_bulge_sc-ib827	Bulge component model AB magnitude error
mag_err_model_bulge_sc-nb711	Bulge component model AB magnitude error
mag_err_model_bulge_sc-nb816	Bulge component model AB magnitude error
mag_model_disk_hst-f814w	Disk component model AB magnitude
mag_model_disk_f770w	Disk component model AB magnitude
mag_model_disk_cfht-u	Disk component model AB magnitude
mag_model_disk_hsc-g	Disk component model AB magnitude
mag_model_disk_hsc-r	Disk component model AB magnitude
mag_model_disk_hsc-i	Disk component model AB magnitude

Column Name	Description
mag_model_disk_hsc-z	Disk component model AB magnitude
mag_model_disk_hsc-y	Disk component model AB magnitude
mag_model_disk_hsc-nb0816	Disk component model AB magnitude
mag_model_disk_hsc-nb0921	Disk component model AB magnitude
mag_model_disk_hsc-nb1010	Disk component model AB magnitude
mag_model_disk_uvista-y	Disk component model AB magnitude
mag_model_disk_uvista-j	Disk component model AB magnitude
mag_model_disk_uvista-h	Disk component model AB magnitude
mag_model_disk_uvista-ks	Disk component model AB magnitude
mag_model_disk_sc-ia484	Disk component model AB magnitude
mag_model_disk_sc-ia527	Disk component model AB magnitude
mag_model_disk_sc-ia624	Disk component model AB magnitude
mag_model_disk_sc-ia679	Disk component model AB magnitude
mag_model_disk_sc-ia738	Disk component model AB magnitude
mag_model_disk_sc-ia767	Disk component model AB magnitude
mag_model_disk_sc-ib427	Disk component model AB magnitude
mag_model_disk_sc-ib505	Disk component model AB magnitude
mag_model_disk_sc-ib574	Disk component model AB magnitude
mag_model_disk_sc-ib709	Disk component model AB magnitude
mag_model_disk_sc-ib827	Disk component model AB magnitude
mag_model_disk_sc-nb711	Disk component model AB magnitude
mag_model_disk_sc-nb816	Disk component model AB magnitude
mag_err_model_disk_hst-f814w	Disk component model AB magnitude error
mag_err_model_disk_f770w	Disk component model AB magnitude error
mag_err_model_disk_cfht-u	Disk component model AB magnitude error

Column Name	Description
mag_err_model_disk_hsc-g	Disk component model AB magnitude error
mag_err_model_disk_hsc-r	Disk component model AB magnitude error
mag_err_model_disk_hsc-i	Disk component model AB magnitude error
mag_err_model_disk_hsc-z	Disk component model AB magnitude error
mag_err_model_disk_hsc-y	Disk component model AB magnitude error
mag_err_model_disk_hsc-nb0816	Disk component model AB magnitude error
mag_err_model_disk_hsc-nb0921	Disk component model AB magnitude error
mag_err_model_disk_hsc-nb1010	Disk component model AB magnitude error
mag_err_model_disk_uvista-y	Disk component model AB magnitude error
mag_err_model_disk_uvista-j	Disk component model AB magnitude error
mag_err_model_disk_uvista-h	Disk component model AB magnitude error
mag_err_model_disk_uvista-ks	Disk component model AB magnitude error
mag_err_model_disk_sc-ia484	Disk component model AB magnitude error
mag_err_model_disk_sc-ia527	Disk component model AB magnitude error
mag_err_model_disk_sc-ia624	Disk component model AB magnitude error
mag_err_model_disk_sc-ia679	Disk component model AB magnitude error
mag_err_model_disk_sc-ia738	Disk component model AB magnitude error
mag_err_model_disk_sc-ia767	Disk component model AB magnitude error
mag_err_model_disk_sc-ib427	Disk component model AB magnitude error
mag_err_model_disk_sc-ib505	Disk component model AB magnitude error
mag_err_model_disk_sc-ib574	Disk component model AB magnitude error
mag_err_model_disk_sc-ib709	Disk component model AB magnitude error
mag_err_model_disk_sc-ib827	Disk component model AB magnitude error
mag_err_model_disk_sc-nb711	Disk component model AB magnitude error
mag_err_model_disk_sc-nb816	Disk component model AB magnitude error

Column Name	Description
flux_model_bd_total_hst-f814w	Total B+D model flux [microJy]
flux_model_bd_total_f770w	Total B+D model flux [microJy]
flux_model_bd_total_cfht-u	Total B+D model flux [microJy]
flux_model_bd_total_hsc-g	Total B+D model flux [microJy]
flux_model_bd_total_hsc-r	Total B+D model flux [microJy]
flux_model_bd_total_hsc-i	Total B+D model flux [microJy]
flux_model_bd_total_hsc-z	Total B+D model flux [microJy]
flux_model_bd_total_hsc-y	Total B+D model flux [microJy]
flux_model_bd_total_hsc-nb0816	Total B+D model flux [microJy]
flux_model_bd_total_hsc-nb0921	Total B+D model flux [microJy]
flux_model_bd_total_hsc-nb1010	Total B+D model flux [microJy]
flux_model_bd_total_uvista-y	Total B+D model flux [microJy]
flux_model_bd_total_uvista-j	Total B+D model flux [microJy]
flux_model_bd_total_uvista-h	Total B+D model flux [microJy]
flux_model_bd_total_uvista-ks	Total B+D model flux [microJy]
flux_model_bd_total_sc-ia484	Total B+D model flux [microJy]
flux_model_bd_total_sc-ia527	Total B+D model flux [microJy]
flux_model_bd_total_sc-ia624	Total B+D model flux [microJy]
flux_model_bd_total_sc-ia679	Total B+D model flux [microJy]
flux_model_bd_total_sc-ia738	Total B+D model flux [microJy]
flux_model_bd_total_sc-ia767	Total B+D model flux [microJy]
flux_model_bd_total_sc-ib427	Total B+D model flux [microJy]
flux_model_bd_total_sc-ib505	Total B+D model flux [microJy]
flux_model_bd_total_sc-ib574	Total B+D model flux [microJy]
flux_model_bd_total_sc-ib709	Total B+D model flux [microJy]

Column Name	Description
flux_model_bd_total_sc-ib827	Total B+D model flux [microJy]
flux_model_bd_total_sc-nb711	Total B+D model flux [microJy]
flux_model_bd_total_sc-nb816	Total B+D model flux [microJy]
flux_err_model_bd_total_hst-f814w	Total B+D model flux error [microJy]
flux_err_model_bd_total_f770w	Total B+D model flux error [microJy]
flux_err_model_bd_total_cfht-u	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-g	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-r	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-i	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-z	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-y	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-nb0816	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-nb0921	Total B+D model flux error [microJy]
flux_err_model_bd_total_hsc-nb1010	Total B+D model flux error [microJy]
flux_err_model_bd_total_uvista-y	Total B+D model flux error [microJy]
flux_err_model_bd_total_uvista-j	Total B+D model flux error [microJy]
flux_err_model_bd_total_uvista-h	Total B+D model flux error [microJy]
flux_err_model_bd_total_uvista-ks	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ia484	Total B+D model flux error [microJy]

Column Name	Description
flux_err_model_bd_total_sc-ia527	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ia624	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ia679	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ia738	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ia767	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ib427	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ib505	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ib574	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ib709	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-ib827	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-nb711	Total B+D model flux error [microJy]
flux_err_model_bd_total_sc-nb816	Total B+D model flux error [microJy]
flux_model_bulge_hst-f814w	Bulge component model flux [microJy]
flux_model_bulge_f770w	Bulge component model flux [microJy]
flux_model_bulge_cfht-u	Bulge component model flux [microJy]
flux_model_bulge_hsc-g	Bulge component model flux [microJy]
flux_model_bulge_hsc-r	Bulge component model flux [microJy]
flux_model_bulge_hsc-i	Bulge component model flux [microJy]

Column Name	Description
flux_model_bulge_hsc-z	Bulge component model flux [microJy]
flux_model_bulge_hsc-y	Bulge component model flux [microJy]
flux_model_bulge_hsc-nb0816	Bulge component model flux [microJy]
flux_model_bulge_hsc-nb0921	Bulge component model flux [microJy]
flux_model_bulge_hsc-nb1010	Bulge component model flux [microJy]
flux_model_bulge_uvista-y	Bulge component model flux [microJy]
flux_model_bulge_uvista-j	Bulge component model flux [microJy]
flux_model_bulge_uvista-h	Bulge component model flux [microJy]
flux_model_bulge_uvista-ks	Bulge component model flux [microJy]
flux_model_bulge_sc-ia484	Bulge component model flux [microJy]
flux_model_bulge_sc-ia527	Bulge component model flux [microJy]
flux_model_bulge_sc-ia624	Bulge component model flux [microJy]
flux_model_bulge_sc-ia679	Bulge component model flux [microJy]
flux_model_bulge_sc-ia738	Bulge component model flux [microJy]
flux_model_bulge_sc-ia767	Bulge component model flux [microJy]
flux_model_bulge_sc-ib427	Bulge component model flux [microJy]
flux_model_bulge_sc-ib505	Bulge component model flux [microJy]
flux_model_bulge_sc-ib574	Bulge component model flux [microJy]
flux_model_bulge_sc-ib709	Bulge component model flux [microJy]
flux_model_bulge_sc-ib827	Bulge component model flux [microJy]
flux_model_bulge_sc-nb711	Bulge component model flux [microJy]
flux_model_bulge_sc-nb816	Bulge component model flux [microJy]
flux_err_model_bulge_hst-f814w	Bulge component model flux error [microJy]
flux_err_model_bulge_f770w	Bulge component model flux error [microJy]
flux_err_model_bulge_cfht-u	Bulge component model flux error [microJy]

Column Name	Description
flux_err_model_bulge_hsc-g	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-r	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-i	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-z	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-y	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-nb0816	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-nb0921	Bulge component model flux error [microJy]
flux_err_model_bulge_hsc-nb1010	Bulge component model flux error [microJy]
flux_err_model_bulge_uvista-y	Bulge component model flux error [microJy]
flux_err_model_bulge_uvista-j	Bulge component model flux error [microJy]
flux_err_model_bulge_uvista-h	Bulge component model flux error [microJy]
flux_err_model_bulge_uvista-ks	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ia484	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ia527	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ia624	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ia679	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ia738	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ia767	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ib427	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ib505	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ib574	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ib709	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-ib827	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-nb711	Bulge component model flux error [microJy]
flux_err_model_bulge_sc-nb816	Bulge component model flux error [microJy]

Column Name	Description
flux_model_disk_hst-f814w	Disk component model flux [microJy]
flux_model_disk_f770w	Disk component model flux [microJy]
flux_model_disk_cfht-u	Disk component model flux [microJy]
flux_model_disk_hsc-g	Disk component model flux [microJy]
flux_model_disk_hsc-r	Disk component model flux [microJy]
flux_model_disk_hsc-i	Disk component model flux [microJy]
flux_model_disk_hsc-z	Disk component model flux [microJy]
flux_model_disk_hsc-y	Disk component model flux [microJy]
flux_model_disk_hsc-nb0816	Disk component model flux [microJy]
flux_model_disk_hsc-nb0921	Disk component model flux [microJy]
flux_model_disk_hsc-nb1010	Disk component model flux [microJy]
flux_model_disk_uvista-y	Disk component model flux [microJy]
flux_model_disk_uvista-j	Disk component model flux [microJy]
flux_model_disk_uvista-h	Disk component model flux [microJy]
flux_model_disk_uvista-ks	Disk component model flux [microJy]
flux_model_disk_sc-ia484	Disk component model flux [microJy]
flux_model_disk_sc-ia527	Disk component model flux [microJy]
flux_model_disk_sc-ia624	Disk component model flux [microJy]
flux_model_disk_sc-ia679	Disk component model flux [microJy]
flux_model_disk_sc-ia738	Disk component model flux [microJy]
flux_model_disk_sc-ia767	Disk component model flux [microJy]
flux_model_disk_sc-ib427	Disk component model flux [microJy]
flux_model_disk_sc-ib505	Disk component model flux [microJy]
flux_model_disk_sc-ib574	Disk component model flux [microJy]
flux_model_disk_sc-ib709	Disk component model flux [microJy]

Column Name	Description
flux_model_disk_sc-ib827	Disk component model flux [microJy]
flux_model_disk_sc-nb711	Disk component model flux [microJy]
flux_model_disk_sc-nb816	Disk component model flux [microJy]
flux_err_model_disk_hst-f814w	Disk component model flux error [microJy]
flux_err_model_disk_f770w	Disk component model flux error [microJy]
flux_err_model_disk_cfht-u	Disk component model flux error [microJy]
flux_err_model_disk_hsc-g	Disk component model flux error [microJy]
flux_err_model_disk_hsc-r	Disk component model flux error [microJy]
flux_err_model_disk_hsc-i	Disk component model flux error [microJy]
flux_err_model_disk_hsc-z	Disk component model flux error [microJy]
flux_err_model_disk_hsc-y	Disk component model flux error [microJy]
flux_err_model_disk_hsc-nb0816	Disk component model flux error [microJy]
flux_err_model_disk_hsc-nb0921	Disk component model flux error [microJy]
flux_err_model_disk_hsc-nb1010	Disk component model flux error [microJy]
flux_err_model_disk_uvista-y	Disk component model flux error [microJy]
flux_err_model_disk_uvista-j	Disk component model flux error [microJy]
flux_err_model_disk_uvista-h	Disk component model flux error [microJy]
flux_err_model_disk_uvista-ks	Disk component model flux error [microJy]
flux_err_model_disk_sc-ia484	Disk component model flux error [microJy]
flux_err_model_disk_sc-ia527	Disk component model flux error [microJy]
flux_err_model_disk_sc-ia624	Disk component model flux error [microJy]
flux_err_model_disk_sc-ia679	Disk component model flux error [microJy]
flux_err_model_disk_sc-ia738	Disk component model flux error [microJy]
flux_err_model_disk_sc-ia767	Disk component model flux error [microJy]
flux_err_model_disk_sc-ib427	Disk component model flux error [microJy]

Column Name	Description
flux_err_model_disk_sc-ib505	Disk component model flux error [microJy]
flux_err_model_disk_sc-ib574	Disk component model flux error [microJy]
flux_err_model_disk_sc-ib709	Disk component model flux error [microJy]
flux_err_model_disk_sc-ib827	Disk component model flux error [microJy]
flux_err_model_disk_sc-nb711	Disk component model flux error [microJy]
flux_err_model_disk_sc-nb816	Disk component model flux error [microJy]
b/t_hst-f814w	Bulge-to-total ratio
b/t_f770w	Bulge-to-total ratio
b/t_cfht-u	Bulge-to-total ratio
b/t_hsc-g	Bulge-to-total ratio
b/t_hsc-r	Bulge-to-total ratio
b/t_hsc-i	Bulge-to-total ratio
b/t_hsc-z	Bulge-to-total ratio
b/t_hsc-y	Bulge-to-total ratio
b/t_hsc-nb0816	Bulge-to-total ratio
b/t_hsc-nb0921	Bulge-to-total ratio
b/t_hsc-nb1010	Bulge-to-total ratio
b/t_uvista-y	Bulge-to-total ratio
b/t_uvista-j	Bulge-to-total ratio
b/t_uvista-h	Bulge-to-total ratio
b/t_uvista-ks	Bulge-to-total ratio
b/t_sc-ia484	Bulge-to-total ratio
b/t_sc-ia527	Bulge-to-total ratio
b/t_sc-ia624	Bulge-to-total ratio
b/t_sc-ia679	Bulge-to-total ratio

Column Name	Description
b/t_sc-ia738	Bulge-to-total ratio
b/t_sc-ia767	Bulge-to-total ratio
b/t_sc-ib427	Bulge-to-total ratio
b/t_sc-ib505	Bulge-to-total ratio
b/t_sc-ib574	Bulge-to-total ratio
b/t_sc-ib709	Bulge-to-total ratio
b/t_sc-ib827	Bulge-to-total ratio
b/t_sc-nb711	Bulge-to-total ratio
b/t_sc-nb816	Bulge-to-total ratio
b/t_err_hst-f814w	Bulge-to-total ratio error
b/t_err_f770w	Bulge-to-total ratio error
b/t_err_cfht-u	Bulge-to-total ratio error
b/t_err_hsc-g	Bulge-to-total ratio error
b/t_err_hsc-r	Bulge-to-total ratio error
b/t_err_hsc-i	Bulge-to-total ratio error
b/t_err_hsc-z	Bulge-to-total ratio error
b/t_err_hsc-y	Bulge-to-total ratio error
b/t_err_hsc-nb0816	Bulge-to-total ratio error
b/t_err_hsc-nb0921	Bulge-to-total ratio error
b/t_err_hsc-nb1010	Bulge-to-total ratio error
b/t_err_uvista-y	Bulge-to-total ratio error
b/t_err_uvista-j	Bulge-to-total ratio error
b/t_err_uvista-h	Bulge-to-total ratio error
b/t_err_uvista-ks	Bulge-to-total ratio error
b/t_err_sc-ia484	Bulge-to-total ratio error

Column Name	Description
b/t_err_sc-ia527	Bulge-to-total ratio error
b/t_err_sc-ia624	Bulge-to-total ratio error
b/t_err_sc-ia679	Bulge-to-total ratio error
b/t_err_sc-ia738	Bulge-to-total ratio error
b/t_err_sc-ia767	Bulge-to-total ratio error
b/t_err_sc-ib427	Bulge-to-total ratio error
b/t_err_sc-ib505	Bulge-to-total ratio error
b/t_err_sc-ib574	Bulge-to-total ratio error
b/t_err_sc-ib709	Bulge-to-total ratio error
b/t_err_sc-ib827	Bulge-to-total ratio error
b/t_err_sc-nb711	Bulge-to-total ratio error
b/t_err_sc-nb816	Bulge-to-total ratio error

Quality Flags

The catalog includes a number of quality flags, defined in the column `warn_flag`.

Quality Flags		
Case	N*	Flag
Total number of sources	784,016	
Most secure sources	694,341	warn_flag = 0
Hot pixels	13,241	warn_flag = 1
Ground vs. space incons. 1	51,793 [†]	warn_flag = 2
Ground vs. space incons. 2	157 [‡]	warn_flag = 3
Single NIRCcam detection	17,520	warn_flag = 4
Radius too small	133	warn_flag = 5
Small flux ratio	6,831	warn_flag = 6

* Number of objects affected by the flag.

† Of which 39,137 are inside the HSC star mask.

‡ Of which 71 are inside the HSC star mask.

Flag Construction

Hot pixels

Hot pixels in the NIRCcam images are identified if a source satisfies the condition

$$R_{\text{source},[\text{filt}]} - \sigma_{R,[\text{filt}]} \geq R_{\text{thresh}[\text{filt}]},$$

where $R_{\text{source},[\text{filt}]} = F_{[\text{filt}],0.1}/F_{[\text{filt}],0.25}$ is the ratio of flux densities in circular apertures of radius 0.1 and 0.25 arcsec, $\sigma_{R,[\text{filt}]}$ is the error on $R_{\text{source},[\text{filt}]}$, calculated using error propagation (neglecting covariance terms). The thresholds R_{thresh} are 0.75, 0.70, 0.39, and 0.36 for F115W, F150W, F277W, and F444W, respectively.

Ground vs. space inconsistent 1

This flag is intended to capture objects for which the ground and space-based photometric measurements are inconsistent, beyond the photometric uncertainties, and the ground-based measurements shouldn't be trusted.

Objects are flagged if all these conditions are satisfied simultaneously:

$$(2 \times F_{\text{F115W}} < (F_Y - \delta F_Y)) \quad \text{and} \quad \delta m_Y < 0.5$$

$$(2 \times F_{\text{F115W}} < (F_Y - \delta F_J)) \quad \text{and} \quad \delta m_J < 0.5$$

$$(2 \times F_{\text{F150W}} < (F_Y - \delta F_J)) \quad \text{and} \quad \delta m_J < 0.5$$

$$(2 \times F_{\text{F150W}} < (F_Y - \delta F_H)) \quad \text{and} \quad \delta m_H < 0.5$$

where F denotes the flux in a given band, m denotes the magnitude, and δ denotes the uncertainty on the measurement.

Ground vs. space inconsistent 2

This flag is intended to capture objects which should be detected in the ground-based data, based on their fluxes in HST+NIRCcam bands, but aren't.

Objects are flagged if all these conditions are satisfied simultaneously:

$$F_i \leq 0 \quad \text{and} \quad \delta F_i > 0 \quad \text{and} \quad m_{\text{F814W}} < 28 \quad \text{and} \quad \delta F_{\text{F814W}} > 0$$

$$F_H \leq 0 \quad \text{and} \quad \delta F_H > 0 \quad \text{and} \quad m_{\text{F150W}} < 26 \quad \text{and} \quad \delta F_{\text{F150W}} > 0$$

$$F_{K_s} \leq 0 \quad \text{and} \quad \delta F_{K_s} > 0 \quad \text{and} \quad m_{\text{F277W}} < 26 \quad \text{and} \quad \delta F_{\text{F277W}} > 0$$

Single NIRCcam detection

This flag is intended to capture objects detected significantly in only one NIRCcam band; these are likely imaging artifacts (e.g., snowballs, hot pixels).

Objects are flagged if $\delta m < 0.2$ in one of the NIRCам bands, but the error in all the other NIRCам+HST+MIRI bands is larger than 0.5 mag (or not detected).

Unrealistically small radius

Objects are flagged if $\text{radius} < 1.3 \times 10^{-7}$, typically corresponding to extremely faint objects or artifacts.

Small flux ratio

This flag captures objects which appear smaller than the PSF; these are likely imaging artifacts (e.g., hot pixels).

Objects are flagged if their aperture flux ratio between the two smallest apertures (0.2'' and 0.3'' diameter) is below a given threshold in two bands:

$$F_{F277W}(d = 0.3'') / F_{F277W}(d = 0.2'') < 1.6$$

$$F_{F444W}(d = 0.3'') / F_{F444W}(d = 0.2'') < 1.9$$

Hosted on the CANDIDE cluster at the Institut d'Astrophysique de Paris (IAP).