File No: NA/588

June 1998

NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME

FULL PUBLIC REPORT

Copolymer in Foraperle 321

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals (Notification and Assessment) Act 1989* (the Act), and Regulations. This legislation is an Act of the Commonwealth of Australia. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the National Occupational Health and Safety Commission which also conducts the occupational health & safety assessment. The assessment of environmental hazard is conducted by the Department of the Environment and the assessment of public health is conducted by the Department of Health and Family Services.

For the purposes of subsection 78(1) of the Act, copies of this full public report may be inspected by the public at the Library, National Occupational Health and Safety Commission, 92-94 Parramatta Road, Camperdown NSW 2050, between the following hours:

Monday - Wednesday

Thursday

Friday

8.30 am - 5.00 pm

8.30 am - 8.00 pm

8.30 am - 5.00 pm

Copies of this full public report may also be requested, free of charge, by contacting the Administration Coordinator on the fax number below.

For enquiries please contact the Administration Coordinator at:

Street Address: 92 Parramatta Rd Camperdown, NSW 2050, AUSTRALIA

Postal Address: GPO Box 58, Sydney 2001, AUSTRALIA Telephone: (61) (02) 9577-9514 FAX (61) (02) 9577-9465

Director

Chemicals Notification and Assessment

FULL PUBLIC REPORT

Copolymer in Foraperle 321

1. APPLICANT

Elf Atochem (Australia) Pty Ltd of 270-280 Hammond Road DANDENONG SOUTH VIC 3175 has submitted a limited notification statement in support of their application for an assessment certificate for Copolymer in Foraperle 321.

2. IDENTITY OF THE CHEMICAL

Copolymer in Foraperle 321 is not considered to be hazardous based on the nature of the chemical and the data provided. Therefore the chemical name, CAS number, molecular and structural formulae, molecular weight, number-average molecular weight, weight percentages of ingredient, purity, use, volume and formulation have been exempted from publication in the Full Public Report and Summary Report.

Trade Name: Foraperle 321 (aqueous solution containing less than

30% of the notified polymer)

Method of Detection an infrared spectrum was provided for the notified

and Determination: polymer

Spectral Data: gel permeation chromatography information and

infrared spectra were provided for the notified polymer

3. PHYSICAL AND CHEMICAL PROPERTIES

Variation of scheduled requirements was sought in relation to the majority of the physicochemical properties relating to the notified polymer. Relevant data for the product containing the notified polymer was submitted where available. This request for variation is accepted on the basis that the notified polymer will not be imported into Australia in pure form. Unless stated otherwise, the data provided below relates to the product Foraperle 321, which contains the notified polymer at a concentration of less than 30%

Appearance at 20°C

and 101.3 kPa: amber coloured solution

Boiling Point: 84-86°C

Specific Gravity: 1.1-1.2 (unspecified solution of notified polymer in N-

methyl-2-pyrrolidone)

Vapour Pressure: 0.06 kPa at 25°C (unspecified solution of notified

polymer in N-methyl-2-pyrrolidone)

Water Solubility: the notifier states that the product containing the

notified polymer is 'completely soluble' in water

Partition Co-efficient

(n-octanol/water): not determined, see comments below

Hydrolysis as a Function

of pH: not determined, see comments below

Adsorption/Desorption: not determined, see comments below

Dissociation Constant: not determined, see comments below

Flash Point: not determined; the polymer is not expected to be

flammable

Flammability Limits: not determined; the polymer is not expected to be

flammable

Autoignition Temperature: not determined; the polymer is not expected to be

flammable

Explosive Properties: not determined; the polymer is expected to be stable

Reactivity/Stability: the notifier states that the polymer is stable although

contact with strong oxidising agents, strong acids and

bases should be avoided

Comments on Physico-Chemical Properties

The notifier states that the molecule consists of a hydrophobic end and a hydrophilic end and is an acetate salt. Therefore, it is claimed to behave like a surfactant and be soluble in water. The former implies a block polymer but there is no other evidence for this; the polymer is described elsewhere as "complex".

The hydrolytic behaviour of the chemical has not been investigated. The notified polymer contains ester groups that are potentially susceptible to hydrolysis within the environmental pH range (4-9), but the extent of this is unclear in this pH range, due to its solubility.

Due to its high solubility the chemical is likely to have a low octanol/water partition coefficient (Log P_{ow}) but this may be offset by its surface activity.

Based on the anticipated partition coefficient the polymer would not be expected to strongly adsorb to sediments. However, quaternary ammoniums are known to react with dissolved organic carbon in water to form part of the sediments, and become completely inactivated on contact with soils [Nabholz, 1993 #8]. The US EPA assumes that for cationic polymers, 90% of the influent polymer concentration will be removed by adsorption on passage through a wastewater treatment plant, with the remaining 10% discharged to receiving waters [Remde A and Debus R, 1996 #221]. The notifier claims that 90% of the polymer will be adsorbed to paper pulp during processing.

The notified polymer contains quaternary ammonium centres which are expected to display typical acidity, pKa 10.75 (based on triethylammonium cation).

4. OCCUPATIONAL EXPOSURE

The product, Foraperle 321, containing the notified polymer will be imported in 50 kg to 1 tonne containers for use in the paper and building industries.

Waterside, warehouse and transport workers (approximately 8 personnel) will not be exposed to the notified polymer under normal circumstances, as they will be handling unopened containers of the product containing the notified polymer. No details were supplied by the notifier on repackaging of the imported product.

For use in paper production, the notified polymer may be used as a surface or internal treatment for paper and paper type products. The number and categories of workers with potential to be exposed to the notified polymer during paper production includes as follows: batch mill operators (10 - 30 personnel); applicators (10 - 30 personnel) and packaging personnel (5-10 personnel). Little detail was supplied by the notifier on the process involved in paper production.

When applied as a surface treatment, the product containing the notified polymer is transferred to a mixing tank, which may have a holding capacity of up to 1000 L. The

product will then be diluted significantly with water and applied to paper using rollers and spray equipment.

As internal paper treatment, the notifier states that the product containing the notified polymer will be added to the paper pulp following the washing and bleaching process, but before rolling and cutting of the final paper product.

For the above applications, the methods of addition and plant equipment used have potential to cause splashes and generate aerosols. During these events, dermal and ocular exposure could occur to workers attending to these processes. The notifier indicates that local exhaust ventilation systems are in place in paper production areas.

Workers will be dermally exposed as they handle finished paper products containing less than one per cent of the notified polymer.

Workers in the building industry may be dermally exposed to the notified polymer when applying solutions containing up to 10% of the notified polymer. The notifier states that the product containing the notified polymer usually will be applied by brush hence dermal and accidental ocular exposure may occur. The polymer is used at 2.5 g.m⁻².

Workers may also be exposed to N-methyl-2-pyrrolidone (NMP), which is present in the imported product within the concentration range of 10 to < 30%. NMP has a propensity to be absorbed dermally and at the concentration present in this formulation is classifiable as a skin and eye irritant (R36/38) in accordance with the NOHSC *List of Designated Hazardous Substances* [National Occupational Health and Safety Commission, 1994 #10]. For both paper and building applications, dermal and inhalation exposure to NMP may occur.

5. PUBLIC EXPOSURE

Public exposure to the notified polymer, other than that of the home handyman will be minimal, despite potential widespread contact with material containing it, such as paper and paperboard. Where exposure does occur, dermal absorption is unlikely due to the high molecular weight of the polymer and its cross-linking within the matrix of the paper.

The product containing the notified polymer may be made available directly to the public for use by home handyman in the sealing of concrete floors. Dermal exposure is likely during application of a solution containing 5 to 10% of Foraperle when applied to a concrete surface. During this procedure substantial exposure of the applicator, and family of household members, to the notified polymer is possible.

During use in the production of paper and paperboard the product containing the notified polymer is diluted in water and mechanically applied to the paper using spray and rollers. As the notified polymer has a negligible vapour pressure, its dispersal in air beyond the confines of the manufacturing site is unlikely. Dispersal of small quantities as aerosols or dust is possible but unlikely to be the source of significant public exposure.

The polymer, which is not classified as dangerous cargo will be imported and transported in 50 kg to 1 tonne containers. In the vent of a transport accident the polymer may be recovered using adsorbents such as sand, with subsequent disposal to land fill or incineration in accordance with local government regulations. Given the negligible vapour pressure of the material and its affinity for organic material, residual material from a transport accident is unlikely to be a source of significant public exposure.

6. ENVIRONMENTAL EXPOSURE

Release

Paper

The notifier has indicated that release to the environment may potentially occur from: leaking storage containers (less than 2%); accidental spills (less than 1%); during application (less than 10%) and disposal of residual material in containers (less than 5%). The worst case total of 20% released during the application to paper, corresponds to a maximum of 500 kg per annum at the maximum rate of import.

The use of the coated paper has the greatest potential for environmental release of the polymer, including through disposal of treated paper products. Addition to the pulp suspension as noted above is expected to lead to some release in aqueous effluents. The notifier assumes that 90% of the polymer will be adsorbed to the paper pulp during treatment. This high level of adsorption is supported by the US EPA who in assessing cationic polymers assume that 90% of the influent polymer concentration will be removed by adsorption on passage through a waste water treatment plant, with the remaining 10% discharged to receiving waters [Remde A and Debus R, 1996 #221].

Construction Industry

Release to the environment resulting from the use of the polymer as a concrete coating may occur to the sewer (washing of tools used to apply formulations containing the notified chemical), or to landfill (disposal of residual quantities of the formulations within used containers).

Environment Australia expects that losses from application of the coating solution may result from overspray or splatter from rollers or brushes. There may also be some run off. These releases are likely to remain where they fall, mainly on the ground.

Fate

The majority of the notified polymer will share the fate of the paper onto which it has been coated. At the end of its useful life the paper will be either disposed of to landfill, incinerated or enter the paper-recycling stream.

In a landfill situation the notified material is unlikely to be mobile and would remain associated with paper refuse, and be slowly degraded to water, ammonia, nitrogen, methane, carbon oxides and low molecular weight fluorocarbons through the biological and abiotic processes operative in active landfills. The positive charge carried by the polymer molecules also means that they may undergo ion exchange processes with sodium and other positive ions and bind electrostatically to the surface of clay minerals in soil.

High temperature incineration would destroy the compound with evolution of oxides of carbon and nitrogen, together with release of low molecular weight fluorocarbon compounds, and possibly hydrogen fluoride.

It is expected that during the extensive re-pulping and bleaching procedures implied by paper recycling, the material would be either destroyed chemically or be incorporated into waste sludge. Given that the compound is claimed to have appreciable water solubility, it is possible that some of the notified chemical could also partition into aqueous waste streams generated during recycling. Waste sludge from the recycling plants would be either incinerated or disposed of to landfill. The aqueous waste would be comprehensively treated prior to discharge, but it is unlikely this would degrade the fluorocarbon portion [Cook BD et al, 1997 #222], and this portion would be discharged with the plant effluent.

Although not required under the Act, the notifier has supplied a study of the biodegradability of the polymer (in French with some English translation). The biodegradability of the notified polymer was investigated in accordance with OECD test guideline 301A (Modified AFNOR test). During the test, 100% disappearance of the dissolved organic carbon (DOC) was observed within five days of the commencement of the test. This result was taken to indicate the substance is readily biodegradable under the conditions of the test, suggesting that the perfluorinated part of the molecule also degrades rapidly. However, Remde and Debus [Remde A and Debus R, 1996 #221] were not able to establish the fate of fluorinated moieties in the biodegradation of three different fluorinated surfactants investigated. They concluded that in all cases, the formation of a highly fluorinated water insoluble fragment with unknown toxicity could not be ruled out (even when one was readily degraded), and it is likely that the fluorocarbon portion will be persistent.

Additionally, the observed disappearance of the DOC may also be accounted for by the adsorption of the polymer to the sludge during the test (see above). This would also be consistent with the fact that a polymer of this type with its relatively high molecular weight would be unlikely to degrade completely within 5 days [Nabholtz, 1997 #223]. The vast majority of synthetic polymers are essentially nonbiodegradeable, and the assessment of the removal of polymers in wastewater treatment essentially reduces to an assessment of removal by sorption and/or precipitation [Remde A and Debus R, 1996 #221]. As noted above, the USEPA assumes that for cationic polymers 90% of the influent concentration of a cationic polymer will be removed by passage through a waste water treatment plant, and the remaining 10% is assumed to be discharged to receiving waters [Remde A and Debus R, 1996 #221]. The high molecular weight, water solubility (and consequential likely low partition coefficient) and ionic nature of the chemical would indicate that the chemical is unlikely to bioaccumulate [Connell DW, 1989 #3].

9. EVALUATION OF TOXICOLOGICAL DATA

9.1 Acute Toxicity

The notified polymer has been notified under the limited notification category. Though not specifically required for this notification category the notifier has submitted reports of a number of toxicological tests, which are summarised below. Toxicity tests were carried out on the product Foraperle 321, which contains the notified polymer at a concentration of less than 30%.

Summary of the acute toxicity of Foraperle 321 containing the notified polymer

Test	Species	Outcome	Reference
acute oral toxicity	rat	$LD_{50} > 2~000~mg.kg^{-1}$	[Baudet L, 1993 #224]
skin irritation	rabbit	non-irritant	[Besson C, 1993 #225]
eye irritation	rabbit	slight irritant	[Besson C, 1993 #226]
skin sensitisation	guinea pig	non-sensitiser	[Besson C, 1993 #227]

9.1.1 Oral Toxicity [Baudet L, 1993 #224]

Species/strain: rat/Wistar

Number/sex of animals: 5/sex

Observation period: 14 days

Method of administration: single limit dose of 2 000 mg.kg⁻¹ of the test

material by gavage; vehicle was distilled water

Clinical observations: none

Mortality: none

Morphological findings: none

Test method: according to OECD guidelines [Organisation for

Economic Co-operation and Development, 1995-

1996 #15]

 LD_{50} : $> 2 000 \text{ mg.kg}^{-1}$

Result: Foraperle 321 was of low acute toxicity when

orally administered to rats in a limit test

9.1.2 Skin Irritation [Besson C, 1993 #225]

Species/strain: rabbit/New Zealand White

Number/sex of animals: 3/female

Observation period: 72 hours

Method of administration: single topical doses of 0.5 mL test substance to the

shorn flank; test site was covered by semi-

occlusive wrap for 4 hours

Draize scores [Draize, 1959]

#4]:

all Draize scores at all time points were zero

Test method: according to OECD guidelines [Organisation for

Economic Co-operation and Development, 1995-

1996 #15]

Result: Foraperle 321 was not irritating to rabbit skin

9.1.3 Eye Irritation [Besson C, 1993 #226]

Species/strain: rabbit/New Zealand White

Number/sex of animals: 3/female (the first of the three was used in a pre-

study)

Observation period: 8 days

Method of administration: 0.1 mL of the test substance instilled into the

conjunctival sac of the left eye; the right eye served

as a control

Draize scores [Draize, 1959 #4] of unirrigated eyes:

Animal		1 day	v	2	day	2S	3	day	S	8	day	'S
Cornea	dire fluo a fl surf the cove obset the test or	ct erescond contents of the co	examiein at scent was examies examies examinated at 2 less dat 2 tence examples exam	nation all tin zone viden ye of than 4 and of en	ne process to the cone cone cone cone cone cone cone con	howevering the transfer to the transfer to the transfer to the transfer transfer to the transfer transfer transfer to the transfer transfer to the transfer transfer to the transfer tr	s four wer for up to g up reated animater of s; this the coe the uma;	ollow and to h l eyenals, the fluorne resu	ving included a flucture of two a flucture or rescue al epult of	instillading of the wo and orescend surence oitheld rubbi	lation 72 has continuate reface individual in the second in these second in the second in the second in the second in the second	on of nours, orneal ls; in zone e was cated . The
Iris												
1		0			0			0			0	
2		0			1			0			0	
3		0			1			0			0	
Conjunctiva	r	c	d	r	c	d	r	c	d	r	c	d
1	1	1	-	1	1	-	1	0	-	0	0	-
2	1	2	-	1	1	-	0	0	-	0	0	-
3	1	2	-	1	0	-	1	0	-	0	0	

see Attachment 1 for Draize scales

Test method:

according to OECD guidelines [Organisation for Economic Co-operation and Development, 1995-1996 #15]

Comment:

slight to moderate conjunctival redness was reported in all animals within the first 24 hours of the test; at 48 and 72 hours, the degree of these lesions tended to decrease in all animals;

approximately 1 hour after instillation of test material, the iris of the test eye of one animal was markedly folded. At 48 hours this effect was also reported in the other two animals. No further iris lesions were visible at 72 hours;

Result:

Foraperle 321 was a slightly irritating to rabbit eye

r = redness c = chemosis d = discharge

9.1.4 Skin Sensitisation [Besson C, 1993 #227]

Species/strain: guinea pig/Dunkin Hartley

Number of animals: 20/sex (20 test; 10 positive control; 10 negative

control)

Induction procedure: Day 1: 3 pairs of intradermal injections:

- 0.1 mL Freund's complete adjuvant (FCA):isotonic NaCl solution (1:1(v/v))

- 0.1 mL of 75% concentration of test material in water

- 0.1 mL of 75% concentration of test material in FCA: isotonic NaCl solution (1:1 (v/v))

for positive control: 0.1mL of 1% DNCB was substituted for the test material

negative control: 0.1mL of water was substituted for the test material

Day 8: test area treated with 0.5 mL per injection site of 10% (w/w) sodium lauryl sulfate in paraffin oil

Day 9: non-occluded application of 0.5mL of 50% concentration of test material in water for 48 hours (DNCB and water substituted for positive and negative controls, respectively)

Challenge procedure: Day 22: non-occluded application of 50%

concentration of test material for 24 hours (DNCB and water substituted for positive and negative controls, respectively)

Challenge outcome:

Challenge	Test at	Test animals		Control mals	Negative Control animals [#]	
concentration			24 hours	48 hours	24 hours	48 hours
50%	0/20**	0/20	9/10	4/10	0/9	0/9

^{*}time after patch removal

Test method: according to OECD guidelines [Organisation for

Economic Co-operation and Development, 1995-

1996 #15]

Result: Foraperle 321 was not sensitising to guinea pig skin

9.3 Genotoxicity

9.3.1 Salmonella typhimurium Reverse Mutation Assay [Moliner B, 1995 #228]

Strains: Salmonella typhimurium TA1535, TA1537, TA98,

TA100 and **TA102**

Concentration range: 312.5 – 5 000 µg per plate; assays were carried out

in the presence or absence of S9 mix

Test method: according to OECD guidelines [Organisation for

Economic Co-operation and Development, 1995-

1996 #15]

Result: Foraperle 321 was not mutagenic to S.typhimurium

strains tested under the conditions of this assay

9.4 Overall Assessment of Toxicological Data

This polymer has been notified under the limited notification category. Although not specifically required reports of a number of toxicological tests carried out on the product Foraperle 321 containing less than 30% of the notified polymer were provided by the notifier.

Foraperle 321 was of low acute oral toxicity when tested in rats ($LD_{50} > 2\,000\,\text{mg.kg}^{-1}$). It was not irritating to rabbit skin and was not sensitising to guinea pig skin. Foraperle 321 did cause slight eye irritation (iris and conjunctiva lesions), mainly during the first 48 hours of the test. No irritant effects were reported on the last day of the test, Day 8. Draize score values were below the thresholds for classification as

^{**}number of animals exhibiting positive response

one negative control animal was found dead on day 18

an eye irritant according to the Approved Criteria for Classifying Hazardous Substances.

Foraperle 321 was not mutagenic when tested in bacteria, either in the presence and absence of metabolic activation provided by rat liver S9 mix.

Based on the data provided by the notifier Foraperle 321 containing the notified polymer would not be classified as hazardous according to the *Approved Criteria for Classifying Hazardous Substances* [National Occupational Health and Safety Commission, 1994 #9].

9. ASSESSMENT OF ENVIRONMENTAL EFFECTS

Although not specifically required under the Act, the following English summaries of ecotoxicity studies have been supplied by the notifier (originals supplied in French). The tests were carried out according to ISO guidelines.

Test	Species	Results (mg.L ⁻¹)
Static 48 h acute toxicity	Water Flea (Daphnia magna)	EC50 = 3.78 (C.I. 3.00-4.76) NOEC = 0.5
16 h acute toxicity	Bacteria (Pseudomonas putida)	EC50 = 18 (C.I. 14-24)

^{*} NOEC - no observable effect concentration

The supplied ecotoxicity data for the notified polymer indicate that it is moderately toxic to daphnia and bacteria. Algal species are known to be sensitive to polycationic quaternary ammonium polymers [Remde A and Debus R, 1996 #221].

11. ASSESSMENT OF ENVIRONMENTAL HAZARD

The majority of the notified substance is expected to share the fate of the paper to which it is adsorbed. The paper will be used Australia wide and either be disposed of in garbage or recycled. Garbage containing the polymer bound to paper may either be incinerated or disposed of to landfill.

Based on an annual quantity of municipal solid waste of 13 million tonnes, the average concentration of the notified substance entering landfill from the disposal of coated paper would be less than 150 ppt (2 tonne per 13 000 000 tonne). This is assuming the entire product is used to coat paper, which is consigned to landfill at the end of its useful life. This figure would be further reduced by recycling and the incineration of coated paper, and the use

of the notified polymer in the construction industry. The polymer bound to paper is not expected to be mobile in landfill.

During the recycling of coated paper, the notified polymer may partition with the waste sludge (and consigned to landfill or incinerated). It is also possible that some of the notified polymer could remain in the aqueous waste streams generated during recycling (given the polymer's appreciable water solubility). The aqueous waste would be comprehensively treated prior to discharge, but it is unlikely that this would degrade the fluorocarbon portion [Remde A and Debus R, 1996 #221], and this portion (and possibly some of the undegraded polymer) would be discharged with the plant effluent.

The release of the notified polymer with the greatest potential for environmental impact is the discharge of the wastewater from the pulp and paper mill. The following Predicted Environmental Concentration (PEC) calculation is based in a worst case that all the chemical is used to coat paper at a single plant operating for 300 days per year.

Usage of the chemical: 2 000 kg per year

Treatment plant flow rate: 55 mL per day

Plant operating days/year: 300 days

Adsorption to paper: 90%

Predicted Environmental Concentration (PEC): 12 μg.L⁻¹ (ppb)

The above PEC represents the concentration leaving the paper mill treatment plant assuming no adsorption or degradation. The PEC is well below the level, which has been shown to be toxic to daphnia. Even allowing for a ten-fold increase in the sensitivity of algae compared to daphnia the levels are unlikely to present a hazard. Additionally, the results of the biodegradation study would indicate that the level in the waste water leaving the mill treatment plant would be considerably lower and would be further reduced by the use of the polymer at more than one mill and in the construction industry. In the assessment of cationic polymers the USEPA assumes that 90% of the influent polymer concentration will be removed by adsorption on passage through a waste water treatment plant, with the remaining 10% discharged to receiving waters [Remde A and Debus R, 1996 #221].

The moderate toxicity of the polymer to bacteria is noted. If levels of the polymer in influent to a sewage treatment plant approaches these toxic levels it may affect the treatment plant's biological treatment process. However, for this to occur, a large quantity of the notified polymer would need to be used at the plant. Under the proposed rate of import, toxic levels in the influent would not be achievable. The overall environmental hazard of the notified polymer can be rated as low at the proposed level of import.

12. ASSESSMENT OF PUBLIC AND OCCUPATIONAL HEALTH AND SAFETY EFFECTS

The risk of occupational health and safety effects posed to transport workers, who will be handling unopened containers of the product containing the notified polymer, is low.

Workers in the paper industry may be exposed to solutions containing up to 30% of the notified polymer by dermal, ocular and inhalation routes during paper production phases, that is, internal and external treatment of paper and paper products. Little information was provided by the notifier on these processess or exposure control mechanisms operating at the workplace. Given that the results of a skin sensitisation study conducted on Foraperle 321, even should some exposure occur, the risk of workers experiencing acute health effects from handling the notified polymer is low. Although not classifiable as an eye irritant, ocular exposure to Foraperle 321, containing the notified polymer, from splashing may cause immediate eye irritation. In addition, the notified polymer has a high molecular weight and dermal absorption of the polymer is unlikely.

The notifier indicates that workers at the paper mills will be required to wear eye protection, gloves and overalls which will serve to control adverse health effects from dermal and ocular exposure to the notified polymer. No data on inhalation toxicity has been provided. However, the notifier states that local exhaust ventilation systems are in place in paper production areas, which will serve to control inhalation exposure and therefore any potential health effects via this route of exposure.

Dermal exposure is the primary route of exposure to the notified polymer for workers in the building industry. However, the risk of occupational health effects for these workers is low, given the results of toxicological studies submitted by the notifier.

On the basis of the toxicology data provided, the product Foraperle 321 is classified as hazardous according to the criteria of NOHSC. However, the product does contain two components on the NOHSC List of Designated Hazardous Substances [National Occupational Health and Safety Commission, 1994 #10], N-methyl-2-pyrrolidone (NMP)) and acetic acid.

Substances containing NMP are determined to be hazardous when it is present at 10%, and will require the risk phrases R36/38 (irritating to skin and eye) [National Occupational Health and Safety Commission, 1994 #10]. These risk phrases are incorporated on the Foraperle 321 label. Acetic Acid also has a NOHSC exposure standard of 10 ppm or 25 mg.m³ (TWA) and 15 ppm or 37 mg.m³ (STEL) [National Occupational Health and Safety Commission, 1995 #14]. Employers are responsible for ensuring that the exposure standardard is not exceeded in the workplace. Acetic acid is also on the list [National Occupational Health and Safety Commission, 1994 #10] with a cut off concentration of 10% which will require the risk phrases R36/38 (irritating to eyes and skin). As inhalation exposure to and dermal absorption of these components may occur in the workplace, workers should wear personal protective equipment as indicated in the Recommendations of this report. These outline the special glove requirements as given in the Foraperle 321 Material Safety Data Sheet (MSDS)

Where the product is sold to the public for application in the home, the primary hazards associated with this application will, based on the limited data available, relate to the content of N-methylpyrrolidone in Foraperle 321, rather than to the notified polymer. The skin and eye irritancy of N-methylpyrrolidone has prompted consideration of this compound for inclusion in the Standards for the Uniform Scheduling of Drugs and Poison (SUSDP) by the National Drugs and Poison Scheduling Committee (NDPSC) at its February 1998 meeting. The decision of the NDPSC with respect to NMP has not been advised as at the date of this report.

Based on the use pattern of the notified polymer and its physico-chemical and toxicological properties, the copolymer in Foraperle 321 is considered not to pose a significant risk to public health.

13. RECOMMENDATIONS

To minimise occupational exposure to Copolymer in Foraperle 321 the following guidelines and precautions should be observed:

- Safety goggles should be selected and fitted in accordance with Australian Standard (AS) 1336 [Standards Australia, 1994 #21] to comply with Australian/New Zealand Standard (AS/NZS) 1337 [Standards Australia/Standards New Zealand, 1992 #23];
- Industrial clothing should conform to the specifications detailed in AS 2919 [Standards Australia, 1987 #18] and AS 3765.1 [Standards Australia, 1990 #19];
- Impermeable gloves or mittens should conform to AS 2161 [Standards Australia, 1998 #17]. The MSDS states that neoprene, polyvinyl chloride, natural rubber or butyl rubber gloves should be worn;
- Spillage of the notified chemical should be avoided. Spillages should be cleaned up promptly with absorbents which should be put into containers for disposal;
- Good personal hygiene should be practised to minimise the potential for ingestion;
- A copy of the MSDS should be easily accessible to employees.

Due to the presence of NMP and acetic acid in the product Foraperle 321, appropriate general and exhaust ventilation should be employed in areas where the product is being handled in undiluted form. There is a NOHSC exposure standard for acetic acid of 10 ppm or 25 mg.m³ (TWA) and 15 ppm or 37 mg.m³ (STEL) [National Occupational Health and Safety Commission, 1995 #14]. Employers are responsible for ensuring that this level is not exceeded in the workplace.

NMP and acetic acid are also listed on the NOHSC List of Designated Hazardous Substances. Substances containing NMP are determined to be hazardous when it is present at 10%, and

will require the risk phrases R36/38 (irritating to skin and eye) [National Occupational Health and Safety Commission, 1994 #10]. Acetic acid has a cut off concentration of 10% which will require the risk phrases R36/38 (irritating to eyes and skin).

The outcome of the deliberations of the NDPSC with respect to N-methylpyrrolidone may affect the labeling and packaging requirements for Foraperle 321; appropriate changes should be made if necessary.

14. MATERIAL SAFETY DATA SHEET

The MSDS for the product containing the notified polymer was provided in accordance with the *National Code of Practice for the Preparation of Material Safety Data Sheets* [National Occupational Health and Safety Commission, 1994 #13].

This MSDS was provided by the applicant as part of the notification statement. It is reproduced here as a matter of public record. The accuracy of this information remains the responsibility of the applicant.

15. REQUIREMENTS FOR SECONDARY NOTIFICATION

Under the Act, secondary notification of the notified chemical shall be required if any of the circumstances stipulated under subsection 64(2) of the Act arise.

Secondary notification under Section 64 of the Act will also be required if the method of use changes in such a way as to greatly increase the environmental exposure of the notified polymer, particularly to natural waters, or if additional information becomes available on adverse environmental effects of the polymer. Based on an assumed 10-fold increase in the sensitivity of algae compared to daphnia, secondary notification would be required if the import rate of the notified polymer exceeds 10 tonnes per annum. This notification should include ecotoxicity studies for fish and algae and full English translations of the ecotoxicity and biodegradation reports submitted in French.

15. REFERENCES

Baudet L (1993) Foraperle 321 of Batch OP 27/92 Archivage Cal 2371/92: Safety Study in the Rat by Oral Route, Project No. 920085E, CERB, France.

Besson C (1993a) Foraperle 321 of Batch OP 27/92 Archivage Cal 2371/92: Ocular Primary Irritation, Project No. 920083E, CERB, France.

Besson C (1993b) Foraperle 321 of Batch OP 27/92 Archivage Cal 2371/92: Primary Cutaneous Irration, Project No. 920083E, CERB, France.

Besson C (1993c) Foraperle 321 of Batch OP 27/92 Archivage Cal 2371/92: Study of Cutaneous Sensitisation Using the Magnusson and Kligman Maximisation Test in Guinea Pig, Project No. 920086E, CERB, France.

Boethling RS and Nabholz JV (1997) Environmental Assessment of Polymers under the U.S. Toxic Substances Control Act, Chapter 10. In: Ecological Assessment of Polymers: Strategies for Product Stewardship and Regulatory Programs. Hamilton JD and Sutcliffe R (Eds), Van Nostrand Reinhold NY, pp 187-234.

Connell DW (1989) General Characteristics of Organic Compounds Which Exhibit Bioaccumulation. In: D. W. Connell ed. Bioaccumulation of Xenobiotic Compounds. CRC Press, Boca Raton, USA.

Cook BD, Bloom PR and Halbach (1997) Fate of a Polyacrylate Polymer During Composting of Simulated Municipal Solid Waste. J. Environ. Qaul., 26: 618-625.

Draize JH (1959) Appraisal of the Safety of Chemicals in Foods, Drugs and Cosmetics. Association of Food and Drug Officials of the US, 49: 2-56.

Moliner B (1995) Foraperle 321: Reverse Mutation Assay on Bacteria Salmonella typhimurium, Project No. 12373MMO, CIT, France.

Nabholz JV, Miller P & Zeeman M (1993) Environmental Risk Assessment of New Substances under the Toxic Substances Control Act Section Five. In: W. G. Landis, J. S. Hughes and M. A. Lewis ed. Environmental Toxicology and Risk Assessment,

American Society for Testing and Materials. ASTM STP 1179, Philadelphia, : 40-55.

National Occupational Health and Safety Commission (1994a) Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1994)]. Canberra, Australian Government Publishing Service.

National Occupational Health and Safety Commission (1994b) List of Designated Hazardous Substances [NOHSC:10005(1994)]. Canberra, Australian Government Publishing Service.

National Occupational Health and Safety Commission (1994c) National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:2011(1994)]. Canberra, Australian Government Publishing Service.

National Occupational Health and Safety Commission (1995) Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment, [NOHSC:1003(1995)]. In: ed. Exposure Standards for Atmospheric Contaminants in the Occupational Environment: Guidance Note and National Exposure Standards. Australian Government Publishing Service, Canberra, .

Organisation for Economic Co-operation and Development (1995-1996) OECD Guidelines for the Testing of Chemicals on CD-Rom. Paris, OECD.

Remde A and Debus R (1996) Biodegradability of Fluorinated Surfactants Under Aerobic and Anaerobic Conditions. Chemosphere, 32: 1563-1574.

Standards Australia (1987) Australian Standard 2919-1987, Industrial Clothing. Sydney, Standards Association of Australia.

Standards Australia (1990) Australian Standard 3765.1-1990, Clothing for Protection against Hazardous Chemicals Part 1 Protection against General or Specific Chemicals. Sydney, Standards Association of Australia.

Standards Australia (1994) Australian Standard 1336-1994, Eye protection in the Industrial Environment. Sydney, Standards Association of Australia.

Standards Australia (1998) Australian Standard 2161.2:1998, Occupational Protective Gloves, Part 2: General Requirements. Sydney, Standards Association of Australia.

Standards Australia/Standards New Zealand (1992) Australian/New Zealand Standard 1337-1992, Eye Protectors for Industrial Applications. Sydney/Wellington, Standards Association of Australia/Standards Association of New Zealand.

Attachment 1

The Draize Scale for evaluation of skin reactions is as follows:

Erythema Formation	Rating	Oedema Formation	Rating
No erythema	0	No oedema	0
Very slight erythema (barely perceptible)	1	Very slight oedema (barely perceptible)	1
Well-defined erythema	2	Slight oedema (edges of area well-defined by definite raising	2
Moderate to severe erythema	3	Moderate oedema (raised approx. 1 mm)	3
Severe erythema (beet redness)	4	Severe oedema (raised more than 1 mm and extending beyond area of exposure)	4

The Draize scale for evaluation of eye reactions is as follows:

CORNEA

Opacity	Rating	Area of Cornea involved	Rating
No opacity	0 none	25% or less (not zero)	1
Diffuse area, details of iris clearly visible	1 slight	25% to 50%	2
Easily visible translucent areas, details of iris slightly obscure	2 mild	50% to 75%	3
Opalescent areas, no details of iris visible, size of pupil barely discernible	3 moderat e	Greater than 75%	4
Opaque, iris invisible	4 severe		

CONJUNCTIVAE

Redness	Rating	Chemosis	Rating	Discharge	Rating
Vessels normal	0 none	No swelling	0 none	No discharge	0 none
Vessels definitely injected above normal	1 slight	Any swelling above normal	1 slight	Any amount different from normal	1 slight
More diffuse, deeper crimson red with individual	2 mod.	Obvious swelling with partial eversion of lids	2 mild	Discharge with moistening of lids and adjacent hairs	2 mod.
vessels not easily discernible	3	Swelling with lids half-closed	3 mod.	Discharge with	3 severe
Diffuse beefy red	severe	Swelling with lids half-closed to completely closed	4 severe	moistening of lids and hairs and considerable area around eye	

IRIS

Values	Rating
Normal	0 none
Folds above normal, congestion, swelling, circumcorneal injection, iris reacts to light	1 slight
No reaction to light, haemorrhage, gross destruction	2 severe