



**@ FILE NAME: M\_CTC\_ID\_022.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for MCB1: v1.0.7**

**Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.**

**This test validates that the O-RU correctly implements NETCONF Access Control user privileges.**

**The scenario corresponds to the following chapters in [3]:**

**3.4 NETCONF Access Control**

=====

\*\*\*\*\* **Connect to the NETCONF Server** \*\*\*\*\*

=====

> status

Current NETCONF session:

ID : 1

Host : 192.168.3.38

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0  
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0  
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0  
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit  
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0  
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05  
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20  
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15  
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15  
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63  
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10  
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14  
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01  
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06  
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04  
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14  
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14  
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10  
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history  
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> **subscribe --filter-xpath /ietf-netconf-notifications:\***

=====

Ok

```
=====
##### Initial Get Filter #####
=====
```

```
=====
> get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>oranuser</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>observer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>installer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>user1</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>User2</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>User3</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>user2</name>
    <account-type>PASSWORD</account-type>
```

```
<enabled>true</enabled>
</user>
<user>
<name>user3</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>user4</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator9272416</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator08457170344525021180394</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator1767096287497333</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
</users>
</data>
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>operator450724443082658</name>
      <account-type>PASSWORD</account-type>
      <password>^+F$e_3G%LIv804xJ~x2Lj9B-Ro</password>
      <enabled>true</enabled>
    </user>
  </users>
</config>
```

---

Ok

```
=====
***** NOTIFICATIONS *****
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2000-11-04T00:01:03Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>1</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator45072444308265
8']</target>
        <operation>create</operation>
      </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator45072444308265
8']/o-ran-usermgmt:name</target>
        <operation>create</operation>
      </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator45072444308265
8']/o-ran-usermgmt:account-type</target>
        <operation>create</operation>
      </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator45072444308265
8']/o-ran-usermgmt:password</target>
        <operation>create</operation>
      </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator45072444308265
8']/o-ran-usermgmt:enabled</target>
        <operation>create</operation>
      </edit>
    </netconf-config-change>
  </notification>
```

```
=====
> edit-config --target running --config --defop merge
```

=====

=====

**\*\*\*\*\* Replace with below xml \*\*\*\*\***

=====

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
  <groups>
    <group>
      <name>swm</name>
      <user-name>operator450724443082658</user-name>
    </group>
  </groups>
</nacm>
</config>
```

-----

Ok

-----

=====  
**\*\*\*\*\* NOTIFICATIONS \*\*\*\*\***  
=====

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2000-11-04T00:01:03Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>1</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:name</target>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='operator450724443082658']</target>
      <operation>create</operation>
    </edit>
  </netconf-config-change>
</notification>
```

=====  
**> get --filter-xpath /ietf-netconf-acm:nacm/groups**  
=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>sudo</name>
        <user-name>operator</user-name>
      </group>
      <group>
        <name>fm-pm</name>
        <user-name>observer</user-name>
      </group>
      <group>
        <name>nms</name>
        <user-name>installer</user-name>
      </group>
    </groups>
  </nacm>
</data>
```

```
</group>  
<group>  
  <name>swm</name>  
  <user-name>operator450724443082658</user-name>  
</group>  
</groups>  
</nacm>  
</data>
```



```
=====
```

**> get --filter-xpath /o-ran-usermgmt:users/user**

```
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>user1</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>User2</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>User3</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>user2</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>user3</name>
```

```
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>user4</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator9272416</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator08457170344525021180394</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator1767096287497333</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator450724443082658</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
</users>
</data>
```

## STEP 1 TER NETCONF client establishes a connection using a user account with swm privileges.

### \*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*

```
> connect --ssh --host 192.168.3.38 --port 830 --login operator450724443082658
ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83
Interactive SSH Authentication done.

> status
Current NETCONF session:
ID      : 2
Host    : 192.168.3.38
Port    : 830
Transport : SSH
Capabilities:
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
> subscribe --filter-xpath /ietf-netconf-notifications:*
```

Ok

## Step 2 TER NETCONF client attempts to configure a new o-ran-sync.yang on the NETCONF server.

```
=====
> edit-config --target running --config --defop replace
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<sync xmlns="urn:o-ran:sync:1.0">
  <ptp-config>
    <domain-number>24</domain-number>
    <accepted-clock-classes>
      <clock-classes>255</clock-classes>
    </accepted-clock-classes>
    <ptp-profile>G_8275_1</ptp-profile>
    <g-8275-1-config>
      <multicast-mac-address>FORWARDABLE</multicast-mac-address>
      <delay-asymmetry>0</delay-asymmetry>
    </g-8275-1-config>
    </ptp-config>
    <ptp-status>
      <reporting-period>10</reporting-period>
    </ptp-status>
    <synce-config>
      <acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm>
      <ssm-timeout>10</ssm-timeout>
    </synce-config>
    <synce-status>
      <reporting-period>10</reporting-period>
    </synce-status>
  </sync>
```

```
=====
Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error.
=====
```

#### ERROR

```
type      : access-denied
tag       : protocol
severity  : error
path      : /o-ran-sync:sync/synce-config/acceptance-list-of-ssm
message   : Access to the data model "o-ran-sync" is denied because "operator450724443082658" NACM authorization failed.
```

## =====

**##### SYSTEM LOGS #####**

=====

Nov 4 02:49:15 mcb1 user.notice supervision[1359]: Interval timer exceeded. Waiting on guard timer...

Nov 4 02:49:15 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "o-ran-supervision" event with ID 1.

Nov 4 02:49:15 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 02:49:15 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:15 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:16 mcb1 user.notice SYNCMNGR[1305]: Received message from S-Plane

Nov 4 02:49:16 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:16 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:17 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:17 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:18 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:18 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:19 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:19 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:20 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:20 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fw\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fw\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 33.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 33 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/nw\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/nw\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 34.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 34 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/operations\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/operations\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 35.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 35 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/pm\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/pm\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 36.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 36 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/um\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/um\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 37.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 37 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sys\_monitor

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sys\_monitor", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 38.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 38 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fault\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fault\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 39.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 39 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/file\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/file\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 40.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 40 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/supervision

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 41.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 41 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sync\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sync\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 42.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 42 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/ald\_controller

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 43.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 43 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/log\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/log\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 44.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 44 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/radio\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/radio\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 45.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 45 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 user.notice wd\_manager[1441]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/cli\_manager

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/cli\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 46.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 46 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/file\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 47.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 47 priority 0 (remaining 0 subscribers).

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:21 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/um\_manager", but it is not required.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 48.

Nov 4 02:49:21 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 48 priority 0 (remaining 0 subscribers).

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/radio\_manager", but it is not required.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 49.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 49 priority 0 (remaining 0 subscribers).

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sys\_monitor", but it is not required.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 50.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 50 priority 0 (remaining 0 subscribers).

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.



Nov 4 02:49:22 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 user.warn pm\_manager[1372]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not required.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 51.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 51 priority 0 (remaining 0 subscribers).

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/cli\_manager", but it is not required.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 52.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 52 priority 0 (remaining 0 subscribers).

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/pm\_manager", but it is not required.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 53.

Nov 4 02:49:22 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 53 priority 0 (remaining 0 subscribers).

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fw\_manager", but it is not required.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 54.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 54 priority 0 (remaining 0 subscribers).

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:23 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/log\_manager", but it is not required.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 55.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 55 priority 0 (remaining 0 subscribers).

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sync\_manager", but it is not required.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 56.

Nov 4 02:49:23 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 56 priority 0 (remaining 0 subscribers).

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fault\_manager", but it is not required.



Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 57.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 57 priority 0 (remaining 0 subscribers).

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 02:49:24 mcb1 daemon.err netopeer2-server[984]: connect() failed (Network is unreachable).

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/nw\_manager", but it is not required.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 58.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 58 priority 0 (remaining 0 subscribers).

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/operations\_manager", but it is not required.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 59.

Nov 4 02:49:24 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 59 priority 0 (remaining 0 subscribers).

Nov 4 02:49:25 mcb1 user.notice supervision[1359]: O-RU has entered "supervision-failure" state Resetting...

Nov 4 02:49:25 mcb1 user.notice supervision[1359]: Exiting

Nov 4 02:49:25 mcb1 user.notice supervision[1359]: Waiting for pending jobs

Nov 4 02:49:25 mcb1 daemon.info netopeer2-server[984]: Resolving unresolved data nodes and their constraints...

Nov 4 02:49:25 mcb1 daemon.info netopeer2-server[984]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 02:49:25 mcb1 daemon.info netopeer2-server[984]: All data nodes and constraints resolved.

Nov 4 02:49:25 mcb1 daemon.info netopeer2-server[984]: Processing "notif" "ietf-netconf-notifications" event with ID 60.

Nov 4 02:49:25 mcb1 daemon.info netopeer2-server[984]: Successful processing of "notif" event with ID 60 priority 0 (remaining 0 subscribers).

Nov 4 02:49:25 mcb1 user.info supervision[1359]: O-RU going for reboot

Apr 18 17:53:03 mcb1 syslog.info syslogd started: BusyBox v1.31.0

Apr 18 17:53:03 mcb1 user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Booting Linux on physical CPU 0x000000000 [0x410fd034]

Apr 18 17:53:03 mcb1 user.notice kernel: [ 0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP Thu Dec 29 10:48:51 UTC 2022

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Machine model: xlnx,zynqmp

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] printk: bootconsole [cdns0] enabled

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] efi: Getting EFI parameters from FDT:

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] efi: UEFI not found.

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] cma: Reserved 256 MiB at 0x000000006fc00000

Apr 18 17:53:03 mcb1 user.debug kernel: [ 0.000000] On node 0 totalpages: 524032

Apr 18 17:53:03 mcb1 user.debug kernel: [ 0.000000] DMA32 zone: 8188 pages used for memmap

Apr 18 17:53:03 mcb1 user.debug kernel: [ 0.000000] DMA32 zone: 0 pages reserved

Apr 18 17:53:03 mcb1 user.debug kernel: [ 0.000000] DMA32 zone: 524032 pages, LIFO batch:63

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] psci: probing for conduit method from DT.

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] psci: PSCIv1.1 detected in firmware.

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] psci: Using standard PSCI v0.2 function IDs

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] psci: MIGRATE\_INFO\_TYPE not supported.

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] psci: SMC Calling Convention v1.1

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112

Apr 18 17:53:03 mcb1 user.debug kernel: [ 0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22\*4096

```
Apr 18 17:53:03 mcb1 user.debug kernel: [ 0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Detected VIPT I-cache on CPU0
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] CPU features: detected: ARM erratum 845719
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Speculative Store Bypass Disable mitigation not required
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Built 1 zonelists, mobility grouping on. Total pages: 515844
Apr 18 17:53:03 mcb1 user.notice kernel: [ 0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcb1k0p3 rw rootwait
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Dentry cache hash table entries: 262144 (order: 9, 2097152 bytes, linear)
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Inode-cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] Memory: 1775432K/2096128K available (12092K kernel code, 742K rwddata, 3772K rodata,
768K init, 560K bss, 58552K reserved, 262144K cma-reserved)
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irq: 0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Apr 18 17:53:03 mcb1 user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.008250] Console: colour dummy device 80x25
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.012389] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00 BogoMIPS
(lpj=200000)
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.027465] Mount-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.034697] Mountpoint-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.043367] ASID allocator initialised with 32768 entries
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.047894] rcu: Hierarchical SRCU implementation.
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.052815] EFI services will not be available.
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.057221] smp: Bringing up secondary CPUs ...
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.061907] Detected VIPT I-cache on CPU1
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.061938] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.062263] Detected VIPT I-cache on CPU2
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.062281] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.062583] Detected VIPT I-cache on CPU3
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.062600] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.062642] smp: Brought up 1 node, 4 CPUs
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.101727] CPU features: detected: 32-bit EL0 Support
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.111963] CPU: All CPU(s) started at EL2
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.116010] alternatives: patching kernel code
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.121443] devtmpfs: initialized
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.127830] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns:
7645041785100000 ns
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.133398] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
```

Apr 18 17:53:03 mcb1 user.info kernel: [ 0.145347] xor: measuring software checksum speed  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.184290] 8regs : 2622.000 MB/sec  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.224314] 32regs : 3008.000 MB/sec  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.264344] arm64\_neon: 2612.000 MB/sec  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.264379] xor: using function: 32regs (3008.000 MB/sec)  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.268281] pinctrl core: initialized pinctrl subsystem  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.273784] DMI not present or invalid.  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.277462] NET: Registered protocol family 16  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.282858] DMA: preallocated 256 KiB pool for atomic allocations  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.287732] audit: initializing netlink subsys (disabled)  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 0.293136] audit: type=2000 audit(0.232:1): state=initialized audit\_enabled=0 res=1  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.293526] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.307645] Serial: AMBA PL011 UART driver  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.322979] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.324037] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.330693] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages  
Apr 18 17:53:03 mcb1 user.info kernel: [ 0.337353] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.306580] cryptd: max\_cpu\_qlen set to 1000  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.327912] DRBG: Continuing without Jitter RNG  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.402156] raid6: neonx8 gen() 1727 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.470176] raid6: neonx8 xor() 1601 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.538232] raid6: neonx4 gen() 1644 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.606271] raid6: neonx4 xor() 1553 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.674306] raid6: neonx2 gen() 1232 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.742355] raid6: neonx2 xor() 1236 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.810403] raid6: neonx1 gen() 809 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.878437] raid6: neonx1 xor() 821 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 1.946502] raid6: int64x8 gen() 1287 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.014526] raid6: int64x8 xor() 837 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.082594] raid6: int64x4 gen() 1068 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.150623] raid6: int64x4 xor() 784 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.218696] raid6: int64x2 gen() 736 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.286716] raid6: int64x2 xor() 587 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.354820] raid6: int64x1 gen() 485 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.422796] raid6: int64x1 xor() 400 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.422832] raid6: using algorithm neonx8 gen() 1727 MB/s  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.426786] raid6: .... xor() 1601 MB/s, rmw enabled  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.431716] raid6: using neon recovery algorithm  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.436608] iommu: Default domain type: Translated  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.441347] SCSI subsystem initialized  
Apr 18 17:53:03 mcb1 user.debug kernel: [ 2.444883] libata version 3.00 loaded.  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.444987] usbcore: registered new interface driver usbfs  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.450339] usbcore: registered new interface driver hub  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.455614] usbcore: registered new device driver usb  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.460632] mc: Linux media interface: v0.10  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.464860] videodev: Linux video capture interface: v2.00  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.470311] pps\_core: LinuxPPS API ver. 1 registered  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.475226] pps\_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>  
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.484315] PTP clock support registered

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.488209] EDAC MC: Ver: 3.0.0

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.491684] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.499951] FPGA manager framework

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.503275] Advanced Linux Sound Architecture Driver Initialized.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.509462] Bluetooth: Core ver 2.22

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.512780] NET: Registered protocol family 31

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.517180] Bluetooth: HCI device and connection manager initialized

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.523496] Bluetooth: HCI socket layer initialized

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.528338] Bluetooth: L2CAP socket layer initialized

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.533359] Bluetooth: SCO socket layer initialized

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.538511] clocksource: Switched to clocksource arch\_sys\_counter

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.544342] VFS: Disk quotas dquot\_6.6.0

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.548183] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.558646] NET: Registered protocol family 2

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.559600] tcp\_listen\_portaddr\_hash hash table entries: 1024 (order: 2, 16384 bytes, linear)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.567806] TCP established hash table entries: 16384 (order: 5, 131072 bytes, linear)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.575747] TCP bind hash table entries: 16384 (order: 6, 262144 bytes, linear)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.583095] TCP: Hash tables configured (established 16384 bind 16384)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.589468] UDP hash table entries: 1024 (order: 3, 32768 bytes, linear)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.596101] UDP-Lite hash table entries: 1024 (order: 3, 32768 bytes, linear)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.603272] NET: Registered protocol family 1

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.607711] RPC: Registered named UNIX socket transport module.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.613372] RPC: Registered udp transport module.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.618039] RPC: Registered tcp transport module.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.622715] RPC: Registered tcp NFSv4.1 backchannel transport module.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.629318] PCI: CLS 0 bytes, default 64

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.659458] Initialise system trusted keyrings

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.659573] workingset: timestamp\_bits=46 max\_order=19 bucket\_order=0

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.665535] NFS: Registering the id\_resolver key type

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.669756] Key type id\_resolver registered

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.673831] Key type id\_legacy registered

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.677814] nfs4filelayout\_init: NFSv4 File Layout Driver Registering...

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.684483] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.703313] NET: Registered protocol family 38

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.703353] Key type asymmetric registered

Apr 18 17:53:03 mcb1 user.notice kernel: [ 2.706178] Asymmetric key parser 'x509' registered

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.711049] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 246)

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.718388] io scheduler mq-deadline registered

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.722877] io scheduler kyber registered

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.728396] ps\_pcie\_dma init()

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.752485] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.754129] Serial: AMBA driver

Apr 18 17:53:03 mcb1 user.warn kernel: [ 2.758122] cacheinfo: Unable to detect cache hierarchy for CPU 0

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.766245] brd: module loaded

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.770293] loop: module loaded

Apr 18 17:53:03 mcb1 user.err kernel: [ 2.771033] mtdoops: mtd device (mtddev=name/number) must be supplied

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.776052] libphy: Fixed MDIO Bus: probed

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.779963] tun: Universal TUN/TAP device driver, 1.6

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.784061] CAN device driver interface

```

Apr 18 17:53:03 mcb1 user.info kernel: [ 2.788682] usbcore: registered new interface driver asix
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.793199] usbcore: registered new interface driver ax88179_178a
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.799233] usbcore: registered new interface driver cdc_ether
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.805025] usbcore: registered new interface driver net1080
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.810648] usbcore: registered new interface driver cdc_subset
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.816530] usbcore: registered new interface driver zauros
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.822074] usbcore: registered new interface driver cdc_ncm
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.828374] usbcore: registered new interface driver uas
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.832975] usbcore: registered new interface driver usb-storage
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.839289] rtc_zynqmp ffa60000.rtc: registered as rtc0
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.844151] i2c /dev entries driver
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.848930] usbcore: registered new interface driver uvcvideo
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.853276] USB Video Class driver (1.1.1)
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.857553] pps pps0: new PPS source ptp0
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.861346] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.868827] Bluetooth: HCI UART driver ver 2.3
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.872834] Bluetooth: HCI UART protocol H4 registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.877929] Bluetooth: HCI UART protocol BCSP registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.883219] Bluetooth: HCI UART protocol LL registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.888310] Bluetooth: HCI UART protocol ATH3K registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.893682] Bluetooth: HCI UART protocol Three-wire (H5) registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.899931] Bluetooth: HCI UART protocol Intel registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.905278] Bluetooth: HCI UART protocol QCA registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.910476] usbcore: registered new interface driver bcm203x
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.916101] usbcore: registered new interface driver bpa10x
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.921636] usbcore: registered new interface driver bfusb
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.927083] usbcore: registered new interface driver btusb
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.932544] usbcore: registered new interface driver ath3k
Apr 18 17:53:03 mcb1 user.warn kernel: [ 2.938101] EDAC MC0: 15 CE Bit Position: 50 Data: 0xefefefef
Apr 18 17:53:03 mcb1 user.warn kernel: [ 2.938101] on mc#0csrow#0channel#0 (csrow:0 channel:0 page:0x0 offset:0x0 grain:1 syndrome:0x0)
Apr 18 17:53:03 mcb1 user.warn kernel: [ 2.952493] EDAC MC0: 15 UE BankGroup Number 0 Block Number 0 on mc#0csrow#0channel#0
(csrow:0 channel:0 page:0x0 offset:0x0 grain:1)
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.964517] EDAC MC0: Giving out device to module 1 controller synps_dds_controller: DEV
synps_edac (INTERRUPT)
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.974614] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.986968] sdhci: Secure Digital Host Controller Interface driver
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.992720] sdhci: Copyright(c) Pierre Ossman
Apr 18 17:53:03 mcb1 user.info kernel: [ 2.997039] sdhci-pltfm: SDHCI platform and OF driver helper
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.002949] ledtrig-cpu: registered to indicate activity on CPUs
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.008670] zynqmp_firmware_probe Platform Management API v1.1
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.014429] zynqmp_firmware_probe Trustzone version v1.0
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.042521] securefw securefw: securefw probed^M
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.042718] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.047097] zynqmp_aes zynqmp_aes: AES Successfully Registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.047097] ^M
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.054451] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.060660] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.066206] usbcore: registered new interface driver usbbid

```



```

Apr 18 17:53:03 mcb1 user.info kernel: [ 3.071519] usbhid: USB HID core driver
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.077415] ARM CCI_400_r1 PMU driver probed
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.077855] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.086304] usbcore: registered new interface driver snd-usb-audio
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.092808] pktgen: Packet Generator for packet performance testing. Version: 2.75
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.100148] Initializing XFRM netlink socket
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.103942] NET: Registered protocol family 10
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.108650] Segment Routing with IPv6
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.112013] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.118097] NET: Registered protocol family 17
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.122215] NET: Registered protocol family 15
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.126631] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to
load br_netfilter if you need this.
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.139507] can: controller area network core (rev 20170425 abi 9)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.145671] NET: Registered protocol family 29
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.150060] can: raw protocol (rev 20170425)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.154298] can: broadcast manager protocol (rev 20170425 t)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.159920] can: netlink gateway (rev 20190810) max_hops=1
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.165447] Bluetooth: RFCOMM TTY layer initialized
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.170220] Bluetooth: RFCOMM socket layer initialized
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.175324] Bluetooth: RFCOMM ver 1.11
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.179040] Bluetooth: BNEP (Ethernet Emulation) ver 1.3
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.184310] Bluetooth: BNEP filters: protocol multicast
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.189508] Bluetooth: BNEP socket layer initialized
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.194432] Bluetooth: HIDP (Human Interface Emulation) ver 1.2
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.200314] Bluetooth: HIDP socket layer initialized
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.205270] 8021q: 802.1Q VLAN Support v1.8
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.209484] 9pnet: Installing 9P2000 support
Apr 18 17:53:03 mcb1 user.notice kernel: [ 3.213649] Key type dns_resolver registered
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.218129] registered taskstats version 1
Apr 18 17:53:03 mcb1 user.notice kernel: [ 3.221943] Loading compiled-in X.509 certificates
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.227588] Btrfs loaded, crc32c=crc32c-generic
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.238932] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a xuartps
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.247951] printk: console [ttyPS0] enabled
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.252245] printk: bootconsole [cdns0] disabled
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.261503] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a xuartps
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.274952] of-fpga-region fpga-full: FPGA Region probed
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.280807] XGpio: gpio@b0040000: registered, base is 509
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.286515] XGpio: gpio@b0040000: dual channel registered, base is 497
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.293594] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.300688] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.307781] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.314872] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.321967] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.329056] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.336145] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.343231] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.350385] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.357476] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success

```

```

Apr 18 17:53:03 mcb1 user.info kernel: [ 3.364567] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.371652] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.378745] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.385831] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.392925] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.400012] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.408089] -----[ cut here ]-----
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.412702] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.420048] WARNING: CPU: 0 PID: 31 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.428038] Modules linked in:
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.431079] CPU: 0 PID: 31 Comm: kworker/0:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.438462] Hardware name: xlnx,zynqmp (DT)
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.442635] Workqueue: events deferred_probe_work_func
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.447760] pstate: 60000005 (nZCv daif -PAN -UAO)
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.452534] pc : spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.456440] lr : spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.460344] sp : ffff8000113237d0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.463643] x29: ffff8000113237d0 x28: ffff00006faeacd8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.468938] x27: ffff00006d2f7410 x26: ffff00006b418400
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.474232] x25: 0000000000000000 x24: 0000000000000019
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.479527] x23: ffff80001112a140 x22: 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.484822] x21: ffff80001112a120 x20: ffff00006b41b800
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.490117] x19: 0000000000000000 x18: 0000000000000010
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.495411] x17: 0000000000000000 x16: 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.500706] x15: ffff00006d2c8868 x14: 6e6920796c746365
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.506001] x13: 7269642064657473 x12: 696c207665646970
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.511296] x11: 73203a5444207967 x10: 677562203a304076
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.516591] x9 : ffff800011193000 x8 : 0000000000000105
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.521885] x7 : 0000000000000006 x6 : ffff8000111930f2
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.527180] x5 : 000000000000000f x4 : 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.532475] x3 : 0000000000000000 x2 : 00000000ffffff
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.537770] x1 : 66e68e73f0570600 x0 : 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.543065] Call trace:
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.545498] spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.549056] spi_drv_probe+0x7c/0xd8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.552615] really_probe+0xd8/0x2f8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.556174] driver_probe_device+0x54/0xe8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.560253] __device_attach_driver+0x80/0xb8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.564594] bus_for_each_drv+0x74/0xc0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.568412] __device_attach+0xdc/0x138
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.572232] device_initial_probe+0x10/0x18
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.576398] bus_probe_device+0x90/0x98
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.580217] device_add+0x334/0x600
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.583688] spi_add_device+0xac/0x170
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.587421] of_register_spi_device+0x204/0x388
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.591935] spi_register_controller+0x4b4/0x718
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.596536] cdns_spi_probe+0x28c/0x368
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.600354] platform_drv_probe+0x50/0xa0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.604347] really_probe+0xd8/0x2f8

```

```

Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.607906] driver_probe_device+0x54/0xe8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.611986] __device_attach_driver+0x80/0xb8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.616326] bus_for_each_drv+0x74/0xc0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.620145] __device_attach+0xdc/0x138
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.623964] device_initial_probe+0x10/0x18
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.628131] bus_probe_device+0x90/0x98
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.631950] deferred_probe_work_func+0x6c/0xa0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.636465] process_one_work+0x1c4/0x338
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.640455] worker_thread+0x260/0x488
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.644190] kthread+0x120/0x128
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.647401] ret_from_fork+0x10/0x18
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.650958] ---[ end trace 6dd210554fd33542 ]---
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.655693] zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.663030] -----[ cut here ]-----
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.667640] /amba/spi@ff050000/spidev@1: buggy DT: spidev listed directly in DT
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.674968] WARNING: CPU: 0 PID: 31 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.682951] Modules linked in:
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.685992] CPU: 0 PID: 31 Comm: kworker/0:1 Tainted: G      W      5.4.0-xilinx-v2020.2 #1
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.694756] Hardware name: xlnx,zynqmp (DT)
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.698926] Workqueue: events deferred_probe_work_func
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.704054] pstate: 60000005 (nZCv daif -PAN -UAO)
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.708829] pc : spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.712734] lr : spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.716639] sp : ffff8000113237d0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.719937] x29: ffff8000113237d0 x28: ffff00006faeacd8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.725232] x27: ffff00006d2f7410 x26: ffff00006b418400
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.730527] x25: 0000000000000000 x24: 000000000000001a
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.735822] x23: ffff80001112a140 x22: 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.741116] x21: ffff80001112a120 x20: ffff00006b41b000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.746411] x19: 0000000000000000 x18: 0000000000000010
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.751706] x17: 0000000000000000 x16: 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.757001] x15: ffff00006d2c8868 x14: ffffffff
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.762295] x13: ffff800091323517 x12: ffff80001132351f
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.767590] x11: ffff8000110f5000 x10: 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.772885] x9 : ffff800011193000 x8 : 000000000000013d
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.778180] x7 : 0000000000000006 x6 : ffff8000111930f2
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.783474] x5 : 000000000000000f x4 : 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.788769] x3 : 0000000000000000 x2 : 00000000ffffff
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.794064] x1 : 66e68e73f0570600 x0 : 0000000000000000
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.799359] Call trace:
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.801792] spidev_probe+0xf8/0x1c8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.805349] spi_drv_probe+0x7c/0xd8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.808909] really_probe+0xd8/0x2f8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.812468] driver_probe_device+0x54/0xe8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.816548] __device_attach_driver+0x80/0xb8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.820887] bus_for_each_drv+0x74/0xc0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.824707] __device_attach+0xdc/0x138
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.828526] device_initial_probe+0x10/0x18
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.832692] bus_probe_device+0x90/0x98

```



```

Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.836511] device_add+0x334/0x600
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.839983] spi_add_device+0xac/0x170
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.843715] of_register_spi_device+0x204/0x388
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.848229] spi_register_controller+0x4b4/0x718
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.852830] cdns_spi_probe+0x28c/0x368
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.856648] platform_drv_probe+0x50/0xa0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.860642] really_probe+0xd8/0x2f8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.864201] driver_probe_device+0x54/0xe8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.868280] __device_attach_driver+0x80/0xb8
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.872620] bus_for_each_drv+0x74/0xc0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.876439] __device_attach+0xdc/0x138
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.880259] device_initial_probe+0x10/0x18
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.884425] bus_probe_device+0x90/0x98
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.888244] deferred_probe_work_func+0x6c/0xa0
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.892757] process_one_work+0x1c4/0x338
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.896750] worker_thread+0x260/0x488
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.900483] kthread+0x120/0x128
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.903694] ret_from_fork+0x10/0x18
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.907252] ---[ end trace 6dd210554fd33543 ]---
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.912292] macb ff0d0000.ethernet: Not enabling partial store and forward
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.919643] libphy: MACB_mii_bus: probed
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.926241] Atheros 8031 ethernet ff0d0000.ethernet-ffffffff:04: attached PHY driver [Atheros 8031
ethernet] (mii_bus:phy_addr=ff0d0000.ethernet-ffffffff:04, irq=POLL)
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.941190] macb ff0d0000.ethernet eth0: Cadence GEM rev 0x50070106 at 0xff0d0000 irq 30
(98:ae:71:00:8a:c1)
Apr 18 17:53:03 mcb1 user.err kernel: [ 3.951303] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.957561] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Apr 18 17:53:03 mcb1 user.warn kernel: [ 3.964518] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.971293] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.977782] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.984250] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.990719] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Apr 18 17:53:03 mcb1 user.info kernel: [ 3.997422] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.003698] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.009918] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.017331] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Apr 18 17:53:03 mcb1 user.warn kernel: [ 4.024887] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Apr 18 17:53:03 mcb1 user.err kernel: [ 4.032290] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Apr 18 17:53:03 mcb1 user.warn kernel: [ 4.041020] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Apr 18 17:53:03 mcb1 user.err kernel: [ 4.049549] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.091555] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.101385] rtc_zynqmp ffa60000.rtc: setting system clock to 2103-04-18T17:52:46 UTC (4206361966)
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.110262] of_cfs_init
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.112711] of_cfs_init: OK
Apr 18 17:53:03 mcb1 user.notice kernel: [ 4.115629] cfg80211: Loading compiled-in X.509 certificates for regulatory database
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.188016] mmc0: new HS200 MMC card at address 0001
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.193345] mmcblk0: mmc0:0001 Q2J55L 7.09 GiB
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.198053] mmcblk0boot0: mmc0:0001 Q2J55L partition 1 16.0 MiB
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.204148] mmcblk0boot1: mmc0:0001 Q2J55L partition 2 16.0 MiB

```

Apr 18 17:53:03 mcb1 user.info kernel: [ 4.210132] mmcblk0rmpb: mmc0:0001 Q2J55L partition 3 4.00 MiB, chardev (244:0)  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.218516] mmcblk0: p1 p2 p3 p4  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 4.240191] cfg80211: Loaded X.509 cert 'sforshee: 00b28ddf47aef9cea7'  
Apr 18 17:53:03 mcb1 user.warn kernel: [ 4.246714] clk: Not disabling unused clocks  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.251188] ALSA device list:  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.254140] No soundcards found.  
Apr 18 17:53:03 mcb1 user.warn kernel: [ 4.257811] platform regulatory.0: Direct firmware load for regulatory.db failed with error -2  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.266416] cfg80211: failed to load regulatory.db  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 4.307252] random: fast init done  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.406057] EXT4-fs (mmcblk0p3): recovery complete  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.411694] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.419806] VFS: Mounted root (ext4 filesystem) on device 179:3.  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.426386] devtmpfs: mounted  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.429621] Freeing unused kernel memory: 768K  
Apr 18 17:53:03 mcb1 user.info kernel: [ 4.434100] Run /sbin/init as init process  
Apr 18 17:53:03 mcb1 daemon.info kernel: [ 4.671413] udevd[358]: starting version 3.2.8  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 4.680484] random: udevd: uninitialized urandom read (16 bytes read)  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 4.687307] random: udevd: uninitialized urandom read (16 bytes read)  
Apr 18 17:53:03 mcb1 user.notice kernel: [ 4.693767] random: udevd: uninitialized urandom read (16 bytes read)  
Apr 18 17:53:03 mcb1 daemon.info kernel: [ 4.715921] udevd[359]: starting eudev-3.2.8  
Apr 18 17:53:03 mcb1 user.warn kernel: [ 5.150368] vfat filesystem being mounted at /media/sd-mmcblk0p1 supports timestamps until 2107 (0x10391447e)  
Apr 18 17:53:03 mcb1 user.info kernel: [ 5.164384] EXT4-fs (mmcblk0p2): recovery complete  
Apr 18 17:53:03 mcb1 user.info kernel: [ 5.169220] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)  
Apr 18 17:53:03 mcb1 user.info kernel: [ 5.345910] EXT4-fs (mmcblk0p4): recovery complete  
Apr 18 17:53:03 mcb1 user.info kernel: [ 5.351524] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)  
Apr 18 17:53:03 mcb1 user.info kernel: [ 5.416819] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)  
Apr 18 17:53:06 mcb1 user.info kernel: [ 23.667307] pps pps1: new PPS source ptp1  
Apr 18 17:53:06 mcb1 user.info kernel: [ 23.671339] macb ff0d0000.ethernet: gem-ptp-timer ptp clock registered.  
Apr 18 17:53:06 mcb1 user.notice kernel: [ 24.181995] random: crng init done  
Apr 18 17:53:06 mcb1 user.notice kernel: [ 24.185391] random: 7 urandom warning(s) missed due to ratelimiting  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Plugin "/usr/lib/libyang1/user\_types/user\_inet\_types.so" successfully loaded.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Plugin "/usr/lib/libyang1/user\_types/user\_yang\_types.so" successfully loaded.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Reading module "ietf-yang-metadata".  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Reading module "yang".  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "yang" unresolved schema nodes and their constraints...  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "yang" schema nodes and constraints resolved.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "yang@2017-02-20" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Reading module "ietf-inet-types".  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving derived type "union" failed, it will be attempted later.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving derived type "union" failed, it will be attempted later.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving derived type "union" failed, it will be attempted later.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving derived type "union" failed, it will be attempted later.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-inet-types" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Reading module "ietf-yang-types".

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from  
"/etc/sysrepo/yang/yang\_models/imported/ietf/ietf-yang-types.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-yang-types@2013-07-15" already in context.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "sysrepo" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe38" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe34" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe17" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe43" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe42" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe32" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe3" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe9" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe39" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe56" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe10" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe33" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe13" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe18" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe1" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe15" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe21" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe54" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe30" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe4" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe2" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe28" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe29" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe7" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe55" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe31" after a crashed subscription.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Removing event pipe "sr\_evpipe26" after a crashed subscription.

Page 28



Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Connection with CID 4 is dead.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Connection with CID 12 is dead.

Apr 18 17:53:10 mcb1 daemon.warn netopeer2-server[987]: Connection with CID 15 is dead.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Applying scheduled changes.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from  
"/etc/sysrepo/yang/yang\_models/imported/ietf/ietf-inet-types.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-inet-types@2013-07-15" already in context.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "sysrepo-monitoring" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang"

file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-origin" unresolved schema nodes and their constraints...  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-origin" schema nodes and constraints resolved.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-acm@2018-02-14" now implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notifications" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "notifications@2008-07-14" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "notifications@2008-07-14" now implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-keystore" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-truststore" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.



Page 33

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-tcp-client@2019-07-02" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-netconf-server" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "vvdn\_mcel-wdm" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/vvdn\_mcel-wdm@2022-05-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "vvdn\_mcel-wdm@2022-05-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "vvdn\_mcel-opm" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/vvdn\_mcel-opm@2020-11-08.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "vvdn\_mcel-opm@2020-11-08" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "notification\_history" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/notification\_history.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "notification\_history" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "ietf-hardware" schema nodes and constraints resolved.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/o-ran/radio.



Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang\_models/imported/ietf.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-interfaces" schema nodes and constraints resolved.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-mlplane-int" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-mlplane-int@2019-07-03.yang" file.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/custom.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/operations.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/sync.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/radio.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/o-ran/system.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/imported.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/imported/iana.  
Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-transceiver" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-processing-element" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-ald-port" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-ald-port" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-ald-port@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-hardware" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-sync" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from  
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-module-cap" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-operations" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-processing-element" in

/etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-file-management" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...



Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-software-management" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-ald@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/custom.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/o-ran.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/o-ran/operations.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/o-ran/sync.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/o-ran/radio.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/o-ran/interfaces.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/o-ran/system.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/imported.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/imported/iana.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang\_models/imported/ietf.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-ald" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-ald" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-ald@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-trace" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: No scheduled changes.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Datastore copied from <startup> to <running>.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Connection 1 created.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Session 1 (user "root", CID 1) created.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: There is no leafref "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 18 17:53:10 mcb1 daemon.info netopeer2-server[987]: Triggering "ietf-netconf-server" "done" event on enabled data.

Page 42

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Apr 18 17:53:12 mcb1 user.notice nw\_manager[1020]: Replaced the running datastore with basic user configuration

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Listening on :::830 for SSH connections.

Apr 18 17:53:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Apr 18 17:53:12 mcb1 user.notice nw\_manager[1020]: Read basic system interface details

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: Event change changes to: ietf-hardware

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component : ru-module for component ru-module

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component oran name: ru-module for component ru-module

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component : ru-port0 for component ru-port0

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component class: iana-hardware:port for component ru-port0

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component parent: ru-module for component ru-port0

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component parent rel pos: 0 for component ru-port0

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component oran name: ru-port0 for component ru-port0

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component : ru-port1 for component ru-port1

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component class: iana-hardware:port for component ru-port1

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component parent: ru-module for component ru-port1

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component parent rel pos: 1 for component ru-port1

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: [config] component oran name: ru-port1 for component ru-port1

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: Event done changes to: ietf-hardware

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: Config has changed in :ietf-hardware

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: Mplane: EVENT change CHANGES o-ran-mplane-int module name

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: Mplane: EVENT done CHANGES o-ran-mplane-int module name

Apr 18 17:53:12 mcb1 user.notice nw\_manager[1020]: Application subscribed for edit-config,get

Apr 18 17:53:12 mcb1 user.warn nw\_manager[1020]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Apr 18 17:53:12 mcb1 user.warn nw\_manager[1020]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Apr 18 17:53:12 mcb1 user.info nw\_manager[1020]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Apr 18 17:53:12 mcb1 user.warn nw\_manager[1020]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Apr 18 17:53:12 mcb1 user.err nw\_manager[1020]: SR\_HW: HW status notification sending failed RU

Apr 18 17:53:12 mcb1 user.err nw\_manager[1020]: SR\_HW: HW change monitoring thread failed

Apr 18 17:53:13 mcb1 user.info FAULT MANAGEMENT[1041]: ===== LISTENING FOR CHANGES =====

Apr 18 17:53:14 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).

Apr 18 17:53:14 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Apr 18 17:53:14 mcb1 user.notice USERMGMT[1051]: Complete copying o-ran-usermgmt startup configurations

Apr 18 17:53:14 mcb1 user.notice USERMGMT[1051]: LISTENING FOR CHANGES

Apr 18 17:53:15 mcb1 user.notice fw\_manager[1062]: Process started

Apr 18 17:53:15 mcb1 user.notice fw\_manager[1062]: Listening for RPCs

Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: LISTENING FOR CHANGES  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: EVENT change CHANGES  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 255  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 248  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 165  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 160  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 150  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 140  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 135  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 7  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Accepted-clock-classes : 6  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM PRC  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM EEC1  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM DNU  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM NONE  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM PRC  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM EEC1  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM DNU  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM NONE  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM PRC  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM EEC1  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM DNU  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Acceptance SSM NONE  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: ssm\_timeout : 5  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Change in Configuration of S plane  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: END OF CHANGES  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: EVENT done CHANGES  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: Writing Configuration of S plane  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: END OF CHANGES  
Apr 18 17:53:16 mcb1 user.notice SYNCMNGR[1309]: SYNC-LOCK-STATE CHANGE NOTIFICATION  
Apr 18 17:53:17 mcb1 user.notice OPM[1321]: @function:main line:153 Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations  
Apr 18 17:53:17 mcb1 user.notice OPM[1321]: @function:main line:189 Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element  
Apr 18 17:53:17 mcb1 user.notice OPM[1321]: @function:main line:312 Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf  
Apr 18 17:53:17 mcb1 user.notice SR\_OP[1321]: @function:op\_module\_change\_cb line:137 Event change detected on o-ran-operations  
Apr 18 17:53:17 mcb1 user.notice SR\_OP[1321]: @function:op\_module\_change\_cb line:150 [config]timezone name changed to GMT [event: change]  
Apr 18 17:53:17 mcb1 user.notice SR\_OP[1321]: @function:op\_module\_change\_cb line:137 Event change detected on o-ran-operations  
Apr 18 17:53:17 mcb1 user.notice SR\_OP[1321]: @function:op\_module\_change\_cb line:150 [config]timezone name changed to GMT [event: done]  
Apr 18 17:53:18 mcb1 user.notice file\_manager[1352]: Process started  
Apr 18 17:53:18 mcb1 user.notice file\_manager[1352]: Listening for RPCs  
Apr 18 17:53:19 mcb1 user.notice supervision[1363]: Process started  
Apr 18 17:53:19 mcb1 user.notice supervision[1363]: Listening for RPCs  
Apr 18 17:53:20 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...  
Apr 18 17:53:20 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...  
Apr 18 17:53:20 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...



Page 45



Page 46

Page 47

Page 48

Page 49



Page 50



Page 51

Page 52

Page 53

Page 54



Page 55



Page 56

Page 57

Page 58

Page 59



Page 60



Page 61

Page 62

Page 63

Page 64



Page 65



Page 66

Page 67

Page 68

Page 69



Page 70



Page 71

Page 72

Page 73

Page 74



Page 75



Page 76

Page 77

Page 78

Page 79



Page 80



Page 81

Page 82

Page 83

Page 84



Page 85

Page 86

Page 87

Page 88



Page 89

Page 90

Page 91

Page 92



Page 93

Page 94

Page 95

Page 96



Page 97

Page 98

Page 99

Page 100



Page 101

Page 102

Page 103

Page 104



Page 105

Page 106

Page 107

Page 108



Page 109

Page 110

Page 111

Page 112



Page 113

Page 114

Page 115

Page 116



Page 117

Page 118

Page 119

Page 120



Page 121

Page 122

Page 123

Page 124



Page 125

Page 126

Page 127

Page 128



Page 129

Page 130

Page 131

Page 132



Page 133

Page 134

Page 135

Page 136



Page 137

Page 138

Page 139

Page 140



Page 141

Page 142

Page 143

Page 144



Page 145

Page 146

Page 147

Page 148



Page 149

Page 150

Page 151

Page 152



Page 153

Page 154

Page 155

Page 156



Page 157

Page 158

Page 159

Page 160



Page 161

Page 162

Page 163

Page 164



Page 165

Page 166

Page 167

Page 168



Page 169

Page 170

Page 171

Page 172



Page 173

Page 174

Page 175

Page 176



Page 177

Page 178

Page 179

Page 180



Page 181

Page 182

Page 183

Page 184



Page 185

Page 186

Page 187

Page 188



Page 189

Page 190

Page 191

Page 192



Page 193

Page 194

Page 195

Page 196



Page 197

Page 198

Page 199

Page 200



Page 201

Page 202

Page 203

Page 204



Page 205

Page 206

Page 207

Page 208



Page 209

Page 210

Page 211

Page 212



Page 213

Page 214

Page 215

Page 216



Page 217

Page 218

Page 219

Page 220



Page 221

Page 222

Page 223

Page 224



Page 225

Page 226

Page 227

Page 228



Page 229

Page 230

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

```
Nov 4 00:00:04 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:06 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.4.43 on eth1 to 255.255.255.255 port 67
Nov 4 00:00:11 mcb1 daemon.info dhclient: DHCPDISCOVER on eth1 to 255.255.255.255 port 67 interval 3
Nov 4 00:00:14 mcb1 daemon.info dhclient: No DHCPOFFERS received.
Nov 4 00:00:14 mcb1 daemon.info dhclient: Trying recorded lease 192.168.4.43
Nov 4 00:00:14 mcb1 daemon.info dhclient: bound: renewal in 2716 seconds.
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:14 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:18 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 1020ms.
Nov 4 00:00:19 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 980ms.
Nov 4 00:00:20 mcb1 daemon.info dhclient: Max retransmission duration exceeded.
Nov 4 00:00:20 mcb1 daemon.info init: Entering runlevel: 5
Nov 4 00:00:20 mcb1 user.notice vlan_scan[1549]: Lowest VLAN id : 1Highest VLAN id : 4096
Nov 4 00:00:20 mcb1 user.info vlan_scan[1549]: ICMPv6 Thread runnig started, func: icmpv6_flag_thread, LINE: 157
Nov 4 00:00:20 mcb1 user.err vlan_scan[1549]: Unable to get range from sysrepo
Nov 4 00:00:20 mcb1 user.info vlan_scan[1549]: DHCP6 thread running started, func: run_dhcp6, LINE: 170
Nov 4 00:00:20 mcb1 user.info nw_manager[1549]: VLAN: Added VLAN with VID == 36 to IF -:eth1:- devname eth1.36
Nov 4 00:00:20 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.3.38 on eth1.36 to 255.255.255.255 port 67
Nov 4 00:00:20 mcb1 daemon.info dhclient: DHCPACK of 192.168.3.38 from 192.168.3.15
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not
required.
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-server" "done" event with ID 3 priority 0 (remaining 22
subscribers).
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: Call Home client "default-client" connecting...
Nov 4 00:00:22 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:00:22 mcb1 user.info nw_manager[1020]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: Interface : eth1.36 Netmask : 255.255.255.0
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: Interface : eth1.36 O-RU port name ru-port1
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: Base interface : eth1.36 standard port : eth1 O-RU port-number : 1
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: Mplane: EVENT change CHANGES o-ran-mplane-int module name
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: VLAN: Added VLAN with VID == 36 to IF -:eth1:- devname eth1.36
Nov 4 00:00:23 mcb1 user.info nw_manager[1020]: Mplane: EVENT done CHANGES o-ran-mplane-int module name
Nov 4 00:00:23 mcb1 daemon.info dhclient[1598]: eth1.36: : IP=192.168.3.38/255.255.255.0 router=192.168.3.15 domain="vvdntech.com"
dns="192.168.4.15" lease=5519
Nov 4 00:00:23 mcb1 daemon.info dhclient: bound to 192.168.3.38 -- renewal in 2716 seconds.
```



Nov 4 00:00:23 mcb1 user.notice vlan\_scan[1549]: connection successful at sub-interface: 36

Nov 4 00:00:23 mcb1 user.err vlan\_scan[1549]: Not obtained main, trying next condition

Nov 4 00:00:23 mcb1 user.err vlan\_scan[1549]: if\_name eth1.36

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:24 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:27 mcb1 daemon.info netopeer2-server[987]: Timed out after 5s (Operation now in progress).

Nov 4 00:00:28 mcb1 daemon.info netopeer2-server[987]: Trying to connect the pending socket 27.

Nov 4 00:00:30 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator

Nov 4 00:00:30 mcb1 daemon.debug rngd: xread\_jitter requests 2500 bytes from pipe

Nov 4 00:00:30 mcb1 daemon.debug rngd: xread\_jitter gets 2500 bytes

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 2143/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 2326/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 2491/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 2642/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 2778/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 2902/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3013/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3051/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3085/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3115/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3143/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3169/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3191/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3212/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3231/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3248/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3263/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3277/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3290/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3301/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3312/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3321/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3330/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3337/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3344/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3351/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3357/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3362/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3367/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3371/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3375/4096 bits entropy

Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3378/4096 bits entropy

```
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3381/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3384/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3451/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3511/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3566/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3616/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3661/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator
Nov 4 00:00:30 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Nov 4 00:00:30 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3701/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3738/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3772/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3802/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3829/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3854/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3877/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3897/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3916/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3933/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3948/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3962/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3974/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3985/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 3996/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 4005/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 4013/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 4021/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 4028/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Added 4034/4096 bits entropy
Nov 4 00:00:30 mcb1 daemon.debug rngd: Pool full at 4096, sleeping!
Nov 4 00:00:30 mcb1 daemon.notice haveged: haveged starting up
Nov 4 00:00:30 mcb1 auth.info sshd[1686]: Server listening on 0.0.0.0 port 22.
Nov 4 00:00:30 mcb1 auth.info sshd[1686]: Server listening on :: port 22.
Nov 4 00:00:30 mcb1 daemon.info bluetoothd[1692]: Bluetooth daemon 5.50
Nov 4 00:00:30 mcb1 daemon.info bluetoothd[1692]: Starting SDP server
Nov 4 00:00:30 mcb1 daemon.info bluetoothd[1692]: Bluetooth management interface 1.14 initialized
Nov 4 00:00:30 mcb1 daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K
Nov 4 00:00:30 mcb1 daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452
Nov 4 00:00:30 mcb1 daemon.info haveged: haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 8.0007
Nov 4 00:00:30 mcb1 daemon.info haveged: haveged: fills: 0, generated: 0
Nov 4 00:00:33 mcb1 daemon.info netopeer2-server[987]: Timed out after 5s (Operation now in progress).
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
```

```
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:34 mcb1 daemon.info netopeer2-server[987]: Trying to connect the pending socket 27.
Nov 4 00:00:35 mcb1 authpriv.notice sshd[1695]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser=
rhost=192.168.3.15 user=root
Nov 4 00:00:39 mcb1 daemon.info netopeer2-server[987]: Timed out after 5s (Operation now in progress).
Nov 4 00:00:40 mcb1 daemon.info netopeer2-server[987]: Trying to connect the pending socket 27.
Nov 4 00:00:41 mcb1 authpriv.debug login[1735]: pam_unix(login:account): account root has password changed in future
Nov 4 00:00:41 mcb1 authpriv.info login[1735]: pam_unix(login:session): session opened for user root by LOGIN(uid=0)
Nov 4 00:00:41 mcb1 authpriv.notice login[1736]: ROOT LOGIN on '/dev/ttyPS0'
Nov 4 00:00:42 mcb1 authpriv.debug sshd[1695]: pam_unix(sshd:account): account root has password changed in future
Nov 4 00:00:42 mcb1 auth.info sshd[1695]: Accepted password for root from 192.168.3.15 port 58752 ssh2
Nov 4 00:00:42 mcb1 authpriv.info sshd[1695]: pam_unix(sshd:session): session opened for user root by (uid=0)
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager
Nov 4 00:00:43 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
Nov 4 00:00:43 mcb1 user.info kernel: [ 87.962674] device eth1 entered promiscuous mode
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:44 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[987]: Timed out after 5s (Operation now in progress).
Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[987]: Trying to connect the pending socket 27.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[987]: Timed out after 5s (Operation now in progress).
Nov 4 00:00:19 mcb1 daemon.err netopeer2-server[987]: Failed to connect socket 27 after 5 retries, closing.
Nov 4 00:00:20 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:22 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
```

Nov 4 00:00:22 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:22 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:23 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:24 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: SYNCE Lock state : UNLOCKED

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: PTP Lock state : UNLOCKED

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: SYNC Lock state : FREE RUN

Nov 4 00:00:24 mcb1 user.info FAULT MANAGER[1001]: sendData : Source ID: 19

Nov 4 00:00:24 mcb1 user.notice SYNCMNGR[1309]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Nov 4 00:00:24 mcb1 user.info FAULT MANAGER[1001]: sendData : Fault ID: 18

Nov 4 00:00:24 mcb1 user.info FAULT MANAGER[1001]: sendData : FAULT\_IS\_CLEARED: False

Nov 4 00:00:24 mcb1 user.info FAULT MANAGER[1001]: sendData : FAULT\_SEVERITY: 3

Nov 4 00:00:24 mcb1 user.info FAULT MANAGER[1001]: sendData : FAULT\_TIME: 2000-11-04T00:00:24Z

Nov 4 00:00:26 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:27 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:29 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:30 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:32 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:33 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:34 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:00:35 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:36 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:38 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:39 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:41 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:42 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:44 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:00:44 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).



Nov 4 00:00:45 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:50 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:51 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:53 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fw\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/nw\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/operations\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/pm\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/um\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sys\_monitor

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fault\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/file\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/supervision

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sync\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/ald\_controller

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/log\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/radio\_manager

Nov 4 00:00:54 mcb1 user.notice wd\_manager[1444]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/cli\_manager

Nov 4 00:00:54 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Accepted a connection on :::830.

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Session 82 (user "root", CID 1) created.

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: User "operator" authenticated.

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Session 83 (user "root", CID 1) created.

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:55 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-start).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 4 event new RPC.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1.36", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "36", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 4 00:00:56 mcb1 user.notice fw\_manager[1062]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 2 event new RPC.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:00:56 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 0 event new RPC.

Nov 4 00:00:57 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:00:58 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:00 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 1 for 1 subscribers.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Successful processing of "operational" event with ID 1.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Accepted a connection on :::830.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Session 91 (user "root", CID 1) created.

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-auth" of subtype "none".

Nov 4 00:01:01 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-auth" of subtype "interactive".

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 user.warn pm\_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:02 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 1 priority 1 succeeded.

Nov 4 00:01:02 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:02 mcb1 daemon.info netopeer2-server[987]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:02 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:02 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:02 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 2 event new RPC.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 2 event new RPC.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:edit-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "change" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 user.notice USERMGMT[1051]: operator450724443082658 added successfully !!

Nov 4 00:01:03 mcb1 user.notice USERMGMT[1051]: operator450724443082658 enabled !!

Nov 4 00:01:03 mcb1 user.notice USERMGMT[1051]: END OF CHANGES

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Event "change" with ID 1 priority 0 succeeded.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "done" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 user.notice USERMGMT[1051]: END OF CHANGES

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/name", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/account-type", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/password", but it is not required.



Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/enabled", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/name", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/account-type", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/password", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator450724443082658']/enabled", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 2 event new RPC.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:edit-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "done" "ietf-netconf-acm" with ID 3 priority 0 for 4 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-acm" "done" event with ID 3 priority 0 (remaining 4 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/name", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator450724443082658']", but it is not required.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 2 event new RPC.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:03 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 1 event new RPC.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get-config" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 1 event new RPC.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 1 event new RPC.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 1: thread 1 event session terminated.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Accepted a connection on :::830.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 108 (user "root", CID 1) created.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: User "operator450724443082658" authenticated.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 109 (user "root", CID 1) created.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-start).

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:01:04 mcb1 daemon.err netopeer2-server[987]: Session 1: invalid session to write to.

Nov 4 00:01:04 mcb1 daemon.err netopeer2-server[987]: Session 1: failed to write notification (error).

Nov 4 00:01:04 mcb1 daemon.err netopeer2-server[987]: Sending a notification to session 1 failed.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-end).

Nov 4 00:01:04 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 1 for 1 subscribers.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-monitoring" "operational" event with ID 2.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Successful processing of "operational" event with ID 2.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-auth" of subtype "interactive".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: User "operator" authenticated.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 114 (user "root", CID 1) created.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-start).

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Schema "ietf-yang-library" was requested.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 3: thread 0 event new RPC.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Schema "ietf-datastores" was requested.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 3: thread 0 event new RPC.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Schema "ietf-datastores" was requested.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 3: thread 0 event new RPC.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:04 mcb1 daemon.info netopeer2-server[987]: Session 3: thread 0 event new RPC.

Page 244



Page 245

Page 246

Page 247

Page 248



Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Schema "o-ran-trace" was requested.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 3: thread 3 event new RPC.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Schema "o-ran-troubleshooting" was requested.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 3: thread 3 event new RPC.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 2 priority 1 succeeded.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 2: thread 4 event new RPC.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:01:05 mcb1 daemon.err netopeer2-server[987]: Access to the data model "o-ran-sync" is denied because "operator450724443082658" NACM authorization failed.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Failed processing of "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:05 mcb1 daemon.err netopeer2-server[987]: Access to the data model "o-ran-sync" is denied because "operator450724443082658" NACM authorization failed.

Nov 4 00:01:05 mcb1 daemon.warn netopeer2-server[987]: Event "rpc" with ID 3 priority 0 failed (User callback failed).

Nov 4 00:01:05 mcb1 daemon.err netopeer2-server[987]: Failed to send an RPC (User callback failed).

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 2: thread 3 event new RPC.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 2: thread 3 event reply error.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 2: thread 4 event new RPC.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Session 2: thread 4 event session terminated.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:05 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-end).

Nov 4 00:01:05 mcb1 authpriv.debug sshd[2016]: pam\_unix(sshd:account): account operator has password changed in future

Nov 4 00:01:05 mcb1 auth.info sshd[2016]: Accepted password for operator from 192.168.3.15 port 44814 ssh2

Nov 4 00:01:05 mcb1 authpriv.info sshd[2016]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

**Expected Result : The NETCONF server replies rejecting the protocol operation with an "access-denied" error.**

=====

\*\*\*\*\* Actual Result \*\*\*\*\*

=====

=====

<b>Access Control SWM (negative case)</b>	<b>=</b>	<b>SUCCESS</b>
---	----------	----------------

=====