

@ FILE NAME: M_CTC_ID_014_.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for Garuda_RevD: v5.0.0

Test Description: This test validates that the O-RU can successfully perform a software download and software install procedure.

****** Connect to the NETCONF Server *******

> connect --ssh --host 192.168.4.46 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 63

Host : 192.168.4.46

Port: 830 Transport: SSH Capabilities:

 $urn: ietf: params: netconf: base: 1.0\ urn: ietf: params: netconf: base: 1.1\ urn: ietf: params: netconf: capability: writable-running: 1.0\ urn: ietf: pa$

 $urn: ietf: params: netconf: capability: candidate: 1.0\ urn: ietf: params: netconf: capability: rollback-on-error: 1.0\ urn: ietf: params: netconf: params:$

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: 1.0 \ urn: ietf: params: netcon$

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim, exp

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn: ietf: params: xml: ns: yang: ietf-yang-metadata? module = ietf-yang-metadata & revision = 2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module=ietf-netconf& revision=2013-09-29& features=writable-running, candidate, rollback-on-error, validate, rollback-on-error, rollback-on

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-netconf-notifications? module = ietf-netconf-notifications & revision = 2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

>subscribe

Ok

Initial Get Filter ______ > get --filter-xpath /o-ran-software-management:software-inventory _____ <?xml version="1.0" ?> <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"> <software-inventory xmlns="urn:o-ran:software-management:1.0"> <software-slot> <name>swSlot1</name> <status>VALID</status> <active>true</active> <running>true</running> <access>READ_WRITE</access> cproduct-code>STL O-RU <vendor-code>VN</vendor-code> <build-id>90f0b6c</build-id> <build-name>Beta Release</build-name> <build-version>5.0.0</build-version> <files> <name>boot</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/BOOT0001.BIN</local-path> <integrity>OK</integrity> </files> <files> <name>kernel</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/image0001.ub</local-path> <integrity>OK</integrity> </files> <files> <name>rootfs</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p2/</local-path> <integrity>OK</integrity> </files> </software-slot> <software-slot> <name>swSlot2</name> <status>VALID</status>

<active>false</active> <running>false</running>

```
<access>READ_WRITE</access>
cproduct-code>STL O-RU
<vendor-code>VN</vendor-code>
<build-id>90f0b6c</build-id>
<build-name>Beta Release</build-name>
<build-version>4.0.3</build-version>
<files>
 <name>boot</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/BOOT0002.BIN</local-path>
 <integrity>OK</integrity>
</files>
<files>
 <name>kernel</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/image0002.ub</local-path>
 <integrity>OK</integrity>
</files>
<files>
 <name>rootfs</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p3/</local-path>
 <integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
<name>swRecoverySlot</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_ONLY</access>
cproduct-code>STL=O-RU
<vendor-code>VN</vendor-code>
<build-id>factory_img</build-id>
<build-name>Beta Release</build-name>
<build-version>1.3.4</build-version>
<files>
 <name>boot</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/BOOT0003.BIN</local-path>
 <integrity>OK</integrity>
</files>
<files>
 <name>kernel</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/golden.ub</local-path>
 <integrity>OK</integrity>
```

<files> <name>rootfs</name></files>
<name>roons</name> <version>1.0.0</version>
<local-path>/media/sd-mmcblk0p1/golden.ub</local-path>
<integrity>OK</integrity>
<pre></pre>
Step 1 : TER NETCONF Client triggers <rpc><software-download></software-download></rpc>
> user-rpc
******* Replace with below xml *******
<pre><software-download xmlns="urn:o-ran:software-management:1.0"></software-download></pre>
<remote-file-path>sftp://vvdn@192.168.4.15:22/home/vvdn/Downloads/garuda_image/giru_revALL_v4.0.9.zip</remote-file-path>
<pre><password></password></pre>
<pre><password>vvdntech</password></pre>
<server></server>
<keys></keys>
<algorithm>secp256r1</algorithm>
< public-key> AAAAB3NzaC1yc2EAAAADAQABAAABAQDec3KRv/wVHKzQqs1k4hZQUGns52IZKQZmncEyR37mFGUK08FTBHSWXzu1248482000000000000000000000000000000000
sSwkO7ZeW4zeMAOGNzADveiiwJWweZRn9/Yu/zSI22+j64kfoI7/+VoeSqazHFi/Xw03eHHAxPG7w474Ut1KOO6Mwh19xVy9S8rTwokYfPp
1NhUdAIusMsF6WMSV40bTFQVMMJTqrGlNY3r9AfXaoUWhSpG0hmCoQLbYAf3wRNKydUZE0s8zoKgnszBJ28a+UvPTPz9jdX87yQ1hWhSpG0hmCoQLbYAf3w80hydyAfa6w80hydyAfa6w8
GGr9Vhx6cH1TlHF3fe5iGZdbnJoZYaA/EYJUIwOZfD9DbdgAH/14aYSUiNvo8oSqod/2iz+0tMR0.00000000000000000000000000000000000
======================================
<pre><nc:rpc-reply message-id="urn:uuid:6d388390-a47c-45e9-baad-72062ca2aae4" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"><status< pre=""></status<></nc:rpc-reply></pre>
xmlns="urn:o-ran:software-management:1.0">STARTED <notification-timeout< td=""></notification-timeout<>
xmlns="urn:o-ran:software-management:1.0">30

Step 2: O-RU NETCONF Server sends <notification><download-event> with status COMPLETED to TER NETCONF Client <?xml version="1.0" ?> <notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0"> <eventTime>2022-08-02T19:01:20Z</eventTime> <download-event xmlns="urn:o-ran:software-management:1.0"> <file-name>giru_revALL_v4.0.9.zip</file-name> <status>COMPLETED</status> </download-event> </notification> Step 3 : TER NETCONF Client triggers <rpc><software-install> Slot must have attributes active = FALSE, running = FALSE. SR NO Slot_Name **Active Running** 1 swSlot1 2 swSlot2 false false > user-rpc ****** Replace with below xml ****** <software-install xmlns="urn:o-ran:software-management:1.0"> <slot-name>swSlot2</slot-name> <file-names>/home/vvdn/Downloads/garuda_image/giru_revALL_v4.0.9.zip</file-names> </software-install> ****** RPC Reply ****** <nc:rpc-reply xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0" message-id="urn:uuid:8b5f0d03-54b2-494a-9178-1c4af900f089"><status xmlns="urn:o-ran:software-management:1.0">STARTED</status></nc:rpc-reply>

Step 4 and 5 : O-RU NETCONF Server sends <notification><install-event> with status COMPLETED to TER NETCONF Client

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
<eventTime>2022-08-02T19:01:33Z</eventTime>
<install-event xmlns="urn:o-ran:software-management:1.0">
<slot-name>swSlot2</slot-name>
<status>COMPLETED</status>
</install-event>
</notification>
```

POST GET AFTER INSTALL SW ______ > get --filter-xpath /o-ran-software-management:software-inventory _____ <?xml version="1.0" ?> <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"> <software-inventory xmlns="urn:o-ran:software-management:1.0"> <software-slot> <name>swSlot1</name> <status>VALID</status> <active>true</active> <running>true</running> <access>READ_WRITE</access> cproduct-code>STL O-RU <vendor-code>VN</vendor-code> <build-id>90f0b6c</build-id> <build-name>Beta Release</build-name> <build-version>5.0.0</build-version> <files> <name>boot</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/BOOT0001.BIN</local-path> <integrity>OK</integrity> </files> <files> <name>kernel</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/image0001.ub</local-path> <integrity>OK</integrity> </files> <files> <name>rootfs</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p2/</local-path> <integrity>OK</integrity> </files> </software-slot> <software-slot> <name>swSlot2</name>

<status>VALID</status>
<active>false</active>
<running>false</running>

```
<access>READ_WRITE</access>
cproduct-code>STL O-RU
<vendor-code>VN</vendor-code>
<build-id>90f0b6c</build-id>
<build-name>Beta Release</build-name>
<build-version>4.0.9</build-version>
<files>
 <name>boot</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/BOOT0002.BIN</local-path>
 <integrity>OK</integrity>
</files>
<files>
 <name>kernel</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/image0002.ub</local-path>
 <integrity>OK</integrity>
</files>
<files>
 <name>rootfs</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p3/</local-path>
 <integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
<name>swRecoverySlot</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_ONLY</access>
cproduct-code>STL=O-RU
<vendor-code>VN</vendor-code>
<build-id>factory_img</build-id>
<build-name>Beta Release</build-name>
<build-version>1.3.4</build-version>
<files>
 <name>boot</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/BOOT0003.BIN</local-path>
 <integrity>OK</integrity>
</files>
<files>
 <name>kernel</name>
 <version>1.0.0</version>
 <local-path>/media/sd-mmcblk0p1/golden.ub</local-path>
 <integrity>OK</integrity>
```

```
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcblk0p1/golden.ub</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
</software-inventory>
</data>
```

- Aug 2 19:01:05 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:05 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:06 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:06 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:07 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:07 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:08 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:08 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:09 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 19:01:09 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:09 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:10 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:10 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:11 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:11 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:12 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:12 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:13 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:13 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Accepted a connection on :::830.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Session 2091 (user "root", CID 1) created.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-auth" of subtype "password".
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: User "operator" authenticated.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-channel-open" of subtype "session".
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-channel" of subtype "subsystem".
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Session 2092 (user "root", CID 1) created.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Generated new event (netconf-session-start).
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/notifications:create-subscription" with ID 13 priority 0 for 1 subscribers.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Processing "/notifications:create-subscription" "rpc" event with ID 13 priority 0 (remaining 1 subscribers).
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 13 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 13 priority 0 succeeded.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Session 63: thread 0 event new RPC.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 793 priority 0 for 1 subscribers.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 793 priority 0 (remaining 1 subscribers).
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 20.
- Aug 2 19:01:14 garuda user.notice fw_manager[914]: RPC #20 recieved. xpath -> /o-ran-software-management:software-inventory
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/pm_manager", but it is not required.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 1.
- Aug 2 19:01:14 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/file_manager", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 2.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 20 succeeded.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 793 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 793 priority 0 succeeded.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Session 63: thread 2 event new RPC.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/o-ran-software-management:software-download" with ID 2 priority 0 for 1 subscribers.
- Aug 2 19:01:15 garuda user.notice fw_manager[914]: RPC #2 recieved. xpath -> /o-ran-software-management:software-download
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 2 priority 0 succeeded.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Session 63: thread 3 event new RPC.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 3.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/sys_monitor", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 4.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/nw_manager", but it is not required.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 5.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:15 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/fault_manager", but it is not required.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 6.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/radio_manager", but it is not required.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 7.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/um_manager", but it is not required.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 8.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:16 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/fw_manager", but it is not required.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 9.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli_giru-wdm:system-apps/sync_manager", but it is not required.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 10.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:17 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:18 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:18 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:19 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:19 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:20 garuda user.notice fw_manager[914]: Function isDownloadCompleted setting error code 0
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-software-management" event with ID 1.
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: Must condition "/software-inventory/software-slot[name = current()][active = 'false' and running = 'false']" not satisfied, but it is not required.
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 21.
- Aug 2 19:01:20 garuda user.notice fw_manager[914]: RPC #21 recieved. xpath -> /o-ran-software-management:software-inventory
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:20 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 21 succeeded.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/o-ran-software-management:software-install" with ID 2 priority 0 for 1 subscribers.
- Aug 2 19:01:21 garuda user.notice fw_manager[914]: RPC #2 recieved. xpath -> /o-ran-software-management:software-install
- Aug 2 19:01:21 garuda user.notice fw_manager[914]: swSlot2 selected
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 2 priority 0 succeeded.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Session 63: thread 3 event new RPC.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:21 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:22 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:22 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:23 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 19:01:23 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:23 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:24 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:24 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:25 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:25 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:26 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:27 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:28 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:28 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:29 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:29 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:30 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:30 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:31 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:31 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:32 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:32 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:33 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:33 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:33 garuda user.notice fw_manager[914]: RPC #22 recieved. xpath -> /o-ran-software-management:software-inventory
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref "/software-inventory/software-slot/name" with the value "swSlot2", but it is not required.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-software-management" event with ID 2.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 794 priority 0 for 1 subscribers.
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 794 priority 0 (remaining 1 subscribers).
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 23.
- Aug 2 19:01:34 garuda user.notice fw_manager[914]: RPC #23 recieved. xpath -> /o-ran-software-management:software-inventory
- Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 23 succeeded.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 794 priority 0 (remaining 0 subscribers).

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 794 priority 0 succeeded.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Session 63: thread 0 event new RPC.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Session 63: thread 4 event new RPC.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Session 63: thread 4 event session terminated.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: There are no subscribers for "ietf-netconf-notifications" notifications.

Aug 2 19:01:34 garuda daemon.info netopeer2-server[846]: Generated new event (netconf-session-end).

Aug 2 19:01:35 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:35 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:36 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:36 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:37 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:37 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:37 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane

Aug 2 19:01:38 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:38 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:39 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:39 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:40 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:40 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:41 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:41 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:42 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:42 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:43 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:43 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:44 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 19:01:44 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 19:01:44 garuda auth.info sshd[25032]: Accepted password for operator from 192.168.4.15 port 59890 ssh2

M PLANE CONFORMANCE

Aug 2 19:01:44 garuda authpriv.info sshd[25032]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The O-RU NETCONF Server sends	
<notification><install-event><status> to the TER NETCONF Client. Field <status></status></status></install-event></notification>	
contains the value COMPLETED to indicate the successful installation of software to the	
desired slot.	
******** Actual Result ************************************	
_======================================	
O-RU Software Update and Install = SUCCESS	