

**3Btg2**—26 to 31 in; dark grayish brown (10YR 4/2) crushed, silty clay; common coarse prominent dark yellowish brown (10YR 4/6) moist irregular mottles throughout; moderate medium prismatic structure parting to moderate coarse subangular blocky; extremely hard, very firm; common very fine and fine roots throughout; common very fine moderate continuity tubular pores; common distinct continuous very dark grayish brown (10YR 3/2), moist, clay films on vertical and horizontal faces of peds; strongly acid; clear wavy boundary. (0 to 15 in thick)

**3Btg3**—31 to 35 in; grayish brown (10YR 5/2) crushed, silty clay; common fine prominent dark yellowish brown (10YR 4/6) moist irregular mottles throughout; moderate medium subangular blocky structure; very hard, friable; common very fine and fine roots throughout; common very fine moderate continuity tubular pores; few faint continuous dark grayish brown (10YR 4/2), moist, clay films on vertical and horizontal faces of peds; common medium rounded very dark grayish brown (10YR 3/2) soft clay bodies pedogenic throughout and few medium rounded white (10YR 8/1) soft nests of gypsum pedogenic throughout; strongly acid; clear wavy boundary. (0 to 10 in thick)

**3Btg4**—35 to 42 in; grayish brown (10YR 5/2) crushed, silty clay loam; common fine prominent dark yellowish brown (10YR 4/6) moist irregular mottles throughout and common fine prominent yellowish brown (10YR 5/8) moist irregular mottles throughout; weak coarse prismatic structure parting to moderate medium subangular blocky; very hard, friable; common very fine and fine roots throughout; common very fine and fine moderate continuity tubular pores; few faint discontinuous dark grayish brown (10YR 4/2), moist, clay films on vertical faces of peds and few distinct continuous very dark grayish brown (10YR 3/2) moist, silt coats in root channels and/or pores; few medium rounded white (10YR 8/1) soft nests of gypsum pedogenic throughout; strongly acid; gradual wavy boundary. (0 to 10 in thick)

**3Btg5/E**—42 to 54 in; dark grayish brown (10YR 4/2) exterior, silty clay loam; common fine prominent dark yellowish brown (10YR 4/6) moist irregular mottles throughout; moderate coarse prismatic structure parting to moderate medium subangular blocky; hard, friable; common very and fine roots throughout; many very fine and fine moderate continuity tubular pores; few faint discontinuous dark grayish brown (10YR 4/2) moist clay films on vertical faces of peds and few distinct continuous very dark grayish brown (10YR 3/2) moist, silt coats in root channels and/or pores; strongly acid; gradual wavy boundary. (0 to 15 in thick)

**3Btg6/E**—54 to 69 in; light brownish gray (10YR 6/2) exterior, silty clay loam; common coarse prominent dark yellowish brown (10YR 4/6) moist irregular mottles throughout and common coarse prominent dark reddish brown (5YR 3/4) moist irregular mottles throughout; moderate coarse prismatic structure parting to weak coarse subangular blocky; slightly hard, very friable; common very fine and fine roots throughout; many very fine and fine moderate continuity tubular pores; few faint continuous grayish brown (10YR 5/2), moist, clay films on vertical faces of peds and few distinct continuous dark grayish brown (10YR 4/2) moist silt coats in root channels and/or pores; common fine rounded black (N 2/0) soft iron/manganese concretions pedogenic throughout; strongly acid; gradual wavy boundary. (0 to 20 in thick)

**3Btg7/E**—69 to 86 in; light brownish gray (10YR 6/2) exterior, silty clay loam; common coarse prominent dark yellowish brown (10YR 4/6) moist irregular mottles throughout and common fine prominent dark brown (7.5YR 3/4) moist irregular mottles throughout; weak coarse prismatic structure; slightly hard, very friable; few very fine roots throughout; common very fine and fine moderate continuity tubular pores; few faint discontinuous dark grayish brown (10YR 4/2), moist, clay films on vertical faces of peds and few distinct continuous grayish brown (10YR 5/2) moist, silt coats in root channels and/or pores; common fine rounded black (N 2/0) soft iron/manganese concretions pedogenic throughout and few medium irregular brown (10YR 5/3) soft clay bodies pedogenic in cracks; very strongly acid; clear smooth boundary. (0 to 20 in thick)

**3Btg8/E**—86 to 97 in; 80% light brownish gray (2.5Y 6/2) exterior, and 15% yellowish brown (10YR 5/8), exterior, and 5% strong brown (7.5 YR 4/6), exterior, silty clay loam; moderate coarse prismatic structure parting to weak coarse