PROB 3.24 PG 1cf 5
BUDTNAS 2NO

PROBLEM 3.24 DETERMINE THE DEFLECTION EQUATIONS FOR THE BEAM SHOWN USING (a) SCHERASITION AND (b) SINGULARITY FUNCTIONS.

GIHEN:

1. BEAM OF LENGTH L

Z. BOTH ENDS OF THE BEAM ARE SIMPLY SUPPORTED

3. DISTRIBUTED LOAD APPLIED TO THE BEAM FROM a DISTANCE "a" FROM
THE END TO "b"

ASSCMPTIONS:

1. Small DEPLECTIONS


2. RESPONSE IS LINEARLY ELASTIC

FIND:

1. DEFLECTION USING SUPERPOSETEEN.

2. DEPLECTIONS USING SINGUARDITY FUNCTIONS.

FIGURE:



HOMEWORK SOLUTION MER311: ADVANCED STREWGTH OF MILS

PROB 3.24 PG ZOF 5 BUDYNAS ZND

(2)

SOCUTION.

SOLVING FOR THE REACTIONS AT A 440 D USING (

$$\sum F_x = 0 = A_x + D_x + \omega(b-a) \implies \underbrace{A_x + D_x = -\omega(b-a)}_{\text{SM}} \qquad (1)$$

$$\sum M_{ze_A} = 0 = -\left(\frac{a+b}{2}\right)(\omega)(b-a) - D_x \cdot L$$

$$\Rightarrow D_{x} = -\frac{\omega}{2L} \cdot (b+a)(b-a) = -\frac{\omega}{2L} (b^{2}-a^{2})$$


FROM (1)

$$A_{x} = -\omega(b-a) - D_{x} = -\omega(b-a) + \frac{\omega}{2L}(a+b)(b-a)$$

$$= -\frac{2\cdot L\cdot \omega}{2L}(b-a) + \frac{\omega}{2L}(a+b)(b-a) = \frac{\omega}{2L}(b-a)\cdot (a+b-2L)$$

$$= \frac{\omega}{2L}(a\cdot b-b^{2}-2Lb-a^{2}-ab+2La) = \frac{\omega}{2L}(b^{2}-2\cdot L\cdot b-a^{2}+2La).$$
(3)

THE SUPERPOSITION SOLUTION USES THE BEAM IN APPEDIX C.IC. THE USE OF C.10 IS ILLUSTRATED BEZOOL



HOMEWORK SCLUTION
MER 311: ADVANCED STRENGTH OF MATERIAL

PREB 3.24 PG 3 CF 5
BUDTANS ZMD

@ IS SCHTHAGED FROM @. STARTING WITH THE REDICTIONS AT A

$$R_{A} = R_{A}^{(a)} - R_{A}^{(a)} = \frac{\omega \cdot \alpha}{2 \cdot L} (a \cdot L - \alpha) - \frac{\omega b}{2 \cdot L} (z \cdot L - b)$$

$$= \frac{\omega}{2L} \left[z \cdot \alpha \cdot L - \alpha^{2} - z \cdot b \cdot L + b^{2} \right]$$

$$R_0 = R_0^{(2)} - R_0^{(2)} = \frac{\omega \cdot a^2}{2L} - \frac{\omega \cdot b^2}{2L} = \frac{\omega}{2L} (a^2 - b^2) = \frac{\omega}{2L} (b^2 - a^2)$$
 (8)

EQUATIONS (2) AND (8) DETERMINED THROUGH SUPERPOSETION MATCH
EQUATIONS (3) AND (2) THAT WERE ARRIVED AT THROUGH THE EQUATIONS
OF EQUILIBRIUM.

THE DEFLECTION IN THE THREE REGIONS OF THE BEAM (A-B, B-C,C-D) CAN ALSO BE FOUND THROUGH THE SUPERPOSITION OF THE BEAM SOCCITIONS FLUND IN @ &@

$$U_{AB} = U_{Ac}^{(2)} + U_{AB}^{(2)} = \frac{W \cdot Y}{24 \, \text{EIL}} \left[2b \, Y^2 \left(2L - b \right) - L \, y^2 - b^2 \left(2L - b \right)^2 \right] \\ - \frac{W \cdot Y}{24 \, \text{EIL}} \left[2a \, Y^2 \left(2L - a \right) - L \, y^3 - a^2 \left(2L - a \right)^2 \right]$$

$$= \frac{(\omega \cdot y)}{24 \cdot E \cdot 1} \left[2 \cdot y^{2} (2b \cdot b^{2}) - L y^{3} - b^{2} (2L - b)^{2} - 2y^{2} (2a \cdot b^{2}) + L y^{3} + a^{2} (2L - a)^{2} \right]$$

$$= \frac{(\omega \cdot y)}{24 \cdot E \cdot 1} \left[2y^{2} (2L(b - a) - b^{2} + a^{2} - b^{2} (2L - b)^{2} + a^{2} (2L - a)^{2} \right]$$
(9)

$$U_{BC} = U_{AC}^{(4)} + U_{RD}^{(2)}$$

$$= \frac{\omega Y}{24EIL} \left[2bY^{2}(2L-b) - LY^{3} - b^{2}(2L-b)^{2} \right] + (\chi_{c})_{AB} + \frac{\omega}{24EI} (Y-a)^{4}$$

$$(\chi_{c})_{AB} = -\frac{\omega \cdot a}{24EIL} \cdot \left[2a^{3}(2L-a) - La^{3} - a^{2}(2L-a)^{2} \right]$$

$$= -\frac{\omega a}{24EIL} \cdot \left[4a^{3}L - 2a^{4} - La^{3} - a^{2}(4L^{2} - 4La + a^{2}) \right]$$

$$= -\frac{\omega a}{24EIL} \left[4a^{3}L - 2a^{4} - La^{3} - 4a^{2}L^{2} + 4a^{3}L - a^{4} \right]$$

$$= -\frac{\omega a}{24EIL} \left[-3a^{4} + 7a^{3}L - 4a^{2}L^{2} \right]$$

HOMEWORLS SCLUTTEN MERSIN: ADVANCED STRENGTH OF MATERIALS PRES 3.24 PG 4 OFS BODYNAS, 200

$$U_{bc} = \frac{\omega \gamma}{24 \text{ EV}} \left[2 \cdot b \cdot \gamma^2 (2L - b) - L \gamma^3 - b^2 (2L - b)^2 \right] + \frac{\omega \alpha}{24 \text{ EV}} \left[-3\alpha^4 + 7\alpha^3 L - 4\alpha^2 C^3 \right]$$

$$+ \frac{\omega}{24 \text{ EV}} \left[(\gamma - \alpha)^4 \right]$$

$$= \frac{\omega}{24 \text{ EV}} \left[(2b\gamma^3 (2L - b) - L \gamma^4 - b^2 \gamma (2L - b)^2 + 3\alpha^5 - 7\alpha^4 L + 4\alpha^3 L^2 + L(\gamma - \alpha)^4 \right]$$
(19)

$$U_{CD} = (U_{CD}^{(3)}) + (U_{BD}^{(2)}) = (X_c)_{AC} - \frac{\omega}{24EI} (Y_{-}b)^4 + (X_c)_{AB} + \frac{\omega}{24EI} (Y_{-}a)^4$$

$$(X_c)_{AC} = \frac{\omega^{c}.b}{24EIL} \left[2b^4 (2L_{-}b) - Lb^3 - b^2 (2L_{-}b)^2 \right]$$

$$(X_c)_{AB} = -\frac{\omega^{c}.b}{24EIL} \left[2a^4 (2L_{-}a) - La^3 - a^2 (2L_{-}a)^2 \right]$$


$$U_{CD} = \frac{\omega^{c}.b}{24EIL} \left[2b^4 (2L_{-}b) - Lb^3 - b^2 (2L_{-}b)^2 \right] - \frac{\omega^{c}}{24EI} (Y_{-}b)^4$$

$$-\frac{\omega^{c}.b}{24EIL} \left[2a^4 (2L_{-}a) - La^3 - a^2 (2L_{-}a)^2 \right] + \frac{\omega^{c}.b}{24EI} (Y_{-}a)^4$$

$$-\frac{\omega^{c}.b}{24EIL} \left[2a^4 (2L_{-}a) - La^3 - a^2 (2L_{-}a)^2 \right] + \frac{\omega^{c}.b}{24EI} (Y_{-}a)^4$$

$$= \frac{\omega}{24 \text{EIL}} \left[2b^4 (2L-b) - Lb^3 - b^2 (2L-b)^2 - L \cdot (y-b)^4 - 2a^4 (2L-a) + La^3 + a^2 (2L-a)^2 + L \cdot (y-a)^4 \right]$$
(11)

NOW SCLAING FOR THE DEFLECTION USING SINGLUARITY PLACTICALS



HOMEWORLZ SOCITIONS MER311: ADDANCED STRENGTH OF MATERIALS PROB 3.24 PG SOFS BUDYNAS, 2MD

$$9 = -\frac{\omega}{2!}(b^2 - 2Lb - a^2 + 2La)(4y - 0)(1 + \omega (4y - a)^2 - \omega (4y - b)^2 - \frac{\omega}{2!}(b^2 - a^2)(4y - L)(1)$$

THE CONSTANTS IN (12) ARE DETERMINED FROM THE BOUNDARY CONDITIONS (L(O)=O AND U(L)=O

$$\begin{split} &U(c) = O = C_{2} \\ &(U(L) = O = -\frac{\omega}{12ET} (b^{2} - 2Lb - a^{2} + 2La) l^{3} + \frac{\omega}{24ET} (l-a)^{4} - \frac{\omega}{24ET} (l-b)^{4} + 4L \\ &\Rightarrow C_{1} = \frac{\omega}{24ET} [(b^{2} - 2Lb - a^{2} + 2La) l^{3} - (L-a)^{4} + (L-b)^{4} \\ &U = -\frac{\omega}{12ET} (b^{2} - 2Lb - a^{2} - 2La) (4 - a)^{3} + \frac{\omega}{24ET} (4 - a)^{4} - \frac{\omega}{24ET} (4 - b)^{4} \\ &- \frac{\omega}{12ET} (b^{2} - a^{2}) (4 - a)^{3} + \frac{\omega}{24ET} [(b^{2} - 2Lb - a^{2} + 2La) l^{3} - (L-a)^{4} + (Lb)^{4}] \end{split}$$