



POWER ELECTRONICS

Polígono Pla de Carrasses B. CV-35, salida 30
46160 Llíria - Spain
Tel. 902402070 / +34 96 136 65 57

Company / customer	NEXTERA YELLOW PINE		
Project description	MV INVERTER		
Document designation	ESQ_FS3430MU000043_000		
Project name	HEM		
Reference Project			
Manufacturer	POWER ELECTRONICS	Power supply	34500 VAC
		Control voltage	24 VCC
Product	V1500 MV (HEM)	Part feature	
Type	HEM	Date	2021
Installation site	USA	Responsible for project	CIRANZO
Created on	18/11/2021	Creator	SSOLER
Modification date	09/12/2021	Number of pages	206

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Cover sheet	=		1
LAST CHANGED	18/11/2021	ssoler							++	+	
PLOT DATE	09/12/2021	FILE NAME				EQUIPMENT No.	HEM_FS3430MU000043		<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000			MANUF. REF.		DRAWING NUMBER HEM		SHEET -->		2

Colour code

Power supply	Black
Protective ground conductor	Green/Yellow
AC Control voltage	Red
DC Control voltage	Blue
External power voltage	Orange
Continuous presence of voltage	Orange

Colour abbreviations

	IEC 60757
Black	BK
Brown	BN
Red	RD
Orange	OG
Yellow	YE
Green	GN
Blue	BU
Violet	VT
Gray	GY
White	WH
Pink	PK
Turquoise	TQ
Green/Yellow	GNYE

Remarks

NC = No Wiring

Normalization

Wiring IEC 60332-1 IEC 60204-1
Symbol EN 81346-2


Symbol



Electrostatic
discharge



Electric
shock risk



Info

Table of contents

Page	Page description	Modification date	Creator	X
/1	Cover sheet	09/12/2021	SSOLER	
/2	Info	09/12/2021	SSOLER	
/3	Table of contents	09/12/2021	SSOLER	
/4	Table of contents	09/12/2021	SSOLER	
/5	Table of contents	09/12/2021	SSOLER	
/6	Table of contents	09/12/2021	SSOLER	
/7	Table of contents	09/12/2021	SSOLER	
/8	Table of contents	09/12/2021	SSOLER	
/9	Table of contents	09/12/2021	SSOLER	
/10	Table of contents	09/12/2021	SSOLER	
&MAT(MATERIAL)/1000	Parts list : LAP.4150801 - LAP.4160902	09/12/2021	SSOLER	
&MAT(MATERIAL)/1001	Parts list : XBC.TE-16.00-L - KK6040	09/12/2021	SSOLER	
++GD/54	Track changes	09/12/2021	SSOLER	
++GD/100	General layout	09/12/2021	SSOLER	
++GD/101	RS-485 Communications	09/12/2021	SSOLER	
++GD/102	EARTH LAYOUT	09/12/2021	SSOLER	
++GD/150	Connectors layout	09/12/2021	SSOLER	
++GD/151	CONNECTOR LAYOUT (I)	09/12/2021	SSOLER	
++GD/200	Single line diagram	09/12/2021	SSOLER	
++GD/202	PCB's layout	09/12/2021	SSOLER	
++ACC1/400	AC Base panel	09/12/2021	SSOLER	
++ACC1/401	Module AC door	09/12/2021	SSOLER	
++ACC1/402	AC panel connector support (I)	09/12/2021	SSOLER	
++ACC1/403	Bracket connectors AC panel (II)	09/12/2021	SSOLER	
++ACC1/500	CONNECTORS DESCRIPTION (I)	09/12/2021	SSOLER	
++ACC1/501	CONNECTORS DESCRIPTION (II)	09/12/2021	SSOLER	
++ACC1/502	CONNECTORS DESCRIPTION (III)	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++ACC1/504	DESCRIPTION CONNECTORS PUSH IN	09/12/2021	SSOLER	
++ACC1/505	M12 CONNECTORS DESCRIPTION RS485 COMUNICATIONS	09/12/2021	SSOLER	
++ACC1/506	M12 CONNECTORS DESCRIPTION RS485 COMMUNICATIONS	09/12/2021	SSOLER	
++ACC1/600	DESCRIPTION TERMINALS PUSH IN (1)	09/12/2021	SSOLER	
++ACC1/601	DESCRIPTION TERMINALS PUSH IN (2)	09/12/2021	SSOLER	
++ACC1/602	DESCRIPTION TERMINALS PUSH IN (3)	09/12/2021	SSOLER	
++ACC1/1000	Interconnection	09/12/2021	SSOLER	
++ACC1/1001	Interconnection	09/12/2021	SSOLER	
++ACC1/1002	Interconnection	09/12/2021	SSOLER	
++ACC1/1003	Interconnection	09/12/2021	SSOLER	
++ACC1/1004	Interconnection	09/12/2021	SSOLER	
++ACC1/1005	Interconnection	09/12/2021	SSOLER	
++ACC1/1007	Interconnection	09/12/2021	SSOLER	
++ACC1/1008	400Vac distribution	09/12/2021	SSOLER	
++ACC1/1009	Main LC	09/12/2021	SSOLER	
++ACC1/1010	AC Busbar	09/12/2021	SSOLER	
++ACC1/1012	AC Busbar	09/12/2021	SSOLER	
++ACC1/1013	DC Busbar	09/12/2021	SSOLER	
++ACC1/1014	Auxiliary transformer	09/12/2021	SSOLER	
++ACC1/1021	Distribution 230Vac to AC module	09/12/2021	SSOLER	
++ACC1/1022	Impulsion Fan	09/12/2021	SSOLER	
++ACC1/1023	BT extraction fan	09/12/2021	SSOLER	
++ACC1/1024	BT extraction fan	09/12/2021	SSOLER	
++ACC1/1025	Distribution 230VAC to fans	09/12/2021	SSOLER	
++ACC1/1027	Fan to central LC	09/12/2021	SSOLER	
++ACC1/1029	Fan to auxiliary transformer	09/12/2021	SSOLER	
++ACC1/1030	Distribution 24Vdc	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++ACC1/1032	Emergency + LOTO	09/12/2021	SSOLER	
++ACC1/1040	RS485 Communications	09/12/2021	SSOLER	
++ACC1/1041	ETHERNET Communications	09/12/2021	SSOLER	
++ACC1/1043	Optical Fiber Communications	09/12/2021	SSOLER	
++ACC1/1044	Door lighting	09/12/2021	SSOLER	
++ACC1/1045	LC activation	09/12/2021	SSOLER	
++ACC1/1050	Layout main P2G	09/12/2021	SSOLER	
++ACC1/1051	Main Control (DISPLAY)	09/12/2021	SSOLER	
++ACC1/1052	Main Control (INPUTS)	09/12/2021	SSOLER	
++ACC1/1053	Inputs	09/12/2021	SSOLER	
++ACC1/1054	Main Control (OUTPUTS)	09/12/2021	SSOLER	
++ACC1/1055	Outputs	09/12/2021	SSOLER	
++ACC1/1056	Main Control (MEASURE)	09/12/2021	SSOLER	
++ACC1/1057	Measure	09/12/2021	SSOLER	
++ACC1/1059	MV Measure current	09/12/2021	SSOLER	
++ACC1&MAT(MATERIAL)/1000	Parts list : NET.WF2904E - WEI.1479940000	09/12/2021	SSOLER	
++ACC1&MAT(MATERIAL)/1001	Parts list : WEI.1123490000 - XBC.TD-10-10	09/12/2021	SSOLER	
++ACC1&MAT(MATERIAL)/1002	Parts list : XBC.TE-10.00 - WEI.1873580000	09/12/2021	SSOLER	
++ACC1&MAT(MATERIAL)/1003	Parts list : PEE.M202G01152AB - TEC.350779-1	09/12/2021	SSOLER	
++ACC1&MAT(MATERIAL)/1004	Parts list : TEC.350536-1 - TE.2-2834068	09/12/2021	SSOLER	
++ACC1&CAB(CABLES)/4000	Cable overview : ===++ACC1+-W60 - ===++ACC1+-WUSB_1	09/12/2021	SSOLER	
++ACC1&BOR(BORNEROS)/2000	Terminal-strip overview : ===++ACC1+-X0 - ===++ACC1+-XAUX	09/12/2021	SSOLER	
++CU/400	User box layout	09/12/2021	SSOLER	
++CU/401	Layout cajón de usuario comunicaciones	09/12/2021	SSOLER	
++CU/600	DESCRIPCIÓN BORNEROS PUSH IN	09/12/2021	SSOLER	
++CU/601	DESCRIPCIÓN BORNEROS PUSH IN (2)	09/12/2021	SSOLER	
++CU/622	DESCRIPCIÓN BORNEROS PUSH IN (3)	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++CU/623	DESCRIPCIÓN BORNEROS PUSH IN (4)	09/12/2021	SSOLER	
++CU/1000	Distribution 480VAC user box	09/12/2021	SSOLER	
++CU/1001	Distribution 480VAC user box	09/12/2021	SSOLER	
++CU/1002	Trackers protections 1	09/12/2021	SSOLER	
++CU/1004	Distribution 208VAC user box	09/12/2021	SSOLER	
++CU/1005	Distribution 208VAC user box	09/12/2021	SSOLER	
++CU/1006	General protections	09/12/2021	SSOLER	
++CU/1027	Ethernet communications and external fault	09/12/2021	SSOLER	
++CU/1100	protection ECON MODE customer	09/12/2021	SSOLER	
++CU/1100	protection ECON MODE customer	09/12/2021	SSOLER	
++CU&MAT(MATERIAL)/1000	Parts list : welding - WEI.1991920000	09/12/2021	SSOLER	
++CU&BOR(BORNEROS)/2000	Terminal-strip overview : ===++CU+-X40 - ===++CU+-X51	09/12/2021	SSOLER	
++MV-DCDC/100	Line diagram MV protection switchgear	09/12/2021	SSOLER	
++MV-DCDC/110	LINE DIAGRAM DCDC	09/12/2021	SSOLER	
++MV-DCDC/400	Layout MV-DCDC	09/12/2021	SSOLER	
++MV-DCDC/402	MODEL VIEW	09/12/2021	SSOLER	
++MV-DCDC/500	CONNECTORS DESCRIPTION))	09/12/2021	SSOLER	
++MV-DCDC/501	CONNECTORS DESCRIPTION))	09/12/2021	SSOLER	
++MV-DCDC/502	CONNECTORS DESCRIPTION))	09/12/2021	SSOLER	
++MV-DCDC/503	CONNECTORS DESCRIPTION))	09/12/2021	SSOLER	
++MV-DCDC/504	DESCRIPTION PUSH IN CONNECTORS (1)	09/12/2021	SSOLER	
++MV-DCDC/505	DESCRIPTION PUSH IN CONNECTORS (2)	09/12/2021	SSOLER	
++MV-DCDC/506	DESCRIPTION PUSH IN CONNECTORS (3)	09/12/2021	SSOLER	
++MV-DCDC/600	DESCRIPTION PUSH IN TERMINALS (1)	09/12/2021	SSOLER	
++MV-DCDC/601	DESCRIPTION PUSH IN TERMINALS (2)	09/12/2021	SSOLER	
++MV-DCDC/602	DESCRIPTION PUSH IN TERMINALS (3)	09/12/2021	SSOLER	
++MV-DCDC/603	DESCRIPTION PUSH IN TERMINALS (4)	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++MV-DCDC/1000	INTERCONNECTION	09/12/2021	SSOLER	
++MV-DCDC/1001	MV Input	09/12/2021	SSOLER	
++MV-DCDC/1003	MV PROTECTION SWITCHGEAR	09/12/2021	SSOLER	
++MV-DCDC/1004	MEASURES MV PROTECTION SWITCHGEAR	09/12/2021	SSOLER	
++MV-DCDC/1006	PROTECTION RELAY	09/12/2021	SSOLER	
++MV-DCDC/1008	LOTO MV	09/12/2021	SSOLER	
++MV-DCDC/1009	MV TRANSFORMER	09/12/2021	SSOLER	
++MV-DCDC/1010	MV EXTRACTION FAN	09/12/2021	SSOLER	
++MV-DCDC/1011	MV EXTRACTION FAN (1)	09/12/2021	SSOLER	
++MV-DCDC/1012	MV EXTRACTION FAN (2)	09/12/2021	SSOLER	
++MV-DCDC/1014	EXTRACTION FAN ACTIVATION	09/12/2021	SSOLER	
++MV-DCDC/1015	MV SSAA TRANSFORMER	09/12/2021	SSOLER	
++MV-DCDC/1020	MV MEASURE VOLTAGE	09/12/2021	SSOLER	
++MV-DCDC/1070	MV Board	09/12/2021	SSOLER	
++MV-DCDC/1200	INTERCONNECTION	09/12/2021	SSOLER	
++MV-DCDC/1201	INTERCONNECTION (1)	09/12/2021	SSOLER	
++MV-DCDC/1203	PROTECTION AND DISTRIBUTION 24VDC	09/12/2021	SSOLER	
++MV-DCDC/1204	PROTECTION AND DISTRIBUTION 24VDC	09/12/2021	SSOLER	
++MV-DCDC/1205	PCB DC/DC	09/12/2021	SSOLER	
++MV-DCDC/1206	POWER S. SELECTOR PCB	09/12/2021	SSOLER	
++MV-DCDC/1207	MAIN POWER SUPPLY	09/12/2021	SSOLER	
++MV-DCDC/1208	DCDC VENTILATION	09/12/2021	SSOLER	
++MV-DCDC&MAT(MATERIAL)/1000	Parts list : ORM.L6422E - WEI.1852360000	09/12/2021	SSOLER	
++MV-DCDC&MAT(MATERIAL)/1001	Parts list : TEC.1-66360-2 - TEC.1-66360-2	09/12/2021	SSOLER	
++MV-DCDC&MAT(MATERIAL)/1002	Parts list : TEC.211401-1 - CEP.355563	09/12/2021	SSOLER	
++MV-DCDC&CAB(CABLES)/4000	Cable overview : ===++MV-DCDC+-W17 - ===++MV-DCDC+-WFOMT	09/12/2021	SSOLER	
++MV-DCDC&BOR(BORNEROS)/2000	Terminal-strip overview : ===++MV-DCDC+-A01-XBP - ===++MV-DCDC+-X35	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++DU/430	DU LAYOUT	09/12/2021	SSOLER	
++DU/432	Door connectors	09/12/2021	SSOLER	
++DU/433	Bus panel-Door	09/12/2021	SSOLER	
++DU/500	CONNECTORS DESCRIPTION (II)	09/12/2021	SSOLER	
++DU/600	DESCRIPTION PUSH IN TERMINALS (1)	09/12/2021	SSOLER	
++DU/601	DESCRIPTION PUSH IN TERMINALS (2)	09/12/2021	SSOLER	
++DU/1600	DU Interconnection	09/12/2021	SSOLER	
++DU/1611	DC Input 1 (+)	09/12/2021	SSOLER	
++DU/1612	DC Input 2 (+)	09/12/2021	SSOLER	
++DU/1613	DC Input 3 (+)	09/12/2021	SSOLER	
++DU/1614	DC Input 4 (+)	09/12/2021	SSOLER	
++DU/1615	DC Input 5 (+)	09/12/2021	SSOLER	
++DU/1616	DC Input 6 (+)	09/12/2021	SSOLER	
++DU/1617	DC Input (-)	09/12/2021	SSOLER	
++DU/1620	DC circuit breaker power	09/12/2021	SSOLER	
++DU/1621	DC circuit breaker power	09/12/2021	SSOLER	
++DU/1701	CONTROL 230VAC	09/12/2021	SSOLER	
++DU/1705	24VDC DISTRIBUTION	09/12/2021	SSOLER	
++DU/1706	DC circuit breaker maneuver sequence	09/12/2021	SSOLER	
++DU/1710	Switch-disconnector DC 1	09/12/2021	SSOLER	
++DU/1711	Switch-disconnector DC 2	09/12/2021	SSOLER	
++DU/1740	VOLTAGE MEASUREMENT IN BUSBAR DC BRACKET	09/12/2021	SSOLER	
++DU/1742	COMMUNICATION RS485 CHANNEL 2	09/12/2021	SSOLER	
++DU/1747	OUTPUT VOLTAGE MEASURE TO BUSBAR DC (E501)	09/12/2021	SSOLER	
++DU/1748	LAYOUT MAIN BOARD (E20)	09/12/2021	SSOLER	
++DU/1749	DU Control (INPUTS)	09/12/2021	SSOLER	
++DU/1750	DU Control (OUTPUTS)	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++DU/1751	DU Control (MEASURES and COMMUNICATION)	09/12/2021	SSOLER	
++DU/1760	LAYOUT MEASURES VOLTAGE BOARD (E10,E11)	09/12/2021	SSOLER	
++DU/1761	LAYOUT MEASURES VOLTAGE BOARD TO BUSBAR DC (E501)	09/12/2021	SSOLER	
++DU/1762	LAYOUT MEASURES VOLTAGE BOARD TO BUSBAR DC (E501)	09/12/2021	SSOLER	
++DU/1763	LAYOUT MEASURES CURRENT BOARD	09/12/2021	SSOLER	
++DU/1764	LAYOUT MEASURES CURRENT BOARD	09/12/2021	SSOLER	
++DU/1765	LAYOUT MEASURES CURRENT BOARD	09/12/2021	SSOLER	
++DU/1766	LAYOUT MEASURES CURRENT BOARD	09/12/2021	SSOLER	
++DU&MAT(MATERIAL)/1000	Parts list : welding - WEI.LM MT300 17x9 GE	09/12/2021	SSOLER	
++DU&MAT(MATERIAL)/1001	Parts list : LEM.HAL 200-S - LAP.0022604 (CABLE MANGUERA 4x0,2mm2)	09/12/2021	SSOLER	
++DU&MAT(MATERIAL)/1002	Parts list : LAP.0022604 (CABLE MANGUERA 4x0,2mm2) - TEC.350736-1	09/12/2021	SSOLER	
++DU&MAT(MATERIAL)/1003	Parts list : TEC.350687-1 - TEC.350536-1	09/12/2021	SSOLER	
++DU&CAB(CABLES)/4000	Cable overview : ===++DU+-W66 - ===++DU+-W150	09/12/2021	SSOLER	
++DU&CAB(CABLES)/4001	Cable overview : ===++DU+-W151 - ===++DU+-W166	09/12/2021	SSOLER	
++DU&BOR(BORNEROS)/2000	Terminal-strip overview : ===++DU+-X20 - ===++DU+-X24	09/12/2021	SSOLER	
++DCPROT/1000	GENERAL LAYOUT	09/12/2021	SSOLER	
++DCPROT/1001	CONNECTORS DESCRIPTION	09/12/2021	SSOLER	
++DCPROT/1002	TERMINALS DESCRIPTION	09/12/2021	SSOLER	
++DCPROT/1003	INTERCONNECTION (1)	09/12/2021	SSOLER	
++DCPROT/1004	INTERCONNECTION (2)	09/12/2021	SSOLER	
++DCPROT/1005	DC PROT TERMINAL	09/12/2021	SSOLER	
++DCPROT/1006	(GFDI + GROUND FAULT DETECTOR) OPTION	09/12/2021	SSOLER	
++DCPROT/1007	(GFDI + GROUND FAULT DETECTOR) OPTION	09/12/2021	SSOLER	
++DCPROT/1008	(GFDI + GROUND FAULT DETECTOR) OPTION	09/12/2021	SSOLER	
++DCPROT&MAT(MATERIAL)/1000	Parts list : PEE.E843AA - CNX.3979-2000	09/12/2021	SSOLER	
++DCPROT&CAB(CABLES)/4000	Cable overview : ===++DCPROT+-W65 - ===++DCPROT+-W72	09/12/2021	SSOLER	
++DCPROT&BOR(BORNEROS)/2000	Terminal-strip overview : ===++DCPROT+-X50 - ===++DCPROT+-X50	09/12/2021	SSOLER	

Table of contents

Page	Page description	Modification date	Creator	X
++SL/400	Layout Soft-load	09/12/2021	SSOLER	
++SL/500	CONNECTORS DESCRIPTION (I)	09/12/2021	SSOLER	
++SL/1000	Soft load circuit	09/12/2021	SSOLER	
++SL&MAT(MATERIAL)/1000	Parts list : MER.FR10GR69V2 - TEC.350536-1	09/12/2021	SSOLER	
++MOD/500	PUSH IN CONNECTOR DESCRIPTION (I)	09/12/2021	SSOLER	
++MOD/1000	INTERCONNECTION MOD 1	09/12/2021	SSOLER	
++MOD/1001	INTERCONNECTION MOD 2	09/12/2021	SSOLER	
++MOD/1002	INTERCONNECTION MOD 3	09/12/2021	SSOLER	
++MOD/1003	INTERCONNECTION MOD 4	09/12/2021	SSOLER	
++MOD/1004	INTERCONNECTION MOD 5	09/12/2021	SSOLER	
++MOD/1005	INTERCONNECTION MOD 6	09/12/2021	SSOLER	
++MOD/1006	OPTIC FIBER	09/12/2021	SSOLER	
++MOD/1007	INDUCTANCE (1)	09/12/2021	SSOLER	
++MOD/1008	INDUCTANCE (2)	09/12/2021	SSOLER	
++MOD/1009	INDUCTANCE (3)	09/12/2021	SSOLER	
++MOD/1010	AC MEASURE TO FPGA (1)	09/12/2021	SSOLER	
++MOD/1011	AC MEASURE TO FPGA (2)	09/12/2021	SSOLER	
++MOD&MAT(MATERIAL)/1000	Parts list : TOR.L5418F - WEI.1873540000	09/12/2021	SSOLER	

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
	L1907UND	4150801	WIRE 1 10mm² BK H07V2-K CU 750V	4
	L0039	TE-10.00	CRIMP TERMINAL 10MM	24
	L1903UND	4150800	Multi-Standard SC% 0% 1% 3% 2X GNYE	3
	M0181	TD-10-6	WASHER TERMINAL FOR CABLE 10MM M6	4
	L0244	4150204	WIRE 1 0,75mm² RD H07V2-K CU 750V	310
	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	68
	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	65
	L0243	4150201	WIRE 1 0,75mm² BK H07V2-K CU 750V	108
	L1906	4150501	WIRE MULTISTD SC 2.2 1X2.5 BK 100M	75
	L6539	TE-2.50-HL	CRIMP TERMINAL 2.5 MM2 12mm	270
	L5446	4150502	Multi-Standard SC 2.2 1X2,5 BU	32
	L5683	4160504	WIRE 1 2,5mm² RD H07V-K CU 750V	36
	L3786-1	350561-1	AMP "MNL" MALE TERMINAL (0.2 - 0.7mm²)	8
	L4639UND	4526202	WIRE 1x2,5mm² BK 07V-K 2KV UL	20
	L4464	TE-0.75	POINT TERMINAL 0.75mm²	21
				706
		1747320001	LABEL CABLE SFC 1/12 NEUTRAL WS	140
	L1905UND	4150401	WIRE 1 1,5mm² BK H07V2-K CU 750V	55
	L0100	TE-1.50-HL	CRIMP TERMINAL 1,5MM	184
	L5649	SBC-25063-2	INSULATED TERMINAL 6.3X0.8 1,5/2,5mm²	9
	L2595UND	4150402	WIRE 1 1,5mmm² BU H07V2-K CU 750V	25
	L0246	4150202	WIRE 1 0,75mm² BU H07V2-K CU 750V	38
	L6600	4160203	WIRE 1x0,75mm² BN H07V-K CU 750Vac	6
	L0011	PVCC-15028-1	FASTON 2,8MM PALLET 0.8MM	18
	L4589	4160206	WIRE 1x0,75mm² GY H07V-K CU 750V	6
	L1906-BARRE └	4150501k	WIRE MULTISTD SC 2.2 1X2.5 BK 100M	7
			2.5MM BLUE TOE TOE ON BAND (COPAIN)	10
	L0010	TE-1.00-500	CRIMP TERMINAL 1MM RED	4
	L2816-BARRE └	4150701k	WIRE 1 6mm² BK H07V2-K CU 750V	14
	L0040	TE-6.00	TERMINAL PUNTA 6MM	36
				51
	L6462	1193700000	BRIDGE STEP 12mm 10P RELAY ACCESSORY	14
	L0244-BARRE └	4150204k	WIRE 1 0,75mm² RD H07V2-K CU 750V	3
	L1905UND-BA RREL	4150401k	WIRE 1 1,5mm² BK H07V2-K CU 750V	7
	L2595UND-BA RREL	4150402k	WIRE 1 1,5mm² BU H07V2-K CU 750V	4
	L3105UND	4160400	WIRE MULTISTD SC 2.1 1X1.5 GNYE 100M	22
	M0305	PVC-15064	RED EARRING TERMINAL,M6, 0.25-1.65 mm²	29
	L1902UND	4150500	WIRE MULTISTD SC 2.1 1X2.5 GNYE 100M	7

	M0182	PVC-15043	TERMINAL WASHER M4 SECTION 0.25-1.65mm²	2
	L5648	SBC-15063-2	FASTON ISOLATED 6.3X0.8 0.5 / 1.5mm²	4
	L4588	4160205	WIRE 1x0,75mm² WH H07V-K CU 750V	1
	L0226	PVC-15084	RED TERMINAL 0.25-1.65MM ROUND ISOLATED M8	4
	L0243-BARRE └	4150201k	WIRE 1 0,75mm² BK H07V2-K CU 750V	19
	L6601	4160700	WIRE 1 6mm² GNYE H07V2-K CU 750V	1
	L2816	4150701	WIRE 1 6mm² BK H07V2-K CU 750V	6
	L2817	4150702	CABLE 1 6mm² BU H07V2-K CU 750V	2
	L3582	PVCC-25028	TERM. FASTON 2,8 x 0,5 (SEC.1.04-2.63mm²)	56
	L0246-BARRE └	4150202k		18
			BEAK 1mm² RED IN COPAIN BAND	14
	L1026	PVCC-15028		2
				2
	L3581	4150404	WIRE MULTISTD SC 2.2 1X1.5 RD	8
	L6461	1193690000	BRIDGE STEP 6mm 19P RELAY ACCESSORY	3
			CONNECTOR TERMINAL 0.50-2.50 mm2 MALE	6
	L5685	4160804	WIRE 1 10mm² RD H07V-K CU 750V	1
	L1615	1025220000	LABEL CABLE SFC 3/12 NEUTRAL WS	4
			WIRE 1X10 10mm² BK LAPP UL 2KV	7
			WIRE 1x10mm² RD 07V-K 2KV UL	2
				4
	L4638UND	07V-K 1 X 18 AWG	WIRE 1x1mm² BK 07V-K 2KV UL	2
				2
				1
	L4637UND	4526201	WIRE 1x1mm² RD 07V-K CU 2KV UL	1
			WIRE 1X2,5mm² RD 07V-K 2KV UL	1
				2
	L5493	1284116	WIRE MV 36KV 95mm2 XLPE	4
			TERMINAL.TIPO C CTS 36KV 630A 95-150mm²	4
			TYPE B TERMINAL CWS 36KV 400A 95-150mm²	1
	L5446-BARRE └	4150502k	Multi-Standard SC 2.2 1X2,5 BU	1
	L3581-BARRE └	4150404k	WIRE MULTISTD SC 2.2 1X1.5 RD	1
	L5347UND	4150601	CABLE 1 4MM² BK H07V2-K CU 750V	36
	L0041	TE-4,00	BEAK TERMINAL 4MM ORANGE	72
	L6239	626037-2	PACKING RING 4-6MM2(AWG12-10) M6 IN BAND	14
	L1009	TE-2.50	CRIMP TERMINAL (SEC. 2,5mm²)	26
	L3634	6mm² BK		1
	L2817-BARRE └	4150702k	CABLE 1 6mm² BU H07V2-K CU 750V	3
			WIRE 1x16mm² BU H07V2-K CU 600V	1


BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
	L6542	TE-16.00-L	CRIMP TERMINAL 16 MM2 18mm	7
	M0201	TD-16-10		1
	L1011UND	4150901	WIRE 1 16mm² BK H07V2-K CU 750V	6
			1xMV AIR CONNECTOR 36KV 50-240mm²	3
	L0270	TE-16.00	CRIMP TERMINAL 16MM	6
-89			Mounting rail EN 50 022 (35x7,5)	1
-94			Mounting rail EN 50 022 (35x7,5)	1
-133			Mounting rail EN 50 022 (35x7,5)	2
-139			Mounting rail EN 50 022 (35x7,5)	1
-141			Mounting rail EN 50 022 (35x7,5)	1
-142			Mounting rail EN 50 022 (35x7,5)	1
-158			Mounting rail EN 50 022 (35x7,5)	1
-171			Mounting rail EN 50 022 (35x7,5)	1
-178			Mounting rail EN 50 022 (35x7,5)	1
-194			Mounting rail EN 50 022 (35x7,5)	1
-201			Mounting rail EN 50 022 (35x7,5)	2
-205			Cable duct 30x25	1
-206			Cable duct 30x25	1
-207			Cable duct 30x25	1
-208			Cable duct 30x25	1
-209			Cable duct 30x25	1
-210			Cable duct 30x25	1
-211			Cable duct 30x25	1
-212			Cable duct 30x25	1
-214			Cable duct 60x40	1
-215			Cable duct 60x40	1
-216			Cable duct 60x40	1
-217			Cable duct 60x40	3
-218			Mounting rail EN 50 022 (35x7,5)	1
-219			Mounting rail EN 50 022 (35x7,5)	1
-HOR1			Cable duct 60x40	2
-HOR1	KK3040		Cable duct 30x40	1
-HOR1			Cable duct 60x60	2
-HOR2			Cable duct 60x40	3
-HOR2	KK3040		Cable duct 30x40	1
-HOR2			Cable duct 60x60	1
-HOR3			Cable duct 60x40	4
-HOR4			Cable duct 60x40	3

-HOR4			Cable duct 60x60	1
-HOR5			Cable duct 60x40	2
-HOR6			Cable duct 60x25	1
-U1	M0352		MOSS RING FOR SS7 D39	1
-U2	M0352		MOSS RING FOR SS7 D39	1
-VER1			Cable duct 60x40	2
-VER1	KK3040		Cable duct 30x40	1
-VER1			Cable duct 60x60	2
-VER2			Cable duct 60x40	4
-VER2	KK3040		Cable duct 30x40	1
-VER3			Cable duct 60x25	1
-VER3			Cable duct 60x40	2

[illegible]

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Track changes	=		54
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ GD	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.	DRAWING NUMBER HEM	++&MAT(MATERIAL)/1001			SHEET --> 100		




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	General layout	=		100
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ GD	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		SHEET -->
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER HEM	54		101		

1

XC9,XC10

LAYOUT
GENERAL




3


XC14

2

XC11,XC12

LAYOUT
GENERAL





XC81



XC61

XC74

XC74.1

XC24

XC75



XC81

XC61.1

XC61


XC74

XC24.1


XC24

XC75.1



XC75




FAN 2




FAN 1






DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Single line diagram		=	200
LAST CHANGED	07/12/2021	pazana		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043			++ GD	
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER	HEM			+<-- SHEET 151	
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000								--> SHEET 202	




AC1









Enclosure legend

IME	ERP	Description	Number of units
AC1;Chasis;Chasis1 Chasis3;Chasis4;Chasis7			10
G1	L4935	POWER SUPPLY 24Vdc-9Vdc 24VDC 10W	1
XC1.F;XC2.F;XC3.F	L6522	Contact insert (industry plug-in connectors)	3
E30	PCB E977	MAIN PCB V1500 KOMPAKT	1
Q1	L2716	MCB 2P C10A 400VAC 10KA	1
Q2;Q3	L5487	THERMAL MAGNETIC CIRCUIT BREAKER MMS-32S 10A	2
P1-P3	L533	SURGE ARRESTER AC 1000V T.2 1P	3
F1-F6;F39;F40	L1874	FUSE BASE	8
A3	L5103	Network switch (unmanaged)	1
X1;X5;X6	L6503	Multi-tier modular terminal	17
KA1;KA9	L5605	Relay module	2
X0;X2-X4	L6495	2.5mm2 BG pitch terminal block	15
X0	L6512	End plate (terminals)	4
X0	L6499	Feed-through terminal block	3
X0	L6500	Feed-through terminal block	1
X0	L6496	2.5mm2 BL pitch terminal block	8
KA2-KA5	L4761	RELAY 24VDC + BASE 2NO+2NC	4
X0	L6660	Potential distributor terminal	2
P4	L1535	SURGE SUPPRESSOR 480VAC 4P STP480PYM	1
X0-X6;XAUX	L6509	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	20
F7	L2630	Fuse base	1
KT2	L3913	TEMPORIZADOR 16A 24-230VAC/VDC 1CO 4000VA TORNILLO	1
X1;X5;X6	L6514	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	3
X0	L6662	End plate (terminals)	1
E23	PCB E983	MV EXPANSION PCB	1
P1	L2445	SURGE ARRESTER ACC. CLIP P.A.T.EBDG100013	1
A1	L3104-2	ROUTER WIFI NETIS W2 300Mbps Wireless N	1
F10-F12	L7703	OPEN HOLDER FUSE BAC 14X51	3
F10-F12	L7604	FUSE 40A gG 14X51 500VAC	3
F7-F9	L5768	FUSE 80A 690Vac 80KA NH00	3
F1-F3	L3073	FUSE 15A 600VAC aM 200KA 10X38MM BUSS	3
F39;F40	L7008	FUSE gG 10X38MM 8A 500V	2
F4-F6	L3905	FUSE 16A 690VAC qPV 10x38	3
KA1B;KA5B	L7704	TRZ 24VDC 1NO HC	2



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Module AC door	=		401	
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+		
PLOT DATE	09/12/2021	FILE NAME				<-- SHEET						
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				400						
											SHEET --> 402	





DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Bracket connectors AC panel (II)	=		403
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME				<-- SHEET					
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.	DRAWING NUMBER HEM	402	SHEET --> 500				

-XC25.M = CONECTOR AEREO
VENTILADOR CENTRÍFUGO
L2003



Nota 1.

E1203



-XC27.M = CONECTOR AEREO
VENTILADOR CENTRÍFUGO
L2003



Nota 1.

E1203



-XC29.M = CONECTOR AEREO
VENTILADOR CENTRÍFUGO
L2003



Nota 1.

E1203



-XC30.F = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (AEREO)
L3682



Nota 2.

L5708



L3685



-XC26.F = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (AEREO)
L3682



Nota 2.

L5708



L3685



-XC28.F = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (AEREO)
L3682



Nota 2.

L5708



L3685



XC30.M = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (PANEL)
L3681



Nota 3.

L5707



L3684



CONECTOR INTERMEDIO
XC26.M = VENTILADOR CENTRÍFUGO (PANEL)
L3681



Nota 3.

L5707



L3684



XC28.M = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (PANEL)
L3681



Nota 3.

L5707



L3684



-XC23.F = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (AEREO)
L3682



Nota 2.

L3685



XC24.1 = CONECTOR AEREO VENTILACIÓN
HACIA MÓDULO AC
L2477



Nota 4.

E1204



XC24.2 = CONECTOR BASE VENTILACIÓN
HACIA MÓDULO AC
L2476



E1203



XC23.M = CONECTOR INTERMEDIO
VENTILADOR CENTRÍFUGO (PANEL)
L3681



Nota 3.

L5707




L5708



L3684




Note 1.




Pin location.
Front view.

Note 2.




Pin location.
Front view.

Note 3.



Pin location.
Front view.

Note 4.



Pin location.
Front view.

XC1.M = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6523



1

Nota 6.

XC2.M = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6523



1

Nota 6.


XC3.M = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6523



1

Nota 6.



XC1.F = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC


L6522

1

→ x



M202G01152AB



2

XC2.F = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC


L6522

1

→ x



M202G01152AB



2

XC3.F = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC


L6522

1

x →



M202G01152AB



2

0	1	2	3	4	5	6	7	8	9	
-XC70.1 = CONECTOR FASTON AEREO PARA MALLA MODBUS RS485 L6755  1 -XC70.2 = CONECTOR FASTON AEREO PARA MALLA MODBUS RS485 L5649  1 -XC71.1 = CONECTOR FASTON AEREO PARA MALLA MODBUS RS485 L6755  1 -XC71.2 = CONECTOR FASTON AEREO PARA MALLA MODBUS RS485 L5649  1 -XC72.1 = CONECTOR FASTON AEREO PARA MALLA MODBUS RS485 L6755  1 -XC72.2 = CONECTOR FASTON AEREO PARA MALLA MODBUS RS485 L5649  1										
DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	=		505
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043	++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER		<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				HEM		504		SHEET --> 506
M12 CONNECTORS DESCRIPTION RS485 COMMUNICATIONS										

XC9.1 = CONECTOR AEREO BUS RS485

L6137



1

XC9.2 = CONECTOR PANEL BUS RS485

L6138



1

XC11.2 = CONECTOR PANEL BUS RS485

L6138



1

XC10.1 = CONECTOR AEREO BUS RS485

L6137



1

Nota 1.



Nota 2.

XC11.1 = CONECTOR AEREO BUS RS485

L6137



1

XC10.2 = CONECTOR PANEL BUS RS485

L6138



1

XC12.2 = CONECTOR PANEL BUS RS485

L6138



1

XC12.1 = CONECTOR AEREO BUS RS485

L6137




1






Note 1.



A RD PIN 2
B BK PIN 3
GND WH PIN 4
SH SH PIN 1


Pin location.
Front view.

Note 2.



Place paper on everything
the perimeter

Assembly instructions



Deslice la tuerca de apriete y la carcasa aérea en el cable, pele el cable, acorte la pantalla, pele los conductores, conecte los conductores, con la carcasa aérea recta tuerza los conductores entre sí, pegue una lámina de pantalla alrededor de la pantalla acortada, si diámetro exterior del cable es <6mm pegue una lámina de pantalla adicional alrededor del paquete de conductores, atornille la carcasa aérea con el inserto del conector, apriete la tuerca de apriete

X3 = X3 terminal security manneuver

X4 = X4 terminal for LC feedbacks

X5 = X5 terminal 24VDC

L6509



1

L6509




1

L6509




1

L6495



3

L6495



2

L6503



9

Nota 7

L6517



1

Nota 8

L6517



1

Nota 8

L6517



1

L1691



1

L1691



1

L1691



1

L1748



3

L1748



2

L1748




8

L6514




1

Nota 7,8.



Nota 9.




X6 = X6 terminal ventilación

L6509



1

L6503



4

Nota 10

L6517



1

L1691



1

L1748



3

L6514



1


XAUX = XAUX

L6509




12


Nota 10.




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DESCRIPTION TERMINALS PUSH IN (3)	=		602
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		DRAWING NUMBER	HEM		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET 601		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000									




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Interconnection	=		1000
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER HEM			<-- SHEET 602		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000							SHEET --> 1001		





DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Interconnection	=		1001
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM		1000		SHEET --> 1002




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Interconnection	=		1002
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.	DRAWING NUMBER HEM	<-- SHEET			SHEET -->		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				1001			1003		










DESIGNED	02/12/2020	ssoler
LAST CHANGED	18/11/2021	ssoler
PLOT DATE	09/12/2021	FILE NAME
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000



MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER
		EQUIPMENT No.	HEM_FS3430MU000043
MANUF. REF.		DRAWING NUMBER	HEM



400Vac distribution	=		1008
	++ ACC1	+	
	<-- SHEET 1007		SHEET --> 1009

DC BUSBAR
INVERTER



DC voltage
measure



DC BUS CONNECTION
SOFT CHARGE




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DC Busbar	=		1013
LAST CHANGED	18/11/2021	ssoler							++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM		1012		
									<-- SHEET		SHEET -->
									1012		1014


In case that grid voltage is different from the tapping of the transformer, it will be necessary to wire the winding with an immediately lower voltage.


Pos	hose	Function
L6083		
1-3	L6090 8-9 Ø	Primary transformer
4-7	L6090 8-9 Ø	Secondary 480V
8-11	L6087 5-6 Ø	Secondary 400V
12	L6094	Spare
L6134		
1-4	L6085 3-4 Ø	208V secondary
5	L6088 6-7 Ø	
6	L6088 6-7 Ø	
7	L6088 6-7 Ø	
8	L6084 2-3 Ø	





AUXILIARY TRANSFORMER




















DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Fan to central LC	=		1027
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME					<-- SHEET				
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.			DRAWING NUMBER HEM		1025	SHEET --> 1029	




Inductance





Transformer base





Front Transformer



Top cover AC





Base AC



Extractor towards lv busbar


DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Fan to auxiliary transformer	=		1029	
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+		
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		DRAWING NUMBER	HEM		<-- SHEET 1027		SHEET --> 1030	
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000										







S202 in "O" position -> 1/2 open, 5/6 closed.
S202 in position "I" -> 1/2 closed, 5/6 open.

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO	EQUIPMENT DESIGNATION	MV INVERTER	Emergency + LOTO	=		1032	
LAST CHANGED	18/11/2021	ssoler								++ ACC1		+
PLOT DATE	09/12/2021	FILE NAME					EQUIPMENT No.		HEM_FS3430MU000043	<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.	46980 PATERNA - SPAIN	DRAWING NUMBER	HEM		1030			
										SHEET --> 1040		



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	RS485 Communications	=		1040
LAST CHANGED	18/11/2021	ssoler							++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET 1032		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER HEM	SHEET --> 1041				







Fault/Warning



Run

Voltage Presence





DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Main Control (DISPLAY)	=		1051
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER			<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				HEM			1050	SHEET --> 1052	



FAN OK
FEEDBACK

(DC/DC BOARD)
OK P.SUPPLY
FEEDBACK

FEEDBACK
SOFT LOAD

THERMAL OF
INDUCTANCE
TRAFO

FEEDBACK
CONTACTORS
OF MAIN LC ON
AND FUSES OK

THERMAL OF
INDUCTANCE

AC SURGE
ARRESTER
OK

RUN

DC GROUND FAULT
DETECTION
OK


GFDI
FUSE
OK



EXTERNAL
FAULT
OK

RETRO TERMICO
CONDENSADORES


STO
INPUTS

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Main Control (INPUTS)	=		1052
LAST CHANGED	18/11/2021	ssoler							++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME				<-- SHEET					
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		1051		SHEET -->					
				MANUF. REF.		DRAWING NUMBER HEM			1053		







DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Main Control (OUTPUTS)	=		1054
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.	DRAWING NUMBER HEM	<-- SHEET 1053			SHEET --> 1055		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000									



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Outputs	=		1055
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ ACC1	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		DRAWING NUMBER HEM	<-- SHEET 1054		SHEET --> 1056		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000									



W108
/1059.4
8x24
300 V
L6449




SH

E23
E983
PCB MV


- ++MV-DCDC-E24:J2:8
- ++MV-DCDC-E24:J2:7
- ++MV-DCDC-E24:J2:6
- ++MV-DCDC-E24:J2:5
- ++MV-DCDC-E24:J2:4
- ++MV-DCDC-E24:J2:3
- ++MV-DCDC-E24:J2:2
- ++MV-DCDC-E24:J2:1

- ++MV-DCDC/1020.4 -032
- ++MV-DCDC/1020.4 -031
- ++MV-DCDC/1020.4 -030
- ++MV-DCDC/1020.4 -029
- ++MV-DCDC/1020.4 -028
- ++MV-DCDC/1020.4 -027
- ++MV-DCDC/1020.4 -026
- ++MV-DCDC/1020.4 -025

- GY
- PK
- BU
- RD
- WH
- BN
- GN
- YE




J1




- ++MV-DCDC-A01-XBP:1:2
- ++MV-DCDC-A01-XBP:2:4

- ++MV-DCDC/1004.3 -069
- ++MV-DCDC/1004.3 -070




J2




- ++MV-DCDC-A01-XBP:3:6
- ++MV-DCDC-A01-XBP:4:8

- ++MV-DCDC/1004.4 -071
- ++MV-DCDC/1004.4 -072




J3




- ++MV-DCDC-A01-XBP:5:10
- ++MV-DCDC-A01-XBP:6:12

- ++MV-DCDC/1004.5 -073
- ++MV-DCDC/1004.5 -074



J5



J4

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-A1	L3104-2	WF2904E	ROUTER WIFI NETIS W2 300Mbps Wireless N	1
-A1	M202G02723AA	M202G02723AA	BRACKET ROUTER L3104-2 HEM	1
-A3	L5103	1240900000	Network switch (unmanaged)	1
-C1	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C2	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C3	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C4	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C5	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C6	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C7	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C8	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C9	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C10	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C11	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C12	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C13	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C14	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C15	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C16	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C17	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-C18	L5497	L5497	CAPACITOR 1x 61.5uF 780Vac	1
-Chasis				3
-Chasis1				1
-Chasis3				1
-Chasis7				1
-E1	PCB E852	PCB E852	AC RFI BOARD FREESUN 1500V	1
-E20	PCB E984	PCB E984	DC VOLTAGE MEASUREMENT CARD 4-20mA	1
-E21	PCB E981	PCB E981	AC VOLTAGE MEASUREMENT CARD 4-20mA	1
-E23	PCB E983	PCB E983	MV EXPANSION PCB	1
-E30	PCB E977	PCB E977	MAIN PCB V1500 KOMPAKT	1
-E200	PCB E889	PCB E889	DISCHARGE BOARD RESISTOR LCL	1
-E201	PCB E889	PCB E889	DISCHARGE BOARD RESISTOR LCL	1
-E202	PCB E889	PCB E889	DISCHARGE BOARD RESISTOR LCL	1
-F1	L3073	FNQ-R-15	FUSE 15A 600VAC aM 200KA 10X38MM BUSS	1
-F1	L1874	CHPV1U	FUSE BASE	1
-F2	L3073	FNQ-R-15	FUSE 15A 600VAC aM 200KA 10X38MM BUSS	1
-F2	L1874	CHPV1U	FUSE BASE	1
-F3	L3073	FNQ-R-15	FUSE 15A 600VAC aM 200KA 10X38MM BUSS	1

-F3	L1874	CHPV1U	FUSE BASE	1
-F4	L3905	D1014579	FUSE 16A 690VAC qPV 10x38	1
-F4	L1874	CHPV1U	FUSE BASE	1
-F5	L3905	D1014579	FUSE 16A 690VAC qPV 10x38	1
-F5	L1874	CHPV1U	FUSE BASE	1
-F6	L3905	D1014579	FUSE 16A 690VAC qPV 10x38	1
-F6	L1874	CHPV1U	FUSE BASE	1
-F7	L5768	384060	FUSE 80A 690Vac 80KA NH00	1
-F7	L2630	334717	Fuse base	1
-F8	L5768	384060	FUSE 80A 690Vac 80KA NH00	1
-F9	L5768	384060	FUSE 80A 690Vac 80KA NH00	1
-F10	L7604	421140	FUSE 40A gG 14X51 500VAC	1
-F10	L7703	451260	OPEN HOLDER FUSE BAC 14X51	1
-F11	L7604	421140	FUSE 40A gG 14X51 500VAC	1
-F11	L7703	451260	OPEN HOLDER FUSE BAC 14X51	1
-F12	L7604	421140	FUSE 40A gG 14X51 500VAC	1
-F12	L7703	451260	OPEN HOLDER FUSE BAC 14X51	1
-F18	L5554-1	PC31UD69V630TF W300008	FUSE 630A 690VAC uR SIZE 31	1
-F18	L5936	MS3V1-5UR Y310038	Micro fuse accessory size 31	1
-F19	L5554-1	PC31UD69V630TF W300008	FUSE 630A 690VAC uR SIZE 31	1
-F19	L5936	MS3V1-5UR Y310038	Micro fuse accessory size 31	1
-F20	L5554-1	PC31UD69V630TF W300008	FUSE 630A 690VAC uR SIZE 31	1
-F20	L5936	MS3V1-5UR Y310038	Micro fuse accessory size 31	1
-F39	L7008	420008	FUSE gG 10X38MM 8A 500V	1
-F39	L1874	CHPV1U	FUSE BASE	1
-F40	L7008	420008	FUSE gG 10X38MM 8A 500V	1
-F40	L1874	CHPV1U	FUSE BASE	1
-G1	L4935	URB2409YMD-10WR3	POWER SUPPLY 24Vdc-9Vdc 24VDC 10W	1
-H1	L6475	3SU1001-6AA60-0AA0	INDICATOR LIGHT, WHITE	1
-H1	L6478	3SU1401-1BF60-1AA0	LED MODULE, WHITE	1
-H1	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-H2	L6474	3SU1001-6AA40-0AA0	INDICATOR LIGHT, GREEN	1
-H2	L6477	3SU1401-1BB40-1AA0	LED MODULE, GREEN	1
-H2	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-H3	L6473	3SU1001-6AA20-0AA0	INDICATOR LIGHT, RED	1
-H3	L6476	3SU1401-1BB20-1AA0	LED MODULE, RED	1
-H3	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-KA1	L5605	1479680000	Relay module	1
-KA1B	L7704	1479940000	TRZ 24VDC 1NO HC	1

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-KA2	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-KA3	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-KA4	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-KA5	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-KA5B	L7704	1479940000	TRZ 24VDC 1NO HC	1
-KA9	L5605	1479680000	Relay module	1
-KM5	L4836	1364003000	CONTACTOR 150A 3P 24VDC 2a2b MC-150A	1
-KM5	L4232	83631613009	CONTACTOR ACCESORY "CAPACITOR UNIT"	1
-KM5	L4857	83611634004	ACC. CONTACTOR SUP VARISTOR+RC 24VDC	1
-KM6	L4836	1364003000	CONTACTOR 150A 3P 24VDC 2a2b MC-150A	1
-KM6	L4232	83631613009	CONTACTOR ACCESORY "CAPACITOR UNIT"	1
-KM6	L4857	83611634004	ACC. CONTACTOR SUP VARISTOR+RC 24VDC	1
-KM7	L4836	1364003000	CONTACTOR 150A 3P 24VDC 2a2b MC-150A	1
-KM7	L4232	83631613009	CONTACTOR ACCESORY "CAPACITOR UNIT"	1
-KM7	L4857	83611634004	ACC. CONTACTOR SUP VARISTOR+RC 24VDC	1
-KT2	L3913	80.11.0.240.0000	TEMPORIZADOR 16A 24-230VAC/VDC 1CO 4000VA TORNILLO	1
-L1	L5419D	L5419D	INDUCTANCE 3F 2.7uH 358A	1
-M1	L3926A	EBM.286RF0253	FAN Ø360 4025M3/H 400VAC 3240W RADI	1
-M1	L3916	4803775999	CYCLONE AIR FILTER	1
-M2	L3926A	EBM.286RF0253	FAN Ø360 4025M3/H 400VAC 3240W RADI	1
-M2	L3916	4803775999	CYCLONE AIR FILTER	1
-M3	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1
-M3	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M4	L2589	K2E225-RA92-09	FAN 225X225 705M3/H 230VAC 225W	1
-M13	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M14	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M15	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M16	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M17	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M18	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M19	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M20	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M21	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M22	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M23	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M24	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M25	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M26	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1

-M27	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M28	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M29	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M30	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M31	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M200	L2589	K2E225-RA92-09	FAN 225X225 705M3/H 230VAC 225W	1
-M300	L2589	K2E225-RA92-09	FAN 225X225 705M3/H 230VAC 225W	1
-P1	L533	950112	SURGE ARRESTER AC 1000V T.2 1P	1
-P1	L2445	900411	SURGE ARRESTER ACC. CLIP P.A.T.EBDG100013	1
-P2	L533	950112	SURGE ARRESTER AC 1000V T.2 1P	1
-P3	L533	950112	SURGE ARRESTER AC 1000V T.2 1P	1
-P4	L1535	STP480PYM	SURGE SUPPRESSOR 480VAC 4P STP480PYM	1
-Q1	L2716	06110204R0	MCB 2P C10A 400VAC 10KA	1
-Q2	L5487	0705004341	THERMAL MAGNETIC CIRCUIT BREAKER MMS-32S 10A	1
-Q3	L5487	0705004341	THERMAL MAGNETIC CIRCUIT BREAKER MMS-32S 10A	1
-R3	L7844	GA10K3435STM010	NTC 10kOhm 3435K PVC	1
-S1	L6480	3SU1000-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
-S1	L6481	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
-S1	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-S1	L6482	3SU1900-0EB10-0AA0	DUST COVER	1
-S100	L6483	3SU1000-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
-S100	L6275	3SU1400-1AA10-1CA0	CONTACT MODULE 1NC	4
-S100	L6481	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
-S100	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-S100	L6276	3SU1950-0DX30-0AA0	PROTECTIVE COLLAR FOR PADLOCKS	1
-S200	L6484	3SU1000-1HB10-0AA0	MUSHROOM PUSHBUTTON, 40MM, BLACK	1
-S200	L6275	3SU1400-1AA10-1CA0	CONTACT MODULE 1NC	3
-S200	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-S200	L6276	3SU1950-0DX30-0AA0	PROTECTIVE COLLAR FOR PADLOCKS	1
-S202	L4760	T-0001228874	SELECTOR 1NO/2NC 12A 690VAC	1
-T1	L5456E	L5456E	TRAFO 55 KVA 480-600-630-660/480-400-208-230	1
-T01	L7925	11100.0-02	TERMOSTATO KTO111 (NC) 20 A 80°C UL	1
-TI1	L4090	IAG 3500/5A	CURRENT TRAFO 3500/5A CL 0,2S 5VA IAG	1
-TI2	L4090	IAG 3500/5A	CURRENT TRAFO 3500/5A CL 0,2S 5VA IAG	1
-TI3	L4090	IAG 3500/5A	CURRENT TRAFO 3500/5A CL 0,2S 5VA IAG	1
-U7	L4811	4000-73000-0010000	INSTALLATION SOCKET RJ45 CAT5E IP65	1
-U104	L5667	1018840000	CABLE GLAND USB A - USB A IP65	1
-W1	L1907UND	4150801	WIRE 1 10mm² BK H07V2-K CU 750V	2
-W1	L1619	TD-10-10	EARRING TERMINAL WIRE 10MM FOR M10	2

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-W1	L0039	TE-10.00	CRIMP TERMINAL 10MM	2
-W60	L5472	1123142	ÖLFLEX CLASSIC 130 H 4G2,5	1
-W61	L5472	1123142	ÖLFLEX CLASSIC 130 H 4G2,5	1
-W62	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1
-W63.1	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1
-W65	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1
-W71	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	1
-W71	L1615	1025220000	LABEL CABLE SFC 3/12 NEUTRAL WS	1
-W72	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1
-W73	L5471	1123033	ÖLFLEX CLASSIC 130 H 3G0,75	1
-W74	L5471	1123033	ÖLFLEX CLASSIC 130 H 3G0,75	1
-W76	L5471	1123033	ÖLFLEX CLASSIC 130 H 3G0,75	1
-W77	L5471	1123033	ÖLFLEX CLASSIC 130 H 3G0,75	1
-W79	L5471	1123033	ÖLFLEX CLASSIC 130 H 3G0,75	1
-W80	L5471	1123033	ÖLFLEX CLASSIC 130 H 3G0,75	1
-W104	L4592	0044702	CABLE 2x0.34MM² BK SH UL/CSA	1
-W105	L6449	0044658	UNITRONIC LiYCY UL/CSA 8X24AWG	1
-W106	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	1
-W108	L6449	0044658	UNITRONIC LiYCY UL/CSA 8X24AWG	1
-WETH_1	L1095UND	1583ENH	BELDEN 1583ENH CAT5E UTP NETWORK CABLE	0,751 m 1
-WETH_2	L1095UND	1583ENH	BELDEN 1583ENH CAT5E UTP NETWORK CABLE	1
-WETH_3	L1095UND	1583ENH	BELDEN 1583ENH CAT5E UTP NETWORK CABLE	1
-WETH_4	L1095UND	1583ENH	BELDEN 1583ENH CAT5E UTP NETWORK CABLE	1
-WETH_4	L1096	50CUR5	CONECTOR RJ45 M UTP RIGID C-5	2
-WUSB_1	L5815	4195XXXX	WIRE USB, TYPE A - TYPE A, 3M	1
-X0	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X0	L6499	1992110000	Feed-through terminal block	6
-X0	L6495	1521850000	2.5mm2 BG pitch terminal block	16
-X0	L6500	1991790000	Feed-through terminal block	2
-X0	L6496	1521880000	2.5mm2 BL pitch terminal block	16
-X0	L6512	1991970000	End plate (terminals)	4
-X0	L6517	1527730000	Cross-connector (terminal)	1
-X0	L1691	1806120000	TERMINAL MARKER	1
-X0	L6660	1988290000	Potential distributor terminal	4
-X0	L6662	1988300000	End plate (terminals)	1
-X0	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	22
-X1	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X1	L6503	1547610000	Multi-tier modular terminal	8

-X1	L6517	1527730000	Cross-connector (terminal)	1
-X1	L1691	1806120000	TERMINAL MARKER	1
-X1	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	4
-X1	L6514	1547690000	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
-X2	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X2	L6495	1521850000	2.5mm2 BG pitch terminal block	4
-X2	L6517	1527730000	Cross-connector (terminal)	1
-X2	L1691	1806120000	TERMINAL MARKER	1
-X2	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	2
-X3	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X3	L6495	1521850000	2.5mm2 BG pitch terminal block	6
-X3	L6517	1527730000	Cross-connector (terminal)	1
-X3	L1691	1806120000	TERMINAL MARKER	1
-X3	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X4	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X4	L6495	1521850000	2.5mm2 BG pitch terminal block	4
-X4	L6517	1527730000	Cross-connector (terminal)	1
-X4	L1691	1806120000	TERMINAL MARKER	1
-X4	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	2
-X5	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X5	L6503	1547610000	Multi-tier modular terminal	18
-X5	L6517	1527730000	Cross-connector (terminal)	1
-X5	L1691	1806120000	TERMINAL MARKER	1
-X5	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	8
-X5	L6514	1547690000	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
-X6	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X6	L6503	1547610000	Multi-tier modular terminal	8
-X6	L6517	1527730000	Cross-connector (terminal)	1
-X6	L1691	1806120000	TERMINAL MARKER	1
-X6	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X6	L6514	1547690000	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
-XAUX	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	12
-XC1.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1
-XC1.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC1.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC2.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1
-XC2.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC2.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC3.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-XC3.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC3.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC5.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC5.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4
-XC5.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC5.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC6.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC6.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC6.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC6.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC7.1	E1374	350735-1	CONNECTOR PLUG HOUSING 12P MATE-N-LOK	1
-XC7.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	6
-XC7.2	E1375	350783-1	CONNECTOR RECEPTACLE HOUSING 12P MATE-N-LOK	1
-XC7.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	6
-XC9.1	L6137	1424672	HOUSING CONNECTOR BUS RS485 5P (CODE A)	1
-XC9.2	L6138	1534436	PANEL MOUNT CONNECTOR BUS RS485 5P + HOSE 1M	1
-XC10.1	L6137	1424672	HOUSING CONNECTOR BUS RS485 5P (CODE A)	1
-XC10.2	L6138	1534436	PANEL MOUNT CONNECTOR BUS RS485 5P + HOSE 1M	1
-XC11.1	L6137	1424672	HOUSING CONNECTOR BUS RS485 5P (CODE A)	1
-XC11.2	L6138	1534436	PANEL MOUNT CONNECTOR BUS RS485 5P + HOSE 1M	1
-XC12.1	L6137	1424672	HOUSING CONNECTOR BUS RS485 5P (CODE A)	1
-XC12.2	L6138	1534436	PANEL MOUNT CONNECTOR BUS RS485 5P + HOSE 1M	1
-XC13.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC13.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4
-XC13.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC13.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC14.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC14.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC14.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC14.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC16.1	E1374	350735-1	CONNECTOR PLUG HOUSING 12P MATE-N-LOK	1
-XC16.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	10
-XC16.2	E1375	350783-1	CONNECTOR RECEPTACLE HOUSING 12P MATE-N-LOK	1
-XC16.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	10
-XC17.1	E1374	350735-1	CONNECTOR PLUG HOUSING 12P MATE-N-LOK	1
-XC17.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	12
-XC17.2	E1375	350783-1	CONNECTOR RECEPTACLE HOUSING 12P MATE-N-LOK	1
-XC17.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	12

-XC18.1	E1098	350777-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 2 VIAS	1
-XC18.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC18.2	E1099	350778-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 2 VIAS	1
-XC18.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC19.1	L5778	640581-1	CONNECTOR PLUG HOUSING 6P MATE-N-LOK	1
-XC19.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	6
-XC19.2	L5777	926307-1	CONNECTOR RECEPTACLE HOUSING 6P MATE-N-LOK	1
-XC19.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	6
-XC20.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC20.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC20.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC20.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC21.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC21.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4
-XC21.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC21.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC22.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC22.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4
-XC22.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC22.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC23.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC23.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC23.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC23.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC23.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC23.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC24.1	L2477	350736-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 15 VIAS	1
-XC24.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	14
-XC24.2	L2476	350784-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 15 VIAS	1
-XC24.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	14
-XC25.M	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC25.M	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	3
-XC26.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC26.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC26.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	3
-XC26.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC26.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC26.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	3
-XC27.M	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-XC27.M	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	3
-XC28.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC28.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC28.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	3
-XC28.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC28.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC28.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	3
-XC29.M	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC29.M	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	3
-XC30.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC30.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC30.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	3
-XC30.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC30.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC30.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	3
-XC36.1	E1098	350777-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 2 VIAS	1
-XC36.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC36.2	E1099	350778-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 2 VIAS	1
-XC36.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC37.1	E1098	350777-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 2 VIAS	1
-XC37.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC37.2	E1099	350778-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 2 VIAS	1
-XC37.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC38.1	E1098	350777-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 2 VIAS	1
-XC38.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC38.2	E1099	350778-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 2 VIAS	1
-XC38.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC39.1	E1098	350777-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 2 VIAS	1
-XC39.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC39.2	E1099	350778-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 2 VIAS	1
-XC39.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC70.1	L6755	SBC-25635	INSULATED MALE TERMINAL PVC 6.3X0.8 1-2,5mm2	2
-XC70.2	L5649	SBC-25063-2	INSULATED TERMINAL 6.3X0.8 1,5/2,5mm²	2
-XC71.1	L6755	SBC-25635	INSULATED MALE TERMINAL PVC 6.3X0.8 1-2,5mm2	2
-XC71.2	L5649	SBC-25063-2	INSULATED TERMINAL 6.3X0.8 1,5/2,5mm²	2
-XC72.1	L6755	SBC-25635	INSULATED MALE TERMINAL PVC 6.3X0.8 1-2,5mm2	1
-XC72.2	L5649	SBC-25063-2	INSULATED TERMINAL 6.3X0.8 1,5/2,5mm²	1
-XC130.1	L7843	2-2834075-2	CONEC IP67 2 VIAS HEMBRA	1

-XC130.1	L7249	2-2834067-2	TERMINAL DE ENGASTE HEMBRA 0,75-1mm2	2
-XC130.2	L7842	2-2834074-2	CONEC IP67 2 VIAS MACHO	1
-XC130.2				2

Cable overview


Cable designation	Cable type	ERP	Number of cables and X-section	Length	Function text
===++ACC1+-W60	ÖLFLEX® CLASSIC 130 H	L5472	4G2,5		
===++ACC1+-W61	ÖLFLEX® CLASSIC 130 H	L5472	4G2,5		
===++ACC1+-W62	UNITRONIC® BUS CAN	L3039UND	2x2x0,22		
===++ACC1+-W63.1	UNITRONIC® BUS CAN	L3039UND	2x2x0,22		
===++ACC1+-W65	UNITRONIC® BUS CAN	L3039UND	2x2x0,22		
===++ACC1+-W71	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5		
===++ACC1+-W72	UNITRONIC® BUS CAN	L3039UND	2x2x0,22		
===++ACC1+-W73	ÖLFLEX® CLASSIC 130 H	L5471	3G0,75		PE
===++ACC1+-W74	ÖLFLEX® CLASSIC 130 H	L5471	3G0,75		PE
===++ACC1+-W76	ÖLFLEX® CLASSIC 130 H	L5471	3G0,75		PE
===++ACC1+-W77	ÖLFLEX® CLASSIC 130 H	L5471	3G0,75		PE
===++ACC1+-W79	ÖLFLEX® CLASSIC 130 H	L5471	3G0,75		PE
===++ACC1+-W80	ÖLFLEX® CLASSIC 130 H	L5471	3G0,75		PE
===++ACC1+-W104		L4592	2x0,34		
===++ACC1+-W105	UNITRONIC® LiYCY UL/CSA	L6449	8x24AWG		
===++ACC1+-W106	UNITRONIC® LiYCY UL/CSA	L4595	4x0,34		
===++ACC1+-W108	UNITRONIC® LiYCY UL/CSA	L6449	8x24AWG		
===++ACC1+-WETH_1	UTP CAT 5	L1095UND	8	0,751	
===++ACC1+-WETH_2	UTP CAT 5	L1095UND	8		
===++ACC1+-WETH_3	UTP CAT 5	L1095UND	8		
===++ACC1+-WETH_4	UTP CAT 5	L1095UND	8		
===++ACC1+-WUSB_1	USB A - USB A	L5815			

Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
===++ACC1+-X0	X0 terminal distributor 400V	1	22	0	0	44	
===++ACC1+-X1	X1 terminal 230 VAC	1	4	0	0	16	
===++ACC1+-X2	X2 terminal coil UVT	1	2	0	0	4	
===++ACC1+-X3	X3 terminal security manneuver	1	3	0	0	6	
===++ACC1+-X4	X4 terminal for LC feedbacks	1	2	0	0	4	
===++ACC1+-X5	X5 terminal 24VDC	1	9	0	0	34	
===++ACC1+-X6	X6 terminal ventilación	1	4	0	0	14	
===++ACC1+-XAUX	XAUX			0	0	0	


Enclosure legend


IME	ERP	Description	Number of units
89;213-219		Cable duct 60x40;Mounting rail EN 50 022 (35x7,5)	10
Q2;Q7;X40-X42	L6509	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	7
X40;X41	L6501	Feed-through terminal block	18
X42	L6497	Feed-through terminal block	18
Q1	L5631	CIRCUIT BREAKER, 3P, 50A, 480VAC,35kA	1
Q2-Q7	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	6
X40;X41	L6646	End plate (terminals)	4
X42	L6511	End plate (terminals)	1




Enclosure legend

IME	ERP	Description	Number of units
XC1	L4728	SOCKET DOUBLE GFCI DIN RAIL	1
134;139;141;142;Chasis HOR1-HOR4;VER1-VER3		Mounting rail EN 50 022 (35x7,5);Cable duct 60x60;Cable duct 60x40	12
Q11;Q17;Q20;U8 X43-X46;X51;XC1	L6509	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	16
X45;X46;X51	L6495	2.5mm2 BG pitch terminal block	9
X45;X51	L6496	2.5mm2 BL pitch terminal block	7
Q11	L6197	BK63HU 3P C20A 10kA 480Y/277VAC UL489	1
Q12	L6683	CIRCUIT BREAKER,1P,20A, 480Y/277VAC,10kA	1
Q13-Q17	L6687	CIRCUIT BREAKER,1P,10A, 480Y/277VAC,10kA	5
X43;X44	L6499	Feed-through terminal block	9
X43;X44	L6512	End plate (terminals)	5
U8	L4577	DIN RAIL ADAPTER RJ45	1
X44	L6500	Feed-through terminal block	5
X45;X51	L6510	End plate (terminals)	5
Q20	L3181	MCB BKN-b 2P C2A 415VAC 10kA	2



X40 = x40 terminal 480VAC			X41 = X41 distribution terminal			X42 = X42 circuit breaker terminal		
L6509  1			L6509  2			L6509  2		
L6501  3			L6501  15			L6497  18		
Nota 1 L1748  3			Nota 2 L6646  3			Nota 3 L1748  18		
L1691  1			L6520  12			L1691  1		
L6646  1			L1748  15			L6511  1		
			L1691  2					



X43 = X43 208 VAC terminal

X44 = X44 208 VAC distribution terminal


X45 = X45 client terminal

L6509



1

L6499



3

Nota 4

L1748



3

L1691



1

L6512




1

L6509



1

L6499



6

Nota 5

L6500



5

Nota 6

L6512



4

L6519



5

L1748



11

L1691




1

L6509



1


L6495



5

Nota 7

L6496



5

Nota 8

L1748



10

L1691




1

L6510



1




X46 = X46 External fault terminal

L6509



2

L6495



2


Nota 9

L1748




2

L1691




1


Nota 9.



Nota 10.



Nota 11.




X51 = Distribución 24 Vdc

L6509



2

L6495



1

Nota 9.

L6496



1

Nota 11.

L6510



1

L1748




2

L1691







1

Nota 9.





Nota 11.






FEED FROM 480V AUX XFM RS







DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Trackers protections 1	=		1002
LAST CHANGED	24/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ CU	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET 1001		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER HEM					



POWER ELECTRONICS



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Distribution 208VAC user box	=		1005
LAST CHANGED	24/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ CU	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				DRAWING NUMBER HEM			1004		
								<-- SHEET		1006	



GFI RECEPTACLE

SPARE

SPARE

SPARE


SPARE

SPARE

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	General protections	=		1006	
LAST CHANGED	24/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ CU	+		
PLOT DATE	09/12/2021	FILE NAME				<-- SHEET						
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				1005						
											SHEET --> 1027	




USER CONNECTOR



EXTERNAL FAULT 'OK'

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Ethernet communications and external fault	=		1027	
LAST CHANGED	24/11/2021	ssoler								++ CU		+
PLOT DATE	09/12/2021	FILE NAME					EQUIPMENT No.		HEM_FS3430MU000043	<-- SHEET 1006		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000			MANUF. REF.		DRAWING NUMBER HEM		SHEET --> 1100			



CUSTOMER CONNECTION

ECON MODE


BILL OF MATERIALS


Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-Chasis				1
-Q1	L5631	UTS150NMCP503	CIRCUIT BREAKER, 3P, 50A, 480VAC,35kA	1
-Q2	L6682	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	1
-Q2	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-Q3	L6682	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	1
-Q4	L6682	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	1
-Q5	L6682	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	1
-Q6	L6682	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	1
-Q7	L6682	L6682	CIRCUIT BREAKER, 3P, 16A, 480Y/277VAC ,10kA	1
-Q7	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-Q11	L6197	0628040063	BK63HU 3P C20A 10kA 480Y/277VAC UL489	1
-Q11	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-Q12	L6683	0626043763	CIRCUIT BREAKER,1P,20A, 480Y/277VAC,10kA	1
-Q13	L6687	0626043563	CIRCUIT BREAKER,1P,10A, 480Y/277VAC,10kA	1
-Q14	L6687	0626043563	CIRCUIT BREAKER,1P,10A, 480Y/277VAC,10kA	1
-Q15	L6687	0626043563	CIRCUIT BREAKER,1P,10A, 480Y/277VAC,10kA	1
-Q16	L6687	0626043563	CIRCUIT BREAKER,1P,10A, 480Y/277VAC,10kA	1
-Q17	L6687	0626043563	CIRCUIT BREAKER,1P,10A, 480Y/277VAC,10kA	1
-Q17	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-Q20	L3181	06110200R0	MCB BKN-b 2P C2A 415VAC 10kA	2
-Q20	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-U8	L4577	21700614	DIN RAIL ADAPTER RJ45	2
-U8	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	4
-W1	L1011UND	4150901	WIRE 1 16mm² BK H07V2-K CU 750V	6
-W1	L6542	TE-16.00-L	CRIMP TERMINAL 16 MM2 18mm	6
-W1	L0270	TE-16.00	CRIMP TERMINAL 16MM	6
-WQPE	M217A00033 BASN010B	M217A00033BASN010B	EARTH BUSBAR 8 HOLES M6	1
-WQPE1	M217A00033 BASN010B	M217A00033BASN010B	EARTH BUSBAR 8 HOLES M6	1
-X40	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X40	L6501	2494000000	Feed-through terminal block	6
-X40	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X40	L1691	1806120000	TERMINAL MARKER	1
-X40	L6646	2490380000	End plate (terminals)	1
-X41	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X41	L6501	2494000000	Feed-through terminal block	30
-X41	L6646	2490380000	End plate (terminals)	3
-X41	L6520	2497290000	Cross-connector (terminal)	12
-X41	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	15

-X41	L1691	1806120000	TERMINAL MARKER	2
-X42	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X42	L6497	2051180000	Feed-through terminal block	36
-X42	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	18
-X42	L1691	1806120000	TERMINAL MARKER	1
-X42	L6511	2051680000	End plate (terminals)	1
-X43	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X43	L6499	1992110000	Feed-through terminal block	6
-X43	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X43	L1691	1806120000	TERMINAL MARKER	1
-X43	L6512	1991970000	End plate (terminals)	1
-X44	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X44	L6499	1992110000	Feed-through terminal block	12
-X44	L6500	1991790000	Feed-through terminal block	10
-X44	L6512	1991970000	End plate (terminals)	4
-X44	L6519	1985780000	Cross-connector (terminal)	5
-X44	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	11
-X44	L1691	1806120000	TERMINAL MARKER	1
-X45	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X45	L6495	1521850000	2.5mm2 BG pitch terminal block	10
-X45	L6496	1521880000	2.5mm2 BL pitch terminal block	10
-X45	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	10
-X45	L1691	1806120000	TERMINAL MARKER	1
-X45	L6510	1514400000	End plate (terminals)	1
-X46	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X46	L6495	1521850000	2.5mm2 BG pitch terminal block	4
-X46	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	2
-X46	L1691	1806120000	TERMINAL MARKER	1
-X51	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	4
-X51	L6495	1521850000	2.5mm2 BG pitch terminal block	3
-X51	L6496	1521880000	2.5mm2 BL pitch terminal block	3
-X51	L6510	1514400000	End plate (terminals)	4
-X51	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	2
-X51	L1691	1806120000	TERMINAL MARKER	1
-XC1	L4728	67981	SOCKET DOUBLE GFCI DIN RAIL	1
-XC1	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	4

Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
===++CU+-X40	X40 terminal 480VAC	1	3	0	0	6	
===++CU+-X41	X41 distribution terminal	1	15	0	0	30	
===++CU+-X42	X42 circuit breaker terminal	1	18	0	0	36	
===++CU+-X43	X43 208 VAC terminal	1	3	0	0	6	
===++CU+-X44	X44 208 VAC distribution terminal	1	11	0	0	22	
===++CU+-X45	X45 client terminal	1	10	0	5	25	
===++CU+-X46	X46 External fault terminal	1	2	0	0	2	
===++CU+-X51	Distribución 24 Vdc	1	2	0	0	6	






Enclosure legend

IME	ERP	Description	Number of units
E40	PCB E980	MV CELL CONTROL PCB	1
KA6-KA8	L4761	RELAY 24VDC + BASE 2NO+2NC	3
G3-G5	L5679	F.ALIMENTACION PRO MAX 480W 24V 20A	3
E212	PCB E994	SELECTOR POWER SUPPLY PCB FOR HEM	1
Chasis1-Chasis3;Chasis9 Chasis10;X33			13
Q24;X30-X35	L6509	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	15
X31;X33	L6510	End plate (terminals)	2
X30	L6503	Multi-tier modular terminal	3
X31-X33	L6495	2.5mm2 BG pitch terminal block	9
X31	L6496	2.5mm2 BL pitch terminal block	4
E24	PCB E991	MEASUREMENT MV PCB PHASES TO 4-20MA HEM	1
XC41.F;XC42.F;XC43.F XC44.F	L6522	Contact insert (industry plug-in connectors)	4
V1-V3	L5713	RECTIFIER BRIDGE 3pH PUENTE 1600V 35A	3
Q24	L2716	MCB 2P C10A 400VAC 10KA	1
Q24	L6676	Cont. aux. BKN-6-AX circuit breaker BKN-B	1
S25	L5909	SWITCH DISCONNECTOR 3P 20A 690VAC	1
X35	L6504	DISTRIBUTION TERMINAL 2.5 mm BEIGE PUSH IN	1
X35	L6515	DISTRIBUTION TERMINAL TERMINAL COVER 2.5mm PUSH IN	2
X35	L6505	BORNE DISTRIBUCION 2.5 mm AZUL PUSH IN	1
E211	PCB E20401031	PCB LLC 750-1500V 230V 3.5A	1
E50	L5674	MAXGUARD AMG FIM-C POWER BASE	1
E51-E58	L5675	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	8
X30	L6514	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
X34	L6590	Potential distribution block	1

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Layout MV-DCDC	=		400
LAST CHANGED	09/12/2021	pazana				EQUIPMENT No.	HEM_FS3430MU000043		++ MV-DCDC	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		DRAWING NUMBER HEM	<-- SHEET 110		SHEET --> 402		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000									



ROOF CONNECTOR

-XC49.F = CENTRIFUGAL FAN (AIR)

L3682



1

Nota 2.

L3685



5

ROOF CONNECTOR

-XC50.F = CENTRIFUGAL FAN (AIR)

L3682



1

Nota 2.

L3685



5

ROOF CONNECTOR

XC49.M = CENTRIFUGAL FAN (PANEL)

L3681



1

Nota 3.

L5708



1

L5707



1

L3684



5

ROOF CONNECTOR

XC50.M = CENTRIFUGAL FAN (PANEL)

L3681



1

Nota 3.

L5708



1

L5707




1

L3684



5



0	1	2	3	4	5	6	7	8	9
CONNECTOR -XC51.F = CENTRIFUGAL FAN (AIR) L3682 1 Nota 2. L5708 L3685 1 L3685 5 CONNECTOR XC51.M = CENTRIFUGAL FAN (PANEL) L3681 1 Nota 3. L5708 L3684 1 L3684 6 CONNECTOR -XC52.F = CENTRIFUGAL FAN (AIR) L3682 1 Nota 2. L5708 L3685 1 L3685 5 CONNECTOR XC52.M = CENTRIFUGAL FAN (PANEL) L3681 1 Nota 3. L5708 L3684 1 L3684 6		Note 2. Pin location. Front view. Note 3. Pin location. Front view.							
CONNECTOR -XC53.F = CENTRIFUGAL FAN (AIR) L3682 1 Nota 2. L5708 L3685 1 L3685 5 CONNECTOR XC53.M = CENTRIFUGAL FAN (PANEL) L3681 1 Nota 3. L5708 L3684 1 L3684 6 CONNECTOR -XC54.F = CENTRIFUGAL FAN (AIR) L3682 1 Nota 2. L5708 L3685 1 L3685 5 CONNECTOR XC54.M = CENTRIFUGAL FAN (PANEL) L3681 1 Nota 3. L5708 L3684 1 L3684 6		Note 3. Pin location. Front view.							

DESIGNED	02/12/2020	ssoler	POWER ELECTRONICS®	MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	CONNECTORS DESCRIPTION))	=	502
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ MV-DCDC +	
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER	HEM		<-- SHEET	
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000							501	SHEET --> 503

CONNECTOR
-XC55.F = CENTRIFUGAL FAN (AIR)

L3682



1

Nota 2.

L5708



1



5

CONNECTOR
XC55.M = CENTRIFUGAL FAN (PANEL)

L3681



1

Nota 3.

L5708



1



6

XC61.1 = CONECTOR AEREO INTERCONEXIÓN CON DU

L2003



1

Nota 1.

E1203



4

CONNECTOR
-XC56.F = CENTRIFUGAL FAN (AIR)

L3682



1

Nota 2.

L5708



1



5

CONNECTOR
XC56.M = CENTRIFUGAL FAN (PANEL)

L3681



1

Nota 3.

L5708



1



6

XC61.2 = CONECTOR BASE INTERCONEXIÓN CON DU

L2004




1

E1204




4

Note 2.




Pin location.
Front view.

Note 3.



Pin location.
Front view.

Note 1.



Pin location.
Front view.

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	CONNECTORS DESCRIPTION))	=	503
LAST CHANGED	18/11/2021	ssoler			EQUIPMENT No.	HEM_FS3430MU000043	++ MV-DCDC +			
PLOT DATE	09/12/2021	FILE NAME								
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM		<-- SHEET 502	

XC41.M = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6523



1

XC42.M = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6523



1


XC43.M = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6523



1

Note 3.



XC41.F = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6522



1

XC42.F = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC

L6522



1

XC43.F = PUSH IN CONNECTOR IN AIR HOUSING PANEL AC


L6522



1

Nota 3.


M202G01152AB



2

Nota 3.


M202G01152AB



2


Nota 3.

M202G01152AB



2

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DESCRIPTION PUSH IN CONNECTORS (2)	=		505	
LAST CHANGED	18/11/2021	ssoler								++ MV-DCDC		+
PLOT DATE	09/12/2021	FILE NAME					EQUIPMENT No.		HEM_FS3430MU000043	<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000			MANUF. REF.		DRAWING NUMBER HEM		SHEET --> 504 506			

0	1	2	3	4	5	6	7	8	9
XC63.1 = PLUG CONNECTOR NEUTRAL CT E1099  1 E1203  2 XC63.2 = BASE CONNECTOR NEUTRAL CT   XCN.1 = NEUTRAL CONNECTOR L7482  1 L7481  1 XCN.2 = NEUTRAL CONNECTOR L4940  1									

X30 = Terminal X30 24VDC

L6509



1

L1691



1

L1748




3

L6514



1

L6503



3

Nota 1
L6517



1

X31 = Terminal X31 230VAC

L6509




1

L6510



1


L6495



2

Nota 2

L6496



4

Nota 3

L1691



1

L1748



6

L6517



1


X32 = Terminal X32 Maneuver MT cell

L6509



1

L6495



3

Nota 4

L1691



1

L1748




3

L6517




1


Nota 1.




Nota 2.






Nota 3.



Nota 4.



0	1	2	3	4	5	6	7	8	9	
X33 = Terminal X33 Maneuver Ioto MT L6509  1 L6510  1 L6495  4 Nota 5 L1691  1 L1748  4					Nota 5.  Note 6. 					
DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DESCRIPTION PUSH IN TERMINALS (2)	=	601
LAST CHANGED	24/11/2021	ssoler							++ MV-DCDC +	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		<-- SHEET	SHEET -->
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				DRAWING NUMBER	HEM		600	602

X34 = x34 terminal potential distributor

L6590



1

Nota 9,10,11,12

L6517



1

L1691




1

L6509




7


Nota 8.




Nota 9.




Nota 10.




Nota 11.



Nota: En el bornero X34 poner doble puente (L6517)






34,5 KV P. SUPPLY
(MEDIUM VOLTAGE GRID)

MV TRAF0

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MV Input	=		1001
LAST CHANGED	01/09/2021	j Alvarez							++ MV-DCDC +		
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000							1000		
				MANUF. REF.		DRAWING NUMBER HEM		SHEET -->		1003	




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MEASURES MV PROTECTION SWITCHGEAR	=		1004
LAST CHANGED	01/09/2021	jalvarez							++ MV-DCDC +		
PLOT DATE	09/12/2021	FILE NAME				EQUIPMENT No.	HEM_FS3430MU000043		<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000			MANUF. REF.		DRAWING NUMBER		HEM	1003	
									<-- SHEET		SHEET -->
									1006		




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	PROTECTION RELAY	=		1006
LAST CHANGED	27/04/2021	jalvarez							++ MV-DCDC	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.	DRAWING NUMBER HEM	<-- SHEET			SHEET -->		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				1004			1008		

PUSH IN CONNECTOR
IN MVDCDC MODULE





CLOSE
SWITCH
DISCONNECTOR

OPEN
SWITCH
DISCONNECTOR




OPTIC
FIBER






DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MV EXTRACTION FAN	=		1010
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ MV-DCDC	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		DRAWING NUMBER HEM	<-- SHEET 1009		SHEET --> 1011		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000									


PUSH IN CONNECTOR
IN MVDCDC MODULE




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MV EXTRACTION FAN (1)		=	1011
LAST CHANGED	18/11/2021	ssoler						++ MV-DCDC +			
PLOT DATE	09/12/2021	FILE NAME						<-- SHEET			
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM	1010		SHEET --> 1012	



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MV EXTRACTION FAN (2)		=	1012
LAST CHANGED	18/11/2021	ssoler						++ MV-DCDC +			
PLOT DATE	09/12/2021	FILE NAME						<-- SHEET			
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM	1014		SHEET -->	




Lateral connector
Put caps on L2, L3




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MV SSAA TRANSFORMER	=		1015
LAST CHANGED	24/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ MV-DCDC +		
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET		SHEET -->
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER HEM	1014		1020		





DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	MV MEASURE VOLTAGE	=		1020
LAST CHANGED	18/11/2021	ssoler				++ MV-DCDC	+				
PLOT DATE	09/12/2021	FILE NAME		EQUIPMENT No.	HEM_FS3430MU000043	<-- SHEET			SHEET -->		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.	DRAWING NUMBER HEM	1015			1070		





INTERCONNECTION SUPPORT
DU LEFT SIDE

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	INTERCONNECTION (1)	=		1201	
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ MV-DCDC	+		
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER HEM			<-- SHEET 1200			
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000							SHEET --> 1203			



DESIGNED	02/12/2020	ssoler
LAST CHANGED	18/11/2021	ssoler
PLOT DATE	09/12/2021	FILE NAME
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000





MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN
MANUF. REF.	

EQUIPMENT DESIGNATION	MV INVERTER
EQUIPMENT No.	HEM_FS3430MU000043
DRAWING NUMBER	HEM


PROTECTION AND DISTRIBUTION 24VDC

=	
++ MV-DCDC +	
<-- SHEET 1201	SHEET --> 1204






DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	PCB DC/DC		=	1205
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043			++ MV-DCDC +	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		DRAWING NUMBER	HEM			<-- SHEET 1204	
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000								SHEET --> 1206	




*OPTIONAL WITH MEDIUM VOLTAGE AUXILIARY TRAFIO

DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	POWER S. SELECTOR PCB	=		1206
LAST CHANGED	18/11/2021	ssoler							++ MV-DCDC	+	
PLOT DATE	09/12/2021	FILE NAME				EQUIPMENT No.	HEM_FS3430MU000043		<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM		1205		SHEET --> 1207



PUSH IN
CONNECTOR IN
MVDCDC MODULE



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DCDC VENTILATION	=		1208
LAST CHANGED	18/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ MV-DCDC	+	
PLOT DATE	09/12/2021	FILE NAME				DRAWING NUMBER			<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				HEM			1207		
									&MAT(MATERIAL)/1		000

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-A01	L6422E	L6422E	CELDA HEM V 38KV 600A 25KA/3S IEEE IZQ M	1
-A01-XC63.1	E1099	350778-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 2 VIAS	1
-A01-XC63.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-Chasis1				1
-Chasis2				1
-Chasis3				1
-Chasis4				1
-Chasis5				1
-Chasis6				1
-Chasis7				1
-Chasis9				8
-Chasis10				1
-E24	PCB E991	PCB E991	MEASUREMENT MV PCB PHASES TO 4-20MA HEM	1
-E40	PCB E980	PCB E980	MV CELL CONTROL PCB	1
-E50	L5674	2081880000	MAXGUARD AMG FIM-C POWER BASE	1
-E50	L5678UND	2460730000	Cross-connector (terminal)	1
-E50	L5677UND	1528240000	Cross-connector (terminal)	1
-E51	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E52	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E53	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E54	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E55	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E56	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E57	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E58	L5675	2080410000	PROTECTION 12A 24VDC MAXGUARD AMG ELM-12	1
-E211	PCB E20401031	PCB E20401031	PCB LLC 750-1500V 230V 3.5A	1
-E212	PCB E994	PCB E994	SELECTOR POWER SUPPLY PCB FOR HEM	1
-G3	L5679	1478140000	F.ALIMENTACION PRO MAX 480W 24V 20A	1
-G4	L5679	1478140000	F.ALIMENTACION PRO MAX 480W 24V 20A	1
-G5	L5679	1478140000	F.ALIMENTACION PRO MAX 480W 24V 20A	1
-KA6	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-KA7	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-KA8	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-M7	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1
-M7	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M8	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1
-M8	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M9	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1

-M9	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M10	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1
-M10	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M11	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1
-M11	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M12	L6655	R2E250-RB06-35	FAN CENT 905M3/H 230VAC 345W IP44	1
-M12	L6656	60050061	CAPACITOR 5mF 450V FOR L6655	1
-M30	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M31	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M32	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M33	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-M34	L7899	VUC0119YQHCS 4656 N	VENTILADOR 119x119x38 mm	1
-Q24	L2716	06110204R0	MCB 2P C10A 400VAC 10KA	2
-Q24	L6676	06150012R0	Cont. aux. BKN-6-AX circuit breaker BKN-B	1
-Q24	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-S25	L5909	ZBK20SMAHN1A3	SWITCH DISCONNECTOR 3P 20A 690VAC	2
-T1	L7730	L7730	TRAFO HEM 3630KVA 34,5KVAC 1000M	1
-T2	L5604A	E36G4B	TRAFO AASS MV 0,9KVA 34,5KV/120V	1
-T2	L1021	1020000000	T.STRIP FEED-THROUGH S.1-TIER 2.5mm BEIG	4
-V1	L5713	VS-36MT-160	RECTIFIER BRIDGE 3pH PUENTE 1600V 35A	1
-V2	L5713	VS-36MT-160	RECTIFIER BRIDGE 3pH PUENTE 1600V 35A	1
-V3	L5713	VS-36MT-160	RECTIFIER BRIDGE 3pH PUENTE 1600V 35A	1
-W17	L5146	1123108	HOSE 3X1,5 MM² GY IEC/UL	1
-W19	L5670	0011150	ÖLFLEX 191 3G2,5	1
-W19	L6539	TE-2.50-HL	CRIMP TERMINAL 2.5 MM2 12mm	2
-W81	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	600 mm 1
-W81	L1752	1852360000	LABEL CABLE SFX 10/23 NEUTRAL GE V2	600 mm 2
-W81	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-W81	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-W82	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	600 mm 1
-W82	L1752	1852360000	LABEL CABLE SFX 10/23 NEUTRAL GE V2	600 mm 2
-W82	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-W82	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-W83	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	600 mm 1
-W83	L1752	1852360000	LABEL CABLE SFX 10/23 NEUTRAL GE V2	600 mm 2
-W83	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-W83	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-W84	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	600 mm 1
-W84	L1752	1852360000	LABEL CABLE SFX 10/23 NEUTRAL GE V2	600 mm 2

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-W84	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-W84	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-W85	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	600 mm 1
-W85	L1752	1852360000	LABEL CABLE SFX 10/23 NEUTRAL GE V2	600 mm 2
-W85	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-W85	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-W86	L5447	1123111	ÖLFLEX CLASSIC 130 H 5G1,5	600 mm 1
-W86	L1752	1852360000	LABEL CABLE SFX 10/23 NEUTRAL GE V2	600 mm 2
-W86	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-W86	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-W110	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	1
-W111	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	1
-W112	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	1
-WFOMT	L7589	28020002	HOSE FO POF DUPLEX	1
-X30	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X30	L1691	1806120000	TERMINAL MARKER	1
-X30	L6503	1547610000	Multi-tier modular terminal	6
-X30	L1748	1640740000	LABEL Nº TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X30	L6514	1547690000	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
-X30	L6517	1527730000	Cross-connector (terminal)	1
-X31	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X31	L6510	1514400000	End plate (terminals)	1
-X31	L1691	1806120000	TERMINAL MARKER	1
-X31	L6495	1521850000	2.5mm2 BG pitch terminal block	4
-X31	L6496	1521880000	2.5mm2 BL pitch terminal block	8
-X31	L1748	1640740000	LABEL Nº TERMINAL WS 8/5 PLUS MC NEUTRAL	6
-X31	L6517	1527730000	Cross-connector (terminal)	1
-X32	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X32	L6495	1521850000	2.5mm2 BG pitch terminal block	6
-X32	L1691	1806120000	TERMINAL MARKER	1
-X32	L1748	1640740000	LABEL Nº TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X32	L6517	1527730000	Cross-connector (terminal)	1
-X33	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X33	L6510	1514400000	End plate (terminals)	1
-X33	L6495	1521850000	2.5mm2 BG pitch terminal block	8
-X33	L1691	1806120000	TERMINAL MARKER	1
-X33	L1748	1640740000	LABEL Nº TERMINAL WS 8/5 PLUS MC NEUTRAL	4
-X34	L6590	2506350000	Potential distribution block	1

-X34	L6517	1527730000	Cross-connector (terminal)	1
-X34	L1691	1806120000	TERMINAL MARKER	1
-X34	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	7
-X34	L8007	1988190000	Supply terminal	1
-X34	L6660	1988290000	Potential distributor terminal	2
-X34	L8006	1988180000	Supply terminal	1
-X34	L6661	1988100000	Potential distributor terminal	2
-X35	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X35	L6504	1521740000	DISTRIBUTION TERMINAL 2.5 mm BEIGE PUSH IN	2
-X35	L6505	1521780000	BORNE DISTRIBUCION 2.5 mm AZUL PUSH IN	2
-X35	L6515	1521510000	DISTRIBUTION TERMINAL TERMINAL COVER 2.5mm PUSH IN	2
-X35	L1691	1806120000	TERMINAL MARKER	1
-X35	L1748	1640740000	LABEL Nº TERMINAL WS 8/5 PLUS MC NEUTRAL	2
-XC41.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1
-XC41.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC41.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC42.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1
-XC42.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC42.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC43.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1
-XC43.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC43.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC44.F	L6522	1873580000	Contact insert (industry plug-in connectors)	1
-XC44.F	M202G01152 AB	M202G01152AB	BRACKET PUSH-IN CONNECTOR	2
-XC44.M	L6523	1873590000	Contact insert (industry plug-in connectors)	1
-XC45.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC45.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC45.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC45.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC45.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC45.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-XC46.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC46.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC46.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC46.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC46.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC46.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-XC47.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC47.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-XC47.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC47.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC47.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC47.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-XC48.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC48.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC48.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC48.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC48.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC48.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-XC49.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC49.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC49.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC49.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC49.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC49.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-XC50.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC50.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC50.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC50.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC50.M	L5707	81665-4	INSULATING RUBBER FOR PANEL MOUNT CONNECTOR CPC T.13	1
-XC50.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	5
-XC51.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC51.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC51.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC51.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC51.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC51.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC52.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC52.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC52.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC52.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC52.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC52.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC53.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC53.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC53.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC53.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1


-XC53.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC53.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC54.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC54.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC54.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC54.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC54.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC54.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC55.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC55.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC55.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC55.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC55.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC55.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC56.F	L3682	211399-1	ROUND PLUG CONNECTOR CPC T.13 7P	1
-XC56.F	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC56.F	L3685	1-66360-2	TERMINAL CONNECTOR CPC FEMALE 0,8-2,0MM.	5
-XC56.M	L3681	211401-1	ROUND RECEPTACLE CONNECTOR CPC T.13 7P	1
-XC56.M	L5708	54213-1	CLAMP STAMPED CONECT. CPC T.13	1
-XC56.M	L3684	1-66361-2	TERMINAL CONNECTOR CPC MALE 0,8-2MM.	6
-XC61.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC61.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4
-XC61.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC61.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XCN.1	L7482	CIK-ANSI	IEC / ANSI 42 kV MIXED BICON	1
-XCN.1	L7481	CIK-ANSI	INSULATING PLUG FOR ANSI	1
-XCN.2			TERMINAL.TIPO C CTS 36KV 630A 95-150mm²	1




Cable overview


Cable designation	Cable type	ERP	Number of cables and X-section	Length	Function text
===++MV-DCDC+-W17	ÖLFLEX® CLASSIC 130 H	L5146	3X1,5		
===++MV-DCDC+-W19	ÖLFLEX® 191	L5670	3G2,5		
===++MV-DCDC+-W81	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5	0,6	
===++MV-DCDC+-W82	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5	0,6	
===++MV-DCDC+-W83	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5	0,6	
===++MV-DCDC+-W84	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5	0,6	
===++MV-DCDC+-W85	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5	0,6	
===++MV-DCDC+-W86	ÖLFLEX® CLASSIC 130 H	L5447	5G1,5	0,6	
===++MV-DCDC+-W110		L4595	4x0,34		
===++MV-DCDC+-W111		L4595	4x0,34		
===++MV-DCDC+-W112		L4595	4x0,34		
===++MV-DCDC+-WFOMT	HITRONIC® POF DUPLEX PE	L7589	2x1,0		

Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
===++MV-DCDC+-A01-XBP	XBP BLOCK TERMINAL CT MEASUARE WITHIN ORM CEILL		6	0	0	6	
===++MV-DCDC+-X30	Terminal X30 24VDC	1	3	0	0	12	
===++MV-DCDC+-X31	Terminal X31 230VAC	1	6	0	0	12	
===++MV-DCDC+-X32	Terminal X32 Maneuver MT cell	1	3	0	0	6	
===++MV-DCDC+-X33	Terminal X33 Maneuver loto MT	1	4	0	0	8	
===++MV-DCDC+-X34	X34 terminal potential distributor	1	6	0	0	12	
===++MV-DCDC+-X35	Terminal X35 customer supply ECO	1	2	0	0	4	









Enclosure legend

IME	ERP	Description	Number of units
94;Chasis;Chasis1-Chasis3 HOR1-HOR5;VER1;VER2		Cable duct 60x40;Mounting rail EN 50 022 (35x7,5)	15
E501;E502	PCB E935	BUS VOLTAGE INDICATOR PCB	2
H1;H2	L6477	LED MODULE, GREEN	2
KT1	L3913	TEMPORIZADOR 16A 24-230VAC/VDC 1CO 4000VA TORNILLO	1
KT1;X20-X24	L6509	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	8
X20;X21	L6503	Multi-tier modular terminal	11
X22-X24	L6495	2.5mm2 BG pitch terminal block	8
E20	PCB E986	CONTROL DU PCB HEM1500	1
X20;X21	L6514	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	2
X22-X24	L6510	End plate (terminals)	3

0	1	2	3	4	5	6	7	8	9
XC70.1 = AIR CONNECTOR POWER SUPPLY 230VAC		XC72.1 = AIR CONNECTOR POWER SUPPLY 24VDC		XC74.1 = CONECTOR AÉREO INTERCONEXIÓN DEBAJO MODULO DC		XC75.1 = CONECTOR AÉREO INTERCONEXIÓN DEBAJO MODULO DC			
L2003		L2003		L2477		L2477			
									
1		1		1		1			
Nota 1.				Nota 2.					
E1204		E1203		E1203		E1203			
									
2		2		14		14			
XC70.2 = BASE CONNECTOR POWER SUPPLY 230VAC		XC72.2 = BASE CONNECTOR POWER SUPPLY 24VDC		XC74.2 = CONECTOR AÉREO INTERCONEXIÓN DEBAJO MODULO DC		XC75.2 = CONECTOR AÉREO INTERCONEXIÓN DEBAJO MODULO DC			
L2004		L2004		L2476		L2476			
									
1		1		1		1			
E1203		E1204		E1204		E1204			
									
2		2		14		14			
XC71.1 =				XC76.1 = CONECTOR AÉREO INTERCONEXIÓN PUERTA DU		XC77.1 = CONECTOR AÉREO INTERCONEXIÓN PUERTA DU			
L5778				L2477		L2477			
									
1				1		1			
Nota 3.									
E1204				E1203		E1204			
									
6				14		14			
XC71.2 = CONECTOR PANEL INTERCONEXIÓN PUERTA DU				XC76.2 = CONECTOR AÉREO INTERCONEXIÓN PUERTA DU		XC77.2 = CONECTOR AÉREO INTERCONEXIÓN PUERTA DU			
L5777				L2476		L2476			
									
1				1		1			
E1203				E1204		E1203			
									
6				14		14			
								Nota 1.  Localización de pines. Vista frontal.	
								Nota 2.  Localización de pines. Vista frontal.	
								Nota 3.  Localización de pines. Vista frontal.	

X20 = X20 terminal 230VAC

L6509



1

L6503



4

Nota 1

L6517



1

L1691



1

L1748



4

L6514



1

X21 = X21 terminal 24VDC

L6509



1

L6503



7

Nota 2

L6517



1

L1691



1

L1748



7

L6514



1


X22 = X22 terminal circuit breaker DC 1

L6509



1

L6495



3

Nota 3

L6517



1

L1691



1

L1748




3

L6510




1


Nota 1.







Nota 2.




Nota 3.



DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DESCRIPTION PUSH IN TERMINALS (1)	=		600	
LAST CHANGED	24/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		DRAWING NUMBER HEM	++ DU		+
PLOT DATE	09/12/2021	FILE NAME										
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000								<-- SHEET 500		SHEET --> 601

0	1	2	3	4	5	6	7	8	9										
X23 = X23 terminal circuit breaker DC 2 L6509  1 L6495  3 Nota 4 L6517  1 L1691  1 L1748  3 L6510  1					X24 = X24 terminal maneuver UVT coil L6509  2 L6495  2 Nota 5 L6517  1 L1691  1 L1748  2 L6510  1					Nota 4. 1  2 					Nota 5. 1  2 				
DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DESCRIPTION PUSH IN TERMINALS (2)		=		601							
LAST CHANGED	24/11/2021	ssoler								++ DU	+								
PLOT DATE	09/12/2021	FILE NAME				EQUIPMENT No.	HEM_FS3430MU000043			<-- SHEET									
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER	HEM			600		SHEET --> 1600							

CONNECTORS IN
DU DOOR





230VAC
L3 POWER SUPPLY
DU

NC
EMERGENCY BUTTON + LOTO
FOR COIL (UVT)
OF DC CIRCUITS

NC
LOTO
FOR (CC) COIL
TO DC SWITCH-DISCONNECTORS


24DC
POWER SUPPLY
DU





**FRONT CONNECTION
OF THE SECTIONER**

**REAR CONNECTION
OF THE SECTIONER**



DEVELOPER	02/12/2020	ssoler
LAST DEVELOP.	18/11/2021	ssoler
PRINT DATE	09/12/2021	FILE NAME
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000




Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN
REF. NUM	


Equip. Designation	MV INVERTER
Equip. Number	HEM_FS3430MU000043
Drawing Number	HEM

DC Input 2 (+)	=
	+
	<-- PAGE 1611
	PAGE --> 1613

1612




DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	DC Input 3 (+)	=	1613
LAST DEVELOP.	18/11/2021	ssoler				Equip. Number	HEM_FS3430MU000043			
PRINT DATE	09/12/2021	FILE NAME				Drawing Number	HEM			
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000		REF. NUM						



**FRONT CONNECTION
OF THE SECTIONER**

**REAR CONNECTION
OF THE SECTIONER**




DEVELOPER	02/12/2020	ssoler
LAST DEVELOP.	18/11/2021	ssoler
PRINT DATE	09/12/2021	FILE NAME
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000



Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER
REF. NUM		Equip. Number	HEM_FS3430MU000043
		Drawing Number	HEM


DC Input 4 (+)
=
+

1614
<-- PAGE 1613
PAGE --> 1615



**FRONT CONNECTION
OF THE SECTIONER**

**REAR CONNECTION
OF THE SECTIONER**




DEVELOPER	02/12/2020	ssoler
LAST DEVELOP.	18/11/2021	ssoler
PRINT DATE	09/12/2021	FILE NAME
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000




Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER
REF. NUM		Equip. Number	HEM_FS3430MU000043
		Drawing Number	HEM


DC Input 5 (+)	=	1615
	+	
	<-- PAGE	PAGE -->
	1614	1616


REAR CONNECTION OF THE SECTIONER




DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	DC Input 6 (+)	=	1616
LAST DEVELOP.	18/11/2021	ssoler				Equip. Number	HEM_FS3430MU000043			
PRINT DATE	09/12/2021	FILE NAME				Drawing Number	HEM			
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000		REF. NUM						












DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	CONTROL 230VAC	=		1701
LAST CHANGED	18/11/2021	ssoler							++ DU	+	
PLOT DATE	09/12/2021	FILE NAME							EQUIPMENT No.	HEM_FS3430MU000043	<-- SHEET
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER HEM			1621		1705




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	24VDC DISTRIBUTION	=		1705
LAST CHANGED	18/11/2021	ssoler							++ DU	+	
PLOT DATE	09/12/2021	FILE NAME							EQUIPMENT No.	HEM_FS3430MU000043	<-- SHEET
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.		DRAWING NUMBER HEM			1701		
											1706




DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	DC circuit breaker maneuver sequence	=		1706
LAST CHANGED	24/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ DU	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.		DRAWING NUMBER	<-- SHEET		SHEET -->		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000					HEM			1705	1710







Q9
/1621.2
3200A 1500Vdc
L5434





DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Switch-disconnector DC 2	=		1711
LAST CHANGED	24/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ DU	+	
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET 1710		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000		MANUF. REF.	DRAWING NUMBER HEM						





DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	VOLTAGE MEASUREMENT IN BUSBAR DC BRACKET	=		1740
LAST CHANGED	18/11/2021	ssoler							++ DU	+	
PLOT DATE	09/12/2021	FILE NAME				EQUIPMENT No.	HEM_FS3430MU000043		<-- SHEET		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000			MANUF. REF.		DRAWING NUMBER		HEM	1711	
									<-- SHEET		SHEET -->
									1711		1742













POWER ELECTRONICS















DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	LAYOUT MEASURES CURRENT BOARD	=		1765
LAST CHANGED	18/11/2021	ssoler				EQUIPMENT No.	HEM_FS3430MU000043		++ DU	+	
PLOT DATE	09/12/2021	FILE NAME		MANUF. REF.	DRAWING NUMBER HEM	<-- SHEET			SHEET -->		
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				1764			1766		



BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-Chasis				1
-Chasis1				2
-Chasis2				1
-Chasis3				1
-Chasis4				1
-E10	PCB E984	PCB E984	DC VOLTAGE MEASUREMENT CARD 4-20mA	1
-E11	PCB E984	PCB E984	DC VOLTAGE MEASUREMENT CARD 4-20mA	1
-E20	PCB E986	PCB E986	CONTROL DU PCB HEM1500	1
-E40	PCB E666	PCB E666	DC RFI filter	1
-E201	PCB E990	PCB E990	CURRENT MEASUREMENT PCB DU HEM	1
-E202	PCB E990	PCB E990	CURRENT MEASUREMENT PCB DU HEM	1
-E203	PCB E990	PCB E990	CURRENT MEASUREMENT PCB DU HEM	1
-E204	PCB E990	PCB E990	CURRENT MEASUREMENT PCB DU HEM	1
-E501	PCB E935	PCB E935	BUS VOLTAGE INDICATOR PCB	1
-E502	PCB E935	PCB E935	BUS VOLTAGE INDICATOR PCB	1
-F37	L4635	492205	FUSE 4A 1500VDC 10KA 10x85 UL DF	1
-F37	L3904-1	485701	FUSE HOLDER 32A 1500V 1P PML 10x85 DF	1
-F38	L4635	492205	FUSE 4A 1500VDC 10KA 10x85 UL DF	1
-F38	L3904-1	485701	FUSE HOLDER 32A 1500V 1P PML 10x85 DF	1
-H1	L6474	3SU1001-6AA40-0AA0	INDICATOR LIGHT, GREEN	1
-H1	L6477	3SU1401-1BB40-1AA0	LED MODULE, GREEN	1
-H1	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-H2	L6474	3SU1001-6AA40-0AA0	INDICATOR LIGHT, GREEN	1
-H2	L6477	3SU1401-1BB40-1AA0	LED MODULE, GREEN	1
-H2	L6479	3SU1500-0AA10-0AA0	HOLDER	1
-KT1	L3913	80.11.0.240.0000	TEMPORIZADOR 16A 24-230VAC/VDC 1CO 4000VA TORNILLO	1
-KT1	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	4
-Q1	L5448	S6N040044D0P64	MANUAL DISCONNECTOR 4+4P 1500V 400A	1
-Q1	L5897A	DS-SA1A	HANDLE CONTROL PANEL DISCONNECTOR DS-SA1A WITHOUT AXIS	1
-Q1	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-Q1	L5898	41211088	DISCONNECTOR SHAFT 270MM	1
-Q2	L5448	S6N040044D0P64	MANUAL DISCONNECTOR 4+4P 1500V 400A	1
-Q2	L5897A	DS-SA1A	HANDLE CONTROL PANEL DISCONNECTOR DS-SA1A WITHOUT AXIS	1
-Q2	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-Q2	L5898	41211088	DISCONNECTOR SHAFT 270MM	1
-Q3	L5448	S6N040044D0P64	MANUAL DISCONNECTOR 4+4P 1500V 400A	1
-Q3	L5897A	DS-SA1A	HANDLE CONTROL PANEL DISCONNECTOR DS-SA1A WITHOUT AXIS	1
-Q3	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1

-Q3	L5898	41211088	DISCONNECTOR SHAFT 270MM	1
-Q4	L5448	S6N040044D0P64	MANUAL DISCONNECTOR 4+4P 1500V 400A	1
-Q4	L5897A	DS-SA1A	HANDLE CONTROL PANEL DISCONNECTOR DS-SA1A WITHOUT AXIS	1
-Q4	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-Q4	L5899	41211087	DISCONNECTOR SHAFT 178MM	1
-Q5	L5448	S6N040044D0P64	MANUAL DISCONNECTOR 4+4P 1500V 400A	1
-Q5	L5897A	DS-SA1A	HANDLE CONTROL PANEL DISCONNECTOR DS-SA1A WITHOUT AXIS	1
-Q5	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-Q5	L5899	41211087	DISCONNECTOR SHAFT 178MM	1
-Q6	L5448	S6N040044D0P64	MANUAL DISCONNECTOR 4+4P 1500V 400A	1
-Q6	L5897A	DS-SA1A	HANDLE CONTROL PANEL DISCONNECTOR DS-SA1A WITHOUT AXIS	1
-Q6	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-Q6	L5899	41211087	DISCONNECTOR SHAFT 178MM	1
-Q8	L5434	UDA-32E4-00V-M2D2D2GX-000-U4-K	INTERR/SECC. 3200A DC UDA-32E4	1
-Q9	L5434	UDA-32E4-00V-M2D2D2GX-000-U4-K	INTERR/SECC. 3200A DC UDA-32E4	1
-R501A	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R501B	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R502A	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R502B	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-T1	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T1	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T2	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T2	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T3	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T3	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T4	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T4	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T5	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T5	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T6	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T6	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T7	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T7	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T8	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T8	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T9	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T9	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T10	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T10	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-T11	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T11	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T12	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T12	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T13	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T13	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T14	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T14	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T15	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T15	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T16	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T16	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T17	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T17	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T18	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T18	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T19	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T19	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T20	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T20	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T21	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T21	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T22	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T22	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T23	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T23	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T24	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T24	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T25	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T25	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T26	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T26	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T27	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T27	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T28	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T28	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T29	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T29	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1

-T30	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T30	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T31	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T31	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T32	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T32	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T33	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T33	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T34	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T34	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T35	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T35	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-T36	L116	HAL 200-S	TRANSDUCER HALL 200A O/L HAL 200-S	1
-T36	L3714UND	1724151687	ADHESIVE LABEL LM MT300 17x9 GE	1
-W66	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1,4 m1
-W66	L157-028A	TE-0.25-L	CRIMP TERMINAL 0.24/0.25	1,4 m6
-W67	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1 m1
-W67	L157-028A	TE-0.25-L	CRIMP TERMINAL 0.24/0.25	1 m6
-W68	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1,4 m1
-W68	L157-028A	TE-0.25-L	CRIMP TERMINAL 0.24/0.25	1,4 m6
-W69	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	1 m1
-W69	L157-028A	TE-0.25-L	CRIMP TERMINAL 0.24/0.25	1 m6
-W114	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	2283 mm1
-W115	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	1
-W116	L4595	0044704	UNITRONIC LIYCY UL/CSA 4X0,34MM²	1
-W131	L1909UND	0022604	LiYY A 4X22AWG	0,73 m1
-W132	L1909UND	0022604	LiYY A 4X22AWG	0,65 m1
-W133	L1909UND	0022604	LiYY A 4X22AWG	0,56 m1
-W134	L1909UND	0022604	LiYY A 4X22AWG	0,5 m1
-W135	L1909UND	0022604	LiYY A 4X22AWG	0,45 m1
-W136	L1909UND	0022604	LiYY A 4X22AWG	0,45 m1
-W137	L1909UND	0022604	LiYY A 4X22AWG	0,73 m1
-W138	L1909UND	0022604	LiYY A 4X22AWG	0,65 m1
-W139	L1909UND	0022604	LiYY A 4X22AWG	0,56 m1
-W140	L1909UND	0022604	LiYY A 4X22AWG	0,5 m1
-W141	L1909UND	0022604	LiYY A 4X22AWG	0,45 m1
-W142	L1909UND	0022604	LiYY A 4X22AWG	0,45 m1
-W143	L1909UND	0022604	LiYY A 4X22AWG	0,44 m1
-W144	L1909UND	0022604	LiYY A 4X22AWG	0,44 m1

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-W145	L1909UND	0022604	LiYY A 4X22AWG	0,5 m 1
-W146	L1909UND	0022604	LiYY A 4X22AWG	0,5 m 1
-W147	L1909UND	0022604	LiYY A 4X22AWG	0,41 m 1
-W148	L1909UND	0022604	LiYY A 4X22AWG	0,5 m 1
-W149	L1909UND	0022604	LiYY A 4X22AWG	0,44 m 1
-W150	L1909UND	0022604	LiYY A 4X22AWG	0,45 m 1
-W151	L1909UND	0022604	LiYY A 4X22AWG	0,5 m 1
-W152	L1909UND	0022604	LiYY A 4X22AWG	0,5 m 1
-W153	L1909UND	0022604	LiYY A 4X22AWG	0,41 m 1
-W154	L1909UND	0022604	LiYY A 4X22AWG	0,5 m 1
-W155	L1909UND	0022604	LiYY A 4X22AWG	0,67 m 1
-W156	L1909UND	0022604	LiYY A 4X22AWG	0,62 m 1
-W157	L1909UND	0022604	LiYY A 4X22AWG	0,68 m 1
-W158	L1909UND	0022604	LiYY A 4X22AWG	0,52 m 1
-W159	L1909UND	0022604	LiYY A 4X22AWG	0,62 m 1
-W160	L1909UND	0022604	LiYY A 4X22AWG	0,74 m 1
-W161	L1909UND	0022604	LiYY A 4X22AWG	0,67 m 1
-W162	L1909UND	0022604	LiYY A 4X22AWG	0,62 m 1
-W163	L1909UND	0022604	LiYY A 4X22AWG	0,68 m 1
-W164	L1909UND	0022604	LiYY A 4X22AWG	0,52 m 1
-W165	L1909UND	0022604	LiYY A 4X22AWG	0,62 m 1
-W166	L1909UND	0022604	LiYY A 4X22AWG	0,74 m 1
-X20	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X20	L6503	1547610000	Multi-tier modular terminal	8
-X20	L6517	1527730000	Cross-connector (terminal)	1
-X20	L1691	1806120000	TERMINAL MARKER	1
-X20	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	4
-X20	L6514	1547690000	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
-X21	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X21	L6503	1547610000	Multi-tier modular terminal	14
-X21	L6517	1527730000	Cross-connector (terminal)	1
-X21	L1691	1806120000	TERMINAL MARKER	1
-X21	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	7
-X21	L6514	1547690000	DOUBLE FLOOR END CAP 2.5 mm PUSH IN	1
-X22	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X22	L6495	1521850000	2.5mm2 BG pitch terminal block	6
-X22	L6517	1527730000	Cross-connector (terminal)	1
-X22	L1691	1806120000	TERMINAL MARKER	1

-X22	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X22	L6510	1514400000	End plate (terminals)	2
-X23	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-X23	L6495	1521850000	2.5mm2 BG pitch terminal block	6
-X23	L6517	1527730000	Cross-connector (terminal)	1
-X23	L1691	1806120000	TERMINAL MARKER	1
-X23	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	3
-X23	L6510	1514400000	End plate (terminals)	2
-X24	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X24	L6495	1521850000	2.5mm2 BG pitch terminal block	4
-X24	L6517	1527730000	Cross-connector (terminal)	1
-X24	L1691	1806120000	TERMINAL MARKER	1
-X24	L1748	1640740000	LABEL N° TERMINAL WS 8/5 PLUS MC NEUTRAL	2
-X24	L6510	1514400000	End plate (terminals)	2
-XC70.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC70.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC70.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC70.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC71.1	L5778	640581-1	CONNECTOR PLUG HOUSING 6P MATE-N-LOK	1
-XC71.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	6
-XC71.2	L5777	926307-1	CONNECTOR RECEPTACLE HOUSING 6P MATE-N-LOK	1
-XC71.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	6
-XC72.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC72.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	2
-XC72.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC72.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	2
-XC74.1	L2477	350736-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 15 VIAS	1
-XC74.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	14
-XC74.2	L2476	350784-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 15 VIAS	1
-XC74.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	14
-XC75.1	L2477	350736-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 15 VIAS	1
-XC75.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	14
-XC75.2	L2476	350784-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 15 VIAS	1
-XC75.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	14
-XC76.1	L2477	350736-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 15 VIAS	1
-XC76.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	14
-XC76.2	L2476	350784-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 15 VIAS	1
-XC76.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	14
-XC77.1	L2477	350736-1	CONEC MATE-N-LOCK PLUG HOUSING, AMP, 15 VIAS	1

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-XC77.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	14
-XC77.2	L2476	350784-1	CONEC MATE-N-LOCK RECEPTACLE HOUSING, AMP, 15 VIAS	1
-XC77.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	14

Cable overview

Cable designation	Cable type	ERP	Number of cables and X-section	Length	Function text
===++DU+-W66	UNITRONIC® BUS CAN	L3039UND	2x2x0,22	1,4	
===++DU+-W67	UNITRONIC® BUS CAN	L3039UND	2x2x0,22	1	
===++DU+-W68	UNITRONIC® BUS CAN	L3039UND	2x2x0,22	1,4	
===++DU+-W69	UNITRONIC® BUS CAN	L3039UND	2x2x0,22	1	
===++DU+-W114	UNITRONIC® LiYCY UL/CSA	L4595	4x0,34	2,283	
===++DU+-W115	UNITRONIC® LiYCY UL/CSA	L4595	4x0,34		
===++DU+-W116	UNITRONIC® LiYCY UL/CSA	L4595	4x0,34		
===++DU+-W131	LiYY A	L1909UND	4x22AWG	0,73	
===++DU+-W132	LiYY A	L1909UND	4x22AWG	0,65	
===++DU+-W133	LiYY A	L1909UND	4x22AWG	0,56	
===++DU+-W134	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W135	LiYY A	L1909UND	4x22AWG	0,45	
===++DU+-W136	LiYY A	L1909UND	4x22AWG	0,45	
===++DU+-W137	LiYY A	L1909UND	4x22AWG	0,73	
===++DU+-W138	LiYY A	L1909UND	4x22AWG	0,65	
===++DU+-W139	LiYY A	L1909UND	4x22AWG	0,56	
===++DU+-W140	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W141	LiYY A	L1909UND	4x22AWG	0,45	
===++DU+-W142	LiYY A	L1909UND	4x22AWG	0,45	
===++DU+-W143	LiYY A	L1909UND	4x22AWG	0,44	
===++DU+-W144	LiYY A	L1909UND	4x22AWG	0,44	
===++DU+-W145	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W146	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W147	LiYY A	L1909UND	4x22AWG	0,41	
===++DU+-W148	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W149	LiYY A	L1909UND	4x22AWG	0,44	
===++DU+-W150	LiYY A	L1909UND	4x22AWG	0,45	


Cable overview

Cable designation	Cable type	ERP	Number of cables and X-section	Length	Function text
===++DU+-W151	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W152	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W153	LiYY A	L1909UND	4x22AWG	0,41	
===++DU+-W154	LiYY A	L1909UND	4x22AWG	0,5	
===++DU+-W155	LiYY A	L1909UND	4x22AWG	0,67	
===++DU+-W156	LiYY A	L1909UND	4x22AWG	0,62	
===++DU+-W157	LiYY A	L1909UND	4x22AWG	0,68	
===++DU+-W158	LiYY A	L1909UND	4x22AWG	0,52	
===++DU+-W159	LiYY A	L1909UND	4x22AWG	0,62	
===++DU+-W160	LiYY A	L1909UND	4x22AWG	0,74	
===++DU+-W161	LiYY A	L1909UND	4x22AWG	0,67	
===++DU+-W162	LiYY A	L1909UND	4x22AWG	0,62	
===++DU+-W163	LiYY A	L1909UND	4x22AWG	0,68	
===++DU+-W164	LiYY A	L1909UND	4x22AWG	0,52	
===++DU+-W165	LiYY A	L1909UND	4x22AWG	0,62	
===++DU+-W166	LiYY A	L1909UND	4x22AWG	0,74	





Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
===++DU+-X20	X20 terminal 230VAC	1	4	0	0	14	
===++DU+-X21	X21 terminal 24VDC	1	7	0	0	42	
===++DU+-X22	X22 terminal circuit breaker DC 1	1	3	0	0	6	
===++DU+-X23	X23 terminal circuit breaker DC 2	1	3	0	0	6	
===++DU+-X24	X24 terminal maneuver UVT coil	1	2	0	0	4	

**LAYOUT
GENERAL**



DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	GENERAL LAYOUT	= + -- PAGE ++DU&BOR(BORNEROS)/2000	1000 PAGE --> 1001
LAST DEVELOP.	18/11/2021	ssoler		REF. NUM		Equip. Number	HEM_FS3430MU000043			
PRINT DATE	09/12/2021	FILE NAME				Drawing Number	HEM			
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000								

0	1	2	3	4	5	6	7	8	9								
-XC100.1 = ALIM. 24VDC DCPROT L5778  Nota 1. E1203  1 6			-XC200.1 = CONECTOR PCB L1049  Nota 6. L1051  1 4			Nota 1.  Localización de pines. Vista frontal.				Nota 2.  Localización de pines. Vista frontal.				Nota 3.  Localización de pines. Vista frontal.			
-XC100.2 = ALIM. 24VDC DCPROT L5777  Nota 2. E1204  1 6			-XC300.1 = CONECTOR PCB E1100  Nota 7. E1156  1 5			Nota 6.  Localización de pines. Vista frontal conector.				Nota 7.  Localización de pines. Vista frontal conector.							
-XC73.1 = RETROAVISO SOBRETENSION L2003  Nota 3. E1204  1 4			XC73.2 = RETROAVISO SOBRETENSION L2004  E1203  1 4														
-XC80.1 = INTERCONEXIÓN 24VDC DCPROT L5778  Nota 1. E1203  1 6			-XC80.2 = INTERCONEXIÓN 24VDC DCPROT Y ACC L5777  Nota 2. E1204  1 6														

DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	CONNECTORS DESCRIPTION	=	1001
LAST DEVELOP.	18/11/2021	ssoler				Equip. Number	HEM_FS3430MU000043		+	
PRINT DATE	09/12/2021	FILE NAME		REF. NUM		Drawing Number	HEM		<-- PAGE 1000	PAGE --> 1002
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000								

-X50 = BORNERO OPCIÓN (GFDI+VIGI)

L6509



2

L6495



12

Nota 1.

L6510



4

L6517




1



L1691





1

Nota 1.









RIGHT DOOR
FRONT VIEW "DU"




CENTRAL DOOR
FRONT VIEW "DU"



Nota 1.
Sin conexión. Dejar debidamente aislado.





DESIGNED	02/12/2020	ssoler
LAST CHANGED	18/11/2021	ssoler
PLOT DATE	09/12/2021	FILE NAME
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000





MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN
MANUF. REF.	

EQUIPMENT DESIGNATION	MV INVERTER
EQUIPMENT No.	HEM_FS3430MU000043
DRAWING NUMBER	HEM

(GFDI + GROUND FAULT DETECTOR) OPTION

=	++ DCPROT	+
<-- SHEET 1006		

1007
SHEET --> 1008




BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-E300	PCB E843	PCB E843	ISOLATION BOARD 1500VDC	1
-E301	PCB E840	PCB E840	ISOLATION BOARD 1500V	1
-F200	L3903	492202	FUSE 2A 1500VDC gPV	1
-F200	L3904-1	485701	FUSE HOLDER 32A 1500V 1P PML 10x85 DF	1
-F201	L3903	492202	FUSE 2A 1500VDC gPV	1
-F201	L3904-1	485701	FUSE HOLDER 32A 1500V 1P PML 10x85 DF	1
-F202	L1514	C088368	FUSE GFDI 5A 20X127	1
-F202	L1513	PSI_20x127_PRE+MC_	FUSE BASE 1500VDC 20X127MM NO/NC	1
-K51	L4216	EVR400-24S/B	CONTACTOR 400A 24VDC 0a0b 1000V NC	1
-K51A	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-K52	L4320	EVHB500A-24S/G	CONTACTOR 1P 24VDC 1a0b 1500VDC	1
-K52A	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-K60	L4761	1123490000	RELAY 24VDC + BASE 2NO+2NC	1
-P5	L3920-1	952525	SURGE ARRESTER DC 1500 12.5KA 25KA (+ - PE)	1
-T37	PCB E937	PCB E937	MEASURE CURRENT BOARD TO GFDI	1
-W72	L3039UND	2170261	WIRE 2x2 0,22MM² VT BUS-CAN CU 250V	2041 mm 1
-X50	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2
-X50	L6495	1521850000	2.5mm2 BG pitch terminal block	12
-X50	L6510	1514400000	End plate (terminals)	4
-X50	L6517	1527730000	Cross-connector (terminal)	1
-X50	L1691	1806120000	TERMINAL MARKER	1
-XC73.1	L2003	350779-1	CONNECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC73.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC73.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC73.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4
-XC80.1	L5778	640581-1	CONNECTOR PLUG HOUSING 6P MATE-N-LOK	1
-XC80.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	6
-XC80.2	L5777	926307-1	CONNECTOR RECEPTACLE HOUSING 6P MATE-N-LOK	1
-XC80.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	6
-XC100.1	L5778	640581-1	CONNECTOR PLUG HOUSING 6P MATE-N-LOK	1
-XC100.1	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	6
-XC100.2	L5777	926307-1	CONNECTOR RECEPTACLE HOUSING 6P MATE-N-LOK	1
-XC100.2	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	6
-XC200.1	L1049	2866-2043	SINGLE ROW CRIMP CONNec.HOUSING 4F 2.54	1
-XC200.1	L1051	2870-2000	CRIMP TERMINALS FOR CONECES SER 2866	4
-XC300.1	E1100	3940-2051	SINGLE ROW CRIMP HOUSING 5 - 3.96MM	1
-XC300.1	E1156	3979-2000	TERMINAL STEP 3,96	5

0	1	2	3	4	5	6	7	8	9
Cable overview									
Cable designation		Cable type	ERP	Number of cables and X-section		Length	Function text		
===++DCPROT+-W65		UNITRONIC® BUS CAN				5			
===++DCPROT+-W72		UNITRONIC® BUS CAN	L3039UND	2x2x0,22		2,041			


Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
===++DCPROT+-X50	BORNERO OPCIÓN (GFDI+VIGI)	1	8	0	0	12	




Enclosure legend

IME	ERP	Description	Number of units
V1	L4188	RECTIFIER BRIDGE 3pH PUENTE 1800V 20A	1
R1;R2	L4265	RESISTENCE 300W 100R	2
KM4	L1257	CONTACTOR 9A 3P 230VAC 1a1b MC-09B	1
F13;F14	L1874	FUSE BASE	2
F13;F14	L4179	FUSE 2A 690VAC gR 10X38 120KA	2
F14;KM4	L6509	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	2



DC BUS CONNECTION










1/L1 2/T1 /1000.2
3/L2 4/T2 /1000.3
5/L3 6/T3
21 22
13 14
44 43 /1000.7


Soft load
contactor


DESIGNED	02/12/2020	ssoler		MANUFACTURER	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLÓGICO 46980 PATERNA - SPAIN	EQUIPMENT DESIGNATION	MV INVERTER	Soft load circuit	=		1000	
LAST CHANGED	24/11/2021	ssoler		MANUF. REF.		EQUIPMENT No.	HEM_FS3430MU000043		++ SL	+		
PLOT DATE	09/12/2021	FILE NAME							<-- SHEET			
PLOT FRAME	POWER_C10	ESQ_FS3430MU000043_000				DRAWING NUMBER HEM			500			
											SHEET --> &MAT(MATERIAL)/1000	


BILL OF MATERIALS


Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-F13	L4179	FR10GR69V2	FUSE 2A 690VAC gR 10X38 120KA	1
-F13	L1874	CHPV1U	FUSE BASE	1
-F14	L4179	FR10GR69V2	FUSE 2A 690VAC gR 10X38 120KA	1
-F14	L1874	CHPV1U	FUSE BASE	1
-F14	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-KM4	L1257	MC-09B	CONTACTOR 9A 3P 230VAC 1a1b MC-09B	1
-KM4	L6509	1991920000	TERMINAL ACCESSORY PUSH IN FINAL FIXATION	1
-R1	L4265	HS300 100R J	RESISTENCE 300W 100R	1
-R2	L4265	HS300 100R J	RESISTENCE 300W 100R	1
-V1	L4188	VUO25-18NO8	RECTIFIER BRIDGE 3pH PUENTE 1800V 20A	1
-XC15.1	L2003	350779-1	CONECTOR MATE-N-LOK HOUSING 4 VIAS	1
-XC15.1	E1204	350687-1	TERMINAL AMP "MNL" MACHO (0,5 - 1,2mm²)	4
-XC15.2	L2004	350780-1	CONNECTOR MATE-N-LOK PANEL MOUNT 4 VIAS	1
-XC15.2	E1203	350536-1	TERMINAL AMP "MNL" FEMALE (0,5 - 2 mm²)	4


0	1	2	3	4	5	6	7	8	9	
XC101.F = PUSH IN CONNECTOR MOD 1 L6658  1 Nota 1. XC102.F = PUSH IN CONNECTOR MOD 2 L6658  1 Nota 1. XC103.F = PUSH IN CONNECTOR MOD 3 L6658  1 Nota 1. Note 1.  Pin location. Front view.										
XC104.F = PUSH IN CONNECTOR MOD 4 L6658  1 Nota 1. XC105.F = PUSH IN CONNECTOR MOD 5 L6658  1 Nota 1. XC106.F = PUSH IN CONNECTOR MOD 6 L6658  1 Nota 1.										
DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	PUSH IN CONNECTOR DESCRIPTION (I) ++SL&MAT(MATERIAL)/1000	= +	500
LAST DEVELOP.	18/11/2021	ssoler		REF. NUM		Equip. Number	HEM_FS3430MU000043		<-- PAGE	PAGE -->
PRINT DATE	09/12/2021	FILE NAME				Drawing Number	HEM		1000	
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000								























DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	INDUCTANCE (1)	=	1007
LAST DEVELOP.	18/11/2021	ssoler		REF. NUM		Equip. Number	HEM_FS3430MU000043		+	
PRINT DATE	09/12/2021	FILE NAME				Drawing Number	HEM		<-- PAGE 1006	
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000							PAGE --> 1008	




DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	INDUCTANCE (2)	= +	1008
LAST DEVELOP.	18/11/2021	ssoler								
PRINT DATE	09/12/2021	FILE NAME								
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000								
				REF. NUM		Drawing Number	HEM		<-- PAGE 1007	PAGE --> 1009



DEVELOPER	02/12/2020	ssoler		Manufacturer	POWER ELECTRONICS C/ LEONARDO DA VINCI,24-26 PARQUE TECNOLOGICO 46980 PATERNA - SPAIN	Equip. Designation	MV INVERTER	INDUCTANCE (3)	= +	1009
LAST DEVELOP.	24/11/2021	ssoler								
PRINT DATE	09/12/2021	FILE NAME								
TITLE BLOCK NAME	POWER_C10	ESQ_FS3430MU000043_000								
				REF. NUM		Drawing Number	HEM		<-- PAGE 1008	PAGE --> 1010



BUSBAR
AC MEASURE
TO DC MODULES



**BUSBAR
AC MEASURE
TO DC MODULES**

BILL OF MATERIALS

Identifier (DT)	ERP number	Manufacturer's reference	Description	Number of units meters / units
-L1	L5418F	L5418F	INDUCTANCE 3F 146uH 146uH 505A (REPOT)	1
-L2	L5418F	L5418F	INDUCTANCE 3F 146uH 146uH 505A (REPOT)	1
-L3	L5418F	L5418F	INDUCTANCE 3F 146uH 146uH 505A (REPOT)	1
-R7	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R8	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R9	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R10	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R11	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R12	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R13	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R14	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R15	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R16	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R17	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R18	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R19	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R20	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R21	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R22	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R23	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-R24	PCB E879	PCB E879	PCB RESISTORS DU MODULAR	1
-WMOD1	L7589	28020002	HOSE FO POF DUPLEX	1
-WMOD2	L7589	28020002	HOSE FO POF DUPLEX	1
-WMOD3	L7589	28020002	HOSE FO POF DUPLEX	1
-WMOD4	L7589	28020002	HOSE FO POF DUPLEX	1
-WMOD5	L7589	28020002	HOSE FO POF DUPLEX	1
-WMOD6	L7589	28020002	HOSE FO POF DUPLEX	1
-XC101.F	L6658	1873540000	Contact insert (industry plug-in connectors)	1
-XC102.F	L6658	1873540000	Contact insert (industry plug-in connectors)	1
-XC103.F	L6658	1873540000	Contact insert (industry plug-in connectors)	1
-XC104.F	L6658	1873540000	Contact insert (industry plug-in connectors)	1
-XC105.F	L6658	1873540000	Contact insert (industry plug-in connectors)	1
-XC106.F	L6658	1873540000	Contact insert (industry plug-in connectors)	1