INFORMATION AND PLANS

EQUIPMENT USED

230 x 120mm bowl blank
– Montery cyprus *Cupressus macrocarpa* was used for this, but any close grained timber can be used
10mm bowl gouge
10mm spindle gouge
10mm parting and beading tool
2mm parting tool
Abrasives 180–600 grits
Neoprene-faced jam chuck
Cellulose sealer
Masking tape
Old newspaper
Artists' spray paints
Rub & Buff gilding paste – Chinese red
Lacquer
PPE: Facemask, gloves, dust mask/respirator



1 Mount your blank between centres. I use a steb centre and a revolving ring centre because they provide remounting capability. Using a long ground bowl gouge rough down the blank on all faces and check for faults that might require realignment between centres

1


2

2 I mounted the rough blank with the bark side towards the tailstock to ensure that the recent growth was largely turned away during shaping. Turn a tenon appropriate for your particular scroll chuck on this face. Make the face of the tenon slightly concave and work as close to the revolving centre as it is safe to do so – the remaining stub may be accommodated within the chuck or can be hand carved away

3 Clean up the first 10–20mm of the top face at the headstock side of the blank. This will provide a reference for the upper limit of the eventual rim of the bowl. This will be roughly the finished surface height. Using the long ground bowl gouge begin to remove some of the waste. With the tailstock in place a pull cut on the wing is the most appropriate cut

3

4 The basis of the finished shape is visible. At this point I marked a line 5mm from the top face of the blank to provide a reference point for the finished rim thickness. This provides a finish point for the shaping cuts. I have also marked in pencil the final diameter of the foot. Here it is about 80mm. Work to these reference marks

4

WT_288_45_49_ANDY_COATESckbdmbACSD.indd 46 30/11/2015 12:05